

# CITATION REPORT

List of articles citing

**Self-harm in England: a tale of three cities. Multicentre study of self-harm**

**DOI: 10.1007/s00127-007-0199-7**

**Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 513-21.**

**Source:** <https://exaly.com/paper-pdf/43067298/citation-report.pdf>

**Version:** 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
309	Suicide and deliberate self-harm in children and adolescents. <b>2007</b> , 17, 443-447		10
308	Adolescents' views on preventing self-harm. A large community study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2008</b> , 43, 96-104	4.5	74
307	Injury risk in young psychiatric outpatients: an 11-year follow-up of 302 adolescents. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2008</b> , 43, 627-34	4.5	2
306	Age-sex differences in medicinal self-poisonings: a population-based study of deliberate intent and medical severity. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2008</b> , 43, 642-52	4.5	29
305	Psychosocial assessment following self-harm: results from the multi-centre monitoring of self-harm project. <b>2008</b> , 106, 285-93		86
304	How often does deliberate self-harm occur relative to each suicide? A study of variations by gender and age. <b>2008</b> , 38, 650-60		70
303	Hospital care and repetition following self-harm: multicentre comparison of self-poisoning and self-injury. <b>2008</b> , 192, 440-5		97
302	General hospital presentations of non-fatal hanging over a 28-year period: case-control study. <b>2008</b> , 193, 503-4		12
301	Epidemiology of intentional self-harm presenting to four district health boards in New Zealand over 12 months, and comparison with official data. <b>2009</b> , 43, 659-65		15
300	Suicide and self-harm in older people. <b>2009</b> , 10, 16-23		7
299	Self-harm in the general hospital. <b>2009</b> , 8, 189-193		3
298	Services for assessment, aftercare, and psychological treatment following self-harm. <b>2009</b> , 8, 246-251		
297	Detecting and predicting self-harm behaviour in prisoners: a prospective psychometric analysis of three instruments. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2009</b> , 44, 853-61	4.5	20
296	Detailed analyses of self-poisoning episodes presenting to a large regional teaching hospital in the UK. <b>2009</b> , 68, 260-8		79
295	Trends in prescribing and self-poisoning in relation to UK regulatory authority warnings against use of SSRI antidepressants in under-18-year-olds. <b>2009</b> , 68, 618-29		29
294	An international comparison of adolescent non-suicidal self-injury (NSSI) and suicide attempts: Germany and the USA. <b>2009</b> , 39, 1549-58		195
293	Custody vs care: attitudes of prison staff to self-harm in women prisoners—qualitative study. <b>2009</b> , 20, 408-426		36

292	Attempted suicide in the elderly in England: age-associated rates, time trends and methods. <b>2009</b> , 21, 889-95	18
291	Toxicity of antidepressants: rates of suicide relative to prescribing and non-fatal overdose. <b>2010</b> , 196, 354-8	127
290	Authors' reply. <b>2010</b> , 197, 503-503	
289	Ethnic differences in self-harm, rates, characteristics and service provision: three-city cohort study. <b>2010</b> , 197, 212-8	58
288	Cyclic variations in demand for out-of-hours services in child and adolescent psychiatry: implications for service planning. <b>2010</b> , 34, 427-432	4
287	Epidemiology and trends in non-fatal self-harm in three centres in England: 2000-2007. <b>2010</b> , 197, 493-8	121
286	Association of temporal factors and suicides in the United States, 2000-2004. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2010</b> , 45, 433-45	4.5 32
285	Six year follow-up of a clinical sample of self-harm patients. <b>2010</b> , 121, 247-52	44
284	A comparative study of non-fatal self-poisoning with antidepressants relative to prescribing in three centres in England. <b>2010</b> , 123, 95-101	9
283	Psychosocial assessment and repetition of self-harm: the significance of single and multiple repeat episode analyses. <b>2010</b> , 127, 257-65	62
282	Tentativa de suicídio entre pacientes com uso nocivo de bebidas alcoólicas internados em hospital geral. <b>2010</b> , 59, 167-172	6
281	[Nonsuicidal self-injury in adolescence]. <b>2010</b> , 38, 77-88; quiz 88-9	32
280	Assessment rates and compliance with assertive follow-up after self-harm: cohort study. <b>2010</b> , 14, 120-34	9
279	Non-suicidal self-injury, attempted suicide, and suicidal intent among psychiatric inpatients. <b>2010</b> , 178, 101-5	196
278	Self-injurious behavior among Greek male prisoners: prevalence and risk factors. <b>2010</b> , 25, 151-8	33
277	Suicidal ideation, self-harm and attempted suicide: results from the British psychiatric morbidity survey 2000. <b>2010</b> , 25, 427-31	76
276	Working with clients who engage in self-harming behaviour: experiences of a group of counsellors. <b>2011</b> , 39, 41-51	11
275	. <b>2011</b> ,	50

274	International Perspectives on the Epidemiology and Aetiology of Suicide and Self-Harm. <b>2011</b> , 27-57	14
273	Deliberate Self-Harm: Extent of the Problem and Prediction of Repetition. <b>2011</b> , 119-131	7
272	Supporting people with learning disabilities who self-injure. <b>2011</b> , 16, 16-17	
271	Clinical Care of Deliberate Self-Harm Patients: An Evidence-Based Approach. <b>2011</b> , 329-351	5
270	Risk assessment following self-harm: comparison of mental health nurses and psychiatrists. <b>2011</b> , 67, 127-39	15
269	Deliberate self-harm in rural and urban regions: a comparative study of prevalence and patient characteristics. <b>2011</b> , 73, 274-81	41
268	Impact of different pack sizes of paracetamol in the United Kingdom and Ireland on intentional overdoses: a comparative study. <b>2011</b> , 11, 460	27
267	"Well it's like someone at the other end cares about you." A qualitative study exploring the views of users and providers of care of contact-based interventions following self-harm. <b>2011</b> , 33, 166-76	37
266	All-cause mortality after non-fatal self-poisoning: a cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2011</b> , 46, 455-62	4.5 15
265	Te Ira Tangata: a Zelen randomised controlled trial of a treatment package including problem solving therapy compared to treatment as usual in Maori who present to hospital after self harm. <b>2011</b> , 12, 117	6
264	The ACCESS study a Zelen randomised controlled trial of a treatment package including problem solving therapy compared to treatment as usual in people who present to hospital after self-harm: study protocol for a randomised controlled trial. <b>2011</b> , 12, 135	4
263	Shared characteristics of suicides and other unnatural deaths following non-fatal self-harm? A multicentre study of risk factors. <b>2012</b> , 42, 727-41	39
262	Self-harm and attempted suicide among UK armed forces personnel: results of a cross-sectional survey. <b>2012</b> , 58, 433-9	20
261	The development of a population-level clinical screening tool for self-harm repetition and suicide: the ReACT Self-Harm Rule. <b>2012</b> , 42, 2383-94	53
260	Risk factors for repetition and suicide following self-harm in older adults: multicentre cohort study. <b>2012</b> , 200, 399-404	71
259	Measuring self-harm in adults: a systematic review. <b>2012</b> , 27, 176-80	30
258	Repetition of self-harm and suicide following self-harm in children and adolescents: findings from the Multicentre Study of Self-harm in England. <b>2012</b> , 53, 1212-9	164
257	Self-mutilative behaviors in male substance-dependent inpatients and relationship with anger and aggression: mediator effect of childhood trauma. <b>2012</b> , 53, 252-8	14

- 256 Self-harm. **2012**, 40, 650-653
- 255 Epidemiology and nature of self-harm in children and adolescents: findings from the multicentre study of self-harm in England. **2012**, 21, 369-77 64
- 254 How do methods of non-fatal self-harm relate to eventual suicide?. **2012**, 136, 526-33 84
- 253 Self-harm and attempted suicide within inpatient psychiatric services: a review of the literature. **2012**, 21, 301-9 67
- 252 Suicide and deliberate self-harm in Oxford University students over a 30-year period. *Social Psychiatry and Psychiatric Epidemiology*, **2012**, 47, 43-51 4.5 23
- 251 We are all in this together: working towards a holistic understanding of self-harm. **2013**, 20, 105-13 15
- 250 Benzodiazepine therapy in psychiatric outpatients is associated with deliberate self-poisoning events at emergency departments-a population-based nested case-control study. **2013**, 229, 665-71 19
- 249 Nonsuicidal self-harm and suicide attempts in adolescents: differences in kind or in degree?. *Social Psychiatry and Psychiatric Epidemiology*, **2013**, 48, 1447-55 4.5 12
- 248 Adolescent non-suicidal self-injury (NSSI) interventions. **2013**, 26, 124-30 32
- 247 Self-cutting versus intentional overdose: psychological risk factors. **2013**, 81, 347-54 7
- 246 Service user perspectives on psychosocial assessment following self-harm and its impact on further help-seeking: a qualitative study. **2013**, 145, 315-23 55
- 245 Deliberate self-harm patients in the emergency department: who will repeat and who will not? Validation and development of clinical decision rules. **2013**, 30, 650-6 15
- 244 Validation of suicide and self-harm records in the Clinical Practice Research Datalink. **2013**, 76, 145-57 61
- 243 The epidemiology and management of adult poisonings admitted to the short-stay ward of a large Scottish emergency department. **2013**, 58, 149-53 8
- 242 Are hospital services for self-harm getting better? An observational study examining management, service provision and temporal trends in England. **2013**, 3, e003444 80
- 241 Psychotropic medication involved in intentional drug overdose: implications for treatment. **2013**, 3, 285-293 11
- 240 Messages from Manchester: pilot randomised controlled trial following self-harm. **2013**, 203, 73-4 37
- 239 Recurrent self-harm. **2014**, 67-84

238	Investigating the role of executive attentional control to self-harm in a non-clinical cohort with borderline personality features. <b>2014</b> , 8, 274	16
237	. <b>2014</b> ,	3
236	Self-harm in young people. <b>2014</b> , 17, 97-9	18
235	Alcohol-related mortality following self-harm: a multicentre cohort study. <b>2014</b> , 5, 2054270414533326	7
234	Factors associated with self-cutting as a method of self-harm: findings from the Irish National Registry of Deliberate Self-Harm. <b>2014</b> , 24, 292-7	16
233	Characteristics of hospital-treated intentional drug overdose in Ireland and Northern Ireland. <b>2014</b> , 4, e005557	18
232	Diabetes and self-harm: understanding and addressing the problem. <b>2014</b> , 31, 138-140	2
231	Reporting of drug induced depression and fatal and non-fatal suicidal behaviour in the UK from 1998 to 2011. <b>2014</b> , 15, 54	31
230	Deliberate self-poisoning presenting to an emergency medicine network in South-East Melbourne: a descriptive study. <b>2014</b> , 2014, 461841	14
229	Risk of self-harm and suicide in people with specific psychiatric and physical disorders: comparisons between disorders using English national record linkage. <b>2014</b> , 107, 194-204	129
228	Scales for predicting risk following self-harm: an observational study in 32 hospitals in England. <b>2014</b> , 4, e004732	41
227	Self-harm in young offenders. <b>2014</b> , 44, 641-52	17
226	Assertive case management versus enhanced usual care for people with mental health problems who had attempted suicide and were admitted to hospital emergency departments in Japan (ACTION-J): a multicentre, randomised controlled trial. <b>2014</b> , 1, 193-201	57
225	Attention-deficit hyperactivity disorder increases the risk of deliberate self-poisoning: A population-based cohort. <b>2014</b> , 29, 523-7	14
224	The iceberg of suicide and self-harm in Irish adolescents: a population-based study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2014</b> , 49, 1929-35	4-5 75
223	A mixed method study to determine the attitude of Australian emergency health professionals towards patients who present with deliberate self-poisoning. <b>2014</b> , 22, 98-104	10
222	MIDSHIPS: multicentre intervention designed for self-harm using interpersonal problem-solving: protocol for a randomised controlled feasibility study. <b>2014</b> , 15, 163	8
221	Prevalence of suicide attempters in emergency departments in Japan: a systematic review and meta-analysis. <b>2014</b> , 163, 33-9	41

220	Early Intervention for Self-Harm and Suicidality. <b>2014</b> , 255-266	0
219	Establishing a self-harm surveillance register to improve care in a general hospital. <b>2015</b> , 4, 20-25	5
218	Self-Harm Intervention: Family Therapy (SHIFT), a study protocol for a randomised controlled trial of family therapy versus treatment as usual for young people seen after a second or subsequent episode of self-harm. <b>2015</b> , 16, 501	20
217	Community pharmacists' role in benzodiazepine supply in Ireland: a questionnaire of pharmacists' views and experiences. <b>2015</b> , 23, 415-22	8
216	Suicidal Intent and Method of Self-Harm: A Large-scale Study of Self-Harm Patients Presenting to a General Hospital. <b>2015</b> , 45, 732-46	19
215	Pharmacological interventions for self-harm in adults. <b>2015</b> , CD011777	32
214	Suicide following self-harm: findings from the Multicentre Study of self-harm in England, 2000-2012. <b>2015</b> , 175, 147-51	175
213	Epidemiology, management and outcome of paracetamol poisoning in an inner city emergency department. <b>2015</b> , 32, 155-60	10
212	Interventions to prevent repeat suicidal behavior in patients admitted to an emergency department for a suicide attempt: a meta-analysis. <b>2015</b> , 175, 66-78	78
211	Hospital management of suicidal behaviour and subsequent mortality: a prospective cohort study. <b>2015</b> , 2, 809-16	39
210	Professional care after deliberate self-harm: a qualitative study of young people's experiences. <b>2015</b> , 9, 199-207	5
209	Switching methods of self-harm at repeat episodes: Findings from a multicentre cohort study. <b>2015</b> , 180, 44-51	29
208	Self-harm in Oxford, England: epidemiological and clinical trends, 1996-2010. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2015</b> , 50, 695-704	4.5 26
207	The unidirectional relationship of nightmares on self-harmful thoughts and behaviors.. <b>2015</b> , 25, 44-58	15
206	Using routine clinical and administrative data to produce a dataset of attendances at Emergency Departments following self-harm. <b>2015</b> , 15, 15	18
205	Factors associated with hospitalization after suicide spectrum behaviors: results from a multicenter study in Spain. <b>2015</b> , 19, 17-34	12
204	Medication Overdoses at a Public Emergency Department in Santiago, Chile. <b>2016</b> , 17, 75-80	10
203	A Descriptive Study of Feelings of Arrested Escape (Entrapment) and Arrested Anger in People Presenting to an Emergency Department Following an Episode of Self-Harm. <b>2016</b> , 7, 155	4

202	Definitions of drinking problems. 5-22		
201	Drinking problems and psychiatric disorders. 89-111		
200	International Perspectives on the Epidemiology and Etiology of Suicide and Self-Harm. <b>2016</b> , 36-60		
199	Self-Harm. <b>2016</b> , 61-73		6
198	Risk of repeated self-harm and associated factors in children, adolescents and young adults. <b>2016</b> , 16, 421		21
197	Te Ira Tangata: a Zelen randomised controlled trial of a culturally informed treatment compared to treatment as usual in Māori who present to hospital after self-harm. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2016</b> , 51, 885-94	4.5	16
196	Uncovering key patterns in self-harm in adolescents: Sequence analysis using the Card Sort Task for Self-harm (CaTS). <b>2016</b> , 206, 161-168		28
195	Predicting suicide following self-harm: systematic review of risk factors and risk scales. <b>2016</b> , 209, 277-283		235
194	A comparison of methods of self-harm without intent to die: Cutting versus self-poisoning. <b>2016</b> , 205, 200-206		8
193	Psychosocial interventions following self-harm in adults: a systematic review and meta-analysis. <b>2016</b> , 3, 740-750		109
192	Non-psychiatric inpatient care preceding admission for self-harm in young people. <b>2016</b> , 88, 8-13		4
191	Royal Australian and New Zealand College of Psychiatrists clinical practice guideline for the management of deliberate self-harm. <b>2016</b> , 50, 939-1000		81
190	Rates of self-harm presenting to general hospitals: a comparison of data from the Multicentre Study of Self-Harm in England and Hospital Episode Statistics. <b>2016</b> , 6, e009749		48
189	Management of Suicidal Risk in Emergency Departments. <b>2016</b> , 403-415		1
188	Effective psychological and psychosocial approaches to reduce repetition of self-harm: a systematic review, meta-analysis and meta-regression. <b>2016</b> , 6, e011024		38
187	Epidemiology and trends in non-fatal self-harm in three centres in England, 2000-2012: findings from the Multicentre Study of Self-harm in England. <b>2016</b> , 6, e010538		120
186	Clinical Care of Self-Harm Patients. <b>2016</b> , 362-386		
185	Psychosocial interventions for self-harm in adults. <b>2016</b> , CD012189		92



184	Self-harm and life problems: findings from the Multicentre Study of Self-harm in England. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2016</b> , 51, 183-92	4.5	18
183	Clinical management following self-harm in a UK-wide primary care cohort. <b>2016</b> , 197, 182-8		17
182	Young people who self-harm: a prospective 1-year follow-up study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2016</b> , 51, 171-81	4.5	1
181	Editorial. <b>2016</b> , 38, 169-171		
180	Non-suicidal reasons for self-harm: A systematic review of self-reported accounts. <b>2016</b> , 191, 109-17		109
179	Do Coping Strategies Mediate the Relationship Between Parental Attachment and Self-Harm in Young People?. <b>2016</b> , 20, 205-18		11
178	Does drug treatment reduce the risk of further self-harm or suicide?: Commentary on [Cochrane Corner. <b>2016</b> , 22, 3-7		
177	Impact of the recent recession on self-harm: Longitudinal ecological and patient-level investigation from the Multicentre Study of Self-harm in England. <b>2016</b> , 191, 132-8		29
176	The epidemiology of self-harm in a UK-wide primary care patient cohort, 2001-2013. <b>2016</b> , 16, 53		47
175	An interpretative phenomenological analysis of the experience of self-harm repetition and recovery in young adults. <b>2017</b> , 22, 1631-1641		15
174	Suicide prevention for physicians: identification, intervention and mitigation of risk. <b>2017</b> , 45, 131-134		3
173	Overstating the lack of evidence on suicide risk assessment. <b>2017</b> , 210, 369		
172	Combination of self-harm methods and fatal and non-fatal repetition: A cohort study. <b>2017</b> , 218, 188-194		16
171	Alcohol misuse and self-harm: an opportunity for early intervention in the emergency department. <b>2017</b> , 4, 435-436		2
170	Patient emergency assessment following deliberate self-poisoning with benzodiazepines: Can cognitive markers predict recall of the psychiatric interview? A pilot study. <b>2017</b> , 31, 1362-1368		6
169	Longitudinal association between self-injurious thoughts and behaviors and suicidal behavior in adolescents and young adults: A systematic review with meta-analysis. <b>2017</b> , 215, 37-48		87
168	How people who self-harm negotiate the inpatient environment: the mental healthcare workers perspective. <b>2017</b> , 24, 480-490		6
167	Co-producing a digital educational programme for registered children's nurses to improve care of children and young people admitted with self-harm. <b>2017</b> , 21, 191-200		11

166	Extending the liaison psychiatry service in a large hospital in the UK: a before and after evaluation of the economic impact and patient care following ED attendances for self-harm. <b>2017</b> , 7, e016906	14
165	Acetaminophen (APAP) hepatotoxicity-Isn't it time for APAP to go away?. <b>2017</b> , 67, 1324-1331	164
164	Characteristics and outcomes of patients with drug overdose requiring admission to Intensive Care Unit. <b>2017</b> , 25, 489-493	10
163	A sequence analysis of patterns in self-harm in young people with and without experience of being looked after in care. <b>2017</b> , 56, 388-407	17
162	Psychosocial and behavioral factors in acetaminophen-related acute liver failure and liver injury. <b>2017</b> , 101, 51-57	8
161	Variance in the Efficacy of Brief Interventions to Reduce Hazardous and Harmful Alcohol Consumption Between Injury and Noninjury Patients in Emergency Departments: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. <b>2017</b> , 70, 714-723.e13	9
160	Age-related differences in self-harm presentations and subsequent management of adolescents and young adults at the emergency department. <b>2017</b> , 208, 399-405	21
159	Impulsivity and self-harm in adolescence: a systematic review. <b>2017</b> , 26, 387-402	71
158	Is There a Relationship between Suicidal Intent and Lethality in Deliberate Self-Poisoning?. <b>2017</b> , 47, 205-216	7
157	An assessment of the variation in the concentration of acetylcysteine in infusions for the treatment of paracetamol overdose. <b>2017</b> , 83, 393-399	11
156	Investigating the Interaction Between Sleep Symptoms of Arousal and Acquired Capability in Predicting Suicidality. <b>2017</b> , 47, 370-381	10
155	Correlation of impulsivity with self-harm and suicidal attempt: a community study of adolescents in Taiwan. <b>2017</b> , 7, e017949	7
154	Effectiveness of systemic family therapy versus treatment as usual for young people after self-harm: a pragmatic, phase 3, multicentre, randomised controlled trial. <b>2018</b> , 5, 203-216	49
153	Routine hospital data - is it good enough for trials? An example using England's Hospital Episode Statistics in the SHIFT trial of Family Therapy vs. Treatment as Usual in adolescents following self-harm. <b>2018</b> , 15, 197-206	8
152	Treatment as usual (TAU) as a control condition in trials of cognitive behavioural-based psychotherapy for self-harm: Impact of content and quality on outcomes in a systematic review. <b>2018</b> , 235, 434-447	15
151	Relative toxicity of benzodiazepines and hypnotics commonly used for self-poisoning: An epidemiological study of fatal toxicity and case fatality. <b>2018</b> , 32, 654-662	15
150	Intentional Drug Overdose Involving Pregabalin and Gabapentin: Findings from the National Self-Harm Registry Ireland, 2007-2015. <b>2018</b> , 38, 373-380	22
149	Self-harm among the homeless population in Ireland: A national registry-based study of incidence and associated factors. <b>2018</b> , 229, 523-531	6

148	Availability of Paracetamol Sold Over the Counter in Europe: A Descriptive Cross-Sectional International Survey of Pack Size Restriction. <b>2018</b> , 122, 643-649	21
147	Incidence of suicide, hospital-presenting non-fatal self-harm, and community-occurring non-fatal self-harm in adolescents in England (the iceberg model of self-harm): a retrospective study. <b>2018</b> , 5, 167-174	107
146	Frequently used drug types and alcohol involvement in intentional drug overdoses in Ireland: a national registry study. <b>2018</b> , 28, 681-686	8
145	Effectiveness of assertive case management on repeat self-harm in patients admitted for suicide attempt: Findings from ACTION-J study. <b>2018</b> , 225, 460-465	19
144	Co-ingested alcohol and the timing of deliberate self-poisonings. <b>2018</b> , 52, 271-278	3
143	Suicide Prevention. 103-124	
142	Vortioxetine overdose in a suicidal attempt: A case report. <b>2018</b> , 97, e10788	2
141	Self-harm scar revision. <b>2018</b> , 2018,	0
140	Relative toxicity of mood stabilisers and antipsychotics: case fatality and fatal toxicity associated with self-poisoning. <b>2018</b> , 18, 399	10
139	Suicide and all-cause mortality following routine hospital management of self-harm: Propensity score analysis using multicentre cohort data. <b>2018</b> , 13, e0204670	9
138	Factors associated with hospitalization after self-poisoning in France: special focus on the impact of alcohol use disorder. <b>2018</b> , 18, 287	4
137	Poisoning substances taken by young people: a population-based cohort study. <b>2018</b> , 68, e703-e710	5
136	Chronic substance use and self-harm in a primary health care setting. <b>2018</b> , 10, e1-e9	2
135	Accuracy of risk scales for predicting repeat self-harm and suicide: a multicentre, population-level cohort study using routine clinical data. <b>2018</b> , 18, 113	37
134	Self-Harm among Young People Detained in the Youth Justice System in Sri Lanka. <b>2018</b> , 15,	1
133	Memory impairment following intentional self-poisoning with benzodiazepines: Should we pay more attention to attention?. <b>2019</b> , 33, 1428-1435	3
132	Suicide following presentation to hospital for non-fatal self-harm in the Multicentre Study of Self-harm: a long-term follow-up study. <b>2019</b> , 6, 1021-1030	49
131	Active contact and follow-up interventions to prevent repeat suicide attempts during high-risk periods among patients admitted to emergency departments for suicidal behavior: a systematic review and meta-analysis. <b>2019</b> , 19, 44	27

130	Advance decisions to refuse treatment and suicidal behaviour in emergency care: 'it's very much a step into the unknown'. <b>2019</b> , 5, e50	0
129	Self-harm in midlife: analysis using data from the Multicentre Study of Self-harm in England. <b>2019</b> , 1-8	8
128	Disparities in Access to Mental Health Services Among Patients Hospitalized for Deliberate Drug Overdose. <b>2019</b> , 70, 758-764	2
127	Risk of dying unnaturally among people aged 15-35 years who have harmed themselves and inflicted violence on others: a national nested case-control study. <b>2019</b> , 4, e220-e228	10
126	Stigma towards non-suicidal self-harm: evaluating a brief educational intervention. <b>2019</b> , 28, 307-312	6
125	Predictors of future suicide attempt among adolescents with suicidal thoughts or non-suicidal self-harm: a population-based birth cohort study. <b>2019</b> , 6, 327-337	137
124	Management of patients with an advance decision and suicidal behaviour: a systematic review. <b>2019</b> , 9, e023978	8
123	Are non-psychiatric hospitalisations before self-harm associated with an increased risk for suicide among young people?. <b>2019</b> , 120, 96-101	4
122	Self-harm and social media: thematic analysis of images posted on three social media sites. <b>2019</b> , 9, e027006	19
121	Risk assessment scales to predict risk of hospital treated repeat self-harm: A cost-effectiveness modelling analysis. <b>2019</b> , 249, 208-215	5
120	Differences in hospital admissions practices following self-harm and their influence on population-level comparisons of self-harm rates in South London: an observational study. <b>2019</b> , 9, e032906	3
119	Self-harm presentations in emergency departments: staff attitudes and triage. <b>2019</b> , 28, 1468-1476	9
118	Relative toxicity of analgesics commonly used for intentional self-poisoning: A study of case fatality based on fatal and non-fatal overdoses. <b>2019</b> , 246, 814-819	10
117	Eating disorders and substance use in adolescents: How substance users differ from nonsubstance users in an outpatient eating disorders treatment clinic. <b>2019</b> , 52, 175-182	3
116	Long-term mortality and cause of death for patients treated in Intensive Care Units due to poisoning. <b>2019</b> , 63, 500-505	5
115	Is the reported increase in young female hospital-treated intentional self-harm real or artefactual?. <b>2019</b> , 53, 663-672	4
114	Risk factors for inpatient violence and self-harm in forensic psychiatry: the role of head injury, schizophrenia and substance misuse. <b>2019</b> , 33, 313-321	10
113	Method of self-harm and risk of self-harm repetition: findings from a national self-harm registry. <b>2019</b> , 246, 843-850	11

112	Psychosocial Interventions for People Who Self-Harm: Methodological Issues Involved in Trials to Evaluate Effectiveness. <b>2020</b> , 24, S32-S93	12
111	Mortality in children and adolescents following presentation to hospital after non-fatal self-harm in the Multicentre Study of Self-harm: a prospective observational cohort study. <b>2020</b> , 4, 111-120	31
110	Exploring characteristics and risk of repetition in people who fail to report previous hospital presentations for self-harm: A case-control study using data from The Manchester Self-Harm Project. <b>2020</b> , 262, 77-82	0
109	Penis replantation—Are we rising to the challenge?. <b>2020</b> , 43, 513-515	
108	Acetaminophen Toxicity: A History of Serendipity and Unintended Consequences. <b>2020</b> , 16, 34-44	4
107	Utilization of healthcare and psychotropic medication in elderly and non-elderly people with first self-poisoning episodes: A nationwide population-based cohort study. <b>2020</b> , 34, 36-43	
106	Paracetamol self-poisoning: Epidemiological study of trends and patient characteristics from the multicentre study of self-harm in England. <b>2020</b> , 276, 699-706	9
105	National Ambulance Surveillance System: A novel method using coded Australian ambulance clinical records to monitor self-harm and mental health-related morbidity. <b>2020</b> , 15, e0236344	5
104	Problem-solving therapy rather than treatment as usual for adults after self-harm: a pragmatic, feasibility, randomised controlled trial (the MIDSHIPS trial). <b>2020</b> , 6, 119	2
103	Development of a Self-Harm Monitoring System for Victoria. <b>2020</b> , 17,	3
102	Adverse Childhood Experiences and Risk of Subsequently Engaging in Self-Harm and Violence towards Other People—"Dual Harm". <b>2020</b> , 17,	3
101	Methods of deliberate self-harm in a tertiary hospital in South Africa. <b>2020</b> , 26, 1399	1
100	What do young people who self-harm find helpful? A comparative study of young people with and without experience of being looked after in care. <b>2020</b> , 25, 157-164	3
99	Rapid access to brief psychological treatments for self-harm and suicidal crisis. <b>2020</b> , 70, 274-275	2
98	Incidence and general hospital costs of self-harm across England: estimates based on the multicentre study of self-harm. <b>2020</b> , 29, e108	10
97	Two-day assertive-case-management educational program for medical personnel to prevent suicide attempts: A multicenter pre-post observational study. <b>2020</b> , 74, 362-370	5
96	One-Year Consistency in Lifetime Frequency Estimates and Functions of Non-Suicidal Self-Injury in a Clinical Sample. <b>2020</b> , 11, 538	4
95	Self-harm and suicide in men: assessment and management. <b>2020</b> , 11, 22-25	

94	Spatial patterning and correlates of self-harm in Manchester, England. <b>2019</b> , 29, e72	3
93	An Exploration of Differences Between Deliberate Self-Harm with and without Suicidal Intent Amongst a Clinical Sample of Young People in Singapore: A Cross-Sectional Study. <b>2020</b> , 17,	3
92	Patient safety and suicide prevention in mental health services: time for a new paradigm?. <b>2020</b> , 29, 1-5	11
91	Role of the GP in the management of patients with self-harm behaviour: a systematic review. <b>2020</b> , 70, e364-e373	12
90	Predictors of ICU admission and long-term outcomes in overdose presentations to Emergency Department. <b>2020</b> , 28, 75-79	1
89	Deliberate self-harm: Case identification and incidence estimate upon data from national patient registry. <b>2020</b> , 15, e0231885	3
88	Pilot service evaluation of a brief psychological therapy for self-harm in an emergency department: Hospital Outpatient Psychotherapy Engagement Service. <b>2021</b> , 94 Suppl 1, 64-78	2
87	Pharmacological interventions for self-harm in adults. <b>2021</b> , 2021,	4
86	[Prevention of impulsive suicide with antidepressants in outpatients]. <b>2021</b> , 121, 113-115	
85	Acceptability of a Brief Web-Based Theory-Based Intervention to Prevent and Reduce Self-harm: Mixed Methods Evaluation (Preprint).	
84	Interventions for self-harm in children and adolescents. <b>2021</b> , 3, CD013667	5
83	"I'm Not Afraid of Dying Because I've Got Nothing to Lose": Young Men in South Africa Talk About Nonfatal Suicidal Behavior. <b>2021</b> , 15, 1557988321996154	0
82	Higher Suicide Intent in Patients Attempting Suicide With Violent Methods Versus Self-Poisoning. <b>2021</b> , 1-8	0
81	Psychosocial interventions for self-harm in adults. <b>2021</b> , 4, CD013668	10
80	Negative stance towards treatment in psychosocial assessments: The role of personalised recommendations in promoting acceptance. <b>2021</b> , 290, 114082	2
79	Self-harm in children 12 years and younger: characteristics and outcomes based on the Multicentre Study of Self-harm in England. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2021</b> , 1	4.5 0
78	Associations Between Adolescent Depression and Self-Harm Behaviors and Screen Media Use in a Nationally Representative Time-Diary Study. <b>2021</b> , 49, 1623-1634	1
77	Community Outpatient Psychotherapy Engagement Service for Self-harm (COPESS): a feasibility trial protocol. <b>2021</b> , 7, 165	1

76	Acceptability of a Brief Web-Based Theory-Based Intervention to Prevent and Reduce Self-harm: Mixed Methods Evaluation. <b>2021</b> , 23, e28349	3
75	Characteristics of Presentations to the Emergency Department Following Attempted Suicide with Drugs. <b>2021</b> , 18,	
74	The sources of adversity in the delivery of mental healthcare in prisons. <b>2021</b> , 2, 100046	
73	Development of a Computational Platform to Support the Screening, Surveillance, Prevention and Detection of Suicidal Behaviours. <b>2019</b> , 83-101	1
72	Comparing short-term risk of repeat self-harm after psychosocial assessment of patients who self-harm by psychiatrists or psychiatric nurses in a general hospital: Cohort study. <b>2020</b> , 272, 158-165	7
71	Psychosocial assessment following self-harm: repetition of nonfatal self-harm after assessment by psychiatrists or mental health nurses. <b>2010</b> , 31, 211-6	4
70	Impact of withdrawal of the analgesic Co-proxamol on nonfatal self-poisoning in the UK. <b>2011</b> , 32, 81-7	16
69	Ethnic differences in self-poisoning across South London. <b>2014</b> , 35, 268-72	1
68	Suicide after nonfatal self-harm. <b>2015</b> , 36, 65-70	8
67	Hospital-Treated Deliberate Self-Harm in the Western Area of Northern Ireland. <b>2016</b> , 36, 83-90	17
66	High-Volume Repeaters of Self-Harm. <b>2016</b> , 37, 427-437	6
65	Over-the-Counter Drugs and Other 'Substances' Used in 'Attempted Suicide' Presented to 'Emergency Departments in Montreal, Canada. <b>2019</b> , 40, 166-175	4
64	The incidence and repetition of hospital-treated deliberate self harm: findings from the world's first national registry. <b>2012</b> , 7, e31663	118
63	Does clinical management improve outcomes following self-harm? Results from the multicentre study of self-harm in England. <b>2013</b> , 8, e70434	80
62	Recommended next care following hospital-treated self-harm: Patterns and trends over time. <b>2018</b> , 13, e0193587	11
61	THE USE OF TWO FLY SPECIES TO DETECT THE ANTI-DEPRESSANT FLUOXETINE POST-MORTEM (DIPTERA: CALLIPHORIDAE: LUCILIA SERICATA MEIGEN, SARCOPHAGIDAE: SARCOPHAGA CRASSIPALPIS MACQUART). <b>2019</b> , 125, 4	2
60	Effect of Pokhron Go on Self-Harm Using Population-Based Interrupted Time-Series Analysis: Quasi-Experimental Study. <b>2020</b> , 8, e17112	2
59	Assessing the risk of self-harm in an adult offender population: an incidence cohort study. <b>2014</b> , 18, 1-151, vii-viii	9

- 58 A pragmatic randomised controlled trial and economic evaluation of family therapy versus treatment as usual for young people seen after second or subsequent episodes of self-harm: the Self-Harm Intervention - Family Therapy (SHIFT) trial. **2018**, 22, 1-222 11
- 57 Improve coding practices for patients in suicidal crisis. **2021**, 375, n2480 1
- 56 National audit to assess standards of care for deliberate self-harm patients presenting to trauma centres with penetrating wounds and recommendations for action. **2021**,
- 55 Elective Reflection: Self-Harm - a common emergency presentation in the United Kingdom?. **2012**,
- 54 A multicentre programme of clinical and public health research in support of the National Suicide Prevention Strategy for England. **2013**, 1, 1-216 2
- 53 Life Instinct and Gender. **2015**, 303-339
- 52 Self-harm. **2015**, 159-166
- 51 Care and Management in Liver Disorder following Drug Misuse. **2017**, 308-323
- 50 Self-Harm and Suicide. **2018**, 151-169
- 49 Life Instinct and Gender. **2019**, 391-431
- 48 Effect of Pokhmon Go on Self-Harm Using Population-Based Interrupted Time-Series Analysis: Quasi-Experimental Study (Preprint).
- 47 Implementation of a Health Information System to Support the Screening and Surveillance of Suicidal Behaviours. **2020**, 1
- 46 Doctors' health & performance. **2020**, 860-879
- 45 Trauma. **2020**, 520-567
- 44 Ear, nose, and throat. **2020**, 384-431
- 43 Accuracy of individual and combined risk-scale items in the prediction of repetition of self-harm: multicentre prospective cohort study. **2020**, 7, e2 1
- 42 Epidemiology of Self-poisoning with Drug in the Central Anatolian Region in Turkey. **2020**, 12, e6962 2
- 41 Emergency medicine. **2020**, 568-623



40 Pre-hospital emergency medicine. **2020**, 624-655

39 General practice. **2020**, 774-841

38 Obstetrics. **2020**, 1-103

37 Dermatology. **2020**, 432-461

36 Psychiatry. **2020**, 682-773

0

35 Eponymous syndromes. **2020**, 842-859

34 Paediatrics. **2020**, 178-319

33 Orthopaedics. **2020**, 462-519

1

32 Anaesthesia. **2020**, 656-681

31 Ophthalmology. **2020**, 320-383

30 Oxford Handbook of Clinical Specialties. **2020**,

2

29 Gynaecology. **2020**, 104-177

28 Life problems in children and adolescents who self-harm: findings from the multicentre study of self-harm in England.. **2022**,

0

27 The association between COVID-19-related fear and reported self-harm in a national survey of people with a lifetime history of self-harm.. **2022**, 22, 68

26 Self-harm in people experiencing homelessness: investigation of incidence, characteristics and outcomes using data from the Multicentre Study of Self-Harm in England.. **2022**, 8, e74

0

25 Detection of self-harm and suicidal ideation in emergency department triage notes.. **2021**,

1

24 "They have more than enough to do than patch up people like me." Experiences of seeking support for self-harm in lockdown during the COVID-19 pandemic.. **2022**,

0

23 Self-harm in an older adult population during the COVID -19 pandemic. **2022**, 26, 24-28

- 22 Multisite sentinel surveillance of self-harm in New Zealand: protocol for an observational study. **2022**, 12, e054604
- 21 Suicide Prevention in Emergency Department Settings. **2022**, 1-23
- 20 Do attachment-related differences in reflective functioning explain associations between expressed emotion and youth self-harm?
- 19 Socio-economic disparities in patients who present to hospital for self-harm: patients' characteristics and problems in the Multicentre Study of Self-harm in England. **2022**, 318, 238-245
- 18 Time of self-harm presentations to hospital emergency departments: a scoping review.
- 17 Suicidality in patients with post-traumatic stress disorder and its association with receipt of specific secondary mental healthcare treatments. 1-10
- 16 Suicide Prevention in Emergency Department Settings. **2022**, 1037-1059
- 15 A comparison of temporal pathways to self-harm in young people compared to adults: A pilot test of the Card Sort Task for Self-harm online using Indicator Wave Analysis. 13,
- 14 Suicidal Crisis among Children and Young People: Associations with Adverse Childhood Experiences and Socio-Demographic Factors. **2023**, 20, 1251
- 13 Preface to 11th edition. **2020**, iv-iv
- 12 Symbols and abbreviations. **2020**, viii-x
- 11 Factors Influencing Emergency Department Staff Decision-Making for People Attending in Suicidal Crisis: A Systematic Review. 1-15
- 10 Copright Page. **2020**, ii-ii
- 9 Preface to 1st edition. **2020**,
- 8 Updates and Amendments. **2020**,
- 7 Drugs. **2020**,
- 6 Dedication. **2020**, vi-vi
- 5 : **2020**,

4	Reference intervalsHaematology. <b>2020</b> ,	o
3	Reference intervalsBiochemistry. <b>2020</b> ,	o
2	Mental Health Liaison Team. <b>2023</b> , 73-89	o
1	Predictors of self-harm and emergency department attendance for self-harm in deprived communities. 1-7	o