
## CITATION REPORT List of articles citing



DOI: 10.1007/s11269-006-9032-4 Water Resources Management, 2007, 21, 591-609.

Source: https://exaly.com/paper-pdf/43093476/citation-report.pdf

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
94	Optimal Reservoir Operation for Flood Control Using Folded Dynamic Programming. <i>Water Resources Management</i> , <b>2010</b> , 24, 1045-1064	3.7	52
93	Suspended sediment load prediction of river systems: An artificial neural network approach. <i>Agricultural Water Management</i> , <b>2011</b> , 98, 855-866	5.9	196
92	Using HEC-HMS for Stormwater Infrastructure Assessment in Response to Changes in Design Storm Depths Calculated from Climate Projections. <b>2011</b> ,		
91	Influence des redoux dans la genße des grandes crues alpines´: cas de la dernifie crue dihondation de listie []Grenoble en 1859. <i>Revue Des Sciences De L'Eau</i> , <b>2011</b> , 24, 147-158	0.2	O
90	Relating TRMM Precipitation Radar backscatter to water stage in wetlands. <i>Journal of Hydrology</i> , <b>2011</b> , 401, 240-249	6	30
89	Assessing Flood Induced Land-Cover Changes Using Remote Sensing and Fuzzy Approach in Eastern Gujarat (India). <i>Water Resources Management</i> , <b>2011</b> , 25, 3219-3246	3.7	21
88	Flood Inundation Modeling Using Nakagami-m Distribution Based GIUH for a Partially Gauged Catchment. <i>Water Resources Management</i> , <b>2011</b> , 25, 3805-3835	3.7	10
87	A middleware platform to support river monitoring using wireless sensor networks. <i>Journal of the Brazilian Computer Society</i> , <b>2011</b> , 17, 85-102	1.9	32
86	Evaluating Urban Storm-Water Infrastructure Design in Response to Projected Climate Change. Journal of Hydrologic Engineering - ASCE, <b>2011</b> , 16, 865-873	1.8	80
85	Community-based monitoring for flood early warning system. <i>Disaster Prevention and Management</i> , <b>2012</b> , 21, 85-96	1.5	24
84	Estimating annual precipitation for the Colorado River Basin using oceanic-atmospheric oscillations. Water Resources Research, <b>2012</b> , 48,	5.4	51
83	Analysis of One-Dimensional Modelling for Flood Routing in Compound Channels. <i>Water Resources Management</i> , <b>2012</b> , 26, 1065-1087	3.7	22
82	Extreme Events of Droughts and Floods in Amazonia: 2005 and 2009. <i>Water Resources Management</i> , <b>2012</b> , 26, 1665-1676	3.7	34
81	The carbon footprint of water management policy options. <i>Energy Policy</i> , <b>2012</b> , 42, 201-212	7.2	79
80	Changing climatic conditions in the Colorado River Basin: Implications for water resources management. <i>Journal of Hydrology</i> , <b>2012</b> , 430-431, 127-141	6	92
79	Using large-scale climatic patterns for improving long lead time streamflow forecasts for Gunnison and San Juan River Basins. <i>Hydrological Processes</i> , <b>2013</b> , 27, 1543-1559	3.3	56
78	Increasing streamflow forecast lead time for snowmelt-driven catchment based on large-scale climate patterns. <i>Advances in Water Resources</i> , <b>2013</b> , 53, 150-162	4.7	67

## (2016-2013)

77	Evaluating water conservation and reuse policies using a dynamic water balance model. <i>Environmental Management</i> , <b>2013</b> , 51, 449-58	3.1	57
76	A Dynamic Model for Vulnerability Assessment of Regional Water Resources in Arid Areas: A Case Study of Bayingolin, China. <i>Water Resources Management</i> , <b>2013</b> , 27, 3085-3101	3.7	86
75	Using Paleo Reconstructions to Improve Streamflow Forecast Lead Time in the Western United States. <i>Journal of the American Water Resources Association</i> , <b>2013</b> , 49, 1351-1366	2.1	35
74	Evaluating the impact of demand-side management on water resources under changing climatic conditions and increasing population. <i>Journal of Environmental Management</i> , <b>2013</b> , 114, 261-75	7.9	117
73	Improving Streamflow Forecast Lead Time Using Oceanic-Atmospheric Oscillations for Kaidu River Basin, Xinjiang, China. <i>Journal of Hydrologic Engineering - ASCE</i> , <b>2013</b> , 18, 1031-1040	1.8	52
7 <sup>2</sup>	An algorithm for rapid flood inundation mapping from optical data using a reflectance differencing technique. <i>Journal of Flood Risk Management</i> , <b>2014</b> , 7, 239-250	3.1	31
71	COMPARATIVE EVALUATION OF IMPLEMENTING PARTICIPATORY IRRIGATION MANAGEMENT IN PUNJAB, PAKISTAN. <i>Irrigation and Drainage</i> , <b>2014</b> , 63, 315-327	1.1	11
70	Drought forecasting in a semi-arid watershed using climate signals: a neuro-fuzzy modeling approach. <i>Journal of Mountain Science</i> , <b>2014</b> , 11, 1593-1605	2.1	67
69	Evaluating the effect of persistence on long-term trends and analyzing step changes in streamflows of the continental United States. <i>Journal of Hydrology</i> , <b>2014</b> , 517, 36-53	6	118
68	Using path analysis to identify the influence of climatic factors on spring peak flow dominated by snowmelt in an alpine watershed. <i>Journal of Mountain Science</i> , <b>2014</b> , 11, 990-1000	2.1	47
67	Flood hazard assessment with multiparameter approach derived from coupled 1D and 2D hydrodynamic flow model. <i>Natural Hazards</i> , <b>2014</b> , 70, 1553-1574	3	35
66	Modeling Streamflow Dominated by Snowmelt in an Ungauged Basin in Northwestern China. 2014,		
65	Improving Streamflow Reconstructions Using Oceanic-Atmospheric Climate Variability. 2014,		4
64	Investigation of the Linkages between Oceanic Atmospheric Variability and Continental U.S. Streamflow. <b>2014</b> ,		1
63	Distributed Hydrological Modeling for a Snow Dominant Watershed Using a Precipitation and Runoff Modeling System. <b>2015</b> ,		3
62	Interconnections between oceanicEtmospheric indices and variability in the U.S. streamflow. <i>Journal of Hydrology</i> , <b>2015</b> , 525, 724-736	6	58
61	Variation in soil nutrients in grasslands along the Kunes River in Xinjiang, China. <i>Chemistry and Ecology</i> , <b>2015</b> , 31, 111-122	2.3	10
60	Flood Hazard Mapping by Using Geographic Information System and Hydraulic Model: Mert River, Samsun, Turkey. <i>Advances in Meteorology</i> , <b>2016</b> , 2016, 1-9	1.7	33

59	Post-Evaluation of Flood Hazards Induced by Former Artificial Interventions along a Coastal Mediterranean Settlement. <i>Journal of Hydrologic Engineering - ASCE</i> , <b>2016</b> , 21, 05016022	1.8	16
58	Simulating low and high streamflow driven by snowmelt in an insufficiently gauged alpine basin. <i>Stochastic Environmental Research and Risk Assessment</i> , <b>2016</b> , 30, 59-75	3.5	36
57	The complex influence of ENSO on droughts in Ecuador. Climate Dynamics, 2017, 48, 405-427	4.2	57
56	Flood mapping through principal component analysis of multitemporal satellite imagery considering the alteration of water spectral properties due to turbidity conditions. <i>Geomatics, Natural Hazards and Risk</i> , <b>2017</b> , 8, 607-623	3.6	8
55	Coupling HEC-RAS and HEC-HMS in Precipitation Runoff Modelling and Evaluating Flood Plain Inundation Map. <b>2017</b> ,		23
54	Streamflow Pattern Variations Resulting from Future Climate Change in Middle Tianshan Mountains Region in China. <b>2017</b> ,		
53	2D Unsteady Flow Routing and Flood Inundation Mapping for Lower Region of Brazos River Watershed. <b>2017</b> ,		7
52	Flood Risk Assessment Using the Updated FEMA Floodplain Standard in the Ellicott City, Maryland, United States. <b>2017</b> ,		4
51	Integrating Entropy-Based NaMe Bayes and GIS for Spatial Evaluation of Flood Hazard. <i>Risk Analysis</i> , <b>2017</b> , 37, 756-773	3.9	31
50	World Environmental and Water Resources Congress 2017. <b>2017</b> ,		1
50 49	World Environmental and Water Resources Congress 2017. <b>2017</b> ,  Assessment and Management Flash Flood in Najran Wady Using GIS and Remote Sensing. <b>2018</b> , 46, 297	'-308	8
		1.9	
49	Assessment and Management Flash Flood in Najran Wady Using GIS and Remote Sensing. <b>2018</b> , 46, 297  Prediction of suspended sediment yield by artificial neural network and traditional mathematical		8
49 48	Assessment and Management Flash Flood in Najran Wady Using GIS and Remote Sensing. 2018, 46, 297  Prediction of suspended sediment yield by artificial neural network and traditional mathematical model in Mahanadi river basin, India. Sustainable Water Resources Management, 2018, 4, 745-759  2D Hydrodynamic Model for Flood Vulnerability Assessment of Lower Indus River Basin, Pakistan.		8
49 48 47	Assessment and Management Flash Flood in Najran Wady Using GIS and Remote Sensing. 2018, 46, 297  Prediction of suspended sediment yield by artificial neural network and traditional mathematical model in Mahanadi river basin, India. Sustainable Water Resources Management, 2018, 4, 745-759  2D Hydrodynamic Model for Flood Vulnerability Assessment of Lower Indus River Basin, Pakistan. 2018,  Assessment of Historical Flood Risk to the Groundwater Regime: Case Study of the Kolubara Coal	1.9	8 16 1
49 48 47 46	Assessment and Management Flash Flood in Najran Wady Using GIS and Remote Sensing. 2018, 46, 297  Prediction of suspended sediment yield by artificial neural network and traditional mathematical model in Mahanadi river basin, India. Sustainable Water Resources Management, 2018, 4, 745-759  2D Hydrodynamic Model for Flood Vulnerability Assessment of Lower Indus River Basin, Pakistan. 2018,  Assessment of Historical Flood Risk to the Groundwater Regime: Case Study of the Kolubara Coal Basin, Serbia. Water (Switzerland), 2018, 10, 588	1.9	8 16 1 3
49 48 47 46 45	Assessment and Management Flash Flood in Najran Wady Using GIS and Remote Sensing. 2018, 46, 297  Prediction of suspended sediment yield by artificial neural network and traditional mathematical model in Mahanadi river basin, India. Sustainable Water Resources Management, 2018, 4, 745-759  2D Hydrodynamic Model for Flood Vulnerability Assessment of Lower Indus River Basin, Pakistan. 2018,  Assessment of Historical Flood Risk to the Groundwater Regime: Case Study of the Kolubara Coal Basin, Serbia. Water (Switzerland), 2018, 10, 588  Flood mapping under uncertainty: a case study in the Canadian prairies. Natural Hazards, 2018, 94, 537-Application of GIS and Remote Sensing for Identification of Potential Runoff Harvesting Sites: A	1.9	8 16 1 3

## (2021-2019)

41	Development of an integrated flood hazard assessment model for a complex river system: a case study of the Mun River Basin, Thailand. <i>Modeling Earth Systems and Environment</i> , <b>2019</b> , 5, 1265-1281	3.2	12
40	Coupling HEC-RAS and HEC-HMS in rainfallfunoff modeling and evaluating floodplain inundation maps in arid environments: case study of Ain Sefra city, Ksour Mountain. SW of Algeria. <i>Environmental Earth Sciences</i> , <b>2019</b> , 78, 1	2.9	27
39	Research on the lightning disaster risk assessment of electronic information system with intuitionistic fuzzy information. <i>Journal of Intelligent and Fuzzy Systems</i> , <b>2019</b> , 37, 2043-2050	1.6	1
38	Analysis of Floodplain Dynamics in the Atrato River Colombia Using SAR Interferometry. <i>Water</i> (Switzerland), <b>2019</b> , 11, 875	3	9
37	Quantifying the relative impact of hydrological and hydraulic modelling parameterizations on uncertainty of inundation maps. <i>Hydrological Sciences Journal</i> , <b>2020</b> , 65, 507-523	3.5	16
36	Adapting water resources systems to climate change in tropical areas: Ecuadorian coast. <i>Science of the Total Environment</i> , <b>2020</b> , 703, 135554	10.2	8
35	Flood Hazard Assessment in Data-Scarce Watersheds Using Model Coupling, Event Sampling, and Survey Data. <i>Water (Switzerland)</i> , <b>2020</b> , 12, 2768	3	3
34	Impacts of Urban Development on Flooding: A Case Study of Flamingo and Tropicana Watershed, Clark County. <b>2020</b> ,		O
33	Watershed Management 2020. <b>2020</b> ,		
32	An evaluation of a multi-day rainfall [runoff volume [beak discharge transform for flood frequency estimation. <i>Australian Journal of Water Resources</i> , <b>2020</b> , 24, 167-182	1.2	3
31	Flood inundation modeling and hazard assessment in Lower Ping River Basin using MIKE FLOOD. <i>Arabian Journal of Geosciences</i> , <b>2020</b> , 13, 1	1.8	9
30	Streamflow Variability in Colombian Pacific Basins and Their Teleconnections with Climate Indices. <i>Water (Switzerland)</i> , <b>2020</b> , 12, 526	3	15
29	Streamflow Intensification Driven by the Atlantic Multidecadal Oscillation (AMO) in the Atrato River Basin, Northwestern Colombia. <i>Water (Switzerland)</i> , <b>2020</b> , 12, 216	3	10
28	Flood Hazard Assessment for the Tori Levee Breach of the Indus River Basin, Pakistan. <i>Water</i> (Switzerland), <b>2021</b> , 13, 604	3	5
27	Design Flood and Flood-Prone Areas under Rating Curve Uncertainty: Area of Vieux-TBB, Algeria. Journal of Hydrologic Engineering - ASCE, <b>2021</b> , 26, 05020054	1.8	4
26	Dam Breach Flood Inundation Modeling for Aripir Dam, Sindh, Pakistan. 2021,		
25	Flood hazard mapping for data-scarce and ungauged coastal river basins using advanced hydrodynamic models, high temporal-spatial resolution remote sensing precipitation data, and satellite imageries. <i>Natural Hazards</i> , <b>2021</b> , 109, 441-469	3	О

23	Optimisation Approach Toward Water Management and Energy Security in Arid/Semiarid Regions. <i>Environmental Processes</i> , 1	2.8	4
22	Urban flood risk analysis of buildings using HEC-RAS 2D in climate change framework. <i>H2Open Journal</i> ,	1.4	1
21	Interconnections between oceanic日tmospheric indices and variability in the U.S. streamflow. <i>Journal of Hydrology</i> , <b>2015</b> , 525, 724-736	6	48
20	Encyclopedia of Natural Hazards. Encyclopedia of Earth Sciences Series, 2013, 426-435	Ο	3
19	Modeling for Flood Control and Management. <b>2010</b> , 147-168		1
18	Simulating low and high streamflow driven by snowmelt in an insufficiently gauged alpine basin. <b>2016</b> , 30, 59		3
17	Study and Analysis of Chennai Flood 2015 Using GIS and Multicriteria Technique. <i>Journal of Geographic Information System</i> , <b>2017</b> , 09, 126-140	0.4	13
16	Incorporation of GIS Based Program into Hydraulic Model for Water Level Modeling on River Basin. <i>Journal of Water Resource and Protection</i> , <b>2012</b> , 04, 25-31	0.7	5
15	Spatial Analysis of Affected Areas by Extreme Hydrological Events in Rio de Janeiro (The Host City for the 2016 Olympic Games) <b>B</b> razil. <i>Journal of Geographic Information System</i> , <b>2013</b> , 05, 337-346	0.4	
14	FLOOD FLOW MODELLING AND EMBANKMENT PROTECTION OF MAHANADI RIVER USING HEC-RAS. <i>I-manager</i> Journal on Future Engineering and Technology, <b>2018</b> , 13, 1	0.6	1
13	Flooding study in the desert climate zone: case study of MDab valley (Algeria). <i>Journal of Applied Water Engineering and Research</i> , 1-17	1.2	
12	Flood characteristics and dynamics of sediment environment during Anthropocene: experience of the lower Damodar river, India. <i>Sustainable Water Resources Management</i> , <b>2022</b> , 8,	1.9	О
11	Suspended sediment load modeling using advanced hybrid rotation forest based elastic network approach. <i>Journal of Hydrology</i> , <b>2022</b> , 610, 127963	6	2
10	Talle tehlike haritalaree oluEurulmasE(Samsun, Mert IrmaEhel).		
9	Application of Physical Modelling Approach in Lower Indus River to Address Approach Flow and Silt Accumulation Issues. <b>2022</b> ,		
8	The Effect of Climate Change on Water Resources. Springer Water, 2022, 95-118	0.3	
7	Suspended sediment load prediction using hybrid bagging-based heuristic search algorithm. 1-28		О
6	Flood impacts on urban road connectivity in southern China. <b>2022</b> , 12,		O

## CITATION REPORT

5	Model Identification and Accuracy for Estimation of Suspended Sediment Load. 1-27	Ο
4	Hydraulic Modeling and Remote Sensing Monitoring of Floodhazard in Arid Environments A Case Study of Laayoune City in Saquia El Hamra Watershed Southern Morocco. <b>2022</b> , 14, 3582	0
3	Potential of Two SAR-Based Flood Mapping Approaches in Supporting an Integrated 1D/2D HEC-RAS Model. <b>2022</b> , 14, 4020	О
2	Formal Matters on the Topic of Risk Mitigation: A Mathematical Perspective. <b>2023</b> , 13, 265	O
1	Dams or ponds classification based on a new criterion to assess potential flood damage to roads in case of failure.	О