

Low Impact Development Practices: A Review of Current for Future Directions

Water, Air, and Soil Pollution

186, 351-363

DOI: [10.1007/s11270-007-9484-z](https://doi.org/10.1007/s11270-007-9484-z)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Enhancing Rain Garden Design to Promote Nitrate Removal via Denitrification. , 2008, , .		0
2	Low Impact Development in Utah: Progress, Constraints, and Future Outlook. , 2008, , .		0
3	Reductions in Stormwater Quantity and Pollutant Loads Due to Bioretention and CU-Structural Soil Practices. , 2008, , .		2
4	Design and hydraulic characteristics of a field-scale bi-phasic bioretention rain garden system for storm water management. <i>Water Science and Technology</i> , 2009, 59, 1863-1872.	1.2	27
5	Simulation of the Performance of a Storm-Water BMP. <i>Journal of Environmental Engineering, ASCE</i> , 2009, 135, 1257-1267.	0.7	17
6	Seasonal Performance Variations for Storm-Water Management Systems in Cold Climate Conditions. <i>Journal of Environmental Engineering, ASCE</i> , 2009, 135, 128-137.	0.7	117
7	Transport and dynamics of toxic pollutants in the natural environment and their effect on human health: research gaps and challenge. <i>Environmental Geochemistry and Health</i> , 2009, 31, 165-187.	1.8	31
8	Mitigation of Impervious Surface Hydrology Using Bioretention in North Carolina and Maryland. <i>Journal of Hydrologic Engineering - ASCE</i> , 2009, 14, 407-415.	0.8	217
9	Potential use of pervious concrete for maintaining existing mature trees during and after urban development. <i>Urban Forestry and Urban Greening</i> , 2009, 8, 249-256.	2.3	57
10	Enhancing Rain Garden Design to Promote Nitrate Removal. , 2009, , .		0
11	Bioretention Outflow: Does it Mimic Non-Urban Watershed Shallow Interflow?. , 2010, , .		1
12	Bioretention Outflow: Does It Mimic Non-Urban Watershed Shallow Interflow?. , 2010, , .		0
13	Commonality of rainfall variables influencing suspended solids concentrations in storm runoff from three different urban impervious surfaces. <i>Journal of Hydrology</i> , 2010, 387, 202-211.	2.3	26
14	Laboratory study on stormwater biofiltration: Nutrient and sediment removal in cold temperatures. <i>Journal of Hydrology</i> , 2010, 394, 507-514.	2.3	95
15	Best Management Practices for Stormwater Management in the Desert Southwest. <i>Journal of Contemporary Water Research and Education</i> , 2010, 146, 39-49.	0.7	16
18	Green roof energy and water related performance in the Mediterranean climate. <i>Building and Environment</i> , 2010, 45, 1890-1904.	3.0	286
19	Opportunities and challenges for managing nitrogen in urban stormwater: A review and synthesis. <i>Ecological Engineering</i> , 2010, 36, 1507-1519.	1.6	247
20	Reducing Phosphorus in Urban Stormwater Runoff with Low Impact Development. , 2010, , .		0

#	ARTICLE	IF	CITATIONS
21	Low Impact Development Designâ€”Integrating Suitability Analysis and Site Planning for Reduction of Post-Development Stormwater Quantity. Sustainability, 2010, 2, 2467-2482.	1.6	20
22	Hydrologic Restoration in the Urban Environment Using Green Roofs. Water (Switzerland), 2010, 2, 140-154.	1.2	88
23	Alternative Site-Assessment Hydrologic Metrics for Urban Development. , 2010, , .		0
24	Hydraulic Test of a Bioretention Media Carbon Amendment. Journal of Hydrologic Engineering - ASCE, 2010, 15, 531-536.	0.8	15
25	Ecological Design Principles and Their Implications on Water Infrastructure Engineering. Journal of Green Building, 2010, 5, 147-164.	0.4	12
26	Effective Curve Number and Hydrologic Design of Pervious Concrete Storm-Water Systems. Journal of Hydrologic Engineering - ASCE, 2010, 15, 465-474.	0.8	33
27	Laboratory and theoretical evaluation of clogging behaviour of porous friction course mixes. International Journal of Pavement Engineering, 2010, 11, 61-70.	2.2	38
28	Using remote sensing imagery to determine the impact of land cover changes on potential runoff for the Mid-Cibolo Creek watershed, Texas. Geocarto International, 2010, 25, 543-554.	1.7	5
29	Performance of Permeable Pavements in Cold Climate Environments. , 2010, , .		4
30	Application of Climate Information and Predictions in Water Sector: Capabilities. Procedia Environmental Sciences, 2010, 1, 120-129.	1.3	12
31	Reviewing source water protection strategies: A conceptual model for water quality assessment. Environmental Reviews, 2011, 19, 68-105.	2.1	32
32	Understanding the nature of publics and local policy commitment to Water Sensitive Urban Design. Landscape and Urban Planning, 2011, 99, 83-92.	3.4	101
33	Measuring extent, location and change of imperviousness in urban domestic gardens in collective housing projects. Landscape and Urban Planning, 2011, 100, 57-66.	3.4	52
34	Bioretention Outflow: Does It Mimic Rural Water Interflow?. , 2011, , .		1
35	iTree-Hydro: Snow Hydrology Update For The Urban Forest Hydrology Model1. Journal of the American Water Resources Association, 2011, 47, 1211-1218.	1.0	15
36	Laboratory Study of Stormwater Biofiltration in Low Temperatures: Total and Dissolved Metal Removals and Fates. Water, Air, and Soil Pollution, 2011, 219, 303-317.	1.1	56
37	Stormwater ponds and biofilters for large urban sites: Modeled arrangements that achieve the phosphorus reduction target for Boston's Charles River, USA. Ecological Engineering, 2011, 37, 850-863.	1.6	46
38	The effect of nutrients removal for bio-retention system in rainwater runoff. , 2011, , .		0

#	ARTICLE	IF	CITATIONS
39	The development mode of ecological city based on the vision of low impact development. , 2011, , .		0
40	Bioretention Outflow: Does It Mimic Nonurban Watershed Shallow Interflow?. Journal of Hydrologic Engineering - ASCE, 2011, 16, 274-279.	0.8	59
41	Storm-Water Bioretention for Runoff Quality and Quantity Mitigation. Journal of Environmental Engineering, ASCE, 2011, 137, 800-808.	0.7	109
42	The Construction of Ecological Functions of Urban Open Space. Applied Mechanics and Materials, 0, 99-100, 606-610.	0.2	2
43	The Urban Planning Principles of Low Impact Urban Development. Advanced Materials Research, 0, 361-363, 1095-1098.	0.3	1
44	Quick Surface Infiltration Test to Assess Maintenance Needs on Small Pervious Concrete Sites. Journal of Irrigation and Drainage Engineering - ASCE, 2011, 137, 553-563.	0.6	33
45	Dominant perspectives and the shape of urban stormwater futures. Urban Water Journal, 2011, 8, 337-349.	1.0	24
46	Hydrological impacts evaluation of pervious pavement based on a storm water management model. , 2011, , .		0
47	Phosphorus isothermal adsorption characteristics of mulch of bioretention. Thermal Science, 2012, 16, 1358-1361.	0.5	5
48	Stormwater Monitoring of Innovative Street Retrofits in Urban Wilmington, NC. , 2012, , .		1
49	Meeting Hydrologic and Water Quality Goals through Targeted Bioretention Design. Journal of Environmental Engineering, ASCE, 2012, 138, 698-707.	0.7	196
50	Hydrologically Enhanced Distributed Urban Drainage Model and Its Application in Beijing City. Journal of Hydrologic Engineering - ASCE, 2012, 17, 667-678.	0.8	18
51	Water Quality and Hydrologic Performance of a Porous Asphalt Pavement as a Storm-Water Treatment Strategy in a Cold Climate. Journal of Environmental Engineering, ASCE, 2012, 138, 81-89.	0.7	136
52	Coastal Impacts, Adaptation, and Vulnerabilities. , 2012, , .		28
53	Effectiveness of Low Impact Development Practices: Literature Review and Suggestions for Future Research. Water, Air, and Soil Pollution, 2012, 223, 4253-4273.	1.1	581
54	The role of biodegradation in limiting the accumulation of petroleum hydrocarbons in raingarden soils. Water Research, 2012, 46, 6753-6762.	5.3	65
55	Comparing the adaptability of infiltration based BMPs to various U.S. regions. Landscape and Urban Planning, 2012, 106, 326-335.	3.4	23
56	Resident, developer, and city staff perceptions of LID and CSD subdivision design approaches. Landscape and Urban Planning, 2012, 107, 43-54.	3.4	17

#	ARTICLE	IF	CITATIONS
57	Managing private and public adaptation to climate change. <i>Global Environmental Change</i> , 2012, 22, 3-11.	3.6	209
58	Removal of <i>Clostridium perfringens</i> , <i>Escherichia coli</i> and F-RNA coliphages by stormwater biofilters. <i>Ecological Engineering</i> , 2012, 49, 137-145.	1.6	75
59	Representation and Evaluation of Low Impact Development Practices with L-THIA-LID: An Example for Site Planning. <i>Environment and Pollution</i> , 2012, 1, .	0.2	52
60	Winter Performance of Inter-Locking Pavers Stormwater Quantity and Quality. <i>Water (Switzerland)</i> , 2012, 4, 995-1008.	1.2	24
61	A Comparison of Runoff Quality and Quantity from a Urban Commercial Infill Low Impact Development and a Traditional Development. , 2012, , .		0
62	Risk: A Fundamental Barrier to the Implementation of Low Impact Design Infrastructure for Urban Stormwater Control. <i>Journal of Sustainable Development</i> , 2012, 5, .	0.1	20
63	Bioretention Column Study of Bacteria Community Response to Salt-Enriched Artificial Stormwater. <i>Journal of Environmental Quality</i> , 2012, 41, 1951-1959.	1.0	19
64	Multiple approaches to valuation of conservation design and low-impact development features in residential subdivisions. <i>Journal of Environmental Management</i> , 2012, 104, 101-113.	3.8	28
65	Representing soakaways in a physically distributed urban drainage model – Upscaling individual allotments to an aggregated scale. <i>Journal of Hydrology</i> , 2012, 414-415, 530-538.	2.3	17
66	Modelling of stormwater biofilters under random hydrologic variability: a case study of a car park at Monash University, Victoria (Australia). <i>Hydrological Processes</i> , 2012, 26, 3416-3424.	1.1	28
67	Learning from students: geodesign lessons from the regional design studio. <i>Journal of Urbanism</i> , 2013, 6, 256-273.	0.6	3
68	Quantifying impervious surface changes using time series planimetric data from 1940 to 2011 in four central Iowa cities, U.S.A. <i>Landscape and Urban Planning</i> , 2013, 120, 34-47.	3.4	21
69	Field evaluation of a new biphasic rain garden for stormwater flow management and pollutant removal. <i>Ecological Engineering</i> , 2013, 54, 22-31.	1.6	70
70	Advances in LID BMPs research and practice for urban runoff control in China. <i>Frontiers of Environmental Science and Engineering</i> , 2013, 7, 709-720.	3.3	96
71	Optimising nitrogen removal in existing stormwater biofilters: Benefits and tradeoffs of a retrofitted saturated zone. <i>Ecological Engineering</i> , 2013, 51, 75-82.	1.6	111
72	The effects of low impact development on urban flooding under different rainfall characteristics. <i>Journal of Environmental Management</i> , 2013, 129, 577-585.	3.8	378
73	Effectiveness of low impact development practices in two urbanized watersheds: Retrofitting with rain barrel/cistern and porous pavement. <i>Journal of Environmental Management</i> , 2013, 119, 151-161.	3.8	173
74	A simplified model of soakaway infiltration interaction with a shallow groundwater table. <i>Journal of Hydrology</i> , 2013, 497, 165-175.	2.3	25

#	ARTICLE	IF	CITATIONS
75	Novel Use of Time Domain Reflectometry in Infiltration-Based Low Impact Development Practices. Journal of Irrigation and Drainage Engineering - ASCE, 2013, 139, 625-634.	0.6	19
76	Analysis of Consecutive Events for Nutrient and Sediment Treatment in Field-Monitored Bioretention Cells. Water, Air, and Soil Pollution, 2013, 224, 1.	1.1	35
77	Assessment of Car Wash Runoff Treatment Using Bioretention Mesocosms. Journal of Environmental Engineering, ASCE, 2013, 139, 1132-1136.	0.7	11
78	Preliminary Field Evaluation of Soil Compaction in Rain Gardens. Journal of Environmental Engineering, ASCE, 2013, 139, 1233-1236.	0.7	10
79	Ecological Engineering Practices for the Reduction of Excess Nitrogen in Human-Influenced Landscapes: A Guide for Watershed Managers. Environmental Management, 2013, 51, 392-413.	1.2	64
80	Water Supply and Stormwater Management Benefits of Residential Rainwater Harvesting in U.S. Cities. Journal of the American Water Resources Association, 2013, 49, 810-824.	1.0	136
81	Watering our cities. Progress in Physical Geography, 2013, 37, 2-28.	1.4	297
82	Modeling low impact development potential with hydrological response units. Water Science and Technology, 2013, 68, 2382-2390.	1.2	8
83	Laboratory analysis of the infiltration capacity of interlocking concrete block pavements in car parks. Water Science and Technology, 2013, 67, 675-681.	1.2	24
84	Long-Term Hydraulic Performance of Porous Asphalt Pavements in Northern Sweden. Journal of Irrigation and Drainage Engineering - ASCE, 2013, 139, 499-505.	0.6	56
85	Eliciting Stakeholders'™ Preferences for Low-Impact Design Incentives: Conjoint Analysis Approach. Journal of Legal Affairs and Dispute Resolution in Engineering and Construction, 2013, 5, 180-190.	0.9	3
86	Build Sponge Eco-cities to Adapt Hydroclimatic Hazards. , 2013, , 1-12.		0
87	Modeling Hydrologic Benefits of Low Impact Development: A Distributed Hydrologic Model of The Woodlands, Texas. Journal of the American Water Resources Association, 2013, 49, 1444-1455.	1.0	22
88	Making a Business Case for LID Treatment Methods. , 2013, , .		0
89	Catchment Scale Hydrologic and Water Quality Impacts of Residential Stormwater Street Retrofits in Wilmington, North Carolina. , 2013, , .		3
90	Phosphorus Pollution Control by Stormwater Bioretention Systems. Advanced Materials Research, 0, 726-731, 1817-1822.	0.3	2
91	Design-with-Nature for Multifunctional Landscapes: Environmental Benefits and Social Barriers in Community Development. International Journal of Environmental Research and Public Health, 2013, 10, 5433-5458.	1.2	23
92	Green Infrastructure Design for Stormwater Runoff and Water Quality: Empirical Evidence from Large Watershed-Scale Community Developments. Water (Switzerland), 2013, 5, 2038-2057.	1.2	47

#	ARTICLE	IF	CITATIONS
93	A Comparison of Runoff Quality and Quantity from a Urban Commercial Infill Low Impact Development and a Conventional Development. , 2013, , .		0
94	Catchment-Scale Evaluation of the Hydrologic and Water Quality Impacts of Residential Street Retrofits in Wilmington, NC. , 2013, , .		0
95	A Review of Sustainable Urban Drainage Systems Considering the Climate Change and Urbanization Impacts. Water (Switzerland), 2014, 6, 976-992.	1.2	302
96	Comparing Two Methods of Determining Infiltration Rates of Permeable Interlocking Concrete Pavers. Water (Switzerland), 2014, 6, 2353-2366.	1.2	23
97	Water quality and quantity assessment of pervious pavements performance in experimental car park areas. Water Science and Technology, 2014, 69, 1526-1533.	1.2	44
98	Infiltrating into the paved garden â€“ a functional evaluation of parcel imperviousness in terms of water retention efficiency. Journal of Environmental Planning and Management, 2014, 57, 1552-1571.	2.4	6
99	Regional risk assessment of the Puyallup River Watershed and the evaluation of low impact development in meeting management goals. Integrated Environmental Assessment and Management, 2014, 10, 269-278.	1.6	31
100	Evaluating rain gardens as a method to reduce the impact of sewer overflows in sources of drinking water. Science of the Total Environment, 2014, 499, 238-247.	3.9	71
101	Urban recharge beneath low impact development and effects of climate variability and change. Water Resources Research, 2014, 50, 1716-1734.	1.7	86
102	Hydrologic Characterization of Undrained Porous Pavements. Journal of Hydrologic Engineering - ASCE, 2014, 19, 1069-1079.	0.8	17
103	Nitrogen Removal by Stormwater Management Structures: A Data Synthesis. Journal of the American Water Resources Association, 2014, 50, 1594-1607.	1.0	73
104	Research Article: Assessing the Social and Economic Barriers to Permeable Surface Utilization for Residential Driveways in Kitchener, Canada. Environmental Practice, 2014, 16, 6-18.	0.3	10
105	A Conceptual Model for Predicting Hydraulic Behaviour of a Green Roof. Procedia Engineering, 2014, 70, 266-274.	1.2	27
106	The definition of urban stormwater tolerance threshold and its conceptual estimation: an example from Taiwan. Natural Hazards, 2014, 73, 173-190.	1.6	7
107	Source Apportionment and Distribution of Polycyclic Aromatic Hydrocarbons, Risk Considerations, and Management Implications for Urban Stormwater Pond Sediments in Minnesota, USA. Archives of Environmental Contamination and Toxicology, 2014, 66, 176-200.	2.1	52
108	Sustainable plants in urban parks: A life cycle analysis of traditional and alternative lawns in Georgia, USA. Landscape and Urban Planning, 2014, 122, 140-151.	3.4	34
109	Hydrologic modeling analysis of a passive, residential rainwater harvesting program in an urbanized, semi-arid watershed. Journal of Hydrology, 2014, 508, 240-253.	2.3	97
110	Water Balances of Two Piedmont Headwater Catchments: Implications for Regional Hydrologic Landscape Classification. Journal of the American Water Resources Association, 2014, 50, 1063-1079.	1.0	9

#	ARTICLE	IF	CITATIONS
111	Practical Review of Pervious Pavement Designs. <i>Clean - Soil, Air, Water</i> , 2014, 42, 111-124.	0.7	113
112	Effect of baffled water-holding garden system on disposal of rainwater for green building residential districts. <i>Desalination and Water Treatment</i> , 2014, 52, 2717-2723.	1.0	5
113	Stormwater pollutant runoff: A stochastic approach. <i>Advances in Water Resources</i> , 2014, 74, 148-155.	1.7	23
114	Urbanization and watershed sustainability: Collaborative simulation modeling of future development states. <i>Journal of Hydrology</i> , 2014, 519, 1526-1536.	2.3	26
115	A closed urban scenic river system using stormwater treated with LID-BMP technology in a revitalized historical district in China. <i>Ecological Engineering</i> , 2014, 71, 448-457.	1.6	45
116	Tools for Modeling of Stormwater Management and Economics of Green Infrastructure Practices: a Review. <i>Water, Air, and Soil Pollution</i> , 2014, 225, 1.	1.1	134
117	Zebrafish and clean water technology: Assessing soil bioretention as a protective treatment for toxic urban runoff. <i>Science of the Total Environment</i> , 2014, 500-501, 173-180.	3.9	58
118	A critical review of the reactivity of manganese oxides with organic contaminants. <i>Environmental Sciences: Processes and Impacts</i> , 2014, 16, 1247.	1.7	213
119	Protection of stream ecosystems from urban stormwater runoff. <i>Progress in Physical Geography</i> , 2014, 38, 543-555.	1.4	58
120	Paradigm shift toward sustainable commercial project development in China. <i>Habitat International</i> , 2014, 42, 186-192.	2.3	25
121	Land Use and Climate Variability Amplify Carbon, Nutrient, and Contaminant Pulses: A Review with Management Implications. <i>Journal of the American Water Resources Association</i> , 2014, 50, 585-614.	1.0	162
122	Review and Research Needs of Bioretention Used for the Treatment of Urban Stormwater. <i>Water (Switzerland)</i> , 2014, 6, 1069-1099.	1.2	186
123	PHYSICAL PROPERTIES OF VARYING RAIN GARDEN FILTER BED SUBSTRATES AFFECT SATURATED HYDRAULIC CONDUCTIVITY. <i>Acta Horticulturae</i> , 2014, , 485-489.	0.1	0
124	Rationale for Studying How Institutional Capacity Can Influence the Adoption of Decentralized Approaches to Stormwater Infrastructure. , 2014, , .		0
125	Bioretention and Permeable Pavement Performance in Clay Soil. , 2015, , .		6
126	Evaluation of the Effectiveness of Wrapping Filter Drain Pipes in Geotextile for Pollution Prevention in Response to Relatively Large Oil Releases. , 2015, , .		2
127	Sustainable urban development through an application of green infrastructure in district scale – a case study of Wrocław (Poland). <i>Journal of Water and Land Development</i> , 2015, 25, 3-12.	0.9	6
128	Aqueous Contaminant Removal and Stormwater Treatment Using Biochar. <i>SSSA Special Publication Series</i> , 0, , 341-376.	0.2	8

#	ARTICLE	IF	CITATIONS
129	Physical design optimization of an urban runoff treatment system using Stormwater Management Model (SWMM). <i>Water Science and Technology</i> , 2015, 72, 1747-1753.	1.2	8
130	Evaluation of Heavy Metal Removal Capacity of Bioretention Systems. <i>Water, Air, and Soil Pollution</i> , 2015, 226, 1.	1.1	27
131	The Impact of Green Stormwater Infrastructure Installation on Surrounding Health and Safety. <i>American Journal of Public Health</i> , 2015, 105, e114-e121.	1.5	75
132	Comparing Green and Grey Infrastructure Using Life Cycle Cost and Environmental Impact: A Rain Garden Case Study in Cincinnati, <scp>OH</scp>. <i>Journal of the American Water Resources Association</i> , 2015, 51, 1342-1360.	1.0	81
133	Testing the impact of atâ€source stormwater management on urban flooding through a coupling of network and overland flow models. <i>Wiley Interdisciplinary Reviews: Water</i> , 2015, 2, 291-300.	2.8	34
134	Low Impact Development Practices: A Review of Current Research and Recommendations for Future Directions. <i>Ecological Chemistry and Engineering S</i> , 2015, 22, 543-563.	0.3	26
135	Impacts of Large-Scale Stormwater Green Infrastructure Implementation and Climate Variability on Receiving Water Response in the Salt Lake City Area. <i>American Journal of Environmental Sciences</i> , 2015, 11, 278-292.	0.3	22
136	Effects of Land Cover on Streamflow Variability in a Small Iowa Watershed: Assessing Future Vulnerabilities. <i>American Journal of Environmental Sciences</i> , 2015, 11, 186-198.	0.3	7
137	Urban Evolution: The Role of Water. <i>Water (Switzerland)</i> , 2015, 7, 4063-4087.	1.2	72
138	A Review of Applicability and Effectiveness of Low Impact Development/Green Infrastructure Practices in Arid/Semi-Arid United States. <i>Environments - MDPI</i> , 2015, 2, 221-249.	1.5	27
139	Field and Evaluation Methods Used to Test the Performance of a StormceptorÂ® Class 1 Stormwater Treatment Device in Australia. <i>Sustainability</i> , 2015, 7, 16311-16323.	1.6	10
140	An Introduction to a Special Issue on Stormwater. <i>Water Environment Research</i> , 2015, 87, 771-771.	1.3	0
141	Characterization of Undrained Porous Pavement Systems Using a Broken-Line Model. <i>Journal of Hydrologic Engineering - ASCE</i> , 2015, 20, .	0.8	2
142	Field monitoring of a LID-BMP treatment train system in China. <i>Environmental Monitoring and Assessment</i> , 2015, 187, 373.	1.3	63
143	Evaluating the effectiveness of management practices on hydrology and water quality at watershed scale with a rainfall-runoff model. <i>Science of the Total Environment</i> , 2015, 511, 298-308.	3.9	151
144	Effects of Aggregate Masking on Soil Infiltration under an Aggregate Bed. <i>Journal of Irrigation and Drainage Engineering - ASCE</i> , 2015, 141, .	0.6	6
145	Green infrastructure stormwater management at the watershed scale: urban variable source area and watershed capacitance. <i>Hydrological Processes</i> , 2015, 29, 2268-2274.	1.1	65
146	Soil bioretention protects juvenile salmon and their prey from the toxic impacts of urban stormwater runoff. <i>Chemosphere</i> , 2015, 132, 213-219.	4.2	79

#	ARTICLE	IF	CITATIONS
147	Review of Dissolved Pollutants in Urban Storm Water and Their Removal and Fate in Bioretention Cells. <i>Journal of Environmental Engineering, ASCE</i> , 2015, 141, .	0.7	242
148	Influences of setting sizes and combination of green infrastructures on community's stormwater runoff reduction. <i>Ecological Modelling</i> , 2015, 318, 236-244.	1.2	46
149	Retrofitting with innovative stormwater control measures: Hydrologic mitigation of impervious cover in the municipal right-of-way. <i>Journal of Hydrology</i> , 2015, 527, 923-932.	2.3	39
150	Monitoring of a Rain Garden in Cold Climate: Case Study of a Parking Lot near Montréal. <i>Journal of Irrigation and Drainage Engineering - ASCE</i> , 2015, 141, .	0.6	28
151	Combined sewer overflow control with LID based on SWMM: an example in Shanghai, China. <i>Water Science and Technology</i> , 2015, 71, 1136-1142.	1.2	40
152	Assessment of LID practices for restoring pre-development runoff regime in an urbanized catchment in southern Finland. <i>Water Science and Technology</i> , 2015, 71, 1485-1491.	1.2	54
153	Modeling methods to assess urban fluxes and heat island mitigation measures from street to city scale. <i>International Journal of Low-Carbon Technologies</i> , 2015, 10, 62-77.	1.2	27
154	Do sediment type and test durations affect results of laboratory-based, accelerated testing studies of permeable pavement clogging?. <i>Science of the Total Environment</i> , 2015, 511, 786-791.	3.9	29
155	Identifying priority sites for low impact development (LID) in a mixed-use watershed. <i>Landscape and Urban Planning</i> , 2015, 140, 29-41.	3.4	121
156	Performance assessment of a commonly used "accumulation and wash-off" model from long-term continuous road runoff turbidity measurements. <i>Water Research</i> , 2015, 78, 47-59.	5.3	25
157	Simulating the effect of flow path roughness to examine how green infrastructure restores urban runoff timing and magnitude. <i>Urban Forestry and Urban Greening</i> , 2015, 14, 361-367.	2.3	9
158	Assessment of PAH dissipation processes in large-scale outdoor mesocosms simulating vegetated road-side swales. <i>Science of the Total Environment</i> , 2015, 520, 146-153.	3.9	23
159	Soils beneath suspended pavements: An opportunity for stormwater control and treatment. <i>Ecological Engineering</i> , 2015, 82, 40-48.	1.6	22
160	Characterizing stormwater treatment efficiency at the laboratory scale for effective rain garden design. <i>Desalination and Water Treatment</i> , 2015, 54, 1334-1343.	1.0	3
161	SUDS, LID, BMPs, WSUD and more " The evolution and application of terminology surrounding urban drainage. <i>Urban Water Journal</i> , 2015, 12, 525-542.	1.0	1,134
162	Application of SWMM in Evaluating the Reduction Performance of Urban Runoff Treatment Systems with Varying Land Use. , 2015, , .		2
163	The pollution removal and stormwater reduction performance of street-side bioretention basins after ten years in operation. <i>Science of the Total Environment</i> , 2015, 536, 784-792.	3.9	127
164	Assessing the long-term impact of urbanization on run-off using a remote-sensing-supported hydrological model. <i>International Journal of Remote Sensing</i> , 2015, 36, 5336-5352.	1.3	11

#	ARTICLE	IF	CITATIONS
165	Experimental study on filtration effect and mechanism of pavement runoff in permeable asphalt pavement. <i>Construction and Building Materials</i> , 2015, 100, 102-110.	3.2	90
166	Development of Simulation-Optimization Model (MUSIC-GA) for Urban Stormwater Management. <i>Water Resources Management</i> , 2015, 29, 4649-4665.	1.9	22
167	Modeling low impact development in two Chicago communities. <i>Environmental Science: Water Research and Technology</i> , 2015, 1, 855-864.	1.2	9
168	From Rain Tanks to Catchments: Use of Low-Impact Development To Address Hydrologic Symptoms of the Urban Stream Syndrome. <i>Environmental Science & Technology</i> , 2015, 49, 11264-11280.	4.6	129
169	Low-Impact Development Practices to Mitigate Climate Change Effects on Urban Stormwater Runoff: Case Study of New York City. <i>Journal of Irrigation and Drainage Engineering - ASCE</i> , 2015, 141, .	0.6	153
170	Long-term hydraulic performance of stormwater infiltration systems. <i>Urban Water Journal</i> , 2015, 12, 660-671.	1.0	21
171	Exploring Green Streets and rain gardens as instances of small scale nature and environmental learning tools. <i>Landscape and Urban Planning</i> , 2015, 134, 229-240.	3.4	73
172	Retrofitting Residential Streets with Stormwater Control Measures over Sandy Soils for Water Quality Improvement at the Catchment Scale. <i>Journal of Environmental Engineering, ASCE</i> , 2015, 141, .	0.7	17
173	LID-BMPs planning for urban runoff control and the case study in China. <i>Journal of Environmental Management</i> , 2015, 149, 65-76.	3.8	134
174	Comparison of Runoff Quality and Quantity from a Commercial Low-Impact and Conventional Development in Raleigh, North Carolina. <i>Journal of Environmental Engineering, ASCE</i> , 2015, 141, .	0.7	59
175	Enhancing a rainfall-runoff model to assess the impacts of BMPs and LID practices on storm runoff. <i>Journal of Environmental Management</i> , 2015, 147, 12-23.	3.8	120
176	Elemental Concentrations in Urban Green Stormwater Infrastructure Soils. <i>Journal of Environmental Quality</i> , 2016, 45, 107-118.	1.0	10
177	Field Evaluation of the Nutrient Removal Performance of a Gross Pollutant Trap (GPT) in Australia. <i>Sustainability</i> , 2016, 8, 669.	1.6	5
178	Downstream Dissipation of Storm Flow Heat Pulses: A Case Study and its Landscape-Level Implications. <i>Journal of the American Water Resources Association</i> , 2016, 52, 281-297.	1.0	26
179	Effectiveness of Best Management Practices for Stormwater Treatment as a Function of Runoff Volume. <i>Journal of Water Resources Planning and Management - ASCE</i> , 2016, 142, .	1.3	16
180	Assessing the effects of catchment-scale urban green infrastructure retrofits on hydrograph characteristics. <i>Hydrological Processes</i> , 2016, 30, 1536-1550.	1.1	95
181	A review of the bioretention system for sustainable storm water management in urban areas. <i>Materials and Geoenvironment</i> , 2016, 63, 227-236.	0.4	15
182	Structural improvements on hydrodynamic separators: a computational fluid dynamics approach. <i>Water Science and Technology</i> , 2016, 74, 2898-2908.	1.2	0

#	ARTICLE	IF	CITATIONS
183	Chemical pollution. , 0, , 149-177.		3
185	Sustainable urban stormwater management in the tropics: An evaluation of Singapore's ABC Waters Program. Journal of Hydrology, 2016, 538, 842-862.	2.3	107
186	Integrated design workflow and a new tool for urban rainwater management. Journal of Environmental Management, 2016, 180, 45-51.	3.8	55
187	Hydrological effect of typical low impact development approaches in a residential district. Natural Hazards, 2016, 80, 389-400.	1.6	30
188	Optimal selection and placement of BMPs and LID practices with a rainfall-runoff model. Environmental Modelling and Software, 2016, 80, 281-296.	1.9	113
189	Mitigating nutrient leaching from green roofs with biochar. Landscape and Urban Planning, 2016, 152, 39-48.	3.4	56
190	Stormwater Low-Impact Development: A Call to Arms for Hydraulic Engineers. Journal of Hydraulic Engineering, 2016, 142, 02516002.	0.7	7
191	Sustainable Water Management in Green Roofs. Handbook of Environmental Chemistry, 2016, , 167-207.	0.2	1
193	Household response to environmental incentives for rain garden adoption. Water Resources Research, 2016, 52, 1345-1357.	1.7	28
194	Bio-retention Systems for Storm Water Treatment and Management in Urban Systems. , 2016, , 175-200.		2
195	Nitrogen-cycling process rates across urban ecosystems. FEMS Microbiology Ecology, 2016, 92, fiw198.	1.3	58
196	The Influence of Design Parameters on Stormwater Pollutant Removal in Permeable Pavements. Water, Air, and Soil Pollution, 2016, 227, 1.	1.1	27
197	Effects of Urbanization and Climate Change on Peak Flows over the San Antonio River Basin, Texas. Journal of Hydrometeorology, 2016, 17, 2371-2389.	0.7	45
198	Role of Low Impact Development in the Attenuation of Flood Flows in Urban Areas. , 2016, , .		4
199	Hydraulic characterization and hydrological behaviour of a pilot permeable pavement in an urban centre, Brazil. Hydrological Processes, 2016, 30, 4242-4254.	1.1	22
200	Urban stream renovation: incorporating societal objectives to achieve ecological improvements. Freshwater Science, 2016, 35, 364-379.	0.9	56
201	Pre-development conditions to assess the impact of growth in an urbanizing watershed in Northern Virginia. Journal of Hydrology, 2016, 540, 1066-1077.	2.3	2
202	Residential Rain Garden Performance in the Climate Zones of the Contiguous United States. Journal of Environmental Engineering, ASCE, 2016, 142, .	0.7	16

#	ARTICLE	IF	CITATIONS
203	Modified Bioretention for Enhanced Nitrogen Removal from Agricultural Runoff. Journal of Environmental Engineering, ASCE, 2016, 142, .	0.7	10
204	Assessment of stormwater runoff management practices and governance under climate change and urbanization: An analysis of Bangkok, Hanoi and Tokyo. Environmental Science and Policy, 2016, 64, 101-117.	2.4	113
205	Distributed Stormwater Controls for Flood Mitigation within Urbanized Watersheds: Case Study of Rocky Branch Watershed in Columbia, South Carolina. Journal of Hydrologic Engineering - ASCE, 2016, 21, .	0.8	28
206	Runoff Impacts and LID Techniques for Mansionization-Based Stormwater Effects in Fairfax County, Virginia. Journal of Sustainable Water in the Built Environment, 2016, 2, .	0.9	9
207	Assessing cost-effectiveness of bioretention on stormwater in response to climate change and urbanization for future scenarios. Journal of Hydrology, 2016, 543, 423-432.	2.3	82
208	STUDY ON OUTFLOW CONTROL EFFECT OF ON-SITE STORAGE AND SOIL IMPROVEMENT FOR SMALL WATERSHED. Journal of Japan Society of Civil Engineers Ser B1 (Hydraulic Engineering), 2016, 72, 49-58.	0.0	5
209	Retrofitting LID Practices into Existing Neighborhoods: Is It Worth It?. Environmental Management, 2016, 57, 856-867.	1.2	49
210	Pavement induced soil warming accelerates leaf budburst of ash trees. Urban Forestry and Urban Greening, 2016, 16, 36-42.	2.3	23
211	Plant species richness enhances nitrogen retention in green roof plots. Ecological Applications, 2016, 26, 2130-2144.	1.8	26
212	Best management practices as an alternative for flood and urban storm water control in a changing climate. Journal of Flood Risk Management, 2016, 9, 243-254.	1.6	23
213	Effects of Best Management Practice on Ecological Condition: Does Location Matter?. Environmental Management, 2016, 57, 1062-1076.	1.2	21
214	Evaluating Retention Capacity of Infiltration Rain Gardens and Their Potential Effect on Urban Stormwater Management in the Sub-Humid Loess Region of China. Water Resources Management, 2016, 30, 983-1000.	1.9	31
215	Cadmium removal from urban stormwater runoff via bioretention technology and effluent risk assessment for discharge to surface water. Journal of Contaminant Hydrology, 2016, 185-186, 42-50.	1.6	31
216	Modeling flood reduction effects of low impact development at a watershed scale. Journal of Environmental Management, 2016, 171, 81-91.	3.8	211
217	Small scale green infrastructure design to meet different urban hydrological criteria. Journal of Environmental Management, 2016, 171, 92-100.	3.8	37
218	Urban green spaces activities: A preparatory groundwork for a safety management system. Journal of Safety Research, 2016, 56, 75-82.	1.7	19
219	A technology for the standpipe in flat roof of green building community. Agricultural Water Management, 2016, 174, 103-107.	2.4	2
220	Evaluation of the capability of low-impact development practices for the removal of heavy metal from urban stormwater runoff. Environmental Technology (United Kingdom), 2016, 37, 2265-2272.	1.2	44

#	ARTICLE	IF	CITATIONS
221	Laboratory Study on the Stormwater Retention and Runoff Attenuation Capacity of Four Permeable Pavements. <i>Journal of Environmental Engineering, ASCE</i> , 2016, 142, .	0.7	28
222	Maintenance measures for preservation and recovery of permeable pavement surface infiltration rate – The effects of street sweeping, vacuum cleaning, high pressure washing, and milling. <i>Journal of Environmental Management</i> , 2016, 169, 132-144.	3.8	94
223	How does imperviousness impact the urban rainfall-runoff process under various storm cases?. <i>Ecological Indicators</i> , 2016, 60, 893-905.	2.6	103
224	Stormwater control measure (SCM) maintenance considerations to ensure designed functionality. <i>Urban Water Journal</i> , 2017, 14, 278-290.	1.0	87
225	Conventional and decentralized urban stormwater management: A comparison through case studies of Singapore and Berlin, Germany. <i>Urban Water Journal</i> , 2017, 14, 113-124.	1.0	48
226	Storm Water Management Model: Performance Review and Gap Analysis. <i>Journal of Sustainable Water in the Built Environment</i> , 2017, 3, .	0.9	139
227	Evaluation of low impact development approach for mitigating flood inundation at a watershed scale in China. <i>Journal of Environmental Management</i> , 2017, 193, 430-438.	3.8	90
228	Tree survival and growth are impacted by increased surface temperature on paved land. <i>Landscape and Urban Planning</i> , 2017, 162, 68-79.	3.4	47
229	Life cycle environmental and economic assessment of a LID-BMP treatment train system: A case study in China. <i>Journal of Cleaner Production</i> , 2017, 149, 227-237.	4.6	73
230	Public perceptions of and willingness to pay for sponge city initiatives in China. <i>Resources, Conservation and Recycling</i> , 2017, 122, 11-20.	5.3	167
231	A review of water-sensitive urban design technologies and practices for sustainable stormwater management. <i>Sustainable Water Resources Management</i> , 2017, 3, 269-282.	1.0	46
232	Organic Carbon Amendments for Enhanced Biological Attenuation of Trace Organic Contaminants in Biochar-Amended Stormwater Biofilters. <i>Environmental Science & Technology</i> , 2017, 51, 9184-9193.	4.6	54
233	Photocatalytic removal of gaseous nitrogen oxides using WO ₃ /TiO ₂ particles under visible light irradiation: Effect of surface modification. <i>Chemosphere</i> , 2017, 182, 539-546.	4.2	30
234	The potential of using biological nitrogen removal technique for stormwater treatment. <i>Ecological Engineering</i> , 2017, 106, 482-495.	1.6	20
235	The Role of Denitrification in Stormwater Detention Basin Treatment of Nitrogen. <i>Environmental Science & Technology</i> , 2017, 51, 7928-7935.	4.6	52
236	An integrated assessment of urban flooding mitigation strategies for robust decision making. <i>Environmental Modelling and Software</i> , 2017, 95, 143-155.	1.9	100
237	A review on effectiveness of best management practices in improving hydrology and water quality: Needs and opportunities. <i>Science of the Total Environment</i> , 2017, 601-602, 580-593.	3.9	209
238	Monitoring Porous Asphalt Stormwater Infiltration and Outflow. <i>Journal of Irrigation and Drainage Engineering - ASCE</i> , 2017, 143, 04017027.	0.6	7

#	ARTICLE	IF	CITATIONS
239	Water quality before and after watershed-scale implementation of stormwater wet ponds in the coastal plain. <i>Ecological Engineering</i> , 2017, 105, 240-251.	1.6	26
240	Evaluation of distributed <scp>BMP</scp>s in an urban watershedâ€”High resolution modeling for stormwater management. <i>Hydrological Processes</i> , 2017, 31, 2700-2712.	1.1	50
241	Hydrological Model of LID with Rainfall-Watershed-Bioretenion System. <i>Water Resources Management</i> , 2017, 31, 1931-1946.	1.9	26
242	Low-impact development for impervious surface connectivity mitigation: assessment of directly connected impervious areas (DCIAs). <i>Journal of Environmental Planning and Management</i> , 2017, 60, 1871-1889.	2.4	23
243	Influence of the vegetative cover on the fate of trace metals in retention systems simulating roadside infiltration swales. <i>Science of the Total Environment</i> , 2017, 580, 482-490.	3.9	21
244	Can we face the challenge: how to implement a theoretical concept of green infrastructure into planning practice? Warsaw case study. <i>Landscape Research</i> , 2017, 42, 176-194.	0.7	29
245	Monitoring Methods and Designs for Evaluating Bioretention Performance. <i>Journal of Environmental Engineering, ASCE</i> , 2017, 143, 05017006.	0.7	11
246	Exploring Planting and Filter Media in Stormwater Bioremediating Landscapes: a Review. <i>Water, Air, and Soil Pollution</i> , 2017, 228, 1.	1.1	16
247	Modeling Watershedâ€”Scale Impacts of Stormwater Management with Traditional versus Low Impact Development Design. <i>Journal of the American Water Resources Association</i> , 2017, 53, 1081-1094.	1.0	30
248	Evapotranspiration and Mineral Content of <i>Sedum kamtschaticum</i> Fischer Under Saline Irrigation. <i>Communications in Soil Science and Plant Analysis</i> , 2017, 48, 1399-1408.	0.6	1
249	Retention performance of green roofs in representative climates worldwide. <i>Journal of Hydrology</i> , 2017, 553, 763-772.	2.3	57
250	Facilitators and Barriers of Applying Low Impact Development Practices in Urban Development. <i>Water Resources Management</i> , 2017, 31, 3795-3808.	1.9	18
251	The effect of different surface materials on runoff quality in permeable pavement systems. <i>Environmental Science and Pollution Research</i> , 2017, 24, 21103-21110.	2.7	36
252	A new framework for modeling decentralized low impact developments using Soil and Water Assessment Tool. <i>Environmental Modelling and Software</i> , 2017, 96, 305-322.	1.9	35
253	Performance and implementation of low impact development â€” A review. <i>Science of the Total Environment</i> , 2017, 607-608, 413-432.	3.9	412
254	Understanding Perceptions of Plant Landscaping in LID: Seeking a Sustainable Design and Management Strategy. <i>Journal of Sustainable Water in the Built Environment</i> , 2017, 3, 05017003.	0.9	4
255	Pollutant reduction effectiveness of low-impact development drainage system in a campus. <i>Frontiers of Environmental Science and Engineering</i> , 2017, 11, 1.	3.3	6
256	A critical literature review of bioretention research for stormwater management in cold climate and future research recommendations. <i>Frontiers of Environmental Science and Engineering</i> , 2017, 11, 1.	3.3	70

#	ARTICLE	IF	CITATIONS
257	Initial impacts of rain gardensâ€™ application on water quality and quantity in combined sewer: field-scale experiment. <i>Frontiers of Environmental Science and Engineering</i> , 2017, 11, 1.	3.3	13
258	Misapplication of generic hazard-classification schemes for versatile, sustainable building materials: Copper as an example. <i>Human and Ecological Risk Assessment (HERA)</i> , 2017, 23, 1703-1730.	1.7	2
259	Effects of storm size and frequency on nitrogen retention, denitrification, and N ₂ O production in bioretention swale mesocosms. <i>Biogeochemistry</i> , 2017, 134, 353-370.	1.7	31
260	Modelling hydrological response to a fullyâ€™monitored urban bioretention cell. <i>Hydrological Processes</i> , 2017, 31, 4626-4638.	1.1	35
261	â€™Sponge cityâ€™ concept helps solve Chinaâ€™s urban water problems. <i>Environmental Earth Sciences</i> , 2017, 76, 1.	1.3	108
262	Understanding the challenges for the governance of Chinaâ€™s â€™sponge citiesâ€™ initiative to sustainably manage urban stormwater and flooding. <i>Natural Hazards</i> , 2017, 89, 521-529.	1.6	61
263	Modeling stormwater management at the city district level in response to changes in land use and low impact development. <i>Environmental Modelling and Software</i> , 2017, 95, 132-142.	1.9	155
264	Investigation into the long-term stormwater pollution removal efficiency of bioretention systems. <i>Water Science and Technology</i> , 2017, 76, 2133-2139.	1.2	7
265	Removing heavy metals using permeable pavement system with a titanate nano-fibrous adsorbent column as a post treatment. <i>Chemosphere</i> , 2017, 168, 467-473.	4.2	38
266	Hydrologic impact of urbanization with extensive stormwater infiltration. <i>Journal of Hydrology</i> , 2017, 544, 524-537.	2.3	100
267	Hydrologic Performance of Watershed-Scale Low-Impact Development in a High-Intensity Rainfall Region. <i>Journal of Irrigation and Drainage Engineering - ASCE</i> , 2017, 143, 04016083.	0.6	15
268	Simulation and Evaluation of Low Impact Development of Urban Residential District Based on SWMM and GIS. <i>IOP Conference Series: Earth and Environmental Science</i> , 2017, 74, 012009.	0.2	5
269	Retrofitting the Low Impact Development Practices into Developed Urban areas Including Barriers and Potential Solution. <i>Open Geosciences</i> , 2017, 9, .	0.6	35
270	The Fate of Pollutants in Porous Asphalt Pavements, Laboratory Experiments to Investigate Their Potential to Impact Environmental Health. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 666.	1.2	12
271	The Effect of Urban Green Infrastructure on Disaster Mitigation in Korea. <i>Sustainability</i> , 2017, 9, 1026.	1.6	11
272	Differences in Infiltration and Evaporation of Diesel and Gasoline Droplets Spilled onto Concrete Pavement. <i>Sustainability</i> , 2017, 9, 1271.	1.6	12
273	Evaluating the Effects of Low Impact Development Practices on Urban Flooding under Different Rainfall Intensities. <i>Water (Switzerland)</i> , 2017, 9, 548.	1.2	63
274	Effectiveness of Runoff Control Legislation and Active, Beautiful, Clean (ABC) Waters Design Features in Singapore. <i>Water (Switzerland)</i> , 2017, 9, 627.	1.2	11

#	ARTICLE	IF	CITATIONS
275	Removal of Heavy Metals from Urban Stormwater Runoff Using Bioretention Media Mix. Water (Switzerland), 2017, 9, 854.	1.2	36
276	Analysis and Comparison on the Flood Simulation in Typical Hilly & Semi-mountainous Region. IOP Conference Series: Earth and Environmental Science, 2017, 100, 012206.	0.2	0
277	Measurement and evaluation of percolation drainage systems capacity in real conditions. IOP Conference Series: Earth and Environmental Science, 2017, 92, 012040.	0.2	3
278	Effects of Low Impact Development Practices on the Mitigation of Nutrient Pollution in Deep Bay, China. , 2017, , .		0
279	Effectiveness of roadside vegetated filter strips and swales at treating roadway runoff: a tutorial review. Environmental Science: Water Research and Technology, 2018, 4, 478-486.	1.2	22
280	Inexact fuzzy chance-constrained programming for community-scale urban stormwater management. Journal of Cleaner Production, 2018, 182, 937-945.	4.6	28
281	Performances of metal concentrations from three permeable pavement infiltrates. Water Research, 2018, 136, 41-53.	5.3	21
282	Rapid Assessment of Hydrologic Performance of Low Impact Development Practices under Design Storms. Journal of the American Water Resources Association, 2018, 54, 613-630.	1.0	21
283	Study on the development trend and practice of sponge cities with Chinese Characteristics. IOP Conference Series: Earth and Environmental Science, 2018, 128, 012134.	0.2	0
284	The effects of initial soil moisture conditions on swale flow hydrographs. Hydrological Processes, 2018, 32, 644-654.	1.1	22
285	Open data and stormwater systems in Los Angeles: applications for equitable green infrastructure. Local Environment, 2018, 23, 505-517.	1.1	24
286	Sustainability-Oriented Urban Renewal and Low-Impact Development Applications in China: Case Study of Yangpu District, Shanghai. Journal of Sustainable Water in the Built Environment, 2018, 4, .	0.9	10
287	Impact of Low-Impact Development Technologies from an Ecological Perspective in Different Residential Zones of the City of Atlanta, Georgia. Engineering, 2018, 4, 194-199.	3.2	3
288	Assessing hydrological effects and performance of low impact development practices based on future scenarios modeling. Journal of Cleaner Production, 2018, 179, 12-23.	4.6	108
289	The leaf phenophase of deciduous species altered by land pavements. International Journal of Biometeorology, 2018, 62, 949-959.	1.3	10
290	A simulation-based real-time control system for reducing urban runoff pollution through a stormwater storage tank. Journal of Cleaner Production, 2018, 183, 641-652.	4.6	50
291	Urban pluvial flooding and stormwater management: A contemporary review of China's challenges and "sponge cities" strategy. Environmental Science and Policy, 2018, 80, 132-143.	2.4	275
292	An empirical study of the variables affecting site planning and design in green buildings. Journal of Cleaner Production, 2018, 175, 314-323.	4.6	21

#	ARTICLE	IF	CITATIONS
293	Use of intertidal habitat by four species of shorebirds in an experimental array of oyster racks, reefs and controls on Delaware Bay, New Jersey: Avoidance of oyster racks. <i>Science of the Total Environment</i> , 2018, 624, 1234-1243.	3.9	8
294	A comprehensive review of spatial allocation of LID-BMP-GI practices: Strategies and optimization tools. <i>Science of the Total Environment</i> , 2018, 621, 915-929.	3.9	150
295	Green Infrastructure: Cost-Effective Nature-Based Solutions for Safeguarding the Environment and Protecting Human Health and Well-Being. , 2018, , 1-27.		5
296	Optimizing surface and contributing areas of bioretention cells for stormwater runoff quality and quantity management. <i>Journal of Environmental Management</i> , 2018, 206, 1090-1103.	3.8	62
297	Retention performances of green roofs worldwide at different time scales. <i>Land Degradation and Development</i> , 2018, 29, 1940-1952.	1.8	24
298	What drives the location choice for water sensitive infrastructure in Melbourne, Australia?. <i>Landscape and Urban Planning</i> , 2018, 175, 92-101.	3.4	48
299	Engineered headwaters can act as sources of dissolved organic matter and nitrogen to urban stream networks. <i>Limnology and Oceanography Letters</i> , 2018, 3, 215-224.	1.6	27
300	Low-density housing in sustainable urban planning – Scaling down to private gardens by using the green infrastructure concept. <i>Land Use Policy</i> , 2018, 75, 478-485.	2.5	23
301	Stormwater disinfection using electrochemical oxidation: A feasibility investigation. <i>Water Research</i> , 2018, 140, 301-310.	5.3	35
302	Modeling framework for representing long-term effectiveness of best management practices in addressing hydrology and water quality problems: Framework development and demonstration using a Bayesian method. <i>Journal of Hydrology</i> , 2018, 560, 530-545.	2.3	49
303	Enhancing Adoption Studies: The Case of Residential Stormwater Management Practices in the Midwest. <i>Agricultural and Resource Economics Review</i> , 2018, 47, 32-65.	0.6	13
304	Metal accumulation and hydraulic performance of bioretention systems after long-term operation. <i>Journal of Soils and Sediments</i> , 2018, 18, 431-441.	1.5	33
305	Conventional and holistic urban stormwater management in coastal cities: a case study of the practice in Hong Kong and Singapore. <i>International Journal of Water Resources Development</i> , 2018, 34, 192-212.	1.2	28
306	Green infrastructure and its catchment-scale effects: an emerging science. <i>Wiley Interdisciplinary Reviews: Water</i> , 2018, 5, 1254.	2.8	108
307	Bioretention Media for Enhanced Permeability and Phosphorus Sorption from Synthetic Urban Stormwater. <i>Journal of Sustainable Water in the Built Environment</i> , 2018, 4, .	0.9	14
308	GIS based optimal impervious surface map generation using various spatial data for urban nonpoint source management. <i>Journal of Environmental Management</i> , 2018, 206, 587-601.	3.8	16
309	Mitigating Soil Erosion Caused by Artificial Disturbances in Hilly Lake Environs: Scenario Approach to LID Planning. <i>Journal of Sustainable Water in the Built Environment</i> , 2018, 4, .	0.9	2
310	Evaluation of turfgrid porous pavements for urban stormwater management in Xiamen Island, Southeast China. <i>Sustainable Water Resources Management</i> , 2018, 4, 617-626.	1.0	2

#	ARTICLE	IF	CITATIONS
311	Removal Process of Nutrients and Heavy Metals in Tropical Biofilters. E3S Web of Conferences, 2018, 65, 05026.	0.2	4
312	Prediction of Life Cycle Carbon Emissions of Sponge City Projects: A Case Study in Shanghai, China. Sustainability, 2018, 10, 3978.	1.6	21
313	Evaluating the Road-Bioretenion Strip System from a Hydraulic Perspective—Case Studies. Water (Switzerland), 2018, 10, 1778.	1.2	8
314	Assessing Stormwater Nutrient and Heavy Metal Plant Uptake in an Experimental Bioretention Pond. Land, 2018, 7, 150.	1.2	18
315	Cumulative Effects of Low Impact Development on Watershed Hydrology in a Mixed Land-Cover System. Water (Switzerland), 2018, 10, 991.	1.2	28
316	Effect of a Submerged Zone and Carbon Source on Nutrient and Metal Removal for Stormwater by Bioretention Cells. Water (Switzerland), 2018, 10, 1629.	1.2	37
317	Investigation of Particle-Related Clogging of Sustainable Concrete Pavements. Sustainability, 2018, 10, 4845.	1.6	9
318	A Site Scale Integrated Decision Support Tool for Urban Stormwater Management. , 2018, , .		0
319	Research on the goal of urban water system governance system construction-Taking Jinan sponge city as an example. IOP Conference Series: Earth and Environmental Science, 0, 191, 012068.	0.2	1
320	A Comprehensive Review of Low Impact Development Models for Research, Conceptual, Preliminary and Detailed Design Applications. Water (Switzerland), 2018, 10, 1541.	1.2	54
321	Spatiotemporal Variance Assessment of Urban Rainstorm Waterlogging Affected by Impervious Surface Expansion: A Case Study of Guangzhou, China. Sustainability, 2018, 10, 3761.	1.6	60
322	Green urban planning strategies for climate change resilience of the Catania metropolitan area. Acta Horticulturae, 2018, , 207-212.	0.1	0
323	Modeling Urban Hydrology and Green Infrastructure Using the AGWA Urban Tool and the KINEROS2 Model. Frontiers in Built Environment, 2018, 4, 1-15.	1.2	44
324	The Hydrologic Role of Urban Green Space in Mitigating Flooding (Luohe, China). Sustainability, 2018, 10, 3584.	1.6	40
325	Improving Restorative Maintenance Practices for Mature Permeable Interlocking Concrete Pavements. Water (Switzerland), 2018, 10, 1588.	1.2	14
326	Electrochemical oxidation for stormwater disinfection: How does real stormwater chemistry impact on pathogen removal and disinfection by-products level?. Chemosphere, 2018, 213, 226-234.	4.2	15
327	Evaluating performances of green roofs for stormwater runoff mitigation in a high flood risk urban catchment. Journal of Hydrology, 2018, 566, 830-845.	2.3	82
328	Modeling the Runoff Reduction Effect of Low Impact Development Installations in an Industrial Area, South Korea. Water (Switzerland), 2018, 10, 967.	1.2	12

#	ARTICLE	IF	CITATIONS
329	Laboratory Study on the Performance of Bioretention for Stormwater Management in Cold Climates. , 2018, , .		1
330	Assessment and Determinants of Residential Satisfaction with Sponge-Style Old Community Renewal: A Case Study in Zhenjiang, China. , 2018, , .		1
331	Application of CityDrain3 in Flood Simulation of Sponge Polders: A Case Study of Kunshan, China. Water (Switzerland), 2018, 10, 507.	1.2	7
332	Effectiveness of low-impact development for urban inundation risk mitigation under different scenarios: a case study in Shenzhen, China. Natural Hazards and Earth System Sciences, 2018, 18, 2525-2536.	1.5	47
333	Managed Aquifer Recharge as a Tool to Enhance Sustainable Groundwater Management in California. Advances in Chemical Pollution, Environmental Management and Protection, 2018, 3, 215-275.	0.3	18
334	Effect of Green Roof Configuration and Hydrological Variables on Runoff Water Quantity and Quality. Water (Switzerland), 2018, 10, 960.	1.2	26
335	From the household to watershed: A cross-scale analysis of residential intention to adopt green stormwater infrastructure. Landscape and Urban Planning, 2018, 180, 195-206.	3.4	32
336	Evaluating the Hydrologic Performance of Low Impact Development Scenarios in a Micro Urban Catchment. International Journal of Environmental Research and Public Health, 2018, 15, 273.	1.2	23
337	Ecosystem service of green infrastructure for adaptation to urban growth: function and configuration. Ecosystem Health and Sustainability, 2018, 4, 132-143.	1.5	45
338	Decision Support System for the Design and Planning of Low-Impact Development Practices: The Case of Seoul. Water (Switzerland), 2018, 10, 146.	1.2	10
339	Hydrodynamic modeling of the impact of residential rainwater harvesting systems on stormwater runoff and drainage networks. E3S Web of Conferences, 2018, 45, 00089.	0.2	1
340	Green City Vision, Strategy, and Planning. Strategies for Sustainability, 2018, , 19-38.	0.2	3
341	High-resolution modelling of the grass swale response to runoff inflows with Mike SHE. Journal of Hydrology, 2018, 562, 411-422.	2.3	38
342	Hydrologic Evaluation of Residential Rain Gardens Using a Stormwater Runoff Simulator. Transactions of the ASABE, 2018, 61, 495-508.	1.1	4
343	Integrated hydro-environmental impact assessment and alternative selection of low impact development practices in small urban catchments. Journal of Environmental Management, 2018, 223, 324-337.	3.8	33
344	Stormwater capture and antecedent moisture characteristics of permeable pavements. Hydrological Processes, 2018, 32, 2708-2720.	1.1	17
345	Drainage area characterization for evaluating green infrastructure using the Storm Water Management Model. Hydrology and Earth System Sciences, 2018, 22, 2615-2635.	1.9	25
346	Impact of LID Implementation on Water Quality in AlibeykÃ¶y Watershed in Istanbul, Turkey. Environmental Processes, 2018, 5, 201-212.	1.7	15

#	ARTICLE	IF	CITATIONS
347	Hydrological behaviour of rain gardens and plant suitability: A study in the Veneto plain (north-eastern Italy) conditions. <i>Urban Forestry and Urban Greening</i> , 2018, 34, 121-133.	2.3	19
348	Flood Damage Reduction in Urban Areas with Use of Low Impact Development Designs. , 2018, , .		5
350	Pluvial flood risk and opportunities for resilience. <i>Wiley Interdisciplinary Reviews: Water</i> , 2018, 5, e1302.	2.8	121
351	Experimental study and simulation of phosphorus purification effects of bioretention systems on urban surface runoff. <i>PLoS ONE</i> , 2018, 13, e0196339.	1.1	11
352	Urbanization and climate change impacts on surface water quality: Enhancing the resilience by reducing impervious surfaces. <i>Water Research</i> , 2018, 144, 491-502.	5.3	153
353	Optimal Design of LIDs in Urban Stormwater Systems Using a Harmony-Search Decision Support System. <i>Water Resources Management</i> , 2018, 32, 4933-4951.	1.9	40
354	Optimization of low impact development layout designs for megacity flood mitigation. <i>Journal of Hydrology</i> , 2018, 564, 542-558.	2.3	99
355	Technological Review of Permeable Pavement Systems for Applications in Small Island Developing States. <i>Clean - Soil, Air, Water</i> , 2018, 46, 1700168.	0.7	11
356	Investigating the Influence of Various Stormwater Runoff Control Facilities on Runoff Control Efficiency in a Small Catchment Area. <i>Sustainability</i> , 2018, 10, 407.	1.6	11
357	Modeling the Effects of Introducing Low Impact Development in a Tropical City: A Case Study from Joinville, Brazil. <i>Sustainability</i> , 2018, 10, 728.	1.6	51
358	A Systematic Literature Mining of Sponge City: Trends, Foci and Challenges Standing Ahead. <i>Sustainability</i> , 2018, 10, 1182.	1.6	18
359	Ecological Wisdom and Inspiration Underlying the Planning and Construction of Ancient Human Settlements: Case Study of Hongcun UNESCO World Heritage Site in China. <i>Sustainability</i> , 2018, 10, 1345.	1.6	26
360	Potential of Biofilters for Treatment of De-Icing Chemicals. <i>Water (Switzerland)</i> , 2018, 10, 620.	1.2	7
361	Role of Low-Impact Development in Generation and Control of Urban Diffuse Pollution in a Pilot Sponge City: A Paired-Catchment Study. <i>Water (Switzerland)</i> , 2018, 10, 852.	1.2	10
362	Simulation of Rain Garden Effects in Urbanized Area Based on Mike Flood. <i>Water (Switzerland)</i> , 2018, 10, 860.	1.2	9
363	Low-Impact Development Effects on Aquifer Recharge Using Coupled Surface and Groundwater Models. <i>Journal of Hydrologic Engineering - ASCE</i> , 2018, 23, .	0.8	19
364	Challenges to implementing urban sustainable stormwater management from a governance perspective: A literature review. <i>Journal of Cleaner Production</i> , 2018, 196, 943-952.	4.6	101
365	Linking hydrological and bioecological benefits of green infrastructures across spatial scales â€“ A literature review. <i>Science of the Total Environment</i> , 2019, 646, 1219-1231.	3.9	73

#	ARTICLE	IF	CITATIONS
366	Electrochemical oxidation disinfects urban stormwater: Major disinfection mechanisms and longevity tests. <i>Science of the Total Environment</i> , 2019, 646, 1440-1447.	3.9	23
367	Changes in long-term water quality of Baltimore streams are associated with both gray and green infrastructure. <i>Limnology and Oceanography</i> , 2019, 64, S60.	1.6	22
368	A new framework for the optimal management of urban runoff with low-impact development stormwater control measures considering service-performance reduction. <i>Journal of Hydroinformatics</i> , 2019, 21, 727-744.	1.1	33
369	Investigation on the Properties and Distribution of Air Voids in Porous Asphalt with Relevance to the Pb(II) Removal Performance. <i>Advances in Materials Science and Engineering</i> , 2019, 2019, 1-13.	1.0	5
370	Increasing Sustainability of Residential Areas Using Rain Gardens to Improve Pollutant Capture, Biodiversity and Ecosystem Resilience. <i>Sustainability</i> , 2019, 11, 3269.	1.6	21
371	Castles built on sand or predictive limnology in action? Part B: Designing the next monitoring-modelling-assessment cycle of adaptive management in Lake Erie. <i>Ecological Informatics</i> , 2019, 53, 100969.	2.3	4
372	A Quantity-Quality Model to Assess the Effects of Source Control Stormwater Management on Hydrology and Water Quality at the Catchment Scale. <i>Water (Switzerland)</i> , 2019, 11, 1415.	1.2	36
373	Mapping the city-scale supply and demand of ecosystem flood regulation services—A case study in Shanghai. <i>Ecological Indicators</i> , 2019, 106, 105544.	2.6	54
374	The Effects of Urbanization and Retention-Based Stormwater Management on Coastal Plain Stream Nutrient Export. <i>Water Resources Research</i> , 2019, 55, 7027-7046.	1.7	17
375	The Multifunctional Benefits of Green Infrastructure in Community Development: An Analytical Review Based on 447 Cases. <i>Sustainability</i> , 2019, 11, 3917.	1.6	61
376	Governance factors of sustainable stormwater management: A study of case cities in China and Sweden. <i>Journal of Environmental Management</i> , 2019, 248, 109249.	3.8	38
377	Assessing Watershed-Scale Stormwater Green Infrastructure Response to Climate Change in Clarksburg, Maryland. <i>Journal of Water Resources Planning and Management - ASCE</i> , 2019, 145, .	1.3	21
378	Does sponge-style old community renewal lead to a satisfying life for residents? An investigation in Zhenjiang, China. <i>Habitat International</i> , 2019, 90, 102004.	2.3	21
379	A Comparison of Three Types of Permeable Pavements for Urban Runoff Mitigation in the Semi-Arid South Texas, U.S.A. <i>Water (Switzerland)</i> , 2019, 11, 1992.	1.2	20
380	Evaluation of an enhanced treatment media and permeable pavement base to remove stormwater nitrogen, phosphorus, and metals under simulated rainfall. <i>Water Research</i> , 2019, 166, 115071.	5.3	26
381	Assessing storage requirements, water and energy savings, and costs associated with a residential rainwater harvesting system deployed across two counties in Southeast Florida. <i>Journal of Environmental Management</i> , 2019, 252, 109673.	3.8	38
382	The Influence of Urban Flooding on Residents'™ Daily Travel: A Case Study of Macau with Proposed Ameliorative Strategies. <i>Water (Switzerland)</i> , 2019, 11, 1825.	1.2	1
383	Spatial Optimization of Low-Impact Development Facilities Based on a p-Median Model and an Ant Colony Optimization. <i>Journal of Hydrologic Engineering - ASCE</i> , 2019, 24, .	0.8	14

#	ARTICLE	IF	CITATIONS
384	Effects of Early Structural Changes of Engineered Soils on Green Roof and Bioretention Performance. IOP Conference Series: Earth and Environmental Science, 2019, 290, 012086.	0.2	1
385	Rainwater storage/infiltration function of rain gardens for management of urban storm runoff in Japan. Landscape and Ecological Engineering, 2019, 15, 421-435.	0.7	27
386	Capture of stormwater runoff and pollutants by three types of urban best management practices. Journal of Soils and Water Conservation, 2019, 74, 487-499.	0.8	5
387	Fecal indicator bacteria and virus removal in stormwater biofilters: Effects of biochar, media saturation, and field conditioning. PLoS ONE, 2019, 14, e0222719.	1.1	28
388	Experimental investigation for impacts of rain storms and terrain slopes on low impact development effect in an idealized urban catchment. Journal of Hydrology, 2019, 579, 124176.	2.3	23
389	Site-Scale Integrated Decision Support Tool (i-DSTss) for Stormwater Management. Water (Switzerland), 2019, 11, 2022.	1.2	17
390	The importance of city trees for reducing net rainfall: comparing measurements and simulations. Hydrology and Earth System Sciences, 2019, 23, 3865-3884.	1.9	10
391	An approach to the implementation of Low Impact Development measures towards an EcoCampus classification. Journal of Environmental Management, 2019, 232, 654-659.	3.8	16
392	Design of water reuse storage facilities in Sustainable Urban Drainage Systems from a volumetric water balance perspective. Science of the Total Environment, 2019, 663, 133-143.	3.9	20
393	Green infrastructure practices simulation of the impacts of land use on surface runoff: Case study in Ecorse River watershed, Michigan. Journal of Environmental Management, 2019, 233, 603-611.	3.8	30
394	Performance Assessment of a Laboratory Scale Prototype Biofiltration System in Tropical Region. Sustainability, 2019, 11, 1947.	1.6	7
395	Comparison of Field Infiltration Test Methods for Permeable Pavement: Towards an Easy and Accurate Method. Clean - Soil, Air, Water, 2019, 47, 1900174.	0.7	7
396	Evaluating Sponge City volume capture ratio at the catchment scale using SWMM. Journal of Environmental Management, 2019, 246, 745-757.	3.8	67
397	Understanding spatiotemporal variability of in-stream water quality in urban environments – A case study of Melbourne, Australia. Journal of Environmental Management, 2019, 246, 203-213.	3.8	30
398	Modeling effects of low impact development on road salt transport at watershed scale. Journal of Hydrology, 2019, 574, 1164-1175.	2.3	14
399	Identifying Key Factors for Implementation and Maintenance of Green Stormwater Infrastructure. Journal of Sustainable Water in the Built Environment, 2019, 5, .	0.9	17
400	Model-Based Selection of Cost-Effective Low Impact Development Strategies to Control Water Balance. Sustainability, 2019, 11, 2440.	1.6	23
401	A Retrospective Comparison of Water Quality Treatment in a Bioretention Cell 16 Years Following Initial Analysis. Sustainability, 2019, 11, 1945.	1.6	25

#	ARTICLE	IF	CITATIONS
402	Urban Sustainable Development Based on the Framework of Sponge City: 71 Case Studies in China. Sustainability, 2019, 11, 1544.	1.6	20
403	Remediation of Stormwater Pollutants by Porous Asphalt Pavement. Water (Switzerland), 2019, 11, 520.	1.2	17
404	Developing a modeling tool to allocate Low Impact Development practices in a cost-optimized method. Journal of Hydrology, 2019, 573, 98-108.	2.3	22
405	Quantifying Thermal Characteristics of Stormwater through Low Impact Development Systems. Hydrology, 2019, 6, 16.	1.3	8
406	Reprint of : Hydrological behaviour of rain gardens and plant suitability: A study in the Veneto plain (north-eastern Italy) conditions. Urban Forestry and Urban Greening, 2019, 37, 74-86.	2.3	15
407	Ex-situ estimation of interception storage capacity of small urban plant species. Journal of Hydrology, 2019, 572, 869-883.	2.3	6
408	A review of bioretention components and nutrient removal under different climatesâ€”future directions for tropics. Environmental Science and Pollution Research, 2019, 26, 14904-14919.	2.7	44
409	Processes improving urban stormwater quality in grass swales and filter strips: A review of research findings. Science of the Total Environment, 2019, 669, 431-447.	3.9	64
410	Barriers to green infrastructure development and planning in two Ethiopian cities: Bahir Dar and Hawassa. Urban Ecosystems, 2019, 22, 657-669.	1.1	12
411	High-Flow Structural Media for Removing Stormwater-Dissolved Phosphorous in Permeable Paving. Journal of Sustainable Water in the Built Environment, 2019, 5, 04019001.	0.9	3
412	Constructing the Ecological Security Pattern for Sponge City: A Case Study in Zhengzhou, China. Water (Switzerland), 2019, 11, 284.	1.2	36
413	State of provincial regulations and guidelines to promote low impact development (LID) alternatives across Canada: Content analysis and comparative assessment. Journal of Environmental Management, 2019, 235, 389-402.	3.8	24
414	The influence of climate on the effectiveness of low impact development: A systematic review. Journal of Environmental Management, 2019, 236, 365-379.	3.8	76
415	Development of a scenario-based stormwater management planning support system for reducing combined sewer overflows (CSOs). Journal of Environmental Management, 2019, 236, 571-580.	3.8	47
416	Adaptation strategies and approaches for forested watersheds. Climate Services, 2019, 13, 51-64.	1.0	21
417	Comprehensive Performance Evaluation System Based on Environmental and Economic Benefits for Optimal Allocation of LID Facilities. Water (Switzerland), 2019, 11, 341.	1.2	33
418	Evaluation of the effectiveness of green infrastructure on hydrology and water quality in a combined sewer overflow community. Science of the Total Environment, 2019, 665, 69-79.	3.9	48
419	Rain Gardens as Stormwater Management Tool. , 2019, , 141-166.		17

#	ARTICLE	IF	CITATIONS
420	The Role of Renewables in a Low-Carbon Society: Evidence from a Multivariate Panel Data Analysis at the EU Level. Sustainability, 2019, 11, 5260.	1.6	18
421	Choosing the LID for Urban Storm Management in the South of Taiyuan Basin by Comparing the Storm Water Reduction Efficiency. Water (Switzerland), 2019, 11, 2583.	1.2	9
422	Challenges and Potentials for Technology Advancement of Bioretention Cells in Stormwater Management. , 2019, , .		0
423	Study on the Ecological Landscape Design of Yawei Creek Wetland Based on LID. IOP Conference Series: Earth and Environmental Science, 2019, 330, 022115.	0.2	0
424	The Effects of Rainfall Runoff Pollutants on Plant Physiology in a Bioretention System Based on Pilot Experiments. Sustainability, 2019, 11, 6402.	1.6	10
425	Urban Runoff and Pollutant Reduction by Retrofitting Green Infrastructure in Storm Water Management System. , 2019, , .		3
426	WinSLAMM Simulation of Hydrologic Performance of Permeable Pavementsâ€”A Case Study in the Semi-Arid Lower Rio Grande Valley of South Texas, United States. Water (Switzerland), 2019, 11, 1865.	1.2	6
427	Performance of low-impact development best management practices: a critical review. Environmental Reviews, 2019, 27, 17-42.	2.1	29
428	Biochar and Water Quality. Journal of Environmental Quality, 2019, 48, 2-15.	1.0	35
429	Progress on environmental and economic evaluation of low-impact development type of best management practices through a life cycle perspective. Journal of Cleaner Production, 2019, 213, 1103-1114.	4.6	51
430	Mapping the capacity of concave green land in mitigating urban pluvial floods and its beneficiaries. Sustainable Cities and Society, 2019, 44, 774-782.	5.1	46
431	Effects of Stormwater Capture and Use on Urban Streamflows. Water Resources Management, 2019, 33, 713-723.	1.9	7
432	Multi Criteria Decision Making in Selecting Stormwater Management Green Infrastructure for Industrial Areas Part 1: Stakeholder Preference Elicitation. Water Resources Management, 2019, 33, 627-639.	1.9	21
433	An assessment of the hydrologic effectiveness of low impact development (LID) practices for managing runoff with different objectives. Journal of Environmental Management, 2019, 231, 504-514.	3.8	68
434	Estimating infiltration increase and runoff reduction due to green infrastructure. Journal of Water and Climate Change, 2019, 10, 237-242.	1.2	9
435	Adaptation Strategies to Address Rising Water Tables in Coastal Environments Under Future Climate and Sea-Level Rise Scenarios. , 2019, , 403-409.		5
436	City storm-flood events in China, 1984â€”2015. International Journal of Water Resources Development, 2019, 35, 605-618.	1.2	12
437	Application of low impact development technology in rainwater drainage system reconstruction project. Cluster Computing, 2019, 22, 533-543.	3.5	2

#	ARTICLE	IF	CITATIONS
438	A panel data analysis of a spatial measurement of green infrastructure and its potential effectiveness on peak streamflow. <i>Environment, Development and Sustainability</i> , 2020, 22, 469-500.	2.7	4
439	Low Impact Development and Rainwater Harvesting. <i>Springer Hydrogeology</i> , 2020, , 765-825.	0.1	2
440	Evaluating the effect of urban flooding reduction strategies in response to design rainfall and low impact development. <i>Journal of Cleaner Production</i> , 2020, 242, 118515.	4.6	84
441	Optimal design of low impact development practices in response to climate change. <i>Journal of Hydrology</i> , 2020, 580, 124266.	2.3	69
442	A critical state-of-the-art review of durability and functionality of open-graded friction course mixtures. <i>Construction and Building Materials</i> , 2020, 237, 117759.	3.2	71
443	Effects of low-impact development practices for flood events at the catchment scale in a highly developed urban area. <i>International Journal of Disaster Risk Reduction</i> , 2020, 44, 101412.	1.8	34
444	Global sensitivity analysis of KINEROS2 hydrologic model parameters representing green infrastructure using the STAR-VARS framework. <i>Environmental Modelling and Software</i> , 2020, 132, 104814.	1.9	10
445	Assessment of clogging of permeable pavements by measuring change in permeability. <i>Science of the Total Environment</i> , 2020, 749, 141352.	3.9	14
446	Graph Learning-Based Ontology Sparse Vector Computing. <i>Symmetry</i> , 2020, 12, 1562.	1.1	2
447	Addressing Challenges of Urban Water Management in Chinese Sponge Cities via Nature-Based Solutions. <i>Water (Switzerland)</i> , 2020, 12, 2788.	1.2	72
448	Highly Resolved Rainfall-Runoff Simulation of Retrofitted Green Stormwater Infrastructure at the Micro-Watershed Scale. <i>Land</i> , 2020, 9, 339.	1.2	19
449	Evaluating Pollutant Concentrations in Urban Streams. , 2020, , .		0
450	Hydrological impact assessment on permeable road pavement with subsurface precast micro-detention pond. <i>Water and Environment Journal</i> , 2020, 34, 960-969.	1.0	5
451	Biophilic streets: a design framework for creating multiple urban benefits. <i>Sustainable Earth</i> , 2020, 3, .	1.3	20
452	Analysis of potential benefits on flood mitigation of a CAM green roof in Mediterranean urban areas. <i>Building and Environment</i> , 2020, 183, 107179.	3.0	24
453	Research Progress of Low Impact Development Technology. <i>IOP Conference Series: Earth and Environmental Science</i> , 2020, 474, 052033.	0.2	3
454	Urbanization's Hidden Impact on Water Losses: Pr...dnik River Basin, Lesser Poland. <i>Water (Switzerland)</i> , 2020, 12, 1958.	1.2	13
455	Analysis of Challenges and Opportunities for Low-Impact Development Techniques in Urbanizing Catchments of the Coastal City of Chennai, India: Case Study. <i>Journal of Hydrologic Engineering - ASCE</i> , 2020, 25, .	0.8	3

#	ARTICLE	IF	CITATIONS
456	Incorporating External Green Infrastructure Models into Storm Water Management Model (SWMM) Simulations Using Interface Files. <i>Journal of the American Water Resources Association</i> , 2020, 56, 1083-1093.	1.0	6
457	A User-Friendly Software Package to Develop Storm Water Management Model (SWMM) Inputs and Suggest Low Impact Development Scenarios. <i>Water (Switzerland)</i> , 2020, 12, 2344.	1.2	7
458	Study on Water Absorptionâ€™Dehydration Characteristics for SAP Composite Soil for Rainwater Harvesting. <i>Water (Switzerland)</i> , 2020, 12, 2380.	1.2	0
459	Evaluating the performance of low impact development practices in urban runoff mitigation through distributed and combined implementation. <i>Journal of Hydroinformatics</i> , 2020, 22, 1506-1520.	1.1	15
460	Urban Flooding Mitigation Techniques: A Systematic Review and Future Studies. <i>Water (Switzerland)</i> , 2020, 12, 3579.	1.2	44
461	Experimenting Transition to Sustainable Urban Drainage Systemsâ€™Identifying Constraints and Unintended Processes in a Tropical Highly Urbanized Watershed. <i>Water (Switzerland)</i> , 2020, 12, 3554.	1.2	10
462	Sustainable Use of Wastewater in Agriculture: A Bibliometric Analysis of Worldwide Research. <i>Sustainability</i> , 2020, 12, 8948.	1.6	21
463	Comprehensive Assessment of Water Sensitive Urban Design Practices based on Multi-criteria Decision Analysis via a Case Study of the University of Melbourne, Australia. <i>Water (Switzerland)</i> , 2020, 12, 2885.	1.2	11
464	Developing a Reliability Index of Low Impact Development for Urban Areas. <i>Water (Switzerland)</i> , 2020, 12, 2961.	1.2	4
465	Sustainable Urban Street Comprising Permeable Pavement and Bioretention Facilities: A Practice. <i>Sustainability</i> , 2020, 12, 8288.	1.6	11
466	Coastal and Freshwater Flood Models: A Review in the Context of NBS. , 2020, , 210-246.		0
467	Removing nitrogen and phosphorus simultaneously in stormwater runoff using permeable asphalt pavement system with a zeolite-regulated reservoir. <i>Journal of Water Reuse and Desalination</i> , 2020, 10, 106-119.	1.2	3
468	Stormwater runoff and pollution retention performances of permeable pavements and the effects of structural factors. <i>Environmental Science and Pollution Research</i> , 2020, 27, 30831-30843.	2.7	24
469	The hydrologic, water quality and flow regime performance of a bioretention basin in Melbourne, Australia. <i>Urban Water Journal</i> , 2020, 17, 303-314.	1.0	9
470	Urbanizing River Channels. , 2020, , .		0
471	Comparing floodplain evolution in channelized and unchannelized urban watersheds in Houston, Texas. <i>Journal of Flood Risk Management</i> , 2020, 13, e12604.	1.6	22
472	The Influence of Slope Profile on Rain Gardensâ€™ Hydrological Performance. , 2020, , .		1
473	A GIS-Based Approach for Determining Potential Runoff Coefficient and Runoff Depth for the Indian River Lagoon, Florida, USA. , 0, , .		0

#	ARTICLE	IF	CITATIONS
474	SWMM Sensitivity to LID Siting and Routing Parameters: Implications for Stormwater Regulatory Compliance. <i>Journal of the American Water Resources Association</i> , 2020, 56, 790-809.	1.0	9
475	Possibilities of urban flood reduction through distributed-scale rainwater harvesting. <i>Water Science and Engineering</i> , 2020, 13, 95-105.	1.4	25
476	Rethinking Stormwater: Analysis Using the Hydrosocial Cycle. <i>Water (Switzerland)</i> , 2020, 12, 1273.	1.2	12
477	The Effect of Climate Change and Urbanization on the Demand for Low Impact Development for Three Canadian Cities. <i>Water (Switzerland)</i> , 2020, 12, 1280.	1.2	18
478	Nature-based solutions for urban pluvial flood risk management. <i>Wiley Interdisciplinary Reviews: Water</i> , 2020, 7, e1421.	2.8	63
479	Testing of the Storm Water Management Model Low Impact Development Modules. <i>Journal of the American Water Resources Association</i> , 2020, 56, 283-296.	1.0	20
480	Sustainable Rainwater Management Concept in a Housing Estate with a Financial Feasibility Assessment and Motivational Rainwater Fee System Efficiency Analysis. <i>Water (Switzerland)</i> , 2020, 12, 151.	1.2	20
481	The capitalized amenity of green infrastructure in single-family housing values: An application of the spatial hedonic pricing method. <i>Urban Forestry and Urban Greening</i> , 2020, 49, 126643.	2.3	36
482	Preparation and Component Optimization of Resin-Based Permeable Brick. <i>Materials</i> , 2020, 13, 2701.	1.3	2
483	Low impact development techniques to mitigate the impacts of climate-change-induced urban floods: Current trends, issues and challenges. <i>Sustainable Cities and Society</i> , 2020, 62, 102373.	5.1	181
484	Flood mitigation function of rain gardens for management of urban storm runoff in Japan. <i>Landscape and Ecological Engineering</i> , 2020, 16, 223-232.	0.7	8
485	Measuring performance of low impact development practices for the surface runoff management. <i>Environmental Science and Ecotechnology</i> , 2020, 1, 100010.	6.7	27
486	Novel Backwashing Maintenance Method for Permeable Concrete Pavement: Two-Year Field Study. <i>Journal of Irrigation and Drainage Engineering - ASCE</i> , 2020, 146, .	0.6	4
487	The impact of media, plants and their interactions on bioretention performance: A review. <i>Science of the Total Environment</i> , 2020, 715, 136918.	3.9	77
489	Seasonal drivers of chemical and hydrological patterns in roadside infiltration-based green infrastructure. <i>Science of the Total Environment</i> , 2020, 714, 136503.	3.9	14
490	Detailed Quantification of the Reduction Effect of Roof Runoff by Low Impact Development Practices. <i>Water (Switzerland)</i> , 2020, 12, 795.	1.2	10
491	Multi-Objective Approach for Determining Optimal Sustainable Urban Drainage Systems Combination at City Scale. The Case of San Luis Potosí (México). <i>Water (Switzerland)</i> , 2020, 12, 835.	1.2	7
492	On the Effectiveness of LID Infrastructures for the Attenuation of Urban Flooding at the Catchment Scale. <i>Water Resources Research</i> , 2020, 56, e2020WR027121.	1.7	36

#	ARTICLE	IF	CITATIONS
493	Constructed wetlands for combined sewer overflow treatment: A state-of-the-art review. <i>Science of the Total Environment</i> , 2020, 727, 138618.	3.9	45
494	Assessment of the hydrological response of an urban watershed to rainfall-runoff events in different land use scenarios “ Belo Horizonte, MG, Brazil. <i>Water Science and Technology</i> , 2020, 81, 679-693.	1.2	13
495	A framework to integrate multifunctionality analyses into green infrastructure planning. <i>Landscape Ecology</i> , 2021, 36, 1951-1969.	1.9	31
496	Comprehensive evaluation of stormwater pollutants characteristics, purification process and environmental impact after low impact development practices. <i>Journal of Cleaner Production</i> , 2021, 278, 123509.	4.6	39
497	Green Infrastructure: Possible New Approach or Merely New Terminology in Stormwater Management. <i>Journal of Sustainable Water in the Built Environment</i> , 2021, 7, 02520003.	0.9	1
498	Long-term performance of bioretention systems in storm runoff management under climate change and life-cycle condition. <i>Sustainable Cities and Society</i> , 2021, 65, 102598.	5.1	13
499	Key coastal landscape patterns for reducing flood vulnerability. <i>Science of the Total Environment</i> , 2021, 759, 143454.	3.9	27
500	Conventional and amended bioretention soil media for targeted pollutant treatment: A critical review to guide the state of the practice. <i>Water Research</i> , 2021, 189, 116648.	5.3	91
501	Planning green infrastructure placement based on projected precipitation data. <i>Journal of Environmental Management</i> , 2021, 279, 111718.	3.8	15
502	Assessment of phosphorus removal performance of subsurface constructed wetland during dry and wet conditions. <i>AIP Conference Proceedings</i> , 2021, , .	0.3	0
503	An analysis of stormwater runoff rehabilitation for integrated BIOECODS using EPA-SWMM. <i>IOP Conference Series: Earth and Environmental Science</i> , 2021, 646, 012048.	0.2	1
504	Perceptions of visual and in situ representations of sea level rise and tidal flooding: the blue line project, Norfolk, Virginia. <i>Geo Journal</i> , 2022, 87, 2081-2099.	1.7	5
507	Bioretention for removal of nitrogen: processes, operational conditions, and strategies for improvement. <i>Environmental Science and Pollution Research</i> , 2021, 28, 10519-10535.	2.7	20
508	Relationship between compaction and infiltration capacity of amended soil for urban flood damage mitigation. <i>Soil Use and Management</i> , 2022, 38, 1054-1068.	2.6	1
509	Nature-Based Solutions and Real-Time Control: Challenges and Opportunities. <i>Water (Switzerland)</i> , 2021, 13, 651.	1.2	22
510	Green infrastructure performance in arid and semi-arid urban environments. <i>Urban Water Journal</i> , 2021, 18, 275-285.	1.0	18
511	Performance of permeable pavement systems on stormwater permeability and pollutant removal. <i>Environmental Science and Pollution Research</i> , 2021, 28, 28571-28584.	2.7	18
512	Next generation swale design for stormwater runoff treatment: A comprehensive approach. <i>Journal of Environmental Management</i> , 2021, 279, 111756.	3.8	38

#	ARTICLE	IF	CITATIONS
513	Optimizing urban stormwater control strategies and assessing aquifer recharge through drywells in an urban watershed. <i>Hydrogeology Journal</i> , 2021, 29, 1379-1398.	0.9	5
514	A review on green pavement hydrological design and recommended permeable pavement with detention storage. <i>IOP Conference Series: Materials Science and Engineering</i> , 2021, 1101, 012014.	0.3	4
515	Prediction Models Based on Regression and Artificial Neural Network for Moduli of Layers Constituted by Open-Graded Aggregates. <i>Materials</i> , 2021, 14, 1199.	1.3	2
516	Optimal implementation of low impact development for urban stormwater quantity and quality control using multi-objective optimization. <i>Environmental Monitoring and Assessment</i> , 2021, 193, 241.	1.3	20
517	Water footprint and blue-green infrastructure as a tool in urban water management. <i>Ege Üniversitesi Ziraat Fakültesi Dergisi</i> , 2021, 58, 145-162.	0.1	3
518	Advanced Graphical-Analytical Method of Pipe Tank Design Integrated with Sensitivity Analysis for Sustainable Stormwater Management in Urbanized Catchments. <i>Water (Switzerland)</i> , 2021, 13, 1035.	1.2	3
519	Role of Sponge City Development in China's battle against urban water pollution: Insights from a transjurisdictional water quality management study. <i>Journal of Cleaner Production</i> , 2021, 294, 126335.	4.6	12
520	Permeable pavement design framework for urban stormwater management considering multiple criteria and uncertainty. <i>Journal of Cleaner Production</i> , 2021, 293, 126114.	4.6	18
521	Experimental appraisal for characterizing laboratorial and field performance parameters of pervious concrete pavement. <i>Ambiente ConstruÁdo</i> , 2021, 21, 177-194.	0.2	3
522	Hybrid SWMM and particle swarm optimization model for urban runoff water quality control by using green infrastructures (LID-BMPs). <i>Urban Forestry and Urban Greening</i> , 2021, 60, 127032.	2.3	55
523	Dynamic Treatment of County Maintenance and Service Facility Stormwater by a Pump-Fed Bioswale System. <i>Journal of Sustainable Water in the Built Environment</i> , 2021, 7, .	0.9	4
524	Vacant land, flood exposure, and urbanization: Examining land cover change in the Dallas-Fort Worth metro area. <i>Landscape and Urban Planning</i> , 2021, 209, 104047.	3.4	11
525	Evaluating Low-Impact Development practice performance to reduce runoff volume in an urban watershed in Algeria. <i>Arabian Journal of Geosciences</i> , 2021, 14, 1.	0.6	10
526	A Three-Dimensional Microstructure Reconstruction Framework for Permeable Pavement Analysis Based on 3D-IWGAN with Enhanced Gradient Penalty. <i>Sensors</i> , 2021, 21, 3603.	2.1	4
527	A framework of biophilic urbanism for improving climate change adaptability in urban environments. <i>Urban Forestry and Urban Greening</i> , 2021, 61, 127104.	2.3	12
528	Control of Runoff Peak Flow for Urban Flooding Mitigation. <i>Water (Switzerland)</i> , 2021, 13, 1796.	1.2	5
529	Monitoring and Evaluating Rainfall-Runoff Control Effects of a Low Impact Development System in Future Science Park of Beijing. <i>Journal of the American Water Resources Association</i> , 2021, 57, 638-651.	1.0	3
530	Investigating the skeleton behaviors of open-graded friction course using discrete element method. <i>Powder Technology</i> , 2021, 385, 528-536.	2.1	27

#	ARTICLE	IF	CITATIONS
531	Hydrological Modeling of Green Infrastructure to Quantify Its Effect on Flood Mitigation and Water Availability in the High School Watershed in Tucson, AZ. ISPRS International Journal of Geo-Information, 2021, 10, 443.	1.4	3
532	Perspectives of Practitioners on the Green Infrastructure in Mukalla City, Yemen. Malaysian Journal of Social Sciences and Humanities, 2021, 6, 225-236.	0.0	0
533	Enhancing resilience of urban stormwater systems: cost-effectiveness analysis of structural characteristics. Urban Water Journal, 2021, 18, 850-859.	1.0	4
534	A bibliometric analysis of the research on Sponge City: Current situation and future development direction. Ecohydrology, 2021, 14, e2328.	1.1	61
535	Global occurrence of SARS-CoV-2 in environmental aquatic matrices and its implications for sanitation and vulnerabilities in Brazil and developing countries. International Journal of Environmental Health Research, 2022, 32, 2160-2199.	1.3	2
536	Contribution of low impact development practices-bioretenion systems towards urban flood resilience: case study of Novi Sad, Serbia. Environmental Engineering Research, 2022, 27, 210125-0.	1.5	5
537	Construction of Urban Flooding Prevention System under "One City, One Executor, and One Network" Model: Case Study of Kunming, China. Natural Hazards Review, 2021, 22, .	0.8	3
538	Enhanced nitrogen removal and mitigation of nitrous oxide emission potential in a lab-scale rain garden with internal water storage. Journal of Water Process Engineering, 2021, 42, 102147.	2.6	17
539	Hydrologic Modeling of Distributed Stormwater Control Measure Retrofit and Examination of Impact of Subcatchment Discretization in PCSWMM. Journal of Sustainable Water in the Built Environment, 2021, 7, .	0.9	5
540	Low Impact Development (LID) Practices: A Review on Recent Developments, Challenges and Prospects. Water, Air, and Soil Pollution, 2021, 232, 1.	1.1	35
541	Exploring the spatial potential of neglected or unmanaged blue spaces in the city of Warsaw, Poland. Urban Forestry and Urban Greening, 2021, 64, 127252.	2.3	9
542	A review of the progress in Chinese Sponge City programme: challenges and opportunities for urban stormwater management. Water Science and Technology: Water Supply, 2022, 22, 1638-1651.	1.0	17
543	Laboratory evaluation of PAHs removal by multi-functional green pervious concrete (MGPC) pavement. Journal of Cleaner Production, 2021, 315, 128032.	4.6	2
544	Integrated urban stormwater management: Evolution and multidisciplinary perspective. Journal of Hydro-Environment Research, 2021, 38, 72-83.	1.0	17
545	Blue-green infrastructure as a new trend and an effective tool for water management in urban areas. Landscape Online, 0, 92, 1-20.	0.0	8
546	YeÅil AltyapÄ± UygulamalarÄ± KapsamÄ±nda Biyotutma Sistemlerinin YaÅmur Suyu Kirlatici Giderim Verimlerinin DeÄerlendirilmesi. Kent Akademisi, 0, , .	0.1	1
547	High resolution modeling of the impact of urbanization and green infrastructure on the water and energy balance. Urban Climate, 2021, 39, 100961.	2.4	8
548	Challenges and opportunities for sustaining coastal wetlands and oyster reefs in the southeastern United States. Journal of Environmental Management, 2021, 296, 113178.	3.8	9

#	ARTICLE	IF	CITATIONS
549	A "green" chameleon: Exploring the many disciplinary definitions, goals, and forms of "green infrastructure". Landscape and Urban Planning, 2021, 214, 104145.	3.4	83
550	Behaviour of soluble reactive phosphorus within field-scale bioretention systems. Journal of Hydrology, 2021, 601, 126597.	2.3	4
551	Temporal Soil Dynamics in Bioinfiltration Systems. Journal of Irrigation and Drainage Engineering - ASCE, 2021, 147, .	0.6	6
552	Sand Filtration Enhanced by Various Reactive Materials for Bioretention Cell Design Considerations. Journal of Environmental Engineering, ASCE, 2021, 147, .	0.7	3
553	A combined GIS-MCDA approach to prioritize stream water quality interventions, based on the contamination risk and intervention complexity. Science of the Total Environment, 2021, 798, 149322.	3.9	8
554	Improvement of simulating sub-daily hydrological impacts of rainwater harvesting for landscape irrigation with rain barrels/cisterns in the SWAT model. Science of the Total Environment, 2021, 798, 149336.	3.9	9
555	Urban Flood Modeling Application: Assess the Effectiveness of Building Regulation in Coping with Urban Flooding Under Precipitation Uncertainty. Sustainable Cities and Society, 2021, 75, 103294.	5.1	20
556	Suitability of Sustainable Agricultural Drainage Systems for adapting agriculture to climate change. Science of the Total Environment, 2022, 805, 150319.	3.9	2
557	Stormwater treatment for reuse: Current practice and future development " A review. Journal of Environmental Management, 2022, 301, 113830.	3.8	22
558	Component optimization of porous permeable brick in "sponge city" based on rainfall area division. E3S Web of Conferences, 2021, 237, 03004.	0.2	0
559	Watershed and Landscape Scale Actions for Mitigating Impacts on Urban Salmonids. , 2014, , 227-241.		1
560	Urban Stormwater Management: Practices and Governance. Water Science and Technology Library, 2020, , 115-146.	0.2	4
561	Monitoring Abiotic Inputs and Outputs. Ecological Studies, 2015, , 27-62.	0.4	4
563	Build Sponge Eco-cities to Adapt Hydroclimatic Hazards. , 2015, , 1997-2009.		4
564	Facilitators and Barriers of Applying Low Impact Development Practices in Urban Development. , 2017, 31, 3795.		1
565	Effectiveness of Low Impact Development Practices: Literature Review and Suggestions for Future Research. , 2012, 223, 4253.		1
566	Does the spatial location of green roofs affects runoff mitigation in small urbanized catchments?. Journal of Environmental Management, 2020, 268, 110707.	3.8	29
567	Sustainable urban drainage systems in established city developments: Modelling the potential for CSO reduction and river impact mitigation. Journal of Environmental Management, 2020, 274, 111207.	3.8	21

#	ARTICLE	IF	CITATIONS
568	Impact of Periodic High Concentrations of Salt on Bioretention Water Quality Performance. Journal of Sustainable Water in the Built Environment, 2020, 6, .	0.9	7
570	Transição em infraestruturas urbanas de controle pluvial: uma estratégia paisagística de adaptação às mudanças climáticas. Paisagem E Ambiente, 2014, , 107.	0.0	4
571	Soil releasing as key to rethink water spaces in urban planning. City, Territory and Architecture, 2020, 7, .	0.6	4
573	How Much Is Enough? Minimal Responses of Water Quality and Stream Biota to Partial Retrofit Stormwater Management in a Suburban Neighborhood. PLoS ONE, 2014, 9, e85011.	1.1	63
574	Escherichia coli Removal in Biochar-Modified Biofilters: Effects of Biofilm. PLoS ONE, 2016, 11, e0167489.	1.1	32
575	An Analysis of the water balance of Low Impact Development Techniques According to the Rainfall Types. Journal of Environmental Impact Assessment, 2015, 24, 163-174.	0.3	1
576	Spatial Translation and Scaling Up of Low Impact Development Designs in an Urban Watershed. Journal of Water Management Modeling, 0, , .	0.0	14
577	The Perceptions of Stakeholders in Low Impact Development Planning. Journal of Water Management Modeling, 2011, , .	0.0	3
578	Front-loading urban stormwater management for success - a perspective incorporating current studies on the implementation of retrofit low-impact development. Cities and the Environment, 2008, 1, 1-15.	0.1	27
579	Water Quality Characteristics of Three Rain Gardens Located Within the Twin Cities Metropolitan Area, Minnesota. Cities and the Environment, 2011, 4, 1-17.	0.1	7
580	Transport of nonpoint source pollutants and stormwater runoff in a hybrid rain garden system. Journal of Wetlands Research, 2016, 18, 481-487.	0.2	6
581	EVALUATION OF THE LONG-TERM POLLUTION REMOVAL PERFORMANCE OF ESTABLISHED BIORETENTION CELLS. International Journal of GEOMATE, 2016, , .	0.1	2
582	INVESTIGATING THE RELATIONSHIP BETWEEN RAINFALL INTENSITY, CATCHMENT VEGETATION AND DEBRIS MOBILITY. International Journal of GEOMATE, 0, , .	0.1	1
583	USING PERMEABLE PAVEMENTS TO REDUCE THE ENVIRONMENTAL IMPACTS OF URBANISATION. International Journal of GEOMATE, 2018, 14, .	0.1	11
584	Sustainable urban drainage approach, focusing on lid techniques, applied to the design of new housing subdivisions in the context of a growing city. International Journal of Sustainable Development and Planning, 2014, 9, 538-552.	0.3	5
585	Evaluation of Low Impact Development Using EPA SWMM-LID Modeling. , 0, , .		1
586	Assessment on the Effectiveness of Urban Stormwater Management. Water (Switzerland), 2021, 13, 4.	1.2	27
587	Development of flood inundation area GIS database for Samsung-1 drainage sector, Seoul, Korea. Journal of Korea Water Resources Association, 2016, 49, 981-993.	0.3	8

#	ARTICLE	IF	CITATIONS
588	National LID Atlas: A Collaborative Online Database of Innovative Stormwater Management Practices. Marine Technology Society Journal, 2011, 45, 59-64.	0.3	13
589	Assessment of Climate Technology Demands in Chinese Sponge City. Journal of Geoscience and Environment Protection, 2017, 05, 102-116.	0.2	11
590	Modeling Urban Hydrology: A Comparison of New Urbanist and Traditional Neighborhood Design Surface Runoff. International Journal of Geosciences, 2013, 04, 891-897.	0.2	3
591	Green Infrastructure Practice and a Sustainability Key Performance Indicators Framework for Neighbourhood-Level Construction of Sponge City Programme. Journal of Environmental Protection, 2020, 11, 82-109.	0.3	13
592	Multi-Objective Optimization of Low Impact Development Designs in an Urbanizing Watershed. Open Journal of Optimization, 2013, 02, 95-108.	0.3	47
593	Examining Potential Residential Participation in Financial Incentives to Mitigate Impervious Surface Effects in Howard County, Maryland. Suburban Sustainability, 2014, 2, .	0.2	3
594	Performance Evaluation of Low Impact Development Practices Using Linear Regression. British Journal of Environment and Climate Change, 2015, 5, 78-90.	0.3	2
595	EPA SWMM-LID Modeling for Low Impact Development. Korean Society of Hazard Mitigation, 2017, 17, 415-424.	0.1	9
596	A Study on the Performance Comparison of the Low Impact Development Facilities for Long-term Stormwater Reduction. Korean Society of Hazard Mitigation, 2017, 17, 337-344.	0.1	5
597	Statistical modelling of hydrological performance in a suite of green infrastructure practices. Water Science and Technology, 2021, 84, 3663-3675.	1.2	2
598	Improving Urban Flood Resilience under Climate Change Scenarios in a Tropical Watershed Using Low-Impact Development Practices. Journal of Hydrologic Engineering - ASCE, 2021, 26, .	0.8	10
600	Diseño y análisis de dos tipologías estructurales para su utilización como estructuras auxiliares en el diseño de jardines. Informes De La Construcción, 2009, 61, 29-40.	0.1	0
601	Alternative Site-Assessment Hydrologic Metrics for Urban Development. , 2010, , .		0
602	Hydrological and Environmental Modeling Analyses of Pervious Pavement Impact in a Coastal City. , 2010, , 367-388.		1
603	Assessment and Restoration Scaling of Stream Services Impaired by the Obed River 2002 Oil Spill. International Oil Spill Conference Proceedings, 2011, 2011, abs39.	0.1	0
604	Introduction and Context. , 2012, , 1-9.		0
607	The PSR-based approach to categorize an urban drainage basin. WIT Transactions on the Built Environment, 2014, , .	0.0	1
608	A Simplified Rainfall-Streamflow Network Model on Multivariate Regression Analysis for Water Level Forecasting in Klong Luang (KGT.19 Station) Sub-watershed, Chon Buri Province, Thailand. Applied Environmental Research, 2014, , 53-65.	0.3	0

#	ARTICLE	IF	CITATIONS
610	Key Factors Influencing Low Impact Development Adoption by Local Governments. Journal of Environmental Impact Assessment, 2015, 24, 119-133.	0.3	2
612	Een coherente cartografie voor een geïntegreerd waterbeleid in Brussel. Brussels Studies, 0, , .	0.0	0
613	Une cartographie cohérente pour une gestion intégrée de l'eau à Bruxelles. Brussels Studies, 0, , .	0.0	0
614	Coherent mapping for integrated water management in Brussels. Brussels Studies, 0, , .	0.0	0
615	Suggestion of Appropriate Design and Maintenance in a Constructed Wetland using Monitoring Results. Journal of Wetlands Research, 2015, 17, 428-435.	0.2	0
616	Stormwaters: Management. , 0, , 836-842.		0
617	Adapting Water Infrastructure to Nonstationary Climate Changes. Green Chemistry and Chemical Engineering, 2016, , 307-339.	0.0	0
618	II. Gestion des eaux pluviales urbaines. , 2017, , 191-209.		0
619	Comparison of Stormwater Management in the Community Park between China and Singapore: A Case Study of Hillside Eco Park and Crescent and Pioneer Hall. , 2017, , .		0
622	The Sustainability of Post-crisis Management on Flooding Prevention. Approaches To Global Sustainability, Markets, and Governance, 2019, , 89-112.	0.3	1
623	Modeling options for rainwater harvesting developments in a public institution as part of sustainable urban water management solutions. Acta Climatologica Et Chorologica, 2019, 53, 5-16.	0.0	0
624	Green Infrastructure: Cost-Effective Nature-Based Solutions for Safeguarding the Environment and Protecting Human Health and Well-Being. , 2019, , 1525-1550.		2
625	Selection of Best Practices for Climate Change Adaptation with Focus on Rainwater Management. World Sustainability Series, 2020, , 915-932.	0.3	0
626	Permeable Coastal Pavement Structure for Shore Protection and Removal of Non-point Source Pollutants. Journal of Ocean Engineering and Technology, 2019, 33, 597-606.	0.5	1
628	Uso de zeolitas para el control de fuentes no puntuales de contaminación del agua: revisión. Ingeniería Del Agua, 2021, 25, 241-255.	0.2	0
629	The scenario simulations and several problems of the Sponge City construction in semi-arid loess region, Northwest China. Landscape and Ecological Engineering, 2022, 18, 95-108.	0.7	6
630	Hydrological Behaviour of Extensive Green Roofs with Native Plants in the Humid Subtropical Climate Context. Water (Switzerland), 2021, 13, 44.	1.2	10
631	Model Improvement for Effect Evaluation of Low Impact Development Measures. Springer Water, 2020, , 257-269.	0.2	0

#	ARTICLE	IF	CITATIONS
632	Modelling of Nature-Based Solutions (NBS) for Urban Water Managementâ€”Investment and Outscaling Implications at Basin and Regional Levels. <i>Journal of Water Resource and Protection</i> , 2020, 12, 853-883.	0.3	5
633	Land return: le azioni di de-sealing per il recupero del suolo nei contesti urbani. <i>Territorio</i> , 2020, , 154-162.	0.1	0
634	Protecting Existing Urban Green Space versus Cultivating More Green Infrastructures: Strategies Choices to Alleviate Urban Waterlogging Risks in Shenzhen. <i>Remote Sensing</i> , 2021, 13, 4433.	1.8	8
635	Citizensâ€™ viewpoints on stormwater Beneficial Management Practices (BMPs) in Brazil. <i>Journal of Cleaner Production</i> , 2021, 328, 129569.	4.6	3
636	Environmental Vulnerability Assessment and Stormwater Management to Enhance Watershed Performance. <i>Journal of Physics: Conference Series</i> , 2020, 1625, 012056.	0.3	2
638	Effects of aggregate bulking and film thicknesses on water permeability and strength of pervious concrete. <i>Powder Technology</i> , 2022, 396, 743-753.	2.1	46
639	Effect of Low-Impact Development Scenarios on Pluvial Flood Susceptibility in a Scantily Gauged Urbanâ€”Peri-Urban Catchment. <i>Journal of Hydrologic Engineering - ASCE</i> , 2022, 27, .	0.8	5
640	Seepage metal concentrations beneath long-term operated bioretention systems. <i>Blue-Green Systems</i> , 2021, 3, 128-144.	0.6	1
641	Machine Learning Simulation of Land Cover Impact on Surface Urban Heat Island Surrounding Park Areas. <i>Sustainability</i> , 2021, 13, 12678.	1.6	7
642	Urban Stormwater and Sewerage Modelling: An Approach for Peak Runoff and Volume Assessment. <i>Journal of Water Resource and Protection</i> , 2021, 13, 855-880.	0.3	0
643	Urban stormwater management for sustainable and resilient measures and practices: a review. <i>Water Science and Technology</i> , 2022, 85, 1120-1140.	1.2	19
645	Multi-objective optimization for stormwater management by green-roofs and infiltration trenches to reduce urban flooding in central Delhi. <i>Journal of Hydrology</i> , 2022, 606, 127455.	2.3	37
646	Modeling reverse auction-based subsidies and stormwater fee policies for Low Impact Development (LID) adoption: a system dynamics analysis. <i>Sustainable Cities and Society</i> , 2022, 79, 103602.	5.1	6
647	Application of nature-based measures in China's sponge city initiative: Current trends and perspectives. <i>Nature-based Solutions</i> , 2022, 2, 100010.	1.6	16
648	Performance of experimental bioretention cells during the first year of operation. <i>Journal of Hydrology and Hydromechanics</i> , 2022, 70, 42-61.	0.7	2
649	Development and Evaluation of a Saturated Zone Module in an Integrated Urban Hydrological Model. <i>Water (Switzerland)</i> , 2022, 14, 1030.	1.2	1
650	Physical and hydraulic properties of bioretention substrate using hexadecyl trimethyl ammonium bromide (HDTMA) modified zeolite. <i>Environmental Technology (United Kingdom)</i> , 2022, , 1-13.	1.2	1
651	The effect of low impact development facilities on evapotranspiration in an outdoor space of urban buildings. <i>Journal of Hydrology</i> , 2022, 608, 127647.	2.3	3

#	ARTICLE	IF	CITATIONS
652	A new LID spatial allocation optimization system at neighborhood scale: Integrated SWMM with PICEA-g using MATLAB as the platform. <i>Science of the Total Environment</i> , 2022, 831, 154843.	3.9	17
653	Accumulation of high-molecular-weight polycyclic aromatic hydrocarbon impacted the performance and microbial ecology of bioretention systems. <i>Chemosphere</i> , 2022, 298, 134314.	4.2	8
654	Investigating the Impacts of the Political System Components in Iran on the Existing Water Bankruptcy. <i>Sustainability</i> , 2021, 13, 13657.	1.6	3
655	Research on application of ecohydrology to disaster prevention and mitigation in China: a review. <i>Water Science and Technology: Water Supply</i> , 2022, 22, 2946-2958.	1.0	3
656	Effects of rainwater infiltration in low impact development facilities on adjacent municipal roads in collapsible loess. <i>Bulletin of Engineering Geology and the Environment</i> , 2022, 81, 1.	1.6	2
657	Climate change risk and adaptation costs for stormwater management in California coastal parklands. <i>Sustainable and Resilient Infrastructure</i> , 2023, 8, 293-306.	1.7	1
658	Study on Sponge Campus Design of Renâ€™ai College of Tianjin Oriented by Low-Impact Development Measures. , 2021, , .		0
659	Structural changes and denitrification performance evaluation of bioretention cells with collapsible loess modified by coal gangue. <i>Journal of Cleaner Production</i> , 2022, 355, 131740.	4.6	3
660	Drainage Alternatives for Rain Gardens on Subsoil of Low Permeability: Balance among Ponding Time, Soil Moisture, and Runoff Reduction. <i>Journal of Sustainable Water in the Built Environment</i> , 2022, 8, .	0.9	7
661	Underperformance Assessment Framework for Bioinfiltration Systems. <i>Journal of Sustainable Water in the Built Environment</i> , 2022, 8, .	0.9	0
663	LIVING WITH FLOODS AND RECONNECTING TO THE WATER â€™ LANDSCAPE PLANNING AND DESIGN FOR DELTA PLAINS. <i>Journal of Environmental Engineering and Landscape Management</i> , 2022, 30, 206-219.	0.4	12
664	Stormwater Bioretention Cells Are Not an Effective Treatment for Persistent and Mobile Organic Compounds (PMOCs). <i>Environmental Science & Technology</i> , 2022, , .	4.6	7
665	Runoff Mitigation by Underdrained Permeable Pavements in Shallow Groundwater Environments: A Field Investigation. <i>Journal of Hydrologic Engineering - ASCE</i> , 2022, 27, .	0.8	1
666	Mapping Predicted Areas of Common Maintenance Impacts to Green Stormwater Infrastructure in Philadelphia, Pennsylvania. <i>Journal of Sustainable Water in the Built Environment</i> , 2022, 8, .	0.9	3
667	Dryland Rivers and Streams. , 2022, , 616-627.		0
668	Greenhouse gas emissions and sustainability of green roofs and stormwater systems at a district level â€™ comparisons with a life cycle perspective. <i>E3S Web of Conferences</i> , 2022, 349, 04003.	0.2	0
669	Comparative performance and cost-integrated life cycle assessment of low impact development controls for sustainable stormwater management. <i>Environmental Impact Assessment Review</i> , 2022, 95, 106805.	4.4	6
671	Citizensâ€™s perception on stormwater management and use of on-site stormwater detention in Belo Horizonte/Brazil. <i>Revista Brasileira De Recursos Hidricos</i> , 0, 27, .	0.5	0

#	ARTICLE	IF	CITATIONS
672	Seasonal variations in soil-plant interactions in contrasting urban green spaces: Insights from water stable isotopes. <i>Journal of Hydrology</i> , 2022, 612, 127998.	2.3	12
673	The Effectiveness of Centralized versus Decentralized Green Infrastructure in Improving Water Quality and Reducing Flooding at the Catchment Scale. <i>Journal of Water Management Modeling</i> , 0, , .	0.0	1
674	Comprehensive performance evaluation of stormwater management measures for sponge city construction: A case study in Gui'an New District, China. <i>Journal of Flood Risk Management</i> , 2022, 15, .	1.6	5
675	Analysis of urban waterlogging causes and LID techniques. , 0, 5, 244-249.		1
676	The impact of vegetation and media on evapotranspiration in bioretention systems. <i>Urban Forestry and Urban Greening</i> , 2022, 74, 127680.	2.3	3
677	Impact of spatial discretization resolution on the hydrological performance of layout optimization of LID practices. <i>Journal of Hydrology</i> , 2022, 612, 128113.	2.3	7
678	Exploring the Determinants of Residents' Behavior towards Participating in the Sponge-Style Old Community Renewal of China: Extending the Theory of Planned Behavior. <i>Land</i> , 2022, 11, 1160.	1.2	8
679	Stormwater Utility Fee Estimation Method for Individual Land Use Areas. <i>Sustainability</i> , 2022, 14, 10211.	1.6	3
680	A Modeling Framework for Assessing the Value of Learning in Dynamic Adaptive Planning: Application to Green Infrastructure Investment Evaluation. <i>Water Resources Research</i> , 2022, 58, .	1.7	1
681	Optimal Constituent Mix Ratio for Improved Fresh Properties of Cementitious and Alkali-Activated Porous Concretes. <i>Journal of Materials in Civil Engineering</i> , 2022, 34, .	1.3	2
682	The hydrological effect and uncertainty assessment by runoff indicators based on SWMM for various LID facilities. <i>Journal of Hydrology</i> , 2022, 613, 128418.	2.3	13
683	Plant growth-promoting microbes improve stormwater retention of a newly-built vertical greenery system. <i>Journal of Environmental Management</i> , 2022, 323, 116274.	3.8	4
684	Bioretention soil capacity for removing nutrients, metals, and polycyclic aromatic hydrocarbons; roles of co-contaminants, pH, salinity and dissolved organic carbon. <i>Journal of Environmental Management</i> , 2022, 324, 116314.	3.8	4
685	Traditional and existing methods of urban water supply and their loopholes. <i>Current Directions in Water Scarcity Research</i> , 2022, , 245-271.	0.2	2
686	A Systematic Bibliometric Review of Low Impact Development Research Articles. <i>Water (Switzerland)</i> , 2022, 14, 2675.	1.2	2
687	Ecosystem-based disaster risk reduction can benefit biodiversity conservation in a Japanese agricultural landscape. <i>Frontiers in Ecology and Evolution</i> , 0, 10, .	1.1	0
688	Enhancing the Urban Resilience to Flood Risk Through a Decision Support Tool for the LID-BMPs Optimal Design. <i>Water Resources Management</i> , 2022, 36, 5633-5654.	1.9	10
689	Artificial Intelligence-Based Prediction of Permeable Pavement Surface Infiltration Rates. <i>Lecture Notes in Civil Engineering</i> , 2023, , 253-264.	0.3	0

#	ARTICLE	IF	CITATIONS
690	Identifying Cost-Effective Low-Impact Development (LID) under Climate Change: A Multi-Objective Optimization Approach. <i>Water (Switzerland)</i> , 2022, 14, 3017.	1.2	10
691	Increasing Sustainability Literacy for Environmental Design Students: A Transdisciplinary Learning Practice. <i>Sustainability</i> , 2022, 14, 12379.	1.6	1
692	Simulating the impact of nature-based solutions on runoff control by using i-Tree Hydro: a case study in Padua (Italy). <i>Acta Horticulturae</i> , 2022, , 351-358.	0.1	1
693	Seasonal variation in indicator organisms infiltrating from permeable pavement parking lots at the Edison Environmental Center, New Jersey. <i>Water Environment Research</i> , 2022, 94, .	1.3	0
694	Combining catastrophe technique and regression analysis to deduce leading landscape patterns for regional flood vulnerability: A case study of Nanjing, China. <i>Frontiers in Ecology and Evolution</i> , 0, 10, .	1.1	2
695	Urban stormwater retention capacity of nature-based solutions at different climatic conditions. <i>Nature-based Solutions</i> , 2022, 2, 100038.	1.6	14
696	Contribution of green roofs to energy savings in building renovations. <i>Energy for Sustainable Development</i> , 2022, 71, 212-221.	2.0	11
697	Investigating the influences of concave depths on stormwater runoff and pollution retention of urban grasslands. <i>Water Science and Technology</i> , 2022, 86, 2441-2453.	1.2	1
698	The fluctuation of groundwater level under the background of Sponge City Construction in the pilot area in Tianjin, China. <i>Arabian Journal of Geosciences</i> , 2022, 15, .	0.6	0
699	Impact of climate change on coastal water quality and its interaction with pollution prevention efforts. <i>Journal of Environmental Management</i> , 2023, 325, 116557.	3.8	8
700	Effects of watershed-scale green infrastructure retrofits on urban stormwater quality: A paired watershed study to quantify nutrient and sediment removal. <i>Ecological Engineering</i> , 2023, 186, 106835.	1.6	6
701	Long-Term Monitoring of an Urban Stormwater Infiltration Trench in South Korea with Assessment Using the Analytic Hierarchy Process. <i>Water (Switzerland)</i> , 2022, 14, 3529.	1.2	4
702	High-resolution mapping of the rainfall runoff pollution: case study of Shiwuli River watershed, China. <i>Environmental Science and Pollution Research</i> , 2023, 30, 28935-28946.	2.7	2
703	The influence of Low Impact Development (LID) on basin runoff in a half-urbanized catchment: A case study in San Antonio, Texas. <i>Journal of Hydrology</i> , 2023, 616, 128793.	2.3	8
704	Evaluating the impact of climate change on future bioretention performance across the contiguous United States. <i>Journal of Hydrology</i> , 2023, 616, 128771.	2.3	5
707	Water Oriented Cityâ€™s Scalesâ€™ System of Blue and Green Infrastructure in Sponge Cities Supporting the Retention of the Urban Fabric. <i>Water (Switzerland)</i> , 2022, 14, 4070.	1.2	2
708	Understanding the link between industrial stimulation effect and environmental impact of sponge city: With a focus on the construction phase. <i>Journal of Cleaner Production</i> , 2023, , 136113.	4.6	1
709	Analysis of the effects of low impact development practices on hydrological components using HSPF. <i>Journal of Hydro-Environment Research</i> , 2023, 46, 72-85.	1.0	3

#	ARTICLE	IF	CITATIONS
710	Modelling Runoff from Permeable Pavements: A Link to the Curve Number Method. <i>Water (Switzerland)</i> , 2023, 15, 160.	1.2	3
711	Sponge City and Water Environment Planning and Construction in Jibu District in Changde City. <i>Sustainability</i> , 2023, 15, 444.	1.6	1
712	Issues and Strategies for Designing Flood Resilient Public Space to Achieve a Balance between Public Amenity and Stormwater Management Infrastructure. <i>Urban and Regional Planning Review</i> , 2023, 10, 197-223.	0.0	0
713	Improving detention ponds for effective stormwater management and water quality enhancement under future climate change: a simulation study using the PCSWMM model. <i>Scientific Reports</i> , 2023, 13, .	1.6	1
714	Field assessment of metal and base cation accumulation in green stormwater infrastructure soils. <i>Science of the Total Environment</i> , 2023, 875, 162500.	3.9	3
715	Scientific challenges and biophysical knowledge gaps for implementing nutrient offset projects. <i>Journal of Environmental Management</i> , 2023, 339, 117902.	3.8	2
716	Chiral Separation of Metolachlor Metabolites in a Single, Large Volume Injection to Facilitate Watershed Tracer Studies. <i>ACS Agricultural Science and Technology</i> , 2023, 3, 270-277.	1.0	1
717	Calculating the Environmental Impacts of Low-Impact Development Using Long-Term Hydrologic Impact Assessment: A Review of Model Applications. <i>Land</i> , 2023, 12, 612.	1.2	1
718	The role of GICT and environmental regulation in affecting ecological footprint. <i>Environmental Science and Pollution Research</i> , 2023, 30, 54770-54799.	2.7	3
719	A systematic review of natural flood management modelling: Approaches, limitations, and potential solutions. <i>Journal of Flood Risk Management</i> , 2023, 16, .	1.6	8
720	Assessment of concrete road paving blocks with coal bottom ash: physical and mechanical characterization. <i>Case Studies in Construction Materials</i> , 2023, , e02094.	0.8	0
727	Assessment of Green Infrastructures Performance for Water Quality Management. <i>Environmental Science and Engineering</i> , 2023, , 61-68.	0.1	0
729	Selection of Strategic Sampling Sites for River Quality Assessments Near Mined Areas as a Policy Handle for Low-Impact Development and Biodiversity Conservation: A Case Study of River Godavari. , 2023, , 373-387.		0
743	Hybrid ion exchange and biological processes for water and wastewater treatment: a comprehensive review of process applications and mathematical modeling. <i>Reviews in Environmental Science and Biotechnology</i> , 0, , .	3.9	0
750	Urbanization and Sustainability. <i>Sustainable Development Goals Series</i> , 2023, , 1-30.	0.2	0
758	Performance-Based Site Selection of Nature-Based Solutions: Applying the Curve Number Model to High-Resolution Layers to Steer Better Greening Strategies. <i>Lecture Notes in Civil Engineering</i> , 2024, , 196-207.	0.3	0
760	Trajectory, Challenges, and Opportunities in Sustainable Urban Water Management in Brazil: Nature-Based Solutions for Urban Stormwater Drainage. , 2024, , 295-313.		0
761	Assessment of Urban Rain Gardens Within Climate Change Adaptation and Circularity Challenge. , 2024, , 51-72.		0

#	ARTICLE	IF	CITATIONS
762	The Employment of Rain Gardens in Urban Water Management to Improve Biodiversity and Ecosystem Resilience. , 2024, , 73-91.		0