

CITATION REPORT

List of articles citing

Dynamic pull-in phenomenon in MEMS resonators

DOI: 10.1007/s11071-006-9079-z

Nonlinear Dynamics, 2007, 48, 153-163.

Source: <https://exaly.com/paper-pdf/43095161/citation-report.pdf>

Version: 2024-04-09

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
372	Nonlinear Resonator With Interacting Flexural-Torsional Modes for Mass Sensing. 2007 , 967		2
371	Resonant Pull-In Condition in Parallel-Plate Electrostatic Actuators. 2007 , 16, 1044-1053		55
370	Lyapunov exponents as a criterion for the dynamic pull-in instability of electrostatically actuated microstructures. <i>International Journal of Non-Linear Mechanics</i> , 2007 , 42, 626-642	2.8	122
369	The response of clamped-clamped microbeams under mechanical shock. <i>International Journal of Non-Linear Mechanics</i> , 2007 , 42, 643-657	2.8	81
368	Nonlinear Dynamics and Its Applications in Micro- and Nanoresonators. 2008 ,		25
367	Dynamical Integrity and Control of Nonlinear Mechanical Oscillators. 2008 , 14, 159-179		57
366	Modelling MEMS Resonators Past Pull-In. 2008 ,		1
365	Static and Dynamic Instabilities of Electrostatic Actuated MEMS Devices. 2008 , 1, 307-322		
364	. 2009 , 18, 458-465		27
363	Bifurcation topology tuning of a mixed behavior in nonlinear micromechanical resonators. 2009 , 95, 183104		64
362	Corotational Nonlinear Finite Element Formulation and Modeling of Electrostatically Actuated Microbeams. 2009 , 15, 617-640		6
361	On Nonlinear Response of Capacitive Sensors. 2009 ,		1
360	Nonlinear static and dynamic responses of an electrically actuated viscoelastic microbeam. 2009 , 25, 211-218		30
359	Dynamic Pull-in of Shunt Capacitive MEMS Switches. 2009 , 1, 622-625		7
358	Hysteresis suppression for primary and subharmonic 3:1 resonances using fast excitation. <i>Nonlinear Dynamics</i> , 2009 , 57, 275-287	5	22
357	Suppression of hysteresis in a forced van der Pol-Duffing oscillator. <i>Communications in Nonlinear Science and Numerical Simulation</i> , 2009 , 14, 1609-1616	3.7	17
356	Resonant pull-in of a double-sided driven nanotube-based electromechanical resonator. 2009 , 105, 024301		21

355	On the nonlinear resonances and dynamic pull-in of electrostatically actuated resonators. <i>Journal of Micromechanics and Microengineering</i> , 2009 , 19, 045013	2	110
354	Active control of the nonlinear static and dynamic responses for piezoelectric viscoelastic microplates. 2009 , 18, 095037		11
353	Symmetry breaking, snap-through and pull-in instabilities under dynamic loading of microelectromechanical shallow arches. 2009 , 18, 115008		87
352	The static and dynamic behavior of MEMS arches under electrostatic actuation. 2009 ,		2
351	Pull-in and snap-through instabilities in transient deformations of microelectromechanical systems. <i>Journal of Micromechanics and Microengineering</i> , 2009 , 19, 035008	2	102
350	Nonlinear dynamics of nanomechanical beam resonators: improving the performance of NEMS-based sensors. 2009 , 20, 275501		144
349	Controlling dynamic pull-in escape in electrostatic MEMS. 2009 ,		1
348	Exploration of New Concepts for Mass Detection in Electrostatically-Actuated Structures Based on Nonlinear Phenomena. 2009 , 4,		73
347	A Microresonator Design Based on Nonlinear 1 : 2 Internal Resonance in Flexural Structural Modes. 2009 , 18, 744-762		55
346	Phase Feedback for Nonlinear MEM Resonators in Oscillator Circuits. 2009 , 14, 423-433		25
345	Response Near Twice the Natural Frequency of Electrostatically Actuated Microresonators. 2010 ,		
344	Comprehensive Reduced-Order Models of Electrostatically Actuated MEMS Switches and Their Dynamics Including Impact and Bounce. 2010 ,		4
343	On MEMS/NEMS Biosensor Sensitivity Near Half Natural Frequency. 2010 ,		
342	Sensitivity of MEMS/NEMS Biosensors Near Twice Natural Frequency. 2010 ,		
341	Parametric Excitation of Flexural Vibrations of Micro Beams by Fringing Electrostatic Fields. 2010 ,		5
340	Nonlinear Dynamics of MEMS Arches. 2010 ,		
339	Near Three Half Natural Frequency Resonance of Electrostatically Actuated MEMS Resonators. 2010 ,		
338	Nonlinear phenomena in nanomechanical resonators: mechanical behaviors and physical limitations. 2010 , 11, 521-529		15

337	. 2010 , 19, 647-656			102
336	Suppression of pull-in instability in MEMS using a high-frequency actuation. <i>Communications in Nonlinear Science and Numerical Simulation</i> , 2010 , 15, 3640-3646	3.7		29
335	Nonlinear dynamics of a resonant gas sensor. <i>Nonlinear Dynamics</i> , 2010 , 59, 607-618	5		59
334	Modeling and analysis of electrostatic MEMS filters. <i>Nonlinear Dynamics</i> , 2010 , 60, 385-401	5		27
333	Bifurcations and loss of orbital stability in nonlinear viscoelastic beam arrays subject to parametric actuation. 2010 , 329, 3835-3855			16
332	Nonlinear non-classical microscale beams: Static bending, postbuckling and free vibration. 2010 , 48, 2044-2053			230
331	Effect of thermal stresses on stability and frequency response of a capacitive microphone. 2010 , 41, 865-873			31
330	Noise Immunity of Carbon Nanotube Based Switches. 2010 ,			
329	. 2010 , 19, 1490-1502			6
328	Design and simulation of a MEMS control moment gyroscope for the sub-kilogram spacecraft. <i>Sensors</i> , 2010 , 10, 4130-44	3.8		6
327	Simulation of coupled series circuit and microbeam system. 2010 ,			
326	Dynamic Switching of MEMS Shunt Switches. 2010 ,			
325	Nonlinear Dynamics of Electrically Actuated Carbon Nanotube Resonators. 2010 , 5,			90
324	Nonlinear Analysis of MEMS Electrostatic Microactuators: Primary and Secondary Resonances of the First Mode*. 2010 , 16, 1321-1349			53
323	Dynamics and Global Stability of Beam-based Electrostatic Microactuators. 2010 , 16, 721-748			55
322	An Experimental and Theoretical Investigation of Dynamic Pull-In in MEMS Resonators Actuated Electrostatically. 2010 , 19, 794-806			82
321	Nonlinear behaviour of electrostatically actuated carbon nanotube-based devices. 2010 , 43, 315301			24
320	Dynamic range enhancement of nonlinear nanomechanical resonant cantilevers for highly sensitive NEMS gas/mass sensor applications. <i>Journal of Micromechanics and Microengineering</i> , 2010 , 20, 045023	2		101

319	Review on the modeling of electrostatic MEMS. <i>Sensors</i> , 2010 , 10, 6149-71	3.8	108
318	Instabilities in Arch Shaped MEMS. 2010 , 147-155		1
317	Stabilization of electrostatic MEMS resonators using a delayed feedback controller. 2010 , 19, 035016		39
316	INTERNAL RESONANCES AND BIFURCATIONS OF AN ARRAY BELOW THE FIRST PULL-IN INSTABILITY. 2010 , 20, 605-618		14
315	Closed-form empirical relations to predict the dynamic pull-in parameters of electrostatically actuated tapered microcantilevers. <i>Journal of Micromechanics and Microengineering</i> , 2011 , 21, 105014	2	12
314	Size-dependent pull-in instability of electrostatically actuated microbeam-based MEMS. <i>Journal of Micromechanics and Microengineering</i> , 2011 , 21, 027001	2	56
313	Nonlinear Dynamic Behavior Analysis of Microelectrostatic Actuator Based on a Continuous Model Under Electrostatic Loading. 2011 , 78,		4
312	Stable Operation of MEMS Oscillators Far Above the Critical Vibration Amplitude in the Nonlinear Regime. 2011 , 20, 1228-1230		42
311	A novel dynamic pull-in MEMS gyroscope. 2011 , 25, 55-58		6
310	MEMS, Their Features, and Modeling Challenges. <i>Microsystems</i> , 2011 , 1-12		1
309	Reduced Order Model of MEMS Sensors Near Natural Frequency. 2011 ,		
308	Integrity Analysis of Electrically Actuated Resonators With Delayed Feedback Controller. 2011 , 133,		23
307	Forced large amplitude periodic vibrations of non-linear Mathieu resonators for microgyroscope applications. <i>International Journal of Non-Linear Mechanics</i> , 2011 , 46, 1347-1355	2.8	18
306	A double microbeam MEMS ohmic switch for RF-applications with low actuation voltage. <i>Nonlinear Dynamics</i> , 2011 , 63, 719-734	5	31
305	Pull-in Voltage of Electrostatically-Actuated Microbeams in Terms of Lumped Model Pull-in Voltage Using Novel Design Corrective Coefficients. <i>Sensing and Imaging</i> , 2011 , 12, 117-131	1.4	25
304	Estimation of oscillation period/switching time for electrostatically actuated microbeam type switches. <i>International Journal of Mechanical Sciences</i> , 2011 , 53, 116-125	5.5	40
303	Pull-in instability analysis of electrostatically actuated microplate with rectangular shape. 2011 , 12, 1085-1094		27
302	Pull-in analysis of an electrostatically actuated nano-cantilever beam with nonlinearity in curvature and inertia. <i>International Journal of Mechanical Sciences</i> , 2011 , 53, 108-115	5.5	42

301	Suppression of pull-in in a microstructure actuated by mechanical shocks and electrostatic forces. <i>International Journal of Non-Linear Mechanics</i> , 2011 , 46, 407-414	2.8	13
300	Computational and quasi-analytical models for non-linear vibrations of resonant MEMS and NEMS sensors. <i>International Journal of Non-Linear Mechanics</i> , 2011 , 46, 532-542	2.8	65
299	Improving response of a MEMS capacitive microphone filtering shock noise. 2011 , 42, 614-621		10
298	Stability analysis of an electrically actuated microbeam using the Melnikov theorem and Poincaré mapping. 2011 , 225, 488-497		4
297	Dynamic actuation methods for capacitive MEMS shunt switches. <i>Journal of Micromechanics and Microengineering</i> , 2011 , 21, 035009	2	21
296	Nonlinear Dynamics of an Imperfect Microbeam Under an Axial Load and Electric Excitation. 2011 ,		
295	Casimir Effect Influence on NEMS Cantilever Resonators. 2011 ,		
294	Modeling MEMS Resonators Past Pull-In. 2011 , 6,		13
293	Analysis of a Chaotic Electrostatic Micro-Oscillator. 2011 , 6,		21
292	ON NONLINEAR RESPONSE NEAR-HALF NATURAL FREQUENCY OF ELECTROSTATICALLY ACTUATED MICRORESONATORS. 2011 , 11, 641-672		24
291	MEMS Linear and Nonlinear Statics and Dynamics. <i>Microsystems</i> , 2011 ,		329
290	Two-scale simulation of drop-induced failure of polysilicon MEMS sensors. <i>Sensors</i> , 2011 , 11, 4972-89	3.8	19
289	Sensing and Actuation in MEMS. <i>Microsystems</i> , 2011 , 57-96		2
288	Pull-In Retarding in Nonlinear Nanoelectromechanical Resonators Under Superharmonic Excitation. 2012 , 7,		23
287	Nonlinear Analysis of Pull-In Phenomenon and Maximum Deflection of MEMS With Movable Base Under Capillary and Van Der Waals Forces. 2012 ,		
286	Reduced Order Model for Amplitude-Voltage Response of MEMS Cantilever Resonators Under Soft AC Near Natural Frequency. 2012 ,		
285	Reduced Order Model for MEMS Cantilever Resonators Under Soft AC Voltage Near Natural Frequency. 2012 ,		
284	Creation and annihilation process of limit cycles in the Rayleigh-Duffing oscillator. <i>Nonlinear Dynamics</i> , 2012 , 70, 1007-1016	5	15

283	Nonlinear microbeam model based on strain gradient theory. <i>Applied Mathematical Modelling</i> , 2012 , 36, 2674-2686	4.5	90
282	Frequency-locking in nonlinear forced oscillators near 3:1 and 4:1 resonances. 2012 , 4, 15-23		6
281	Nonlinear dynamics of nanoelectromechanical cantilevers based on nanowire piezoresistive detection. 2012 , 1, 04007		
280	A passive mechanism for thermal stress regulation in micro-machined beam-type structures. <i>Microsystem Technologies</i> , 2012 , 18, 543-556	1.7	5
279	Resonance frequency response of geometrically nonlinear micro-switches under electrical actuation. 2012 , 331, 3397-3411		35
278	Nonlinear dynamic behavior of a microbeam array subject to parametric actuation at low, medium and large DC-voltages. <i>Nonlinear Dynamics</i> , 2012 , 67, 1-36	5	34
277	The effect of time-delayed feedback controller on an electrically actuated resonator. <i>Nonlinear Dynamics</i> , 2013 , 74, 257-270	5	36
276	Unified nonlinear quasistatic and dynamic analysis of RF-MEMS switches. 2013 , 224, 1741-1755		25
275	Effect of coupled modes on pull-in voltage and frequency tuning of a NEMS device. <i>Journal of Micromechanics and Microengineering</i> , 2013 , 23, 085015	2	15
274	On the size-dependent behavior of a capacitive circular micro-plate considering the variable length-scale parameter. <i>International Journal of Mechanical Sciences</i> , 2013 , 77, 333-342	5.5	44
273	Stability Analysis and Transient Response of Electrostatically Actuated Microbeam Interacting With Bounded Compressible Fluids. 2013 , 80,		11
272	Free Vibration Analysis of a Microbeam Subjected to a Symmetric Electrostatic Field. <i>Mechanics of Advanced Materials and Structures</i> , 2013 , 20, 257-263	1.8	6
271	Voltage-Amplitude response of alternating current near half natural frequency electrostatically actuated MEMS resonators. 2013 , 52, 25-31		20
270	Projection-Based Nonlinear Model Order Reduction. 2013 , 237-262		3
269	Size-dependent vibration analysis of three-dimensional cylindrical microbeams based on modified couple stress theory: A unified treatment. 2013 , 68, 1-10		63
268	Non-Linear Vibrations of a Microbeam Resting on an Elastic Foundation. 2013 , 38, 1191-1199		6
267	Application of piezoelectric actuation to regularize the chaotic response of an electrostatically actuated micro-beam. <i>Nonlinear Dynamics</i> , 2013 , 73, 853-867	5	28
266	Size-dependent dynamic pull-in instability of hydrostatically and electrostatically actuated circular microplates. <i>Nonlinear Dynamics</i> , 2013 , 73, 1515-1526	5	27

265	A new approach and model for accurate determination of the dynamic pull-in parameters of microbeams actuated by a step voltage. <i>Journal of Micromechanics and Microengineering</i> , 2013 , 23, 045010	20
264	Nonlinear behavior and characterization of a piezoelectric laminated microbeam system. <i>Communications in Nonlinear Science and Numerical Simulation</i> , 2013 , 18, 1304-1315	3.7 27
263	Dynamic behaviours of carbon nanotubes under dc voltage based on strain gradient theory. 2013 , 46, 405101	14
262	Investigation of the Mechanical Behaviors of Carbon Nanotubes Under Electrostatic Actuation Using the Modified Couple Stress Theory. 2013 , 21, 930-945	5
261	The Use of the Strain Gradient Elasticity Theory in the Electrically Actuated Microbeam Problem: An Investigation on the Static and the Dynamic Response. 2013 ,	
260	Electrostatically Actuated MEMS Cantilevers of Linear Thickness Variation. 2013 ,	
259	Reduced Order Model Analysis of Frequency Response of Alternating Current Near Half Natural Frequency Electrostatically Actuated MEMS Cantilevers. 2013 , 8,	23
258	Mass Detection via Bifurcation Sensing With Multistable Microelectromechanical System. 2013 ,	1
257	Modeling the Electrostatic Deflection of a MEMS Multilayers Based Actuator. 2013 , 2013, 1-6	4
256	Full Operational Range Dynamic Modeling of Microcantilever Beams. 2013 , 22, 1190-1198	9
255	Dynamical Integrity for Interpreting Experimental Data and Ensuring Safety in Electrostatic MEMS. 2013 , 249-261	8
254	New ways of measuring the pull-in voltage and transient behavior of parallel-plate capacitive MEMS transducers. <i>Journal of Micromechanics and Microengineering</i> , 2013 , 23, 085025	2 1
253	A Green's function-based design for deformation control of a microbeam with in-domain actuation. 2013 ,	
252	Dynamics of nonlinearly damped microcantilevers under electrostatic excitation. 2013 , 227, 630-646	1
251	AN IMPERFECT MICROBEAM UNDER AN AXIAL LOAD AND ELECTRIC EXCITATION: NONLINEAR PHENOMENA AND DYNAMICAL INTEGRITY. 2013 , 23, 1350026	34
250	Reduced Order Model of Electrostatically Actuated Carbon Nanotube Cantilever Biosensors for Primary Resonance. 2013 ,	
249	Computational Synthesis for Nonlinear Dynamics Based Design of Planar Resonant Structures. <i>Journal of Vibration and Acoustics, Transactions of the ASME</i> , 2013 , 135,	1.6 14
248	Dynamic Study of a Capacitive MEMS Switch with Double Clamped-Clamped Microbeams. <i>Shock and Vibration</i> , 2014 , 2014, 1-7	1.1 12

247	Dynamic nonlinear behavior of torsional resonators in MEMS. <i>Journal of Micromechanics and Microengineering</i> , 2014 , 24, 095025	2	23
246	Design for 1:2 Internal Resonances in In-Plane Vibrations of Plates With Hyperelastic Materials. <i>Journal of Vibration and Acoustics, Transactions of the ASME</i> , 2014 , 136,	1.6	9
245	Investigation of the Dynamics of a Clamped-Clamped Microbeam Near the Third Mode Using a Partial Electrode. 2014 ,		
244	Static response and natural frequencies of microbeams actuated by out-of-plane electrostatic fringing-fields. <i>International Journal of Non-Linear Mechanics</i> , 2014 , 63, 39-48	2.8	31
243	Reduced order model of parametric resonance of electrostatically actuated MEMS cantilever resonators. <i>International Journal of Non-Linear Mechanics</i> , 2014 , 66, 28-32	2.8	46
242	Tuning the primary resonances of a micro resonator, using piezoelectric actuation. <i>Nonlinear Dynamics</i> , 2014 , 76, 839-852	5	40
241	Effects of the van der Waals force, squeeze-film damping, and contact bounce on the dynamics of electrostatic microcantilevers before and after pull-in. <i>Nonlinear Dynamics</i> , 2014 , 77, 87-98	5	6
240	Modeling and nonlinear analysis of a micro-switch under electrostatic and piezoelectric excitations with curvature and piezoelectric nonlinearities. 2014 , 28, 263-272		15
239	Dynamic Response of an Electrostatically Actuated Micro-Beam in an Incompressible Viscous Fluid Cavity. 2014 , 23, 555-562		12
238	Size-dependent instability of carbon nanotubes under electrostatic actuation using nonlocal elasticity. <i>International Journal of Mechanical Sciences</i> , 2014 , 80, 144-152	5.5	30
237	Primary and secondary resonance analyses of clamped-clamped micro-beams. <i>Nonlinear Dynamics</i> , 2014 , 76, 1867-1884	5	36
236	Computational models for large amplitude nonlinear vibrations of electrostatically actuated carbon nanotube-based mass sensors. <i>Sensors and Actuators A: Physical</i> , 2014 , 208, 10-20	3.9	40
235	A bifurcation-based coupled linear-bistable system for microscale mass sensing. 2014 , 333, 2241-2252		50
234	Dynamic analysis of carbon nanotubes under electrostatic actuation using modified couple stress theory. 2014 , 225, 1523-1535		21
233	Nonlinear analysis of carbon nanotube-based nanoelectronics devices. 2014 , 228, 2426-2439		3
232	Stability and bifurcation analysis of an electrostatically controlled highly deformable microcantilever-based resonator. <i>Nonlinear Dynamics</i> , 2014 , 78, 1781-1800	5	9
231	Frequency response of primary resonance of electrostatically actuated CNT cantilevers. <i>Nonlinear Dynamics</i> , 2014 , 78, 1827-1837	5	15
230	Bifurcation analysis of an electro-statically actuated micro-beam in the presence of centrifugal forces. <i>International Journal of Non-Linear Mechanics</i> , 2014 , 67, 7-15	2.8	17

229	Poly silicon nanobeam model based on strain gradient theory. 2014 , 62, 83-88		10
228	A comparison of different semi-analytical techniques to determine the nonlinear oscillations of a slender microbeam. <i>Meccanica</i> , 2014 , 49, 1821-1831	2.1	7
227	Analysis of nonlinear dynamic behavior of electrically actuated micro-beam with piezoelectric layers and squeeze-film damping effect. <i>Nonlinear Dynamics</i> , 2014 , 77, 1349-1361	5	13
226	Polysilicon nano-beam model based on modified couple stress and Eringen's nonlocal elasticity theories. 2014 , 63, 223-228		46
225	Surface stress effect on the pull-in instability of circular nanoplates. 2014 , 102, 140-150		43
224	Effect of Length-scale Parameter on Pull-in Voltage and Natural Frequency of a Micro-plate. 2014 , 27,		3
223	Modeling and design of very low-voltage MEMS microswitch using dynamic pull-in. 2015 ,		1
222	Pull-in analysis of non-uniform microcantilever beams under large deflection. 2015 , 118, 204303		11
221	Capacitive Resonators. 2015 , 119-146		2
220	Coupling and tuning of modal frequencies in direct current biased microelectromechanical systems arrays. 2015 , 107, 063104		23
219	The Dynamics of a Doubly Clamped Microbeam Near the Primary Resonance: Experimental and Analytical Investigation. 2015 ,		
218	Nonlinear Dynamic Analysis of Electrostatically Actuated Single-walled Carbon Nanotubes Using Nonlocal Elasticity. 2015 , 12, 1224-1240		2
217	Dynamic Characteristics of Electrostatically Actuated Shape Optimized Variable Geometry Microbeam. <i>Shock and Vibration</i> , 2015 , 2015, 1-15	1.1	2
216	An Experimental and Theoretical Investigation of a Micromirror Under Mixed-Frequency Excitation. 2015 , 24, 1124-1131		24
215	Enhancement of static and dynamic travel range of electrostatically actuated microbeams using hybrid simulated annealing. <i>International Journal of Mechanical Sciences</i> , 2015 , 98, 93-110	5.5	6
214	Surface effect on the pull-in instability of cantilevered nano-switches based on a full nonlinear model. 2015 , 73, 141-147		16
213	Microelectromechanical Systems Cantilever Resonators Under Soft Alternating Current Voltage of Frequency Near Natural Frequency. 2015 , 137,		11
212	Nonlinear Response of a Microbeam Under Combined Direct and Fringing Field Excitation. 2015 , 10,		8

211	Accurate reduced-order modeling of MEMS and NEMS microactuators under dynamic electrostatic loading and large strokes. 2015 ,		
210	Dynamic Analysis of Electrostatically Actuated Nanobeam Based on Strain Gradient Theory. 2015 , 15, 1450059		23
209	Analysis of the mechanical behavior of a doubled microbeam configuration under electrostatic actuation. <i>International Journal of Mechanical Sciences</i> , 2015 , 93, 82-92	5.5	8
208	Multi-mode excitation of a clamped-clamped microbeam resonator. <i>Nonlinear Dynamics</i> , 2015 , 80, 1531-1541		11
207	Static bifurcation and primary resonance analysis of a MEMS resonator actuated by two symmetrical electrodes. <i>Nonlinear Dynamics</i> , 2015 , 80, 1585-1599	5	32
206	Optimal design and nonlinearities in a z-axis resonant accelerometer. 2015 ,		4
205	Nonlinear tuning of microresonators for dynamic range enhancement. 2015 , 471, 20140969		6
204	Numerical model for the calculation of the electrostatic force in non-parallel electrodes for MEMS applications. 2015 , 76, 254-261		11
203	Comprehensive nonlinear electromechanical analysis of nanobeams under DC/AC voltages based on consistent couple-stress theory. 2015 , 132, 1206-1218		14
202	Investigation of the dynamics of a clamped-clamped microbeam near symmetric higher order modes using partial electrodes. 2015 , 3, 173-182		6
201	Analysis of resonant pull-in of micro-electromechanical oscillators. 2015 , 350, 123-139		9
200	A novel differential frequency micro-gyroscope. 2015 , 21, 872-882		18
199	Nonlinear pull-in instability and free vibration of micro/nanoscale plates with surface energy [A modified couple stress theory model. <i>International Journal of Mechanical Sciences</i> , 2015 , 99, 288-296	5.5	56
198	Nonlocal plate model for dynamic pull-in instability analysis of circular higher-order shear deformable nanoplates including surface stress effect. 2015 , 29, 1151-1161		14
197	MEMS SPDT microswitch with low actuation voltage for RF applications. 2015 , 32, 55-62		8
196	Quasi-periodically Actuated Capacitive MEMS. 2015 , 183-200		1
195	Size effect on the free vibration of geometrically nonlinear functionally graded micro-beams under electrical actuation and temperature change. 2015 , 133, 1137-1148		39
194	The analysis and model formulation of a coupled micro-probe and elastic thin plate subjected to electrostatic force. <i>International Journal of Mechanical Sciences</i> , 2015 , 103, 224-234	5.5	3

193	Nonlinear feedback controller of a microbeam resonator. 2015 , 21, 1680-1697		13
192	Nonlinear nonlocal analysis of electrostatic nanoactuators. 2015 , 120, 117-128		42
191	Bifurcation-based micro-/nanoelectromechanical mass detection. <i>Nonlinear Dynamics</i> , 2015 , 79, 647-662		51
190	Design considerations on large amplitude vibration of a doubly clamped microresonator with two symmetrically located electrodes. <i>Communications in Nonlinear Science and Numerical Simulation</i> , 2015 , 22, 492-510	3.7	20
189	Mechanical characterization and nonlinear analysis of a piezoelectric laminated micro-switch under electrostatic actuation. 2015 , 229, 299-308		1
188	Application of quadratic controller to control the pull-in instability of a micro-resonator. <i>International Journal of Mechanics and Materials in Design</i> , 2015 , 11, 111-123	2.5	12
187	Investigation of the nonlinear static and dynamic behaviour of rectangular microplates under electrostatic actuation. 2016 , 83, 04005		
186	A New Approach of Asymmetric Homoclinic and Heteroclinic Orbits Construction in Several Typical Systems Based on the Undetermined Padé Approximation Method. 2016 , 2016, 1-10		
185	An Accurate Study on Capacitive Microphone with Circular Diaphragm Using a Higher Order Elasticity Theory. 2016 , 13, 590-609		1
184	Analysis of the Effect of Spatial Uncertainties on the Dynamic Behavior of Electrostatic Microactuators. 2016 , 20, 279-300		
183	A smart microelectromechanical sensor and switch triggered by gas. 2016 , 109, 013502		26
182	Prediction of pull-in phenomena and structural stability analysis of an electrostatically actuated microswitch. 2016 , 227, 2577-2594		4
181	Steady state response analysis for fractional dynamic systems based on memory-free principle and harmonic balancing. <i>International Journal of Non-Linear Mechanics</i> , 2016 , 81, 154-164	2.8	9
180	Size-Dependent Pull-In Instability of Electrically Actuated Functionally Graded Nano-Beams Under Intermolecular Forces. <i>Iranian Journal of Science and Technology - Transactions of Mechanical Engineering</i> , 2016 , 40, 289-301	1.2	5
179	Dynamical characteristics of fluid-conveying microbeams actuated by electrostatic force. 2016 , 20, 1		4
178	Nonlinear Structural Mechanics of Micro-and Nanosystems. 2016 , 127-195		
177	On the Nonlinear Dynamics of a Tunable Shock Micro-switch. <i>Sensing and Imaging</i> , 2016 , 17, 1	1.4	2
176	Non linear response and optimization of a new z-axis resonant micro-accelerometer. 2016 , 40, 235-243		4

175	An investigation of the static and dynamic behavior of electrically actuated rectangular microplates. <i>International Journal of Non-Linear Mechanics</i> , 2016 , 85, 81-93	2.8	30
174	Sensitivity enhancement of a MEMS sensor in nonlinear regime. <i>International Journal of Mechanics and Materials in Design</i> , 2016 , 12, 337-351	2.5	11
173	Parametric resonances of an electrically actuated piezoelectric nanobeam resonator considering surface effects and intermolecular interactions. <i>Nonlinear Dynamics</i> , 2016 , 84, 1943-1960	5	19
172	Optimization of static and dynamic travel range of electrostatically driven microbeams using particle swarm optimization. 2016 , 97, 1-16		8
171	On the secondary resonance of a MEMS resonator: A conceptual study based on shooting and perturbation methods. <i>International Journal of Non-Linear Mechanics</i> , 2016 , 82, 59-68	2.8	16
170	Optimal design and system characterization of graphene sheets in a micro/nano actuator. 2016 , 117, 478-488		3
169	Grains size and rigid rotations effects on the dynamics and pull-in instability of electrostatically-actuated beams. 2016 ,		
168	Capacitance and Force Computation Due to Direct and Fringing Effects in MEMS/NEMS Arrays. <i>IEEE Sensors Journal</i> , 2016 , 16, 375-382	4	17
167	Nonlinear analysis of electrostatically actuated diaphragm-type micropumps. <i>Nonlinear Dynamics</i> , 2016 , 83, 951-961	5	15
166	Parametric resonance voltage response of electrostatically actuated Micro-Electro-Mechanical Systems cantilever resonators. 2016 , 362, 203-213		19
165	Prediction of chaos in electrostatically actuated arch micro-nano resonators: Analytical approach. <i>Communications in Nonlinear Science and Numerical Simulation</i> , 2016 , 30, 182-195	3.7	31
164	Nonlinear analysis and power improvement of broadband low-frequency piezomagnetoelastic energy harvesters. <i>Nonlinear Dynamics</i> , 2016 , 83, 41-56	5	33
163	Dynamic characteristics of voltage induced reciprocated bending in double cantilever configuration of asymmetric comb drive MEMS. <i>Microsystem Technologies</i> , 2016 , 22, 1089-1103	1.7	5
162	Nonlinear dynamics of a functionally graded piezoelectric micro-resonator in the vicinity of the primary resonance. 2017 , 23, 400-413		17
161	Nonlinear vibration analysis of a +-shaped mass attached to a clamped-clamped microbeam under electrostatic actuation. 2017 , 231, 2147-2158		2
160	An analysis of electrostatically actuated micro vibrating structures incorporating squeezed film damping effect using an electrical equivalent circuit. <i>Journal of the Brazilian Society of Mechanical Sciences and Engineering</i> , 2017 , 39, 925-936	2	1
159	Nonlinear vibration and stability analysis of an electrically actuated piezoelectric nanobeam considering surface effects and intermolecular interactions. 2017 , 23, 1873-1889		23
158	Bifurcation and pull-in voltages of primary resonance of electrostatically actuated SWCNT cantilevers to include van der Waals effect. <i>Meccanica</i> , 2017 , 52, 849-859	2.1	8

157	Frequency response of an electrostatically actuated micro resonator in contact with incompressible fluid. <i>Microsystem Technologies</i> , 2017 , 23, 2381-2391	1.7	4
156	Dynamic analysis and design of electrically actuated viscoelastic microbeams considering the scale effect. <i>International Journal of Non-Linear Mechanics</i> , 2017 , 90, 21-31	2.8	18
155	Nonlinear modal interactions and bifurcations of a piezoelectric nanoresonator with three-to-one internal resonances incorporating surface effects and van der Waals dissipation forces. <i>Nonlinear Dynamics</i> , 2017 , 88, 1785-1816	5	21
154	Design of a capacitive MEMS double beam switch using dynamic pull-in actuation at very low voltage. <i>Microsystem Technologies</i> , 2017 , 23, 5317-5327	1.7	17
153	Self-induced parametric amplification in ring resonating gyroscopes. <i>International Journal of Non-Linear Mechanics</i> , 2017 , 94, 300-308	2.8	21
152	Axial control for nonlinear resonances of electrostatically actuated nanobeam with graphene sensor. 2017 , 38, 527-542		5
151	Axial-Delayed Control of Nonlinear Resonance of Nanobeams with Graphene Sensor. 2017 , 17, 1750116		2
150	A hybrid solution for analyzing nonlinear dynamics of electrostatically-actuated microcantilevers. <i>Applied Mathematical Modelling</i> , 2017 , 48, 593-606	4.5	6
149	On the Nonlinear Dynamics of a Doubly Clamped Microbeam Near Primary Resonance. <i>Journal of Vibration and Acoustics, Transactions of the ASME</i> , 2017 , 139,	1.6	
148	Closed-form relation to predict static pull-in voltage of an electrostatically actuated clamped-clamped microbeam under the effect of Casimir force. 2017 , 228, 2583-2602		7
147	Parametric Excitation of a Microbeam-String With Asymmetric Electrodes: Multimode Dynamics and the Effect of Nonlinear Damping. <i>Journal of Vibration and Acoustics, Transactions of the ASME</i> , 2017 , 139,	1.6	2
146	Alleviation of residual oscillations in electrostatically actuated variable-width microbeams using a feedforward control strategy. <i>Microsystem Technologies</i> , 2017 , 23, 4441-4457	1.7	6
145	Electrostatically frequency tunable micro-beam-based piezoelectric fluid flow energy harvester. 2017 , 26, 075008		3
144	Nonlinear pull-in instability of microplates with piezoelectric layers using modified couple stress theory. <i>International Journal of Mechanical Sciences</i> , 2017 , 130, 90-98	5.5	17
143	Operation of a high quality-factor gyroscope in electromechanical nonlinearities regime. <i>Journal of Micromechanics and Microengineering</i> , 2017 , 27, 075015	2	13
142	Comprehensive numerical modeling of the nonlinear structural behavior of MEMS/NEMS electrostatic actuators under the effect of the van der Waals forces. <i>Microsystem Technologies</i> , 2017 , 23, 5903-5910	1.7	10
141	Nonlinear vibration analysis of a microbeam subject to electrostatic force. 2017 , 228, 1343-1361		4
140	A General Concept of Dynamic Materials. 2017 , 1-31		

139	Bi-stability of micro-plates: A sensitive mechanism for differential pressure measurements. 2017 , 111, 124101		4
138	Nonlinear coupled vibration of electrostatically actuated clamped-clamped microbeams under higher-order modes excitation. <i>Nonlinear Dynamics</i> , 2017 , 90, 1593-1606	5	22
137	A new fractional nonlocal model and its application in free vibration of Timoshenko and Euler-Bernoulli beams. 2017 , 132, 1		20
136	Pull-in instability of a typical electrostatic MEMS resonator and its control by delayed feedback. <i>Nonlinear Dynamics</i> , 2017 , 90, 171-183	5	15
135	Scale-Dependent Dynamic-Pull-In of Functionally Graded Carbon Nanotubes Reinforced Nanodevice with Piezoelectric Layer. 2017 , 30, 04016096		3
134	Size-dependent pull-in voltage and nonlinear dynamics of electrically actuated microcantilever-based MEMS: A full nonlinear analysis. <i>Communications in Nonlinear Science and Numerical Simulation</i> , 2017 , 46, 116-125	3.7	27
133	Implementation of analog circuit and study of chaotic dynamics in a generalized Duffing-type MEMS resonator. <i>Nonlinear Dynamics</i> , 2017 , 87, 2345-2356	5	17
132	Surface and nonlocal effects on response of linear and nonlinear NEMS devices. <i>Applied Mathematical Modelling</i> , 2017 , 43, 252-267	4.5	20
131	Nonlinear modeling and analysis of electrically actuated viscoelastic microbeams based on the modified couple stress theory. <i>Applied Mathematical Modelling</i> , 2017 , 41, 195-222	4.5	35
130	Dynamic behavior of micro-resonator under alternating current voltage. <i>International Journal of Mechanics and Materials in Design</i> , 2017 , 13, 481-497	2.5	5
129	Nonlinear coupling of transverse modes of a fixed-fixed microbeam under direct and parametric excitation. <i>Nonlinear Dynamics</i> , 2017 , 87, 1271-1294	5	8
128	Material structure and size effects on the nonlinear dynamics of electrostatically-actuated nano-beams. <i>International Journal of Non-Linear Mechanics</i> , 2017 , 89, 25-42	2.8	21
127	The Art of Modeling Mechanical Systems. <i>CISM International Centre for Mechanical Sciences, Courses and Lectures</i> , 2017 ,	0.6	2
126	Nonlinear dynamic analysis of electrically actuated viscoelastic bistable microbeam system. <i>Nonlinear Dynamics</i> , 2017 , 87, 587-604	5	15
125	Modeling for Nonlinear Vibrational Response of Mechanical Systems. <i>CISM International Centre for Mechanical Sciences, Courses and Lectures</i> , 2017 , 277-319	0.6	2
124	Pull-In Effect of Suspended Microchannel Resonator Sensor Subjected to Electrostatic Actuation. <i>Sensors</i> , 2017 , 17,	3.8	6
123	Chaos Suppression of an Electrically Actuated Microresonator Based on Fractional-Order Nonsingular Fast Terminal Sliding Mode Control. 2017 , 2017, 1-12		1
122	Size-dependent nonlinear vibration analysis of shear deformable microarches using strain gradient theory. 2018 , 229, 3025-3049		4

121	Dual actuation micro-mirrors. <i>Journal of Micromechanics and Microengineering</i> , 2018 , 28, 075014	2	4
120	On the dynamics of a capacitive electret-based micro-cantilever for energy harvesting. 2018 , 153, 967-976		17
119	Strong nonlinear dynamics of MEMS and NEMS structures based on semi-analytical approaches. <i>Communications in Nonlinear Science and Numerical Simulation</i> , 2018 , 61, 1-21	3.7	22
118	A square wave is the most efficient and reliable waveform for resonant actuation of micro switches. <i>Journal of Micromechanics and Microengineering</i> , 2018 , 28, 055002	2	7
117	Suppression of contact bounce in beam-type microelectromechanical switches using a feedforward control scheme. 2018 , 24, 5502-5513		4
116	Phase switch in the stochastic response of a micromechanical beam resonator. 2018 , 229, 2177-2187		5
115	Effect of pressure on nonlinear dynamics and instability of electrically actuated circular micro-plates. <i>Nonlinear Dynamics</i> , 2018 , 91, 2157-2170	5	17
114	Delayed pull-in transitions in overdamped MEMS devices. <i>Journal of Micromechanics and Microengineering</i> , 2018 , 28, 015006	2	6
113	Novel threshold pressure sensors based on nonlinear dynamics of MEMS resonators. <i>Journal of Micromechanics and Microengineering</i> , 2018 , 28, 065007	2	23
112	Terminal sliding mode control with non-symmetric input saturation for vibration suppression of electrostatically actuated nanobeams in the presence of Casimir force. <i>Applied Mathematical Modelling</i> , 2018 , 60, 416-434	4.5	32
111	Analysis of an electrostatically actuated micro-plate subject to proportional-derivative controllers. 2018 , 24, 2020-2029		12
110	Coupled mechanism and pull-in instability of several probe-membrane assemblies subjected to electrostatic force. <i>Mechanics of Advanced Materials and Structures</i> , 2018 , 25, 267-278	1.8	1
109	Stability and perturbation analysis of a one-degree-of-freedom doubly clamped microresonator with delayed velocity feedback control. 2018 , 24, 3454-3470		9
108	On the nonlinear dynamics of a piezoelectrically tuned micro-resonator based on non-classical elasticity theories. <i>International Journal of Mechanics and Materials in Design</i> , 2018 , 14, 1-19	2.5	17
107	Mechanical behaviors of electrostatic microresonators with initial offset imperfection: qualitative analysis via time-varying capacitors. <i>Nonlinear Dynamics</i> , 2018 , 91, 269-295	5	8
106	Suppression of the noise-induced effects in an electrostatic micro-plate using an adaptive back-stepping sliding mode control. 2018 , 72, 100-109		13
105	Modeling and analysis of MEMS disk resonators. <i>Microsystem Technologies</i> , 2018 , 24, 2517-2528	1.7	12
104	Electrostatic pull-in analysis of a nonuniform micro-resonator undergoing large elastic deflection. 2018 , 232, 3337-3350		5

103	Modeling and closed loop control of a polymer composite-based hard-magnetic micromirror for optical switching applications. <i>Nonlinear Dynamics</i> , 2018 , 92, 59-74	5	6
102	Qualitative Identification of the Static Pull-In and Fundamental Frequency of One-Electrode MEMS Resonators. <i>Micromachines</i> , 2018 , 9,	3.3	2
101	Investigations of the Effects of Geometric Imperfections on the Nonlinear Static and Dynamic Behavior of Capacitive Micromachined Ultrasonic Transducers. <i>Micromachines</i> , 2018 , 9,	3.3	7
100	Modeling of Frequency Shift in RF-MEMS Switches Under Residual Stress Gradient. 2018 ,		2
99	Switching intermittency. 2018 , 113, 153501		3
98	Voltage-Induced Snap-Through of an Asymmetrically Laminated, Piezoelectric, Thin-Film Diaphragm Micro-ActuatorPart 1: Experimental Studies and Mathematical Modeling. <i>Journal of Vibration and Acoustics, Transactions of the ASME</i> , 2018 , 140,	1.6	0
97	Dynamic evolution of a primary resonance MEMS resonator under prebuckling pattern. <i>Nonlinear Dynamics</i> , 2018 , 93, 2357-2378	5	9
96	Stochastic dynamic behavior of electrostatically actuated clamped-clamped microbeams with consideration of thermal field. <i>International Journal of Non-Linear Mechanics</i> , 2018 , 105, 192-199	2.8	4
95	Dynamic characteristic analysis of an electrostatically-actuated circular nanoplate subject to surface effects. <i>Applied Mathematical Modelling</i> , 2018 , 63, 18-31	4.5	9
94	Static and Dynamic Mechanical Behaviors of Electrostatic MEMS Resonator with Surface Processing Error. <i>Micromachines</i> , 2018 , 9,	3.3	12
93	Pull-in dynamics of overdamped microbeams. <i>Journal of Micromechanics and Microengineering</i> , 2018 , 28, 115002	2	5
92	Monostable Dynamic Analysis of Microbeam-Based Resonators via an Improved One Degree of Freedom Model. <i>Micromachines</i> , 2018 , 9,	3.3	2
91	A Study on Measurement Variations in Resonant Characteristics of Electrostatically Actuated MEMS Resonators. <i>Micromachines</i> , 2018 , 9,	3.3	3
90	Vibration Identification of Folded-MEMS Comb Drive Resonators. <i>Micromachines</i> , 2018 , 9,	3.3	5
89	Optimal homotopy asymptotic method to large post-buckling deformation of MEMS. 2018 , 148, 13003		1
88	Primary and Secondary Resonance of Micro-resonators Based on Couple Stress Theory. <i>Iranian Journal of Science and Technology - Transactions of Mechanical Engineering</i> , 2019 , 43, 443-456	1.2	1
87	Monolithically Integrated RF MEMS-Based Variable Attenuator for Millimeter-Wave Applications. 2019 , 67, 3251-3259		15
86	Wavelet based damage identification and dynamic pull-in instability analysis of electrostatically actuated coupled domain microsystems using generalized differential quadrature method. <i>Mechanical Systems and Signal Processing</i> , 2019 , 133, 106256	7.8	6

85	Analysis of Nonlinear Vibration and Instability of Electrostatically Actuated Fluid-Conveying Micro Beams. 2019 , 29, 1950088		1
84	Investigation of pull-in behaviors of a nanoswitch tuned by piezoelectric and flexoelectric effects. <i>International Journal of Mechanical Sciences</i> , 2019 , 161-162, 105032	5.5	5
83	Voltage effect on amplitude-frequency response of parametric resonance of electrostatically actuated double-walled carbon nanotube resonators. <i>Nonlinear Dynamics</i> , 2019 , 98, 3095-3112	5	4
82	Hardening, Softening, and Linear Behavior of Elastic Beams in MEMS: An Analytical Approach. 2019 , 28, 189-198		7
81	Using Flexural MEMS to study and exploit nonlinearities: a review. <i>Journal of Micromechanics and Microengineering</i> , 2019 , 29, 083002	2	14
80	Size-dependent secondary resonance of a piezoelectrically laminated bistable MEMS arch resonator. 2019 , 173, 106850		11
79	Nonlinear Behavior of Electrostatically Actuated Microbeams with Coupled Longitudinal-Transversal Vibration. <i>Micromachines</i> , 2019 , 10,	3.3	3
78	Fractional order PID based optimal control for fractionally damped nonlocal nanobeam via genetic algorithm. <i>Microsystem Technologies</i> , 2019 , 25, 4291-4302	1.7	7
77	Vibration analysis of size-dependent functionally graded micro-plates subjected to electrostatic and piezoelectric excitations. 2019 , 76, 46-56		8
76	Low voltage, high speed and small area in-plane MEMS switch. <i>Journal of Micromechanics and Microengineering</i> , 2019 , 29, 065014	2	4
75	An Approach for Increasing Sensitivity of a Tunable Micro Electro Mechanical Sensor Using Electrostatic Hopping Voltage. <i>Sensing and Imaging</i> , 2019 , 20, 1	1.4	
74	Size-dependent pull-in instability analysis of electrically actuated packaged FG micro-cantilevers under the effect of mechanical shock. <i>Journal of the Brazilian Society of Mechanical Sciences and Engineering</i> , 2019 , 41, 1	2	3
73	The effect of capillary and intermolecular forces on instability of the electrostatically actuated microbeam with T-shaped paddle in the presence of fringing field. <i>Applied Mathematical Modelling</i> , 2019 , 71, 243-268	4.5	5
72	Nonlinear static and dynamic responses of graphene platelets reinforced composite beam with dielectric permittivity. <i>Applied Mathematical Modelling</i> , 2019 , 71, 298-315	4.5	38
71	Effect of Dispersion Forces on Dynamic Stability of Electrostatically Actuated Micro/Nano-Beams in Presence of Mechanical Shocks. <i>International Journal of Applied Mechanics</i> , 2019 , 11, 1950085	2.4	3
70	Vibrations of shear deformable FG viscoelastic microbeams. <i>Microsystem Technologies</i> , 2019 , 25, 1387-1400		16
69	Size-dependent nonlinear vibration of an electrostatic nanobeam actuator considering surface effects and inter-molecular interactions. <i>International Journal of Mechanics and Materials in Design</i> , 2019 , 15, 489-505	2.5	30
68	Global dynamics and integrity of a micro-plate pressure sensor. <i>Communications in Nonlinear Science and Numerical Simulation</i> , 2019 , 69, 432-444	3.7	8

67	Interpreting and Predicting Experimental Responses of Micro- and Nano-Devices via Dynamical Integrity. <i>CISM International Centre for Mechanical Sciences, Courses and Lectures</i> , 2019 , 113-166	0.6	2
66	Dynamic pull-in and snap-through behavior of electrostatically actuated micro-mechanical memories considering thermoelastic damping. <i>Mechanics of Advanced Materials and Structures</i> , 2019 , 26, 1911-1919	1.8	6
65	Non-linear mechanics in resonant inertial micro sensors. <i>International Journal of Non-Linear Mechanics</i> , 2020 , 120, 103386	2.8	8
64	Nonlinear modal interaction of an electrically actuated microbeam with flexible support. <i>Nonlinear Dynamics</i> , 2020 , 99, 1871-1891	5	
63	Analytic approximate solutions to electrically actuated MEMS. 2020 ,		
62	Static response of functionally graded graphene platelet reinforced composite plate with dielectric property. <i>Journal of Intelligent Material Systems and Structures</i> , 2020 , 31, 2211-2228	2.3	20
61	. 2020 ,		1
60	Mechanical Behaviors of Electrostatic Microbeams with Nonideal Supports. <i>Shock and Vibration</i> , 2020 , 2020, 1-18	1.1	1
59	Nonlinear mechanism of pull-in and snap-through in microbeam due to asymmetric bias voltages. <i>Nonlinear Dynamics</i> , 2020 , 102, 19-44	5	1
58	Nonlocal Strain Gradient Pull-in Study of Nanobeams Considering Various Boundary Conditions. <i>Iranian Journal of Science and Technology - Transactions of Mechanical Engineering</i> , 2020 , 1	1.2	5
57	On the tuning of static pull-in instability and nonlinear vibrations of functionally graded micro-resonators with three different configurations. <i>Journal of the Brazilian Society of Mechanical Sciences and Engineering</i> , 2020 , 42, 1	2	1
56	Global Nonlinear Dynamics of MEMS Arches Actuated by Fringing-Field Electrostatic Field. <i>Arabian Journal for Science and Engineering</i> , 2020 , 45, 5959-5975	2.5	1
55	Quasi-Static Pull-in: an Instability in Electrostatic Actuators. <i>Scientific Reports</i> , 2020 , 10, 4990	4.9	3
54	Electrostatically Driven MEMS Resonator: Pull-in Behavior and Non-linear Phenomena. 2020 ,		
53	Developments and Novel Approaches in Biomechanics and Metamaterials. <i>Advanced Structured Materials</i> , 2020 ,	0.6	3
52	Bifurcation Analysis of an Electro-Statically Actuated Nano-beam Based on the Nonlocal Theory considering Centrifugal Forces. <i>International Journal of Nonlinear Sciences and Numerical Simulation</i> , 2020 , 21, 303-318	1.8	0
51	Anti-Symmetric Mode Vibration of Electrostatically Actuated Clamped-Clamped Microbeams for Mass Sensing. <i>Micromachines</i> , 2019 , 11,	3.3	6
50	Systematic analysis of carbon-based microdisk resonators. <i>FlatChem</i> , 2020 , 20, 100159	5.1	1

49	Methods of extracting silica and silicon from agricultural waste ashes and application of the produced silicon in solar cells: a mini-review. <i>International Journal of Sustainable Engineering</i> , 2021 , 14, 57-78	3.1	8
48	Optimal delayed control of primary and second resonances of an electrostatic driving double-sided micro-actuator. <i>Chaos, Solitons and Fractals</i> , 2021 , 142, 110499	9.3	2
47	Effect of added mass distribution on the dynamic PI and frequency shifting in MEMS and NEMS biosensors. <i>Microsystem Technologies</i> , 2021 , 27, 693-702	1.7	3
46	An effective analytical approach to nonlinear free vibration of elastically actuated microtubes. <i>Meccanica</i> , 2021 , 56, 813-823	2.1	6
45	Nonlinear Free Vibration of Elastically Actuated Microtubes. 2021 , 131-145		
44	Nonlinear Vibration Analysis of Beam Microgyroscopes using Nonlocal Strain Gradient Theory. <i>Sensing and Imaging</i> , 2021 , 22, 1	1.4	2
43	Extended range of a MEMS electrostatic actuator using an adjustable linear controller. 2021 ,		
42	Fatigue-induced dynamic pull-in instability in electrically actuated microbeam resonators. <i>International Journal of Mechanical Sciences</i> , 2021 , 195, 106261	5.5	0
41	Coulomb-actuated microbeams revisited: experimental and numerical modal decomposition of the saddle-node bifurcation. <i>Microsystems and Nanoengineering</i> , 2021 , 7, 41	7.7	3
40	Nonlinear vibration of FG-GPLRC dielectric plate with active tuning using differential quadrature method. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2021 , 379, 113761	5.7	18
39	Pull-In Dynamics of Two MEMS Parallel-Plate Structures for Acceleration Measurement. <i>IEEE Sensors Journal</i> , 2021 , 21, 17686-17694	4	5
38	Analysing regular nonlinear vibrations of nano/micro plates based on the nonlocal theory and combination of reduced order modelling and multiple scale method. <i>Mechanical Systems and Signal Processing</i> , 2022 , 163, 108132	7.8	5
37	Numerical analysis on stability of functionally graded graphene platelets (GPLs) reinforced dielectric composite plate. <i>Applied Mathematical Modelling</i> , 2022 , 101, 239-258	4.5	11
36	Microbeams. <i>Microsystems</i> , 2011 , 251-357		4
35	Novel Reduced Order Model for Electrically Actuated Microbeam-Based MEMS. <i>Lecture Notes in Mechanical Engineering</i> , 2015 , 513-520	0.4	2
34	Lateral pull-in instability of electrostatic MEMS transducers employing repulsive force. <i>Nonlinear Dynamics</i> , 2020 , 100, 1927-1940	5	7
33	Large oscillation of electrostatically actuated curved beams. <i>Journal of Micromechanics and Microengineering</i> , 2020 , 30, 095005	2	6
32	Experimental Characterization of the Electrostatic Levitation Force in MEMS Transducers. <i>Journal of Vibration and Acoustics, Transactions of the ASME</i> , 2020 , 142,	1.6	6

31	Multimode Analysis of the Dynamics and Integrity of Electrically Actuated MEMS Resonators. <i>Journal of Nonlinear Dynamics</i> , 2014 , 2014, 1-10		1
30	Nonlinear Dynamics and Its Applications in Nanocantilevers. 2016 , 81-136		1
29	Period doubling of the nonlinear dynamical system of an electrostatically actuated micro-cantilever. <i>Smart Structures and Systems</i> , 2014 , 14, 743-763		1
28	Electro-superlubric springs for continuously tunable resonators and oscillators. <i>Communications Materials</i> , 2021 , 2,	6	0
27	Analytical and experimental study of the dynamics of a micro-electromechanical resonator based digital-to-analog converter. <i>Journal of Micromechanics and Microengineering</i> , 2021 , 31, 125010	2	1
26	Nonlinear Dynamics of an Electrically Actuated Resonator. <i>Microsystems</i> , 2011 , 359-399		
25	Modeling and design of an ultra low-power NEMS relays: application to logic gate inverters. <i>Analog Integrated Circuits and Signal Processing</i> , 2020 , 104, 17-26	1.2	3
24	Casimir Effect on Amplitude-Frequency Response of Parametric Resonance of Electrostatically Actuated NEMS Cantilever Resonators. <i>Advanced Structured Materials</i> , 2020 , 267-289	0.6	
23	Investigation of pull-in behavior of circular nanoplate actuator based on the modified couple stress theory. <i>Engineering Computations</i> , 2021 , 38, 2648-2665	1.4	2
22	STUDIES ON PULL-IN INSTABILITY OF AN ELECTROSTATIC MEMS ACTUATOR: DYNAMICAL SYSTEM APPROACH. <i>Journal of Applied Analysis and Computation</i> , 2020 , 0-0	0.4	
21	Stabilization of electrostatic MEMS resonators using a stochastic optimal control. <i>Chaos, Solitons and Fractals</i> , 2022 , 154, 111702	9.3	
20	Primary nonlinear damped natural frequency of dielectric composite beam reinforced with graphene platelets (GPLs). <i>Archives of Civil and Mechanical Engineering</i> , 2022 , 22, 1	3.4	6
19	Chaos in coupled lateral-longitudinal vibration of electrostatically actuated microresonators. <i>Chaos, Solitons and Fractals</i> , 2022 , 156, 111828	9.3	
18	Dynamics of a micro-cantilever for capacitive energy harvesting considering nonlinear inertia and curvature. <i>Journal of the Brazilian Society of Mechanical Sciences and Engineering</i> , 2022 , 44, 1	2	0
17	Open-loop control of electrostatic levitation actuators to enhance the travel-range of optical switches. <i>Sensors and Actuators A: Physical</i> , 2022 , 338, 113453	3.9	1
16	Coaxial vibrations of electrostatically actuated DWCNT resonators: Amplitude-voltage response of parametric resonance. <i>International Journal of Non-Linear Mechanics</i> , 2022 , 142, 103982	2.8	0
15	Design and Experiment of Mass Warning Resonant Sensor Induced by Modal Coupling. <i>IEEE Sensors Journal</i> , 2022 , 1-1	4	1
14	Isolation of optomechanical nonlinearities in nanomechanical cantilevers. <i>Physical Review A</i> , 2022 , 105,	2.6	

13	Investigation into Mode Localization of Electrostatically Coupled Shallow Microbeams for Potential Sensing Applications. <i>Micromachines</i> , 2022 , 13, 989	3.3	o
12	Built-In Packaging for Single Terminal Devices. <i>Sensors</i> , 2022 , 22, 5264	3.8	
11	Tuning the nonlinearity of graphene mechanical resonators by Joule heating. <i>Journal of Physics Condensed Matter</i> , 2022 , 34, 374004	1.8	
10	Electrically Actuated Microbeams: An Explicit Calculation of the Coulomb Integral in the Entire Stable and Unstable Regimes Using a Chebyshev-Edgeworth Approach. <i>Physical Review Applied</i> , 2022 , 18,	4.3	o
9	Inertia mass bio-sensors based on snap-through phenomena in electrostatic MEMS shallow arch resonators. 2022 , 107825		o
8	A mathematical control for the pseudo-pull-in stability arising in a micro-electromechanical system. 146134842211336		
7	Frequency Analysis of Microbeam with Axial Pretension Using MSGT. 2023 , 191-214		o
6	Impacts of Small-Scale Effect and Nonlinear Damping on the Nonlinear Vibrations of Electrostatic Microresonators. 2023 , 14, 170		1
5	Frequency Tuning of In-Plane Comb Drive MEMS Resonators Due to VO2 Phase Transition. 2023 , 1-3		o
4	On the Dynamics of a Capacitive Microplate for Blood Pressure Sensing Based on Korotkoff Sounds. 2023 , 24,		o
3	Multi-channel mass sensing based on multiple internal resonances in three electrostatically coupled resonators.		o
2	Parametric study on nonlinear vibration of FG-GNPRC dielectric beam with Kelvin-Voigt damping. 2023 , 185, 110617		o
1	Nonlinear dynamic modeling of a micro-plate resonator considering damage accumulation.		o