

# CITATION REPORT

List of articles citing

**Acceptability of male circumcision for prevention of HIV/AIDS in sub-Saharan Africa: a review**

**DOI: 10.1007/s10461-006-9169-4**  
**AIDS and Behavior, 2007, 11, 341-55.**

**Source:** <https://exaly.com/paper-pdf/43130796/citation-report.pdf>

**Version:** 2024-04-29

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
268	Circumcision for HIV prevention: failure to fully account for behavioral risk compensation. <b>2007</b> , 4, e138; author reply e146		41
267	The protective effect of circumcision on HIV incidence in rural low-risk men circumcised predominantly by traditional circumcisers in Kenya: two-year follow-up of the Kericho HIV Cohort Study. <b>2007</b> , 45, 371-9		29
266	Male circumcision and HIV/AIDS: challenges and opportunities. <b>2007</b> , 369, 708-13		74
265	Male circumcision and HIV prevention: is there really enough of the right kind of evidence?. <b>2007</b> , 15, 33-44		37
264	Male circumcision: implications for women as sexual partners and parents. <b>2007</b> , 15, 62-7		26
263	Male circumcision, gender and HIV prevention in sub-Saharan Africa: a (social science) research agenda. <b>2007</b> , 4, 658-67		27
262	Male circumcision for prevention of HIV transmission: what the new data mean for HIV prevention in the United States. <b>2007</b> , 4, e223		31
261	Prevalence of complications of male circumcision in Anglophone Africa: a systematic review. <b>2007</b> , 7, 4		37
260	Science, medicine and research in the developing world: a perspective. <b>2007</b> , 8, 1273-6		11
259	Male circumcision to prevent HIV transmission and acquisition: what else do we need to know?. <i>AIDS and Behavior</i> , <b>2007</b> , 11, 357-63	4.3	10
258	Male circumcision and prevention of HIV and sexually transmitted infections. <b>2008</b> , 10, 121-7		10
257	New biomedical strategies for HIV-1 prevention in women. <b>2008</b> , 10, 490-8		6
256	Circumcision and HIV infection: assessment of causality. <i>AIDS and Behavior</i> , <b>2008</b> , 12, 835-41	4.3	36
255	Circumcision among adolescent boys in rural northwestern Tanzania. <b>2008</b> , 13, 1054-61		24
254	Circumcision and the risk of HIV transmission in Africa. <b>2008</b> , 5, 2481-4		4
253	[Circumcision and HIV]. <b>2008</b> , 18, 331-6		4
252	Biomedical interventions to prevent HIV infection: evidence, challenges, and way forward. <b>2008</b> , 372, 585-99		188

251	Acceptability of male circumcision among mothers with male children in Mysore, India. <b>2008</b> , 22, 983-8		31
250	Adolescent boys: who cares?. <i>Bulletin of the World Health Organization</i> , <b>2008</b> , 86, 659	8.2	1
249	Public health. Reassessing HIV prevention. <b>2008</b> , 320, 749-50		169
248	ATTITUDES OF PREINITIATES TOWARDS TRADITIONAL MALE CIRCUMCISION IN THE CONTEXT OF HIV IN THE EASTERN CAPE, SOUTH AFRICA. <b>2008</b> , 36, 1023-1034		3
247	Is male circumcision as good as the HIV vaccine we've been waiting for?. <b>2008</b> , 2, 1-7		19
246	Long-term population effect of male circumcision in generalised HIV epidemics in sub-Saharan Africa. <b>2008</b> , 7, 1-8		31
245	Male circumcision for HIV prevention: from evidence to action?. <b>2008</b> , 22, 567-74		153
244	Male circumcision for HIV prevention in sub-Saharan Africa: who, what and when?. <b>2008</b> , 22, 1841-50		73
243	New thinking in HIV prevention: an anthropological and epidemiological viewpoint. <b>2008</b> , 3, 311-315		1
242	Male circumcision is an efficacious, lasting and cost-effective strategy for combating HIV in high-prevalence AIDS epidemics. <b>2008</b> , 2, 399-405		31
241	Efficacy trials of biomedical strategies to prevent HIV infection. <b>2008</b> , 3, 504-8		2
240	Gender, sex, and HIV: how well are we addressing the imbalance?. <b>2008</b> , 3, 514-20		19
239	Willingness of men who have sex with men (MSM) in the United States to be circumcised as adults to reduce the risk of HIV infection. <i>PLoS ONE</i> , <b>2008</b> , 3, e2731	3.7	22
238	[Male circumcision: hope for HIV infection decrease in southern Africa]. <b>2008</b> , 24, 499-504		0
237	Willingness to be circumcised for preventing HIV among Chinese men who have sex with men. <b>2009</b> , 23, 315-21		40
236	Attitudes towards circumcision among Chinese men. <b>2009</b> , 50, 238-40		7
235	Does early antiretroviral treatment prevent liver fibrosis in HIV/HCV-coinfected patients?. <b>2009</b> , 50, 234-6		12
234	Male circumcision for HIV prevention in high HIV prevalence settings: what can mathematical modelling contribute to informed decision making?. <b>2009</b> , 6, e1000109		111

233	Social and Behavioral Challenges of HIV Vaccines: Implications for Social Work and Social Science. <b>2009</b> , 8, 313-330		6
232	Behavioral aspects of male circumcision for the prevention of HIV infection. <b>2009</b> , 6, 187-93		34
231	Quantitative assessment of the role of male circumcision in HIV epidemiology at the population level. <b>2009</b> , 1, 139-52		23
230	Male circumcision and risk of HIV infection in women: a systematic review and meta-analysis. <b>2009</b> , 9, 669-77		100
229	Is dual therapy with raltegravir and protease inhibitors a feasible option in rescue strategy in HIV-1 infection?. <b>2009</b> , 50, 233-4		15
228	Prevention of mother-to-child HIV transmission using 3-drug combination antiretroviral treatment: observational cohort in clinical practice setting in India. <b>2009</b> , 50, 231-3		1
227	Updated annual HIV transmission rates in the United States, 1977-2006. <b>2009</b> , 50, 236-8		35
226	Male circumcision to reduce sexual transmission of HIV. <b>2010</b> , 5, 344-9		25
225	Knowledge and attitudes about male circumcision for HIV-1 prevention among heterosexual HIV-1 serodiscordant partnerships in Kampala, Uganda. <i>AIDS and Behavior</i> , <b>2010</b> , 14, 1190-7	4.3	11
224	Male circumcision for HIV prevention--a cross-sectional study on awareness among young people and adults in rural Uganda. <i>BMC Public Health</i> , <b>2010</b> , 10, 209	4.1	19
223	Sexually transmitted diseases and sexual function. <b>2010</b> , 7, 389-413		26
222	Initial commitment to pre-exposure prophylaxis and circumcision for HIV prevention amongst Indian truck drivers. <i>PLoS ONE</i> , <b>2010</b> , 5, e11922	3.7	29
221	Contextual factors influencing HIV risk behaviour in Central Asia. <i>Culture, Health and Sexuality</i> , <b>2010</b> , 12, 515-27	2.5	17
220	Making the case for circumcision as a public health strategy: opening the dialogue. <b>2010</b> , 24, 367-72		9
219	Male circumcision for HIV prevention: developments from sub-Saharan Africa. <b>2010</b> , 8, 23-31		17
218	A model for the roll-out of comprehensive adult male circumcision services in African low-income settings of high HIV incidence: the ANRS 12126 Bophelo Pele Project. <b>2010</b> , 7, e1000309		62
217	Neonatal circumcision for HIV prevention: Cost, culture, and behavioral considerations. <b>2010</b> , 7, e1000219		18
216	The impact of male circumcision on HIV transmission. <b>2010</b> , 183, 21-6		16

215	Letter to the Editor: Is adult male circumcision a viable public health strategy for HIV prevention outside sub-Saharan Africa?. <b>2010</b> , 24, 751-2		3
214	The feasibility and acceptability of male circumcision among men, women, and health providers of the Altagracia Province, Dominican Republic. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , <b>2010</b> , 22, 1530-5	2.2	12
213	Acceptability of circumcision as a means of HIV prevention among men who have sex with men in China. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , <b>2011</b> , 23, 1472-82	2.2	19
212	Traditional male circumcision practices among the Kurya of North-eastern Tanzania and implications for national programmes. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , <b>2011</b> , 23, 1111-6	2.2	19
211	HIV risk reduction intervention among traditionally circumcised young men in South Africa: a cluster randomized control trial. <b>2011</b> , 22, 397-406		7
210	Twenty criteria to make the best of scarce health resources in developing countries. <b>2011</b> , 343, d7023		8
209	Prevalence and factors associated with knowledge of and willingness for male circumcision in rural Zimbabwe. <b>2011</b> , 16, 589-97		34
208	Male circumcision for HIV prevention: current evidence and implementation in sub-Saharan Africa. <i>Journal of the International AIDS Society</i> , <b>2011</b> , 14, 49	5.4	59
207	Scaling up circumcision programs in Southern Africa: the potential impact of gender disparities and changes in condom use behaviors on heterosexual HIV transmission. <i>AIDS and Behavior</i> , <b>2011</b> , 15, 938-48 <sup>4.3</sup>		20
206	Adult male circumcision as an intervention against HIV: an operational study of uptake in a South African community (ANRS 12126). <b>2011</b> , 11, 253		36
205	Using research to influence sexual and reproductive health practice and implementation in Sub-Saharan Africa: a case-study analysis. <b>2011</b> , 9 Suppl 1, S10		18
204	Condom avoidance and determinants of demand for male circumcision in Johannesburg, South Africa. <b>2011</b> , 26, 298-306		25
203	Male circumcision and sexual function in men and women: a survey-based, cross-sectional study in Denmark. <b>2011</b> , 40, 1367-81		83
202	Acceptability of male circumcision for prevention of HIV infection among men and women in Uganda. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , <b>2011</b> , 23, 1578-85	2.2	27
201	Voluntary medical male circumcision: an introduction to the cost, impact, and challenges of accelerated scaling up. <b>2011</b> , 8, e1001127		59
200	Male circumcision, attitudes to HIV prevention and HIV status: a cross-sectional study in Botswana, Namibia and Swaziland. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , <b>2012</b> , 24, 301-9	2.2	33
199	Male circumcision programmes in Kenya: lessons from the Kenya AIDS Indicator Survey 2007. <i>Bulletin of the World Health Organization</i> , <b>2012</b> , 90, 642-51	8.2	5
198	'It brought joy in my home as in the area of my wife.' How recently circumcised adult men ascribe value to and make sense of male circumcision. <b>2012</b> , 7, 352-66		12

197	Behavioral and biomedical combination strategies for HIV prevention. <b>2012</b> , 2,		47
196	Popular perceptions of circumcision among Colombian men who have sex with men. <i>Culture, Health and Sexuality</i> , <b>2012</b> , 14, 991-1005	2.5	6
195	Factors associated with uptake of infant male circumcision for HIV prevention in western Kenya. <b>2012</b> , 130, e175-82		23
194	Male circumcision for HIV prevention: clinical practices and attitudes among healthcare providers in South Africa and Zimbabwe. <b>2012</b> , 39, 567-75		5
193	Acceptability of circumcision among clients of female sex worker in Hong Kong. <i>AIDS and Behavior</i> , <b>2012</b> , 16, 1836-45	4.3	12
192	Acceptability of medical male circumcision and improved instrument sanitation among a traditionally circumcising group in East Africa. <i>AIDS and Behavior</i> , <b>2012</b> , 16, 1846-52	4.3	12
191	Circumcision preference among women and uncircumcised men prior to scale-up of male circumcision for HIV prevention in Kisumu, Kenya. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , <b>2012</b> , 24, 157-66	2.2	54
190	Designing family-centered male circumcision services: a conjoint analysis approach. <b>2012</b> , 5, 101-11		10
189	Acceptability of neonatal male circumcision in Lusaka, Zambia. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , <b>2012</b> , 24, 12-9	2.2	18
188	[Circumcision in children: an organizational or an ethical challenge?]. <b>2012</b> , 31, 442-6		3
187	Vaccine-relevant human papillomavirus (HPV) infections and future acquisition of high-risk HPV types in men. <b>2012</b> , 206, 669-77		13
186	A 'snip' in time: what is the best age to circumcise?. <b>2012</b> , 12, 20		68
185	Acceptability of early infant male circumcision among Chinese parents: strategy implications of HIV prevention for China. <i>BMC Public Health</i> , <b>2012</b> , 12, 738	4.1	6
184	Infant male circumcision: An evidence-based policy statement. <b>2012</b> , 02, 79-92		23
183	Rapid increase in prevalence of male circumcision in rural Tanzania in the absence of a promotional campaign. <i>PLoS ONE</i> , <b>2012</b> , 7, e40507	3.7	9
182	Safety of over twelve hundred infant male circumcisions using the Mogen clamp in Kenya. <i>PLoS ONE</i> , <b>2012</b> , 7, e47395	3.7	21
181	Women's roles in voluntary medical male circumcision in Nyanza Province, Kenya. <i>PLoS ONE</i> , <b>2012</b> , 7, e44825	3.7	37
180	Prevalence and Acceptability of Male Circumcision among Young Men in South Africa. <b>2012</b> , 6, 179-186		6

179	The potential of involving traditional practitioners in the scaling up of male circumcision in the context of HIV prevention in Tanzania. <b>2012</b> , 14, 48-60		8
178	Use of a mixture of lignocaine and bupivacaine vs lignocaine alone for male circumcision under local anaesthesia in Rakai, Uganda. <b>2012</b> , 109, 1068-71		4
177	Determinants of circumcision and willingness to be circumcised by Rwandan men, 2010. <i>BMC Public Health</i> , <b>2012</b> , 12, 134	4.1	24
176	"Now we are in a different time; various bad diseases have come." Understanding men's acceptability of male circumcision for HIV prevention in a moderate prevalence setting. <i>BMC Public Health</i> , <b>2012</b> , 12, 67	4.1	25
175	Male circumcision is associated with a lower prevalence of human papillomavirus-associated penile lesions among Kenyan men. <b>2012</b> , 130, 1888-97		40
174	Acceptability of male circumcision among adolescent boys and their parents, Botswana. <i>AIDS and Behavior</i> , <b>2012</b> , 16, 340-9	4.3	12
173	A protective effect of circumcision among receptive male sex partners of Indian men who have sex with men. <i>AIDS and Behavior</i> , <b>2012</b> , 16, 350-9	4.3	19
172	Efficient and equitable HIV prevention: A case study of male circumcision in South Africa. <b>2013</b> , 11, 1		22
171	Foreskin cutting beliefs and practices and the acceptability of male circumcision for HIV prevention in Papua New Guinea. <i>BMC Public Health</i> , <b>2013</b> , 13, 818	4.1	19
170	Acceptability and uptake of neonatal male circumcision in Lusaka, Zambia. <i>AIDS and Behavior</i> , <b>2013</b> , 17, 2114-22	4.3	14
169	Male circumcision and HIV: a controversy study on facts and values. <b>2013</b> , 8, 769-83		19
168	Understanding and addressing socio-cultural barriers to medical male circumcision in traditionally non-circumcising rural communities in sub-Saharan Africa. <i>Culture, Health and Sexuality</i> , <b>2013</b> , 15, 1085-100	2.5	29
167	Translation of biomedical prevention strategies for HIV: prospects and pitfalls. <b>2013</b> , 63 Suppl 1, S12-25		27
166	"Man, what took you so long?" Social and individual factors affecting adult attendance at voluntary medical male circumcision services in Tanzania. <b>2013</b> , 1, 108-16		47
165	Factors associated with acceptability of circumcision among male drug users in western China: a cross-sectional study. <b>2013</b> , 24, 541-7		6
164	Association of the ANRS-12126 male circumcision project with HIV levels among men in a South African township: evaluation of effectiveness using cross-sectional surveys. <b>2013</b> , 10, e1001509		69
163	New lives for old: modernity, biomedicine, traditional culture and HIV prevention in Lesotho. <b>2013</b> , 3, 284-299		5
162	Contextual barriers and motivators to adult male medical circumcision in Rakai, Uganda. <b>2013</b> , 23, 795-804		27

161	Why women object to male circumcision to prevent HIV in a moderate-prevalence setting. <b>2013</b> , 23, 180-93		14
160	Acceptance of male circumcision among male rural-to-urban migrants in western China. <b>2013</b> , 29, 1582-8		5
159	Ethnic identity, region and attitudes towards male circumcision in a high HIV-prevalence country. <b>2013</b> , 8, 607-18		12
158	Perceived medical benefit, peer/partner influence and safety and cost to access the service: client motivators for voluntary seeking of medical male circumcision in Iganga district eastern Uganda, a qualitative study. <b>2013</b> , 15, 117		7
157	Roll-out of medical male circumcision (MMC) for HIV prevention in non-circumcising communities of Northern Uganda. <b>2013</b> , 15, 100		10
156	Factors associated with the acceptability of male circumcision among men in Jamaica. <i>PLoS ONE</i> , <b>2013</b> , 8, e75074	3.7	11
155	Complications of traditional circumcision amongst young Xhosa males seen at St Lucy's Hospital, Tsolo, Eastern Cape, South Africa. <b>2013</b> , 5,		7
154	Prevention of Sexually Transmitted HIV Infection. <b>2013</b> ,		
153	Attitudes, perceptions and potential uptake of male circumcision among older men in Turkana County, Kenya using qualitative methods. <i>PLoS ONE</i> , <b>2014</b> , 9, e83998	3.7	25
152	Barriers and motivators to voluntary medical male circumcision uptake among different age groups of men in Zimbabwe: results from a mixed methods study. <i>PLoS ONE</i> , <b>2014</b> , 9, e85051	3.7	78
151	Implementation of adolescent-friendly voluntary medical male circumcision using a school based recruitment program in rural KwaZulu-Natal, South Africa. <i>PLoS ONE</i> , <b>2014</b> , 9, e96468	3.7	31
150	Women's beliefs about male circumcision, HIV prevention, and sexual behaviors in Kisumu, Kenya. <i>PLoS ONE</i> , <b>2014</b> , 9, e97748	3.7	21
149	Identifying and addressing barriers to uptake of voluntary medical male circumcision in Nyanza, Kenya among men 18-35: a qualitative study. <i>PLoS ONE</i> , <b>2014</b> , 9, e98221	3.7	38
148	Behavior change pathways to voluntary medical male circumcision: narrative interviews with circumcision clients in Zambia. <i>PLoS ONE</i> , <b>2014</b> , 9, e111602	3.7	21
147	Prevalence and acceptability of male circumcision in South Africa. <b>2014</b> , 11, 126-30		7
146	HIV/AIDS Prevention. <b>2014</b> , 100-111.e2		
145	Barriers and facilitators to the uptake of voluntary medical male circumcision (VMMC) among adolescent boys in KwaZulu-Natal, South Africa. <b>2014</b> , 13, 179-87		36
144	A cross-sectional study describing motivations and barriers to voluntary medical male circumcision in Lesotho. <i>BMC Public Health</i> , <b>2014</b> , 14, 1119	4.1	21



143	Effect of providing conditional economic compensation on uptake of voluntary medical male circumcision in Kenya: a randomized clinical trial. <b>2014</b> , 312, 703-11		86
142	Achieving the HIV prevention impact of voluntary medical male circumcision: lessons and challenges for managing programs. <b>2014</b> , 11, e1001641		80
141	Lessons learned from scale-up of voluntary medical male circumcision focusing on adolescents: benefits, challenges, and potential opportunities for linkages with adolescent HIV, sexual, and reproductive health services. <b>2014</b> , 66 Suppl 2, S193-9		42
140	Perceptions of Male Circumcision among Married Couples in Rural Malawi. <b>2014</b> , 13, 443-9		14
139	Male circumcision: a globally relevant but under-utilized method for the prevention of HIV and other sexually transmitted infections. <b>2014</b> , 65, 293-306		61
138	Transformation of HIV from pandemic to low-endemic levels: a public health approach to combination prevention. <b>2014</b> , 384, 272-9		94
137	Acceptability, knowledge, beliefs, and partners as determinants of Zambian men's readiness to undergo medical male circumcision. <i>AIDS and Behavior</i> , <b>2014</b> , 18, 278-84	4-3	26
136	Evidence-based identification of key beliefs explaining adult male circumcision motivation in Zimbabwe: targets for behavior change messaging. <i>AIDS and Behavior</i> , <b>2014</b> , 18, 885-904	4-3	29
135	Risk compensation following male circumcision: results from a two-year prospective cohort study of recently circumcised and uncircumcised men in Nyanza Province, Kenya. <i>AIDS and Behavior</i> , <b>2014</b> , 18, 1764-75	4-3	52
134	Viruses and Man: A History of Interactions. <b>2014</b> ,		8
133	Factors associated with parental non-adoption of infant male circumcision for HIV prevention in Sub-Saharan Africa: a systematic review and thematic synthesis. <i>AIDS and Behavior</i> , <b>2014</b> , 18, 1776-84	4-3	9
132	Is Sex Like Driving? HIV Prevention and Risk Compensation. <b>2014</b> , 106, 78-91		25
131	The Demand for Medical Male Circumcision. <b>2014</b> , 6, 152-177		27
130	Implementation and Operational Research: A Randomized Noninferiority Trial of AccuCirc Device Versus Mogen Clamp for Early Infant Male Circumcision in Zimbabwe. <b>2015</b> , 69, e156-63		11
129	You either have it or you don't: The impact of male circumcision status on sexual partners. <b>2015</b> , 24, 104-119		12
128	Parental factors affecting the circumcision of non-Muslim Chinese boys include education and family history. <b>2015</b> , 104, e569-76		3
127	Knowledge, attitude and acceptance of voluntary male medical circumcision among male students attending Botswana University. <b>2015</b> , 7, 6-14		1
126	Rural Zulu women's knowledge of and attitudes towards medical male circumcision. <b>2015</b> , 7,		6

125	Acceptability of neonatal circumcision by pregnant women in KwaZulu-Natal, South Africa. <b>2015</b> , 38,		5
124	"What do You Mean I've Got to Wait for Six Weeks?!" Understanding the Sexual Behaviour of Men and Their Female Partners after Voluntary Medical Male Circumcision in the Western Cape. <i>PLoS ONE</i> , <b>2015</b> , 10, e0133156	3.7	10
123	Knowledge, Attitudes, Practices and Beliefs about Medical Male Circumcision (MMC) among a Sample of Health Care Providers in Haiti. <i>PLoS ONE</i> , <b>2015</b> , 10, e0134667	3.7	3
122	Acceptability of Male Circumcision among College Students in Medical Universities in Western China: A Cross-Sectional Study. <i>PLoS ONE</i> , <b>2015</b> , 10, e0135706	3.7	3
121	Perceptions about medical male circumcision and sexual behaviours of adults in rural Uganda: a cross sectional study. <b>2015</b> , 22, 354		5
120	Stages of Change for Voluntary Medical Male Circumcision and Sexual Risk Behavior in Uncircumcised Zambian Men: The Spear and Shield Project. <b>2015</b> , 22, 799-806		4
119	Sex is never the same: men's perspectives on refusing circumcision from an in-depth qualitative study in Kwaluseni, Swaziland. <b>2015</b> , 10, 721-38		24
118	HIV prevention: Making male circumcision the 'right' tool for the job. <b>2015</b> , 10, 552-72		22
117	Male circumcision for protection against HIV infection in sub-Saharan Africa: the evidence in favour justifies the implementation now in progress. <b>2015</b> , 10, 639-66		25
116	Infant male circumcision and the autonomy of the child: two ethical questions. <b>2015</b> , 41, 687-90		5
115	Informing the scaling up of voluntary medical male circumcision efforts through the use of theory of reasoned action: survey findings among uncircumcised young men in Swaziland. <i>AIDS Education and Prevention</i> , <b>2015</b> , 27, 153-66	2	6
114	Hybrid forum or network? The social and political construction of an international 'technical consultation': male circumcision and HIV prevention. <b>2015</b> , 10, 589-606		12
113	Perceptions and knowledge of voluntary medical male circumcision for HIV prevention in traditionally non-circumcising communities in South Africa. <b>2015</b> , 10, 692-707		12
112	Men's attitudes: A hindrance to the demand for voluntary medical male circumcision--a qualitative study in rural Mhondoro-Ngezi, Zimbabwe. <b>2015</b> , 10, 708-20		17
111	Hesitance towards voluntary medical male circumcision in Lesotho: reconfiguring global health governance. <b>2015</b> , 10, 757-72		9
110	Toward a Systematic Approach to Generating Demand for Voluntary Medical Male Circumcision: Insights and Results From Field Studies. <b>2015</b> , 3, 209-29		34
109	Perspectives of Parents and Health Care Workers on Early Infant Male Circumcision Conducted Using Devices: Qualitative Findings From Harare, Zimbabwe. <b>2016</b> , 4 Suppl 1, S55-67		5
108	Factors contributing to the low uptake of medical male circumcision in Mutare Rural District, Zimbabwe. <b>2016</b> , 8, e1-6		14

107	Factors associated with acceptability of child circumcision in Botswana -- a cross sectional survey. <i>BMC Public Health</i> , <b>2016</b> , 16, 1053	4.1	3
106	Factors Associated with Knowledge of and Willingness for Adult Male Circumcision in Changsha, China. <i>PLoS ONE</i> , <b>2016</b> , 11, e0148832	3.7	
105	Sequential Cross-Sectional Surveys in Orange Farm, a Township of South Africa, Revealed a Constant Low Voluntary Medical Male Circumcision Uptake among Adults despite Demand Creation Campaigns and High Acceptability. <i>PLoS ONE</i> , <b>2016</b> , 11, e0158675	3.7	4
104	The Influence of Community Members on Participation by Youth in an HIV Vaccine Trial in Tanzania. <i>PLoS ONE</i> , <b>2016</b> , 11, e0168660	3.7	4
103	Psychosocial Results from a Phase I Trial of a Nonsurgical Circumcision Device for Adult Men in Zimbabwe. <b>2016</b> , 30, 25-33		1
102	Long-Term Investment for Infants: Keys to a Successful Early Infant Male Circumcision Program for HIV Prevention and Overall Child Health. <b>2016</b> , 4 Suppl 1, S3-8		4
101	What are the social and individual factors that are associated with undergoing male circumcision as an HIV prevention strategy? A mixed methods study in Malawi. <b>2016</b> , 8, 170-8		1
100	Voluntary medical male circumcision for HIV prevention in fishing communities in Uganda: the influence of local beliefs and practice. <b>2016</b> , 15, 211-8		8
99	Assessment of Different Intervention Models of Male Circumcision and Their Preliminary Effectiveness in Reducing HIV Incidence Among Drug Users in Western China. <b>2016</b> , 32, 972-980		1
98	Safety, Acceptability, and Feasibility of Early Infant Male Circumcision Conducted by Nurse-Midwives Using the AccuCirc Device: Results of a Field Study in Zimbabwe. <b>2016</b> , 4 Suppl 1, S42-54		8
97	Factors associated with married women's support of male circumcision for HIV prevention in Uganda: a population based cross-sectional study. <i>BMC Public Health</i> , <b>2016</b> , 16, 696	4.1	5
96	The Effects of Providing Fixed Compensation and Lottery-Based Rewards on Uptake of Medical Male Circumcision in Kenya: A Randomized Trial. <b>2016</b> , 72 Suppl 4, S299-305		29
95	Men's Understanding of and Experiences During the Postcircumcision Abstinence Period: Results From a Field Study of ShangRing Circumcision During Routine Clinical Services in Kenya and Zambia. <b>2016</b> , 72 Suppl 1, S18-23		5
94	Feasibility and Effectiveness of a Peer Referral Incentive Intervention to Promote Male Circumcision Uptake in Zambia. <b>2016</b> , 72 Suppl 4, S257-63		9
93	Advertising for Demand Creation for Voluntary Medical Male Circumcision. <b>2016</b> , 72 Suppl 4, S288-91		17
92	Use of Economic Compensation to Increase Demand for Voluntary Medical Male Circumcision in Kenya: Qualitative Interviews With Male Participants in a Randomized Controlled Trial and Their Partners. <b>2016</b> , 72 Suppl 4, S306-10		9
91	Strength of Evidence on Demand Creation for Voluntary Medical Male Circumcision From 7 Impact Evaluations in Southern and Eastern Africa. <b>2016</b> , 72 Suppl 4, S321-S325		6
90	Factors Associated with Preference for Early Infant Male Circumcision Among a Representative Sample of Parents in Homa Bay County, Western Kenya. <i>AIDS and Behavior</i> , <b>2016</b> , 20, 2545-2554	4.3	5

89	Medical male circumcision: How does price affect the risk-profile of take-up?. <b>2016</b> , 92, 68-73		3
88	Involving religious leaders in HIV care and treatment at a university-affiliated hospital in Ethiopia: Application of formative inquiry. <b>2017</b> , 12, 416-431		3
87	Christians' cut: popular religion and the global health campaign for medical male circumcision in Swaziland. <i>Culture, Health and Sexuality</i> , <b>2017</b> , 19, 844-858	2.5	4
86	Changes in Male Circumcision Prevalence and Risk Compensation in the Kisumu, Kenya Population, 2008-2013. <b>2017</b> , 74, e30-e37		12
85	Thinking through Resistance. <b>2017</b> ,		
84	Multilevel influences on acceptance of medical male circumcision in Rakai District, Uganda. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , <b>2017</b> , 29, 1049-1055	2.2	2
83	Obtaining a male circumcision prevalence rate of 80% among adults in a short time: An observational prospective intervention study in the Orange Farm township of South Africa. <b>2017</b> , 96, e5328		10
82	Factors associated with the take-up of voluntary medical male circumcision amongst learners in rural KwaZulu-Natal. <b>2017</b> , 16, 251-256		5
81	Impact of Educational Interventions on Acceptance and Uptake of Male Circumcision in the General Population of Western China: A Multicenter Cohort Study. <b>2017</b> , 7, 14931		4
80	Correlates of Condom Use and Procedure Knowledge Among Men Accessing Voluntary Medical Male Circumcision in Malawi. <b>2017</b> , 24, 305-311		
79	Soccer-based promotion of voluntary medical male circumcision: A mixed-methods feasibility study with secondary students in Uganda. <i>PLoS ONE</i> , <b>2017</b> , 12, e0185929	3.7	9
78	Safety and efficacy of the PrePex device in HIV-positive men: A single-arm study in Zimbabwe. <i>PLoS ONE</i> , <b>2017</b> , 12, e0189146	3.7	
77	Circumcision and its effects in Africa. <i>Translational Andrology and Urology</i> , <b>2017</b> , 6, 149-157	2.3	11
76	Male circumcision for HIV prevention: Awareness, risk compensation, and risk perceptions among South African women. <b>2018</b> , 13, 1682-1690		8
75	Rethinking prevention: Shifting conceptualizations of evidence and intervention in South Africa's AIDS epidemic. <b>2018</b> , 13, 148-169		3
74	Physicians' and nurses' thoughts and concerns about introducing neonatal male circumcision in Thailand: a qualitative study. <b>2018</b> , 18, 275		
73	PREDICTORS OF MALE CIRCUMCISION AMONG MEN AGED 15-35 YEARS IN HARARE, ZIMBABWE. <b>2018</b> , 50, 193-211		0
72	Identification of Key Beliefs Explaining Male Circumcision Motivation Among Adolescent Boys in Zimbabwe: Targets for Behavior Change Communication. <i>AIDS and Behavior</i> , <b>2018</b> , 22, 454-470	4.3	5

71	Low Uptake of Voluntary Medical Male Circumcision Among High Risk Men in Malawi. <i>AIDS and Behavior</i> , <b>2018</b> , 22, 447-453	4.3	9
70	Prevalence and Predictors of Uncircumcised, Kenyan Men's Desire for Circumcision for Their Infant Sons. <i>AIDS and Behavior</i> , <b>2018</b> , 22, 471-478	4.3	1
69	Benefits and Costs of the HIV/AIDS Targets for the Post-2015 Development Agenda. <b>2018</b> , 277-286		1
68	Effectiveness of an "Exclusive Intervention Strategy" to increase medical male circumcision uptake among men aged 25-49 years in South Africa. <i>BMC Public Health</i> , <b>2018</b> , 18, 868	4.1	9
67	Adolescent Male Circumcision for HIV Prevention in High Priority Countries: Opportunities for Improvement. <i>Clinical Infectious Diseases</i> , <b>2018</b> , 66, S161-S165	11.6	11
66	Messaging Circumstances and Economic Pressures as Influences on Linkage to Medical Male Circumcision following Community-Based HIV Testing for Men in Rural Southwest Uganda: A Qualitative Study. <i>AIDS Research and Treatment</i> , <b>2018</b> , 2018, 8387436	2.3	2
65	Are circumcised men safer sex partners? Findings from the HAALSI cohort in rural South Africa. <i>PLoS ONE</i> , <b>2018</b> , 13, e0201445	3.7	4
64	Age Differences in Perceptions of and Motivations for Voluntary Medical Male Circumcision Among Adolescents in South Africa, Tanzania, and Zimbabwe. <i>Clinical Infectious Diseases</i> , <b>2018</b> , 66, S173-S182	11.6	14
63	Application of the HIV prevention cascade to identify, develop and evaluate interventions to improve use of prevention methods: examples from a study in east Zimbabwe. <i>Journal of the International AIDS Society</i> , <b>2019</b> , 22 Suppl 4, e25309	5.4	7
62	Use of topical versus injectable anaesthesia for ShangRing circumcisions in men and boys in Kenya: Results from a randomized controlled trial. <i>PLoS ONE</i> , <b>2019</b> , 14, e0218066	3.7	1
61	Immediate Motivators to Seeking Voluntary Medical Male Circumcision Among HIV-Negative Adult Men in an Urban Setting in Botswana. <i>AIDS Education and Prevention</i> , <b>2019</b> , 31, 136-151	2	1
60	Sex and Male Circumcision: Women's Preferences Across Different Cultures and Countries: A Systematic Review. <i>Sexual Medicine</i> , <b>2019</b> , 7, 145-161	2.7	9
59	Perceived HIV-protective benefits of male circumcision: Risk compensatory behaviour among women in Malawi. <i>PLoS ONE</i> , <b>2019</b> , 14, e0211015	3.7	1
58	Does Male Circumcision Reduce Women's Risk of Sexually Transmitted Infections, Cervical Cancer, and Associated Conditions?. <i>Frontiers in Public Health</i> , <b>2019</b> , 7, 4	6	17
57	Utilization of safe male circumcision among adult men in a fishing community in rural Uganda. <i>African Health Sciences</i> , <b>2019</b> , 19, 2645-2653	1.1	2
56	Accuracy of HIV Risk Perception in East Zimbabwe 2003-2013. <i>AIDS and Behavior</i> , <b>2019</b> , 23, 2199-2209	4.3	6
55	Minimally invasive, sutureless, adolescent male circumcision with topical anesthetic: a field trial of Unicirc, a single-use surgical instrument. <i>Translational Andrology and Urology</i> , <b>2020</b> , 9, 516-522	2.3	
54	Mapping male circumcision for HIV prevention efforts in sub-Saharan Africa. <i>BMC Medicine</i> , <b>2020</b> , 18, 189	11.4	8

53	'Our culture prohibits some things': qualitative inquiry into how sociocultural context influences the scale-up of community-based injectable contraceptives in Nigeria. <i>BMJ Open</i> , <b>2020</b> , 10, e035311	3	4
52	Uptake and acceptability of medical male circumcision among young males in two culturally distinct settings in South Africa: A longitudinal, community-based study (the MACHO study). <i>South African Medical Journal</i> , <b>2020</b> , 110, 1050-1055	1.5	
51	Zulu Men's Conceptions, Understanding, and Experiences of Voluntary Medical Male Circumcision in KwaZulu-Natal, South Africa. <i>American Journal of Men's Health</i> , <b>2020</b> , 14, 1557988319892437	2.2	4
50	Acceptability of male circumcision for HIV prevention among men who have sex with men in China: a short report. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , <b>2021</b> , 1-8	2.2	
49	Use of herbal formulations for the treatment of circumcision wounds in Eastern and Southern Africa. <i>Plant Science Today</i> , <b>2021</b> , 8,	2.2	1
48	Towards a context-specific understanding of masculinities in Eswatini within voluntary medical male circumcision programming. <i>Culture, Health and Sexuality</i> , <b>2021</b> , 1-13	2.5	
47	Association between medical male circumcision and HIV risk compensation among heterosexual men: a systematic review and meta-analysis. <i>The Lancet Global Health</i> , <b>2021</b> , 9, e932-e941	13.6	6
46	Description of adverse events among adult men following voluntary medical male circumcision: Findings from a circumcision programme in two provinces of South Africa. <i>PLoS ONE</i> , <b>2021</b> , 16, e0253960	3.7	0
45	Healthcare providers' perceptions and understanding of voluntary medical male circumcision in KwaZulu-Natal, South Africa: A qualitative study. <i>South African Family Practice: Official Journal of the South African Academy of Family Practice/Primary Care</i> , <b>2021</b> , 63, e1-e6	0.6	
44	The Sociocultural Aspects of HIV/AIDS in South Africa. <b>2009</b> , 13-25		28
43	Civil Society's Response to the HIV/AIDS Crisis in Africa. <i>Nonprofit and Civil Society Studies</i> , <b>2014</b> , 361-398		2
42	The Role of Circumcision in Preventing STIs. <b>2011</b> , 715-739		9
41	Male circumcision and global HIV/AIDS epidemic challenges. <i>African Journal of Urology</i> , <b>2019</b> , 25,	1	3
40	Relationships between changes in HIV risk perception and condom use in East Zimbabwe 2003-2013: population-based longitudinal analyses. <i>BMC Public Health</i> , <b>2020</b> , 20, 756	4.1	4
39	Understanding the impact of male circumcision interventions on the spread of HIV in southern Africa. <i>PLoS ONE</i> , <b>2008</b> , 3, e2212	3.7	111
38	Estimating the resources needed and savings anticipated from roll-out of adult male circumcision in Sub-Saharan Africa. <i>PLoS ONE</i> , <b>2008</b> , 3, e2679	3.7	48
37	Acceptability of male circumcision for the prevention of HIV/AIDS in the Dominican Republic. <i>PLoS ONE</i> , <b>2009</b> , 4, e7687	3.7	33
36	Acceptability of medical male circumcision among uncircumcised men in Kenya one year after the launch of the national male circumcision program. <i>PLoS ONE</i> , <b>2011</b> , 6, e19814	3.7	63



35	Voluntary medical male circumcision: a qualitative study exploring the challenges of costing demand creation in eastern and southern Africa. <i>PLoS ONE</i> , <b>2011</b> , 6, e27562	3.7	22
34	Factors influencing Chinese male's willingness to undergo circumcision: a cross-sectional study in western China. <i>PLoS ONE</i> , <b>2012</b> , 7, e30198	3.7	20
33	Acceptability of early infant male circumcision as an HIV prevention intervention in Zimbabwe: a qualitative perspective. <i>PLoS ONE</i> , <b>2012</b> , 7, e32475	3.7	38
32	The PrePex device is unlikely to achieve cost-savings compared to the forceps-guided method in male circumcision programs in sub-Saharan Africa. <i>PLoS ONE</i> , <b>2013</b> , 8, e53380	3.7	14
31	Comparison of three intervention models for promoting circumcision among migrant workers in western China to reduce local sexual transmission of HIV. <i>PLoS ONE</i> , <b>2013</b> , 8, e76107	3.7	9
30	Community and healthcare providers' perspectives on male circumcision: a multi-centric qualitative study in India. <i>PLoS ONE</i> , <b>2014</b> , 9, e91213	3.7	6
29	"If You Are Not Circumcised, I Cannot Say Yes": The Role of Women in Promoting the Uptake of Voluntary Medical Male Circumcision in Tanzania. <i>PLoS ONE</i> , <b>2015</b> , 10, e0139009	3.7	25
28	Modeling Impact and Cost-Effectiveness of Increased Efforts to Attract Voluntary Medical Male Circumcision Clients Ages 20-29 in Zimbabwe. <i>PLoS ONE</i> , <b>2016</b> , 11, e0164144	3.7	10
27	Women's knowledge and perception of male circumcision before and after its roll-out in the South African township of Orange Farm from community-based cross-sectional surveys. <i>PLoS ONE</i> , <b>2017</b> , 12, e0173595	3.7	6
26	The cost of demand creation activities and voluntary medical male circumcision targeting school-going adolescents in KwaZulu-Natal, South Africa. <i>PLoS ONE</i> , <b>2017</b> , 12, e0179854	3.7	7
25	Meeting the Sustainable Development Goal Zero Targets: What Could We Do?. <i>SSRN Electronic Journal</i> ,	1	2
24	"Please Don't Send Us Spam!" A Participative, Theory-Based Methodology for Developing an mHealth Intervention. <i>JMIR MHealth and UHealth</i> , <b>2016</b> , 4, e100	5.5	8
23	Print media reporting of male circumcision for preventing HIV infection in sub-Saharan Africa. <i>Bulletin of the World Health Organization</i> , <b>2009</b> , 87, 595-603	8.2	10
22	Critical Evaluation of a Survey Claiming Long-Term Adverse Outcomes from Neonatal Circumcision. <i>Advances in Sexual Medicine</i> , <b>2019</b> , 09, 67-109	0.2	3
21	Do False Beliefs Predict Increased Circumcision Satisfaction in Men?. <i>Advances in Sexual Medicine</i> , <b>2020</b> , 10, 41-55	0.2	1
20	Overcoming Barriers to Uptake of Voluntary Medical Male Circumcision in a Traditionally Circumcising Community in Machinga District, Malawi. <i>World Journal of AIDS</i> , <b>2017</b> , 07, 40-58	0.3	3
19	HIV Prevention Needs: Primary Prevention and Prevention for People Living with HIV/AIDS. <b>2008</b> , 19-40		
18	Is Sex Like Driving? Risk Compensation Associated with Male Circumcision in Kisumu, Kenya. <i>SSRN Electronic Journal</i> ,	1	

17	Sexual Practices in Africa. <i>International Handbooks of Population</i> , <b>2013</b> , 91-106	0.5	1
16	Risk Compensation in Response to HIV Prevention. <b>2014</b> , 109-137		
15	HIV and AIDS. <b>2014</b> , 267-307		
14	Perceptions of Traditional Male Circumcision among University Male Students at a South African University. <i>Men and Masculinities</i> , <b>2018</b> , 21, 189-209	1.9	0
13	Financial Protection for Adolescents Health Care. <b>2017</b> , 373-395		
12	A cross-sectional study of the factors associated with male circumcision status among college youth in Ndola, Zambia, 2016. <i>Southern African Journal of HIV Medicine</i> , <b>2019</b> , 20,	1.4	
11	Our culture prohibits some things Qualitative inquiry into how sociocultural context influences the scale up of community-based injectable contraceptives in Nigeria.		
10	Circumcised men's perceptions, understanding and experiences of voluntary medical male circumcision in KwaZulu-Natal, South Africa. <i>South African Family Practice: Official Journal of the South African Academy of Family Practice/Primary Care</i> , <b>2020</b> , 62, e1-e8	0.6	1
9	Relationships between changes in HIV risk perception and condom use in east Zimbabwe 2003-2013: Population-based longitudinal analyses.		
8	Social, Behavioral, and Cultural factors of HIV in Malawi: Semi-Automated Systematic Review. <i>Journal of Medical Internet Research</i> , <b>2020</b> , 22, e18747	7.6	2
7	Social, behavioural, and cultural factors of HIV in Malawi: a semi-automated systematic review.		
6	Should female health providers be involved in medical male circumcision? Narratives of newly circumcised men in Malawi. <i>Malawi Medical Journal</i> , <b>2013</b> , 25, 72-7	1.2	6
5	Spatial and Temporal Trends in HIV/AIDS Burden Among Worldwide Regions From 1990 to 2019: A Secondary Analysis of the Global Burden of Disease Study 2019. <i>Frontiers in Medicine</i> , <b>2022</b> , 9,	4.9	0
4	Reducing Mortality Rate of Traditional Male Circumcision through the use of Information and Communication Technology (ICT) in South Africa. <i>The Oriental Anthropologist A Bi-annual International Journal of the Science of Man</i> , <b>2013</b> , 13, 281-291	0.1	
3	Opinions on integrating couple counselling and female sexual reproductive health services into Voluntary Medical Male Circumcision services in Lilongwe, Malawi. <b>2022</b> , 17, e0273627		0
2	Ethical implications of economic compensation for voluntary medical male circumcision for HIV prevention and epidemic control. <b>2022</b> , 2, e0001361		0
1	Knowledge, attitudes and acceptance of voluntary medical male circumcision among males attending high school in Shiselweni region, Eswatini: a cross sectional study. <b>2023</b> , 23,		0