

CITATION REPORT

List of articles citing

Bee foraging ranges and their relationship to body size

DOI: 10.1007/s00442-007-0752-9
Oecologia, 2007, 153, 589-96.

Source: <https://exaly.com/paper-pdf/43145556/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1120	Native bees provide insurance against ongoing honey bee losses. 2007 , 10, 1105-13		330
1119	At what spatial scale do high-quality habitats enhance the diversity of forbs and pollinators in intensively farmed landscapes?. 2007 , 45, 753-762		133
1118	Wild bee pollinators provide the majority of crop visitation across land-use gradients in New Jersey and Pennsylvania, USA. 2007 , 45, 793-802		268
1117	Analysis of pollen loads in a wild bee community (Hymenoptera: Apidae) as a method for elucidating habitat use and foraging distances. 2008 , 39, 456-467		49
1116	Nectar-foraging behavior of Euglossine bees (Hymenoptera: Apidae) in urban areas. 2008 , 39, 410-418		36
1115	Diversity and abundance of bees (Hymenoptera: Apiformes) in native and ruderal grasslands of agriculturally dominated landscapes. 2008 , 124, 200-204		53
1114	How does plant richness affect pollinator richness and temporal stability of flower visits?. 2008 , 117, 1808-1815		257
1113	Landscape effects on crop pollination services: are there general patterns?. 2008 , 11, 499-515		776
1112	Bumblebee flight distances in relation to the forage landscape. 2008 , 77, 406-15		270
1111	Visitation by wild and managed bees (Hymenoptera: Apoidea) to eastern U.S. native plants for use in conservation programs. 2008 , 37, 707-18		101
1110	A Review and Bibliography of the Literature of Honey Bee Colony Collapse Disorder: A Poorly Understood Epidemic that Clearly Threatens the Successful Pollination of Billions of Dollars of Crops in America. 2008 , 9, 115-143		20
1109	Relationship between body size and homing ability in the genus <i>Osmia</i> (Hymenoptera; Megachilidae). 2009 , 34, 158-161		30
1108	Factors limiting the species richness of bees in Saharan Africa. 2009 , 99, 337-46		8
1107	Competition for pollinators between invasive and native plants: Effects of spatial scale of investigation (note). 2009 , 16, 138-141		31
1106	Subalpine bumble bee foraging distances and densities in relation to flower availability. 2009 , 38, 748-56		27
1105	Modelling pollination services across agricultural landscapes. 2009 , 103, 1589-600		248
1104	Reproduction of <i>Amorpha canescens</i> (Fabaceae) and diversity of its bee community in a fragmented landscape. <i>Oecologia</i> , 2009 , 161, 813-23	2.9	16

1103	Small local population sizes and high habitat patch fidelity in a specialised solitary bee. 2009 , 13, 89-95	37
1102	The impact of <i>Solanum elaeagnifolium</i> , an invasive plant in the Mediterranean, on the flower visitation and seed set of the native co-flowering species <i>Glucium flavum</i> . 2009 , 205, 77-85	24
1101	Body size predicts degree in ant-plant mutualistic networks. 2009 , 23, 196-202	33
1100	Taxonomical vs. functional responses of bee communities to fire in two contrasting climatic regions. 2009 , 78, 98-108	136
1099	Contrasting bee foraging in response to resource scale and local habitat management. 2009 , 118, 1174-1180	53
1098	Habitat fragmentation and species loss across three interacting trophic levels: effects of life-history and food-web traits. 2009 , 23, 1167-75	95
1097	Long distance foraging and recruitment by a stingless bee, <i>Melipona mandacaia</i> . 2009 , 40, 472-480	41
1096	Conservation ecology of bees: populations, species and communities. 2009 , 40, 211-236	110
1095	Wild pollinator communities are negatively affected by invasion of alien goldenrods in grassland landscapes. 2009 , 142, 1322-1332	143
1094	Hedgerows in an agri-natural landscape: Potential habitat value for native bees. 2009 , 142, 2140-2154	130
1093	Variation between bee communities on a sand dune complex in the Great Basin Desert, North America: Implications for sand dune conservation. 2009 , 73, 666-671	14
1092	New frontiers in competition for pollination. 2009 , 103, 1403-13	274
1091	Bumble bees (<i>Bombus</i> spp) along a gradient of increasing urbanization. 2009 , 4, e5574	174
1090	Are ecosystem services stabilized by differences among species? A test using crop pollination. 2009 , 276, 229-37	176
1089	Investigating DNA barcoding options for the identification of <i>Caladenia</i> (Orchidaceae) species. 2009 , 57, 276	15
1088	Larval food composition and food plants of the solitary bee <i>Colletes halophilus</i> (Hymenoptera: Colletidae). 2009 , 48, 149-155	8
1087	Are landscape structures insurmountable barriers for foraging bees? A mark-recapture study with two solitary pollen specialist species. 2010 , 41, 497-508	29
1086	Intensification of agriculture, landscape composition and wild bee communities: A large scale study in four European countries. 2010 , 137, 143-150	171

1085	Pollination Syndromes in Mediterranean Orchids—Implications for Speciation, Taxonomy and Conservation. 2010 , 76, 220-240	43
1084	Characterisation of insect and plant origins using DNA extracted from small volumes of bee honey. 2010 , 4, 107-116	25
1083	Bee diversity in a fragmented landscape of the Mexican neotropic. 2010 , 14, 323-334	32
1082	Open areas in a landscape enhance pollen-mediated gene flow of a tree species: evidence from northern Switzerland. 2010 , 25, 903-911	44
1081	Determinates of inner city butterfly and bee species richness. 2010 , 13, 333-347	157
1080	Plant-pollinator population dynamics. 2010 , 78, 270-7	37
1079	Effects of pollinator density-dependent preferences on field margin visitations in the midst of agricultural monocultures: A modelling approach. 2010 , 221, 1310-1316	26
1078	Impacts of a pesticide on pollinator species richness at different spatial scales. 2010 , 11, 106-115	178
1077	Effects of landscape metrics on Apis and non-Apis pollinators and seed set in common buckwheat. 2010 , 11, 594-602	41
1076	Biotic diversity in the Southern African winter-rainfall region. 2010 , 2, 109-116	66
1075	Multiple stressors on biotic interactions: how climate change and alien species interact to affect pollination. 2010 , 85, 777-95	190
1074	Conservation genetics, foraging distance and nest density of the scarce Great Yellow Bumblebee (<i>Bombus distinguendus</i>). 2010 , 19, 2661-74	47
1073	Oilseed rape crops distort plant–pollinator interactions. 2010 , 47, 209-214	100
1072	Taxon-biased diet preference in the generalist beetle-hunting wasp <i>Cerceris rubida</i> provides insights on the evolution of prey specialization in apoid wasps. 2010 , 99, 544-558	17
1071	Life-history traits predict species responses to habitat area and isolation: a cross-continental synthesis. 2010 , 13, 969-79	280
1070	Environmental correlates of body size distributions of European springtails (Hexapoda: Collembola). 2010 , 19, 905-915	27
1069	Two bee-pollinated plant species show higher seed production when grown in gardens compared to arable farmland. 2010 , 5, e11753	39
1068	Floral Resources and Nesting Requirements of the Ground-Nesting Social Bee, <i>Lasioglossum malachurum</i> (Hymenoptera: Halictidae), in a Mediterranean Semiagricultural Landscape. 2010 , 2010, 1-11	16

1067	Interspecific Mouthpart Length Variation and Floral Visitation in the Parasitic Wasp Genus <i>Agathirsia</i> (Braconidae: Agathidinae). 2010 , 103, 566-573	2
1066	Community and species-specific responses of wild bees to insect pest control programs applied to a pollinator-dependent crop. 2010 , 103, 668-75	29
1065	The conservation and restoration of wild bees. 2010 , 1195, 169-97	179
1064	Dispersal capacity and diet breadth modify the response of wild bees to habitat loss. 2010 , 277, 2075-82	186
1063	SocialEcological memory in urban gardensRetaining the capacity for management of ecosystem services. 2010 , 20, 255-265	335
1062	Impacts of coffee agroforestry management on tropical bee communities. 2010 , 143, 1423-1431	85
1061	Ecological and life-history traits predict bee species responses to environmental disturbances. 2010 , 143, 2280-2291	430
1060	Direct effects of habitat area on interaction diversity in pollination webs. 2010 , 20, 1491-7	66
1059	Can Restoration Management Improve Habitat for Insect Pollinators in Ponderosa Pine Forests of the American Southwest?. 2010 , 28, 280-290	7
1058	Forested landscapes promote richness and abundance of native bees (Hymenoptera: Apoidea: Anthophila) in Wisconsin apple orchards. 2011 , 40, 621-32	72
1057	Mobility is related to species traits in noctuid moths. 2011 , 36, 369-376	33
1056	Landscape elements as potential barriers and corridors for bees, wasps and parasitoids. 2011 , 144, 1816-1825	82
1055	Local management and landscape drivers of pollination and biological control services in a Kenyan agro-ecosystem. 2011 , 144, 2424-2431	44
1054	Gardens benefit bees and enhance pollination in intensively managed farmland. 2011 , 144, 2602-2606	88
1053	The role of resources and risks in regulating wild bee populations. 2011 , 56, 293-312	350
1052	A comparison of bee communities of Chicago green roofs, parks and prairies. 2011 , 103, 102-108	147
1051	Determinants of fine-scale spatial genetic structure in three co-occurring rain forest canopy trees in Borneo. 2011 , 13, 47-56	14
1050	Experimental environmental change and mutualistic vs. antagonistic plant flowervisitor interactions. 2011 , 13, 27-35	36

1049	Plant-pollinator interactions within the urban environment. 2011 , 13, 137-150	52
1048	Reconnecting plants and pollinators: challenges in the restoration of pollination mutualisms. 2011 , 16, 4-12	223
1047	Ecological implications of a flower size/number trade-off in tropical forest trees. 2011 , 6, e16111	26
1046	Changing bee and hoverfly pollinator assemblages along an urban-rural gradient. 2011 , 6, e23459	192
1045	Field margins, foraging distances and their impacts on nesting pollinator success. 2011 , 6, e25971	36
1044	Impact of human management on the genetic variation of wild pepper, <i>Capsicum annum</i> var. <i>glabriusculum</i> . 2011 , 6, e28715	33
1043	Stability of pollination services decreases with isolation from natural areas despite honey bee visits. 2011 , 14, 1062-72	537
1042	Local and landscape effects on bee communities of Hungarian winter cereal fields. 2011 , 13, 59-66	34
1041	Complex interactions between components of individual prey specialization affect mechanisms of niche variation in a grasshopper-hunting wasp. 2011 , 80, 1123-33	15
1040	Increased floral divergence in sympatric monkeyflowers. 2011 , 65, 2712-8	73
1039	Obligate association of an oligolectic bee and a seasonal aquatic herb in semi-arid north-eastern Brazil. 2011 , 102, 355-368	18
1038	Gardening in the desert changes bee communities and pollination network characteristics. 2011 , 12, 310-320	27
1037	The potential impacts of insecticides on the life-history traits of bees and the consequences for pollination. 2011 , 12, 321-331	136
1036	Bumblebee colonies produce larger foragers in complex landscapes. 2011 ,	7
1035	A mobility index for Canadian butterfly species based on naturalists' knowledge. 2011 , 20, 2273-2295	34
1034	Fluorescent dye particles as pollen analogues for measuring pollen dispersal in an insect-pollinated forest herb. <i>Oecologia</i> , 2011 , 165, 663-74	2.9 47
1033	An examination of synchrony between insect emergence and flowering in Rocky Mountain meadows. 2011 , 81, 469-491	162
1032	Influence of landscape context on the abundance and diversity of bees in Mediterranean olive groves. 2011 , 101, 557-64	46

1031	Humans versus dogs; a comparison of methods for the detection of bumble bee nests. 2012 , 51, 204-211	23
1030	What shapes local density? The importance of migration rates and local growth for density-patch size relationships in two <i>Cionus</i> weevils. 2012 , 37, 90-98	4
1029	Pollinators Complicate Conservation of an Endemic Plant: <i>Physaria obcordata</i> (Cruciferae) in the Piceance Basin, Colorado. 2012 , 32, 140	2
1028	Short-term responses of native bees to livestock and implications for managing ecosystem services in grasslands. 2012 , 3, art88	38
1027	Common factors influence bee foraging in urban and wildland landscapes. 2012 , 15, 581-598	43
1026	Sex-ratio variation and the function of staminodes in <i>Aralia nudicaulis</i> 1This article is part of a Special Issue entitled <i>Pollination biology research in Canada: Perspectives on a mutualism at different scales</i> 2012 , 90, 575-585	4
1025	Reduced pollinator service and elevated pollen limitation at the geographic range limit of an annual plant. 2012 , 93, 1036-48	96
1024	Complementary habitat use by wild bees in agro-natural landscapes. 2012 , 22, 1535-46	132
1023	Loss in risk-taking: absence of optimal gain or reduction in one's own resources?. 2012 , 229, 443-6	5
1022	Supporting wild pollinators in a temperate agricultural landscape: Maintaining mosaics of natural features and production. 2012 , 149, 84-92	53
1021	Larval food sources of <i>Centris (Heterocentris) analis</i> (Fabricius, 1804) (Hymenoptera: Apidae), an oil-collecting bee. 2012 , 46, 1129-1140	10
1020	Landscape-scale resources promote colony growth but not reproductive performance of bumble bees. 2012 , 93, 1049-58	149
1019	Pollinator community responses to the spatial population structure of wild plants: A pan-European approach. 2012 , 13, 489-499	23
1018	Group size and its effects on collective organization. 2012 , 57, 123-41	95
1017	Biodiversity, Species Interactions and Ecological Networks in a Fragmented World. 2012 , 46, 89-210	213
1016	An assessment of pollen limitation on Chicago green roofs. 2012 , 107, 401-408	46
1015	Interactive effects of large- and small-scale sources of feral honey-bees for sunflower in the Argentine Pampas. 2012 , 7, e30968	16
1014	Individual lifetime pollen and nectar foraging preferences in bumble bees. 2012 , 99, 821-32	28

1013	Explaining variation in the effect of floral density on pollinator visitation. 2012 , 180, 153-66		40
1012	Biodiversity of Native Bees and Crop Pollination with Emphasis on California. 526-537		2
1011	Population genetics of orchid bees in a fragmented tropical landscape. 2012 , 13, 323-332		23
1010	Insect pollination enhances seed yield, quality, and market value in oilseed rape. <i>Oecologia</i> , 2012 , 169, 1025-32	2.9	158
1009	Morphological distance and inter-nest distance account for intra-specific prey overlap in digger wasps (Hymenoptera: Crabronidae). 2012 , 54, 443-454		5
1008	Spillover of functionally important organisms between managed and natural habitats. 2012 , 146, 34-43		298
1007	Rapid Shift in Pollinator Communities Following Invasive Species Removal. 2012 , 20, 593-602		27
1006	Abundance and diversity of wild bees along gradients of heavy metal pollution. 2012 , 49, 118-125		60
1005	Local-scale factors structure wild bee communities in protected areas. 2012 , 49, 998-1008		49
1004	Pitfall trapping bias and arthropod body mass. 2012 , 5, 312-318		24
1003	Pollen use by Megalopta sweat bees in relation to resource availability in a tropical forest. 2012 , 37, 309-317		29
1002	The trait and host plant ecology of aphids and their distribution and abundance in the United Kingdom. 2012 , 21, 405-415		10
1001	Pollinating animals in the urban environment. 2012 , 15, 149-166		68
1000	Relationship between body size and flying-related structures in Neotropical social wasps (Polistinae, Vespidae, Hymenoptera). 2012 , 131, 25-35		9
999	Movement and phenology of bees in a subtropical Australian agricultural landscape. 2013 , 38, 456-464		16
998	Pollinator nesting guilds respond differently to urban habitat fragmentation in an oak-savannah ecosystem. 2013 , 6, 57-66		46
997	The contribution of plant species with a steady-state flowering phenology to native bee conservation and bee pollination services. 2013 , 6, 45-56		16
996	An immunomarking method to determine the foraging patterns of <i>Osmia cornifrons</i> and resulting fruit set in a cherry orchard. 2013 , 44, 738-749		26

995	The bigger, the smaller: relationship between body size and food stores in the stingless bee <i>Melipona flavolineata</i> . 2013 , 44, 324-333	12
994	Trait-dependent responses of flower-visiting insects to distance to semi-natural grasslands and landscape heterogeneity. 2013 , 28, 1283-1292	58
993	Linking life history traits to pollinator loss in fragmented calcareous grasslands. 2013 , 28, 107-120	58
992	Modeling Terrestrial Ecosystem Services. 2013 , 347-361	
991	Evaluation of secondary forests as alternative habitats to primary forests for flower-visiting insects. 2013 , 17, 549-556	15
990	Global change, biodiversity, and ecosystem services: What can we learn from studies of pollination?. 2013 , 14, 453-460	33
989	Interaction networks in a Brazilian cerrado: what changes when you add palynological information to floral visitor data?. 2013 , 45, 418	1
988	An assessment of the potential for pollination facilitation of a rare plant by common plants: <i>Symphotrichum sericeum</i> (Asteraceae) as a case study. 2013 , 91, 34-42	8
987	Inter-tegular span and head width as estimators of fresh and dry body mass in bumblebees (<i>Bombus</i> spp.). 2013 , 60, 251-257	26
986	Movement patterns of solitary bees in a threatened fragmented habitat. 2013 , 44, 90-99	13
985	Resource diversity and landscape-level homogeneity drive native bee foraging. 2013 , 110, 555-8	161
984	Colony size does not predict foraging distance in the ant <i>Temnothorax rugatulus</i> : a puzzle for standard scaling models. 2013 , 60, 93-96	18
983	The presence of the invasive plant <i>Solanum elaeagnifolium</i> deters honeybees and increases pollen limitation in the native co-flowering species <i>Glaucium flavum</i> . 2013 , 15, 385-393	17
982	Solitary bee abundance and species richness in dynamic agricultural landscapes. 2013 , 166, 94-101	79
981	Local habitat characteristics but not landscape urbanization drive pollinator visitation and native plant pollination in forest remnants. 2013 , 160, 10-18	61
980	Explaining the effects of floral density on flower visitor species composition. 2013 , 181, 344-56	13
979	A global quantitative synthesis of local and landscape effects on wild bee pollinators in agroecosystems. 2013 , 16, 584-99	625
978	Decline of nest site availability and nest density of underground bees along a distance gradient from human settlements. 2013 , 16, 170-178	16

977	Diversity and Distribution of Floral Resources Influence the Restoration of Plant-Pollinator Networks on a Reclaimed Strip Mine. 2013 , 21, 713-721	39
976	Habitat loss alters the architecture of plant-pollinator interaction networks. 2013 , 94, 2688-96	70
975	Contrasting effects of mass-flowering crops on bee pollination of hedge plants at different spatial and temporal scales. 2013 , 23, 1938-46	77
974	Responses of social and solitary bees to pulsed floral resources. 2013 , 182, 465-73	31
973	Wild bees visiting cucumber on midwestern U.S. organic farms benefit from near-farm semi-natural areas. 2013 , 106, 97-106	9
972	Habitat Isolation Reduces the Temporal Stability of Island Ecosystems in the Face of Flood Disturbance. 2013 , 48, 225-284	10
971	Monitoring agricultural ecosystems by using wild bees as environmental indicators. 2013 , 8, 53-71	17
970	Human-Induced Disturbance Alters Pollinator Communities in Tropical Mountain Forests. 2013 , 5, 1-14	15
969	Landscape heterogeneity shapes host-parasite interactions and results in apparent plant-virus codivergence. 2013 , 22, 2325-40	46
968	Physiological effects of climate warming on flowering plants and insect pollinators and potential consequences for their interactions. 2013 , 59, 418-426	117
967	Conservative Estimates of Hunting Distance in <i>Cerceris fumipennis</i> Say (Hymenoptera: Crabronidae). 2013 , 48, 299-305	7
966	Changes in wild bee fauna of a grassland in Brazil reveal negative effects associated with growing urbanization during the last 40 years. 2013 , 30, 157-176	42
965	Plant pollinator networks along a gradient of urbanisation. 2013 , 8, e63421	110
964	Species distribution models for crop pollination: a modelling framework applied to Great Britain. 2013 , 8, e76308	41
963	Conspecific and heterospecific plant densities at small-scale can drive plant-pollinator interactions. 2013 , 8, e77361	9
962	Ecosystem-service tradeoffs associated with switching from annual to perennial energy crops in riparian zones of the US Midwest. 2013 , 8, e80093	65
961	Landscape and Local Controls of Insect Biodiversity in Conservation Grasslands: Implications for the Conservation of Ecosystem Service Providers in Agricultural Environments. 2014 , 3, 693-718	8
960	Genetic and ecotypic differentiation in a Californian plant polyploid complex (<i>Grindelia</i> , Asteraceae). 2014 , 9, e95656	8

959	Contribution of insect pollinators to crop yield and quality varies with agricultural intensification. 2014 , 2, e328		116
958	Foraging flight distances of wintering ducks and geese: a review. 2014 , 9,		20
957	. 2014 ,		14
956	Floral neighborhood influences pollinator assemblages and effective pollination in a native plant. <i>Oecologia</i> , 2014 , 176, 465-76	2.9	31
955	Morphological differences between extranidal and intranidal workers in the ant <i>Temnothorax rugatulus</i> , but no effect of body size on foraging distance. 2014 , 61, 367-369		13
954	Mating between <i>Echinacea angustifolia</i> (Asteraceae) individuals increases with their flowering synchrony and spatial proximity. 2014 , 101, 180-9		34
953	Traits and phylogenetic history contribute to network structure across Canadian plant-pollinator communities. <i>Oecologia</i> , 2014 , 176, 545-56	2.9	29
952	Lack of pollinators limits fruit production in commercial blueberry (<i>Vaccinium corymbosum</i>). 2014 , 43, 1574-83		44
951	Aspects of Landscape and Pollinators What is Important to Bee Conservation?. 2014 , 6, 158-175		37
950	A global review of arthropod-mediated ecosystem-services in <i>Vaccinium</i> berry agroecosystems. 2014 , 7, 41-78		27
949	Identification of Megachilid Species (Hymenoptera: Megachilidae) and Other Pollinators in Apple Orchards in Chihuahua, Mxico. 2014 , 97, 1829-1834		2
948	National patterns of functional diversity and redundancy in predatory ground beetles and bees associated with key UK arable crops. 2014 , 51, 142-151		58
947	Larger patches of diverse floral resources increase insect pollinator density, diversity, and their pollination of native wildflowers. 2014 , 15, 701-711		89
946	Bee and wasp responses to a fragmented landscape in southern Brazil. 2014 , 18, 1193-1201		8
945	Reproduction and survival of a solitary bee along native and exotic floral resource gradients. <i>Oecologia</i> , 2014 , 176, 789-98	2.9	23
944	Museum specimens reveal loss of pollen host plants as key factor driving wild bee decline in The Netherlands. 2014 , 111, 17552-7		173
943	Spatial and temporal variation in pollinator community structure relative to a woodland-almond plantation edge. 2014 , 16, 369-381		13
942	Floral resources, body size, and surrounding landscape influence bee community assemblages in oak-savannah fragments. 2014 , 39, 83-93		38

941	Effects of seasonality and farm proximity to forest on Hymenoptera in Tarraz coffee farms. 2014 , 10, 128-132		3
940	Reproductive ecology and genetic variability in natural populations of the wild potato, <i>Solanum kurtzianum</i> . 2014 , 16, 485-94		6
939	Evidence of population bottleneck in <i>Astragalus michauxii</i> (Fabaceae), a narrow endemic of the southeastern United States. 2014 , 15, 153-164		11
938	Pollinator body size mediates the scale at which land use drives crop pollination services. 2014 , 51, 440-449		96
937	Pollination ecology of a plant in its native and introduced areas. 2014 , 56, 1-9		17
936	Functional beetle diversity in managed grasslands: effects of region, landscape context and land use intensity. 2014 , 29, 529-540		23
935	Early mass-flowering crops mitigate pollinator dilution in late-flowering crops. 2014 , 29, 425-435		74
934	Distance to semi-natural grassland influences seed production of insect-pollinated herbs. <i>Oecologia</i> , 2014 , 175, 199-208	2.9	22
933	Greening in the Red Zone. 2014 ,		27
932	Spatio-temporal Genetic Structure of a Tropical Bee Species Suggests High Dispersal Over a Fragmented Landscape. 2014 , 46, 202-209		14
931	Landscape composition and configuration differently affect trap-nesting bees, wasps and their antagonists. 2014 , 172, 56-64		77
930	Natural habitat loss and exotic plants reduce the functional diversity of flower visitors in a heterogeneous subtropical landscape. 2014 , 28, 1117-1126		15
929	Challenges and prospects in the telemetry of insects. 2014 , 89, 511-30		125
928	The winners and losers of land use intensification: pollinator community disassembly is non-random and alters functional diversity. 2014 , 20, 908-917		99
927	Plant-animal interactions in suburban environments: implications for floral evolution. <i>Oecologia</i> , 2014 , 174, 803-15	2.9	17
926	No Evidence of Habitat Loss Affecting the Orchid Bees <i>Eulaema nigrita</i> Lepeletier and <i>Eufriesea auriceps</i> Friese (Apidae: Euglossini) in the Brazilian Cerrado Savanna. 2014 , 43, 509-18		11
925	Mutualism and manipulation in Hadza honeyguide interactions. 2014 , 35, 540-546		19
924	Distance from forest edge affects bee pollinators in oilseed rape fields. 2014 , 4, 370-80		67

923	Influence of functional traits on foraging behaviour and pollination efficiency of wild social and solitary bees visiting coffee (<i>Coffea canephora</i>) flowers in Uganda. 2014 , 53, 69-89	7
922	Humans, bees, and pollination services in the city: the case of Chicago, IL (USA). 2014 , 23, 2857-2874	72
921	Late-season mass-flowering red clover increases bumble bee queen and male densities. 2014 , 172, 138-145	124
920	Species abundance, not diet breadth, drives the persistence of the most linked pollinators as plant-pollinator networks disassemble. 2014 , 183, 600-11	38
919	Small-scale bee patch use is affected equally by flower availability and local habitat configuration. 2014 , 15, 260-268	8
918	Evaluating nesting microhabitat for ground-nesting bees using emergence traps. 2014 , 15, 161-168	58
917	Landscape composition influences pollinators and pollination services in perennial biofuel plantings. 2014 , 193, 1-8	61
916	Pollination and seed set of an obligatory outcrossing plant in an urban/peri-urban gradient. 2014 , 16, 121-131	19
915	Assessing Exposure of Pesticides to Bees. 2014 , 45-74	2
914	Influence of windbreaks and forest borders on abundance and species richness of native pollinators in lowbush blueberry fields in Qubec, Canada. 2015 , 147, 432-442	13
913	Urban drivers of plant-pollinator interactions. 2015 , 29, 879-888	122
912	Red mason bees cannot compete with honey bees for floral resources in a cage experiment. 2015 , 5, 5049-56	32
911	How much flower-rich habitat is enough for wild pollinators? Answering a key policy question with incomplete knowledge. 2015 , 40, 22-35	101
910	Arthropod ecosystem services in apple orchards and their economic benefits. 2015 , 40, 82-96	33
909	Pesticide use within a pollinator-dependent crop has negative effects on the abundance and species richness of sweat bees, <i>Lasioglossum</i> spp., and on bumble bee colony growth. 2015 , 19, 999-1010	22
908	Ecological traits affect the sensitivity of bees to land-use pressures in European agricultural landscapes. 2015 , 52, 1567-1577	94
907	Temperature versus resource constraints: which factors determine bee diversity on Mount Kilimanjaro, Tanzania?. 2015 , 24, 642-652	52
906	Land use change and pollinator extinction debt in exurban landscapes. 2015 , 8, 562-572	5

905	EDITOR'S CHOICE: REVIEW: Trait matching of flower visitors and crops predicts fruit set better than trait diversity. 2015 , 52, 1436-1444	102
904	Hybridization and reproductive isolation between diploid <i>Erythronium mesochoreum</i> and its tetraploid congener <i>E. albidum</i> (Liliaceae). 2015 , 69, 1375-1389	23
903	Does the waggle dance help honey bees to forage at greater distances than expected for their body size?. 2015 , 3,	15
902	Reliability and refinement of the higher taxa approach for bee richness and composition assessments. 2015 , 25, 88-98	14
901	The impact of over 80 years of land cover changes on bee and wasp pollinator communities in England. 2015 , 282, 20150294	86
900	Landscape simplification decreases wild bee pollination services to strawberry. 2015 , 211, 51-56	65
899	Negative effects of pesticides on wild bee communities can be buffered by landscape context. 2015 , 282, 20150299	109
898	Biodiversity conservation across taxa and landscapes requires many small as well as single large habitat fragments. <i>Oecologia</i> , 2015 , 179, 209-22	2.9 62
897	Evidence of forage distance limitations for small bees (Hymenoptera: Apidae). 2015 , 112, 303-310	26
896	Homing abilities of the tropical primitively eusocial paper wasp <i>Ropalidia marginata</i> . 2015 , 201, 795-802	2
895	Determining the foraging potential of oilseed rape to honey bees using aerial surveys and simulations. 2015 , 54, 238-245	1
894	Native wildflower plantings support wild bee abundance and diversity in agricultural landscapes across the United States. 2015 , 25, 2119-31	140
893	Positive density-dependent reproduction regulated by local kinship and size in an understory tropical tree. 2016 , 117, 319-29	11
892	A scientific note on the use of external feeders for the Amazonian stingless bee <i>Melipona flavolineata</i> (Apidae, Meliponini). 2015 , 54, 77-80	0
891	Oil-collecting bee-flower interaction network: do bee size and anther type influence the use of pollen sources?. 2015 , 46, 465-477	5
890	Diversity patterns of wild bees and wasps in managed boreal forests: Effects of spatial structure, local habitat and surrounding landscape. 2015 , 184, 201-208	52
889	Floral morphometry, anthesis, and pollination success of <i>Mammillaria pectinifera</i> (Cactaceae), a rare and threatened endemic species of Central Mexico. 2015 , 116, 29-32	3
888	Soybean crops may benefit from forest pollinators. 2015 , 202, 217-222	29

887	The future of urban agriculture and biodiversity-ecosystem services: Challenges and next steps. 2015 , 16, 189-201	231
886	Exotics on exotics: Pollen analysis of urban bees visiting Sedum on a green roof. 2015 , 18, 419-430	38
885	Drivers of aggregation in a novel arboreal parasite: the influence of host size and infra-populations. 2015 , 45, 197-202	5
884	Wild bee pollinator communities of lowbush blueberry fields: Spatial and temporal trends. 2015 , 16, 73-85	9
883	Sharing enemies: evidence of forest contribution to natural enemy communities in crops, at different spatial scales. 2015 , 8, 359-366	29
882	Sown flower strips in southern Sweden increase abundances of wild bees and hoverflies in the wider landscape. 2015 , 184, 51-58	67
881	Habitat, spatial and temporal drivers of diversity patterns in a wild bee assemblage. 2015 , 24, 1195-1214	38
880	Impact of past climatic changes and resource availability on the population demography of three food-specialist bees. 2015 , 24, 1074-90	16
879	Pollination service to urban agriculture in San Francisco, CA. 2015 , 18, 885-893	39
878	EDITOR'S CHOICE: Small-scale restoration in intensive agricultural landscapes supports more specialized and less mobile pollinator species. 2015 , 52, 602-610	108
877	Absence of nectar resource partitioning in a community of parasitoid wasps. 2015 , 19, 703-711	9
876	Turnover in bee species composition and functional trait distributions between seasons in a tropical agricultural landscape. 2015 , 211, 185-194	17
875	Breaking-bud pollination: a new pollination process in partially opened flowers by small bees. 2015 , 128, 803-11	2
874	The potential for crop to wild hybridization in eggplant (<i>Solanum melongena</i> ; Solanaceae) in southern India. 2015 , 102, 129-39	24
873	Pollination services from field-scale agricultural diversification may be context-dependent. 2015 , 207, 17-25	58
872	Seed coating with a neonicotinoid insecticide negatively affects wild bees. 2015 , 521, 77-80	624
871	The effect of repeated, lethal sampling on wild bee abundance and diversity. 2015 , 6, 1044-1054	52
870	Permeability of matrices of agricultural crops to Euglossina bees (Hymenoptera, Apidae) in the Atlantic Rain Forest. 2015 , 46, 691-702	14

869	Specialization of pollination systems of two co-flowering phenotypically generalized <i>Hypericum</i> species (Hypericaceae) in Cameroon. 2015 , 9, 241-252	7
868	<i>Solidago canadensis</i> impacts on native plant and pollinator communities in different-aged old fields. 2015 , 16, 335-346	67
867	Abundance of common species, not species richness, drives delivery of a real-world ecosystem service. 2015 , 18, 626-35	336
866	Host manipulation of bumble bee queens by <i>Sphaerularia</i> nematodes indirectly affects foraging of non-host workers. 2015 , 96, 1361-70	8
865	Contrasting patterns in species and functional-trait diversity of bees in an agricultural landscape. 2015 , 52, 706-715	93
864	Bumble bees show trait-dependent vulnerability to landscape simplification. 2015 , 24, 3469-3489	36
863	Landscape simplification filters species traits and drives biotic homogenization. 2015 , 6, 8568	260
862	Remote Sensing and Ecosystem Services: Current Status and Future Opportunities for the Study of Bees and Pollination-Related Services. 2015 , 1, 261-274	12
861	Effects of habitat composition and landscape structure on worker foraging distances of five bumblebee species. 2015 , 150819033522003	
860	Does multi-level environmental filtering determine the functional and phylogenetic composition of wild bee species assemblages?. 2015 , 38, 140-153	26
859	Flowering phenology and nesting resources influence pollinator community composition in a fragmented ecosystem. 2015 , 30, 261-272	33
858	Species richness of wild bees, but not the use of managed honeybees, increases fruit set of a pollinator-dependent crop. 2015 , 52, 323-330	106
857	Pollination services are mediated by bee functional diversity and landscape context. 2015 , 200, 12-20	132
856	Profiling crop pollinators: life history traits predict habitat use and crop visitation by Mediterranean wild bees. 2015 , 25, 742-52	28
855	Interactive effect of floral abundance and semi-natural habitats on pollinators in field beans (<i>Vicia faba</i>). 2015 , 199, 58-66	46
854	Proximity to Woodland and Landscape Structure Drives Pollinator Visitation in Apple Orchard Ecosystem. 2016 , 4,	35
853	Contrasting Foraging Patterns: Testing Resource-Concentration and Dilution Effects with Pollinators and Seed Predators. 2016 , 7,	14
852	Switchgrass (<i>Panicum virgatum</i>) Intercropping within Managed Loblolly Pine (<i>Pinus taeda</i>) Does Not Affect Wild Bee Communities. 2016 , 7,	9

851	Contrasting Pollinators and Pollination in Native and Non-Native Regions of Highbush Blueberry Production. 2016 , 11, e0158937	25
850	Hedgerow presence does not enhance indicators of nest-site habitat quality or nesting rates of ground-nesting bees. 2016 , 24, 499-505	27
849	Spill-over of pest control and pollination services into arable crops. 2016 , 231, 15-23	60
848	Watermelon pollinators exhibit complementarity in both visitation rate and single-visit pollination efficiency. 2016 , 53, 360-370	31
847	Sunflower (<i>Helianthus annuus</i>) pollination in California's Central Valley is limited by native bee nest site location. 2016 , 26, 438-47	28
846	A new model for ecological networks using species-level traits. 2016 , 7, 232-241	18
845	Limited direct effects of a massive wildfire on its sagebrush steppe bee community. 2016 , 41, 317-326	17
844	Impact of honeybee (<i>Apis mellifera</i> L.) density on wild bee foraging behaviour. 2016 , 60, 49-62	10
843	Measuring the functional redundancy of biological communities: a quantitative guide. 2016 , 7, 1386-1395	117
842	The bees don't know and the flowers don't care: the effect of heterospecific pollen on reproduction in co-occurring <i>Thysanotus</i> species (<i>Asparagaceae</i>) with similar flowers. 2016 , 181, 640-650	4
841	Local differences in parasitism and competition shape defensive investment in a polymorphic eusocial bee. 2016 , 97, 417-26	16
840	Using Pollinator Seed Mixes in Landscape Restoration Boosts Bee Visitation and Reproduction in the Rare Local Endemic Santa Susana Tarweed, <i>Deinandra minthornii</i> . 2016 , 36, 512-522	2
839	Modeling local spatial patterns of wild bee diversity in Pennsylvania apple orchards. 2016 , 31, 2459-2469	16
838	Pollination Services to Agriculture. 2016 ,	3
837	Microsatellites for <i>Oenothera gayleana</i> and <i>O. hartwegii</i> subsp. <i>filifolia</i> (<i>Onagraceae</i>), and their utility in section <i>Calylophus</i> . 2016 , 4, 1500107	2
836	Inter-assemblage facilitation: the functional diversity of cavity-producing beetles drives the size diversity of cavity-nesting bees. 2016 , 6, 412-25	12
835	The effects of habitat management on the species, phylogenetic and functional diversity of bees are modified by the environmental context. 2016 , 6, 961-73	16
834	Urban gardens promote bee foraging over natural habitats and plantations. 2016 , 6, 1304-16	63

833	The phylogenetic structure of plant-pollinator networks increases with habitat size and isolation. 2016 , 19, 29-36	34
832	Spatiotemporal changes in flying insect abundance and their functional diversity as a function of distance to natural habitats in a mass flowering crop. 2016 , 229, 21-29	26
831	Landscape and Local Correlates of Bee Abundance and Species Richness in Urban Gardens. 2016 , 45, 592-601	50
830	Pollination service delivery for European crops: Challenges and opportunities. 2016 , 128, 1-7	19
829	Wild Bees in Cultivated City Gardens. 2016 , 207-227	2
828	Sowing Seeds in the City. 2016 ,	3
827	The value of pollinator-friendly practices: Synergies between natural and anthropogenic assets. 2016 , 17, 659-667	9
826	Bee diversity and abundance in a livestock drove road and its impact on pollination and seed set in adjacent sunflower fields. 2016 , 232, 336-344	15
825	Comparing diversity to flower-bee interaction networks reveals unsuccessful foraging of native bees in disturbed habitats. 2016 , 202, 110-118	22
824	Protecting an Ecosystem Service. 2016 , 54, 135-206	81
823	Beekeeping practices and geographic distance, not land use, drive gene flow across tropical bees. 2016 , 25, 5345-5358	27
822	The Importance of Phenological Diversity in Seed Mixes for Pollinator Restoration. 2016 , 36, 531	20
821	Apini and Meliponini foraging activities influence the phenolic content of different types of Malaysian honey. 2016 , 55, 137-150	10
820	Variable patterns of intraspecific sexual size dimorphism and allometry in three species of eusocial corbiculate bees. 2016 , 63, 493-500	5
819	Extrapolation of acute toxicity across bee species. 2016 , 12, 622-6	24
818	Sugar concentration in nectar: a quantitative metric of crop attractiveness for refined pollinator risk assessments. 2016 , 72, 1807-12	16
817	Diet characterisation of solitary bees on farmland: dietary specialisation predicts rarity. 2016 , 25, 2655-2671	28
816	Maternal manipulation of pollen provisions affects worker production in a small carpenter bee. 2016 , 70, 1891-1900	36

815	Measuring partner choice in plant-pollinator networks: using null models to separate rewiring and fidelity from chance. 2016 , 97, 2925-2931	18
814	Trade-offs between energy maximization and parental care in a central place forager, the sea otter. 2016 , 27, 1552-1566	23
813	Persistent nesting by <i>Anthophora latreille</i> , 1803 (Hymenoptera: Apidae) bees in ash adjacent to an active volcano. 2016 , 92, 67-78	5
812	Effects of forest and cave proximity on fruit set of tree crops in tropical orchards in Southern Thailand. 2016 , 32, 269-279	25
811	The Role of Floral Density in Determining Bee Foraging Behavior: A Natural Experiment. 2016 , 36, 392-399	6
810	Stewardship in Action. 2016 , 36, 538-541	
809	Landscape structure influences bee community and coffee pollination at different spatial scales. 2016 , 235, 1-12	54
808	Bee Fauna and Floral Abundance Within Lawn-Dominated Suburban Yards in Springfield, MA. 2016 , 109, 713-723	37
807	Land-use change has no detectable effect on reproduction of a disturbance-adapted, hawkmoth-pollinated plant species. 2016 , 103, 1950-1963	12
806	The proportion of impervious surfaces at the landscape scale structures wild bee assemblages in a densely populated region. 2016 , 6, 6599-6615	65
805	An extended patch-dynamic framework for food chains in fragmented landscapes. 2016 , 6, 33100	15
804	Features of urban green space favourable for large and diverse bee populations (Hymenoptera: Apoidea: Apiformes). 2016 , 20, 448-452	37
803	Common Methods for Tallgrass Prairie Restoration and Their Potential Effects on Bee Diversity. 2016 , 36, 400-411	18
802	Field Experiments of Pollination Ecology: The Case of <i>Lycoris sanguinea</i> var. <i>sanguinea</i> . 2016 ,	0
801	Effects of habitat composition and landscape structure on worker foraging distances of five bumble bee species. 2016 , 26, 726-39	68
800	Temporal dynamics influenced by global change: bee community phenology in urban, agricultural, and natural landscapes. 2016 , 22, 1046-53	40
799	Resources or landmarks: which factors drive homing success in <i>Tetragonula carbonaria</i> foraging in natural and disturbed landscapes?. 2016 , 202, 701-8	6
798	Competition between managed honeybees and wild bumblebees depends on landscape context. 2016 , 17, 609-616	66

797	Generalist Behavior Describes Pollen Foraging for Perceived Oligolectic and Polylectic Bees. 2016 , 45, 909-19	28
796	Wild bees as pollinators of city trees. 2016 , 9, 97-107	28
795	Use of human-made nesting structures by wild bees in an urban environment. 2016 , 20, 239-253	43
794	Intraspecific body size increases with habitat fragmentation in wild bee pollinators. 2016 , 31, 1449-1455	51
793	Pollination services for apple are dependent on diverse wild bee communities. 2016 , 221, 1-7	80
792	Parameterization of the InVEST Crop Pollination Model to spatially predict abundance of wild blueberry (<i>Vaccinium angustifolium</i> Aiton) native bee pollinators in Maine, USA. 2016 , 79, 1-9	31
791	Mass flowering crops in a patchy agricultural landscape can reduce bee abundance in adjacent shrublands. 2016 , 223, 22-30	20
790	Collateral effects of beekeeping: Impacts on pollen-nectar resources and wild bee communities. 2016 , 17, 199-209	47
789	Community composition of butterflies and bumblebees in fallows: niche breadth and dispersal capacity modify responses to fallow type and landscape. 2016 , 20, 23-34	14
788	Habitat management on multiple spatial scales can enhance bee pollination and crop yield in tropical homegardens. 2016 , 223, 144-151	26
787	Mating system divergence affects the distribution of sequence diversity within and among populations of recently diverged subspecies of <i>Clarkia xantiana</i> (Onagraceae). 2016 , 103, 99-109	17
786	Diverse landscapes have a higher abundance and species richness of spring wild bees by providing complementary floral resources over bees' foraging periods. 2016 , 31, 1523-1535	74
785	Crop yield is correlated with honey bee hive density but not in high-woodland landscapes. 2016 , 218, 53-57	25
784	Modeling the status, trends, and impacts of wild bee abundance in the United States. 2016 , 113, 140-5	253
783	Patterns of among- and within-species variation in heterospecific pollen receipt: The importance of ecological generalization. 2016 , 103, 396-407	47
782	Effects of fire on pollinators and pollination. 2017 , 54, 313-322	41
781	Flight range of the Australian stingless bee <i>Tetragonula carbonaria</i> (Hymenoptera: Apidae). 2017 , 56, 50-53	30
780	Optimal location selection for the installation of urban green roofs considering honeybee habitats along with socio-economic and environmental effects. 2017 , 189, 125-133	22

779	Effects of Habitat Fragmentation on the Nesting Dynamics of Desert Bees. 2017 , saw081	2
778	Multi-site interactions: Understanding the offsite impacts of land use change on the use and supply of ecosystem services. 2017 , 23, 158-164	19
777	Horizontal and vertical island biogeography of arthropods on green roofs: a review. 2017 , 20, 911-917	18
776	Habitat fragmentation differentially affects trophic levels and alters behavior in a multi-trophic marine system. <i>Oecologia</i> , 2017 , 183, 899-908	2.9 9
775	Both landscape and local scale factors matter for the parental investment strategies of the pollinator <i>Osmia caerulescens</i> . 2017 , 56, 1-12	3
774	Wild bee community change over a 26-year chronosequence of restored tallgrass prairie. 2017 , 25, 650-660	35
773	Responses of insect herbivores and herbivory to habitat fragmentation: a hierarchical meta-analysis. 2017 , 20, 264-272	66
772	Disentangling the contributions of dispersal limitation, ecological drift, and ecological filtering to wild bee community assembly. 2017 , 8, e01650	8
771	Using DNA metabarcoding to investigate honey bee foraging reveals limited flower use despite high floral availability. 2017 , 7, 42838	72
770	Promoting diverse communities of wild bees and hoverflies requires a landscape approach to managing meadows. 2017 , 239, 376-384	22
769	Barriers to dispersal of rain forest butterflies in tropical agricultural landscapes. 2017 , 49, 206-216	20
768	Enhancing pollination supply in an urban ecosystem through landscape modifications. 2017 , 162, 157-166	28
767	Floral abundance, richness, and spatial distribution drive urban garden bee communities. 2017 , 107, 658-667	31
766	Replication of honey bee-associated RNA viruses across multiple bee species in apple orchards of Georgia, Germany and Kyrgyzstan. 2017 , 146, 14-23	33
765	Factors affecting bee communities in forest openings and adjacent mature forest. 2017 , 394, 111-122	37
764	Population genetics of wild and managed pollinators: implications for crop pollination and the genetic integrity of wild bees. 2017 , 18, 667-677	6
763	Novel Consequences of Bird Pollination for Plant Mating. 2017 , 22, 395-410	57
762	Sustained functional composition of pollinators in restored pastures despite slow functional restoration of plants. 2017 , 7, 3836-3846	15

761	The relative importance of pollinator abundance and species richness for the temporal variance of pollination services. 2017 , 98, 1807-1816	20
760	Long-term yield trends of insect-pollinated crops vary regionally and are linked to neonicotinoid use, landscape complexity, and availability of pollinators. 2017 , 11, 449-461	11
759	Robustness of metacommunities with omnivory to habitat destruction: disentangling patch fragmentation from patch loss. 2017 , 98, 1631-1639	20
758	Contrasting Patterns in Solitary and Eusocial Bees While Responding to Landscape Features in the Brazilian Cerrado: a Multiscaled Perspective. 2017 , 46, 264-274	6
757	Big city : using natural history and land-use history to find significant environmental drivers in bumble-bee declines in urban development. 2017 , 4, 170156	38
756	Interactions between bee foraging and floral resource phenology shape bee populations and communities. 2017 , 21, 75-82	63
755	Landscape effects on pollinator communities and pollination services in small-holder agroecosystems. 2017 , 246, 109-116	22
754	Diverse responses of species to landscape fragmentation in a simple food chain. 2017 , 86, 1169-1178	22
753	Environmental heterogeneity and the evolution of plant-virus interactions: Viruses in wild pepper populations. 2017 , 241, 68-76	25
752	Wildflower Plantings Do Not Compete With Neighboring Almond Orchards for Pollinator Visits. 2017 , 46, 559-564	15
751	Foraging Distance and Population Size of Juvenile Colonies of the Formosan Subterranean Termite (Isoptera: Rhinotermitidae) in Laboratory Extended Arenas. 2017 , 110, 1728-1735	21
750	High mitochondrial DNA diversity and lack of population structure in a solitary cavity-nesting bee in an urban landscape. 2017 , 121, 564-575	5
749	Pollinator identity and spatial isolation influence multiple paternity in an annual plant. 2017 , 26, 4296-4308	20
748	Assessing wild bees in perennial bioenergy landscapes: effects of bioenergy crop composition, landscape configuration, and bioenergy crop area. 2017 , 32, 1023-1037	12
747	Sweat bees on hot chillies: provision of pollination services by native bees in traditional slash-and-burn agriculture in the Yucatán Peninsula of tropical Mexico. 2017 , 54, 1814-1824	24
746	Using the waggle dance to determine the spatial ecology of honey bees during commercial crop pollination. 2017 , 19, 210-216	13
745	Forested field edges support a greater diversity of wild pollinators in lowbush blueberry (<i>Vaccinium angustifolium</i>). 2017 , 237, 154-161	16
744	Foraging in an unsteady world: bumblebee flight performance in field-realistic turbulence. 2017 , 7, 20160086	26

743	Bee communities along a prairie restoration chronosequence: similar abundance and diversity, distinct composition. 2017 , 27, 705-717	27
742	An assessment of the efficacy and peak catch rates of emergence tents for measuring bee nesting. 2017 , 5, 1700007	7
741	A worldwide survey of neonicotinoids in honey. 2017 , 358, 109-111	227
740	More than euglossines: the diverse pollinators and floral scents of Zygopetalinae orchids. 2017 , 104, 92	7
739	Metamorphosis is induced by food absence rather than a critical weight in the solitary bee,. 2017 , 114, 10924-10929	25
738	Foraging traits modulate stingless bee community disassembly under forest loss. 2017 , 86, 1404-1416	26
737	Dimensions of biodiversity loss: Spatial mismatch in land-use impacts on species, functional and phylogenetic diversity of European bees. 2017 , 23, 1435-1446	27
736	The Stingless Bee <i>Melipona solani</i> Deposits a Signature Mixture and Methyl Oleate to Mark Valuable Food Sources. 2017 , 43, 945-954	5
735	Railway lines affect spatial turnover of pollinator communities in an agricultural landscape. 2017 , 23, 1090-1097	12
734	Pollinator importance networks illustrate the crucial value of bees in a highly speciose plant community. 2017 , 7, 8389	47
733	Integrated Crop Pollination: Combining strategies to ensure stable and sustainable yields of pollination-dependent crops. 2017 , 22, 44-60	59
732	Food web persistence in fragmented landscapes. 2017 , 284,	20
731	Location of bumblebee nests is predicted by counts of nest-searching queens. 2017 , 42, 731-736	15
730	Sampling technique affects detection of habitat factors influencing wild bee communities. 2017 , 21, 703-714	24
729	The role of field margins in supporting wild bees in Mediterranean cereal agroecosystems: Which biotic and abiotic factors are important?. 2017 , 247, 216-224	21
728	Florally rich habitats reduce insect pollination and the reproductive success of isolated plants. 2017 , 7, 6507-6518	12
727	Exotic species enhance response diversity to land-use change but modify functional composition. 2017 , 284,	15
726	Adding landscape genetics and individual traits to the ecosystem function paradigm reveals the importance of species functional breadth. 2017 , 114, 12761-12766	24

725	Temporal population genetic structure in the pollen pool for flowering time: A field experiment with <i>Brassica rapa</i> (Brassicaceae). 2017 , 104, 1569-1580	5
724	Floral Strips Attract Beneficial Insects but Do Not Enhance Yield in Cucumber Fields. 2017 , 110, 517-524	21
723	Evaluation of Malaise and Yellow Pan Trap Performance to Assess Velvet Ant (Hymenoptera: Mutillidae) Diversity in a Neotropical Savanna. 2017 , 46, 353-361	3
722	High levels of male diploidy but low levels of genetic structure characterize <i>Bombus vosnesenskii</i> populations across the Western US. 2017 , 18, 597-605	4
721	Inferring the foraging ranges of social bees from sibling genotypes sampled across discrete locations. 2017 , 18, 645-658	6
720	Towards an integrated species and habitat management of crop pollination. 2017 , 21, 105-114	36
719	Patterns of pollinator turnover and increasing diversity associated with urban habitats. 2017 , 20, 1359-1371	43
718	Relationships among ecological traits of wild bee communities along gradients of habitat amount and fragmentation. 2017 , 40, 85-97	49
717	Dispersal of the orchid bee <i>Euglossa imperialis</i> over degraded habitat and intact forest. 2017 , 18, 621-630	5
716	The structure of flower visitor networks in relation to pollination across an agricultural to urban gradient. 2017 , 31, 838-847	57
715	Temporal niche overlap and distinct bee ability to collect floral resources on three species of Brazilian Malpighiaceae. 2017 , 48, 168-180	11
714	Is China's unparalleled and understudied bee diversity at risk?. 2017 , 210, 19-28	16
713	Distribution of genetic variation in five coppice growth traits among natural populations of seven North American willow (<i>Salix</i>) species. 2017 , 47, 36-46	4
712	Worker size in honeybees and its relationship with season and foraging distance. 2017 , 48, 234-246	8
711	Natural vegetation cover in the landscape and edge effects: differential responses of insect orders in a fragmented forest. 2017 , 24, 891-901	16
710	Influence of the honeybee and trait similarity on the effect of a non-native plant on pollination and network rewiring. 2017 , 31, 142-152	18
709	Pollination reservoirs for wild bee habitat enhancement in cropping systems: a review. 2017 , 41, 101-142	44
708	Landscape impacts on pollinator communities in temperate systems: evidence and knowledge gaps. 2017 , 31, 26-37	92

707	Optimizing Pest Management Practices to Conserve Pollinators in Turf Landscapes: Current Practices and Future Research Needs. 2017 , 8,	10
706	Urban arthropods respond variably to changes in landscape context and spatial scale. 2017 , 3,	43
705	Bee Community of Commercial Potato Fields in Michigan and <i>Bombus impatiens</i> Visitation to Neonicotinoid-Treated Potato Plants. 2017 , 8,	10
704	Relationships between abiotic environment, plant functional traits, and animal body size at Mount Kilimanjaro, Tanzania. 2017 , 12, e0174157	9
703	Population genetics and adaptation to climate along elevation gradients in invasive <i>Solidago canadensis</i> . 2017 , 12, e0185539	14
702	Massively Introduced Managed Species and Their Consequences for Plant-Pollinator Interactions. 2017 , 57, 147-199	80
701	Forest-edge associated bees benefit from the proportion of tropical forest regardless of its edge length. 2018 , 220, 149-160	21
700	To mow or to mow less: Lawn mowing frequency affects bee abundance and diversity in suburban yards. 2018 , 221, 160-174	74
699	Complementary crops and landscape features sustain wild bee communities. 2018 , 28, 1093-1105	23
698	Contemporary pollen flow as a multiscale process: Evidence from the insect-pollinated herb, <i>Pulsatilla vulgaris</i> . 2018 , 106, 2242-2255	9
697	Floral morphology as the main driver of flower-feeding insect occurrences in the Paris region. 2018 , 21, 585-598	11
696	Bee diversity in crop fields is influenced by remotely-sensed nesting resources in surrounding permanent grasslands. 2018 , 90, 606-614	15
695	Pollination and reproduction of an invasive plant inside and outside its ancestral range. 2018 , 89, 11-20	8
694	Landscape and crop management strategies to conserve pollination services and increase yields in tropical coffee farms. 2018 , 256, 218-225	40
693	Species turnover promotes the importance of bee diversity for crop pollination at regional scales. 2018 , 359, 791-793	147
692	Wild bee abundance declines with urban warming, regardless of floral density. 2018 , 21, 419-428	55
691	Exotic flies maintain pollination services as native pollinators decline with agricultural expansion. 2018 , 55, 1737-1746	23
690	Bee species recorded between 1992 and 2017 from green roofs in Asia, Europe, and North America, with key characteristics and open research questions. 2018 , 49, 307-313	7

689	Variation of Body Size in Rice Water Weevil (Coleoptera: Curculionidae) and Its Associations with Population Biology. 2018 , 18,	0
688	Anthropogenic hive movements are changing the genetic structure of a stingless bee (<i>Tetragonula carbonaria</i>) population along the east coast of Australia. 2018 , 19, 619-627	6
687	Simulation-based modeling of wild blueberry pollination. 2018 , 144, 94-101	22
686	Experimental small-scale flower patches increase species density but not abundance of small urban bees. 2018 , 55, 1759-1768	12
685	Reproductive biology and pollination of the carnivorous <i>Genlisea violacea</i> (Lentibulariaceae). 2018 , 20, 591-601	7
684	Summer Flowering Cover Crops Support Wild Bees in Vineyards. 2018 , 47, 63-69	12
683	Pollen sleuthing for terrestrial plant surveys: Locating plant populations by exploiting pollen movement. 2018 , 6, e1020	
682	Nesting biology of three Megachile (Hymenoptera: Megachilidae) species from Eastern Amazonia, Brazil. 2018 , 62, 97-106	4
681	Climate and habitat influences on bee community structure in Western Canada. 2018 , 96, 1002-1009	3
680	Landscape spatial configuration is a key driver of wild bee demographics. 2018 , 25, 172-182	7
679	Honey bees are essential for pollination of <i>Vitellaria paradoxa</i> subsp. <i>paradoxa</i> (Sapotaceae) in Burkina Faso. 2018 , 92, 23-34	3
678	Indicators of ecosystem potential for pollination and honey production. 2018 , 94, 33-45	13
677	Effects of landscape cover and local habitat characteristics on visiting bees in tropical orchards. 2018 , 20, 28-40	10
676	Species traits explain long-term population trends of Finnish cuckoo wasps (Hymenoptera: Chrysididae). 2018 , 11, 58-71	5
675	Prescribed patch burnings increase thrips species richness and body size in grassland communities. 2018 , 11, 204-212	8
674	Forest bees are replaced in agricultural and urban landscapes by native species with different phenologies and life-history traits. 2018 , 24, 287-296	63
673	Flower visitor communities are similar on remnant and reconstructed tallgrass prairies despite forb community differences. 2018 , 26, 751-759	6
672	Local extinction of a rare plant pollinator in Southern Utah (USA) associated with invasion by Africanized honey bees. 2018 , 20, 593-606	15

671	Forest fragmentation and loss reduce richness, availability, and specialization in tropical hummingbird communities. 2018 , 50, 74-83	18
670	Grassland connectivity in fragmented agricultural landscapes of the north-central United States. 2018 , 217, 121-130	42
669	Small-scale agricultural landscapes and organic management support wild bee communities of cereal field boundaries. 2018 , 254, 92-98	25
668	Seasonal Food Scarcity Prompts Long-Distance Foraging by a Wild Social Bee. 2018 , 191, 45-57	29
667	Mobility and resource use influence the occurrence of pollinating insects in restored seminatural grassland fragments. 2018 , 26, 873-881	15
666	Pollen load diversity and foraging niche overlap in a pollinator community of the rare <i>Dictamnus albus</i> L.. 2018 , 12, 191-200	4
665	Plant-pollinator interactions and bee functional diversity are driven by agroforests in rice-dominated landscapes. 2018 , 253, 140-147	20
664	On the inconsistency of pollinator species traits for predicting either response to land-use change or functional contribution. 2018 , 127, 306-315	41
663	A Review of Native Wild Bee Nutritional Health. 2018 , 2018, 1-10	15
662	Applying generalized allometric regressions to predict live body mass of tropical and temperate arthropods. 2018 , 8, 12737-12749	14
661	Activity rhythm and action range of workers of the invasive hornet predator of honeybees , measured by radio frequency identification tags. 2018 , 8, 7588-7598	21
660	Wildflower strips enhance pollination in adjacent strawberry crops at the small scale. 2018 , 8, 11775-11784	16
659	Bee movement across heterogeneous tropical forests: multi-paternal analyses reveal the importance of neighborhood composition for pollen dispersal. 2018 , 50, 908-918	7
658	Dispersal in Host?Parasitoid Interactions: Crop Colonization by Pests and Specialist Enemies. 2018 , 9,	5
657	Pollination Biology of the Hawaiian Coastal Vine <i>Jacquemontia sandwicensis</i> (Convolvulaceae). 2018 , 72, 485-499	2
656	Wild, native bees and managed honey bees benefit from similar agricultural land uses. 2018 , 268, 162-170	32
655	Local and landscape factors affect sunflower pollination in a Mediterranean agroecosystem. 2018 , 13, e0203990	10
654	Current and previous spatial distributions of oilseed rape fields influence the abundance and the body size of a solitary wild bee, <i>Andrena cineraria</i> , in permanent grasslands. 2018 , 13, e0197684	6

653	Estimates of accessible food resources for pollinators in urban landscapes should take landscape friction into account. 2018 , 9, e02486	2
652	Pollinator Community Assembly Tracks Changes in Floral Resources as Restored Hedgerows Mature in Agricultural Landscapes. 2018 , 6,	25
651	Crop fertilization affects pollination service provision - Common bean as a case study. 2018 , 13, e0204460	20
650	Phylogenetic homogenization of bee communities across ecoregions. 2018 , 27, 1457-1466	12
649	Restoration increases bee abundance and richness but not pollination in remnant and post-agricultural woodlands. 2018 , 9, e02435	14
648	Bee Assemblages in Managed Early-Successional Habitats in Southeastern New Hampshire. 2018 , 25, 437-459	5
647	Stressful conditions reveal decrease in size, modification of shape but relatively stable asymmetry in bumblebee wings. 2018 , 8, 15169	20
646	Reciprocal mimicry: kin selection can drive defended prey to resemble their Batesian mimics. 2018 , 285,	1
645	Bees (Hymenoptera: Apoidea) Foraging on American Cranberry in Massachusetts. 2018 , 25, 502-512	2
644	Multiple-scale approach for evaluating the occupation of stingless bees in Atlantic forest patches. 2018 , 430, 509-516	7
643	Insect pollination is at least as important for marketable crop yield as plant quality in a seed crop. 2018 , 21, 1704-1713	45
642	Dominance of cropland reduces the pollen deposition from bumble bees. 2018 , 8, 13873	9
641	Recent low levels of differentiation in the native <i>Bombus ephippiatus</i> (Hymenoptera: Apidae) along two Neotropical mountain-ranges in Guatemala. 2018 , 27, 3513-3531	7
640	Wild bee diversity is enhanced by experimental removal of timber harvest residue within intensively managed conifer forest. 2018 , 10, 766-781	12
639	Examining the Potential for Agricultural Benefits from Pollinator Habitat at Solar Facilities in the United States. 2018 , 52, 7566-7576	24
638	Wild bee species abundance and richness across an urban-rural gradient. 2018 , 22, 391-403	18
637	Source-sink dynamics of bumblebees in rapidly changing landscapes. 2018 , 55, 2802-2811	13
636	Extremely Low Frequency Electromagnetic Fields impair the Cognitive and Motor Abilities of Honey Bees. 2018 , 8, 7932	22

635	Pollinator-mediated mechanisms for increased reproductive success in early flowering plants. 2018 , 127, 1657-1669	4
634	Effects of Plant Diversity, Vegetation Composition, and Habitat Type on Different Functional Trait Groups of Wild Bees in Rural Beijing. 2018 , 18,	5
633	Value of ecological infrastructure diversity in the maintenance of spider assemblages: A case study of Mediterranean vineyard agroecosystems. 2018 , 265, 244-253	21
632	Reduction by half: the impact on bees of 34 years of urbanization. 2018 , 21, 943-949	30
631	Past and potential future effects of habitat fragmentation on structure and stability of plant-pollinator and host-parasitoid networks. 2018 , 2, 1408-1417	46
630	Increasing the conservation value of powerline corridors for wild bees through vegetation management: an experimental approach. 2018 , 27, 2541-2565	13
629	The effect of habitat fragmentation on the bee visitor assemblages of three Australian tropical rainforest tree species. 2018 , 8, 8204-8216	11
628	Effects of wildfire on floral display size and pollinator community reduce outcrossing rate in a plant with a mixed mating system. 2018 , 105, 1154-1164	8
627	Garden Pollinators and the Potential for Ecosystem Service Flow to Urban and Peri-Urban Agriculture. 2018 , 10, 2047	11
626	Managed and Wild Bee Flower Visitors and Their Potential Contribution to Pollination Services of Low-Chill Highbush Blueberry (<i>Vaccinium corymbosum</i> L.; Ericales: Ericaceae). 2018 , 111, 2011-2016	7
625	High degree of philopatry is required for mobile insects used as local indicators in biodiversity studies. 2018 , 94, 99-103	4
624	In Vitro Rearing of Solitary Bees: A Tool for Assessing Larval Risk Factors. 2018 ,	6
623	A Specialist in an Urban Area: Are Cities Suitable to Harbour Populations of the Oligolectic <i>BeeCentris(Melacentris)collaris</i> (Apidae: Centridini)?. 2018 , 55, 135-149	7
622	Tillage intensity or landscape features: What matters most for wild bee diversity in vineyards?. 2018 , 266, 142-152	36
621	Phenotypic selection on floral traits in an urban landscape. 2018 , 285,	13
620	Social immunity in honeybees-Density dependence, diet, and body mass trade-offs. 2018 , 8, 4852-4859	8
619	Impact of human disturbance on bee pollinator communities in savanna and agricultural sites in Burkina Faso, West Africa. 2018 , 8, 6827-6838	12
618	Effects of habitat type change on taxonomic and functional composition of orchid bees (Apidae: Euglossini) in the Brazilian Amazon. 2018 , 22, 451-463	8

617	Land-use history drives contemporary pollinator community similarity. 2018 , 33, 1335-1351	9
616	Controlling the impact of the managed honeybee on wild bees in protected areas. 2018 , 8, 9308	47
615	Bee communities in forestry production landscapes: interactive effects of local-level management and landscape context. 2019 , 34, 1015-1032	10
614	Domestic gardens as favorable pollinator habitats in impervious landscapes. 2019 , 647, 420-430	29
613	Bumble bee parasite prevalence but not genetic diversity impacted by the invasive plant <i>Impatiens glandulifera</i> . 2019 , 10, e02804	6
612	The effect of step size on straight-line orientation. 2019 , 16, 20190181	6
611	How does urbanization affect the reproductive characteristics and ecological affinities of street plant communities?. 2019 , 9, 9977-9989	5
610	Wild bumble bee foraging preferences and fat content in highbush blueberry agro-ecosystems. 2019 , 50, 425-435	4
609	An improved life cycle impact assessment principle for assessing the impact of land use on ecosystem services. 2019 , 693, 133374	25
608	Urban development decreases bee abundance and diversity within coastal dune systems. 2019 , 20, e00711	2
607	Small but critical: semi-natural habitat fragments promote bee abundance in cotton agroecosystems across both Brazil and the United States. 2019 , 34, 1825-1836	9
606	Short-Term Response of Two Beneficial Invertebrate Groups to Wildfire in an Arid Grassland System, United States. 2019 , 72, 551-560	6
605	Body size variation in bees: regulation, mechanisms, and relationship to social organization. 2019 , 35, 77-87	25
604	A Probabilistic Co-Occurrence Approach for Estimating Likelihood of Spatial Overlap Between Listed Species Distribution and Pesticide Use Patterns. 2019 , 15, 936-947	3
603	Contrasting effects of natural shrubland and plantation forests on bee assemblages at neighboring apple orchards in Beijing, China. 2019 , 237, 456-462	15
602	Wildlife Refuges Support High Bee Diversity on the Southern Great Plains. 2019 , 48, 968-976	1
601	The transition from bee-to-fly dominated communities with increasing elevation and greater forest canopy cover. 2019 , 14, e0217198	15
600	Accounting for imperfect detection in species with sessile life cycle stages: a case study of bumble bee nests. 2019 , 23, 945-955	6

599	Workshop on Pesticide Exposure Assessment Paradigm for Non-Apis Bees: Foundation and Summaries. 2019 , 48, 4-11		31
598	The Landscape Genetic Signature of Pollination by Trapliners: Evidence From the Tropical Herb,. 2019 , 10, 1206		6
597	Ecosystem Service Potentials and Their Indicators in Postglacial Landscapes - Pages 347-377. 2019 , 347-377		
596	Pollinator effectiveness in a composite: a specialist bee pollinates more florets but does not move pollen farther than other visitors. 2019 , 106, 1487-1498		5
595	Landscape context differentially drives diet breadth for two key pollinator species. <i>Oecologia</i> , 2019 , 191, 873-886	2.9	6
594	Using citizen science to examine the nesting ecology of ground-nesting bees. 2019 , 10, e02911		9
593	Demographic benefits of early season resources for bumble bee (<i>B. vosnesenskii</i>) colonies. <i>Oecologia</i> , 2019 , 191, 377-388	2.9	18
592	Temporal variation in homing ability of the neotropical stingless bee <i>Scaptotrigona</i> aff. <i>postica</i> (Hymenoptera: Apidae: Meliponini). 2019 , 50, 720-732		7
591	The risk of threshold responses, tipping points, and cascading failures in pollination systems. 2019 , 28, 3389-3406		6
590	Comprehensive Survey of Area-Wide Agricultural Pesticide Use in Southern United States Row Crops and Potential Impact on Honey Bee Colonies. 2019 , 10,		9
589	Valuing nature's contribution to people: The pollination services provided by two protected areas in Brazil. 2019 , 20, e00782		7
588	Sonicating bees demonstrate flexible pollen extraction without instrumental learning. 2019 , 65, 425-436		13
587	On-Farm Diversification in an Agriculturally-Dominated Landscape Positively Influences Specialist Pollinators. 2019 , 3,		10
586	A trait-based approach to predict population genetic structure in bees. 2019 , 28, 1919-1929		14
585	Pothole wetlands provide reservoir habitat for native bees in prairie croplands. 2019 , 232, 43-50		27
584	Colony Size, Rather Than Geographic Origin of Stocks, Predicts Overwintering Success in Honey Bees (Hymenoptera: Apidae) in the Northeastern United States. 2019 , 112, 525-533		21
583	Habitats shape the cuticular chemical profiles of stingless bees. 2019 , 29, 125-133		6
582	Restored native prairie supports abundant and species-rich native bee communities on conventional farms. 2019 , 27, 1291-1299		9

581	Estructura funcional y patrones de especializaci3n en las relaciones planta-polinizador de un agroecosistema en el Valle del Cauca, Colombia. 2019 , 24, 331-342	0
580	Reshaping our understanding of species' roles in landscape-scale networks. 2019 , 22, 1367-1377	17
579	The allometry of proboscis length in Melittidae (Hymenoptera: Apoidea) and an estimate of their foraging distance using museum collections. 2019 , 14, e0217839	4
578	Does winter oilseed rape grown from clothianidin-coated seeds affect experimental populations of mason bees and bumblebees? A semi-field and field study. 2019 , 14, 223-238	8
577	Urban bumblebees are smaller and more phenotypically diverse than their rural counterparts. 2019 , 88, 1522-1533	16
576	A review of methods for the study of bumble bee movement. 2019 , 50, 497-514	10
575	Wildfires Influence Abundance, Diversity, and Intraspecific and Interspecific Trait Variation of Native Bees and Flowering Plants Across Burned and Unburned Landscapes. 2019 , 7,	16
574	Field estimates of fitness costs of the pace-of-life in an endangered damselfly. 2019 , 32, 943-954	6
573	Dryland Organic Farming Partially Offsets Negative Effects of Highly Simplified Agricultural Landscapes on Forbs, Bees, and Bee-Flower Networks. 2019 , 48, 826-835	5
572	Habitat enhancements rescue bee body size from the negative effects of landscape simplification. 2019 , 56, 2144-2154	17
571	Contribution of bees and other pollinators to watermelon (<i>Citrullus lanatus</i> Thunb.) pollination. 2019 , 58, 597-603	11
570	Beta diversity and specialization in plant-pollinator networks along an elevational gradient. 2019 , 46, 1598	8
569	Polycultures, pastures and monocultures: Effects of land use intensity on wild bee diversity in tropical landscapes of southeastern Mexico. 2019 , 236, 269-280	8
568	Managing uncertainty in movement knowledge for environmental decisions. 2019 , 12, e12620	3
567	Body Size Influences Stingless Bee (Hymenoptera: Apidae) Communities Across a Range of Deforestation Levels in Rond3nia, Brazil. 2019 , 19,	8
566	Specialist foragers in forest bee communities are small, social or emerge early. 2019 , 88, 1158-1167	13
565	Pollination Services from Insects in Homegardens in the Chengdu Plain will be Confronted with Crises. 2019 , 11, 2169	4
564	Field-level characteristics influence wild bee functional guilds on public lands managed for conservation. 2019 , 17, e00598	3

563	Sub-lethal concentrations of neonicotinoid insecticides at the field level affect negatively honey yield: Evidence from a 6-year survey of Greek apiaries. 2019 , 14, e0215363	5
562	Pesticide exposure affects flight dynamics and reduces flight endurance in bumblebees. 2019 , 9, 5637-5650	18
561	Phenology of farmland floral resources reveals seasonal gaps in nectar availability for bumblebees. 2019 , 56, 1585-1596	69
560	Evaluation of nest-site selection of ground-nesting bees and wasps (Hymenoptera) using emergence traps. 2019 , 151, 260-271	10
559	Response of wild bee diversity, abundance, and functional traits to vineyard inter-row management intensity and landscape diversity across Europe. 2019 , 9, 4103-4115	27
558	Multi-scalar drivers of biodiversity: local management mediates wild bee community response to regional urbanization. 2019 , 29, e01869	20
557	A century of local changes in bumblebee communities and landscape composition in Belgium. 2019 , 23, 489-501	12
556	Foraging strategies and physiological adaptations in large carpenter bees. 2019 , 205, 387-398	7
555	DNA paternity testing indicates unexpectedly high levels of self-fertilisation in macadamia. 2019 , 15, 1	10
554	Does body size predict the buzz-pollination frequencies used by bees?. 2019 , 9, 4875-4887	23
553	Changes in adult sex ratio in wild bee communities are linked to urbanization. 2019 , 9, 3767	16
552	Chronic contact with realistic soil concentrations of imidacloprid affects the mass, immature development speed, and adult longevity of solitary bees. 2019 , 9, 3724	36
551	Tracking Pesticide Residues to a Plant Genus Using Palynology in Pollen Trapped from Honey Bees (Hymenoptera: Apidae) at Ornamental Plant Nurseries. 2019 , 48, 351-362	12
550	Landscape and local site variables differentially influence pollinators and pollination services in urban agricultural sites. 2019 , 14, e0212034	30
549	Narrow habitat breadth and late-summer emergence increases extinction vulnerability in Central European bees. 2019 , 286, 20190316	16
548	Wastelands: their attractiveness and importance for preserving the diversity of wild bees in urban areas. 2019 , 23, 573-588	19
547	Meta-analysis reveals that pollinator functional diversity and abundance enhance crop pollination and yield. 2019 , 10, 1481	82
546	Proximity of restored hedgerows interacts with local floral diversity and species' traits to shape long-term pollinator metacommunity dynamics. 2019 , 22, 1048-1060	23

545	Modeling diploid male dynamics in Hymenoptera: Effects of the number of alleles, dispersal by random walk and simple spatial structuring. 2019 , 524, 45-55	4
544	Pesticides and pollinators: A socioecological synthesis. 2019 , 662, 1012-1027	73
543	Pollinator size and its consequences: Robust estimates of body size in pollinating insects. 2019 , 9, 1702-1714	27
542	Differential sensitivity of bees to urbanization-driven changes in body temperature and water content. 2019 , 9, 1643	25
541	Bees use anthropogenic habitats despite strong natural habitat preferences. 2019 , 25, 924-935	14
540	Patterns of sexual size dimorphism in stingless bees: Testing Rensch's rule and potential causes in highly eusocial bees (Hymenoptera: Apidae, Meliponini). 2019 , 9, 2688-2698	4
539	Moderate fire severity is best for the diversity of most of the pollinator guilds in Mediterranean pine forests. 2019 , 100, e02615	25
538	Preserving habitat quality at local and landscape scales increases wild bee diversity in intensive farming systems. 2019 , 275, 73-80	19
537	Benefits and limitations of isolated floral patches in a pollinator restoration project in Arizona. 2019 , 27, 1282-1290	2
536	Floral display and habitat fragmentation: Effects on the reproductive success of the threatened mass-flowering (Proteaceae). 2019 , 9, 11494-11503	7
535	Local landscapes and microhabitat characteristics are important determinants of urban/suburban forest bee communities. 2019 , 10, e02908	5
534	Habitat Loss Does Not Always Entail Negative Genetic Consequences. 2019 , 10, 1011	15
533	Can Costs of Pesticide Exposure for Bumblebees Be Balanced by Benefits from a Mass-Flowering Crop?. 2019 , 53, 14144-14151	9
532	Spatial Vision and Visually Guided Behavior in Apidae. 2019 , 10,	8
531	Nesting habitat enhancement for wild bees within soybean fields increases crop production. 2019 , 50, 833-844	10
530	Pollen-mediated gene flow ensures connectivity among spatially discrete sub-populations of <i>Phalaenopsis pulcherrima</i> , a tropical food-deceptive orchid. 2019 , 19, 597	9
529	Importance of forest fragments as pollinator habitat varies with season and guild. 2019 , 34, 95-107	14
528	Pollination of an endangered <i>Caladenia</i> species (Orchidaceae) by nectar-foraging behaviour of a widespread species of colletid bee. 2019 , 189, 83-98	13

527	Pollinator visitation to mass-flowering courgette and co-flowering wild flowers: Implications for pollination and bee conservation on farms. 2019 , 34, 85-94	8
526	Annual cover crops for managed and wild bees: Optimal plant mixtures depend on pollinator enhancement goals. 2019 , 273, 107-116	25
525	Landscape patterns and diversity of meadow plants and flower-visitors in a mountain landscape. 2019 , 34, 997-1014	7
524	Integrating vital rates explains optimal worker size for resource return by bumblebee workers. 2019 , 33, 467-478	22
523	Rapid shifts in the thermal sensitivity of growth but not development rate causes temperature-size response variability during ontogeny in arthropods. 2019 , 128, 823-835	12
522	Successional dynamics of the bee community in a tropical dry forest: Insights from taxonomy and functional ecology. 2019 , 51, 62-74	2
521	The response of wild bees to tree cover and rural land use is mediated by species' traits. 2019 , 231, 1-12	33
520	Flowering resources distract pollinators from crops: Model predictions from landscape simulations. 2019 , 56, 618-628	24
519	Wild bees and urban agriculture: assessing pollinator supply and demand across urban landscapes. 2019 , 22, 455-470	9
518	Comparison of Pesticide Exposure in Honey Bees (Hymenoptera: Apidae) and Bumble Bees (Hymenoptera: Apidae): Implications for Risk Assessments. 2019 , 48, 12-21	55
517	Towards a multi-trophic extension of metacommunity ecology. 2019 , 22, 19-33	45
516	Bumble bee (<i>Bombus</i>) distribution and diversity in Vermont, USA: a century of change. 2019 , 23, 45-62	24
515	Visiting insect behaviour and pollen transport for a generalist oak-savannah wildflower, <i>Camassia quamash</i> (Asparagaceae). 2019 , 151, 58-68	0
514	Olfactory associative behavioral differences in three honey bee <i>L.</i> races under the arid zone ecosystem of central Saudi Arabia. 2019 , 26, 563-568	10
513	Anthropogenic landscapes support fewer rare bee species. 2019 , 34, 967-978	22
512	Defining Pollinator Health: A Holistic Approach Based on Ecological, Genetic, and Physiological Factors. 2020 , 8, 269-294	30
511	Non-Bee Insects as Visitors and Pollinators of Crops: Biology, Ecology, and Management. 2020 , 65, 391-407	52
510	Climate change-driven body size shrinking in a social wasp. 2020 , 45, 130-141	8

509	Response of wild bee communities to beekeeping, urbanization, and flower availability. 2020 , 23, 39-54	11
508	Shift in size of bumblebee queens over the last century. 2020 , 26, 1185-1195	16
507	Canopy thinning, not agricultural history, determines early responses of wild bees to longleaf pine savanna restoration. 2020 , 28, 138-146	8
506	Forest and connectivity loss simplify tropical pollination networks. <i>Oecologia</i> , 2020 , 192, 577-590	2.9 11
505	Bee pollinator functional responses and functional effects in restored tropical forests. 2020 , 30, e02054	8
504	Radiofrequency identification (RFID) reveals long-distance flight and homing abilities of the stingless bee <i>Melipona fasciculata</i> . 2020 , 51, 240-253	10
503	Conservation of solitary bees in power-line clearings: Sustained increase in habitat quality through woody debris removal. 2020 , 21, e00823	9
502	How much do rare and crop-pollinating bees overlap in identity and flower preferences?. 2020 , 57, 413-423	5
501	Biological corridors as important habitat structures for maintaining bees in a tropical fragmented landscape. 2020 , 24, 187-197	6
500	Pollen-mediated gene flow in managed fields of lowbush blueberry. 2020 , 100, 95-102	5
499	A perspective on stage-structured mutualism and its community consequences. 2020 , 129, 297-310	4
498	Long-term effects of global change on occupancy and flight period of wild bees in Belgium. 2020 , 26, 6753-6766	11
497	Analysis of Pollination Services Provided by Wild and Managed Bees (Apoidea) in Wild Blueberry (<i>Vaccinium angustifolium</i> Aiton) Production in Maine, USA, with a Literature Review. 2020 , 10, 1413	7
496	Wild bees and hoverflies respond differently to urbanisation, human population density and urban form. 2020 , 204, 103901	12
495	Forest fragments influence pollination and yield of soybean crops in Chaco landscapes. 2020 , 48, 61-72	5
494	Changes in the Summer Wild Bee Community Following a Bark Beetle Outbreak in a Douglas-fir Forest. 2020 , 49, 1437-1448	8
493	Pollination Services to <i>Impatiens capensis</i> (Balsaminaceae) Are Maintained across an Urbanization Gradient. 2020 , 181, 937-944	1
492	Urbanization drives an early spring for plants but not for pollinators. 2020 , 129, 1681-1691	19

491	Loss of pollinator specialization revealed by historical opportunistic data: Insights from network-based analysis. 2020 , 15, e0235890	3
490	Enhancing road verges to aid pollinator conservation: A review. 2020 , 250, 108687	21
489	How spatial structure of species and disturbance influence the ecological invasion. 2020 , 431, 109199	3
488	Size variation does not act as insurance in bumble bees; instead, workers add weight in an unpredictable environment. 2020 , 170, 99-109	2
487	Decline of six native mason bee species following the arrival of an exotic congener. 2020 , 10, 18745	10
486	Annual flowers strips benefit bumble bee colony growth and reproduction. 2020 , 252, 108814	6
485	Wild bee community recovery in restored grassland-wetland complexes of prairie North America. 2020 , 252, 108829	2
484	Wider road verges sustain higher plant species richness and pollinator abundance in intensively managed agroecosystems. 2020 , 302, 107084	5
483	Pollinator biodiversity and crop pollination in temperate ecosystems, implications for national pollinator conservation strategies: Mini review. 2020 , 744, 140880	7
482	Disentangling the effects of local resources, landscape heterogeneity and climatic seasonality on bee diversity and plant-pollinator networks in tropical highlands. <i>Oecologia</i> , 2020 , 194, 333-344	2.9 8
481	Linking pollinators and city flora: How vegetation composition and environmental features shapes pollinators composition in urban environment. 2020 , 56, 126795	6
480	The neuroecology of bee flight behaviours. 2020 , 42, 8-13	3
479	The Ecology of Autogamy in Wild Blueberry (<i>Vaccinium angustifolium</i> Aiton): Does the Early Clone Get the Bee?. 2020 , 10, 1153	2
478	Beyond the Decline of Wild Bees: Optimizing Conservation Measures and Bringing Together the Actors. 2020 , 11,	14
477	Population assessment and foraging ecology of nest aggregations of the rare solitary bee, <i>Eucera longicornis</i> at Gatwick Airport, and implications for their management. 2020 , 24, 947-960	3
476	Local and Landscape-Scale Features Influence Bumble Bee (Hymenoptera: Apidae) Bycatch in Bertha Armyworm <i>Mamestra configurata</i> (Lepidoptera: Noctuidae) Pheromone-Baited Monitoring Traps. 2020 , 49, 1127-1136	3
475	Functional groups of wild bees respond differently to faba bean <i>Vicia faba</i> L. cultivation at landscape scale. 2020 , 57, 2499-2508	12
474	Local and Landscape Compositions Influence Stingless Bee Communities and Pollination Networks in Tropical Mixed Fruit Orchards, Thailand. 2020 , 12, 482	3

473	Spatial Planning of Green Infrastructure for Mitigation and Adaptation to Climate Change at a Regional Scale. 2020 , 12, 10525		6
472	Urban fragmentation leads to lower floral diversity, with knock-on impacts on bee biodiversity. 2020 , 10, 21756		3
471	Environmental niche and global potential distribution of the giant resin bee <i>Megachile sculpturalis</i> , a rapidly spreading invasive pollinator. 2020 , 24, e01365		5
470	Effects of Urbanization on Plant-Pollinator Interactions in the Tropics: An Experimental Approach Using Exotic Plants. 2020 , 11,		1
469	Bee species decrease and increase between the 1990s and 2018 in large urban protected sites. 2020 , 24, 637-642		0
468	Facing the threat: common yellowjacket wasps as indicators of heavy metal pollution. 2020 , 27, 29031-29042		12
467	A spatial model of honey bee colony collapse due to pesticide contamination of foraging bees. 2020 , 80, 2363-2393		6
466	Heterogeneous agroecosystems support high diversity and abundance of trap-nesting bees and wasps among tropical crops. 2020 , 52, 991-1004		3
465	Body Size and Its Relation to the Foraging Schedules of Social Wasps. 2020 , 49, 668-676		1
464	Flower traits associated with the visitation patterns of bees. <i>Oecologia</i> , 2020 , 193, 511-522	2.9	10
463	Functional ecology of wild bees in cities: towards a better understanding of trait-urbanization relationships. 2020 , 29, 2779-2801		19
462	Cross-infectivity of honey and bumble bee-associated parasites across three bee families. 2020 , 147, 1290-1304		17
461	Flower visitation and land cover associations of above ground- and below ground-nesting native bees in an agricultural region of south-east Australia. 2020 , 295, 106895		12
460	Adaptive evolution of honeybee dance dialects. 2020 , 287, 20200190		9
459	A new native plant in the neighborhood: effects on plant-pollinator networks, pollination, and plant reproductive success. 2020 , 101, e03046		7
458	Resource partitioning among a pollinator guild: A case study of monospecific flower crops under high honeybee pressure. 2020 , 104, 103527		1
457	Small-sized protected areas contribute more per unit area to tropical crop pollination than large protected areas. 2020 , 44, 101137		0
456	Spatio-temporal dynamics of landscape use by the bumblebee <i>Bombus pauloensis</i> (Hymenoptera: Apidae) and its relationship with pollen provisioning. 2020 , 15, e0216190		1

455	Landscape composition and local floral resources influence foraging behavior but not the size of <i>Bombus impatiens</i> Cresson (Hymenoptera: Apidae) workers. 2020 , 15, e0234498	5
454	Forest fragmentation modifies the composition of bumblebee communities and modulates their trophic and competitive interactions for pollination. 2020 , 10, 10872	6
453	Optimizing yield and flower resources for pollinators in intensively managed multi-species grasslands. 2020 , 302, 107062	3
452	Orchid-pollinator network in Euro-Mediterranean region: What we know, what we think we know, and what remains to be done. 2020 , 107, 103605	7
451	Floral trait functional diversity is related to soil characteristics and positively influences pollination function in semi-natural grasslands. 2020 , 301, 107033	8
450	Beyond neonicotinoids - Wild pollinators are exposed to a range of pesticides while foraging in agroecosystems. 2020 , 742, 140436	14
449	Improving bee health through genomics. 2020 , 21, 277-291	19
448	Limiting resources on the reproductive success of a cavity-nesting bee species in a grassland agroecosystem. 2020 , 59, 583-591	4
447	The role of omnivory in mediating metacommunity robustness to habitat destruction. 2020 , 101, e03026	2
446	Effect of pan trap size on the diversity of sampled bees and abundance of bycatch. 2020 , 24, 409-420	5
445	A comparison of bee communities between primary and mature secondary forests in the longleaf pine ecosystem. 2020 , 10, 2916	8
444	Specialization of plant-pollinator interactions increases with temperature at Mt. Kilimanjaro. 2020 , 10, 2182-2195	17
443	Grazing reduces bee abundance and diversity in saltmarshes by suppressing flowering of key plant species. 2020 , 291, 106760	9
442	Pollinator presence in orchards depends on landscape-scale habitats more than in-field flower resources. 2020 , 293, 106806	10
441	Wild Bee Conservation within Urban Gardens and Nurseries: Effects of Local and Landscape Management. 2020 , 12, 293	19
440	Small wild bee abundance declines with distance into strawberry crops regardless of field margin habitat. 2020 , 44, 14-23	4
439	Local habitat conditions shaping the assemblages of vespine wasps (Hymenoptera: Vespidae) in a post-agricultural landscape of the Kampinos National Park in Poland. 2020 , 10, 1424	1
438	More Than Meets the Eye? The Role of Annual Ornamental Flowers in Supporting Pollinators. 2020 , 49, 178-188	9

437	How landscape composition affects pollen collection by stingless bees?. 2020 , 35, 747-759	8
436	Noncrop Habitat Use by Wild Bees (Hymenoptera: Apoidea) in a Mixed-Use Agricultural Landscape. 2020 , 49, 502-515	3
435	Seasonal abundance and diversity of native bees in a patchy agricultural landscape in Southern Mexico. 2020 , 292, 106807	2
434	Predicting changes in bee assemblages following state transitions at North American dryland ecotones. 2020 , 10, 708	4
433	Bee communities and pollination services in adjacent crop fields following flower removal in an invasive forest shrub. 2020 , 30, e02078	3
432	Opportunities and threats for pollinator conservation in global towns and cities. 2020 , 38, 63-71	43
431	Cavity-nesting bee communities in areas with different levels of vegetation disturbance. 2020 , 55, 116-128	3
430	Conserving focal insect groups in woodland remnants: The role of landscape context and habitat structure on cross-taxonomic congruence. 2020 , 115, 106391	4
429	Landscape simplification shapes pathogen prevalence in plant-pollinator networks. 2020 , 23, 1212-1222	36
428	Saved by the pulse? Separating the effects of total and temporal food abundance on the growth and reproduction of bumble bee microcolonies. 2020 , 45, 1-11	6
427	Spatial variability of hosts, parasitoids and their interactions across a homogeneous landscape. 2020 , 10, 3696-3705	1
426	Bee community response to local and landscape factors along an urban-rural gradient. 2020 , 23, 689-702	4
425	Effects of future agricultural change scenarios on beneficial insects. 2020 , 265, 110550	10
424	Forests do not limit bumble bee foraging movements in a montane meadow complex. 2020 , 45, 955-965	6
423	A dataset of multi-functional ecological traits of Brazilian bees. 2020 , 7, 120	10
422	Land cover composition, local plant community composition and honeybee colony density affect wild bee species assemblages in a Mediterranean biodiversity hot-spot. 2020 , 104, 103546	18
421	Investigating bee dietary preferences along a gradient of floral resources: how does resource use align with resource availability?. 2021 , 28, 555-565	2
420	More losses than gains in ground-nesting bees over 60 years of urbanization. 2021 , 24, 233-242	6

419	Insect biomass is not a consistent proxy for biodiversity metrics in wild bees. 2021 , 121, 107132	8
418	Higher richness and abundance of flower-visiting insects close to natural vegetation provide contrasting effects on mustard yields. 2021 , 25, 1-11	1
417	From pollen dispersal to plant diversification: genetic consequences of pollination mode. 2021 , 229, 3125-3132	6
416	Reap what you sow: local plant composition mediates bumblebee foraging patterns within urban garden landscapes. 2021 , 24, 391-404	3
415	The relationship between pollinator community and pollination services is mediated by floral abundance in urban landscapes. 2021 , 24, 275-290	8
414	Genetic structure across urban and agricultural landscapes reveals evidence of resource specialization and philopatry in the Eastern carpenter bee, L. 2021 , 14, 136-149	6
413	Wildflower strips enhance wild bee reproductive success. 2021 , 58, 486-495	11
412	Interactions among global change pressures act in a non-additive way on bumblebee individuals and colonies. 2021 , 35, 420-434	13
411	Species-habitat networks elucidate landscape effects on habitat specialisation of natural enemies and pollinators. 2021 , 24, 288-297	3
410	Nesting habitat of ground-nesting bees: a review. 2021 , 46, 143-159	15
409	Opposing pressures of climate and land-use change on a native bee. 2020 , 27, 1017	4
408	Corridors through time: Does resource continuity impact pollinator communities, populations, and individuals?. 2021 , 31, e02260	3
407	Impact of landscape fragmentation and climate change on body size variation of bumblebees during the last century. 2021 , 44, 255-264	2
406	Native bees in Mediterranean semi-arid agroecosystems: Unravelling the effects of biophysical habitat, floral resource, and honeybees. 2021 , 307, 107188	2
405	Bee communities in restored prairies are structured by landscape and management, not local floral resources. 2021 , 50, 144-154	7
404	Movements and occurrence in two closely related fritillary species. 2021 , 46, 428-439	0
403	Bumble bee communities in power-line clearings: Effects of experimental management practices. 2021 , 14, 377-392	2
402	Grassland-to-crop conversion in agricultural landscapes has lasting impact on the trait diversity of bees. 2021 , 36, 281-295	6

401	A two-part modelling approach reveals a positive effect of pollinator biodiversity in boosting the pollination of apple flowers. 2021 , 306, 107197	4
400	Population assessment and foraging ecology of the rare solitary bee <i>Anthophora retusa</i> at Seaford Head Nature reserve. 2021 , 25, 49-63	2
399	Urbanization is associated with shifts in bumblebee body size, with cascading effects on pollination. 2021 , 14, 53-68	14
398	Moth assemblages within urban domestic gardens respond positively to habitat complexity, but only at a scale that extends beyond the garden boundary. 2021 , 24, 469-479	2
397	Numerical Modeling and Measurement of <i>Apis Mellifera</i> Radar Scattering Properties. 2021 , 1-5	1
396	Floral Plantings in Large-Scale Commercial Agroecosystems Support Both Pollinators and Arthropod Predators. 2021 , 12,	0
395	Human-Mediated Land Use Change Drives Intraspecific Plant Trait Variation. 2020 , 11, 592881	0
394	Temporal and spatial foraging patterns of three Asian honey bee species in Bangalore, India. 2021 , 52, 503-523	4
393	Balancing Bees and Livestock: Pastoralist Knowledge, Perceptions and Implications for Pollinator Conservation in Rangelands, Northern Tanzania. 2021 , 14, 194008292110281	3
392	Scales matter: Maximising the effectiveness of interventions for pollinators and pollination. 2021 , 64, 105-147	3
391	Using non-bee and bee pollinator-plant species interactions to design diverse plantings benefiting crop pollination services. 2021 , 64, 45-103	11
390	Bees and crops in Spain: an update for melon, watermelon and almond. 2021 , 57, 12-28	2
389	Effects of land-use intensification and environmental stressors on intraspecific functional traits variability in bumblebees.	
388	Tropical fruit production depends on wild insect communities: bees and lychees in Thailand. 2021 , 37, 26-34	
387	Population-level plant pollination mode is influenced by Quaternary climate and pollinators. 2021 , 53, 632-642	0
386	Plant-pollinator networks in Australian urban bushland remnants are not structurally equivalent to those in residential gardens. 2021 , 24, 973-987	8
385	Association between land use, land cover, plant genera, and pollinator abundance in mixed-use landscapes.	
384	Joint Impacts of Drought and Habitat Fragmentation on Native Bee Assemblages in a California Biodiversity Hotspot. 2021 , 12,	2

383	Comparative ecology of two specialist bees: <i>Dasypoda visnaga</i> Rossi, 1790 and <i>Dasypoda maura</i> Pflz, 1895 (Hymenoptera, Melittidae). 81, 109-126	2
382	RFID-tagged amazonian stingless bees confirm that landscape configuration and nest re-establishment time affect homing ability. 2021 , 68, 101-108	2
381	Seasonality of floral resources in relation to bee activity in agroecosystems. 2021 , 11, 3130-3147	2
380	Energetic efficiency of foraging mediates bee niche partitioning. 2021 , 102, e03285	2
379	Connectivity and edge effects increase bee colonization in an experimentally fragmented landscape. 2021 , 44, 919-927	3
378	Supporting Bees in Cities: How Bees Are Influenced by Local and Landscape Features. 2021 , 12,	12
377	Phenology of the specialist bee <i>Colletes hederæ</i> and its dependence on <i>Hedera helix</i> L. in comparison to a generalist, <i>Apis mellifera</i> . 2021 , 15, 183-195	0
376	Larval nutrition impacts survival to adulthood, body size, and the allometric scaling of metabolic rate in adult honeybees.	
375	Pollination in the campo rupestre: a test of hypothesis for an ancient tropical mountain vegetation. 2021 , 133, 512-530	5
374	Landscape characteristics predict body sizes in wild bees: implications for pollination services and foraging range. 2021 , 25, 243-253	1
373	Seasonal Variations of Pollinator Assemblages among Urban and Rural Habitats: A Comparative Approach Using a Standardized Plant Community. 2021 , 12,	2
372	Ant Communities Resist Even in Small and Isolated Gypsum Habitat Remnants in a Mediterranean Agroecosystem. 2021 , 9,	1
371	Small and Large Bumblebees Invest Differently when Learning about Flowers. 2021 , 31, 1058-1064.e3	5
370	Heterospecific pollination by an invasive congener threatens the native American bittersweet, <i>Celastrus scandens</i> . 2021 , 16, e0248635	2
369	Conservation genetics of critically endangered <i>Crepidiastrum grandicollum</i> (Asteraceae) and two closely related woody species of the Bonin Islands, Japan. 2021 , 22, 717-727	0
368	Experimental Test of the Combined Effects of Water Availability and Flowering Time on Pollinator Visitation and Seed Set. 2021 , 9,	2
367	Gene flow in commercial alfalfa (<i>Medicago sativa</i> subsp. <i>sativa</i> L.) seed production fields: Distance is the primary but not the sole influence on adventitious presence. 2021 , 16, e0248746	1
366	Larvae of stingless bee <i>Scaptotrigona bipunctata</i> exposed to organophosphorus pesticide develop into lighter, smaller and deformed adult workers. 2021 , 272, 116414	3

365	A hierarchical framework for mapping pollination ecosystem service potential at the local scale. 2021 , 444, 109484	2
364	Are there differences in the diversity of bees between organic and conventional agroecosystems in the Pampa biome?. 1-13	0
363	Color pan traps often catch less when there are more flowers around. 2021 , 11, 3830-3840	6
362	Not all matrix habitat is created equal for rare bee species in forest habitat. 2021 , 46, 926-935	0
361	Landscape Structure Is a Major Driver of Bee Functional Diversity in Crops. 2021 , 9,	2
360	Overlap of Ecological Niche Breadth of <i>Euglossa cordata</i> and <i>Eulaema nigrita</i> (Hymenoptera, Apidae, Euglossini) Accessed by Pollen Loads and Species Distribution Modeling. 2021 , 50, 197-207	4
359	Postharvest Bee Diversity is High but Declines Rapidly with Stand Age in Regenerating Douglas-Fir Forest. 2021 , 67, 275-285	4
358	Landscape and Local Drivers Affecting Flying Insects along Fennel Crops (, Apiaceae) and Implications for Its Yield. 2021 , 12,	1
357	Calcareous grassland fragments as sources of bee pollinators for the surrounding agricultural landscape. 2021 , 26, e01474	3
356	Pollination Potential in Portugal: Leveraging an Ecosystem Service for Sustainable Agricultural Productivity. 2021 , 10, 431	1
355	Landscape structure affects the sunflower visiting frequency of insect pollinators. 2021 , 11, 8147	2
354	Is being green what matters? Functional diversity of cavity-nesting bees and wasps and their interaction networks with parasites in different reforestation types in Amazonia. 2021 , 14, 620-634	1
353	Stingless bee floral visitation in the global tropics and subtropics.	2
352	Ozone Pollution Alters Olfaction and Behavior of Pollinators. 2021 , 10,	8
351	Interactions between the introduced European honey bee and native bees in urban areas varies by year, habitat type and native bee guild. 2021 , 133, 725-743	8
350	Orchid bees (Apidae, Euglossini) from Oil Palm Plantations in Eastern Amazon Have Larger but Not Asymmetrical Wings. 2021 , 50, 388-397	1
349	Functional traits linked to pathogen prevalence in wild bee communities. 2021 , 11, 7529	1
348	Synergism between local- and landscape-level pesticides reduces wild bee floral visitation in pollinator-dependent crops. 2021 , 58, 1187-1198	5

347	Pollination in Agroecosystems: A Review of the Conceptual Framework with a View to Sound Monitoring. 2021 , 10, 540	4
346	Enhancing flowering plant functional richness improves wild bee diversity in vineyard inter-rows in different floral kingdoms. 2021 , 11, 7927-7945	2
345	Monitoring bee health in European agro-ecosystems using wing morphology and fat bodies. 6,	2
344	Onset of morning activity in bumblebee foragers under natural low light conditions. 2021 , 11, 6536-6545	2
343	Effects of Flower-Enriched Ecological Focus Areas on Functional Diversity Across Scales. 2021 , 9,	1
342	Roads pose a significant barrier to bee movement, mediated by road size, traffic and bee identity. 2021 , 58, 1177-1186	4
341	Growing Methods. 2021 , 13, 93-112	2
340	Linking Ecosystem Services to Social Well-Being: An Approach to Assess Land Degradation. 2021 , 9,	0
339	Impacts of the introduced European honeybee on Australian bee-flower network properties in urban bushland remnants and residential gardens.	2
338	Identity of mass-flowering crops moderates functional trait composition of pollinator communities. 2021 , 36, 2657-2671	1
337	Effects of three flower field types on bumblebees and their pollen diets. 2021 , 52, 95-108	7
336	Impact of managed stingless bee and western honey bee colonies on native pollinators and yield of watermelon: A comparative study. 2021 , 66, 38-45	6
335	Key factors influencing forager distribution across macadamia orchards differ among species of managed bees. 2021 , 53, 74-85	5
334	Bee (Apoidea) community response to perennial grass treatments managed for livestock production and conservation. 2021 , 313, 107391	0
333	Nesting, Sex Ratio and Natural Enemies of the Giant Resin Bee in Relation to Native Species in Europe. 2021 , 12,	2
332	Decline of parasitic and habitat-specialist species drives taxonomic, phylogenetic and functional homogenization of sub-alpine bumblebee communities. <i>Oecologia</i> , 2021 , 196, 905-917	2,9 1
331	Interactions between plants and pollinators across urban and rural farming landscapes. 2021 , 27, e00194	0
330	Assemblages of flower-visiting insects in clear-cuts are rich and dynamic. 118, 182-191	1

329	Roads, railways, and power lines: Are they crucial for bees in urban woodlands?. 2021 , 61, 127120	3
328	Pollination Potential of Riparian Hardwood Forests: A Multifaceted Field-Based Assessment in the Vistula Valley, Poland. 2021 , 12, 907	0
327	Non-insecticide pesticide impacts on bees: A review of methods and reported outcomes. 2021 , 314, 107423	10
326	Specialist Bee Species Are Larger and Less Phylogenetically Distinct Than Generalists in Tropical Plant-Bee Interaction Networks. 2021 , 9,	1
325	Optimising spatial distribution of mass-flowering patches at the landscape scale to increase crop pollination. 2021 , 58, 1876-1887	1
324	Genetic and ecological consequences of recent habitat fragmentation in a narrow endemic plant species within an urban context. 2021 , 30, 3457	1
323	Wild bee functional diversity and plant associations in native and conventional plant nurseries. 2021 , 46, 1283	2
322	Novel pollen analogue technique shows bumblebees display low floral constancy and prefer sites with high floral diversity. 2021 , 36, 3231-3247	0
321	Larval nutrition impacts survival to adulthood, body size and the allometric scaling of metabolic rate in adult honeybees. 2021 , 224,	3
320	Big bees spread disease: body size mediates transmission of a bumble bee pathogen. 2021 , 102, e03429	2
319	Conservation genomics reveals pesticide and pathogen exposure in the declining bumble bee <i>Bombus terricola</i> . 2021 , 30, 4220-4230	7
318	Conservation planning for pollinators in the U.S. Great Plains: considerations of context, treatments, and scale. 2021 , 12, e03556	0
317	The key is in variation: Spatial-environmental structuring of the morphological variation of a widespread Neotropical bee (<i>Eulaema nigrita</i>). 2021 , 293, 138-144	1
316	How protection of honey bees can help and hinder bee conservation. 2021 , 46, 112-118	10
315	Field boundary features can stabilise bee populations and the pollination of mass-flowering crops in rotational systems. 2021 , 58, 2287	2
314	Herbaceous perennial ornamental plants can support complex pollinator communities. 2021 , 11, 17352	1
313	Forest-associated bee species persist amid forest loss and regrowth in eastern North America. 2021 , 260, 109202	3
312	Habitat heterogeneity helps to mitigate pollinator nectar sugar deficit and discontinuity in an agricultural landscape. 2021 , 782, 146909	6

311	Use of earth observation satellite data to guide the implementation of integrated pest and pollinator management (IPPM) technologies in an avocado production system. 2021 , 23, 100566	2
310	Assessment of the Vulnerability to Pesticide Exposures Across Bee Species. 2021 , 40, 2640-2651	4
309	Diurnal and temporal activity of pronubial insects on berseem flowers in a subtropical environment. 1-6	0
308	Thermal flight performance reveals impact of warming on bumblebee foraging potential. 2021 , 35, 2508	5
307	The effects of commercial propagation on bumble bee (<i>Bombus impatiens</i>) foraging and worker body size. 2021 , 52, 887-898	
306	Body size allometry impacts flight-related morphology and metabolic rates in the solitary bee <i>Megachile rotundata</i> . 2021 , 133, 104275	4
305	Mites alight! Sunflower crop area and pollen supplementation enhance honey bee resistance to <i>Varroa destructor</i> .	
304	Proximity to natural habitat and flower plantings increases insect populations and pollination services in South African apple orchards.	2
303	Apple pollination is ensured by wild bees when honey bees are drawn away from orchards by a mass co-flowering crop, oilseed rape. 2021 , 315, 107383	6
302	Stigmas arrangement, reproductive system, and maternal reproductive success in two species of <i>Stigmaphyllon</i> (Malpighiaceae): does pollinator size matter?. 2021 , 222, 1263-1279	0
301	Estimating landscape structure effects on pollination for management of agricultural landscapes. 2021 , 10,	1
300	Managed honeybee hives and the diversity of wild bees in a dryland nature reserve. 1	0
299	Effects of crop and non-crop resources and competition: High importance of trees and oilseed rape for solitary bee reproduction. 2021 , 261, 109249	2
298	Complex relationship between amino acids, fitness and food intake in <i>Bombus terrestris</i> . 2021 , 53, 1545-1558	1
297	Functional traits and nesting habitats distinguish the structure of bee communities in clearcut and managed hardwood & pine forests in Southeastern USA. 2021 , 496, 119351	1
296	Co-occurrence patterns at four spatial scales implicate reproductive processes in shaping community assembly in clovers. 2021 , 109, 4056	0
295	Pollination services in a macadamia cultivar depend on across-orchard transport of cross pollen.	4
294	Divergence in Body Mass, Wing Loading, and Population Structure Reveals Species-Specific and Potentially Adaptive Trait Variation Across Elevations in Montane Bumble Bees. 2021 , 5,	3

293	Pollination: Influencing bee behaviour with caffeine. 2021 , 31, R1090-R1092		1
292	Maine's Bumble Bee (Hymenoptera: Apidae) Assemblage-Part 1: Composition, Seasonal and Regional Distribution, and Resource Use. 2021 ,		2
291	Assessment of connectivity between core habitats of the red dwarf honey bees in Iran based on climate and environmental niche modeling. 1-13		0
290	Variation in prescribed fire and bison grazing supports multiple bee nesting groups in tallgrass prairie. e13507		1
289	Spatiotemporal dynamics of insect pollinator communities in sagebrush steppe associated with weather and vegetation. 2021 , 29, e01691		1
288	Plant-pollinator interaction niche broadens in response to severe drought perturbations. <i>Oecologia</i> , 2021 , 197, 577-588	2.9	0
287	Habitat quality and connectivity in kettle holes enhance bee diversity in agricultural landscapes. 2021 , 319, 107525		4
286	Asynchrony between solitary bee emergence and flower availability reduces flower visitation rate and may affect offspring size. 2021 , 56, 345-357		1
285	Chronic contact with imidacloprid during development may decrease female solitary bee foraging ability and increase male competitive ability for mates. 2021 , 283, 131177		1
284	Mass-flowering red clover crops have positive effects on bumblebee richness and diversity after bloom. 2021 , 56, 22-31		1
283	Farmland in U.S. Conservation Reserve Program has unique floral composition that promotes bee summer foraging. 2021 , 56, 358-368		4
282	Landscape heterogeneity and forest cover shape cavity-nesting hymenopteran communities in a multi-scale perspective. 2021 , 56, 239-249		2
281	Major insect groups show distinct responses to local and regional attributes of urban green spaces. 2021 , 216, 104238		1
280	Effects of Natural Habitat Loss and Edge Effects on Wild Bees and Pollination Services in Remnant Prairies. 2021 , 50, 732-743		3
279	Invader-pollinator paradox: Invasive goldenrods benefit from large size pollinators. 2021 , 27, 632-641		2
278	Mutualisms and (A)symmetry in Plant-Pollinator Interactions. 2021 , 31, R91-R99		10
277	Possible Spillover of Pathogens between Bee Communities Foraging on the Same Floral Resource. 2021 , 12,		15
276	Wild bees as winners and losers: Relative impacts of landscape composition, quality, and climate. 2021 , 27, 1250-1265		13

275	The relative performance of sampling methods for native bees: an empirical test and review of the literature. 2020 , 11, e03076	42
274	Invertebrates on Green Roofs. 2015 , 333-355	13
273	Urban Gardens: Pockets of Social-Ecological Memory. 2014 , 145-158	10
272	Local Assessment of Stockholm: Revisiting the Stockholm Urban Assessment. 2013 , 313-335	9
271	Influence of landscape context on the abundance of native bee pollinators in tomato crops in Central Brazil. 2017 , 21, 715-726	8
270	can infect two solitary bee species while host survivorship depends on diet. 2021 , 148, 435-442	9
269	A primer of host-plant specialization in bees. 2020 , 4, 7-17	14
268	Landscape Composition and Fungicide Exposure Influence Host-Pathogen Dynamics in a Solitary Bee. 2021 , 50, 107-116	4
267	Applying generalised allometric regressions to predict live body mass of tropical and temperate arthropods.	1
266	Wild bee distribution near forested landscapes is dependent on successional state. 2020 , 7,	5
265	Effective long-distance pollen dispersal in <i>Centaurea jacea</i> . 2009 , 4, e6751	20
264	Large-range movements of neotropical orchid bees observed via radio telemetry. 2010 , 5, e10738	95
263	Space use of bumblebees (<i>Bombus</i> spp.) revealed by radio-tracking. 2011 , 6, e19997	123
262	The abundance and pollen foraging behaviour of bumble bees in relation to population size of whortleberry (<i>Vaccinium uliginosum</i>). 2012 , 7, e50353	26
261	Succession influences wild bees in a temperate forest landscape: the value of early successional stages in naturally regenerated and planted forests. 2013 , 8, e56678	44
260	Determinants of spatial distribution in a bee community: nesting resources, flower resources, and body size. 2014 , 9, e97255	57
259	Trait-specific responses of wild bee communities to landscape composition, configuration and local factors. 2014 , 9, e104439	65
258	Decreasing abundance, increasing diversity and changing structure of the wild bee community (Hymenoptera: Anthophila) along an urbanization gradient. 2014 , 9, e104679	161

- 257 The Allometry of Bee Proboscis Length and Its Uses in Ecology. **2016**, 11, e0151482 55
- 256 Conservation of Pollinators in Traditional Agricultural Landscapes - New Challenges in Transylvania (Romania) Posed by EU Accession and Recommendations for Future Research. **2016**, 11, e0151650 26
- 255 Exotic Plant Infestation Is Associated with Decreased Modularity and Increased Numbers of Connectors in Mixed-Grass Prairie Pollination Networks. **2016**, 11, e0155068 6
- 254 The Bees among Us: Modelling Occupancy of Solitary Bees. **2016**, 11, e0164764 8
- 253 When it pays to cheat: Examining how generalized food deception increases male and female fitness in a terrestrial orchid. **2017**, 12, e0171286 9
- 252 Assessing the Efficiency of Pan Traps for Collecting Bees (Hymenoptera: Apoidea). **2020**, 55, 321-328 1
- 251 Habitat-Dependency of Transect Walk and Pan Trap Methods for Bee Sampling in Farmlands. **2019**, 63, 93-115 8
- 250 Kurhany na "Dzikich Polach" Ździedzictwo kultury i ostoja ukraiŹskiego stepu. **2012**, 9
- 249 Smith, 1874 from Vancouver, British Columbia, Canada (Hymenoptera: Apidae, Xylocopinae) with comments on its taxonomy. **2020**, 8, e49918 4
- 248 Pan traps and bee body size in unmanaged urban habitats. 51, 241-247 11
- 247 Foraging distances in six species of solitary bees with body lengths of 6 to 15 mm, inferred from individual tagging, suggest 150 m-rule-of-thumb for flower strip distances. 77, 105-117 23
- 246 Roads may act as barriers to flying insects: species composition of bees and wasps differs on two sides of a large highway. 18, 47-59 17
- 245 Ecosystem services mapping for municipal policy: ESTIMAP and zoning for urban beekeeping. 2, e14014 16
- 244 Premières données sur la présence de l'abeille asiatique *Megachile (Callomegachile) sculpturalis* Smith (Hymenoptera, Megachilidae) en Europe. 3, 4-6 20
- 243 Taxonomic and functional trait diversity of wild bees in different urban settings. **2017**, 5, e3051 68
- 242 Stinging wasps (Hymenoptera: Aculeata), which species have the longest sting?. **2018**, 6, e4743 3
- 241 Zooming into plant-flower visitor networks: an individual trait-based approach. **2018**, 6, e5618 2
- 240 Along urbanization sprawl, exotic plants distort native bee (Hymenoptera: Apoidea) assemblages in high elevation Andes ecosystem. **2018**, 6, e5916 3

- 239 Reducing protected lands in a hotspot of bee biodiversity: bees of Grand Staircase-Escalante National Monument. **2018**, 6, e6057 3
- 238 The Role of Temperate Agroforestry Practices in Supporting Pollinators. **2021**, 275-304
- 237 Mites Aight! Sunflower Crop Area and Pollen Supplementation Enhance Honey Bee Resistance to Varroa Destructor.
- 236 Occupation dynamics and nesting behaviours of *Xylocopa frontalis* (Olivier) (Hymenoptera: Apidae) in artificial shelters. **2021**, 55, 1815-1823
- 235 Mass-flowering monoculture attracts bees, amplifying parasite prevalence. **2021**, 288, 20211369 2
- 234 Putting pesticides on the map for pollinator research and conservation. 0
- 233 Species differences drive spatial scaling of foraging patterns in herbivorous reef fishes. **2021**, 130, 2217 0
- 232 Differential equation model for central-place foragers with memory: implications for bumble bee crop pollination. **2021**, 83, 50 1
- 231 Early resources lead to persistent benefits for bumble bee colony dynamics. **2021**, e03560 2
- 230 A plant-pollinator metanetwork along a habitat fragmentation gradient. **2021**, 24, 2700-2712 3
- 229 A new model of pollination services potential using a landscape approach: A case study of post-mining area in Poland. **2021**, 52, 101370 1
- 228 Pollinator sampling methods influence community patterns assessments by capturing species with different traits and at different abundances. **2021**, 132, 108284 3
- 227 Fine-grained topographic diversity data improve site prioritization outcomes for bees. **2021**, 132, 108315 2
- 226 Dance Language. **2013**, 317-366
- 225 On the inconsistency of pollinator species traits for predicting either response to agricultural intensification or functional contribution.
- 224 Pollination and the Integration of Ecosystem Services in Landscape Planning and Rural Development. **2017**, 118-133
- 223 Bees use anthropogenic habitats despite strong natural habitat preferences. 0
- 222 Domestic gardens as favorable pollinator habitats in impervious landscapes.

221	Pollinator size and its consequences: Predictive allometry for pollinating insects.	1
220	Pesticide exposure affects flight dynamics and reduces flight endurance in bumblebees.	1
219	Dynamics of the regulatory ecosystem service following the technogenic soil forming process in Nikopol manganese ore basin. 2018 , 2018,	
218	Risks to pollinators from different land-use transitions: bee species responses to agricultural expansion show strong phylogenetic signal.	
217	Adult emergence order in a community of cavity-nesting bees and wasps, and their parasites.	
216	Spatio-Temporal Dynamics of Landscape Use by the Bumblebee <i>Bombus atratus</i> (Hymenoptera: Apidae) and its relationship with pollen provisioning.	
215	Predicting changes in bee assemblages following state transitions at North American dryland ecotones.	
214	Description of the male of <i>Lepidotrigona nitiventris</i> (Smith, 1857), redescription of the female holotype and additional morphological data on the workers (Hymenoptera: Apidae: Meliponini). 2020 , 127, 119	
213	Plant traits and landscape simplification drive intraspecific trait diversity of <i>Bombus terrestris</i> in wildflower plantings. 2021 , 57, 91-91	2
212	Time since establishment drives bee and hoverfly diversity, abundance of crop-pollinating bees and aphidophagous hoverflies in perennial wildflower strips. 2021 , 57, 102-102	2
211	Effects of rare arable plants on flower-visiting wild bees in agricultural fields. 2022 , 323, 107685	1
210	Wild bees nest in the stems of cultivated <i>Rubus</i> plants and act as effective crop pollinators. 2022 , 325, 107741	0
209	Mixed effect of habitat fragmentation on pollinator visitation rates but not on seed production in renosterveld of South Africa. 2022 , 146, 48-57	0
208	Foraging. 2020 , 273-321	
207	Adult body size measurement redundancies in and (Hymenoptera: Megachilidae). 2021 , 9, e12344	
206	The Nature of <i>Espeletia</i> Species.	1
205	Apparent Resilience to Fire of Native Bee (Hymenoptera: Apoidea) Communities from Upland Longleaf Pine Forests in Louisiana and Mississippi. 2020 , 19,	3
204	Implications of Sea Level Rise for Bee Communities in Rural Eastern Virginia Coastal Habitats. 2020 , 92,	

203	Unused railway lines for conservation of pollinators in the intensively managed agricultural landscape. 2021 , 304, 114186	
202	Impact of local practices and landscape on the diversity and abundance of pollinators in an insect-dependent crop. 2022 , 326, 107804	0
201	High bee functional diversity buffers crop pollination services against Amazon deforestation. 2022 , 326, 107777	2
200	Clover in agriculture: combined benefits for bees, environment, and farmer. 1	1
199	Importance of biotic pollination varies across common bean cultivars.	1
198	Positive forest cover effects on coffee yields are consistent across regions.	1
197	Age-related variation of homing range in honeybee males (<i>Apis mellifera</i>). 1	1
196	Flight range and resource loading-unloading behavior of stingless bee <i>Tetragonula iridipennis</i> (Smith). 1-12	1
195	Mapping trait versus species turnover reveals spatiotemporal variation in functional redundancy in a plant-pollinator network.	
194	Local plant richness predicts bee abundance and diversity in a study of urban residential yards.. 2021 , 58, 64-64	1
193	Variation of Small and Large Wild Bee Communities Under Honeybee Pressure in Highly Diverse Natural Habitats. 2021 , 9,	0
192	Bee communities in canola are affected by landscape context and farm management.	
191	Insect Visitors of Black Cherry (<i>Prunus serotina</i>) (Rosales: Rosaceae) and Factors Affecting Viable Seed Production.. 2022 ,	0
190	Turnover in floral composition explains species diversity and temporal stability in the nectar supply of urban residential gardens.	2
189	Priority maps for pollinator habitat enhancement schemes in semi-natural grasslands. 2022 , 220, 104354	1
188	Agroecosystem landscape diversity shapes wild bee communities independent of managed honey bee presence. 2022 , 327, 107826	3
187	Co-Flowering Plant Densities Affect Bee Visitation to a Focal Plant Species, but Bee Genera Differ in Their Response. 2022 , 42,	0
186	Honey bees as biomonitors of environmental contaminants, pathogens, and climate change. 2022 , 134, 108457	7

- 185 Geometric morphology and population genomics provide insights into the adaptive evolution of *Apis cerana* in Changbai Mountain.. **2022**, 23, 64 1
- 184 Urban native vegetation remnants support more diverse native bee communities than residential gardens in Australia's southwest biodiversity hotspot. **2022**, 265, 109408 1
- 183 Rapid assessment of insect pollination services to inform decision-making.. **2022**,
- 182 Foraging as sampling without replacement: A Bayesian statistical model for estimating biases in target selection.. **2022**, 18, e1009813 1
- 181 Long-term comparison of the orchid bee community in the tropical dry forest of Costa Rica. 1
- 180 Fragmentation of forest-steppe predicts functional community composition of wild bee and wasp communities. **2022**, 33, e01988 0
- 179 Higher toxin tolerance to triptolide, a terpenoid foraged by a sympatric honeybee.. **2022**, 137, 104358 1
- 178 A comparative analysis of crop pollinator survey methods along a large-scale climatic gradient. **2022**, 329, 107871 0
- 177 *Lasioglossum* bees [the forgotten pollinators. 1-8 0
- 176 Variation in foraging patterns as reflected by floral resources used by male vs female bees of selected species at Badlands National Park, SD, USA. **2022**, 16, 145
- 175 Honey Bees, Wild Bees, and Beekeepers in Chicago's Community Gardens. **2021**, 273-287
- 174 A Comparison of Pollen and Syrup Exposure Routes in *Bombus impatiens* (Hymenoptera: Apidae) Microcolonies: Implications for Pesticide Risk Assessment.. **2022**, 0
- 173 Hummingbirds, Honeybees, and Wild Insect Pollinators Enhance Production Quality and Homogeneity of Blueberries Depending on Cultivar and Farm's Spatial Context.
- 172 Bowel Movement: Integrating Host Mobility and Microbial Transmission Across Host Taxa.. **2022**, 13, 826364
- 171 How far is enough? Prediction of the scale of effect for wild bees. 0
- 170 A trophic cascade causes unexpected ecological interactions across the aquatic-terrestrial interface under extreme weather.
- 169 Community structure of pollinating insects and its driving factors in different habitats of Shivapuri-Nagarjun National Park, Nepal.. **2022**, 12, e8653 1
- 168 Landscape genetics of the tropical willow *Salix humboldtiana*: influence of climate, salinity, and orography in an altitudinal gradient.. **2022**, 0

167	Impacts of Wildflower Interventions on Beneficial Insects in Fruit Crops: A Review.. 2022 , 13,	2
166	Bumble bees exhibit body size clines across an urban gradient despite low genetic differentiation.. 2022 , 12, 4166	1
165	Seasonal progression and differences in major floral resource use by bees and hoverflies in a diverse horticultural and agricultural landscape revealed by DNA metabarcoding.	3
164	Homing ability in a tropical Asian stingless bee is influenced by interaction between release distances and urbanisation.	0
163	Agricultural buffer zone thresholds to safeguard functional bee diversity: Insights from a community modeling approach.. 2022 , 12, e8748	
162	Effects of farmland consolidation in southern China on wild bee species composition, nesting location and body size variations.	0
161	Phylogenetic, functional and taxonomic responses of wild bee communities along urbanisation gradients.. 2022 , 154926	0
160	Functional traits of plants and pollinators explain resource overlap between honeybees and wild pollinators.. <i>Oecologia</i> , 2022 , 1	2.9 0
159	Exosymbiotic microbes within fermented pollen provisions are as important for the development of solitary bees as the pollen itself.. 2022 , 12, e8788	0
158	ForMIC: Foraging via Multiagent RL With Implicit Communication. 2022 , 7, 4877-4884	0
157	The non-random assembly of functional motifs in plant-pollinator networks.	
156	The importance and value of insect pollination to apples: A regional case study of key cultivars. 2022 , 331, 107911	0
155	Pesticide exposure of wild bees and honey bees foraging from field border flowers in intensively managed agriculture areas.. 2022 , 154697	2
154	Are native bees in Brazil at risk from the exposure to the neonicotinoid imidacloprid?. 2022 , 212, 113127	0
153	Differential effects of soil-based agricultural diversification on arthropods and crop yield.	
152	Higher developmental temperature increases queen production and decreases worker body size in the bumblebee <i>Bombus terrestris</i> . 88, 39-49	2
151	Inventorying and monitoring crop pollinating bees: Evaluating the effectiveness of common sampling methods.	2
150	Radar Cross Section Estimation For Entomological Applications: Target Dielectric Characterization And Its Impacts. 2021 ,	

- 149 Local and landscape features constrain the trait and taxonomic diversity of urban bees. **2022**, 37, 583-599 1
- 148 Are Bumblebees Relevant Models for Understanding Wild Bee Decline?. **2021**, 2, 0
- 147 Reproductive Success of an Endangered Plant after Invasive Bees Supplant Native Pollinator Services. **2022**, 14, 1
- 146 Flight distance and foraging of *Tetragonisca fiebrigi* (Apidae: Meliponini) in response to different concentrations of sugar in food resources and abiotic factors. 1-13 0
- 145 Life-history traits predict responses of wild bees to climate variation.. **2022**, 289, 20212697 1
- 144 Wild Bee Nutritional Ecology: Integrative Strategies to Assess Foraging Preferences and Nutritional Requirements. **2022**, 6, 1
- 143 Mapping nectar-rich pollinator floral resources using airborne multispectral imagery.. **2022**, 313, 114942
- 142 DataSheet_1.pdf. **2019**,
- 141 DataSheet_1.pdf. **2019**,
- 140 Table_1.pdf. **2018**,
- 139 Data_Sheet_1.docx. **2019**,
- 138 Image_1.TIF. **2019**,
- 137 Image_2.TIF. **2019**,
- 136 Image_3.TIF. **2019**,
- 135 Table_1.XLSX. **2019**,
- 134 Table_2.XLSX. **2019**,
- 133 OUP accepted manuscript. 1
- 132 The Asebio Index for Monitoring Ecosystem Services: Comparison of Data-Based Modelling with Stakeholders' Approach.

131	A Review of Habitat and Distribution of Common Stingless Bees and Honeybees Species in African Savanna Ecosystems. 2022 , 15, 194008292210996		1
130	Early-phase colonisation by introduced sculptured resin bee (Hymenoptera, Megachilidae, <i>Megachile sculpturalis</i>) revealed by local floral resource variability. 73 , 57-85		0
129	Canopy cover and seasonality are associated with variation in native bee assemblages across a mixed pine-juniper woodland.		0
128	Who can pass the urban filter? A multi-taxon approach to disentangle pollinator trait-environmental relationships.. <i>Oecologia</i> , 2022 , 199, 165-179	2.9	0
127	Flower sharing and pollinator health: a behavioural perspective.. 2022 , 377, 20210157		2
126	Diets maintained in a changing world: Does land-use intensification alter wild bee communities by selecting for flexible generalists?. 2022 , 12,		0
125	Effect of urbanization and its environmental stressors on the intraspecific variation of flight functional traits in two bumblebee species.. <i>Oecologia</i> , 2022 ,	2.9	1
124	Remote Sensing of Floral Resources for Pollinators [New Horizons From Satellites to Drones. 2022 , 10,		0
123	Flower plantings support wild bee reproduction and may also mitigate pesticide exposure effects.		1
122	Extremely low level of genetic diversity in <i>Gentiana yakushimensis</i> , an endangered species in Yakushima Island, Japan.		0
121	Stable species and interactions in plant-pollinator networks deviate from core position in fragmented habitats.		0
120	DNA metabarcoding unveils the effects of habitat fragmentation on pollinator diversity, plant-pollinator interactions, and pollination efficiency in Maldivian islands.		1
119	Niche complementarity drives increases in pollinator functional diversity in diversified agroforestry systems. 2022 , 336, 108035		0
118	Philosophy of science in practice in ecological model building. 2022 , 37,		0
117	Biogeographic history predicts bee community structure across floral resource gradients in south-east Australia. 2022 , 28, 1475-1486		0
116	Historic and Contemporary Land Use Shape Plant-Pollinator Networks and Community Composition. 10 ,		0
115	The need for weeds: Man-made, non-cropped habitats complement crops and natural habitats in providing honey bees and bumble bees with pollen resources. 2022 , 840, 156551		2
114	Inter-Annual Changes in Abundance of Native and Exotic Pollinators of V. Faba Crops and Their Relationship with Landscape Variables.		0

- 113 Sex and the City: *Osmia Bicornis* Has More Numerous and Bigger Female Offspring in Urban Environment.
- 112 Local abundance of neotropical orchid bees in Amazon forests not related to large-scale climate suitability.
- 111 Functional diversity of farmland bees across rural-urban landscapes in a tropical megacity. 1
- 110 Effects of imidacloprid on survival and nest development in the neo-tropical bumblebee *Bombus ephippiatus*. **2022**, 53, 1
- 109 Utility of carbon and nitrogen stable isotopes for inferring wild bee (Hymenoptera: Apoidea) use of adjacent foraging habitats. **2022**, 17, e0271095 1
- 108 Seasonal bee communities vary in their responses local and landscape scales: implication for land managers.
- 107 Pollination efficiency in farmland landscapes: exploring the relative roles of spillover, dilution and complementarity between habitats.
- 106 Differential ability of three bee species to move genes via pollen.
- 105 Linear woodlots increase wild bee abundance by providing additional food sources in an agricultural landscape. 0
- 104 The potential and realized foraging movements of bees are differentially determined by body size and sociality. 1
- 103 Critical role of native forest and savannah habitats in retaining neotropical pollinator diversity in highly mechanized agricultural landscapes. **2022**, 338, 108084 1
- 102 Stingless bees in tropical dry forests: global context and challenges of an integrated conservation management. 1-12 1
- 101 Forest connectivity boosts pollen flow among populations of the oil-producing *Nierembergia linaarifolia*. **2022**, 37, 2435-2450 0
- 100 Predicting negative Effects of Climate Change on Taiwan's endemic Bumblebee *Bombus formosellus*. 0
- 99 Citizen science monitoring reveals links between honeybee health, pesticide exposure and seasonal availability of floral resources. **2022**, 12,
- 98 Temperature and not landscape composition shapes wild bee communities in an urban environment. 1
- 97 Anthropogenic effects on the body size of two neotropical orchid bees. **2022**, 22, 1
- 96 Pollen Preference Patterns by *Tetragonisca angustula* (Apidae: Meliponini) in a Bolivian Yucumano Forest.

- 95 Nearly half of spring-flying male *Andrena* bees consume pollen, but less than female conspecifics. **2022**, 53, 1
- 94 Local diversification enhances pollinator visitation to strawberry and may improve pollination and marketability. 6,
- 93 How city traits affect taxonomic and functional diversity of urban wild bee communities: insights from a worldwide analysis. **2022**, 53, 1
- 92 Extremely low level of genetic diversity in *Gentiana yakushimensis*, an endangered species in Yakushima Island, Japan.
- 91 Native bees with floral sonication behaviour can achieve high-performance pollination of highbush blueberry in Chile. 0
- 90 People of color experience reduced access to pollinators along an urban-rural gradient.
- 89 Greater bee diversity is needed to maintain crop pollination over time. 1
- 88 Ecological livelihoods of farmers and pollinators in the Himalayas: Doing critical physical geography using citizen science. 1
- 87 SpORtI: The species originality and rarity index combines phylogenetic and functional originality with rarity metrics to provide a new perspective on species rarity. **2022**, 143, 109339
- 86 Land cover and climate drive shifts in *Bombus* assemblage composition. **2022**, 339, 108113
- 85 Landscape-level effects on pollination networks and fruit-set of crops in tropical small-holder agroecosystems. **2022**, 339, 108112
- 84 Backyard buzz: human population density modifies the value of vegetation cover for insect pollinators in a subtropical city. 0
- 83 Landscape composition affects parasitoid body size in species-specific manner: A case study in asian rice systems. **2022**, 175, 105057 0
- 82 Biological control for predation invasion based on pair approximation. **2022**, 19, 10252-10274 0
- 81 Putting pesticides on the map for pollinator research and conservation. **2022**, 9, 1
- 80 Addressing pollination deficits in orchard crops through habitat management for wild pollinators. 0
- 79 Pollen DNA metabarcoding reveals cryptic diversity and high spatial turnover in alpine plant-pollinator networks. 0
- 78 Spatial and temporal scale of analysis alter conclusions about the effects of urbanisation on plant-pollinator networks. 0

- 77 DNA metabarcoding identifies urban foraging patterns of oligolectic and polylectic cavity-nesting bees. ○
- 76 Pollinator movement activity influences genetic diversity and differentiation of spatially isolated populations of clonal forest herbs. 10, ○
- 75 Land-use changes in a neotropical biodiversity hotspot and its effects on Euglossini bees. ○
- 74 Estimating the pollination supply of urban green spaces to determine suitable areas for urban agriculture in the city of Tehran. ○
- 73 Pollen limitation of native plant reproduction in an urban landscape. ○
- 72 Towards a functional classification of poorly known tropical insects: The case of rhinoceros beetles (Coleoptera, Dynastinae) in Panama. ○
- 71 Neutral processes related to regional bee commonness and dispersal distances are important predictors of plant-pollinator networks along gradients of climate and landscape conditions. ○
- 70 Comparative psychophysics of Western honey bee (*Apis mellifera*) and stingless bee (*Tetragonula carbonaria*) colour purity and intensity perception. ○
- 69 Flower Margins: Attractiveness over Time for Different Pollinator Groups. **2022**, 11, 1933 ○
- 68 Landscape conservation and local interactions with non-crop plants aid in structuring bee assemblages in organic tropical agroecosystems. ○
- 67 Vegetation complexity and nesting resource availability predict bee diversity and functional traits in community gardens. ○
- 66 Wild bees are exposed to low levels of pesticides in urban grasslands and community gardens. **2022**, 159839 1
- 65 Characterizing user needs for Beescape: A spatial decision support tool focused on pollinator health. **2023**, 325, 116416 ○
- 64 Public and private economic benefits of adopting conservation tillage for cotton pollination. **2023**, 342, 108251 ○
- 63 Hummingbirds, honeybees, and wild insect pollinators affect yield and berry quality of blueberries depending on cultivar and farm spatial context. **2023**, 342, 108229 ○
- 62 A large-scale dataset reveals taxonomic and functional specificities of wild bee communities in urban habitats of Western Europe. **2022**, 12, ○
- 61 Identifying wild bee visitors of major crops in North America with notes on potential threats from agricultural practices. 6, ○
- 60 Ecological Drivers and Consequences of Bumble Bee Body Size Variation. ○

- 59 Body mass decline in a Mediterranean community of solitary bees supports the size shrinking effect of climatic warming. ○
- 58 Sociality is a key driver of foraging ranges in bees. **2022**, ○
- 57 Habitat quality influences pollinator pathogen prevalence through both habitat-disease and biodiversity-disease pathways. ○
- 56 The effect of habitat amount on flight-related traits in the butterfly *Hamadryas februa* is sex-dependent. ○
- 55 Pollinator conservation: Where will bees go in the Anthropocene future?. **2022**, 32, R1351-R1353 ○
- 54 Costs and benefits of maternal nest choice: tradeoffs between brood survival and thermal stress for small carpenter bees. ○
- 53 Herbivory, plant traits and nectar chemistry interact to affect the community of insect visitors and pollination in common milkweed, *Asclepias syriaca*. ○
- 52 Elevated pan traps optimise the sampling of bees, including when the availability of floral resources is high. ○
- 51 Historic DNA uncovers genetic effects of climate change and landscape alteration in two wild bee species. ○
- 50 Landscape effects on pollinator abundance differ among taxonomic groups. ○
- 49 Landscape-level honey bee hive density, instead of field-level hive density, enhances honey bee visitation in blueberry. ○
- 48 Mapping trait versus species turnover reveals spatiotemporal variation in functional redundancy and network robustness in a plant-pollinator community. ○
- 47 Urbanisation impacts the diversity, coloration, and body size of wild bees in a Mediterranean city. ○
- 46 Dust abraded from thiamethoxam-treated seed during sowing: Refining the risk assessment for native bees in Brazil. ○
- 45 Release experiments as an indicator of flying activities of stingless bees in urban areas. 4, ○
- 44 Using physiology to better support wild bee conservation. **2023**, 11, ○
- 43 The Grassland Fragmentation Experiment in the Swiss Jura Mountains: A Synthesis. **2023**, 15, 130 ○
- 42 A minimum of 15% semi-natural habitat facilitates adequate wild pollinator visitation to a pollinator-dependent crop. **2023**, 278, 109887 ○

- 41 Wild Bee Exposure to Pesticides in Conservation Grasslands Increases along an Agricultural Gradient: A Tale of Two Sample Types. **2023**, 57, 321-330 ○
- 40 Insect Pollinator Monitoring in and around a Netted Plot of Apple TreesBiosafety Implications for Genetically Engineered Fruit Trees. **2023**, 13, 84 ○
- 39 Body size and age of drone honeybees (*Apis mellifera*) affect the structure and characteristics of mating congregations via dispersal. **2023**, 54, ○
- 38 Sunflower-Associated Reductions in Varroa Mite Infestation of Honey Bee Colonies. 1
- 37 Biology, Genetic Diversity, and Conservation of Wild Bees in Tree Fruit Orchards. **2023**, 12, 31 ○
- 36 Contrasting Response of Mountain Plant-Pollinator Network to Fragmented Semi-Natural Grasslands. **2023**, 12, 356 ○
- 35 Local and Landscape Factors Influence Plant-Pollinator Networks and Bee Foraging Behavior across an Urban Corridor. **2023**, 12, 362 ○
- 34 Positive impact of postfire environment on bumble bees not explained by habitat variables in a remote forested ecosystem. **2023**, 13, ○
- 33 Bee visitation, pollination service, and crop yield in commodity and hybrid seed canola. **2023**, 347, 108396 ○
- 32 Pollination of exotic fruit crops depends more on extant pollinators and landscape structure than on local management of domestic bees. **2023**, 347, 108387 ○
- 31 Morphological Variation in Bumblebees (*Bombus terrestris*) (Hymenoptera:Apidae) After Three Decades of an Island Invasion. **2023**, 23, ○
- 30 Melissopalynological investigations of seasonal honey samples from the Greater Kruger National Park, Savanna biome of South Africa. ○
- 29 Stingless bee floral visitation in the global tropics and subtropics. **2023**, 43, e02454 ○
- 28 Microbial diversity in stingless bee gut is linked to host wing size and influenced by the environment. **2023**, 198, 107909 ○
- 27 Larger bees facilitate the deposition of oilseed rape pollen (*Brassica napus* L.). **2023**, 26, 102047 ○
- 26 A Review of *Arctomecon californica* (Papaveraceae) with a Focus on the Species' Potential for Propagation and Reintroduction and Conservation Needs. **2022**, 14, ○
- 25 Honey Bees as Environmental Biomonitors and Effects of Climate Change on Their Population. **2023**, 174-205 ○
- 24 Influence of landscape on foraging range and homing ability of afrotropical stingless bees. **2023**, 70, 59-67 ○

- 23 Bee diversity on urban rooftop food gardens. 5,
- 22 Decline in wild bee species richness associated with honey bee (*Apis mellifera* L.) abundance in an urban ecosystem. 11, e14699
- 21 Biodiversity Measures Providing Food and Nesting Habitat Increase the Number of Bumblebee (*Bombus Terrestris*) Colonies in Modelled Agricultural Landscapes.
- 20 Can trap color affect arthropod community attraction in agroecosystems? A test using yellow vane and colorless traps. **2023**, 195,
- 19 Carbon farming can enhance pollinator resources. **2023**, 76, 104-110
- 18 The Role of Uncultivated Habitats in Supporting Wild Bee Communities in Mediterranean Agricultural Landscapes. **2023**, 15, 294
- 17 Decision-making criteria for pesticide spraying considering the bees' presence on crops to reduce their exposure risk. 11,
- 16 Honey bee waggle dances facilitate shorter foraging distances and increased foraging aggregation. **2023**, 198, 11-19
- 15 Prescribed fire is associated with increased floral richness and promotes short-term increases in bee biodiversity in the ponderosa pine forest of the Southern Rocky Mountains.
- 14 Arthropod communities along an elevation gradient in Denali National Park and Preserve, Alaska: Rapidly shrinking tundra hosts a unique assemblage of specialists. **2023**, 55,
- 13 Scale-dependent effects of landscape structure on pollinator traits, species interactions and pollination success.
- 12 Hawkmoth and bee pollinators impact pollen dispersal at the landscape but not local scales in two species of *Oenothera*.
- 11 ¿Qu'sabemos de las abejas sin aguijñ (Hymenoptera: Apidae, Meliponini) en M'xico?: Diversidad, Ecolog' y polinizaciñ. 1-17
- 10 The contrasting response of cavity-nesting bees, wasps and their natural enemies to biodiversity conservation measures.
- 9 Elevated developmental temperatures impact the size and allometry of morphological traits of the bumblebee *Bombus terrestris*. **2023**, 226,
- 8 Bee functional traits and their relationship to pollination services depend on many factors: A meta-regression analysis.
- 7 An 'instinct for learning'—the learning flights and walks of bees, wasps and ants from the 1850s to now. **2023**, 226,
- 6 Role of pollen flavonoids in the heather-bumble bee-parasite interactions.

- 5 Seasonal fluctuations of antioxidant enzymes and biochemical compositions of *Apis mellifera adansonii* L. from three ecological zones of Nigeria. **2023**, 84, ○
- 4 Sexual dimorphism in excess power index of four North American native bees (Hymenoptera, Andrenidae, Apidae, and Halictidae). 96, 121-128 ○
- 3 Mixed-species system and native vegetation cover shape bee community in tomato crops. ○
- 2 Differential ability of three bee species to move genes via pollen. **2023**, 18, e0271780 ○
- 1 The effect of urbanisation and seasonality on wild bee abundance, body size and foraging efforts. ○