

Thermal conductivity and latent heat thermal energy storage capacity of paraffin/expanded graphite composite as phase change material

Applied Thermal Engineering

27, 1271-1277

DOI: 10.1016/j.applthermaleng.2006.11.004

Citation Report

#	ARTICLE	IF	CITATIONS
1	Paperâ€“paraffin composites prepared by interfacial polymerisation reaction on paper surface and its function of thermal energy storage. Journal of Materials Science, 2008, 43, 1486-1491.	3.7	17
2	Phase change materials for smart textiles â€“ An overview. Applied Thermal Engineering, 2008, 28, 1536-1550.	6.0	922
3	Preparation, thermal properties and thermal reliability of capric acid/expanded perlite composite for thermal energy storage. Materials Chemistry and Physics, 2008, 109, 459-464.	4.0	204
4	Preparation and characterization of low-temperature expandable graphite. Materials Research Bulletin, 2008, 43, 2677-2686.	5.2	43
5	Thermal properties of heat storage composites containing multiwalled carbon nanotubes. Journal of Applied Physics, 2008, 104, .	2.5	59
6	Effect of outdoor air parameters on energy consumption with heat-pipe used in air-handling unit. International Journal of Energy Technology and Policy, 2008, 6, 446.	0.2	0
7	Impregnation of porous material with phase change material for thermal energy storage. Materials Chemistry and Physics, 2009, 115, 846-850.	4.0	255
8	Synthesis, characterization, thermal properties of a series of stearic acid esters as novel solidâ€“liquid phase change materials. Materials Letters, 2009, 63, 1213-1216.	2.6	110
9	Preparation, thermal properties and thermal reliability of palmitic acid/expanded graphite composite as form-stable PCM for thermal energy storage. Solar Energy Materials and Solar Cells, 2009, 93, 571-576.	6.2	378
10	Enhanced thermal conductivity and thermal performance of form-stable composite phase change materials by using Î²-Aluminum nitride. Applied Energy, 2009, 86, 1196-1200.	10.1	250
11	Preparation and thermophysical properties of nanoparticle-in-paraffin emulsion as phase change material. International Communications in Heat and Mass Transfer, 2009, 36, 467-470.	5.6	329
12	High latent heat storage and high thermal conductive phase change materials using exfoliated graphite nanoplatelets. Solar Energy Materials and Solar Cells, 2009, 93, 136-142.	6.2	394
13	Cellulose-based solidâ€“solid phase change materials synthesized in ionic liquid. Solar Energy Materials and Solar Cells, 2009, 93, 1321-1328.	6.2	89
14	Micro-encapsulated paraffin/high-density polyethylene/wood flour composite as form-stable phase change material for thermal energy storage. Solar Energy Materials and Solar Cells, 2009, 93, 1761-1767.	6.2	129
15	Synergistic effect of iron and intumescent flame retardant on shape-stabilized phase change material. Thermochimica Acta, 2009, 487, 74-79.	2.7	72
16	Thermal properties of paraffin based composites containing multi-walled carbon nanotubes. Thermochimica Acta, 2009, 488, 39-42.	2.7	292
17	Thermal stability, latent heat and flame retardant properties of the thermal energy storage phase change materials based on paraffin/high density polyethylene composites. Renewable Energy, 2009, 34, 2117-2123.	8.9	161
18	Performance enhancement in latent heat thermal storage system: A review. Renewable and Sustainable Energy Reviews, 2009, 13, 2225-2244.	16.4	570

#	ARTICLE	IF	CITATIONS
19	Performance of phase change material boards under natural convection. Building and Environment, 2009, 44, 1788-1793.	6.9	91
20	Preparation and thermal properties of polyethylene glycol/expanded graphite blends for energy storage. Applied Energy, 2009, 86, 1479-1483.	10.1	266
21	Thermal Characteristics of Paraffin/Expanded Perlite Composite for Latent Heat Thermal Energy Storage. Energy Sources, Part A: Recovery, Utilization and Environmental Effects, 2009, 31, 814-823.	2.3	70
22	Synthesis and characteristics of form-stable n-octadecane/expanded graphite composite phase change materials. Applied Physics A: Materials Science and Processing, 2010, 100, 1143-1148.	2.3	49
23	Heat conduction enhanced shape-stabilized paraffin/HDPE composite PCMs by graphite addition: Preparation and thermal properties. Solar Energy Materials and Solar Cells, 2010, 94, 1636-1642.	6.2	202
24	Synthesis of shape-stabilized paraffin/silicon dioxide composites as phase change material for thermal energy storage. Journal of Materials Science, 2010, 45, 1672-1676.	3.7	41
25	PW based phase change nanocomposites containing Al_2O_3 . Journal of Thermal Analysis and Calorimetry, 2010, 102, 709-713.	3.6	41
26	Preparation and properties of lauric acid/silicon dioxide composites as form-stable phase change materials for thermal energy storage. Materials Chemistry and Physics, 2010, 122, 533-536.	4.0	105
27	The influence of expanded graphite on thermal properties for paraffin/high density polyethylene/chlorinated paraffin/antimony trioxide as a flame retardant phase change material. Energy Conversion and Management, 2010, 51, 2733-2737.	9.2	76
28	State of the art on high temperature thermal energy storage for power generation. Part 1 "Concepts, materials and modellization. Renewable and Sustainable Energy Reviews, 2010, 14, 31-55.	16.4	1,379
29	Exergy based performance evaluation of latent heat thermal storage system: A review. Renewable and Sustainable Energy Reviews, 2010, 14, 2580-2595.	16.4	180
30	Thermo-mechanical behaviors of the expanded graphite-phase change material matrix used for thermal management of Li-ion battery packs. Journal of Materials Processing Technology, 2010, 210, 174-179.	6.3	163
31	Effect of expanded graphite on properties of high-density polyethylene/paraffin composite with intumescent flame retardant as a shape-stabilized phase change material. Solar Energy Materials and Solar Cells, 2010, 94, 360-365.	6.2	184
32	Anisotropic thermal conductivity and permeability of compacted expanded natural graphite. Applied Thermal Engineering, 2010, 30, 1805-1811.	6.0	76
33	Preparation and thermal characterization of expanded graphite/paraffin composite phase change material. Carbon, 2010, 48, 2538-2548.	10.3	318
34	Preparation and characterization of stearic acid/expanded graphite composites as thermal energy storage materials. Energy, 2010, 35, 4622-4626.	8.8	168
35	Exergy analysis of particle dispersed latent heat thermal storage system for solar water heaters. Journal of Renewable and Sustainable Energy, 2010, 2, .	2.0	19
37	Preparation and Melting/Freezing Characteristics of Cu/Paraffin Nanofluid as Phase-Change Material (PCM). Energy & Fuels, 2010, 24, 1894-1898.	5.1	261

#	ARTICLE	IF	CITATIONS
38	The Thermal Property and Flame Retardant Mechanism of Intumescent Flame Retardant Paraffin System with Metal. Industrial & Engineering Chemistry Research, 2010, 49, 6003-6009.	3.7	37
39	Experimental Study of the Influence of Additives on Thermal Properties of Paraffin Mixtures. , 2011, , .		1
40	Thermo-regulating textiles with phase-change materials. , 2011, , 163-183.		9
41	Experimental Study on a New-Type Thermoelectric Heat Pump Phase Change Thermal Energy Storage Device. , 2011, , .		0
42	Preparation and Performance of Highly Conductive Phase Change Materials Prepared with Paraffin, Expanded Graphite, and Diatomite. International Journal of Green Energy, 2011, 8, 121-129.	3.8	20
43	Experimental Study on the Heat Storage/Release Characteristics of a Thermoelectric Heat Pump Phase-Change Thermal Storage Device. , 2011, , .		1
44	The shape-stabilized phase change materials composed of polyethylene glycol and various mesoporous matrices (AC, SBA-15 and MCM-41). Solar Energy Materials and Solar Cells, 2011, 95, 3550-3556.	6.2	193
45	A review of power battery thermal energy management. Renewable and Sustainable Energy Reviews, 2011, 15, 4554-4571.	16.4	858
46	Experimental investigation of preparation and thermal performances of paraffin/bentonite composite phase change material. Energy Conversion and Management, 2011, 52, 3275-3281.	9.2	152
47	Impact of shape of container on natural convection and melting inside enclosures used for passive cooling of electronic devices. Applied Thermal Engineering, 2011, 31, 3022-3035.	6.0	83
48	Numerical simulation on phase-change thermal storage/release in a plate-fin unit. Applied Thermal Engineering, 2011, 31, 3871-3884.	6.0	165
49	Preparation of expandable graphite using a hydrothermal method and flame-retardant properties of its halogen-free flame-retardant HDPE composites. Journal of Polymer Research, 2011, 18, 483-488.	2.4	35
50	Fabrication and interfacial morphologies of methanolâ€“melamineâ€“formaldehyde (MMF) shell microPCMs/epoxy composites. Colloid and Polymer Science, 2011, 289, 169-177.	2.1	45
51	Synthesis and characterization of microcapsules containing Rubitherm®RT27 obtained by spray drying. Chemical Engineering Journal, 2011, 166, 384-390.	12.7	143
52	The experimental exploration of carbon nanofiber and carbon nanotube additives on thermal behavior of phase change materials. Solar Energy Materials and Solar Cells, 2011, 95, 1208-1212.	6.2	338
53	Permeability and thermal conductivity of host compressed natural graphite for consolidated activated carbon adsorbent. Frontiers in Energy, 2011, 5, 159-165.	2.3	2
54	Biodegradable PEO/celluloseâ€“based solidâ€“solid phase change materials. Polymers for Advanced Technologies, 2011, 22, 1633-1641.	3.2	66
55	Novel functional nitrile butadiene rubber/magnetite nano composites for NTCR thermistors application. Journal of Applied Polymer Science, 2011, 121, 3604-3612.	2.6	29

#	ARTICLE	IF	CITATIONS
56	A direct comparison of three different material enhancement methods on the transient thermal response of paraffin phase change material exposed to high heat fluxes. International Journal of Thermal Sciences, 2011, 50, 1639-1647.	4.9	108
57	Thermal conductivity and permeability of consolidated expanded natural graphite treated with sulphuric acid. Carbon, 2011, 49, 4812-4819.	10.3	82
58	Preparation and properties of gypsum-based heat storage and preservation material. Energy and Buildings, 2011, 43, 2314-2319.	6.7	40
59	Preparation and Characterization of a Form-Stable Phase Change Materials Composed by UF, Paraffin and Expanded Perlite. Advanced Materials Research, 0, 347-353, 4109-4113.	0.3	0
60	Exfoliated graphite/paraffin nanocomposites as phase change materials for thermal energy storage application. Materials Research Innovations, 2011, 15, 422-431.	2.3	16
61	Thermal Properties of Composites Containing Metal Oxide Nanoparticles. Materials Science Forum, 0, 694, 146-149.	0.3	1
62	Encapsulated Phase Change Materials and their Applications in Buildings. Advanced Materials Research, 2012, 509, 82-89.	0.3	3
63	Examination of Thermal Properties of Paraffin/Water Emulsion with Implications for Heat Transfer. Journal of Thermophysics and Heat Transfer, 2012, 26, 535-539.	1.6	5
64	Thermophysical Properties of Nanoparticles-Phase Change Material Compositions for Thermal Energy Storage. Applied Mechanics and Materials, 0, 232, 127-131.	0.2	22
65	Interfacial Morphologies of Methanol-Melamine-Formaldehyde (MMF) Shell MicroPCMs/Epoxy Composites. Advanced Materials Research, 0, 427, 60-63.	0.3	1
66	Permeability and Thermal Conductivity of Compact Adsorbent of Salts for Sorption Refrigeration. Journal of Heat Transfer, 2012, 134, .	2.1	27
67	Improved Thermal Response in Encapsulated Phase Change Materials by Nanotube Attachment on Encapsulating Solid. Journal of Nanotechnology in Engineering and Medicine, 2012, 3, .	0.8	9
68	Effect of Voids on Solidification of Phase Change Materials Infiltrated in Graphite Foams. , 2012, , .		2
69	Thermal energy storage properties of mannitolâ€‘fatty acid esters as novel organic solidâ€‘liquid phase change materials. Energy Conversion and Management, 2012, 64, 68-78.	9.2	65
70	Fabrication and performances of new kind microencapsulated phase change material based on stearic acid core and polycarbonate shell. Energy Conversion and Management, 2012, 64, 1-7.	9.2	70
71	Electrically conductive carbon nanofiber/paraffin wax composites for electric thermal storage. Energy Conversion and Management, 2012, 64, 62-67.	9.2	29
72	Thermophysical properties of high-density graphite foams and their paraffin composites. New Carbon Materials, 2012, 27, 27-34.	6.1	46
73	Preparation and photothermal characterization of nanocomposites based on high density polyethylene filled with expanded and unexpanded graphite: Particle size and shape effects. International Journal of Thermal Sciences, 2012, 62, 50-55.	4.9	29

#	ARTICLE	IF	CITATIONS
74	Design and Analysis of Biomass Drying unit with Waste Heat Recovery and Storage. Procedia Engineering, 2012, 38, 1161-1165.	1.2	0
75	Development and testing of subambient melt temperature nano-enhanced phase change materials. , 2012, , .		1
76	Investigation of the stability of paraffinâ€“exfoliated graphite nanoplatelet composites for latent heat thermal storage systems. Journal of Materials Chemistry, 2012, 22, 24469.	6.7	15
77	Evaluation of methods to fully saturate carbon foam with paraffin wax phase change material for energy storage. , 2012, , .		5
78	Dissipative particle dynamics investigation of microencapsulated thermal energy storage phase change materials. Energy, 2012, 44, 805-812.	8.8	26
79	Shape-stabilized phase change materials based on polyethylene glycol/porous carbon composite: The influence of the pore structure of the carbon materials. Solar Energy Materials and Solar Cells, 2012, 105, 21-26.	6.2	341
80	Development of PCM/carbon-based composite materials. Solar Energy Materials and Solar Cells, 2012, 107, 205-211.	6.2	47
81	The effect of carbon nanotubes in enhancing the thermal transport properties of PCM during solidification. Heat and Mass Transfer, 2012, 48, 1345-1355.	2.1	142
82	Enhancement of Thermal Energy Transport Across Graphene/Graphite and Polymer Interfaces: A Molecular Dynamics Study. Advanced Functional Materials, 2012, 22, 2495-2502.	14.9	313
83	Permeability and thermal conductivity of compact chemical and physical adsorbents with expanded natural graphite as host matrix. International Journal of Heat and Mass Transfer, 2012, 55, 4453-4459.	4.8	45
84	Preparation and thermal energy storage properties of paraffin/expanded graphite composite phase change material. Applied Energy, 2012, 91, 426-431.	10.1	387
85	Fatty acid esters-based composite phase change materials for thermal energy storage in buildings. Applied Thermal Engineering, 2012, 37, 208-216.	6.0	92
86	Phase change composite based on porous nickel and erythritol. Applied Thermal Engineering, 2012, 40, 373-377.	6.0	137
87	Preparation and thermal energy storage properties of building material-based composites as novel form-stable PCMs. Energy and Buildings, 2012, 51, 73-83.	6.7	75
88	A review of intercalation composite phase change material: Preparation, structure and properties. Renewable and Sustainable Energy Reviews, 2012, 16, 2094-2101.	16.4	90
89	Preparation and thermal energy properties of paraffin/halloysite nanotube composite as form-stable phase change material. Solar Energy, 2012, 86, 1142-1148.	6.1	85
90	Numerical study on performance of molten salt phase change thermal energy storage system with enhanced tubes. Solar Energy, 2012, 86, 1155-1163.	6.1	86
91	Heat transfer improvement of Wood's alloy using compressed expanded natural graphite for thermal energy storage. Solar Energy Materials and Solar Cells, 2012, 100, 263-267.	6.2	16

#	ARTICLE	IF	CITATIONS
92	Preparation and thermal characteristics of CuO/oleic acid nanofluids as a phase change material. <i>Thermochimica Acta</i> , 2012, 533, 46-55.	2.7	172
93	The investigation of thermal conductivity and energy storage properties of graphite/paraffin composites. <i>Journal of Thermal Analysis and Calorimetry</i> , 2012, 107, 949-954.	3.6	69
94	Preparation and thermal properties of expanded graphite/paraffin/organic montmorillonite composite phase change material. <i>Journal of Thermal Analysis and Calorimetry</i> , 2012, 107, 299-303.	3.6	34
95	Analysis of a platform for thermal management studies of microelectronics cooling methods. <i>Applied Thermal Engineering</i> , 2013, 60, 88-95.	6.0	12
96	Anomalous Thermal Conduction Characteristics of Phase Change Composites with Single-Walled Carbon Nanotube Inclusions. <i>Journal of Physical Chemistry C</i> , 2013, 117, 15409-15413.	3.1	74
97	Preparation and thermal energy storage behaviour of stearic acid/TiO ₂ nanofluids as a phase change material for solar heating systems. <i>Thermochimica Acta</i> , 2013, 565, 137-145.	2.7	129
98	Development of Methods to Fully Saturate Carbon Foam With Paraffin Wax Phase Change Material for Energy Storage. <i>Journal of Solar Energy Engineering, Transactions of the ASME</i> , 2013, 135, .	1.8	19
99	Effects of various carbon nanofillers on the thermal conductivity and energy storage properties of paraffin-based nanocomposite phase change materials. <i>Applied Energy</i> , 2013, 110, 163-172.	10.1	358
100	Preparation and properties studies of paraffin/high density polyethylene composites and phase-change coatings. <i>Progress in Organic Coatings</i> , 2013, 76, 1761-1764.	3.9	12
101	Experimental Investigation of Thermal Conductivity of Paraffin Based Nanocomposite for TES. <i>Applied Mechanics and Materials</i> , 0, 465-466, 181-185.	0.2	0
102	Thermal and exergetic analysis of Metal Foam-enhanced Cascaded Thermal Energy Storage (MF-CTES). <i>International Journal of Heat and Mass Transfer</i> , 2013, 58, 86-96.	4.8	96
103	Review of thermal energy storage technologies based on PCM application in buildings. <i>Energy and Buildings</i> , 2013, 67, 56-69.	6.7	361
104	Utilization of waste glass powder for latent heat storage application in buildings. <i>Energy and Buildings</i> , 2013, 66, 405-414.	6.7	30
105	Molecular dynamics simulations of nano-encapsulated and nanoparticle-enhanced thermal energy storage phase change materials. <i>International Journal of Heat and Mass Transfer</i> , 2013, 66, 575-584.	4.8	79
106	Self diffusion and heat capacity of n-alkanes based phase change materials: A molecular dynamics study. <i>International Journal of Heat and Mass Transfer</i> , 2013, 64, 581-589.	4.8	46
107	Preparation and thermal properties of paraffin/expanded perlite composite as form-stable phase change material. <i>Materials Letters</i> , 2013, 108, 247-249.	2.6	63
108	Preparation and characterization of PEG/SiO ₂ composites as shape-stabilized phase change materials for thermal energy storage. <i>Solar Energy Materials and Solar Cells</i> , 2013, 118, 48-53.	6.2	149
109	Morphologies and thermal characterization of paraffin/carbon foam composite phase change material. <i>Solar Energy Materials and Solar Cells</i> , 2013, 117, 451-461.	6.2	90

#	ARTICLE	IF	CITATIONS
110	Thermal energy storage cement mortar containing n-octadecane/expanded graphite composite phase change material. Renewable Energy, 2013, 50, 670-675.	8.9	239
111	A review of potential materials for thermal energy storage in building applications. Renewable and Sustainable Energy Reviews, 2013, 18, 327-349.	16.4	472
112	Heat storage properties of the cement mortar incorporated with composite phase change material. Applied Energy, 2013, 103, 393-399.	10.1	125
113	Thermal properties of the graphite/n-docosane composite PCM. Journal of Thermal Analysis and Calorimetry, 2013, 111, 77-83.	3.6	24
114	Multifunctional, Ultra-Flyweight, Synergistically Assembled Carbon Aerogels. Advanced Materials, 2013, 25, 2554-2560.	21.0	1,701
115	Improving the thermal conductivity and shape-stabilization of phase change materials using nanographite additives. Carbon, 2013, 51, 365-372.	10.3	273
116	Miscibility gap alloys with inverse microstructures and high thermal conductivity for high energy density thermal storage applications. Applied Thermal Engineering, 2013, 51, 1345-1350.	6.0	73
117	Thermal conductivity enhancement of erythritol as PCM by using graphite and nickel particles. Applied Thermal Engineering, 2013, 61, 825-828.	6.0	178
118	Comparison on Thermal Conductivity and Permeability of Granular and Consolidated Activated Carbon for Refrigeration. Chinese Journal of Chemical Engineering, 2013, 21, 676-682.	3.5	47
119	Phase change material: Optimizing the thermal properties and thermal conductivity of myristic acid/palmitic acid eutectic mixture with acid-based surfactants. Applied Thermal Engineering, 2013, 60, 261-265.	6.0	48
120	An experimental study on melting heat transfer of paraffin dispersed with Al ₂ O ₃ nanoparticles in a vertical enclosure. International Journal of Heat and Mass Transfer, 2013, 62, 2-8.	4.8	150
121	Increased Thermal Conductivity of Eicosane-Based Composite Phase Change Materials in the Presence of Graphene Nanoplatelets. Energy & Fuels, 2013, 27, 4041-4047.	5.1	205
122	Study of synthesizing energy storage microcapsules in PVA spinning solution and thermal regulating fibers prepared by this solution. Fibers and Polymers, 2013, 14, 537-541.	2.1	3
123	Review of passive PCM latent heat thermal energy storage systems towards buildings' energy efficiency. Energy and Buildings, 2013, 59, 82-103.	6.7	785
124	A review of solar collectors and thermal energy storage in solar thermal applications. Applied Energy, 2013, 104, 538-553.	10.1	1,330
125	Preparation and Thermophysical Properties of Water-Glycerol Mixture-Based CuO Nanofluids as PCM for Cooling Applications. IEEE Nanotechnology Magazine, 2013, 12, 629-635.	2.0	31
126	Thermal conductivity improvement of phase change materials/graphite foam composites. Carbon, 2013, 60, 117-128.	10.3	133
127	Latent thermal energy storage system using phase change material in corrugated enclosures. Applied Thermal Engineering, 2013, 50, 1008-1014.	6.0	44

#	ARTICLE	IF	CITATIONS
128	Temperature Control and Optimal Energy Management using Latent Energy Storage. Industrial & Engineering Chemistry Research, 2013, 52, 3247-3257.	3.7	15
129	Form-Stable Phase Change Materials Based on Eutectic Mixture of Tetradecanol and Fatty Acids for Building Energy Storage: Preparation and Performance Analysis. Materials, 2013, 6, 4758-4775.	2.9	63
130	Thermal transport in graphene-polymer nanocomposites. Proceedings of SPIE, 2013, , .	0.8	0
131	Storage-enhanced thermal management for mobile devices. , 2013, , .		0
132	Temperature Control Applications of the Phase Transformations of Materials. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2013, 46, 78-83.	0.4	0
133	On the network thermodynamics of mass action chemical reaction networks. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2013, 46, 24-29.	0.4	10
134	Effect of Marangoni Convection on Solidification of Phase Change Materials Infiltrated in Porous Media in Presence of Voids. , 2013, , .		1
135	Potentialities of a Low Temperature Solar Heating System Based on Slurry Phase Change Materials (PCS). Energy Procedia, 2014, 62, 355-363.	1.8	20
136	Applications of organic phase change materials for thermal comfort in buildings. Reviews in Chemical Engineering, 2014, 30, .	4.4	17
137	Waste Thermal Energy Harvesting (III): Storage with Phase Change Materials. Lecture Notes in Energy, 2014, , 481-592.	0.3	2
138	The use of phase change material in the design of heat recovery and energy storage system applied to diesel generators. , 2014, , .		1
139	Waste Energy Harvesting. Lecture Notes in Energy, 2014, , .	0.3	52
140	Preparation and properties of palmitic-stearic acid eutectic mixture/expanded graphite composite as phase change material for energy storage. Energy, 2014, 78, 950-956.	8.8	105
141	Preparation and Experimental Study of Composite Phase Change Material for Building Energy Conservation. Advanced Materials Research, 0, 1053, 136-142.	0.3	0
142	A novel PCM of lauricâ€“myristicâ€“stearic acid/expanded graphite composite for thermal energy storage. Materials Letters, 2014, 120, 43-46.	2.6	97
143	Multi-walled carbon nanotubes added to Na ₂ CO ₃ /MgO composites for thermal energy storage. Particuology, 2014, 15, 56-60.	3.6	96
144	Thermophysical properties estimation of paraffin/graphite composite phase change material using an inverse method. Energy Conversion and Management, 2014, 82, 229-237.	9.2	55
145	A work procedure of utilising PCMs as thermal storage systems based on air-TES systems. Energy Conversion and Management, 2014, 77, 608-627.	9.2	59

#	ARTICLE	IF	CITATIONS
146	Solar dryers with PCM as energy storage medium: A review. Renewable and Sustainable Energy Reviews, 2014, 33, 110-116.	16.4	175
147	Phase change materials for thermal energy storage. Progress in Materials Science, 2014, 65, 67-123.	32.8	1,475
148	Thermal Management Material: Graphite. Advanced Engineering Materials, 2014, 16, 494-506.	3.5	96
149	Carbon nanotube grafted with polyalcohol and its influence on the thermal conductivity of phase change material. Energy Conversion and Management, 2014, 83, 325-329.	9.2	84
150	Surface functionalization on the thermal conductivity of graphene/polymer nanocomposites. International Journal of Smart and Nano Materials, 2014, 5, 123-132.	4.2	44
151	Review on thermal management systems using phase change materials for electronic components, Li-ion batteries and photovoltaic modules. Renewable and Sustainable Energy Reviews, 2014, 31, 427-438.	16.4	398
152	Determining the thermal conductivity of liquids using the transient hot disk method. Part I: Establishing transient thermal-fluid constraints. International Journal of Heat and Mass Transfer, 2014, 71, 779-789.	4.8	29
153	Thermal energy storage behavior of composite using hybrid nanomaterials as PCM for solar heating systems. Journal of Thermal Analysis and Calorimetry, 2014, 115, 1563-1571.	3.6	47
154	Carbon Foams. , 2014, , 189-214.		5
155	A novel sebacic acid/expanded graphite composite phase change material for solar thermal medium-temperature applications. Solar Energy, 2014, 99, 283-290.	6.1	117
156	Optimization of filler distribution for organic phase change material composites: Numerical investigation and entropy analysis. Applied Energy, 2014, 132, 543-550.	10.1	6
157	The S curve of energy storage by melting. Journal of Applied Physics, 2014, 116, .	2.5	13
158	Development of thermal energy storage composites and prevention of PCM leakage. Applied Energy, 2014, 135, 225-233.	10.1	80
159	Thermal Properties of Paraffin/Nano-AlN Phase Change Energy Storage Materials. Energy Sources, Part A: Recovery, Utilization and Environmental Effects, 2014, 36, 2281-2286.	2.3	19
160	Combined experimental and numerical evaluation of a prototype nano-PCM enhanced wallboard. Applied Energy, 2014, 131, 517-529.	10.1	188
161	Experimental Investigation on Heat Storage/Retrieval Characteristics of a Latent Heat Storage System. Heat Transfer Engineering, 2014, 35, 1084-1097.	1.9	15
162	Numerical studies on the performance enhancement of an encapsulated thermal storage unit. International Journal of Thermal Sciences, 2014, 84, 184-195.	4.9	15
163	Advanced Phase Change Composite by Thermally Annealed Defect-Free Graphene for Thermal Energy Storage. ACS Applied Materials & Interfaces, 2014, 6, 15262-15271.	8.0	113

#	ARTICLE	IF	CITATIONS
164	Progress in Sustainable Energy Technologies Vol II. , 2014, , .		3
165	Preparation and thermal properties of porous heterogeneous composite phase change materials based on molten salts/expanded graphite. Solar Energy, 2014, 107, 63-73.	6.1	130
166	Experimental investigation of solidification and melting characteristics of composite PCMs for building heating application. Energy Conversion and Management, 2014, 86, 864-872.	9.2	83
167	Experimental and numerical study on phase change material floor in solar water heating system with a new design. Solar Energy, 2014, 105, 126-138.	6.1	91
168	Analysis of differential scanning calorimetry data of the paraffin/graphite waste composites for thermal energy storage. , 2014, , .		1
169	Deposition and characterization of energetic thin films. Combustion and Flame, 2014, 161, 1117-1124.	5.2	32
170	Fabrication and stability of form-stable diatomite/paraffin phase change material composites. Energy and Buildings, 2014, 76, 284-294.	6.7	161
171	Experimental and numerical investigation of the application of phase change materials in a simulative power batteries thermal management system. Applied Energy, 2014, 121, 104-113.	10.1	222
172	Low temperature-dependence of N,N-dimethyl-3-methylbenzamide (DEET) release from a functional paper containing paraffinâ€“DEET composites prepared using interfacial polymerization. Chemical Engineering Journal, 2014, 245, 17-23.	12.7	16
173	Preparation, characterization and thermal properties of binary nitrate salts/expanded graphite as composite phase change material. Thermochimica Acta, 2014, 587, 52-58.	2.7	55
174	Thermal properties measurement and heat storage analysis of paraffin/graphite composite phase change material. Composites Part B: Engineering, 2014, 66, 518-525.	12.0	53
175	Enhanced Thermal Transport of Nanostructured Phase Change Composite for Thermal Energy Storage. , 2014, , .		0
178	Synthesis of nanocomposite $\text{Ca}_x\text{Zn}_y(\text{OH})_2(\text{x}\hat{\text{A}}+\hat{\text{A}}\text{y})$ as thermochemical storage material. Nanomaterials and Energy, 2015, 4, 124-130.	0.2	0
179	Enhanced interfacial thermal transport across grapheneâ€“polymer interfaces by grafting polymer chains. Carbon, 2015, 85, 414-421.	10.3	126
180	Effect of Covalent Functionalization on Thermal Transport across Grapheneâ€“Polymer Interfaces. Journal of Physical Chemistry C, 2015, 119, 12731-12738.	3.1	126
181	Molecular dynamics insight to phase transition in n-alkanes with carbon nanofillers. AIP Advances, 2015, 5, 057141.	1.3	3
182	Macroencapsulation and characterization of phase change materials for latent heat thermal energy storage systems. Applied Energy, 2015, 154, 92-101.	10.1	165
183	Optimization of building-integrated photovoltaic thermal air system combined with thermal storage. International Journal of Low-Carbon Technologies, 2015, 10, 146-156.	2.6	16

#	ARTICLE	IF	CITATIONS
184	Numerical and experimental study of heat transfer characteristics of a shell-tube latent heat storage system: Part I – Charging process. <i>Energy</i> , 2015, 79, 337-350.	8.8	73
185	Effect of thermal conductivities of shape stabilized PCM on under-floor heating system. <i>Applied Energy</i> , 2015, 144, 10-18.	10.1	111
186	Carbon foam: Preparation and application. <i>Carbon</i> , 2015, 87, 128-152.	10.3	347
187	Experimental investigation of battery thermal management system for electric vehicle based on paraffin/copper foam. <i>Journal of the Energy Institute</i> , 2015, 88, 241-246.	5.3	140
188	Improving thermal conductivity phase change materials – A study of paraffin nanomagnetite composites. <i>Solar Energy Materials and Solar Cells</i> , 2015, 137, 61-67.	6.2	224
189	Paraffin and paraffin/aluminum foam composite phase change material heat storage experimental study based on thermal management of Li-ion battery. <i>Applied Thermal Engineering</i> , 2015, 78, 428-436.	6.0	312
190	Numerical and experimental study on the heat transfer properties of the composite paraffin/expanded graphite phase change material. <i>International Journal of Heat and Mass Transfer</i> , 2015, 84, 237-244.	4.8	41
191	Developments in organic solid – liquid phase change materials and their applications in thermal energy storage. <i>Energy Conversion and Management</i> , 2015, 95, 193-228.	9.2	597
192	High-electrical-resistivity thermally-conductive phase change materials prepared by adding nanographitic fillers into paraffin. <i>Microelectronic Engineering</i> , 2015, 138, 91-96.	2.4	10
193	The effect of expanded graphite on the thermal stability, latent heat, and flammability properties of EVA/wax phase change blends. <i>Polymer Engineering and Science</i> , 2015, 55, 1255-1262.	3.1	55
194	Molecular-dynamics calculation of the thermal conduction in phase change materials of graphene paraffin nanocomposites. <i>International Journal of Heat and Mass Transfer</i> , 2015, 91, 45-51.	4.8	64
195	Design of a low-temperature solar heating system based on a slurry Phase Change Material (PCS). <i>Energy and Buildings</i> , 2015, 106, 44-58.	6.7	41
196	The stabilizing effect of expanded graphite on the artificial aging of shape stabilized phase change materials. <i>Polymer Testing</i> , 2015, 46, 65-71.	4.8	22
197	Numerical study on performance enhancement of shell-and-tube latent heat storage unit. <i>International Communications in Heat and Mass Transfer</i> , 2015, 67, 147-152.	5.6	37
198	Study on functional and mechanical properties of cement mortar with graphite-modified microencapsulated phase-change materials. <i>Energy and Buildings</i> , 2015, 105, 273-284.	6.7	113
199	Positive influence of expanded graphite on the physical behavior of phase change materials based on linear low-density polyethylene and paraffin wax. <i>Thermochimica Acta</i> , 2015, 614, 218-225.	2.7	35
200	Encapsulation techniques for organic phase change materials as thermal energy storage medium: A review. <i>Solar Energy Materials and Solar Cells</i> , 2015, 143, 78-98.	6.2	219
201	The effect of expanded graphite on the flammability and thermal conductivity properties of phase change material based on PP/wax blends. <i>Polymer Bulletin</i> , 2015, 72, 2263-2283.	3.3	35

#	ARTICLE	IF	CITATIONS
202	Preparation of erythritolâ€“graphite foam phase change composite with enhanced thermal conductivity for thermal energy storage applications. Carbon, 2015, 94, 266-276.	10.3	156
203	Review on using microencapsulated phase change materials (PCM) in building applications. Energy and Buildings, 2015, 106, 134-155.	6.7	309
204	Different Phase Change Material Implementations for Thermal Energy Storage. Handbook of Environmental Chemistry, 2015, , 123-149.	0.4	0
205	Short History of PCM Applications in Building Envelopes. Engineering Materials and Processes, 2015, , 21-59.	0.4	11
206	Preparation and characterization of in situ grafted/crosslinked polyethylene glycol/polyvinyl alcohol composite thermal regulating fiber. Solar Energy Materials and Solar Cells, 2015, 140, 193-201.	6.2	33
207	PCMs Heat Transfer Performance Enhancement with Expanded Graphite and its Thermal Stability. Procedia Engineering, 2015, 102, 1877-1884.	1.2	50
208	Thermal conductivities and characteristics of ternary eutectic chloride/expanded graphite thermal energy storage composites. Applied Energy, 2015, 148, 87-92.	10.1	104
209	Corrugated Paraffin Nanocomposite Films as Large Stroke Thermal Actuators and Self-Activating Thermal Interfaces. ACS Applied Materials & Interfaces, 2015, 7, 8218-8224.	8.0	17
210	Energy efficient thermal storage montmorillonite with phase change material containing exfoliated graphite nanoplatelets. Solar Energy Materials and Solar Cells, 2015, 139, 65-70.	6.2	76
211	Phase change materials for solar thermal energy storage in residential buildings in cold climate. Renewable and Sustainable Energy Reviews, 2015, 48, 692-703.	16.4	137
212	The form-stable phase change materials based on polyethylene glycol and functionalized carbon nanotubes for heat storage. Applied Thermal Engineering, 2015, 90, 952-956.	6.0	50
213	A new experimental device and inverse method to characterize thermal properties of composite phase change materials. Composite Structures, 2015, 133, 1149-1159.	5.8	10
214	Calorimetric and dynamic mechanical behavior of phase change materials based on paraffin wax supported by expanded graphite. Thermochimica Acta, 2015, 617, 111-119.	2.7	36
215	Review on thermal properties of nanofluids: Recent developments. Advances in Colloid and Interface Science, 2015, 225, 146-176.	14.7	352
216	Thermal Conductivity and Specific Heat Capacity of Different Compositions of Yttria Stabilized Zirconia-Nickel Mixtures. Advanced Materials Research, 0, 1119, 783-788.	0.3	2
217	A molecular dynamics study on thermal and mechanical properties of grapheneâ€“paraffin nanocomposites. RSC Advances, 2015, 5, 82638-82644.	3.6	48
218	Utilization of paraffin/expanded perlite materials to improve mechanical and thermal properties of cement mortar. Construction and Building Materials, 2015, 101, 791-796.	7.2	85
219	Melting performance enhancement in latent heat storage module using solid extraction electrohydrodynamics (EHD). International Journal of Heat and Mass Transfer, 2015, 81, 695-704.	4.8	51

#	ARTICLE	IF	CITATIONS
220	Thermal conductivity of an organic phase change material/expanded graphite composite across the phase change temperature range and a novel thermal conductivity model. Energy Conversion and Management, 2015, 102, 202-208.	9.2	248
221	Transient performance of a PCM-based heat sink with high aspect-ratio carbon nanofillers. Applied Thermal Engineering, 2015, 75, 532-540.	6.0	73
222	Thermal property and latent heat energy storage behavior of sodium acetate trihydrate composites containing expanded graphite and carboxymethyl cellulose for phase change materials. Applied Thermal Engineering, 2015, 75, 978-983.	6.0	108
223	Microencapsulation of phase change materials (PCMs) for thermal energy storage systems. , 2015, , 247-284.		18
224	Selection of Low-Temperature Phase-Change Materials for Thermal Energy Storage Based on the VIKOR Method. Energy Technology, 2015, 3, 84-89.	3.8	35
225	Rigid polyurethane foams incorporated with phase change materials: A state-of-the-art review and future research pathways. Energy and Buildings, 2015, 87, 25-36.	6.7	114
226	Investigation of a graphite/paraffin phase change composite. International Journal of Thermal Sciences, 2015, 88, 128-135.	4.9	52
227	Experimental Investigation on Solidification Behaviour of Water Base Nanofluid PCM for Building Cooling Applications. Indian Journal of Science and Technology, 2016, 9, .	0.7	11
228	Numerical Simulation of the Heat Transfer Behavior of a Zigzag Plate Containing a Phase Change Material for Combustion Heat Recovery and Power Generation. Journal of Combustion, 2016, 2016, 1-11.	1.0	1
229	Thermal Management of Power Batteries for Electric Vehicles Using Phase Change Materials: A Review. , 0, , .		17
230	Introduction to solar heating and cooling systems. , 2016, , 3-12.		11
231	Thermal Performance Evaluation of Fatty Acid Ester and Paraffin Based Mixed SSPCMs Using Exfoliated Graphite Nanoplatelets (xGnP). Applied Sciences (Switzerland), 2016, 6, 106.	2.5	25
232	Empirical Validation of a Thermal Model of a Complex Roof Including Phase Change Materials. Energies, 2016, 9, 9.	3.1	11
233	Melting of graphene based phase change nanocomposites in vertical latent heat thermal energy storage unit. Applied Thermal Engineering, 2016, 107, 101-113.	6.0	43
234	The effects of various carbon derivative additives on the thermal properties of paraffin as a phase change material. International Journal of Energy Research, 2016, 40, 198-206.	4.5	47
235	Heat transfer performance of paraffin wax based phase change materials applicable in building industry. Applied Thermal Engineering, 2016, 107, 1313-1323.	6.0	54
236	Influence of Z-Aligned Carbon Nanofibers on the Through-Thickness Thermal Conductivity of Paraffin Wax. , 2016, , .		1
237	Evaluation of Combined Active and Passive Thermal Management Strategies for Lithium-Ion Batteries. Journal of Electrochemical Energy Conversion and Storage, 2016, 13, .	2.1	26

#	ARTICLE	IF	CITATIONS
238	Evaluation of copper nanoparticles “ Paraffin wax compositions for solar thermal energy storage. Solar Energy, 2016, 132, 267-278.	6.1	212
239	Two-phase heat and mass transfer of phase change materials in thermal management systems. International Journal of Heat and Mass Transfer, 2016, 100, 215-223.	4.8	45
240	Effect of non-covalent functionalisation on thermal and mechanical properties of graphene-polymer nanocomposites. Carbon, 2016, 102, 311-318.	10.3	108
241	Effects of Paraffin Emulsion on the Structure and Properties of Soy Protein Films. Journal of Dispersion Science and Technology, 2016, 37, 1252-1258.	2.4	5
242	Thermal conductivity enhancement of recycled high density polyethylene as a storage media for latent heat thermal energy storage. Solar Energy Materials and Solar Cells, 2016, 152, 103-110.	6.2	48
243	Preparation and thermal characterization of sodium acetate trihydrate/expanded graphite composite phase change material. Journal of Thermal Analysis and Calorimetry, 2016, 125, 831-838.	3.6	31
244	Thermal properties improvement of Lithium nitrate/Graphite composite phase change materials. Applied Thermal Engineering, 2016, 102, 922-931.	6.0	36
245	Effects of exfoliated graphite on the thermal properties of erythritol-based composites used as phase-change materials. Composites Part B: Engineering, 2016, 96, 350-353.	12.0	56
246	Thermal performance of latent heat storage: Phase change material melting in horizontal tube applied to lightweight building envelopes. Composite Structures, 2016, 149, 69-78.	5.8	15
247	Thermal conductivity enhancement of phase change materials for thermal energy storage: A review. Renewable and Sustainable Energy Reviews, 2016, 62, 305-317.	16.4	300
248	Industrial waste heat recovery using an enhanced conductivity latent heat thermal energy storage. Applied Energy, 2016, 183, 491-503.	10.1	112
249	Thermal charging study of compressed expanded natural graphite/phase change material composites. Carbon, 2016, 109, 495-504.	10.3	40
250	Preparation and thermal energy storage properties of d-Mannitol/expanded graphite composite phase change material. Solar Energy Materials and Solar Cells, 2016, 155, 141-146.	6.2	92
251	Thermal optimization of composite phase change material/expanded graphite for Li-ion battery thermal management. Applied Thermal Engineering, 2016, 108, 1119-1125.	6.0	204
252	Experimental study of a cylindrical lithium ion battery thermal management using phase change material composites. Journal of Energy Storage, 2016, 8, 168-174.	8.1	124
253	High performance form-stable expanded graphite/stearic acid composite phase change material for modular thermal energy storage. International Journal of Heat and Mass Transfer, 2016, 102, 733-744.	4.8	105
254	A review on thermal conductivity enhancement of paraffinwax as latent heat energy storage material. Renewable and Sustainable Energy Reviews, 2016, 65, 81-100.	16.4	128
255	Form-stable phase change materials with high phase change enthalpy from the composite of paraffin and cross-linking phase change structure. Applied Energy, 2016, 184, 241-246.	10.1	130

#	ARTICLE	IF	CITATIONS
256	Air-dried, high-density graphene hybrid aerogels for phase change composites with exceptional thermal conductivity and shape stability. <i>Journal of Materials Chemistry A</i> , 2016, 4, 18067-18074.	10.3	167
257	Graphene oxide modified hydrate salt hydrogels: form-stable phase change materials for smart thermal management. <i>Journal of Materials Chemistry A</i> , 2016, 4, 18134-18143.	10.3	77
258	Utilization of lauric acid-myristic acid/expanded graphite phase change materials to improve thermal properties of cement mortar. <i>Energy and Buildings</i> , 2016, 133, 547-558.	6.7	62
259	Composites Enhance Heat Transfer in Paraffin/Melamine Resin Microencapsulated Phase Change Materials. <i>Energy Technology</i> , 2016, 4, 496-501.	3.8	24
260	Solar stills: A comprehensive review of designs, performance and material advances. <i>Renewable and Sustainable Energy Reviews</i> , 2016, 63, 464-496.	16.4	178
261	Experimental investigations on cylindrical latent heat storage units with sodium acetate trihydrate composites utilizing supercooling. <i>Applied Energy</i> , 2016, 177, 591-601.	10.1	56
262	Highly filled graphene/benzoxazine composites as bipolar plates in fuel cell applications. <i>Polymer Composites</i> , 2016, 37, 1715-1727.	4.6	38
263	Metal foam embedded in SEBS/paraffin/HDPE form-stable PCMs for thermal energy storage. <i>Solar Energy Materials and Solar Cells</i> , 2016, 149, 60-65.	6.2	142
264	Structure and thermal properties of octadecane/expanded graphite composites as shape-stabilized phase change materials. <i>International Journal of Heat and Mass Transfer</i> , 2016, 95, 735-741.	4.8	87
265	Solidification behavior and thermal conductivity of bulk sodium acetate trihydrate composites with thickening agents and graphite. <i>Solar Energy Materials and Solar Cells</i> , 2016, 145, 287-295.	6.2	91
266	A Cartesian grid solver for simulation of a phase-change material (PCM) solar thermal storage device. <i>Numerical Heat Transfer, Part B: Fundamentals</i> , 2016, 69, 179-196.	0.9	25
267	Investigation into the Coating and Desensitization Effect on HNIW of Paraffin Wax/Stearic Acid Composite System. <i>Journal of Energetic Materials</i> , 2016, 34, 26-37.	2.0	26
268	Preparation of paraffin/porous TiO ₂ foams with enhanced thermal conductivity as PCM, by covering the TiO ₂ surface with a carbon layer. <i>Applied Energy</i> , 2016, 171, 37-45.	10.1	149
269	Performance enhancement of a Building-Integrated Concentrating Photovoltaic system using phase change material. <i>Solar Energy Materials and Solar Cells</i> , 2016, 149, 29-39.	6.2	158
270	Solar thermal energy storage and heat pumps with phase change materials. <i>Applied Thermal Engineering</i> , 2016, 99, 1212-1224.	6.0	128
271	Thermal performance enhancement of palmitic-stearic acid by adding graphene nanoplatelets and expanded graphite for thermal energy storage: A comparative study. <i>Energy</i> , 2016, 97, 488-497.	8.8	101
272	Solidification characteristics of water based graphene nanofluid PCM in a spherical capsule for cool thermal energy storage applications. <i>International Journal of Refrigeration</i> , 2016, 66, 73-83.	3.4	78
273	A review on preparation, characterization, properties and applications of nanofluids. <i>Renewable and Sustainable Energy Reviews</i> , 2016, 60, 21-40.	16.4	477

#	ARTICLE	IF	CITATIONS
274	A review of performance enhancement of PCM based latent heat storage system within the context of materials, thermal stability and compatibility. Energy Conversion and Management, 2016, 115, 132-158.	9.2	519
275	Experimental and numerical study on thermal energy storage of polyethylene glycol/expanded graphite composite phase change material. Energy and Buildings, 2016, 111, 242-252.	6.7	62
276	Thermal Conductivity and Latent Heat Properties of Microencapsulated Phase Change Material (1/4PCM)/Multiwall Carbon Nanotube (MWCNT) Composites for EVs Application. Advanced Materials Research, 0, 1133, 131-135.	0.3	0
277	Preparation and thermal performance of paraffin/Nano-SiO ₂ nanocomposite for passive thermal protection of electronic devices. Applied Thermal Engineering, 2016, 96, 699-707.	6.0	48
278	A review of the composite phase change materials: Fabrication, characterization, mathematical modeling and application to performance enhancement. Applied Energy, 2016, 165, 472-510.	10.1	421
279	Numerical and Experimental Tribological Investigations of Diamond Nanoparticles. Journal of Tribology, 2016, 138, .	1.9	7
280	Nanofluids: An innovative phase change material for cold storage systems?. International Journal of Heat and Mass Transfer, 2016, 92, 550-557.	4.8	18
281	Preparation and thermal properties of stearic acid/diatomite composites as form-stable phase change materials for thermal energy storage via direct impregnation method. Journal of Thermal Analysis and Calorimetry, 2016, 123, 1173-1181.	3.6	93
282	A review of application of ammonium polyphosphate as intumescent flame retardant in thermoplastic composites. Composites Part B: Engineering, 2016, 84, 155-174.	12.0	233
283	Enhanced thermal conductivity of n-octadecane containing carbon-based nanomaterials. Heat and Mass Transfer, 2016, 52, 1621-1631.	2.1	26
284	Exploitation of Carbon Nanotubes in High Performance Polyvinylidene Fluoride Matrix Composite: A Review. Polymer-Plastics Technology and Engineering, 2016, 55, 199-222.	1.9	10
285	Smart macroencapsulated resin/wax composite for energy conservation in the built environment. Journal of Thermoplastic Composite Materials, 2017, 30, 887-914.	4.2	6
286	Heat storage materials, geometry and applications: A review. Journal of the Energy Institute, 2017, 90, 1-11.	5.3	141
287	Diffusion and thermal conductivity of the mixture of paraffin and polystyrene for thermal energy storage: A molecular dynamics study. Journal of the Energy Institute, 2017, 90, 534-543.	5.3	15
288	Preparation, characterization, and performance study of beeswax/expanded graphite composite as thermal storage material. Experimental Heat Transfer, 2017, 30, 139-150.	3.2	24
289	Investigation of diffusional transport of heat and its enhancement in phase-change thermal energy storage systems. Applied Thermal Engineering, 2017, 111, 1611-1621.	6.0	25
290	Thermal conductive composites based on silver-plating graphite nanosheet and epoxy polymer. Polymer Composites, 2017, 38, 2822-2828.	4.6	6
291	Preparation and properties of fatty acid eutectics/expanded perlite and expanded vermiculite shape-stabilized materials for thermal energy storage in buildings. Energy and Buildings, 2017, 139, 197-204.	6.7	85

#	ARTICLE	IF	CITATIONS
292	Heat transfer enhancement of phase change materials for thermal energy storage applications: A critical review. Renewable and Sustainable Energy Reviews, 2017, 74, 26-50.	16.4	418
293	Evacuated tube solar collector with multifunctional absorber layers. Solar Energy, 2017, 146, 342-350.	6.1	57
294	Shape-stabilized Phase Change Materials Based on Stearic Acid and Mesoporous Hollow SiO ₂ Microspheres (SA/SiO ₂) for Thermal Energy Storage. European Journal of Inorganic Chemistry, 2017, 2017, 2138-2143.	2.0	37
295	Structure and thermal properties of decanoic acid/expanded graphite composite phase change materials. Journal of Thermal Analysis and Calorimetry, 2017, 128, 1313-1326.	3.6	25
296	Percolation of binary disk systems: Modeling and theory. Physical Review E, 2017, 95, 012118.	2.1	13
298	Numerical simulations to quantify the influence of phase change materials (PCMs) on the early- and later-age thermal response of concrete pavements. Cement and Concrete Composites, 2017, 81, 11-24.	10.7	40
299	Thermally Conductive Polypropylene/Graphite/Carbon Fiber Composites. Materials Science Forum, 0, 893, 12-20.	0.3	5
300	An exact analysis for transient anisotropic heat conduction in truncated composite conical shells. Applied Thermal Engineering, 2017, 124, 422-431.	6.0	7
301	Preparation and thermal reliability of N-butyl stearate/methyl palmitate composite phase change material. Journal of Thermal Analysis and Calorimetry, 2017, 128, 1273-1278.	3.6	7
302	Transient multi-day simulations of thermal storage and heat extraction for a finned solar thermal storage device. Solar Energy, 2017, 151, 48-60.	6.1	16
303	Phase change materials and carbon nanostructures for thermal energy storage: A literature review. Renewable and Sustainable Energy Reviews, 2017, 79, 1212-1228.	16.4	161
304	Phenomenological model of binary-series viscosity for analysing rheological properties of a paraffin using validated experiments. International Journal of Refrigeration, 2017, 79, 238-250.	3.4	2
305	Experiment and simulation of thermal management for a tube-shell Li-ion battery pack with composite phase change material. Applied Thermal Engineering, 2017, 120, 1-9.	6.0	141
306	Dual-encapsulation of octadecanol in thermal/electric conductor for enhanced thermoconductivity and efficient energy storage. Materials Chemistry Frontiers, 2017, 1, 1430-1434.	5.9	5
307	Fast charging of thermal energy storage systems enabled by phase change materials mixed with expanded graphite. International Journal of Heat and Mass Transfer, 2017, 109, 1052-1058.	4.8	41
308	Design and construction of a new steady-state apparatus for medium thermal conductivity measurement at high temperature. Review of Scientific Instruments, 2017, 88, 104903.	1.3	2
309	Optimization of Graphite Composite Latent Heat Storage Systems. , 2017, , .		2
310	Natural aging of shape stabilized phase change materials based on paraffin wax. Polymer Testing, 2017, 63, 567-572.	4.8	14

#	ARTICLE	IF	CITATIONS
311	Melting of nanoparticles-enhanced phase-change materials in an enclosure: Effect of hybrid nanoparticles. International Journal of Mechanical Sciences, 2017, 134, 85-97.	6.7	135
312	A novel thermoelectric harvester based on high-performance phase change material for space application. Applied Energy, 2017, 206, 1194-1202.	10.1	52
313	Solar Thermal Collector With Multifunctional Absorber Layers. , 2017, , .		0
314	Improved performance of a newly prepared nano-enhanced phase change material for solar energy storage. Journal of Mechanical Science and Technology, 2017, 31, 4903-4910.	1.5	66
315	Dynamics of phase change in a vertical PCM capsule in the presence of radiation at high temperatures. Applied Energy, 2017, 206, 498-506.	10.1	13
316	MgCl ₂ ·6H ₂ O-Mg(NO ₃) ₂ ·6H ₂ O eutectic/SiO ₂ composite phase change material with improved thermal reliability and enhanced thermal conductivity. Solar Energy Materials and Solar Cells, 2017, 172, 195-201.	6.2	83
317	Design and Preparation of the Phase Change Materials Paraffin/Porous Al ₂ O ₃ @Graphite Foams with Enhanced Heat Storage Capacity and Thermal Conductivity. ACS Sustainable Chemistry and Engineering, 2017, 5, 7594-7603.	6.7	96
318	Graphite foam as interpenetrating matrices for phase change paraffin wax: A candidate composite for low temperature thermal energy storage. Solar Energy Materials and Solar Cells, 2017, 172, 324-334.	6.2	83
319	Preparation and thermal energy storage properties of LiNO ₃ -KCl-NaNO ₃ /expanded graphite composite phase change material. Solar Energy Materials and Solar Cells, 2017, 169, 215-221.	6.2	51
320	Low mass fraction impregnation with graphene oxide (GO) enhances thermo-physical properties of paraffin for heat storage applications. Thermochimica Acta, 2017, 655, 226-233.	2.7	27
321	Selective Laser Sintering of Phase Change Materials for Thermal Energy Storage Applications. Procedia Manufacturing, 2017, 10, 851-865.	1.9	12
322	The passive thermal management system for electronic device using low-melting-point alloy as phase change material. Applied Thermal Engineering, 2017, 125, 317-327.	6.0	75
323	Preparation and characterization of 100% bio-based polylactic acid/palmitic acid microcapsules for thermal energy storage. Materials for Renewable and Sustainable Energy, 2017, 6, 14.	3.6	29
324	PCM based heat sinks of paraffin/nanoplatelet graphite composite for thermal management of IGBT. Applied Thermal Engineering, 2017, 112, 1129-1136.	6.0	49
325	A complex roof incorporating phase change material for improving thermal comfort in a dedicated test cell. Renewable Energy, 2017, 101, 450-461.	8.9	20
326	Thermal properties of beeswax/graphene phase change material as energy storage for building applications. Applied Thermal Engineering, 2017, 112, 273-280.	6.0	274
327	Thermal energy storage materials and systems for solar energy applications. Renewable and Sustainable Energy Reviews, 2017, 68, 693-706.	16.4	673
328	An overview of phase change materials for construction architecture thermal management in hot and dry climate region. Applied Thermal Engineering, 2017, 112, 1240-1259.	6.0	93

#	ARTICLE	IF	CITATIONS
329	Determining influences of SiO ₂ encapsulation on thermal energy storage properties of different phase change materials. Solar Energy Materials and Solar Cells, 2017, 159, 1-7.	6.2	103
330	Numerical and statistical study on melting of nanoparticle enhanced phase change material in a shell-and-tube thermal energy storage system. Applied Thermal Engineering, 2017, 111, 950-960.	6.0	95
331	Novel hybrid form-stable polyether phase change materials with good fire resistance. Energy Storage Materials, 2017, 6, 46-52.	18.0	44
332	Forced convective heat transfer for laminar flow of paraffin: A numerical and experimental study. Applied Thermal Engineering, 2017, 113, 1152-1163.	6.0	3
333	Thermal conductivity enhancement of paraffin by adding boron nitride nanostructures: A molecular dynamics study. Applied Thermal Engineering, 2017, 110, 1411-1419.	6.0	61
334	Recent progress in solar thermal energy storage using nanomaterials. Renewable and Sustainable Energy Reviews, 2017, 67, 450-460.	16.4	115
335	Thermal Conductivity Enhancement of Phase Change Materials Through Aligned Metallic Nanostructures. , 2017, , .		0
336	Design and Preparation of Carbon Based Composite Phase Change Material for Energy Piles. Materials, 2017, 10, 391.	2.9	27
337	Enhanced Thermo-Optical Switching of Paraffin-Wax Composite Spots under Laser Heating. Materials, 2017, 10, 525.	2.9	12
338	Synergistically-Enhanced Thermal Conductivity of Shape-Stabilized Phase Change Materials by Expanded Graphite and Carbon Nanotube. Applied Sciences (Switzerland), 2017, 7, 574.	2.5	30
339	Enhanced thermal conductivity of waste sawdust-based composite phase change materials with expanded graphite for thermal energy storage. Bioresources and Bioprocessing, 2017, 4, .	4.2	13
340	Thermal Property Enhancement of Paraffin-Wax-Based Hydroxyl-Terminated Polybutadiene Binder with a Novel NanoSiO ₂ -Expanded Graphite-PW Ternary Form-Stable Phase Change Material. Energy & Fuels, 2018, 32, 4016-4024.	5.1	18
341	Ca(NO ₃) ₂ -NaNO ₃ /expanded graphite composite as a novel shape-stable phase change material for mid- to high-temperature thermal energy storage. Energy Conversion and Management, 2018, 163, 50-58.	9.2	128
342	Effects of nanoparticle-enhanced phase change material (NPCM) on solar still productivity. Journal of Cleaner Production, 2018, 192, 9-29.	9.3	197
343	Conversion efficiency gain for concentrated triple-junction solar cell system through thermal management. Renewable Energy, 2018, 126, 960-968.	8.9	33
344	Enhancing the heat and load transfer efficiency by optimizing the interface of hexagonal boron nitride/elastomer nanocomposites for thermal management applications. Polymer, 2018, 143, 1-9.	3.8	132
345	Thermal characteristic investigation of eutectic composite fatty acid as heat storage material for solar heating and cooling application. IOP Conference Series: Materials Science and Engineering, 2018, 334, 012017.	0.6	0
346	New formulation and characterization of enhanced bulk-organic phase change materials. Energy and Buildings, 2018, 167, 38-48.	6.7	21

#	ARTICLE	IF	CITATIONS
347	Thermal charging performance of enhanced phase change material composites for thermal battery design. <i>International Journal of Thermal Sciences</i> , 2018, 127, 19-28.	4.9	63
348	Thermal conductivity enhancement of phase change materials with form-stable carbon bonded carbon fiber network. <i>Materials and Design</i> , 2018, 143, 177-184.	7.0	83
349	Image-Based Rapid Measurements of Temperature-Dependent Thermal Conductivities. <i>Journal of Heat Transfer</i> , 2018, 140, .	2.1	0
350	Paraffin/expanded graphite phase change composites with enhanced thermal conductivity prepared by implanted SiC nanowires with chemical vapor deposition method. <i>Materials Research Express</i> , 2018, 5, 025503.	1.6	9
351	Latent Heat Thermal Energy Storage Systems with Solid-Liquid Phase Change Materials: A Review. <i>Advanced Engineering Materials</i> , 2018, 20, 1700753.	3.5	297
352	A polymer-coated calcium chloride hexahydrate/expanded graphite composite phase change material with enhanced thermal reliability and good applicability. <i>Composites Science and Technology</i> , 2018, 156, 78-86.	7.8	74
353	Melting performance enhancement of phase change material by a limited amount of metal foam: Configurational optimization and economic assessment. <i>Applied Energy</i> , 2018, 212, 868-880.	10.1	143
354	Optimizing fin design for a PCM-based thermal storage device using dynamic Kriging. <i>International Journal of Heat and Mass Transfer</i> , 2018, 121, 290-308.	4.8	27
355	Electric vehicles batteries thermal management systems employing phase change materials. <i>Journal of Power Sources</i> , 2018, 378, 383-403.	7.8	290
356	Methods of heat transfer intensification in PCM thermal storage systems: Review paper. <i>Renewable and Sustainable Energy Reviews</i> , 2018, 92, 62-94.	16.4	163
357	Stearyl alcohol/palm triple pressed acid-graphite nanocomposites as phase change materials. <i>Thermochimica Acta</i> , 2018, 663, 77-84.	2.7	13
358	Preparation of expanded graphite/polyethylene glycol composite phase change material for thermoregulation of asphalt binder. <i>Construction and Building Materials</i> , 2018, 169, 513-521.	7.2	82
359	Preparation and characterization of high-temperature non-flowing $\text{SiO}_2/\text{EG}/\text{paraffin}$ composites by high-temperature refining. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2018, 542, 1-7.	4.7	24
360	Core-sheath structural carbon materials for integrated enhancement of thermal conductivity and capacity. <i>Applied Energy</i> , 2018, 217, 369-376.	10.1	91
361	Review of the phase change material (PCM) usage for solar domestic water heating systems (SDWHS). <i>International Journal of Energy Research</i> , 2018, 42, 329-357.	4.5	108
362	Selection principles and thermophysical properties of high temperature phase change materials for thermal energy storage: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2018, 81, 1771-1786.	16.4	233
363	Comparison of Thermal Characteristics of Sensible and Latent Heat Storage Materials Encapsulated in Different Capsule Configurations. <i>Springer Proceedings in Energy</i> , 2018, , 11-20.	0.3	1
364	Novel shapeable phase change material (PCM) composites for thermal energy storage (TES) applications. <i>Solar Energy Materials and Solar Cells</i> , 2018, 174, 380-387.	6.2	58

#	ARTICLE	IF	CITATIONS
365	Superwetting polypropylene aerogel supported form-stable phase change materials with extremely high organics loading and enhanced thermal conductivity. Solar Energy Materials and Solar Cells, 2018, 174, 307-313.	6.2	78
366	Sebacic acid/CNT sponge phase change material with excellent thermal conductivity and photo-thermal performance. Solar Energy Materials and Solar Cells, 2018, 179, 217-222.	6.2	83
367	Design, fabrication and numerical analysis of compact thermal management system integrated with composite phase change material and thermal bridge. Energy Conversion and Management, 2018, 156, 25-33.	9.2	32
368	Comparative study in the identification of liquid to solid transition phase with DSC, Raman spectra analysis and chemiometrics methods applied to phase change materials used for icing-delay in civil engineering infrastructures. Applied Thermal Engineering, 2018, 130, 49-61.	6.0	5
369	Preparation and hygrothermal performance of composite phase change material wallboard with humidity control based on expanded perlite/diatomite/paraffin. Journal of Central South University, 2018, 25, 2387-2398.	3.0	14
370	Low-Temperature Thermal Energy Harvesting Using Solid/Liquid Phase Change Materials. , 2018, , .		1
371	Experimental Investigation of Improved Thermal Characteristics of Al ₂ O ₃ /Barium Hydroxide Octa Hydrate as Phase Change Materials (PCMs). Materials Today: Proceedings, 2018, 5, 14440-14447.	1.8	7
372	Improved Performance of Composite Phase Change Material for Thermal Energy Storage. Materials Today: Proceedings, 2018, 5, 14215-14224.	1.8	14
373	Melting Process Expedition of Phase Change Materials via Silicone Oil. , 2018, , .		0
374	Enhancement of thermal conductivity of PCM using filler graphite powder materials. IOP Conference Series: Materials Science and Engineering, 0, 402, 012173.	0.6	7
375	Influence of operational and design parameters on the performance of a PCM based heat exchanger for thermal energy storage – A review. Journal of Energy Storage, 2018, 20, 497-519.	8.1	166
376	Investigation on thermal management performance of PCM-fin structure for Li-ion battery module in high-temperature environment. Energy Conversion and Management, 2018, 176, 131-146.	9.2	235
377	Effective Encapsulation of Paraffin Wax in Carbon Nanotube Agglomerates for a New Shape-Stabilized Phase Change Material with Enhanced Thermal-Storage Capacity and Stability. Industrial & Engineering Chemistry Research, 2018, 57, 13026-13035.	3.7	47
378	Investigation of Thermal Characteristic of Eutectic Fatty Acid/Damar Gum as a Composite Phase Change Material (CPCM). Green Energy and Technology, 2018, , 607-616.	0.6	1
379	Shape stabilization, thermal energy storage behavior and thermal conductivity enhancement of flexible paraffin/MWCNTs/PP hollow fiber membrane composite phase change materials. Journal of Materials Science, 2018, 53, 15500-15513.	3.7	29
380	A review of phase change material and performance enhancement method for latent heat storage system. Renewable and Sustainable Energy Reviews, 2018, 93, 245-259.	16.4	431
381	Preparation and investigation of distinct and shape stable paraffin/SiO ₂ composite PCM nanospheres. Energy Conversion and Management, 2018, 168, 382-394.	9.2	85
382	Graphene Aerogels Enhanced Phase Change Materials prepared by one-pot method with high thermal conductivity and large latent energy storage. Solar Energy Materials and Solar Cells, 2018, 185, 487-493.	6.2	101

#	ARTICLE	IF	CITATIONS
383	PEG 400-Based Phase Change Materials Nano-Enhanced with Functionalized Graphene Nanoplatelets. <i>Nanomaterials</i> , 2018, 8, 16.	4.1	65
384	Preparation and Thermal Properties of Molecular-Bridged Expanded Graphite/Polyethylene Glycol Composite Phase Change Materials for Building Energy Conservation. <i>Materials</i> , 2018, 11, 818.	2.9	43
385	Three-dimensional numerical and experimental investigation of the behavior of solar salts within thermal storage devices during phase change. <i>Applied Thermal Engineering</i> , 2018, 143, 791-811.	6.0	9
386	Carbon based material included-shaped stabilized phase change materials for sunlight-driven energy conversion and storage: An extensive review. <i>Solar Energy</i> , 2018, 170, 1130-1161.	6.1	132
387	Experimental investigation of a solar cooker based on evacuated tube collector with phase change thermal storage unit in Indian climatic conditions. <i>International Journal of Renewable Energy Technology</i> , 2018, 9, 310.	0.3	5
388	Thermal Management Challenges in Turbo-Electric and Hybrid Electric Propulsion. , 2018, , .		7
389	Review and in silico analysis of fermentation, bioenergy, fiber, and biopolymer genes of biotechnological interest in Agave L. for genetic improvement and biocatalysis. <i>Biotechnology Progress</i> , 2018, 34, 1314-1334.	2.6	4
390	A micromechanics-based analytical solution for the effective thermal conductivity of composites with orthotropic matrices and interfacial thermal resistance. <i>Scientific Reports</i> , 2018, 8, 7266.	3.3	27
391	Thermo-optic switching properties of paraffin-wax hosting carbon fillers. <i>Journal of Energy Storage</i> , 2018, 19, 260-271.	8.1	8
392	Recent advances on thermal conductivity enhancement of phase change materials for energy storage system: A review. <i>International Journal of Heat and Mass Transfer</i> , 2018, 127, 838-856.	4.8	471
393	Fully bio-originated latent heat storing calcium alginate microcapsules with high coconut oil loading. <i>Solar Energy</i> , 2018, 170, 314-322.	6.1	31
394	Experimental investigation on nâ€œoctadecane/polystyrene/expanded graphite composites as formâ€œstable thermal energy storage materials. <i>Energy</i> , 2018, 157, 625-632.	8.8	55
395	A â€œTandemâ€œStrategy to Fabricate Flexible Graphene/Polypyrrole Nanofiber Film Using the Surfactant-Exfoliated Graphene for Supercapacitors. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 22031-22041.	8.0	40
396	Fabrication and thermal properties of tetradecanol/graphene aerogel form-stable composite phase change materials. <i>Scientific Reports</i> , 2018, 8, 8878.	3.3	66
397	Synthesis of porous Al/Al3Ti composite with hierarchical openâ€œcell structure for combining with phase change material. <i>Journal of Alloys and Compounds</i> , 2019, 770, 1100-1111.	5.5	9
398	Investigation of magnesium nitrate hexahydrate based phase change materials containing nanoparticles for thermal energy storage. <i>Materials Research Express</i> , 2019, 6, 105512.	1.6	6
399	Methods to Characterize Effective Thermal Conductivity, Diffusivity and Thermal Response in Different Classes of Composite Phase Change Materials. <i>Materials</i> , 2019, 12, 2552.	2.9	16
400	Research on Measurement Technology of Thermophysical Properties for Full-Scale Phase Change Material Product in a Container. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 2422.	2.5	4

#	ARTICLE	IF	CITATIONS
401	Thermal performance enhancement of a phase change material with expanded graphite via ultrasonication. Journal of Industrial and Engineering Chemistry, 2019, 79, 437-442.	5.8	21
402	Preparation and Properties of l-octadecanol/1,3:2,4-di-(3,4-dimethyl) Benzylidene Sorbitol/Expanded Graphite Form-stable Composite Phase Change Material. Journal Wuhan University of Technology, Materials Science Edition, 2019, 34, 728-735.	1.0	3
403	Microinfiltration of Mg(NO ₃) ₂ ·6H ₂ O into g-C ₃ N ₄ and macroencapsulation with commercial sealants: A two-step method to enhance the thermal stability of inorganic composite phase change materials. Applied Energy, 2019, 253, 113540.	10.1	34
404	Automated electrical demand peak leveling in a manufacturing facility with short term energy storage for smart grid participation. Journal of Manufacturing Systems, 2019, 52, 100-109.	13.9	16
405	Improvement of thermal, electrical and mechanical properties of composites using a synergistic network of length controlled-CNTs and graphene nanoplatelets. Composites Part B: Engineering, 2019, 175, 107075.	12.0	53
406	Enhancing thermal conductivity of paraffin wax 53â€“57â€“Â°C using expanded graphite. Solar Energy Materials and Solar Cells, 2019, 200, 110026.	6.2	78
407	Preparation of attapulgite carriers with different pore structures and their effects on thermophysical properties of composite phase change materials. AIP Advances, 2019, 9, .	1.3	4
408	Enhancement of thermal conductivity using nickel powder in artificial sweetener as phase change material. AIP Conference Proceedings, 2019, , .	0.4	0
409	Experimental Investigation of Improved Thermal Characteristics of SiO ₂ /myristic acid Nanofluid as Phase Change Material (PCM). Materials Today: Proceedings, 2019, 9, 397-409.	1.8	20
410	The numerical simulation and experimental study of heat release in a heat storage system with various diameters of aluminum tubes. Heliyon, 2019, 5, e02651.	3.2	3
411	THERMAL PERFORMANCE OF MULTITUBE LATENT HEAT STORAGE USING A METAL MATRIX FOR SOLAR APPLICATIONS: NUMERICAL STUDY. Heat Transfer Research, 2019, 50, 545-564.	1.6	4
412	Thermal storage performance of paraffin and fatty acid mixtures used in walls and floors. Materials Research Express, 2019, 6, 105522.	1.6	2
413	Graphene enhanced paraffin nanocomposite based hybrid cooling system for thermal management of electronics. Applied Thermal Engineering, 2019, 163, 114342.	6.0	44
414	Geometry-induced thermal storage enhancement of shape-stabilized phase change materials based on oriented carbon nanotubes. Applied Energy, 2019, 254, 113688.	10.1	35
415	Reduced graphene oxide and zirconium carbide co-modified melamine sponge/paraffin wax composites as new form-stable phase change materials for photothermal energy conversion and storage. Applied Thermal Engineering, 2019, 163, 114412.	6.0	84
416	Enhancement of heat transfer in paraffin wax PCM using nano graphene composite for industrial helmets. Journal of Energy Storage, 2019, 26, 100982.	8.1	60
417	Synthesis and characterization of microencapsulated phase change materials with comb-like acrylic co-polymer shell as thermal energy storage materials. Solar Energy, 2019, 179, 410-423.	6.1	11
418	Thermal efficiency and durability performances of paraffinic phase change materials with enhanced thermal conductivity â€“ A review. Thermochimica Acta, 2019, 673, 198-210.	2.7	71

#	ARTICLE	IF	CITATIONS
419	Reviewing Theoretical and Numerical Models for PCM-embedded Cementitious Composites. Buildings, 2019, 9, 3.	3.1	24
420	Effect of foam geometry on heat absorption characteristics of PCM-metal foam composite thermal energy storage systems. International Journal of Heat and Mass Transfer, 2019, 134, 866-883.	4.8	108
421	Development and characterization of novel and stable silicon nanoparticles-embedded PCM-in-water emulsions for thermal energy storage. Applied Energy, 2019, 238, 1407-1416.	10.1	57
422	Effect of filler size on thermal properties of paraffin/silver nanoparticle composites. Korean Journal of Chemical Engineering, 2019, 36, 1004-1012.	2.7	19
423	Biodegradable Polymeric Solid Framework-Based Organic Phase-Change Materials for Thermal Energy Storage. Industrial & Engineering Chemistry Research, 2019, 58, 10652-10677.	3.7	65
424	Experimental investigation of phase change materials fabricated using selective laser sintering additive manufacturing. Journal of Manufacturing Processes, 2019, 44, 91-101.	5.9	8
425	Design analysis of a hybrid storage concept combining Ruths steam storage and latent thermal energy storage. Applied Energy, 2019, 251, 113364.	10.1	10
426	Carbon-Filled Organic Phase-Change Materials for Thermal Energy Storage: A Review. Molecules, 2019, 24, 2055.	3.8	45
427	Melting and solidification of PCM in a tube-in-shell unit: Effect of fin edge lengths' ratio. Journal of Energy Storage, 2019, 24, 100802.	8.1	71
428	Short-Chain Modified SiO ₂ with High Absorption of Organic PCM for Thermal Protection. Nanomaterials, 2019, 9, 657.	4.1	8
429	Study on the properties of a novel shape-stable epoxy resin sealed expanded graphite/paraffin composite PCM and its Application in buildings. Phase Transitions, 2019, 92, 581-594.	1.3	17
430	Improvement in thermodynamic characteristics of sodium acetate trihydrate composite phase change material with expanded graphite. Journal of Thermal Analysis and Calorimetry, 2019, 137, 1295-1306.	3.6	16
431	Expandable graphite particles as a novel in-depth steam channeling control agent in heavy oil reservoirs. Chemical Engineering Journal, 2019, 368, 668-677.	12.7	31
432	Purification, application and current market trend of natural graphite: A review. International Journal of Mining Science and Technology, 2019, 29, 671-689.	10.3	222
433	Superior thermal conductivity and photo-thermal conversion efficiency of carbon black loaded organic phase change material. Journal of Molecular Liquids, 2019, 285, 640-657.	4.9	61
434	Exploration of a thermal therapy respirator by introducing a composite phase change block into a commercial mask. International Journal of Thermal Sciences, 2019, 142, 156-162.	4.9	13
435	Graphene Oxide Aerogel Beads Filled with Phase Change Material for Latent Heat Storage and Release. ACS Applied Energy Materials, 2019, 2, 3657-3664.	5.1	42
436	Review on nanoporous composite phase change materials: Fabrication, characterization, enhancement and molecular simulation. Renewable and Sustainable Energy Reviews, 2019, 109, 578-605.	16.4	120

#	ARTICLE	IF	CITATIONS
437	Effect of different dimensional carbon materials on the properties and application of phase change materials: A review. <i>Applied Energy</i> , 2019, 242, 695-715.	10.1	177
438	Thermal conductivity and mechanical properties of a shape-stabilized paraffin/recycled cement paste phase change energy storage composite incorporated into inorganic cementitious materials. <i>Cement and Concrete Composites</i> , 2019, 99, 165-174.	10.7	24
439	Novel Sugar Alcohol/Carbonized Kapok Fiber Composites as Form-Stable Phase-Change Materials with Exceptionally High Latent Heat for Thermal Energy Storage. <i>ACS Omega</i> , 2019, 4, 4848-4855.	3.5	36
440	Natural microtubule encapsulated phase change material with high thermal energy storage capacity. <i>Energy</i> , 2019, 172, 1144-1150.	8.8	32
441	Thermal conductivity measurement techniques for characterizing thermal energy storage materials – A review. <i>Renewable and Sustainable Energy Reviews</i> , 2019, 108, 32-52.	16.4	120
442	Recycled Polyethylene/Paraffin Wax/Expanded Graphite Based Heat Absorbers for Thermal Energy Storage: An Artificial Aging Study. <i>Molecules</i> , 2019, 24, 1217.	3.8	10
443	Direct impregnation and characterization of Colemanite/Ulexite-Mg(OH) ₂ paraffin based form-stable phase change composites. <i>Solar Energy Materials and Solar Cells</i> , 2019, 195, 346-352.	6.2	10
444	Numerical and experimental study of paraffin/expanded graphite phase change materials with an anisotropic model. <i>Solar Energy Materials and Solar Cells</i> , 2019, 194, 111-120.	6.2	24
445	Heat transfer performance of the finned nano-enhanced phase change material system under the inclination influence. <i>International Journal of Heat and Mass Transfer</i> , 2019, 135, 1063-1072.	4.8	116
446	Melamine foam-templated graphene nanoplatelet framework toward phase change materials with multiple energy conversion abilities. <i>Chemical Engineering Journal</i> , 2019, 365, 20-29.	12.7	190
447	Numerical investigation of enhancement in melting process of PCM by using internal fins. <i>Journal of Thermal Analysis and Calorimetry</i> , 2019, 137, 2073-2080.	3.6	11
448	Application of kulkote temperature regulating phase change material on merino wool fiber and pashmina wool felt material. <i>IOP Conference Series: Materials Science and Engineering</i> , 2019, 577, 012114.	0.6	1
449	Properties of External Insulation Surface Preparation Mortar Using Expandable Graphite for Fire Resistance. <i>Sustainability</i> , 2019, 11, 6882.	3.2	0
450	Shape-stabilized phase change materials based on porous supports for thermal energy storage applications. <i>Chemical Engineering Journal</i> , 2019, 356, 641-661.	12.7	459
451	Experimental Methods for the Characterization of Materials for Latent Thermal Energy Storage. <i>Green Energy and Technology</i> , 2019, , 89-101.	0.6	2
452	Thermal conductivity of water Ih-ice measured with transient hot-wires of different lengths. <i>Applied Thermal Engineering</i> , 2019, 149, 788-797.	6.0	6
453	Photo-thermal conversion structure by infiltration of paraffin in three dimensionally interconnected porous polystyrene-carbon nanotubes (PS-CNT) polyHIPE foam. <i>Solar Energy Materials and Solar Cells</i> , 2019, 191, 266-274.	6.2	77
454	Solar thermal conversion and thermal energy storage of CuO/Paraffin phase change composites. <i>International Journal of Heat and Mass Transfer</i> , 2019, 130, 1133-1140.	4.8	101

#	ARTICLE	IF	CITATIONS
455	Design and experimental analysis of a helical coil phase change heat exchanger for thermal energy storage. Journal of Energy Storage, 2019, 21, 9-17.	8.1	47
456	Effects of various carbon additives on the thermal storage performance of form-stable PCM integrated cementitious composites. Applied Thermal Engineering, 2019, 148, 491-501.	6.0	50
457	Experimental investigation on a novel composite heat pipe with phase change materials coated on the adiabatic section. International Communications in Heat and Mass Transfer, 2019, 100, 42-50.	5.6	17
458	Experimental investigation on effects of thermal resistances on a photovoltaic-thermoelectric system integrated with phase change materials. Energy, 2019, 169, 172-185.	8.8	63
459	Melting and solidification characteristics of a double-pipe latent heat storage system with sinusoidal wavy channels embedded in a porous medium. Energy, 2019, 171, 751-769.	8.8	78
460	Preparation, Characterization, and Thermal Properties of Microencapsulated Phase Change Material for Low-Temperature Thermal Energy Storage. Energy & Fuels, 2019, 33, 1631-1636.	5.1	25
461	Studies on latent heat energy storage (LHES) materials for solar desalination application-focus on material properties, prioritization, selection and future research potential. Solar Energy Materials and Solar Cells, 2019, 189, 149-165.	6.2	27
462	Review on heat transfer analysis in thermal energy storage using latent heat storage systems and phase change materials. International Journal of Energy Research, 2019, 43, 29-64.	4.5	187
463	A review of the application of carbon materials in solar thermal energy storage. Solar Energy, 2019, 192, 35-68.	6.1	75
464	Cross-linked polyurethane as solid-solid phase change material for low temperature thermal energy storage. Thermochimica Acta, 2020, 685, 178191.	2.7	24
465	Characterization and effects of thermal cycling on the properties of paraffin/expanded graphite composites. Renewable Energy, 2020, 147, 1131-1138.	8.9	74
466	A newly designed paraffin@VO ₂ phase change material with the combination of high latent heat and large thermal conductivity. Journal of Colloid and Interface Science, 2020, 559, 226-235.	9.4	45
467	Nanomaterial Based Sustainable Thermal Management. , 2020, , 781-793.		0
468	Numerical modelling of phase change material melting process embedded in porous media: Effect of heat storage size. Proceedings of the Institution of Mechanical Engineers, Part A: Journal of Power and Energy, 2020, 234, 365-383.	1.4	52
469	On the thermal performance of a novel PCM nanocapsule: The effect of core/shell. Renewable Energy, 2020, 151, 322-331.	8.9	37
470	Discharge of a composite metal foam/phase change material to air heat exchanger for a domestic thermal storage unit. Renewable Energy, 2020, 148, 987-1001.	8.9	90
471	Evaluation of Al_2O_3 -PW nanocomposites for thermal energy storage in the agro-products solar dryer. Journal of Energy Storage, 2020, 28, 101181.	8.1	29
472	Lightweight mesoporous carbon fibers with interconnected graphitic walls for supports of form-stable phase change materials with enhanced thermal conductivity. Solar Energy Materials and Solar Cells, 2020, 208, 110361.	6.2	44

#	ARTICLE	IF	CITATIONS
473	Synthesis and characterisation of nâ€œoctacosane@silica nanocapsules for thermal storage applications. International Journal of Energy Research, 2020, 44, 2306-2315.	4.5	6
474	State of the art on salt hydrate thermochemical energy storage systems for use in building applications. Journal of Energy Storage, 2020, 27, 101145.	8.1	100
475	Liquid Metal Gallium in Metal Inserts for Solar Thermal Energy Storage: A Novel Heat Transfer Enhancement Technique. Solar Energy Materials and Solar Cells, 2020, 208, 110365.	6.2	14
476	Molecular dynamics simulation on thermophysics of paraffin/EVA/graphene nanocomposites as phase change materials. Applied Thermal Engineering, 2020, 166, 114639.	6.0	41
477	Effect of porous medium and nanoparticles presences in a counter-current triple-tube composite porous/nano-PCM system. Applied Thermal Engineering, 2020, 167, 114777.	6.0	108
478	Fatty amines as a new family of organic phase change materials with exceptionally high energy density. Solar Energy Materials and Solar Cells, 2020, 206, 110340.	6.2	48
479	A state of the art on solar-powered vapor absorption cooling systems integrated with thermal energy storage. Environmental Science and Pollution Research, 2020, 27, 158-189.	5.3	14
480	Consistent preparation, chemical stability and thermal properties of a shape-stabilized porous carbon/paraffin phase change materials. Journal of Cleaner Production, 2020, 247, 119565.	9.3	35
481	Carbon black nano particle loaded lauric acid-based form-stable phase change material with enhanced thermal conductivity and photo-thermal conversion for thermal energy storage. Energy, 2020, 191, 116572.	8.8	91
482	Highly efficient thermal energy storage enabled by a hierarchical structured hypercrosslinked polymer/expanded graphite composite. International Journal of Heat and Mass Transfer, 2020, 148, 119068.	4.8	34
483	Thermophysical heat storage for cooling, heating, and power generation: A review. Applied Thermal Engineering, 2020, 166, 114728.	6.0	46
484	Enhanced thermal energy storage of a paraffin-based phase change material (PCM) using nano carbons. Applied Thermal Engineering, 2020, 181, 115992.	6.0	94
485	A review of melting and freezing processes of PCM/nano-PCM and their application in energy storage. Energy, 2020, 211, 118698.	8.8	271
486	Experimental studies on photovoltaic module temperature reduction using eutectic cold phase change material. Solar Energy, 2020, 209, 302-315.	6.1	39
487	Optimization strategies of composite phase change materials for thermal energy storage, transfer, conversion and utilization. Energy and Environmental Science, 2020, 13, 4498-4535.	30.8	181
488	The effect of surface area on the properties of shape-stabilized phase change material prepared using palm kernel shell activated carbon. Scientific Reports, 2020, 10, 15047.	3.3	16
489	Fabrication of a form-stable phase change material with green fatty acid and recycled silica nanoparticles from spent lead-acid battery separators with enhanced thermal conductivity. Thermochimica Acta, 2020, 693, 178781.	2.7	13
490	Experimental Study on GNP Based Nanofluid Phase Change Material for Cooling Application. IOP Conference Series: Materials Science and Engineering, 2020, 912, 042040.	0.6	2

#	ARTICLE	IF	CITATIONS
491	Controlling effect of phase change material based heat exchanger on supercritical CO ₂ Brayton cycle. Journal of Cleaner Production, 2020, 277, 122994.	9.3	8
492	Improved thermo-physical properties and energy efficiency of hybrid PCM/graphene-silver nanocomposite in a hybrid CPV/thermal solar system. Journal of Thermal Analysis and Calorimetry, 2022, 147, 1125-1142.	3.6	25
493	A review on effect of heat generation and various thermal management systems for lithium ion battery used for electric vehicle. Journal of Energy Storage, 2020, 32, 101729.	8.1	115
494	Paraffin wax as self-sealing insulation material of seasonal sensible heat storage systems—A laboratory study. PLoS ONE, 2020, 15, e0236056.	2.5	3
495	Assessment of PCM/SiC-based composite aggregate in concrete: Mechanical, physical and microstructural properties. Construction and Building Materials, 2020, 262, 120088.	7.2	12
496	Experimental study on the storage and release characteristics of phase change materials with different nanomaterials as additives. Heat and Mass Transfer, 2020, 56, 2769-2777.	2.1	6
497	Experimental investigation of an evacuated tube solar collector incorporating nano-enhanced PCM as a thermal booster. Applied Thermal Engineering, 2020, 180, 115831.	6.0	87
498	High-Performance Phase-Change Materials Based on Paraffin and Expanded Graphite for Solar Thermal Energy Storage. Energy & Fuels, 2020, 34, 10109-10119.	5.1	40
499	Modification of the phase change transfer model for underwater vehicles: A molecular dynamics approach. International Journal of Energy Research, 2020, 44, 11323-11344.	4.5	9
500	Polyoxyethylene based phase change materials with enhanced mechanical property, thermal conductivity and photo-thermal energy charging capacity. Energy Reports, 2020, 6, 2948-2955.	5.1	24
501	Preparation and analysis of novel paraffin based stable nano fluid dispersed with carbon nano tubes as effective phase change material for free cooling applications. Materials Today: Proceedings, 2020, 33, 4526-4532.	1.8	8
502	Heat storage process analysis in a heat exchanger containing phase change materials. Journal of Energy Storage, 2020, 32, 101875.	8.1	11
503	Optimal Design of Combined Two-Tank Latent and Metal Hydrides-Based Thermochemical Heat Storage Systems for High-Temperature Waste Heat Recovery. Energies, 2020, 13, 4216.	3.1	13
504	Numerical study of circular-elliptical double-pipe thermal energy storage systems. Journal of Energy Storage, 2020, 30, 101440.	8.1	34
505	Experimental study on functional characteristics of pH-sensitive nanoparticles for pressure reduction and augmented injection in tight oil reservoir. Journal of Molecular Liquids, 2020, 311, 113253.	4.9	15
506	Thermal Stability of Nitrate-Based Form-Stable Thermal Storage Materials with In Situ Optical Monitoring. Industrial & Engineering Chemistry Research, 2020, 59, 10737-10745.	3.7	2
507	Cyclic stability of lithium nitrate trihydrate in plate fin heat exchangers. Applied Thermal Engineering, 2020, 179, 115476.	6.0	5
508	Preparation and properties of decyl myristyl alcohol/expanded graphite low temperature composite phase change material. Phase Transitions, 2020, 93, 491-503.	1.3	10

#	ARTICLE	IF	CITATIONS
509	Characterization of form-stable phase-change material for solar photovoltaic cooling. Journal of Thermal Analysis and Calorimetry, 2020, 141, 2487-2496.	3.6	24
510	Reducing PV module temperature with radiation based PV module incorporating composite phase change material. Journal of Energy Storage, 2020, 29, 101346.	8.1	48
511	Thermal properties and applications. , 2020, , 415-447.		3
512	Performance analysis of paraffin wax as PCM by using hybrid zinc-cobalt-iron oxide nano-fluid on latent heat energy storage system. Materials Today: Proceedings, 2020, 26, 1461-1464.	1.8	12
513	Solar heat localization: concept and emerging applications. Journal of Materials Chemistry A, 2020, 8, 7035-7065.	10.3	79
514	Enhanced light-thermal conversion efficiency of mixed clay base phase change composites for thermal energy storage. Applied Clay Science, 2020, 189, 105535.	5.2	28
515	Thermal transport properties enhancement of paraffin via encapsulation into boron nitride nanotube: a molecular dynamics study. MRS Communications, 2020, 10, 475-481.	1.8	7
516	Fatty acid/metal ion composite as thermal energy storage materials. SN Applied Sciences, 2020, 2, 1.	2.9	22
517	Experimental Study of an Enhanced Phase Change Material of Paraffin/Expanded Graphite/Nano-Metal Particles for a Personal Cooling System. Materials, 2020, 13, 980.	2.9	45
518	Dynamic tuning of magnetic phase change composites for solar-thermal conversion and energy storage. Applied Energy, 2020, 263, 114570.	10.1	50
519	Thermal management of lithium-ion battery cells using 3D printed phase change composites. Applied Thermal Engineering, 2020, 171, 115126.	6.0	35
520	Magneto-responsive thermal switch for remote-controlled locomotion and heat transfer based on magnetic nanofluid. Nano Energy, 2020, 71, 104582.	16.0	39
521	Expanded graphite “ Paraffin composite phase change materials: Effect of particle size on the composite structure and properties. Applied Thermal Engineering, 2020, 171, 115015.	6.0	93
522	Melting performance enhancement of a latent heat storage unit using gradient fins. International Journal of Heat and Mass Transfer, 2020, 150, 119330.	4.8	83
523	System performance analyses of sulfur-based thermal energy storage. Energy, 2020, 195, 116996.	8.8	5
524	Experimental Study on Hybrid Organic Phase Change Materials Used for Solar Energy Storage. Journal of Thermal Science, 2020, 29, 486-491.	1.9	11
525	<scp>PolyHIPE</scp> composite <scp>based</scp> form stable phase change material for thermal energy storage. International Journal of Energy Research, 2020, 44, 6583-6594.	4.5	41
526	Developing a heat-insulating composite phase change material with light-to-thermal conversion performance from graphene oxide/silica hybrid aerogel. Applied Thermal Engineering, 2020, 174, 115303.	6.0	29

#	ARTICLE	IF	CITATIONS
527	A novel solar thermal system combining with active phase-change material heat storage wall (STS-APHSW): Dynamic model, validation and thermal performance. <i>Energy</i> , 2020, 201, 117610.	8.8	19
528	Experimental study on characteristics of a nano-enhanced phase change material slurry for low temperature solar energy collection. <i>Solar Energy Materials and Solar Cells</i> , 2020, 212, 110513.	6.2	23
529	Effect of nano-SiC on thermal properties of expanded graphite/1-octadecanol composite materials for thermal energy storage. <i>Powder Technology</i> , 2020, 367, 32-39.	4.2	27
530	Review on air and water thermal energy storage of buildings with phase change materials. <i>Experimental and Computational Multiphase Flow</i> , 2021, 3, 77-99.	3.9	24
531	Analysis of heat pipe-aided graphene-oxide based nanoparticle-enhanced phase change material heat sink for passive cooling of electronic components. <i>Journal of Thermal Analysis and Calorimetry</i> , 2021, 146, 277-286.	3.6	23
532	Review on optimization of phase change parameters in phase change material building envelopes. <i>Journal of Building Engineering</i> , 2021, 35, 101979.	3.4	28
533	Constructing cellulose nanocrystal/graphene nanoplatelet networks in phase change materials toward intelligent thermal management. <i>Carbohydrate Polymers</i> , 2021, 253, 117290.	10.2	43
534	Effect of titania-silver nanocomposite particle concentration and thermal cycling on characteristics of <scp>sodium dodecyl sulfate</scp> added paraffin wax thermal energy storage material. <i>Energy Storage</i> , 2021, 3, e192.	4.3	7
535	Recent development on heat transfer and various applications of phase-change materials. <i>Journal of Cleaner Production</i> , 2021, 287, 124432.	9.3	89
536	Shape-stabilized phase change materials based on superhydrophobic polymethylsilsesquioxane aerogels with extremely high paraffin loading for energy storage. <i>Journal of Porous Materials</i> , 2021, 28, 345-354.	2.6	3
537	Thermal conductivity enhancement of a sodium acetate trihydrate-potassium chloride-urea/expanded graphite composite phase-change material for latent heat thermal energy storage. <i>Energy and Buildings</i> , 2021, 231, 110615.	6.7	38
538	Latent heat thermal energy storage: A bibliometric analysis explicating the paradigm from 2000-2019. <i>Journal of Energy Storage</i> , 2021, 33, 102027.	8.1	18
539	Parametric investigation of CuO-doped charged nanofluid in solar water heater. <i>International Journal of Environmental Science and Technology</i> , 2021, 18, 2855-2864.	3.5	5
540	Electric Vehicles. <i>Green Energy and Technology</i> , 2021, , .	0.6	8
541	Significant enhancement in microstructural and electrical properties of lead-free (1-x)Ba _{0.9} Sr _{0.1} Ti _{0.9} Zr _{0.1} O _{3-x} LiNbO ₃ ceramic composites. <i>Journal of Alloys and Compounds</i> , 2021, 857, 158244.	5.5	8
542	Synthesis and thermal characterization of paraffin-based nanocomposites for thermal energy storage applications. <i>Thermal Science and Engineering Progress</i> , 2021, 22, 100797.	2.7	20
543	Experimental investigation on heat transfer characteristics of phase change composite for thermal energy storage system. <i>Materials Today: Proceedings</i> , 2021, 42, 618-625.	1.8	6
544	Evaluation and manipulation of the key emulsification factors toward highly stable PCM-water nano-emulsions for thermal energy storage. <i>Solar Energy Materials and Solar Cells</i> , 2021, 219, 110820.	6.2	25

#	ARTICLE	IF	CITATIONS
545	Thermal Properties of Surface-Modified and Cross-Linked Boron Nitride/Polyethylene Glycol Composite as Phase Change Material. <i>Polymers</i> , 2021, 13, 456.	4.5	27
546	Formâ€stable phaseâ€change materials supported by 1â€octadecylamineâ€modified montmorillonite for latent heat storage. <i>International Journal of Energy Research</i> , 2021, 45, 8871-8881.	4.5	4
547	Thermal Energy Storage. , 2021, , 559-627.		1
549	Laser Additive Manufacturing of Nanomaterials for Solar Thermal Energy Storage Applications. , 2021, , 975-990.		0
550	Synthesis, characterization and thermal property of Nickel-Molybdenum mixed metal complex mixture. <i>Materials Today: Proceedings</i> , 2021, 46, 2544-2548.	1.8	0
551	A REVIEW ON ORGANIC PHASE CHANGE MATERIALS AND THEIR APPLICATIONS. , 2021, 5, .		5
552	Reinforcement of Petroleum Wax By-Product Paraffins as Phase Change Materials for Thermal Energy Storage by Recycled Nanomaterials. <i>Topics in Mining, Metallurgy and Materials Engineering</i> , 2021, , 823-850.	1.6	14
553	Postprocessing techniques for gradient percolation predictions on the square lattice. <i>Physical Review E</i> , 2021, 103, 012115.	2.1	4
554	Experimental Investigation of Metal Macro-Additives in Latent Thermal Energy Storage System for Mid-Temperature Industrial Applications. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
555	Expedited energy charging of water using natural graphite flake for cool thermal storage. <i>Fullerenes Nanotubes and Carbon Nanostructures</i> , 2021, 29, 670-677.	2.1	11
556	Fabrication of cooling asphalt pavement by novel material and its thermodynamics model. <i>Construction and Building Materials</i> , 2021, 272, 121930.	7.2	55
557	Numerical modeling of solid-liquid phase change under the influence an external electric field. <i>International Journal of Multiphase Flow</i> , 2021, 136, 103550.	3.4	21
558	Numerical Study on Solidification of Phase Change Materials Embedded with Metal Foam. <i>European Mechanical Science</i> , 2021, 5, 1-5.	0.9	4
559	Thermal Performance Evaluation of Circular-Stadium Double Pipe Thermal Energy Storage Systems. <i>Journal of Energy Storage</i> , 2021, 36, 102403.	8.1	6
560	Study on the interfacial thermal conductance between metals and phase change materials. <i>International Journal of Heat and Mass Transfer</i> , 2021, 168, 120823.	4.8	6
561	Enhanced thermal properties of stearic acid/carbonized maize straw composite phase change material for thermal energy storage in buildings. <i>Journal of Energy Storage</i> , 2021, 36, 102420.	8.1	52
562	Enhancing the thermal performance of a photovoltaic panel using nano-graphite/paraffin composite as phase change material. <i>Journal of Thermal Analysis and Calorimetry</i> , 2022, 147, 3947-3964.	3.6	18
563	Nitrogen-doped porous graphitized carbon from antibiotic bacteria residues induced by sodium carbonate and application in Li-ion battery. <i>Journal of Electroanalytical Chemistry</i> , 2021, 889, 115179.	3.8	7

#	ARTICLE	IF	CITATIONS
564	What about greener phase change materials? A review on biobased phase change materials for thermal energy storage applications. International Journal of Thermofluids, 2021, 10, 100081.	7.8	65
565	Preparation and Characterization of a Composite Phase-Change Material with Silicone Rubber Foam as Carrier. Energy & Fuels, 2021, 35, 9683-9691.	5.1	8
566	Thermodynamic insights into n-alkanes phase change materials for thermal energy storage. Chinese Chemical Letters, 2021, 32, 3825-3832.	9.0	15
567	The influence of integrated Micro-ZnO and Nano-CuO particles/paraffin wax as a thermal booster on the performance of heat pipe evacuated solar tube collector. Journal of Energy Storage, 2021, 37, 102506.	8.1	36
568	Experimental investigation on thermal properties of Al ₂ O ₃ nanoparticles dispersed paraffin for thermal energy storage applications. Energy Sources, Part A: Recovery, Utilization and Environmental Effects, 0, , 1-11.	2.3	6
569	Review on cold thermal energy storage applied to refrigeration systems using phase change materials. Thermal Science and Engineering Progress, 2021, 22, 100807.	2.7	60
570	Experimental Validation of Composite Phase Change Material Optimized for Thermal Energy Storage. , 2021, , .		1
571	Recent progress on Carbon-based nanomaterial for phase change materials: Prospects and challenges. Thermal Science and Engineering Progress, 2021, 23, 100920.	2.7	15
572	An experimental study in full spectra of solar-driven magnesium nitrate hexahydrate/graphene composite phase change materials for solar thermal storage applications. Journal of Energy Storage, 2021, 38, 102536.	8.1	25
573	EGZOZ GAZLARINI KULLANAN TERMAL ENERJİ DEPOLAMA SİSTEMİNDE RT35 PARAFİN MÜMÜNÜN ERİME VE KATILANMA SÖNÜMLERİNİN SAYISAL ANALİZİ. Mühendislik Bilimleri Ve Tasarım Dergisi, 2021, 9, 520-534.	0.3	1
574	3D reduced graphene oxide aerogel supported TiO ₂ -x for shape-stable phase change composites with high photothermal efficiency and thermal conductivity. Solar Energy Materials and Solar Cells, 2021, 226, 111068.	6.2	49
575	Bionic topology optimization of fins for rapid latent heat thermal energy storage. Applied Thermal Engineering, 2021, 194, 117104.	6.0	66
576	Pore-Scale Investigation on Natural Convection Melting in a Square Cavity with Gradient Porous Media. Energies, 2021, 14, 4274.	3.1	4
577	Form-stable paraffin/graphene aerogel/copper foam composite phase change material for solar energy conversion and storage. Solar Energy Materials and Solar Cells, 2021, 226, 111083.	6.2	75
578	Form-stable phase change composites: Preparation, performance, and applications for thermal energy conversion, storage and management. Energy Storage Materials, 2021, 42, 380-417.	18.0	182
579	Multicomponent bio-based fatty acids system as phase change material for low temperature energy storage. Journal of Energy Storage, 2021, 39, 102645.	8.1	17
580	Thermal performance analysis of compact-type simulative battery module with paraffin as phase-change material and flat plate heat pipe. International Journal of Heat and Mass Transfer, 2021, 173, 121269.	4.8	48
581	Optimization of Thermophotovoltaic Power System With a Spectrally Controlled Multi-Concentric Emitter. Journal of Energy Resources Technology, Transactions of the ASME, 2022, 144, .	2.3	5

#	ARTICLE	IF	CITATIONS
582	Effect of Graphite Layers on the Conformation and Thermal Conductivity of n-octadecane: A Molecular Dynamics Study. <i>Journal of Thermal Science</i> , 2021, 30, 1789-1802.	1.9	6
583	Large-scale zone-based approach to global modeling and optimization for a novel thermal management system of module-free lithium-ion battery. <i>Structural and Multidisciplinary Optimization</i> , 2021, 64, 3621-3636.	3.5	5
584	New techniques for the energy saving of sustainable buildings by using phase change materials. <i>Journal of Building Engineering</i> , 2021, 41, 102418.	3.4	11
585	High-thermal-conductivity phase-change composites prepared by in situ synthesis of graphite Nanoplatelets/Cu networks for effective thermal management. <i>Journal of Energy Storage</i> , 2021, 41, 102952.	8.1	7
586	Preparation and Thermal Properties of a New Low Eutectic Mixture of Myristic Acid–Palmitic Acid–Tetradecanol. <i>Journal of Chemical & Engineering Data</i> , 2021, 66, 3951-3960.	1.9	2
587	Recent advances in thermophysical properties enhancement of phase change materials for thermal energy storage. <i>Solar Energy Materials and Solar Cells</i> , 2021, 231, 111309.	6.2	44
588	A review on hybrid thermal management of battery packs and its cooling performance by enhanced PCM. <i>Renewable and Sustainable Energy Reviews</i> , 2021, 150, 111513.	16.4	128
589	Synthesis and thermal properties of 1-octadecanol/nano-TiO ₂ /carbon nanofiber composite phase change materials for thermal energy storage. <i>Materials Chemistry and Physics</i> , 2021, 272, 125041.	4.0	16
590	Numerical investigation on thermal behaviour of 5Å–5 cell configured battery pack using phase change material and fin structure layout. <i>Journal of Energy Storage</i> , 2021, 43, 103234.	8.1	89
591	Two-dimensional materials and their derivatives for high performance phase change materials: emerging trends and challenges. <i>Energy Storage Materials</i> , 2021, 42, 845-870.	18.0	47
592	Thermal and mechanical performance of a novel 3D printed macro-encapsulation method for phase change materials. <i>Journal of Building Engineering</i> , 2021, 43, 103124.	3.4	7
593	Temperature leveling of electronic chips by solid-solid phase change materials compared to solid-liquid phase change materials. <i>International Journal of Heat and Mass Transfer</i> , 2021, 179, 121731.	4.8	9
594	Lightweight, strong, and form-stable cellulose nanofibrils phase change aerogel with high latent heat. <i>Carbohydrate Polymers</i> , 2021, 272, 118460.	10.2	57
595	Increasing the electrical efficiency and thermal management of a photovoltaic module using expanded graphite (EG)/paraffin-beef tallow-coconut oil composite as phase change material. <i>Renewable Energy</i> , 2021, 178, 25-49.	8.9	35
596	Experimental investigation on thermal properties of paraffin/expanded graphite composite material for low temperature thermal energy storage. <i>Renewable Energy</i> , 2021, 178, 669-678.	8.9	52
597	Numerical study on the thermal enhancement of horizontal latent heat storage units with hierarchical fins. <i>Renewable Energy</i> , 2021, 180, 383-397.	8.9	24
598	Ternary chloride salt–porous ceramic composite as a high-temperature phase change material. <i>Energy</i> , 2022, 238, 121838.	8.8	33
599	Novel hybrid composite phase change materials with high thermal performance based on aluminium nitride and nanocapsules. <i>Energy</i> , 2022, 238, 121775.	8.8	57

#	ARTICLE	IF	CITATIONS
600	Investigation of the thermal properties of phase change materials encapsulated in capped carbon nanotubes using molecular dynamics simulations. RSC Advances, 2021, 11, 24594-24606.	3.6	14
601	Microencapsulation of phase change materials for thermal energy storage systems. , 2021, , 269-329.		6
602	Optimum Operating Temperature Range of Phase Change Materials Used in Cold Storage Applications: A Case Study. Green Energy and Technology, 2020, , 711-726.	0.6	4
603	PCMs in Separate Heat Storage Modules. Green Energy and Technology, 2020, , 121-146.	0.6	1
604	Optimizing heat-absorption efficiency of phase change materials by mimicking leaf vein morphology. Applied Energy, 2020, 269, 114982.	10.1	32
605	Research on the climate response of variable thermo-physical property building envelopes: A literature review. Energy and Buildings, 2020, 226, 110398.	6.7	35
606	Studies on the inward spherical solidification of a phase change material dispersed with macro particles. Journal of Energy Storage, 2018, 15, 158-171.	8.1	9
607	Effect of phase change and ambient temperatures on the thermal performance of a solid-liquid phase change material based heat sinks. Journal of Energy Storage, 2020, 30, 101327.	8.1	16
608	Experimental investigation on graphene based nanoparticles enhanced phase change materials (GbNePCMs) for thermal management of electronic equipment. Journal of Energy Storage, 2020, 30, 101497.	8.1	47
609	Pore scale investigations on melting of phase change materials considering the interfacial thermal resistance. International Communications in Heat and Mass Transfer, 2020, 115, 104631.	5.6	12
610	Effects of graphite microstructure evolution on the anisotropic thermal conductivity of expanded graphite/paraffin phase change materials and their thermal energy storage performance. International Journal of Heat and Mass Transfer, 2020, 155, 119853.	4.8	64
611	Highly Oriented Graphite Aerogel Fabricated by Confined Liquid-Phase Expansion for Anisotropically Thermally Conductive Epoxy Composites. ACS Applied Materials & Interfaces, 2020, 12, 27476-27484.	8.0	32
612	Multifunctional structural composites for thermal energy storage. Multifunctional Materials, 2020, 3, 042001.	3.7	14
613	Thermal network calculation model for phase change material with SPICE circuit simulator. Journal of Thermal Science and Technology, 2020, 15, JTST0032-JTST0032.	1.1	2
614	Thermal Properties of Beeswax/CuO Nano Phase-change Material Used for Thermal Energy Storage. International Journal of Technology, 2016, 7, 244.	0.8	32
616	Melting/solidification characteristics of paraffin based nanocomposite for thermal energy storage applications. Thermal Science, 2017, 21, 2517-2524.	1.1	18
617	Experimental investigation on the effect of PCM and nano-enhanced PCM of integrated solar collector performance. WIT Transactions on Ecology and the Environment, 2013, , .	0.0	31
618	Comparison of the effect of various carbon fillers in the paraffin-based phase change materials——A Review. , 2015, , .		3

#	ARTICLE	IF	CITATIONS
619	Experimental Analysis on Phase-Change Heat Storage Materials PG and PE. , 2015, , .		1
620	Identification of best available thermal energy storage compounds for low-to-moderate temperature storage applications in buildings. <i>Materiales De Construccion</i> , 2018, 68, 160.	0.7	26
621	Molecular dynamics simulation of the thermophysical properties of phase change material. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2013, 62, 056601.	0.5	7
622	Comparative Study between Experimental Analysis and CFD Software Analysis of PCM material in Thermal Energy Storage System. <i>International Journal of Chemical Engineering and Applications (IJCEA)</i> , 2011, , 400-407.	0.3	5
623	Analysis of PCM Material in Thermal Energy Storage System. <i>International Journal of Environmental Science and Development</i> , 0, , 437-441.	0.6	13
624	Experimental study on the performance of an active novel vertical partition thermal storage wallboard based on composite phase change material with porous silica and microencapsulation. <i>Energy</i> , 2022, 239, 122451.	8.8	17
625	Solar thermoelectric lab-scale system with sensible/latent heat storage for reversible power generation and warm water heating. <i>Journal of Energy Storage</i> , 2021, 44, 103278.	8.1	0
626	The magnesium nitrate hexahydrate with Ti4O7 composite phase change material for photo-thermal conversion and storage. <i>Solar Energy</i> , 2021, 230, 462-469.	6.1	17
627	Heat transfer augmentation in single and multiple (cascade) phase change materials based thermal energy storage: Research progress, challenges, and recommendations. <i>Sustainable Energy Technologies and Assessments</i> , 2021, 48, 101633.	2.7	13
628	Nanostructured Materials for the Realization of Electrochemical Energy Storage and Conversion Devices. <i>Advances in Chemical and Materials Engineering Book Series</i> , 2014, , 376-413.	0.3	0
629	Experimental Study of the Heat Transfer Performance of PCMs Within Metal Finned Containers. , 2014, , 669-684.		0
630	Experimental Study on Thermal Discharge Performance of A Phase Change Thermal Storage Material. <i>Open Materials Science Journal</i> , 2015, 9, 77-81.	0.2	0
631	Experimental Study of an Industrial Latent Thermal Energy Storage System. , 0, , .		0
632	Nanostructured Materials for the Realization of Electrochemical Energy Storage and Conversion Devices. , 2017, , 1719-1758.		0
633	1D SIMULATIONS OF THERMALLY BUFFERED PRISMATIC BATTERIES THROUGH THE APPLICATION OF PCMS. , 2018, , .		0
634	Una Revisi3n sobre Materiales para Almacenamiento de Energ3a Solar T3rmica. <i>Ingenier3a</i> , 2018, 23, .	0.3	1
635	Fatty Amines As a New Family of Organic Phase Change Materials with Exceptionally High Energy Density at Ambient Temperature. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
636	Characteristic study of modified nano CuO powder-based paraffin composite and its experimental investigation of melting/solidification behavior for mobilized cold thermal storage systems. <i>Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science</i> . 2022, 236, 4367-4383.	2.1	2

#	ARTICLE	IF	CITATIONS
637	Thermal Properties of Shape-Stabilized Phase Change Materials Based on Porous Supports for Thermal Energy Storage. <i>Energies</i> , 2021, 14, 7151.	3.1	1
639	The Latest Development of Research on Heat Transfer in Phase Change Energy Storage. <i>Sustainable Development</i> , 2020, 10, 539-549.	0.1	0
640	Laser Additive Manufacturing of Nanomaterials for Solar Thermal Energy Storage Applications. , 2020, , 1-16.		0
641	Lauric acid encapsulated in P-doped carbon matrix with reinforced heat storage performance for efficient battery cooling. <i>Journal of Energy Storage</i> , 2021, 44, 103461.	8.1	5
642	A novel flexible phase change material with well thermal and mechanical properties for lithium batteries application. <i>Journal of Energy Storage</i> , 2021, 44, 103433.	8.1	34
643	Examination of Thermal Properties of Paraffin/Water Emulsion with Implications for Heat Transfer. <i>Journal of Thermophysics and Heat Transfer</i> , 2012, 26, 535-539.	1.6	0
644	Laser Additive Manufacturing of Nanomaterials for Solar Thermal Energy Storage Applications. , 2021, , 1-16.		0
645	An Overview on the Prominence of Phase Change Material Based Battery Cooling and Role of Novel Composite Phase Change Material in Future Battery Thermal Management System. <i>Green Energy and Technology</i> , 2021, , 119-135.	0.6	0
646	Biomass-derived porous carbons support in phase change materials for building energy efficiency: a review. <i>Materials Today Energy</i> , 2022, 23, 100905.	4.7	26
647	Employing convex shape absorber for enhancing the performance of solar still desalination system. <i>Journal of Energy Storage</i> , 2022, 47, 103573.	8.1	20
648	Enhancement of discsâ€™ solar still performance using thermal energy storage unit and reflectors: An experimental approach. <i>AEJ - Alexandria Engineering Journal</i> , 2022, 61, 7477-7487.	6.4	30
649	Thermophysical properties of Nano-enhanced phase change materials for domestic heating applications. <i>Journal of Energy Storage</i> , 2022, 46, 103794.	8.1	12
650	Highly stable n-hexacosane loaded exfoliated graphite nanosheets for enhanced thermal energy storage application. <i>Journal of Energy Storage</i> , 2022, 48, 103903.	8.1	8
651	Experimental study of thermal conductivity measurement of mixture graphite and paraffin wax and effect of graphite mass concentration on thermal conductivity enhancement. , 2020, , .		0
652	Study on thermophysical properties of pentadecane and its composites with thermally expanded graphite as shape-stabilized phase change materials. <i>Journal of Thermal Analysis and Calorimetry</i> , 2022, 147, 8689-8697.	3.6	5
653	The effect of micro-encapsulation on thermal characteristics of metallic phase change materials. <i>Applied Thermal Engineering</i> , 2022, 207, 118055.	6.0	14
654	Enhancing heat transfer in phase change material-based cooling: A review. <i>AIP Conference Proceedings</i> , 2022, , .	0.4	1
655	Porous carbons for energy storage and conversion. , 2022, , 239-540.		1

#	ARTICLE	IF	CITATIONS
656	Cement based-thermal energy storage mortar including blast furnace slag/capric acid shape-stabilized phase change material: Physical, mechanical, thermal properties and solar thermoregulation performance. Energy and Buildings, 2022, 258, 111849.	6.7	42
657	Mineral-based form-stable phase change materials for thermal energy storage: A state-of-the art review. Energy Storage Materials, 2022, 46, 100-128.	18.0	55
658	Experimental investigations on thermophysical properties of nano-enhanced phase change materials for thermal energy storage applications. AEJ - Alexandria Engineering Journal, 2022, 61, 7037-7044.	6.4	32
659	Enhancement of dielectric and multiferroic properties in Sr-modified 0.7BaTiO ₃ –0.3ZnFe ₂ O ₄ ceramics. Journal of Materials Science: Materials in Electronics, 2022, 33, 23949-23963.	2.2	2
660	Experimental investigations on the phase change and thermal properties of nano enhanced binary eutectic phase change material of <scp>palmitic acid</scp>stearic acid</scp> / <scp>CuO</scp> nanoparticles for thermal energy storage. International Journal of Energy Research, 2022, 46, 6562-6576.	4.5	15
661	Discharge improvement of a phase change materialâ€airâ€based thermal energy storage unit for space heating applications using metal foams in the air sides. Heat Transfer, 2022, 51, 3830-3852.	3.0	17
662	A Review on Phase Change Material as Energy Storage Materials. , 2022, 1, .		1
663	Phase change material infiltrated 3D porous carbon interconnected composites for thermal energy storage. Energy Sources, Part A: Recovery, Utilization and Environmental Effects, 2022, 44, 2133-2152.	2.3	3
664	Numerical study on melting and heat transfer characteristics of paraffin wax/ SiC paraffin using enthalpy-porosity model. Journal of Thermal Analysis and Calorimetry, 2022, 147, 10497-10508.	3.6	7
665	Thermo-physical characterization of Hexadecane during the solid/liquid phase change. Thermochimica Acta, 2022, 710, 179180.	2.7	5
666	Combined effects of buoyancy and electric forces on non-isothermal melting of a dielectric phase change material. International Journal of Multiphase Flow, 2022, 151, 104029.	3.4	12
667	Preparation and thermal performance enhancement of sodium thiosulfate pentahydrate- sodium acetate trihydrate /expanded graphite phase change energy storage composites. Journal of Energy Storage, 2022, 50, 104074.	8.1	12
668	Heat exchanger based on paraffin/expanded graphite composites for breathing air cooling in fire. Journal of Physics: Conference Series, 2021, 2116, 012094.	0.4	0
669	TES Nanoemulsions: A Review of Thermophysical Properties and Their Impact on System Design. Nanomaterials, 2021, 11, 3415.	4.1	6
670	One-Dimensional and Three-Dimensional Numerical Investigations of Thermal Performance of Phase Change Materials in a Lithium-Ion Battery. Energies, 2021, 14, 8386.	3.1	3
671	Performance improvement of tubular solar still via tilting glass cylinder, nano-coating, and nano-PCM: experimental approach. Environmental Science and Pollution Research, 2022, 29, 65088-65099.	5.3	22
672	Ultrasonically Assisted Cutting of Histological Sections for ÂReducing the Environmental and Financial Impact of Microtomy. Chinese Journal of Mechanical Engineering (English Edition), 2022, 35, .	3.7	0
673	Experimental and numerical simulation of paraffin-based ternary composite phase change material used in solar energy system. Applied Thermal Engineering, 2022, 214, 118618.	6.0	7

#	ARTICLE	IF	CITATIONS
674	Effect of fins and nanoparticles in the discharge performance of PCM thermal storage system with a multi pass finned tube heat exchange. Applied Thermal Engineering, 2022, 212, 118569.	6.0	19
675	Effects of thermal conductive fillers on energy storage performance of Form-Stable phase change material integrated in Cement-Based composites. Applied Thermal Engineering, 2022, 212, 118570.	6.0	4
676	Preparation of thermally conductive composite phase change materials and its application in lithium-ion batteries thermal management. Journal of Energy Storage, 2022, 52, 104857.	8.1	20
677	Methods to enhance the thermal properties of organic phase change materials: A review. Materials Today: Proceedings, 2022, 63, 685-691.	1.8	15
678	Phase change materials based thermal energy storage for solar energy systems. Journal of Building Engineering, 2022, 56, 104731.	3.4	20
679	A facile and reliable approach to enhance the energy storage performance of 1-Decanol for sustainable and energy-efficient cold storage system. Journal of Energy Storage, 2022, 52, 104933.	8.1	4
680	Recent advancements in typical mineral-encapsulated form-stable phase change materials for thermal energy storage. Journal of Energy Storage, 2022, 52, 104931.	8.1	8
681	Construction of highly efficient heat conduction channels within expanded graphite/paraffin phase change composites and their thermophysical properties. Energy Reports, 2022, 8, 7071-7084.	5.1	7
682	Preparation and characterization of shape-stable bio-based composite phase change materials for thermal energy storage: coconut oil / activated carbon from cherry stones doped composites. Energy Sources, Part A: Recovery, Utilization and Environmental Effects, 2022, 44, 5381-5397.	2.3	5
683	A copper nanoparticle enhanced phase change material with high thermal conductivity and latent heat for battery thermal management. Journal of Loss Prevention in the Process Industries, 2022, 78, 104814.	3.3	12
684	Development of a new composite material for building energy storage based on lauric acid-palmitic acid-paraffin ternary eutectic and expanded perlite. Journal of Energy Storage, 2022, 53, 105136.	8.1	10
685	Phase Change Materials Employment for Battery Thermal Management System in Electric and Hybrid Vehicles: A Review. SSRN Electronic Journal, 0, , .	0.4	0
686	Biobased phase change materials from a perspective of recycling, resources conservation and green buildings. Energy and Buildings, 2022, 270, 112280.	6.7	10
687	Effect of carbon nanotubes on melting latent heat of paraffin wax: An experimental and simulated research. Journal of Energy Storage, 2022, 53, 105229.	8.1	5
688	Inverse method for simultaneously estimating temperature-dependent solid- and liquid-phase thermal conductivities during phase transition. International Communications in Heat and Mass Transfer, 2022, 137, 106220.	5.6	2
689	Phase change materials in building integrated space heating and domestic hot water applications: A review. Journal of Energy Storage, 2022, 54, 105227.	8.1	33
690	Thermal management analysis of simulative power batteries using phase change material and flat heat pipe. Heat and Mass Transfer, 0, , .	2.1	0
691	Phase change materials for battery thermal management of electric and hybrid vehicles: A review. Energy Nexus, 2022, 7, 100131.	7.7	33

#	ARTICLE	IF	CITATIONS
692	High latent heat phase change materials (PCMs) with low melting temperature for thermal management and storage of electronic devices and power batteries: Critical review. Renewable and Sustainable Energy Reviews, 2022, 168, 112783.	16.4	70
693	Enhancement the productivity of drum solar still utilizing parabolic solar concentrator, phase change material and nanoparticles' coating. Journal of Energy Storage, 2022, 55, 105477.	8.1	16
694	Investigation on the optimization strategy of phase change material thermal management system for lithium-ion battery. Journal of Energy Storage, 2022, 55, 105365.	8.1	18
695	Improving the drum solar still performance using corrugated drum and nano-based phase change material. Journal of Energy Storage, 2022, 55, 105647.	8.1	23
696	Enhancing the phase change material properties by an energy-efficient one-step preparation method using organogelatorâ€“polyolefin composites. Materials Advances, 2022, 3, 7872-7880.	5.4	1
697	Shape stabilized phase change materials based on different support structures for thermal energy storage applicationsâ€“A review. Energy, 2023, 262, 125463.	8.8	40
698	Experimental analysis to improve charge/discharge of thermal energy storage in phase change materials using helical coil and porous metal foam. Journal of Energy Storage, 2022, 55, 105759.	8.1	14
699	Safety issue on PCM-based battery thermal management: Material thermal stability and system hazard mitigation. Energy Storage Materials, 2022, 53, 580-612.	18.0	70
700	Mechanical and thermal performances of styrene butadiene rubber nanocomposites with boron nitride nanosheets, carbon nanotubes, and the hybrid filler system. Polymer Composites, 2023, 44, 480-491.	4.6	6
701	Comprehensive experimental and theoretical studies on material-gap and water-gap membrane distillation using composite membranes. Journal of Membrane Science, 2022, , 121108.	8.2	5
702	Progress in research and development of phase change materials for thermal energy storage in concentrated solar power. Applied Thermal Engineering, 2023, 219, 119546.	6.0	20
703	Combined measurement and calibration method for the thermal conductivity of phase change materials. International Journal of Thermal Sciences, 2023, 184, 107987.	4.9	2
704	The Effect of Expanded Graphite on the Caloric Properties of Paraffin Wax of 50Â°C Melting. , 2022, , .		1
705	Effects of porous silicon carbide supports prepared from pyrolyzed precursors on the thermal conductivity and energy storage properties of paraffin-based composite phase change materials. Journal of Energy Storage, 2022, 56, 106046.	8.1	14
706	Output power leveling of on-chip thermoelectric generator using a solidâ€“solid phase change material. Journal of Energy Storage, 2022, 56, 106119.	8.1	1
707	Enhanced thermal and mechanical properties of 3D-printed PEG containing acrylate composite with surface-treated BN via digital light processing. Polymer Testing, 2023, 118, 107898.	4.8	5
708	A numerical investigation on phase change material based battery thermal management system. AIP Conference Proceedings, 2022, , .	0.4	2
709	Heat storage material: a hope in solar thermal. Environmental Science and Pollution Research, 2023, 30, 11175-11198.	5.3	4

#	ARTICLE	IF	CITATIONS
710	An Evaluation to the Performance of Evacuated Tube Solar Heaters for Arid and Hot Areas. Energy Engineering: Journal of the Association of Energy Engineers, 2023, 120, 587-596.	0.5	0
711	Thermal performance improvement of a low-temperature thermal energy storage with configuration optimization. Journal of Energy Storage, 2023, 60, 106620.	8.1	3
712	A combined multi-criteria decision-making approach for the selection of carbon-based nanomaterials in phase change materials. Journal of Energy Storage, 2023, 60, 106619.	8.1	4
713	Research and Application Progress of Wet-Phase Modified Expandable Graphite as a Steam Plugging Agent in Heavy Oil Reservoirs. Energy & Fuels, 2023, 37, 1081-1091.	5.1	1
714	Passive thermal management system of lithium-ion batteries employing metal foam/ pcm composite for the development of electric vehicles. Energy Sources, Part A: Recovery, Utilization and Environmental Effects, 2023, 45, 505-522.	2.3	11
715	Temperature dependence of thermophysical properties of polyethylene glycol in solid/liquid phase change region. Journal of Chemical Thermodynamics, 2023, 180, 107022.	2.0	5
716	Evaluating a corrugated wick solar still with phase change material, and external spiral copper heating coil. Journal of Energy Storage, 2023, 65, 107377.	8.1	4
717	3D printed lattice metal structures for enhanced heat transfer in latent heat storage systems. Journal of Energy Storage, 2023, 65, 107350.	8.1	6
718	Express Method of Experimental Investigation of the Effect of Carbon Nanostructures on the Caloric Properties of Paraffin Wax. Nanosistemi, Nanomateriali, Nanotehnologii, 2022, 20, .	0.3	2
719	Thermally expanded graphite polyetherimide composite with superior electrical and thermal conductivity. Materials Chemistry and Physics, 2023, 298, 127404.	4.0	11
720	Thermal energy storage for enhanced building energy flexibility. , 2023, , 89-119.		2
721	Synthesis and characterization of organoclay and cellulose nanofibers modified with lauric acid eutectic as new phase change material (PCM) used in buildings for thermal energy storage. Journal of Thermal Analysis and Calorimetry, 2023, 148, 3955-3964.	3.6	2
722	Utilizing a single slope solar still with copper heating coil, external condenser, phase change material, along with internal and external reflectors â€” Experimental study. Journal of Energy Storage, 2023, 63, 106899.	8.1	13
723	Latent Heat Storage Systems for Thermal Management of Electric Vehicle Batteries: Thermal Performance Enhancement and Modulation of the Phase Transition Process Dynamics: A Literature Review. Energies, 2023, 16, 2745.	3.1	1
724	Low and high-temperature phase change materials. , 2023, , 113-228.		0
725	Phase Change Composite Microcapsules with Low-Dimensional Thermally Conductive Nanofillers: Preparation, Performance, and Applications. Polymers, 2023, 15, 1562.	4.5	1
726	Structural Analysis of Phase Change Materials (PCMs)/Expanded Graphite (EG) Composites and Their Thermal Behavior under Hot and Humid Conditions. ChemPlusChem, 2023, 88, .	2.8	5
727	Phase change materials applications in buildings. , 2023, , 225-248.		0

#	ARTICLE	IF	CITATIONS
728	Improving the Cold Thermal Energy Storage Performance of Paraffin Phase Change Material by Compositing with Graphite, Expanded Graphite, and Graphene. Journal of Materials Engineering and Performance, 2023, 32, 10275-10284.	2.5	4
729	Accurate Measurements of the Thermal Conductivity of n-Docosane, n-Tetracosane, 1,6-Hexanediol, and 1,8-Octanediol in the Solid and Liquid Phases. International Journal of Thermophysics, 2023, 44, .	2.1	0
730	Thermal conductivity of solid paraffins and several n-docosane compounds with graphite. Journal of Thermal Analysis and Calorimetry, 0, , .	3.6	0
731	Experimental Investigation of the Effect of Expanded Graphite on the Thermophysical Properties and the Heating and Cooling Rates of Paraffin Wax in Capsule of Thermal-Energy Storage System. Nanosistemi, Nanomateriali, Nanotehnologii, 2022, 20, .	0.3	0
732	Experimental investigations on oleic acid stabilized nano- Al ₂ O ₃ / beeswax phase change materials for thermal energy storage applications. Materials Today: Proceedings, 2023, , .	1.8	1
733	Optimizing microencapsulated PCM ratios of sustainable cement mortar for energy savings in buildings. Construction and Building Materials, 2023, 391, 131844.	7.2	9
735	Enhanced thermal characteristics of paraffin with low mass fraction impregnation of graphene oxide. Bulletin of Materials Science, 2023, 46, .	1.7	0
736	Experimental and numerical investigation of a rectangular finned-tube latent heat storage unit for Carnot battery. Journal of Energy Storage, 2023, 71, 108092.	8.1	1
737	Advanced Materials and Additive Manufacturing for Phase Change Thermal Energy Storage and Management: A Review. Advanced Energy Materials, 2023, 13, .	19.5	9
738	Enhancing a solar still's performance by preheating the feed water and employing phase-change material. AEJ - Alexandria Engineering Journal, 2023, 77, 395-405.	6.4	0
739	A review on heat transfer enhancement techniques for PCM based thermal energy storage system. Journal of Energy Storage, 2023, 72, 108161.	8.1	16
740	Experimental investigations on nano-Fe ₂ O ₃ / beeswax phase change materials for thermal energy storage applications. Materials Today: Proceedings, 2023, , .	1.8	0
741	Wide-temperature flexible phase change materials with enhanced electrical insulation for battery thermal management. Journal of Energy Storage, 2023, 72, 108566.	8.1	5
742	Synthesis and evaluation of petroleum-based impregnating pitch for production of high-performance artificial graphite. Journal of Industrial and Engineering Chemistry, 2023, , .	5.8	1
743	Experimental study of thermal performance in a rectangular finned-tube latent heat storage device with composite polyethylene wax/expanded graphite. Case Studies in Thermal Engineering, 2023, 49, 103388.	5.7	0
744	Bilayer lattice structure integrated with phase change material for innovative thermal protection system design. Aerospace Science and Technology, 2023, 141, 108576.	4.8	2
745	PCM/metal foam and microchannels hybrid thermal management system for cooling of Li-ion battery. Journal of Energy Storage, 2023, 72, 108789.	8.1	4
746	Experimental investigation on eliminating supercooling nature of ice and improving its energy storage performance to establish an energy-efficient cold thermal storage. Thermal Science and Engineering Progress, 2023, 44, 102059.	2.7	0

#	ARTICLE	IF	CITATIONS
747	Anisotropic Black Phosphorene Structural Modulation for Thermal Storage and Solarâ€ Thermal Conversion. Small, 2023, 19, .	10.0	2
748	Polymer engineering in phase change thermal storage materials. Renewable and Sustainable Energy Reviews, 2023, 188, 113814.	16.4	2
751	Smart textiles. Textile Progress, 2023, 55, 47-108.	2.0	0
752	Passive thermal management systems for e-mobility using PCM composites. , 2023, , 323-369.		0
753	Structural characteristics and properties of CA-SA-PW/EG adsorbed into porous cement-based for thermal storage. Materials Today Communications, 2023, 37, 107046.	1.9	0
754	Copper foam reinforced polymer-based phase change material composites for more efficient thermal management of lithium-ion batteries. Journal of Energy Storage, 2023, 73, 108918.	8.1	0
755	Simulation and optimization of a modified geometry LHTES system using needle-shaped fins. Multiscale and Multidisciplinary Modeling, Experiments and Design, 0, , .	2.1	1
756	Advances in thermal energy storage: Fundamentals and applications. Progress in Energy and Combustion Science, 2024, 100, 101109.	31.2	19
757	Design of novel thermal management system for Li-ion battery module using metal matrix based passive cooling method. Journal of Energy Storage, 2023, 73, 109119.	8.1	4
758	Experimental studies on the enhancement in discharging characteristics of phase change material with steatite nanoparticles. Journal of Energy Storage, 2023, 73, 109103.	8.1	1
759	Personal cooling garments and phase change materials: A review. Renewable and Sustainable Energy Reviews, 2024, 190, 114063.	16.4	1
760	Advancements in the development of nanomaterials for lithium-ion batteries: A scientometric review. Journal of Energy Storage, 2024, 75, 109638.	8.1	2
761	Numerical investigation of battery thermal management by using helical fin and composite phase change material. Journal of Energy Storage, 2024, 75, 109674.	8.1	2
762	Advances in phase change building materials: An overview. Nanotechnology Reviews, 2023, 12, .	5.8	0
763	Experimental study of phase transition heat of composite thermal energy storage materials paraffin wax/expanded graphite. Journal of Energy Storage, 2024, 77, 110174.	8.1	0
764	A critical review on phase change materials (PCM) based heat exchanger: Different hybrid techniques for the enhancement. Journal of Energy Storage, 2024, 79, 109840.	8.1	3
765	Optimization study of radial finned latent heat storage system employing novel circumferential perforations. Journal of Energy Storage, 2024, 79, 110068.	8.1	0
766	EFFECT OF DIFFERENT CONSTANT WALL TEMPERATURES ON THE MELTING FRONT EVOLUTION OF A PHASE CHANGE MATERIAL INSIDE A METAL FOAM. , 2023, , .		0

#	ARTICLE	IF	CITATIONS
767	Beeswax and Palmitic Acid Utilization with Heat Pipes for Electronics Cooling. Advanced Engineering Materials, 2024, 26, .	3.5	0
768	Thermal energy storage characteristics of carbon-based phase change composites for photo-thermal conversion. Journal of Energy Storage, 2024, 77, 109892.	8.1	0
769	Experimental study of a paraffin-based composite phase change material with graphite sheet, copper powder and silver copper powder. Case Studies in Thermal Engineering, 2024, 54, 104003.	5.7	0
770	Advances in Mineral-Based Form Stable Phase Change Materials. Advances in Material Research and Technology, 2024, , 261-297.	0.6	0
771	A critical review on triangular pyramid, weirâ€™type, spherical, and hemispherical solar water distiller conceptions. Solar Energy, 2024, 269, 112322.	6.1	1
772	Research on the thermal behavior of medium-temperature phase change materials and factors influencing the thermal performance based on a vertical shell-and-tube latent heat storage system. Journal of Energy Storage, 2024, 82, 110591.	8.1	0
773	Experimental studies and comprehensive computational investigations on composites-based phase change material for battery thermal management systems in electric vehicles. Journal of Energy Storage, 2024, 82, 110471.	8.1	1
774	Review on the Lithium-Ion Battery Thermal Management System Based on Composite Phase Change Materials: Progress and Outlook. Energy & Fuels, 2024, 38, 2573-2600.	5.1	0
775	Thermal cycling performance of a Shell-and-tube latent heat thermal energy storage system with paraffin/graphite matrix composite. Journal of Energy Storage, 2024, 83, 110697.	8.1	0
776	Thermal performance and mechanical properties of phase change cement paste with Nano-SiO2 grafted straw-paraffin. Construction and Building Materials, 2024, 419, 135551.	7.2	0
777	Effect of tube arrays with a low area ratio on the solidification enhancement in shell and tube latent heat thermal energy storage systems. Thermal Science and Engineering Progress, 2024, 49, 102487.	2.7	0
778	Preparation and performance of solid thermal energy storage materials based on low-grade pyrophyllite minerals. Heliyon, 2024, 10, e26871.	3.2	0
779	Effectiveness of phase change materials and their properties on the performance of geothermal and foundation-based energy systems: A review. Applied Thermal Engineering, 2024, 246, 122903.	6.0	0