

CITATION REPORT

List of articles citing

An improved approach to detection of amplitude of low-frequency fluctuation (ALFF) for resting-state fMRI: fractional ALFF

DOI: 10.1016/j.jneumeth.2008.04.012

Journal of Neuroscience Methods, 2008, 172, 137-41.

Source: <https://exaly.com/paper-pdf/43195723/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1409	Current awareness in NMR in biomedicine. 2009 , 22, 242-9		
1408	Default-mode brain dysfunction in mental disorders: a systematic review. 2009 , 33, 279-96		1164
1407	The resting brain: unconstrained yet reliable. 2009 , 19, 2209-29		706
1406	Static and dynamic characteristics of cerebral blood flow during the resting state. 2009 , 48, 515-24		159
1405	What can spontaneous fluctuations of the blood oxygenation-level-dependent signal tell us about psychiatric disorders?. 2010 , 23, 239-49		111
1404	. 2010 ,		3
1403	DPARF: A MATLAB Toolbox for "Pipeline" Data Analysis of Resting-State fMRI. 2010 , 4, 13		1980
1402	Graph-based network analysis of resting-state functional MRI. 2010 , 4, 16		350
1401	Resting developments: a review of fMRI post-processing methodologies for spontaneous brain activity. 2010 , 23, 289-307		174
1400	Spontaneous brain activity observed with functional magnetic resonance imaging as a potential biomarker in neuropsychiatric disorders. 2010 , 4, 275-94		37
1399	A Note on Measures of Single Timeseries Activity in Resting-State fMRI Studies. 2010 ,		
1398	Advances and pitfalls in the analysis and interpretation of resting-state FMRI data. 2010 , 4, 8		624
1397	. 2010 ,		5
1396	Toward discovery science of human brain function. 2010 , 107, 4734-9		2183
1395	Amplitude of low-frequency oscillations in schizophrenia: a resting state fMRI study. 2010 , 117, 13-20		349
1394	A neural measure of behavioral engagement: task-residual low-frequency blood oxygenation level-dependent activity in the precuneus. 2010 , 49, 1911-8		52
1393	The oscillating brain: complex and reliable. 2010 , 49, 1432-45		911

1392	Empirical evaluations of slice-timing, smoothing, and normalization effects in seed-based, resting-state functional magnetic resonance imaging analyses. 2011 , 1, 401-10	47
1391	Linking inter-individual differences in neural activation and behavior to intrinsic brain dynamics. 2011 , 54, 2950-9	165
1390	Frequency-dependent changes in the amplitude of low-frequency fluctuations in amnesic mild cognitive impairment: a resting-state fMRI study. 2011 , 55, 287-95	324
1389	Structural and Functional Neuroimaging Methods: Applications to Substance Abuse and Addiction. 2011 , 37-82	1
1388	Abnormal whole-brain functional connection in amnesic mild cognitive impairment patients. 2011 , 216, 666-72	63
1387	Personality traits and the amplitude of spontaneous low-frequency oscillations during resting state. 2011 , 492, 109-13	98
1386	Modulation of default-mode network activity by acute tryptophan depletion is associated with mood change: a resting state functional magnetic resonance imaging study. 2011 , 69, 129-34	55
1385	Evidence for involvement of the insula in the psychotropic effects of THC in humans: a double-blind, randomized pharmacological MRI study. 2011 , 14, 1377-88	41
1384	Topological fractionation of resting-state networks. 2011 , 6, e26596	36
1383	Impact of visual repetition rate on intrinsic properties of low frequency fluctuations in the visual network. 2011 , 6, e18954	9
1382	Increased activity imbalance in fronto-subcortical circuits in adolescents with major depression. 2011 , 6, e25159	58
1381	. 2011 ,	
1380	REST: a toolkit for resting-state functional magnetic resonance imaging data processing. 2011 , 6, e25031	1473
1379	Mapping the altered patterns of cerebellar resting-state function in longitudinal amnesic mild cognitive impairment patients. 2011 , 23, 87-99	35
1378	Effects of L-dopa and oxazepam on resting-state functional magnetic resonance imaging connectivity: a randomized, cross-sectional placebo study. 2012 , 2, 246-53	17
1377	AMPLITUDE OF LOW FREQUENCY FLUCTUATION AT DIFFERENT FREQUENCY BANDS IN EARLY AMNESTIC MILD COGNITIVE IMPAIRMENT: RESULTS FROM ADNI. 2012 , 05, 1150003	6
1376	Patterns of fractional amplitude of low-frequency oscillations in occipito-striato-thalamic regions of first-episode drug-naïve panic disorder. 2012 , 142, 180-5	23
1375	Functional magnetic resonance imaging phase synchronization as a measure of dynamic functional connectivity. 2012 , 2, 91-101	178

1374	Capturing amplitude changes of low-frequency fluctuations in functional magnetic resonance imaging signal: a pilot acupuncture study on NeiGuan (PC6). 2012 , 18, 387-93	18
1373	Feature-based approach to fuse fMRI and DTI in epilepsy using joint independent component analysis. 2012 ,	
1372	Characterizing variation in the functional connectome: promise and pitfalls. 2012 , 16, 181-8	190
1371	Functional covariance networks: obtaining resting-state networks from intersubject variability. 2012 , 2, 203-17	32
1370	The balance between feeling and knowing: affective and cognitive empathy are reflected in the brain's intrinsic functional dynamics. 2012 , 7, 727-37	183
1369	Association of the interleukin 1 beta gene and brain spontaneous activity in amnesic mild cognitive impairment. 2012 , 9, 263	18
1368	PHYCAA: data-driven measurement and removal of physiological noise in BOLD fMRI. 2012 , 59, 1299-314	26
1367	TE-dependent spatial and spectral specificity of functional connectivity. 2012 , 59, 3075-84	10
1366	Regional homogeneity of resting state fMRI signals predicts Stop signal task performance. 2012 , 60, 539-44	81
1365	Impact of in-scanner head motion on multiple measures of functional connectivity: relevance for studies of neurodevelopment in youth. 2012 , 60, 623-32	837
1364	Altered resting-state functional connectivity after cortical spreading depression in mice. 2012 , 63, 1171-7	14
1363	Low-frequency fluctuation in continuous real-time feedback of finger force: a new paradigm for sustained attention. 2012 , 28, 456-67	12
1362	Hybrid multivariate morphology using lattice auto-associative memories for resting-state fMRI network discovery. 2012 ,	3
1361	Anatomical and functional deficits in patients with amnesic mild cognitive impairment. 2012 , 7, e28664	68
1360	Task-related, low-frequency task-residual, and resting state activity in the default mode network brain regions. 2012 , 3, 172	27
1359	Prediction of Task-Related BOLD fMRI with Amplitude Signatures of Resting-State fMRI. 2012 , 6, 7	51
1358	L-DOPA changes spontaneous low-frequency BOLD signal oscillations in Parkinson's disease: a resting state fMRI study. 2012 , 6, 52	61
1357	Individual classification of ADHD patients by integrating multiscale neuroimaging markers and advanced pattern recognition techniques. 2012 , 6, 58	58

1356	Evaluation of pattern recognition and feature extraction methods in ADHD prediction. 2012 , 6, 68	49
1355	The association between cingulate cortex glutamate concentration and delay discounting is mediated by resting state functional connectivity. 2012 , 2, 553-62	34
1354	Nasal insulin changes peripheral insulin sensitivity simultaneously with altered activity in homeostatic and reward-related human brain regions. 2012 , 55, 1773-82	80
1353	Research progress on resting state fMRI of epilepsy. 2012 , 34, 8-12	12
1352	Aberrant default mode network in subjects with amnesic mild cognitive impairment using resting-state functional MRI. 2012 , 30, 48-61	59
1351	Intrinsic resting-state activity predicts working memory brain activation and behavioral performance. 2013 , 34, 3204-15	152
1350	Fine-granularity functional interaction signatures for characterization of brain conditions. 2013 , 11, 301-17	7
1349	Abnormal activity of default mode network in GERD patients. 2013 , 14, 69	3
1348	Rivastigmine is associated with restoration of left frontal brain activity in Parkinson's disease. 2013 , 28, 1384-90	27
1347	Extracting intrinsic functional networks with feature-based group independent component analysis. 2013 , 78, 243-59	29
1346	Hybrid Artificial Intelligent Systems. 2013 ,	
1345	Causal interactions between fronto-parietal central executive and default-mode networks in humans. 2013 , 110, 19944-9	331
1344	Brain hyperconnectivity in children with autism and its links to social deficits. 2013 , 5, 738-47	332
1343	Difference in amplitude of low-frequency fluctuation between currently depressed and remitted females with major depressive disorder. 2013 , 1540, 74-83	46
1342	Investigating univariate temporal patterns for intrinsic connectivity networks based on complexity and low-frequency oscillation: a test-retest reliability study. 2013 , 254, 404-26	21
1341	Dissociation of regional activity in the default mode network in first-episode, drug-naive major depressive disorder at rest. 2013 , 151, 1097-101	43
1340	Resting state fMRI research in child psychiatric disorders. 2013 , 22, 757-70	20
1339	Moment-to-moment brain signal variability: a next frontier in human brain mapping?. 2013 , 37, 610-24	342

1338	Brief meditation training induces smoking reduction. 2013 , 110, 13971-5	123
1337	Abnormal neural activity and functional connectivity in amnesic Mild cognitive impairment: A resting state fMRI study. 2013 ,	3
1336	Altered resting-state connectivity in adolescent cannabis users. 2013 , 39, 372-81	56
1335	Intranasal insulin modulates intrinsic reward and prefrontal circuitry of the human brain in lean women. 2013 , 97, 176-82	79
1334	Is there a cerebellar compensatory effort in first-episode, treatment-naive major depressive disorder at rest?. 2013 , 46, 13-8	63
1333	Increased power spectral density in resting-state pain-related brain networks in fibromyalgia. 2013 , 154, 1792-1797	51
1332	RESCALE: Voxel-specific task-fMRI scaling using resting state fluctuation amplitude. 2013 , 70, 80-8	27
1331	Abnormal amplitude low-frequency oscillations in medication-naive, first-episode patients with major depressive disorder: a resting-state fMRI study. 2013 , 146, 401-6	185
1330	Fractional amplitude of low-frequency fluctuation changes in functional dyspepsia: a resting-state fMRI study. 2013 , 31, 996-1000	23
1329	Alzheimer's disease-related changes in regional spontaneous brain activity levels and inter-region interactions in the default mode network. 2013 , 1509, 58-65	11
1328	Volitional eyes opening perturbs brain dynamics and functional connectivity regardless of light input. 2013 , 69, 21-34	77
1327	Relationship between large-scale functional and structural covariance networks in idiopathic generalized epilepsy. 2013 , 3, 240-54	49
1326	Functional connectivity and oscillatory neuronal activity in the resting human brain. 2013 , 240, 297-309	36
1325	Predicting intrinsic brain activity. 2013 , 82, 127-36	24
1324	Resting-state brain activity in major depressive disorder patients and their siblings. 2013 , 149, 299-306	43
1323	Abnormal network connectivity in frontotemporal dementia: evidence for prefrontal isolation. 2013 , 49, 1856-73	134
1322	A comprehensive assessment of regional variation in the impact of head micromovements on functional connectomics. 2013 , 76, 183-201	1016
1321	Standardizing the intrinsic brain: towards robust measurement of inter-individual variation in 1000 functional connectomes. 2013 , 80, 246-62	296

1320	Reliability analysis of the resting state can sensitively and specifically identify the presence of Parkinson disease. 2013 , 75, 249-261	79
1319	PHYCAA+: an optimized, adaptive procedure for measuring and controlling physiological noise in BOLD fMRI. 2013 , 82, 306-25	45
1318	An improved framework for confound regression and filtering for control of motion artifact in the preprocessing of resting-state functional connectivity data. 2013 , 64, 240-56	1024
1317	Toward reliable characterization of functional homogeneity in the human brain: preprocessing, scan duration, imaging resolution and computational space. 2013 , 65, 374-86	325
1316	Anterior temporal lobe degeneration produces widespread network-driven dysfunction. 2013 , 136, 2979-91	144
1315	Rhythm-specific modulation of the sensorimotor network in drug-naive patients with Parkinson's disease by levodopa. 2013 , 136, 710-25	150
1314	Identifying large-scale brain networks in fragile X syndrome. 2013 , 70, 1215-23	46
1313	Salience network resting-state activity: prediction of frontotemporal dementia progression. 2013 , 70, 1249-53	53
1312	Aberrant intrinsic brain activity and cognitive deficit in first-episode treatment-naive patients with schizophrenia. 2013 , 43, 769-80	79
1311	Investigation of low frequency drift in attention deficit hyperactivity disorder fMRI Signal. 2013 ,	
1310	Frequency-dependent relationship between resting-state functional magnetic resonance imaging signal power and head motion is localized within distributed association networks. 2014 , 4, 30-9	15
1309	FATCAT: (an efficient) Functional and Tractographic Connectivity Analysis Toolbox. 2013 , 3, 523-35	125
1308	Patients with chronic visceral pain show sex-related alterations in intrinsic oscillations of the resting brain. 2013 , 33, 11994-2002	86
1307	Age differences in thalamic low-frequency fluctuations. 2013 , 24, 349-53	7
1306	A multi-site resting state fMRI study on the amplitude of low frequency fluctuations in schizophrenia. 2013 , 7, 137	111
1305	Identify changes of brain regional homogeneity in bipolar disorder and unipolar depression using resting-state FMRI. 2013 , 8, e79999	91
1304	BOLD Frequency Power Indexes Working Memory Performance. 2013 , 7, 207	23
1303	Combination of Resting State fMRI, DTI, and sMRI Data to Discriminate Schizophrenia by N-way MCCA + jICA. 2013 , 7, 235	75

1302	The Degree of Early Life Stress Predicts Decreased Medial Prefrontal Activations and the Shift from Internally to Externally Guided Decision Making: An Exploratory NIRS Study during Resting State and Self-Oriented Task. 2013 , 7, 339	22
1301	Resting state low-frequency fluctuations in prefrontal cortex reflect degrees of harm avoidance and novelty seeking: an exploratory NIRS study. 2013 , 7, 115	13
1300	Motor network plasticity and low-frequency oscillations abnormalities in patients with brain gliomas: a functional MRI study. 2014 , 9, e96850	24
1299	A multi-methodological MR resting state network analysis to assess the changes in brain physiology of children with ADHD. 2014 , 9, e99119	25
1298	Dissociation of regional activity in default mode network in medication-naive, first-episode somatization disorder. 2014 , 9, e99273	33
1297	Identifying the core components of emotional intelligence: evidence from amplitude of low-frequency fluctuations during resting state. 2014 , 9, e111435	19
1296	Brain spontaneous fluctuations in sensorimotor regions were directly related to eyes open and eyes closed: evidences from a machine learning approach. 2014 , 8, 645	20
1295	Unraveling the miswired connectome: a developmental perspective. 2014 , 83, 1335-53	232
1294	A study of short-period variation in solar activity. 2014 , 14, 1011-1018	0
1293	Revisiting default mode network function in major depression: evidence for disrupted subsystem connectivity. 2014 , 44, 2041-51	94
1292	Intrinsic functional connectivity networks in healthy elderly subjects: a multiparametric approach with structural connectivity analysis. 2014 , 2014, 947252	13
1291	Regional variations in vascular density correlate with resting-state and task-evoked blood oxygen level-dependent signal amplitude. 2014 , 35, 1906-20	47
1290	Differing default mode network activities in men with homosexual or heterosexual preferences. 2014 , 11, 2474-84	10
1289	Resting state networks in major depressive disorder. 2014 , 224, 139-51	136
1288	Frequency-specific alternations in the amplitude of low-frequency fluctuations in schizophrenia. 2014 , 35, 627-37	160
1287	Characterization of thalamo-cortical association using amplitude and connectivity of functional MRI in mild traumatic brain injury. 2014 , 39, 1558-68	61
1286	One side lattice memory reduced ordering function allows discrimination in resting state fMRI. 2014 ,	
1285	Functional neuroimaging abnormalities in idiopathic generalized epilepsy. 2014 , 6, 455-62	27

1284	Effects of hyperoxia on resting state functional magnetic resonance imaging. 2014 , 25, 1186-90	3
1283	Altered spontaneous neural activity in first-episode, unmedicated patients with major depressive disorder. 2014 , 25, 1302-7	18
1282	Resting-state functional magnetic resonance imaging: review of neurosurgical applications. 2014 , 74, 453-64; discussion 464-5	75
1281	Altered resting-state activity in seasonal affective disorder. 2014 , 35, 161-72	26
1280	Specific frequency bands of amplitude low-frequency oscillation encodes personality. 2014 , 35, 331-9	76
1279	The alteration of spontaneous low frequency oscillations caused by acute electromagnetic fields exposure. 2014 , 125, 277-86	22
1278	Spontaneous neuronal activity predicts intersubject variations in executive control of attention. 2014 , 263, 181-92	38
1277	Changes in cerebral morphometry and amplitude of low-frequency fluctuations of BOLD signals during healthy aging: correlation with inhibitory control. 2014 , 219, 983-94	57
1276	Cerebral gray matter volumes and low-frequency fluctuation of BOLD signals in cocaine dependence: duration of use and gender difference. 2014 , 134, 51-62	49
1275	Functional connectivity and brain activation: a synergistic approach. 2014 , 24, 2619-29	63
1274	Spontaneous neural activity alterations in temporomandibular disorders: a cross-sectional and longitudinal resting-state functional magnetic resonance imaging study. 2014 , 278, 1-10	22
1273	Do cortical midline variability and low frequency fluctuations mediate William James' "Stream of Consciousness"? "Neurophenomenal Balance Hypothesis" of "Inner Time Consciousness". 2014 , 30, 184-200	6
1272	Unlearning chronic pain: A randomized controlled trial to investigate changes in intrinsic brain connectivity following Cognitive Behavioral Therapy. 2014 , 5, 365-76	60
1271	Fractional amplitude of low-frequency fluctuation changes in monkeys with spinal cord injury: a resting-state fMRI study. 2014 , 32, 482-6	17
1270	Network dysfunction in Alzheimer's disease: refining the disconnection hypothesis. 2014 , 4, 299-311	100
1269	Stability of low-frequency fluctuation amplitudes in prolonged resting-state fMRI. 2014 , 103, 249-257	51
1268	Fractal analysis of spontaneous fluctuations of the BOLD signal in the human brain networks. 2014 , 39, 1118-25	1
1267	Frequency-dependent changes in the amplitude of low-frequency fluctuations in subcortical ischemic vascular disease (SIVD): a resting-state fMRI study. 2014 , 274, 205-10	22

1266	Alterations in resting state oscillations and connectivity in sensory and motor networks in women with interstitial cystitis/painful bladder syndrome. 2014 , 192, 947-55	76
1265	Influence of sucrose ingestion on brainstem and hypothalamic intrinsic oscillations in lean and obese women. 2014 , 146, 1212-21	34
1264	Test-retest reliabilities of resting-state fMRI measurements in human brain functional connectomics: a systems neuroscience perspective. 2014 , 45, 100-18	405
1263	Frequency-dependent amplitude alterations of resting-state spontaneous fluctuations in idiopathic generalized epilepsy. 2014 , 108, 853-60	43
1262	Task-dependent activity and connectivity predict episodic memory network-based responses to brain stimulation in healthy aging. 2014 , 7, 287-96	44
1261	Decreased regional activity of default-mode network in unaffected siblings of schizophrenia patients at rest. 2014 , 24, 545-52	29
1260	Abnormal baseline brain activity in drug-naïve patients with Tourette syndrome: a resting-state fMRI study. 2014 , 7, 913	32
1259	An open science resource for establishing reliability and reproducibility in functional connectomics. 2014 , 1, 140049	247
1258	Tracking cerebral blood flow in BOLD fMRI using recursively generated regressors. 2014 , 35, 5471-85	34
1257	A feature-based fusion method for making group inference in epileptic fMRI and DTI using canonical correlation analysis. 2014 ,	
1256	Low-frequency fluctuation amplitude analysis of resting-state fMRI in sickle cell disease. 2015 , 9681,	
1255	A connectivity-based test-retest dataset of multi-modal magnetic resonance imaging in young healthy adults. 2015 , 2, 150056	30
1254	WAVELET-DOMAIN REGRESSION AND PREDICTIVE INFERENCE IN PSYCHIATRIC NEUROIMAGING. 2015 , 9, 1076-1101	22
1253	Brain Genomics Superstruct Project initial data release with structural, functional, and behavioral measures. 2015 , 2, 150031	204
1252	A multimodal MRI dataset of professional chess players. 2015 , 2, 150044	13
1251	Alterations of local spontaneous brain activity and connectivity in adults with high-functioning autism spectrum disorder. 2015 , 6, 30	53
1250	Serotonin transporter gene polymorphism (5-HTTLPR) influences trait anxiety by modulating the functional connectivity between the amygdala and insula in Han Chinese males. 2015 , 36, 2732-42	21
1249	Default mode network links to visual hallucinations: A comparison between Parkinson's disease and multiple system atrophy. 2015 , 30, 1237-47	52

1248	Wavelet-based regularity analysis reveals recurrent spatiotemporal behavior in resting-state fMRI. 2015 , 36, 3603-20	13
1247	The influence of mild carbon dioxide on brain functional homotopy using resting-state fMRI. 2015 , 36, 3912-21	16
1246	Abnormal functional integration of thalamic low frequency oscillation in the BOLD signal after acute heroin treatment. 2015 , 36, 5287-300	19
1245	Altered Spontaneous Brain Activity in Schizophrenia: A Meta-Analysis and a Large-Sample Study. 2015 , 2015, 204628	62
1244	The time course of altered brain activity during 7-day simulated microgravity. 2015 , 9, 124	9
1243	Frequency-specific alternations in the amplitude of low-frequency fluctuations in chronic tinnitus. 2015 , 9, 67	27
1242	Lateralization of Temporal Lobe Epilepsy Based on Resting-State Functional Magnetic Resonance Imaging and Machine Learning. 2015 , 6, 184	30
1241	A Systematic Review and Meta-Analysis of the Functional MRI Investigation of Motor Neuron Disease. 2015 , 6, 246	7
1240	Linking inter-individual differences in the perceptual load effect to spontaneous brain activity. 2015 , 9, 409	1
1239	The Neural Correlates of Optimistic and Depressive Tendencies of Self-Evaluations and Resting-State Default Mode Network. 2015 , 9, 618	15
1238	Impact of hematocrit on measurements of the intrinsic brain. 2014 , 8, 452	9
1237	Detecting static and dynamic differences between eyes-closed and eyes-open resting states using ASL and BOLD fMRI. 2015 , 10, e0121757	36
1236	Low-Frequency Fluctuations of the Resting Brain: High Magnitude Does Not Equal High Reliability. 2015 , 10, e0128117	13
1235	Integrated Analysis and Visualization of Group Differences in Structural and Functional Brain Connectivity: Applications in Typical Ageing and Schizophrenia. 2015 , 10, e0137484	3
1234	The Brain Activity in Brodmann Area 17: A Potential Bio-Marker to Predict Patient Responses to Antiepileptic Drugs. 2015 , 10, e0139819	5
1233	Sex Differences in the Default Mode Network with Regard to Autism Spectrum Traits: A Resting State fMRI Study. 2015 , 10, e0143126	24
1232	Individual Variability and Test-Retest Reliability Revealed by Ten Repeated Resting-State Brain Scans over One Month. 2015 , 10, e0144963	88
1231	Early warning for human mental sub-health based on fMRI data analysis: an example from a seafarers' resting-data study. 2015 , 6, 1030	10

1230	Music reduces pain and increases resting state fMRI BOLD signal amplitude in the left angular gyrus in fibromyalgia patients. 2015 , 6, 1051	44
1229	Frequency-dependent changes in the amplitude of low-frequency fluctuations in internet gaming disorder. 2015 , 6, 1471	16
1228	Increased Amplitude of Low Frequency Fluctuations but Normal Hippocampal-Default Mode Network Connectivity in Schizophrenia. 2015 , 6, 92	14
1227	Cerebral Activity Changes in Different Traditional Chinese Medicine Patterns of Psychogenic Erectile Dysfunction Patients. 2015 , 2015, 503536	4
1226	Assessment of Functional Characteristics of Amnesic Mild Cognitive Impairment and Alzheimer's Disease Using Various Methods of Resting-State FMRI Analysis. 2015 , 2015, 907464	28
1225	Toward a Meta-Analytic Synthesis of the Resting-State fMRI Literature for Clinical Populations. 2015 , 2015, 435265	22
1224	A Window into the Brain: Advances in Psychiatric fMRI. 2015 , 2015, 542467	7
1223	Neural Correlates of Associative Memory in the Elderly: A Resting-State Functional MRI Study. 2015 , 2015, 129180	6
1222	Amplitude of low-frequency oscillations in Parkinson's disease: a 2-year longitudinal resting-state functional magnetic resonance imaging study. 2015 , 128, 593-601	22
1221	Frequency-Specific Neural Signatures of Spontaneous Low-Frequency Resting State Fluctuations in Psychosis: Evidence From Bipolar-Schizophrenia Network on Intermediate Phenotypes (B-SNIP) Consortium. 2015 , 41, 1336-48	69
1220	Systematic review of an emerging trend in china: resting-state functional connectivity in major depressive disorder. 2015 , 27, 104-11	8
1219	Dissociation of anatomical and functional alterations of the default-mode network in first-episode, drug-naïve schizophrenia. 2015 , 126, 2276-81	8
1218	Resting state signatures of domain and demand-specific working memory performance. 2015 , 118, 174-82	18
1217	In search of multimodal neuroimaging biomarkers of cognitive deficits in schizophrenia. 2015 , 78, 794-804	111
1216	Local activity features for computer aided diagnosis of schizophrenia on resting-state fMRI. 2015 , 164, 154-161	18
1215	Functional abnormalities in Broca's area in adolescents with ADHD: A resting-state fMRI study. 2015 , 51,	1
1214	Is There a Nonadditive Interaction Between Spontaneous and Evoked Activity? Phase-Dependence and Its Relation to the Temporal Structure of Scale-Free Brain Activity. 2017 , 27, 1037-1059	67
1213	Discriminating Bipolar Disorder From Major Depression Based on SVM-FoBa: Efficient Feature Selection With Multimodal Brain Imaging Data. 2015 , 7, 320-331	61

1212	Alteration of spontaneous neuronal activity within the salience network in partially remitted depression. 2015 , 1599, 93-102	23
1211	Altered amplitude of low-frequency fluctuation in primary open-angle glaucoma: a resting-state fMRI study. 2014 , 56, 322-9	46
1210	Abnormal spontaneous neural activity in the anterior insular and anterior cingulate cortices in anxious depression. 2015 , 281, 339-47	36
1209	A Connectome Computation System for discovery science of brain. 2015 , 60, 86-95	82
1208	One dataset, many conclusions: BOLD variability's complicated relationships with age and motion artifacts. 2015 , 9, 115-27	10
1207	Quantile rank maps: a new tool for understanding individual brain development. 2015 , 111, 454-63	12
1206	Different neural pathways linking personality traits and eudaimonic well-being: a resting-state functional magnetic resonance imaging study. 2015 , 15, 299-309	28
1205	Reliability comparison of spontaneous brain activities between BOLD and CBF contrasts in eyes-open and eyes-closed resting states. 2015 , 121, 91-105	47
1204	Alteration of spontaneous neuronal activity in young adults with non-clinical depressive symptoms. 2015 , 233, 36-42	10
1203	. 2015 ,	1
1202	Resting spontaneous activity in the default mode network predicts performance decline during prolonged attention workload. 2015 , 120, 323-330	36
1201	Altered regional activity and inter-regional functional connectivity in psychogenic non-epileptic seizures. 2015 , 5, 11635	43
1200	Dissociation of functional and anatomical brain abnormalities in unaffected siblings of schizophrenia patients. 2015 , 126, 927-32	24
1199	Specific locations within the white matter and cortex are involved in the cognitive impairments associated with periventricular white matter lesions (PWMLs). 2015 , 289, 9-18	10
1198	Regional amplitude of the low-frequency fluctuations at rest predicts word-reading skill. 2015 , 298, 318-28	13
1197	Effects of far-infrared radiation on heart rate variability and central manifestations in healthy subjects: a resting-fMRI study. 2015 , 30, 295-301	3
1196	Computer aided diagnosis of schizophrenia on resting state fMRI data by ensembles of ELM. 2015 , 68, 23-33	43
1195	The application of ALFF to the idiopathic complex partial seizures epilepsy of teenagers. 2015 , 21, 27-32	1

1194	The patterns of fractional amplitude of low-frequency fluctuations in depression patients: the dissociation between temporal regions and fronto-parietal regions. 2015 , 175, 441-5	27
1193	Relationship between simultaneously acquired resting-state regional cerebral glucose metabolism and functional MRI: a PET/MR hybrid scanner study. 2015 , 113, 111-21	113
1192	Resting state fMRI feature-based cerebral glioma grading by support vector machine. 2015 , 10, 1167-74	17
1191	Altered functional connectivity within the central reward network in overweight and obese women. 2015 , 5, e148	50
1190	Decreased regional activity and network homogeneity of the fronto-limbic network at rest in drug-naive major depressive disorder. 2015 , 49, 550-6	30
1189	Relating Intrinsic Low-Frequency BOLD Cortical Oscillations to Cognition in Schizophrenia. 2015 , 40, 2705-14	46
1188	Specific default mode subnetworks support mentalizing as revealed through opposing network recruitment by social and semantic fMRI tasks. 2015 , 36, 3047-63	34
1187	Beyond Functional Localization. 2015 , 472-502	3
1186	Proneness to social anxiety modulates neural complexity in the absence of exposure: A resting state fMRI study using Hurst exponent. 2015 , 232, 135-44	26
1185	Resting fMRI measures are associated with cognitive deficits in schizophrenia assessed by the MATRICS consensus cognitive battery. 2015 ,	
1184	Intrinsic brain indices of verbal working memory capacity in children and adolescents. 2015 , 15, 67-82	28
1183	Synchronization, non-linear dynamics and low-frequency fluctuations: analogy between spontaneous brain activity and networked single-transistor chaotic oscillators. 2015 , 25, 033107	19
1182	Resting-State Networks. 2015 , 387-425	0
1181	Short-term test-retest reliability of resting state fMRI metrics in children with and without attention-deficit/hyperactivity disorder. 2015 , 15, 83-93	41
1180	Degree centrality and fractional amplitude of low-frequency oscillations associated with Stroop interference. 2015 , 119, 197-209	48
1179	Discrimination of schizophrenia auditory hallucinators by machine learning of resting-state functional MRI. 2015 , 25, 1550007	53
1178	A systematic review on the applications of resting-state fMRI in Parkinson's disease: Does dopamine replacement therapy play a role?. 2015 , 73, 80-105	123
1177	Acute opioid withdrawal is associated with increased neural activity in reward-processing centers in healthy men: A functional magnetic resonance imaging study. 2015 , 153, 314-22	12

1176	Correspondence between Resting-State Activity and Brain Gene Expression. 2015 , 88, 659-66	78
1175	Changes of gray matter volume and amplitude of low-frequency oscillations in amnesic MCI: An integrative multi-modal MRI study. 2015 , 56, 614-21	29
1174	Neural correlates of the happy life: the amplitude of spontaneous low frequency fluctuations predicts subjective well-being. 2015 , 107, 136-145	77
1173	Classification of schizophrenia patients on lattice computing resting-state fMRI features. 2015 , 151, 151-160	5
1172	An active learning approach for stroke lesion segmentation on multimodal MRI data. 2015 , 150, 26-36	21
1171	Clinical, cognitive, and functional connectivity correlations of resting-state intrinsic brain activity alterations in unmedicated depression. 2015 , 172, 241-50	46
1170	Resting BOLD fluctuations in the primary somatosensory cortex correlate with tactile acuity. 2015 , 64, 20-8	23
1169	Identifying Large-Scale Neural Networks Using fMRI. 2016 , 209-237	1
1168	Rehabilitation of Communicative Abilities in Patients with a History of TBI: Behavioral Improvements and Cerebral Changes in Resting-State Activity. 2016 , 10, 48	14
1167	Amplitude of Low-Frequency Fluctuations in Multiple-Frequency Bands in Acute Mild Traumatic Brain Injury. 2016 , 10, 27	18
1166	Simultaneous tDCS-fMRI Identifies Resting State Networks Correlated with Visual Search Enhancement. 2016 , 10, 72	27
1165	Pain Perception Can Be Modulated by Mindfulness Training: A Resting-State fMRI Study. 2016 , 10, 570	11
1164	Diurnal Variations in Neural Activity of Healthy Human Brain Decoded with Resting-State Blood Oxygen Level Dependent fMRI. 2016 , 10, 634	22
1163	Hybrid PET/MR Imaging and Brain Connectivity. 2016 , 10, 64	34
1162	Multimodal Imaging Signatures of Parkinson's Disease. 2016 , 10, 131	20
1161	Systemic Low-Frequency Oscillations in BOLD Signal Vary with Tissue Type. 2016 , 10, 313	18
1160	A Hitchhiker's Guide to Functional Magnetic Resonance Imaging. 2016 , 10, 515	77
1159	Abnormal spontaneous brain activity in minimal hepatic encephalopathy: resting-state fMRI study. 2016 , 22, 196-200	16

1158	Changes in Problem-Solving Capacity and Association With Spontaneous Brain Activity After a Single Electroconvulsive Treatment in Major Depressive Disorder. 2016 , 32, 49-54	11
1157	More Severe Extratemporal Damages in Mesial Temporal Lobe Epilepsy With Hippocampal Sclerosis Than That With Other Lesions: A Multimodality MRI Study. 2016 , 95, e3020	14
1156	Transcranial alternating current stimulation modulates spontaneous low frequency fluctuations as measured with fMRI. 2016 , 141, 88-107	39
1155	Insula and Inferior Frontal Gyrus' Activities Protect Memory Performance Against Alzheimer's Disease Pathology in Old Age. 2017 , 55, 669-678	42
1154	Early life stress affects limited regional brain activity in depression. 2016 , 6, 25338	10
1153	Looking for Neuroimaging Markers in Frontotemporal Lobar Degeneration Clinical Trials: A Multi-Voxel Pattern Analysis Study in Granulin Disease. 2016 , 51, 249-62	25
1152	The Whole-Brain "Global" Signal from Resting State fMRI as a Potential Biomarker of Quantitative State Changes in Glucose Metabolism. 2016 , 6, 435-47	53
1151	Altered neuronal spontaneous activity correlates with glutamate concentration in medial prefrontal cortex of major depressed females: An fMRI-MRS study. 2016 , 201, 153-61	30
1150	Recovery of slow-5 oscillations in a longitudinal study of ischemic stroke patients. 2016 , 11, 398-407	6
1149	DPABI: Data Processing & Analysis for (Resting-State) Brain Imaging. 2016 , 14, 339-51	1336
1148	Reduced Amplitude of Low-Frequency Brain Oscillations in the Psychosis Risk Syndrome and Early Illness Schizophrenia. 2016 , 41, 2388-98	18
1147	Contrasting variability patterns in the default mode and sensorimotor networks balance in bipolar depression and mania. 2016 , 113, 4824-9	135
1146	Default mode network differences between rigidity- and tremor-predominant Parkinson's disease. 2016 , 81, 239-50	41
1145	Subgenual cingulate cortical activity predicts the efficacy of electroconvulsive therapy. 2016 , 6, e789	49
1144	Implication of the Slow-5 Oscillations in the Disruption of the Default-Mode Network in Healthy Aging and Stroke. 2016 , 6, 482-95	13
1143	Frequency-specific alterations in the fractional amplitude of low-frequency fluctuations in amyotrophic lateral sclerosis. 2016 , 37, 1283-91	9
1142	Resting state functional connectivity of the hippocampus along the anterior-posterior axis and its association with glutamatergic metabolism. 2016 , 81, 104-17	27
1141	Altered white matter integrity and functional connectivity of hyperacute-stage cerebral ischemia in a rat model. 2016 , 34, 1189-98	9

1140	Pharmacological modulation of pulvinar resting-state regional oscillations and network dynamics in major depression. 2016 , 252, 10-18	10
1139	Quantitative mapping of cerebrovascular reactivity using resting-state BOLD fMRI: Validation in healthy adults. 2016 , 138, 147-163	47
1138	Differential effects of methylphenidate and atomoxetine on intrinsic brain activity in children with attention deficit hyperactivity disorder. 2016 , 46, 3173-3185	24
1137	Anatomical and functional correlates of persistent pain in Parkinson's disease. 2016 , 31, 1854-1864	46
1136	Altered spontaneous neural activity in the occipital face area reflects behavioral deficits in developmental prosopagnosia. 2016 , 89, 344-355	32
1135	Catecholaminergic Neuromodulation Shapes Intrinsic MRI Functional Connectivity in the Human Brain. 2016 , 36, 7865-76	52
1134	Increased Amplitude of Thalamocortical Low-Frequency Oscillations in Patients with Migraine. 2016 , 36, 8026-36	59
1133	Brain Activity and Functional Connectivity Associated with Hypnosis. 2017 , 27, 4083-4093	58
1132	Resting-state functional MR imaging shed insights into the brain of diabetes. 2016 , 31, 993-1002	14
1131	Default mode network maturation and psychopathology in children and adolescents. 2016 , 57, 55-64	23
1130	Alterations in brain metabolism and function following administration of low-dose codeine phosphate: H-magnetic resonance spectroscopy and resting-state functional magnetic resonance imaging studies. 2016 , 12, 619-626	
1129	Reduced spontaneous neuronal activity in the insular cortex and thalamus in healthy adults with insomnia symptoms. 2016 , 1648, 317-324	38
1128	Resting-state functional MRI distinguishes temporal lobe epilepsy subtypes. 2016 , 57, 1475-84	28
1127	Higher resting-state activity in reward-related brain circuits in obese versus normal-weight females independent of food intake. 2016 , 40, 1687-1692	27
1126	Short-term Effects of Risperidone Monotherapy on Spontaneous Brain Activity in First-episode Treatment-naïve Schizophrenia Patients: A Longitudinal fMRI Study. 2016 , 6, 34287	14
1125	Early role of vascular dysregulation on late-onset Alzheimer's disease based on multifactorial data-driven analysis. 2016 , 7, 11934	547
1124	Longitudinal Alteration of Intrinsic Brain Activity in the Striatum in Mild Cognitive Impairment. 2016 , 54, 69-78	26
1123	Intrinsic Connectivity Provides the Baseline Framework for Variability in Motor Performance: A Multivariate Fusion Analysis of Low- and High-Frequency Resting-State Oscillations and Antisaccade Performance. 2016 , 6, 505-17	6

1122	Parietal hyper-connectivity, aberrant brain organization, and circuit-based biomarkers in children with mathematical disabilities. 2016 , 19, 613-31	41
1121	Amplitude of low frequency fluctuations during resting state predicts social well-being. 2016 , 118, 161-168	17
1120	Altered intrinsic insular activity predicts symptom severity in unmedicated obsessive-compulsive disorder patients: a resting state functional magnetic resonance imaging study. 2016 , 16, 104	30
1119	The superficial white matter in temporal lobe epilepsy: a key link between structural and functional network disruptions. 2016 , 139, 2431-40	48
1118	The changes in the low-frequency fluctuations of cingulate cortex and postcentral gyrus in the treatment of panic disorder: The MRI study. 2016 , 17, 58-65	14
1117	Local and Global Resting State Activity in the Noradrenergic and Dopaminergic Pathway Modulated by Reboxetine and Amisulpride in Healthy Subjects. 2015 , 19,	21
1116	Altered Spontaneous Brain Activity in Betel Quid Dependence: A Resting-state Functional Magnetic Resonance Imaging Study. 2016 , 95, e2638	22
1115	Association of thalamic hyperactivity with treatment-resistant depression and poor response in early treatment for major depression: a resting-state fMRI study using fractional amplitude of low-frequency fluctuations. 2016 , 6, e754	41
1114	The effects of a virtual reality treatment program for online gaming addiction. 2016 , 129, 99-108	61
1113	Individual differences in the attentional blink: Evidence from the amplitude of low-frequency fluctuations in non-blinkers and blinkers. 2016 , 114, 33-8	4
1112	Frequency-dependent changes in amplitude of low-frequency oscillations in depression: A resting-state fMRI study. 2016 , 614, 105-11	43
1111	Advanced Neuroimaging of Tinnitus. 2016 , 26, 301-12	10
1110	Brain structure-function associations identified in large-scale neuroimaging data. 2016 , 221, 4459-4474	7
1109	Abnormal Brain Areas Common to the Focal Epilepsies: Multivariate Pattern Analysis of fMRI. 2016 , 6, 208-15	22
1108	Disrupted amplitude of low-frequency fluctuations in antipsychotic-naïve adolescents with early-onset schizophrenia. 2016 , 249, 20-6	17
1107	The relevance of fractional amplitude of low-frequency fluctuation to interference effect. 2016 , 296, 401-407	5
1106	Intra-regional and inter-regional abnormalities and cognitive control deficits in young adult smokers. 2016 , 10, 506-16	24
1105	The neural basis of trait self-esteem revealed by the amplitude of low-frequency fluctuations and resting state functional connectivity. 2016 , 11, 367-76	23

1104	Assessment of brain cognitive functions in patients with vitamin B12 deficiency using resting state functional MRI: A longitudinal study. 2016 , 34, 191-6	14
1103	Longitudinal Changes in Cerebellar and Thalamic Spontaneous Neuronal Activity After Wide-Awake Surgery of Brain Tumors: a Resting-State fMRI Study. 2016 , 15, 451-65	21
1102	Image Understanding Applications of Lattice Autoassociative Memories. 2016 , 27, 1920-32	17
1101	Cerebral functional deficits in patients with ankylosing spondylitis- an fMRI study. 2017 , 11, 936-942	13
1100	Aberrant development of intrinsic brain activity in a rat model of caregiver maltreatment of offspring. 2017 , 7, e1005	42
1099	Abnormalities in the effective connectivity of visuothalamic circuitry in schizophrenia. 2017 , 47, 1300-1310	22
1098	Towards prognostic biomarkers from BOLD fluctuations to differentiate a first epileptic seizure from new-onset epilepsy. 2017 , 58, 476-483	13
1097	Resting-state brain alteration after a single dose of SSRI administration predicts 8-week remission of patients with major depressive disorder. 2017 , 47, 438-450	22
1096	Disturbed Brain Activity in Resting-State Networks of Patients with First-Episode Schizophrenia with Auditory Verbal Hallucinations: A Cross-sectional Functional MR Imaging Study. 2017 , 283, 810-819	35
1095	Altered amplitude of low frequency fluctuations in schizophrenia patients with persistent auditory verbal hallucinations. 2017 , 189, 97-103	25
1094	Biomarkers, designs, and interpretations of resting-state fMRI in translational pharmacological research: A review of state-of-the-Art, challenges, and opportunities for studying brain chemistry. 2017 , 38, 2276-2325	36
1093	Abnormalities of regional brain function in Parkinson's disease: a meta-analysis of resting state functional magnetic resonance imaging studies. 2017 , 7, 40469	31
1092	Altered fractional amplitude of low frequency fluctuation associated with cognitive dysfunction in first-episode drug-naïve major depressive disorder patients. 2017 , 17, 11	25
1091	Age-associated patterns in gray matter volume, cerebral perfusion and BOLD oscillations in children and adolescents. 2017 , 38, 2398-2407	6
1090	Interictal brain activity differs in migraine with and without aura: resting state fMRI study. 2017 , 18, 8	33
1089	Repetitive transcranial magnetic stimulation (rTMS) of the dorsolateral prefrontal cortex reduces resting-state insula activity and modulates functional connectivity of the orbitofrontal cortex in cigarette smokers. 2017 , 174, 98-105	37
1088	Multifactorial causal model of brain (dis)organization and therapeutic intervention: Application to Alzheimer's disease. 2017 , 152, 60-77	70
1087	Intrinsic cerebral activity at resting state in adults with major depressive disorder: A meta-analysis. 2017 , 75, 157-164	45

1086	Abnormal regional spontaneous neuronal activity associated with symptom severity in treatment-naïve patients with obsessive-compulsive disorder revealed by resting-state functional MRI. 2017 , 640, 99-104	23
1085	Electroconvulsive therapy changes the regional resting state function measured by regional homogeneity (ReHo) and amplitude of low frequency fluctuations (ALFF) in elderly major depressive disorder patients: An exploratory study. 2017 , 264, 13-21	24
1084	Resting-State Seed-Based Analysis: An Alternative to Task-Based Language fMRI and Its Laterality Index. 2017 , 38, 1187-1192	22
1083	Alterations of resting-state fMRI measurements in individuals with cervical dystonia. 2017 , 38, 4098-4108	32
1082	Abnormal amplitude of low-frequency fluctuations and functional connectivity of resting-state functional magnetic resonance imaging in patients with leukoaraiosis. 2017 , 7, e00714	17
1081	Polymorphism of ERK/PTPRR Genes in Major Depressive Disorder at Resting-State Brain Function. 2017 , 42, 231-240	5
1080	Resting state brain network function in major depression - Depression symptomatology, antidepressant treatment effects, future research. 2017 , 92, 147-159	167
1079	Altered fractional amplitude of low frequency fluctuation in premenstrual syndrome: A resting state fMRI study. 2017 , 218, 41-48	8
1078	Age-related functional brain changes in young children. 2017 , 155, 322-330	36
1077	Yoga reduces the brain's amplitude of low-frequency fluctuations in patients with early psychosis results of a randomized controlled trial. 2017 , 184, 141-142	12
1076	Computerized cognitive training for children with neurofibromatosis type 1: A pilot resting-state fMRI study. 2017 , 266, 53-58	9
1075	Frequency-Dependent Changes in the Amplitude of Low-Frequency Fluctuations in Mild Cognitive Impairment with Mild Depression. 2017 , 58, 1175-1187	27
1074	Visibility graphs for fMRI data: Multiplex temporal graphs and their modulations across resting-state networks. 2017 , 1, 208-221	34
1073	The shared neural basis of music and language. 2017 , 357, 208-219	14
1072	Hope and the brain: Trait hope mediates the protective role of medial orbitofrontal cortex spontaneous activity against anxiety. 2017 , 157, 439-447	28
1071	Hyperactivity of the default-mode network in first-episode, drug-naïve schizophrenia at rest revealed by family-based case-control and traditional case-control designs. 2017 , 96, e6223	23
1070	Not in one metric: Neuroticism modulates different resting state metrics within distinctive brain regions. 2017 , 327, 34-43	14
1069	Altered spontaneous brain activity in chronic smokers revealed by fractional ramplitude of low-frequency fluctuation analysis: a preliminary study. 2017 , 7, 328	10

1068	Ensuring that novel resting-state fMRI metrics are physiologically grounded, interpretable and meaningful (A commentary on Canna et al., 2017). 2017 , 45, 1127-1128	
1067	Wavelet entropy of BOLD time series: An application to Rolandic epilepsy. 2017 , 46, 1728-1737	7
1066	Propofol attenuates low-frequency fluctuations of resting-state fMRI BOLD signal in the anterior frontal cortex upon loss of consciousness. 2017 , 147, 295-301	25
1065	Abnormal spontaneous brain activity in type 2 diabetic retinopathy revealed by amplitude of low-frequency fluctuations: a resting-state fMRI study. 2017 , 72, 340.e1-340.e7	36
1064	Role of Spontaneous Brain Activity in Explicit and Implicit Aspects of Cognitive Flexibility under Socially Conflicting Situations: A Resting-state fMRI Study using Fractional Amplitude of Low-frequency Fluctuations. 2017 , 367, 60-71	14
1063	Limitations of Resting-State Functional MR Imaging in the Setting of Focal Brain Lesions. 2017 , 27, 645-661	12
1062	Concordance among indices of intrinsic brain function: Insights from inter-individual variation and temporal dynamics. 2017 , 62, 1572-1584	48
1061	Ten Key Observations on the Analysis of Resting-state Functional MR Imaging Data Using Independent Component Analysis. 2017 , 27, 561-579	54
1060	Resting state fMRI observations of baseline brain functional activities and connectivities in primary blepharospasm. 2017 , 660, 22-28	17
1059	Decoding the neural representation of story meanings across languages. 2017 , 38, 6096-6106	30
1058	Toward Clinical Application of Resting-State Functional Magnetic Resonance Imaging to Dementia. 2017 , 173-188	
1057	Multiplex detection of pancreatic cancer biomarkers using a SERS-based immunoassay. 2017 , 28, 455101	44
1056	Diabetes Mellitus is Associated with More Severe Brain Spontaneous Activity Impairment and Gray Matter Loss in Patients with Cirrhosis. 2017 , 7, 7775	6
1055	Delay discounting is associated with the fractional amplitude of low-frequency fluctuations and resting-state functional connectivity in late adolescence. 2017 , 7, 10276	7
1054	Mechanisms of cognitive-behavioral therapy for obsessive-compulsive disorder involve robust and extensive increases in brain network connectivity. 2017 , 7, e1230	27
1053	Parallel Interdigitated Distributed Networks within the Individual Estimated by Intrinsic Functional Connectivity. 2017 , 95, 457-471.e5	301
1052	Localized reductions in resting-state functional connectivity in children with prenatal alcohol exposure. 2017 , 38, 5217-5233	16
1051	Regular cannabis and alcohol use is associated with resting-state time course power spectra in incarcerated adolescents. 2017 , 178, 492-500	12

1050	Takotsubo Syndrome - Predictable from brain imaging data. 2017 , 7, 5434	23
1049	Fractional amplitude of low-frequency fluctuations (fALFF) in post-stroke depression. 2017 , 16, 116-124	28
1048	Low-frequency oscillations in default mode subnetworks are associated with episodic memory impairments in Alzheimer's disease. 2017 , 59, 98-106	6
1047	Altered function but not structure of the amygdala in nicotine-dependent individuals. 2017 , 107, 102-107	8
1046	Moral processing deficit in behavioral variant frontotemporal dementia is associated with facial emotion recognition and brain changes in default mode and salience network areas. 2017 , 7, e00843	13
1045	The effect of short cardio on inhibitory control ability of obese people. 2017 , 27, 345-353	1
1044	A feature selection method for classification of ADHD. 2017 ,	2
1043	Resting-State fMRI Functional Connectivity: Big Data Preprocessing Pipelines and Topological Data Analysis. 2017 , 3, 415-428	25
1042	Abnormal Brain Activity in ADHD: A Study of Resting-State fMRI. 2017 , 181-189	1
1041	Altered Spontaneous Brain Activity in Children with Early Tourette Syndrome: a Resting-state fMRI Study. 2017 , 7, 4808	13
1040	Investigations into within- and between-subject resting-state amplitude variations. 2017 , 159, 57-69	51
1039	Value of Frequency Domain Resting-State Functional Magnetic Resonance Imaging Metrics Amplitude of Low-Frequency Fluctuation and Fractional Amplitude of Low-Frequency Fluctuation in the Assessment of Brain Tumor-Induced Neurovascular Uncoupling. 2017 , 7, 382-389	22
1038	Functional MRI signal fluctuations highlight altered resting brain activity in Huntington's disease. 2017 , 11, 1459-1469	5
1037	Putting the Pieces Together in Gilles de la Tourette Syndrome: Exploring the Link Between Clinical Observations and the Biological Basis of Dysfunction. 2017 , 30, 3-29	43
1036	Brain alterations in low-frequency fluctuations across multiple bands in obsessive compulsive disorder. 2017 , 11, 1690-1706	15
1035	Ipsilateral Alteration of Resting State Activity Suggests That Cortical Dysfunction Contributes to the Pathogenesis of Cluster Headache. 2017 , 30, 281-289	12
1034	Mapping the effect of escitalopram treatment on amplitude of low-frequency fluctuations in patients with depression: a resting-state fMRI study. 2017 , 32, 147-154	5
1033	Resting-state test-retest reliability of a priori defined canonical networks over different preprocessing steps. 2017 , 222, 1447-1468	22

1032	Grit and the brain: spontaneous activity of the dorsomedial prefrontal cortex mediates the relationship between the trait grit and academic performance. 2017 , 12, 452-460	43
1031	A resting-state fMRI study of obese females between pre- and postprandial states before and after bariatric surgery. 2017 , 45, 333-341	22
1030	The Neuro Bureau ADHD-200 Preprocessed repository. 2017 , 144, 275-286	105
1029	Altered intrinsic brain activity after chemotherapy in patients with gastric cancer: A preliminary study. 2017 , 27, 2679-2688	19
1028	A CCA and ICA-Based Mixture Model for Identifying Major Depression Disorder. 2017 , 36, 745-756	6
1027	3D CNN Based Automatic Diagnosis of Attention Deficit Hyperactivity Disorder Using Functional and Structural MRI. 2017 , 5, 23626-23636	128
1026	Differential contributions of the middle frontal gyrus functional connectivity to literacy and numeracy. 2017 , 7, 17548	25
1025	Partition-based ultrahigh-dimensional variable screening. 2017 , 104, 785-800	10
1024	Deep learning based automatic diagnoses of attention deficit hyperactive disorder. 2017 ,	7
1023	Task-Related Modulations of BOLD Low-Frequency Fluctuations within the Default Mode Network. 2017 , 5,	8
1022	Resting-State fMRI Associated with Stop-Signal Task Performance in Healthy Middle-Aged and Elderly People. 2017 , 8, 766	10
1021	Mind-Body Practice Changes Fractional Amplitude of Low Frequency Fluctuations in Intrinsic Control Networks. 2017 , 8, 1049	19
1020	Risperidone Effects on Brain Dynamic Connectivity-A Prospective Resting-State fMRI Study in Schizophrenia. 2017 , 8, 14	26
1019	Intrinsic Brain Activity Responsible for Sex Differences in Shyness and Social Anxiety. 2017 , 11, 43	0
1018	A Computational Model for the Automatic Diagnosis of Attention Deficit Hyperactivity Disorder Based on Functional Brain Volume. 2017 , 11, 75	11
1017	A Comprehensive Analysis of the Correlations between Resting-State Oscillations in Multiple-Frequency Bands and Big Five Traits. 2017 , 11, 321	5
1016	Tai Chi Chuan and Baduanjin Mind-Body Training Changes Resting-State Low-Frequency Fluctuations in the Frontal Lobe of Older Adults: A Resting-State fMRI Study. 2017 , 11, 514	37
1015	Associations between Functional Connectivity Dynamics and BOLD Dynamics Are Heterogeneous Across Brain Networks. 2017 , 11, 593	13

1014	The Effect of Low-Frequency Physiological Correction on the Reproducibility and Specificity of Resting-State fMRI Metrics: Functional Connectivity, ALFF, and ReHo. 2017 , 11, 546	23
1013	Effects of Field-Map Distortion Correction on Resting State Functional Connectivity MRI. 2017 , 11, 656	19
1012	Spatial Navigation Impairment Is Associated with Alterations in Subcortical Intrinsic Activity in Mild Cognitive Impairment: A Resting-State fMRI Study. 2017 , 2017, 6364314	10
1011	High-Intensity Exercise Acutely Increases Substantia Nigra and Prefrontal Brain Activity in Parkinson's Disease. 2017 , 23, 6064-6071	24
1010	Spatial-temporal signature of resting-state BOLD signals in classic trigeminal neuralgia. 2017 , 10, 2741-2750	15
1009	The value of resting-state functional magnetic resonance imaging for detecting epileptogenic zones in patients with focal epilepsy. 2017 , 12, e0172094	13
1008	Resting-State fMRI findings in patients with first-Episode idiopathic epilepsy before and after treatment. 2017 , 22, 316-319	5
1007	Neural correlates of childhood trauma with executive function in young healthy adults. 2017 , 8, 79843-79853	12
1006	How to Perform and Interpret Functional Magnetic Resonance Imaging Studies in Functional Gastrointestinal Disorders. 2017 , 23, 197-207	7
1005	Fractional amplitude of low-frequency fluctuations is disrupted in Alzheimer's disease with depression. 2017 , 128, 1344-1349	12
1004	Chronic and Acute Nicotine Exposure Versus Placebo in Smokers and Nonsmokers: A Systematic Review of Resting-State fMRI Studies. 2017 , 319-338	3
1003	Classification of Depressive Disorder Based on RS-fMRI Using Multivariate Pattern Analysis with Multiple Features. 2017 ,	1
1002	Bayesian Multiresolution Variable Selection for Ultra-High Dimensional Neuroimaging Data. 2018 , 15, 537-550	6
1001	Default Mode Connectivity in Major Depressive Disorder Measured Up to 10 Days After Ketamine Administration. 2018 , 84, 582-590	82
1000	Functional MRI registration with tissue-specific patch-based functional correlation tensors. 2018 , 39, 2303-2316	8
999	Sleeve Gastrectomy Recovering Disordered Brain Function in Subjects with Obesity: a Longitudinal fMRI Study. 2018 , 28, 2421-2428	13
998	Disambiguating brain functional connectivity. 2018 , 173, 540-550	38
997	Correlations between CSF proteins and spontaneous neuronal activity in Parkinson's disease. 2018 , 673, 61-66	4

996	Evolution of spatial and temporal features of functional brain networks across the lifespan. 2018 , 173, 498-508	17
995	Influence of electroencephalograph bionic electrical stimulation on neuronal activities in patients with Alzheimer's disease: A functional magnetic resonance imaging study. 2018 , 5, 26-32	
994	Neural correlates of exercise training in individuals with schizophrenia and in healthy individuals: A systematic review. 2018 , 19, 287-301	17
993	Mapping brain functional alterations in betel-quid chewers using resting-state fMRI and network analysis. 2018 , 235, 1257-1271	15
992	Characterizing the modulation of resting-state fMRI metrics by baseline physiology. 2018 , 173, 72-87	19
991	International Cognition and Cancer Task Force Recommendations for Neuroimaging Methods in the Study of Cognitive Impairment in Non-CNS Cancer Patients. 2018 , 110, 223-231	53
990	Breakdown in the temporal and spatial organization of spontaneous brain activity during general anesthesia. 2018 , 39, 2035-2046	34
989	Spatiotemporal, metabolic, and therapeutic characterization of altered functional connectivity in major depressive disorder. 2018 , 39, 1957-1971	20
988	Functional brain abnormalities in major depressive disorder using the Hilbert-Huang transform. 2018 , 12, 1556-1568	8
987	Dose-Dependent Effects of Intranasal Insulin on Resting-State Brain Activity. 2018 , 103, 253-262	24
986	Resting-State Functional MRI: Everything That Nonexperts Have Always Wanted to Know. 2018 , 39, 1390-1399	137
985	Altered Spontaneous Brain Activity in Patients With Idiopathic Trigeminal Neuralgia: A Resting-state Functional MRI Study. 2018 , 34, 600-609	17
984	Altered spontaneous brain activity in MRI-negative refractory temporal lobe epilepsy patients with major depressive disorder: A resting-state fMRI study. 2018 , 386, 29-35	19
983	Resting-state functional connectivity remains unaffected by preceding exposure to aversive visual stimuli. 2018 , 167, 354-365	6
982	Memory Deficits After Aneurysmal Subarachnoid Hemorrhage: A Functional Magnetic Resonance Imaging Study. 2018 , 111, e500-e506	9
981	Network-specific sex differentiation of intrinsic brain function in males with autism. 2018 , 9, 17	33
980	Influences of Hunger, Satiety and Oral Glucose on Functional Brain Connectivity: A Multimethod Resting-State fMRI Study. 2018 , 382, 80-92	17
979	Simultaneous resting-state FDG-PET/fMRI in Alzheimer Disease: Relationship between glucose metabolism and intrinsic activity. 2018 , 176, 246-258	59

978	Visual Restoration after Cataract Surgery Promotes Functional and Structural Brain Recovery. 2018 , 30, 52-61	18
977	The thalamus in drug addiction: from rodents to humans. 2018 , 373,	49
976	Perspectives on Machine Learning for Classification of Schizotypy Using fMRI Data. 2018 , 44, S480-S490	12
975	Assessment of 3DTV-related fatigue with resting-state fMRI. 2018 , 64, 99-106	
974	Treatment effect of methylphenidate on intrinsic functional brain network in medication-naïve ADHD children: A multivariate analysis. 2018 , 12, 518-531	17
973	Amplitude of Low-Frequency Fluctuations During Resting State Differentially Predicts Authentic and Hubristic Pride. 2018 , 86, 213-219	10
972	Functional connectivity density mapping: comparing multiband and conventional EPI protocols. 2018 , 12, 848-859	11
971	Multimodal Fusion With Reference: Searching for Joint Neuromarkers of Working Memory Deficits in Schizophrenia. 2018 , 37, 93-105	35
970	Low frequency fluctuation of brain spontaneous activity and obsessive-compulsive symptoms in a large school-age sample. 2018 , 96, 224-230	5
969	Radiation-induced brain structural and functional abnormalities in presymptomatic phase and outcome prediction. 2018 , 39, 407-427	25
968	Stability of MRI metrics in the advanced research core of the NCAA-DoD concussion assessment, research and education (CARE) consortium. 2018 , 12, 1121-1140	17
967	Characterizing dynamic amplitude of low-frequency fluctuation and its relationship with dynamic functional connectivity: An application to schizophrenia. 2018 , 180, 619-631	97
966	Advanced and amplified BOLD fluctuations in high-grade gliomas. 2018 , 47, 1616-1625	5
965	Reproducibility of R-fMRI metrics on the impact of different strategies for multiple comparison correction and sample sizes. 2018 , 39, 300-318	153
964	Correlation between brain circuit segregation and obesity. 2018 , 337, 218-227	18
963	Gastric-bypass surgery induced widespread neural plasticity of the obese human brain. 2018 , 172, 853-863	21
962	Biological, Neuroimaging, and Neurophysiological Markers in Frontotemporal Dementia: Three Faces of the Same Coin. 2018 , 62, 1113-1123	16
961	Increased resting-state brain entropy in Alzheimer's disease. 2018 , 29, 286-290	10

960	Experiences of Discrimination Are Associated With Greater Resting Amygdala Activity and Functional Connectivity. 2018 , 3, 367-378	31
959	A comprehensive analysis of resting state fMRI measures to classify individual patients with Alzheimer's disease. 2018 , 167, 62-72	97
958	Connectome-wide investigation of altered resting-state functional connectivity in war veterans with and without posttraumatic stress disorder. 2018 , 17, 285-296	30
957	Neural substrate of unrelenting negative symptoms in schizophrenia: a longitudinal resting-state fMRI study. 2018 , 268, 641-651	6
956	Abnormal intrinsic brain activity in individuals with peripheral vision loss because of retinitis pigmentosa using amplitude of low-frequency fluctuations. 2018 , 29, 1323-1332	7
955	Resting-state functional connectivity in individuals with bipolar disorder during clinical remission: a systematic review. 2018 , 43, 298-316	60
954	Fatigue Damage Analysis of Cement-Stabilized Base under Construction Loading. 2018 , 8, 2263	12
953	Identifying Respiration-Related Aliasing Artifacts in the Rodent Resting-State fMRI. 2018 , 12, 788	15
952	Changes in resting-state functional brain activity are associated with waning cognitive functions in HIV-infected children. 2018 , 20, 1204-1210	7
951	Altered Fractional Amplitude of Low Frequency Fluctuations in Unmedicated Female Patients with Obsessive-Compulsive Disorder. 2018 , 2018, 1144-1147	3
950	Altered Brain Fraction Amplitude of Low Frequency Fluctuation at Resting State in Patients With Early Left and Right Bell's Palsy: Do They Have Differences?. 2018 , 12, 797	4
949	Comparison of local spectral modulation, and temporal correlation, of simultaneously recorded EEG/fMRI signals during ketamine and midazolam sedation. 2018 , 235, 3479-3493	16
948	Eyes-Open and Eyes-Closed Resting States With Opposite Brain Activity in Sensorimotor and Occipital Regions: Multidimensional Evidences From Machine Learning Perspective. 2018 , 12, 422	28
947	The effect of aerobic dance intervention on brain spontaneous activity in older adults with mild cognitive impairment: A resting-state functional MRI study. 2019 , 17, 715-722	16
946	Multimodal Data and Machine Learning for Detecting Specific Biomarkers in Pediatric Epilepsy Patients With Generalized Tonic-Clonic Seizures. 2018 , 9, 1038	8
945	Gradual Disturbances of the Amplitude of Low-Frequency Fluctuations (ALFF) and Fractional ALFF in Alzheimer Spectrum. 2018 , 12, 975	75
944	Resting-state brain activity in Chinese boys with low functioning autism spectrum disorder. 2018 , 17, 47	6
943	Altered intrinsic local activity and cognitive dysfunction in HIV patients: A resting-state fMRI study. 2018 , 13, e0207146	10

942	Unraveling connectivity changes due to dopaminergic therapy in chronically treated Parkinson's disease patients. 2018 , 8, 14328	8
941	The Dynamic Measurements of Regional Brain Activity for Resting-State fMRI: d-ALFF, d-fALFF and d-ReHo. 2018 , 190-197	3
940	Altered spatial and temporal concordance among intrinsic brain activity measures in schizophrenia. 2018 , 106, 91-98	12
939	Comparison of EEG microstates with resting state fMRI and FDG-PET measures in the default mode network via simultaneously recorded trimodal (PET/MR/EEG) data. 2021 , 42, 4122-4133	14
938	Functional MRI in Atypical Parkinsonisms. 2018 , 142, 149-173	6
937	Data-adaptive test for high-dimensional multivariate analysis of variance problem. 2018 , 60, 447-470	1
936	Recursive Partitioning Analysis of Fractional Low-Frequency Fluctuations in Narcolepsy With Cataplexy. 2018 , 9, 936	5
935	A Schizophrenia-Related Genetic-Brain-Cognition Pathway Revealed in a Large Chinese Population. 2018 , 37, 471-482	20
934	Whether Visual-related Structural and Functional Changes Occur in Brain of Patients with Acute Incomplete Cervical Cord Injury: A Multimodal Based MRI Study. 2018 , 393, 284-294	10
933	The Role of Amygdala in Patients With Euthymic Bipolar Disorder During Resting State. 2018 , 9, 445	31
932	Evaluating Models of Dynamic Functional Connectivity Using Predictive Classification Accuracy. 2018 ,	1
931	Temporal dynamics of spontaneous default-mode network activity mediate the association between reappraisal and depression. 2018 , 13, 1235-1247	9
930	Sex Differences in Spontaneous Brain Activity in Adolescents With Conduct Disorder. 2018 , 9, 1598	9
929	The ATP Transporter VNUT Mediates Induction of Dectin-1-Triggered Candida Nociception. 2018 , 6, 306-318	32
928	Spontaneous activity in medial orbitofrontal cortex correlates with trait anxiety in healthy male adults. 2018 , 19, 643-653	7
927	Increased inflammation and brain glutamate define a subtype of depression with decreased regional homogeneity, impaired network integrity, and anhedonia. 2018 , 8, 189	51
926	Advances in MRI Methodology. 2018 , 141, 31-76	51
925	Resting-state functional changes in the precuneus within first-episode drug-naive patients with MDD. 2018 , 14, 1991-1998	19

924	Association between structural and functional brain alterations in drug-free patients with schizophrenia: a multimodal meta-analysis. 2018 , 43, 131-142	18
923	Disrupted local neural activity and functional connectivity in subjective tinnitus patients: evidence from resting-state fMRI study. 2018 , 60, 1193-1201	11
922	Abnormal Blood Oxygen Level-Dependent Fluctuations in Focal Cortical Dysplasia and the Perilesional Zone: Initial Findings. 2018 , 39, 1310-1315	5
921	Functional brain lateralization in schizophrenia based on the variability of resting-state fMRI signal. 2018 , 86, 114-121	12
920	Neuroimaging of Brain-Gut Interactions in Functional Gastrointestinal Disorders. 2018 , 419-428	1
919	The resilient brain: psychological resilience mediates the effect of amplitude of low-frequency fluctuations in orbitofrontal cortex on subjective well-being in young healthy adults. 2018 , 13, 755-763	30
918	Effects of Time-Compressed Speech Training on Multiple Functional and Structural Neural Mechanisms Involving the Left Superior Temporal Gyrus. 2018 , 2018, 6574178	7
917	Ballroom Dancing Promotes Neural Activity in the Sensorimotor System: A Resting-State fMRI Study. 2018 , 2018, 2024835	7
916	Brief Overview of Functional Imaging Principles. 2018 , 27-58	
915	Shanghai cognitive intervention of mild cognitive impairment for delaying progress with longitudinal evaluation-a prospective, randomized controlled study (SIMPLE): rationale, design, and methodology. 2018 , 18, 103	3
914	Visual cortex neural activity alteration in cervical spondylotic myelopathy patients: a resting-state fMRI study. 2018 , 60, 921-932	20
913	Spontaneous Brain Activity Did Not Show the Effect of Violent Video Games on Aggression: A Resting-State fMRI Study. 2017 , 8, 2219	5
912	Do Future Limitation Perspective in Cancer Patients Predict Fear of Cancer Recurrence, Mental Distress, and the Ventromedial Prefrontal Cortex Activity?. 2018 , 9, 420	4
911	Aberrant Neural Activity in Patients With Bipolar Depressive Disorder Distinguishing to the Unipolar Depressive Disorder: A Resting-State Functional Magnetic Resonance Imaging Study. 2018 , 9, 238	16
910	Multiple Frequency Bands Analysis of Large Scale Intrinsic Brain Networks and Its Application in Schizotypal Personality Disorder. 2018 , 12, 64	8
909	Functional Connectivity Density, Local Brain Spontaneous Activity, and Their Coupling Strengths in Patients With Borderline Personality Disorder. 2018 , 9, 342	7
908	Different Developmental Pattern of Brain Activities in ADHD: A Study of Resting-State fMRI. 2018 , 40, 246-257	14
907	Multimodal cortical and hippocampal prediction of episodic-memory plasticity in young and older adults. 2018 , 39, 4480-4492	6

906	Resting-state connectivity and spontaneous activity of ventromedial prefrontal cortex predict depressive symptomology and peripheral inflammation in HIV. 2018 , 24, 616-628	11
905	Subdivisions of the posteromedial cortex in disorders of consciousness. 2018 , 20, 260-266	4
904	Sustained versus instantaneous connectivity differentiates cognitive functions of processing speed and episodic memory. 2018 , 39, 4949-4961	6
903	BRANT: A Versatile and Extendable Resting-State fMRI Toolkit. 2018 , 12, 52	26
902	Investigation on the Neural Mechanism of Hypnosis-Based Respiratory Control Using Functional MRI. 2018 , 2018, 8182542	14
901	Multimodal imaging-based therapeutic fingerprints for optimizing personalized interventions: Application to neurodegeneration. 2018 , 179, 40-50	19
900	Resting-state functional magnetic resonance imaging investigation of the neural correlates of cognitive-behavioral therapy for externalizing behavior problems in adolescent bullies. 2018 , 86, 193-202	7
899	The optimistic brain: Trait optimism mediates the influence of resting-state brain activity and connectivity on anxiety in late adolescence. 2018 , 39, 3943-3955	26
898	Effect sizes of BOLD CVR, resting-state signal fluctuations and time delay measures for the assessment of hemodynamic impairment in carotid occlusion patients. 2018 , 179, 530-539	15
897	Identify abnormalities in resting-state brain function between first-episode, drug-naive major depressive disorder and remitted individuals: a 3-year retrospective study. 2018 , 29, 907-916	12
896	Frequency and amplitude modulation of resting-state fMRI signals and their functional relevance in normal aging. 2018 , 70, 59-69	9
895	Consistent decreased activity in the putamen in Parkinson's disease: a meta-analysis and an independent validation of resting-state fMRI. 2018 , 7,	34
894	Longitudinal Resting State Functional Connectivity Predicts Clinical Outcome in Mild Traumatic Brain Injury. 2019 , 36, 650-660	16
893	Correlated Resting-State Functional MRI Activity of Frontostriatal, Thalamic, Temporal, and Cerebellar Brain Regions Differentiates Stroke Survivors with High Compared to Low Depressive Symptom Scores. 2019 , 2019, 2357107	4
892	Emotion Regulation of Hippocampus Using Real-Time fMRI Neurofeedback in Healthy Human. 2019 , 13, 242	31
891	Stress and the brain: Perceived stress mediates the impact of the superior frontal gyrus spontaneous activity on depressive symptoms in late adolescence. 2019 , 40, 4982-4993	34
890	Thalamic volume, resting-state activity, and their association with the efficacy of electroconvulsive therapy. 2019 , 117, 135-141	10
889	Altered Spontaneous Brain Activity of Children with Unilateral Amblyopia: A Resting State fMRI Study. 2019 , 2019, 3681430	11

888	Resting-state neural activity and connectivity associated with subjective happiness. 2019 , 9, 12098	12
887	Altered Functional Connectivity Between the Cerebellum and the Cortico-Striato-Thalamo-Cortical Circuit in Obsessive-Compulsive Disorder. 2019 , 10, 522	15
886	The relationship among resting-state brain activity and connectivity, agreeableness and displaced aggression: Two possible mediation models. 2019 , 256, 641-649	7
885	Enhanced baseline activity in the left ventromedial putamen predicts individual treatment response in drug-naive, first-episode schizophrenia: Results from two independent study samples. 2019 , 46, 248-255	14
884	Multivariate classification of drug-naive obsessive-compulsive disorder patients and healthy controls by applying an SVM to resting-state functional MRI data. 2019 , 19, 210	9
883	Altered Static and Temporal Dynamic Amplitude of Low-Frequency Fluctuations in the Background Network During Working Memory States in Mild Cognitive Impairment. 2019 , 11, 152	7
882	Increased Temporal Dynamics of Intrinsic Brain Activity in Sensory and Perceptual Network of Schizophrenia. 2019 , 10, 484	14
881	Individual Differences in Brain Structure and Resting Brain Function Underlie Representation-Connection in Scientific Problem Solving. 2019 , 31, 132-148	1
880	Neuron loss and dysfunctionality in hippocampus explain aircraft noise induced working memory impairment: a resting-state fMRI study on military pilots. 2019 , 13, 430-440	8
879	Altered Functional Connectivity and Brain Network Property in Pregnant Women With Cleft Fetuses. 2019 , 10, 2235	3
878	Disrupted Intraregional Brain Activity and Functional Connectivity in Unilateral Acute Tinnitus Patients With Hearing Loss. 2019 , 13, 1010	12
877	Estimating Functional Connectivity Networks via Low-Rank Tensor Approximation With Applications to MCI Identification. 2020 , 67, 1912-1920	10
876	Stereoscopic Rendering Goggles Elicits Higher Functional Connectivity During Virtual Reality Gaming. 2019 , 13, 365	6
875	Classification of Structural MRI Images in Adhd Using 3D Fractal Dimension Complexity Map. 2019 ,	3
874	Resting-State Functional Magnetic Resonance Imaging for Brain Tumor Surgical Planning: Feasibility in Clinical Setting. 2019 , 131, 356-363	7
873	Reduced Brain Activity in the Right Putamen as an Early Predictor for Treatment Response in Drug-Naive, First-Episode Schizophrenia. 2019 , 10, 741	6
872	Psychological effects and brain correlates of a rose-based scented cosmetic cream. 2019 , 34, e12536	0
871	Links Between the Amplitude Modulation of Low-Frequency Spontaneous Fluctuation Across Resting State Conditions and Thalamic Functional Connectivity. 2019 , 13, 199	1

870	Intrinsic Frequencies of the Resting-State fMRI Signal: The Frequency Dependence of Functional Connectivity and the Effect of Mode Mixing. 2019 , 13, 900	18
869	Abnormalities within and beyond the cortico-striato-thalamo-cortical circuitry in medication-free patients with OCD revealed by the fractional amplitude of low-frequency fluctuations and resting-state functional connectivity. 2019 , 712, 134449	8
868	A Pilot Study of Changes in Medial Temporal Lobe Fractional Amplitude of Low Frequency Fluctuations after Sildenafil Administration in Patients with Alzheimer's Disease. 2019 , 70, 163-170	9
867	Searchlight classification based on Amplitude of Low Frequency Fluctuation and functional connectivity in individuals with obsessive-compulsive symptoms. 2019 , 24, 322-334	2
866	Adiposity Related Brain Plasticity Induced by Bariatric Surgery. 2019 , 13, 290	2
865	Altered Patterns of the Fractional Amplitude of Low-Frequency Fluctuation and Functional Connectivity Between Deficit and Non-Deficit Schizophrenia. 2019 , 10, 680	15
864	Dynamic Functional Connectivity Within the Fronto-Limbic Network Induced by Intermittent Theta-Burst Stimulation: A Pilot Study. 2019 , 13, 944	6
863	Altered functional connectivity and low-frequency signal fluctuations in early psychosis and genetic high risk. 2019 , 210, 172-179	9
862	Sensorineural hearing loss and cognitive impairments: Contributions of thalamus using multiparametric MRI. 2019 , 50, 787-797	11
861	Structural network integrity of the central executive network is associated with the therapeutic effect of rTMS in treatment resistant depression. 2019 , 92, 217-225	17
860	Computerized cognitive training for Chinese mild cognitive impairment patients: A neuropsychological and fMRI study. 2019 , 22, 101691	14
859	Spatially Overlapping Regions Show Abnormal Thalamo-frontal Circuit and Abnormal Precuneus in Disorders of Consciousness. 2019 , 32, 445-460	4
858	Optimization of rs-fMRI parameters in the Seed Correlation Analysis (SCA) in DPARSF toolbox: A preliminary study. 2019 , 97, 433-443	3
857	Investigating the predictive value of different resting-state functional MRI parameters in obsessive-compulsive disorder. 2019 , 9, 17	34
856	Towards artificial intelligence in mental health by improving schizophrenia prediction with multiple brain parcellation ensemble-learning. 2019 , 5, 2	43
855	Frequency-Dependent Relationship Between Resting-State fMRI and Glucose Metabolism in the Elderly. 2019 , 10, 566	5
854	Frequency-specific alterations in cortical rhythms and functional connectivity in trigeminal neuralgia. 2019 , 13, 1497-1509	18
853	Detecting resting-state brain activity using OEF-weighted imaging. 2019 , 200, 101-120	1

852	Sampling Rate Effects on Resting State fMRI Metrics. 2019 , 13, 279	22
851	Temporal dynamic changes of intrinsic brain activity in schizophrenia with cigarette smoking. 2019 , 210, 66-72	17
850	Classification of ADHD Individuals and Neurotypicals Using Reliable RELIEF: A Resting-State Study. 2019 , 7, 62163-62171	12
849	Alteration of cerebello-thalamocortical spontaneous low-frequency oscillations in juvenile myoclonic epilepsy. 2019 , 140, 252-258	10
848	Sex-related pattern of intrinsic brain connectivity in drug-naïve Parkinson's disease patients. 2019 , 34, 997-1005	10
847	Abnormal functional network of the thalamic subregions in adult patients with obsessive-compulsive disorder. 2019 , 371, 111982	14
846	The rs-fMRI study of effects of fornix and hippocampus-related brain function after the transcallosal interforniceal approach. 2019 , 150, 207-215	3
845	A totally data-driven whole-brain multimodal pipeline for the discrimination of Parkinson's disease, multiple system atrophy and healthy control. 2019 , 23, 101858	10
844	The local properties of bold signal fluctuations at rest monitor inhibitory control training in adolescents. 2019 , 38, 100664	5
843	Machine Learning Based Classification of Resting-State fMRI Features Exemplified by Metabolic State (Hunger/Satiety). 2019 , 13, 164	16
842	Impact of Hunger, Satiety, and Oral Glucose on the Association Between Insulin and Resting-State Human Brain Activity. 2019 , 13, 162	12
841	Discriminating between neurofibromatosis-1 and typically developing children by means of multimodal MRI and multivariate analyses. 2019 , 40, 3508-3521	8
840	Altered amplitude of low-frequency fluctuation and regional cerebral blood flow in females with primary dysmenorrhea: a resting-state fMRI and arterial spin labeling study. 2019 , 12, 1243-1250	8
839	Altered Brain Function in Drug-Naïve Major Depressive Disorder Patients With Early-Life Maltreatment: A Resting-State fMRI Study. 2019 , 10, 255	5
838	Improving brain function of pediatric acute lymphoblastic leukemia patients after induction chemotherapy, a pilot self-contrast study by fractional amplitude of low-frequency fluctuation. 2019 , 66, 149-155	0
837	C-ICT for Discovery of Multiple Associations in Multimodal Imaging Data: Application to Fusion of fMRI and DTI Data. 2019 ,	1
836	Functional connectivity and the sleep-deprived brain. 2019 , 246, 159-176	18
835	Intrinsic brain activity changes associated with adjuvant chemotherapy in older women with breast cancer: a pilot longitudinal study. 2019 , 176, 181-189	14

834	Increased Neural Activity in Mesostriatal Regions after Prefrontal Transcranial Direct Current Stimulation and L-DOPA Administration. 2019 , 39, 5326-5335	10
833	Differential sensitivity of structural, diffusion, and resting-state functional MRI for detecting brain alterations and verbal memory impairment in temporal lobe epilepsy. 2019 , 60, 935-947	9
832	Association Between Fractional Amplitude of Low-Frequency Spontaneous Fluctuation and Degree Centrality in Children and Adolescents. 2019 , 9, 379-387	3
831	Differences in Intrinsic Brain Abnormalities Between Patients With Left- and Right-Sided Long-Term Hearing Impairment. 2019 , 13, 206	5
830	Assessment of dynamic functional connectivity in resting-state fMRI using the sliding window technique. 2019 , 9, e01255	18
829	Capturing the spatiotemporal dynamics of self-generated, task-initiated thoughts with EEG and fMRI. 2019 , 194, 82-92	72
828	Physiological significance of R-fMRI indices: Can functional metrics differentiate structural lesions (brain tumors)?. 2019 , 22, 101741	4
827	The low-frequency BOLD signal oscillation response in the insular associated to immediate analgesia of ankle acupuncture in patients with chronic low back pain. 2019 , 12, 841-850	7
826	An extreme-value approach for testing the equality of large U-statistic based correlation matrices. 2019 , 25,	1
825	Resting-state mapping of neural signatures of vulnerability to depression relapse. 2019 , 250, 371-379	7
824	Using Low-Frequency Oscillations to Detect Temporal Lobe Epilepsy with Machine Learning. 2019 , 9, 184-193	11
823	The impact of fasting on resting state brain networks in mice. 2019 , 9, 2976	11
822	Capturing spontaneous activity in the medial prefrontal cortex using near-infrared spectroscopy and its application to schizophrenia. 2019 , 9, 5283	7
821	Endless Fluctuations: Temporal Dynamics of the Amplitude of Low Frequency Fluctuations. 2019 , 38, 2523-2532	44
820	Predicting Brain Age Based on Spatial and Temporal Features of Human Brain Functional Networks. 2019 , 13, 62	15
819	A Projection CCA Method for Effective fMRI Data Analysis. 2019 , 66, 3247-3256	5
818	Dynamic Changes of Functional Neuronal Activities Between the Auditory Pathway and Limbic Systems Contribute to Noise-Induced Tinnitus with a Normal Audiogram. 2019 , 408, 31-45	10
817	Abnormal coupling among spontaneous brain activity metrics and cognitive deficits in major depressive disorder. 2019 , 252, 74-83	15

816	Chemotherapy-induced brain changes in breast cancer survivors: evaluation with multimodality magnetic resonance imaging. 2019 , 13, 1799-1814	22
815	Hybrid multivariate pattern analysis combined with extreme learning machine for Alzheimer's dementia diagnosis using multi-measure rs-fMRI spatial patterns. 2019 , 14, e0212582	21
814	Multimodal neuroimaging analysis reveals age-associated common and discrete cognitive control constructs. 2019 , 40, 2639-2661	11
813	Abnormal Spontaneous Regional Brain Activity in Young Patients With Anorexia Nervosa. 2019 , 58, 1104-1114	10
812	Regional Dynamics of the Resting Brain in Amyotrophic Lateral Sclerosis Using Fractional Amplitude of Low-Frequency Fluctuations and Regional Homogeneity Analyses. 2019 , 9, 356-364	11
811	Modular preprocessing pipelines can reintroduce artifacts into fMRI data. 2019 , 40, 2358-2376	89
810	Common and Specific Functional Activity Features in Schizophrenia, Major Depressive Disorder, and Bipolar Disorder. 2019 , 10, 52	22
809	Distinct Spontaneous Brain Activity Patterns in Different Biologically-Defined Alzheimer's Disease Cognitive Stage: A Preliminary Study. 2019 , 11, 350	13
808	Connectome Analysis of Brain Functional Network Alterations in Depressive Patients with Suicidal Attempt. 2019 , 8,	12
807	Oscillation-specific nodal alterations in early to middle stages Parkinson's disease. 2019 , 8, 36	5
806	Relapsing-Remitting Multiple Sclerosis Is Associated With Regional Brain Activity Deficits in Motor- and Cognitive-Related Brain Areas. 2019 , 10, 1136	6
805	Association between spontaneous activity of the default mode network hubs and leukocyte telomere length in late childhood and early adolescence. 2019 , 127, 109864	1
804	Diet as connecting factor: Functional brain connectivity in relation to food intake and sucrose tasting, assessed with resting-state functional MRI in rats. 2019 ,	0
803	Abnormal brain activity in rats with sustained hypobaric hypoxia exposure: a resting-state functional magnetic resonance imaging study. 2019 , 132, 2621-2627	2
802	Influence of Repetitive Transcranial Magnetic Stimulation on Human Neurochemistry and Functional Connectivity: A Pilot MRI/MRS Study at 7 T. 2019 , 13, 1260	13
801	Altered Amplitude of Low-Frequency Fluctuations in Inactive Patients with Nonneuropsychiatric Systemic Lupus Erythematosus. 2019 , 2019, 9408612	11
800	Depression Affects Intrinsic Brain Activity in Patients With Mild Cognitive Impairment. 2019 , 13, 1333	23
799	Gender identification based on human brain structural MRI with a multi-layer 3D convolution extreme learning machine. 2019 , 1, 91-96	3

798	Associations of brain entropy (BEN) to cerebral blood flow and fractional amplitude of low-frequency fluctuations in the resting brain. 2019 , 13, 1486-1495	15
797	Power Spectral Density Analysis of Long-Term Motor Recovery in Patients With Subacute Stroke. 2019 , 33, 38-46	4
796	Alterations in the hippocampal-thalamic pathway underlying secondarily generalized tonic-clonic seizures in mesial temporal lobe epilepsy: A diffusion tensor imaging study. 2019 , 60, 121-130	17
795	Low-frequency fluctuation characteristics in rhesus macaques with SIV infection: a resting-state fMRI study. 2019 , 25, 141-149	6
794	Intrinsic brain abnormalities in drug-naive patients with obsessive-compulsive disorder: A resting-state functional MRI study. 2019 , 245, 861-868	16
793	Beware detrending: Optimal preprocessing pipeline for low-frequency fluctuation analysis. 2019 , 40, 1571-1582	7
792	Pattern classification differentiates decision of intertemporal choices using multi-voxel pattern analysis. 2019 , 111, 183-195	2
791	Opposing patterns of neuronal variability in the sensorimotor network mediate cyclothymic and depressive temperaments. 2019 , 40, 1344-1352	13
790	Associations between children's family environment, spontaneous brain oscillations, and emotional and behavioral problems. 2019 , 28, 835-845	4
789	Alterations in patients with major depressive disorder before and after electroconvulsive therapy measured by fractional amplitude of low-frequency fluctuations (FALFF). 2019 , 244, 92-99	24
788	Resting-state brain entropy in schizophrenia. 2019 , 89, 16-21	13
787	Oxytocin differentially modulates specific dorsal and ventral striatal functional connections with frontal and cerebellar regions. 2019 , 184, 781-789	18
786	Connectivity and dysconnectivity: A brief history of functional connectivity research in schizophrenia and future directions. 2019 , 123-154	3
785	Motion artifact in studies of functional connectivity: Characteristics and mitigation strategies. 2019 , 40, 2033-2051	69
784	Identifying Resting-State Multifrequency Biomarkers via Tree-Guided Group Sparse Learning for Schizophrenia Classification. 2019 , 23, 342-350	20
783	Association Between Brain Activation and Functional Connectivity. 2019 , 29, 1984-1996	26
782	The neural markers of MRI to differentiate depression and panic disorder. 2019 , 91, 72-78	13
781	Cocaine Decreases Spontaneous Neuronal Activity and Increases Low-Frequency Neuronal and Hemodynamic Cortical Oscillations. 2019 , 29, 1594-1606	3

780	Changed hub and functional connectivity patterns of the posterior fusiform gyrus in chess experts. 2020 , 14, 797-805	9
779	Default mode network connectivity change corresponds to ketamine's delayed glutamatergic effects. 2020 , 270, 207-216	25
778	Bayesian longitudinal spectral estimation with application to resting-state fMRI data analysis. 2020 , 15, 104-116	0
777	Active information storage in Parkinson's disease: a resting state fMRI study over the sensorimotor cortex. 2020 , 14, 1143-1153	2
776	Adolescent sex differences in cortico-subcortical functional connectivity during response inhibition. 2020 , 20, 1-18	2
775	Socioeconomic status in children is associated with spontaneous activity in right superior temporal gyrus. 2020 , 14, 961-970	4
774	Cognitive remediation therapy modulates intrinsic neural activity in patients with major depression. 2020 , 50, 2335-2345	8
773	Comparison of intrinsic brain activity in individuals with low/moderate myopia versus high myopia revealed by the amplitude of low-frequency fluctuations. 2020 , 61, 496-507	4
772	Regions and Connections: Complementary Approaches to Characterize Brain Organization and Function. 2020 , 26, 117-133	11
771	Resting-State fMRI Metrics in Acute Sport-Related Concussion and Their Association with Clinical Recovery: A Study from the NCAA-DOD CARE Consortium. 2020 , 37, 152-162	14
770	Frequency-dependent changes in fractional amplitude of low-frequency oscillations in Alzheimer's disease: a resting-state fMRI study. 2020 , 14, 2187-2201	23
769	Understanding the association between psychomotor processing speed and white matter hyperintensity: A comprehensive multi-modality MR imaging study. 2020 , 41, 605-616	7
768	Associations between cerebral blood flow and structural and functional brain imaging measures in individuals with neuropsychologically defined mild cognitive impairment. 2020 , 86, 64-74	19
767	Altered spontaneous brain activity in obsessive-compulsive personality disorder. 2020 , 96, 152144	7
766	Similarity and diversity of spontaneous brain activity in functional dyspepsia subtypes. 2020 , 61, 927-935	5
765	Pharmacologically informed machine learning approach for identifying pathological states of unconsciousness via resting-state fMRI. 2020 , 206, 116316	13
764	Atypical Relationships Between Spontaneous EEG and fMRI Activity in Autism. 2020 , 10, 18-28	12
763	Trigeminal neuralgia: An overview from pathophysiology to pharmacological treatments. 2020 , 16, 1744806920201890	9

762	Resting state fMRI reveals differential effects of glucose administration on central appetite signalling in young and old adults. 2020 , 34, 304-314	2
761	Revealing Changes in Brain Functional Networks Caused by Focused-Attention Meditation Using Tucker3 Clustering. 2019 , 13, 473	5
760	Brain Functional Alterations in Long-term Unilateral Hearing Impairment. 2020 , 27, 1085-1092	2
759	Effects of motion related outliers in dynamic functional connectivity using the sliding window method. <i>Journal of Neuroscience Methods</i> , 2020 , 330, 108519	3 13
758	Hemispheric asymmetries in resting-state EEG and fMRI are related to approach and avoidance behaviour, but not to eating behaviour or BMI. 2020 , 41, 1136-1152	10
757	Neuroimaging and biomarkers in functional gastrointestinal disorders: What the scientists and clinicians need to know about basic neuroimaging, biomarkers, microbiome, gut and brain interactions. 2020 , 31-61	1
756	Functional connectivity within the salience network differentiates autogenous- from reactive-type obsessive-compulsive disorder. 2020 , 98, 109813	5
755	Resting-State Functional Connectivity: Signal Origins and Analytic Methods. 2020 , 30, 15-23	17
754	The influence of the volumetric composition of the intracranial space on neural activity in healthy subjects: a resting-state functional magnetic resonance study. 2020 , 51, 1944-1961	5
753	Social cognition in context: A naturalistic imaging approach. 2020 , 216, 116392	17
752	You do not have to act to be impulsive: Brain resting-state activity predicts performance and impulsivity on the Balloon Analogue Risk Task. 2020 , 379, 112395	4
751	Use of multilayer network modularity and spatiotemporal network switching rate to explore changes of functional brain networks in Alzheimer's disease. 2020 , 2020, 1104-1107	
750	Increased ALFF and functional connectivity of the right striatum in bipolar disorder patients. 2021 , 111, 110140	8
749	Characterisation of Haemodynamic Activity in Resting State Networks by Fractal Analysis. 2020 , 30, 2050061	7
748	The personality dispositions and resting-state neural correlates associated with aggressive children. 2020 , 15, 1004-1016	4
747	Common and distinct patterns of intrinsic brain activity alterations in major depression and bipolar disorder: voxel-based meta-analysis. 2020 , 10, 353	32
746	The use of machine learning and deep learning algorithms in functional magnetic resonance imaging: A systematic review. 2020 , 37, e12644	10
745	Effects of the on Integration Ability of Brain Functions in Children With ADHD. 2022 , 26, 88-100	2

744	Disentangling time series between brain tissues improves fMRI data quality using a time-dependent deep neural network. 2020 , 223, 117340	2
743	Relationship Between Basic Properties of BOLD Fluctuations and Calculated Metrics of Complexity in the Human Connectome Project. 2020 , 14, 550923	4
742	Exploring functional brain activity in neonates: A resting-state fMRI study. 2020 , 45, 100850	3
741	βSynuclein Induces Progressive Changes in Brain Microstructure and Sensory-Evoked Brain Function That Precedes Locomotor Decline. 2020 , 40, 6649-6659	6
740	Timescales of spontaneous fMRI fluctuations relate to structural connectivity in the brain. 2020 , 4, 788-806	16
739	Altered spontaneous brain activity at attack and remission stages in patients with mitochondrial encephalomyopathy, lactic acidosis and stroke-like episodes (MELAS): Beyond stroke-like lesions. 2020 , 54, 49-56	3
738	ADHD fMRI short-time analysis method for edge computing based on multi-instance learning. 2020 , 111, 101834	6
737	Shared functional neural substrates in Parkinson's disease and drug-induced parkinsonism: association with dopaminergic depletion. 2020 , 10, 11617	1
736	Common and unique multimodal covarying patterns in autism spectrum disorder subtypes. 2020 , 11, 90	7
735	Behavior and Regional Cortical BOLD Signal Fluctuations Are Altered in Adult Rabbits After Neonatal Volatile Anesthetic Exposure. 2020 , 14, 571486	2
734	Cholinergic Modulation of the Default Mode Like Network in Rats. 2020 , 23, 101455	8
733	Evaluation of spontaneous regional brain activity in weight-recovered anorexia nervosa. 2020 , 10, 395	3
732	Intrinsic Brain Abnormalities in Patients with Hepatitis C Virus Infection with Cognitive Impairment: A Preliminary Resting-State fMRI Study. 2020 , 2020, 1693043	0
731	Hierarchical dynamics as a macroscopic organizing principle of the human brain. 2020 , 117, 20890-20897	40
730	Static and Dynamic Changes of Amplitude of Low-Frequency Fluctuations in Cervical Discogenic Pain. 2020 , 14, 733	5
729	Thalamus is a common locus of reading, arithmetic, and IQ: Analysis of local intrinsic functional properties. 2020 , 209, 104835	2
728	Fractional amplitude of low-frequency fluctuation (fALFF) alterations in young depressed patients with suicide attempts after cognitive behavioral therapy and antidepressant medication cotherapy: A resting-state fMRI study. 2020 , 276, 822-828	12
727	Victim Sensitivity and Its Neural Correlates Among Patients With Major Depressive Disorder. 2020 , 11, 622	0

726	Modelling subject variability in the spatial and temporal characteristics of functional modes. 2020 , 222, 117226	15
725	Autonomic responses to emotional linguistic stimuli and amplitude of low-frequency fluctuations predict outcome after severe brain injury. 2020 , 28, 102356	3
724	Abnormal Local Activity and Functional Dysconnectivity in Patients with Schizophrenia Having Auditory Verbal Hallucinations. 2020 , 40, 979-984	4
723	Challenges and future directions for representations of functional brain organization. 2020 , 23, 1484-1495	35
722	The effects of Alzheimer's disease related striatal pathologic changes on the fractional amplitude of low-frequency fluctuations. 2020 , 23, 1347-1359	1
721	Tensor Regression Using Low-Rank and Sparse Tucker Decompositions. 2020 , 2, 944-966	2
720	Unaltered Brain GABA Concentrations and Resting fMRI Activity in Functional Dyspepsia With and Without Comorbid Depression. 2020 , 11, 549749	1
719	Behavior Score-Embedded Brain Encoder Network for Improved Classification of Alzheimer Disease Using Resting State fMRI. 2020 , 2020, 5486-5489	0
718	Altered Brain Function in Cerebral Small Vessel Disease Patients With Gait Disorders: A Resting-State Functional MRI Study. 2020 , 12, 234	8
717	The Application of rs-fMRI in Vascular Cognitive Impairment. 2020 , 11, 951	5
716	Brain Functional Magnetic Resonance Imaging Highlights Altered Connections and Functional Networks in Patients With Hypertension. 2020 , 76, 1480-1490	8
715	Intrinsic Functional and Structural Brain Connectivity in Humans Predicts Individual Social Comparison Orientation. 2020 , 11, 809	1
714	Altered coupling between resting-state glucose metabolism and functional activity in epilepsy. 2020 , 7, 1831-1842	8
713	Functional and Structural Neuroimaging Correlates of Repetitive Low-Level Blast Exposure in Career Breachers. 2020 , 37, 2468-2481	12
712	Exploring the relevance between brain glucose metabolism and functional connectivity in Chinese cognitive dysfunctions' subjects using integrated resting-state PET/MRI images. 2020 , 2020, 1096-1099	1
711	Cerebral Functional Manipulation of Repetitive Transcranial Magnetic Stimulation in Cognitive Impairment Patients After Stroke: An fMRI Study. 2020 , 11, 977	8
710	Effectiveness and cerebral responses of multi-points acupuncture for primary insomnia: a preliminary randomized clinical trial and fMRI study. 2020 , 20, 254	5
709	Transcutaneous Spinal Cord Direct-Current Stimulation Modulates Functional Activity and Integration in Idiopathic Restless Legs Syndrome. 2020 , 14, 873	1

708	Effects of Smoking on Regional Homogeneity in Mild Cognitive Impairment: A Resting-State Functional MRI Study. 2020 , 12, 572732	0
707	Altered Patterns of the Fractional Amplitude of Low-Frequency Fluctuation in Drug-Naive First-Episode Unipolar and Bipolar Depression. 2020 , 11, 587803	5
706	Heterogeneous Acupuncture Effects of Taixi (KI3) on Functional Connectivity in Healthy Youth and Elder: A Functional MRI Study Using Regional Homogeneity and Large-Scale Functional Connectivity Analysis. 2020 , 2020, 8884318	2
705	Amplitude of fNIRS Resting-State Global Signal Is Related to EEG Vigilance Measures: A Simultaneous fNIRS and EEG Study. 2020 , 14, 560878	3
704	Abnormal Regional Spontaneous Brain Activity and Its Indirect Effect on Spasm Ratings in Patients With Hemifacial Spasm. 2020 , 14, 601088	1
703	Abnormal Intrinsic Brain Activity and Neuroimaging-Based fMRI Classification in Patients With Herpes Zoster and Postherpetic Neuralgia. 2020 , 11, 532110	2
702	Withdrawn: Self-limited focal epilepsy decreased regional brain activity in sensorimotor areas. 2020 , 142, 517	
701	The relevance of transdiagnostic shared networks to the severity of symptoms and cognitive deficits in schizophrenia: a multimodal brain imaging fusion study. 2020 , 10, 149	7
700	Volumetric and Functional Activity Lateralization in Healthy Subjects and Patients with Focal Epilepsy: Initial Findings in a 7T MRI Study. 2020 , 30, 666-673	3
699	Aberrant Functional and Causal Connectivity in Acute Tinnitus With Sensorineural Hearing Loss. 2020 , 14, 592	12
698	Fractional amplitude of low-frequency fluctuations and gray matter volume alterations in patients with bipolar depression. 2020 , 730, 135030	5
697	Grey matter volume and amplitude of low-frequency fluctuations predicts consumer ethnocentrism tendency. 2020 , 732, 135053	1
696	Classifying Autism Spectrum Disorder Using the Temporal Statistics of Resting-State Functional MRI Data With 3D Convolutional Neural Networks. 2020 , 11, 440	27
695	The association between prenatal endocrine-disrupting chemical exposure and altered resting-state brain fMRI in teenagers. 2020 , 225, 1669-1684	3
694	Tracing Network Evolution Using The Parafac2 Model. 2020 ,	4
693	Feature screening under missing indicator imputation with non-ignorable missing response. 2020 , 149, 106975	
692	Reversal of Social Recognition Deficit in Adult Mice with MECP2 Duplication via Normalization of MeCP2 in the Medial Prefrontal Cortex. 2020 , 36, 570-584	17
691	Gender-based functional connectivity differences in brain networks in childhood. 2020 , 192, 105444	3

690	A neuroimaging biomarker for striatal dysfunction in schizophrenia. 2020 , 26, 558-565	45
689	Motor Imagery Training After Stroke Increases Slow-5 Oscillations and Functional Connectivity in the Ipsilesional Inferior Parietal Lobule. 2020 , 34, 321-332	11
688	Magnetic resonance imaging of neuroinflammation in chronic pain: a role for astrogliosis?. 2020 , 161, 1555-1564	11
687	Functional engagement of white matter in resting-state brain networks. 2020 , 220, 117096	14
686	fMRI detects bilateral brain network activation following unilateral chemogenetic activation of direct striatal projection neurons. 2020 , 220, 117079	5
685	Cortical temporal hierarchy is immature in middle childhood. 2020 , 216, 116616	2
684	A decrease in spontaneous activity in medial prefrontal cortex is associated with sustained hallucinations in chronic schizophrenia: An NIRS study. 2020 , 10, 9569	6
683	Resting-State Power and Regional Connectivity After Pediatric Mild Traumatic Brain Injury. 2020 , 52, 1701-1713	3
682	Evaluation of the age-related and gender-related differences in patients with primary insomnia by fractional amplitude of low-frequency fluctuation: A resting-state functional magnetic resonance imaging study. 2020 , 99, e18786	2
681	Effects of galvanic vestibular stimulation on resting state brain activity in patients with bilateral vestibulopathy. 2020 , 41, 2527-2547	6
680	Fractional amplitude of low frequency fluctuation in drug-naïve first-episode patients with anorexia nervosa: A resting-state fMRI study. 2020 , 99, e19300	4
679	Oxytocin modulates intrinsic neural activity in patients with chronic low back pain. 2020 , 24, 945-955	7
678	Is Low-Grade Intraventricular Hemorrhage in Very Preterm Infants an Innocent Condition? Structural and Functional Evaluation of the Brain Reveals Regional Neurodevelopmental Abnormalities. 2020 , 41, 542-547	4
677	A combined DTI and resting state functional MRI study in patients with postherpetic neuralgia. 2020 , 38, 440-450	3
676	Differential Regional Brain Spontaneous Activity in Subgroups of Mild Cognitive Impairment. 2020 , 14, 2	7
675	Evidence of regional associations between age-related inter-individual differences in resting-state functional connectivity and cortical thinning revealed through a multi-level analysis. 2020 , 211, 116662	7
674	Amygdala activity related to perceived social support. 2020 , 10, 2951	5
673	COMT-Polymorphisms Modulated Functional Profile of the Fusiform Face Area Contributes to Face-Specific Recognition Ability. 2020 , 10, 2134	3

672	Animal Functional Magnetic Resonance Imaging: Trends and Path Toward Standardization. 2019 , 13, 78	31
671	Cortical laminar resting-state signal fluctuations scale with the hypercapnic blood oxygenation level-dependent response. 2020 , 41, 2014-2027	7
670	Potential for Resting-State fMRI of the Amygdala in Elucidating Neural Mechanisms of Adaptive Self-Regulatory Strategies: A Systematic Review. 2020 , 10, 3-17	0
669	Meta-Modal Information Flow: A Method for Capturing Multimodal Modular Disconnectivity in Schizophrenia. 2020 , 67, 2572-2584	4
668	Comparison of Behavioral Changes and Brain Activity between Adolescents with Internet Gaming Disorder and Student Pro-Gamers. 2020 , 17,	7
667	Behavioral deficits in left hemispatial neglect are related to a reduction of spontaneous neuronal activity in the right superior parietal lobule. 2020 , 138, 107356	7
666	Percent amplitude of fluctuation: A simple measure for resting-state fMRI signal at single voxel level. 2020 , 15, e0227021	30
665	Electroconvulsive therapy treatment responsive multimodal brain networks. 2020 , 41, 1775-1785	10
664	Exploring memory function in earthquake trauma survivors with resting-state fMRI and machine learning. 2020 , 20, 43	7
663	Connections, Tracts, Fractals, and the Rest: A Working Guide to Network and Connectivity Studies in Neurosurgery. 2020 , 140, 389-400	3
662	The role of attention in the relationship between early life stress and depression. 2020 , 10, 6154	6
661	Acute Hyperglycemia Increases Brain Pregenual Anterior Cingulate Cortex Glutamate Concentrations in Type 1 Diabetes. 2020 , 69, 1528-1539	4
660	Current methods and new directions in resting state fMRI. 2020 , 65, 47-53	17
659	Social jetlag and sleep deprivation are associated with altered activity in the reward-related brain areas: an exploratory resting-state fMRI study. 2020 , 72, 12-19	4
658	Fully Integrated PET/MR Imaging for the Assessment of the Relationship Between Functional Connectivity and Glucose Metabolic Rate. 2020 , 14, 252	7
657	Alterations of Brain Signal Oscillations in Older Individuals with HIV Infection and Parkinson's Disease. 2021 , 16, 289-305	2
656	Reducing Inter-Site Variability for Fluctuation Amplitude Metrics in Multisite Resting State BOLD-fMRI Data. 2021 , 19, 23-38	0
655	Characterizing Static and Dynamic Fractional Amplitude of Low-Frequency Fluctuation and its Prediction of Clinical Dysfunction in Patients with Diffuse Axonal Injury. 2021 , 28, e63-e70	1

654	Functional brain connectivity changes across the human life span: From fetal development to old age. 2021 , 99, 236-262	11
653	Altered spontaneous neuronal activity and functional connectivity pattern in primary angle-closure glaucoma: a resting-state fMRI study. 2021 , 42, 243-251	5
652	Gender-related difference in altered fractional amplitude of low-frequency fluctuations after electroacupuncture on primary insomnia patients: A resting-state fMRI study. 2021 , 11, e01927	1
651	Emotion processing and regulation in major depressive disorder: A 7T resting-state fMRI study. 2021 , 42, 797-810	9
650	Identifying neural signatures mediating behavioral symptoms and psychosis onset: High-dimensional whole brain functional mediation analysis. 2021 , 226, 117508	0
649	Self and the brain: Self-concept mediates the effect of resting-state brain activity and connectivity on self-esteem in school-aged children. 2021 , 168, 110287	5
648	Altered spontaneous brain activity in essential tremor with and without resting tremor: a resting-state fMRI study. 2021 , 34, 201-212	7
647	Detecting brain network communities: Considering the role of information flow and its different temporal scales. 2021 , 225, 117431	5
646	Reward Functioning Abnormalities in Adolescents at High Familial Risk for Depressive Disorders. 2021 , 6, 270-279	1
645	Innovations in Biomedical Engineering. 2021 ,	0
644	Magnetic resonance imaging for chronic pain: diagnosis, manipulation, and biomarkers. 2021 , 64, 879-896	5
643	Supraspinal neural mechanisms of the analgesic effect produced by transcutaneous electrical nerve stimulation. 2021 , 226, 151-162	2
642	A multimetric systematic review of fMRI findings in patients with MDD receiving ECT. 2021 , 108, 110178	11
641	Altered functional activity in bipolar disorder: A comprehensive review from a large-scale network perspective. 2021 , 11, e01953	1
640	Study of functional connectivity of central motor system in Parkinson's disease using copula theory. 2021 , 65, 102320	5
639	Abnormal Regional and Global Connectivity Measures in Subjective Cognitive Decline Depending on Cerebral Amyloid Status. 2021 , 79, 493-509	5
638	Suppressing Anterior Cingulate Cortex Modulates Default Mode Network and Behavior in Awake Rats. 2021 , 31, 312-323	15
637	Self-limited focal epilepsy decreased regional brain activity in sensorimotor areas. 2021 , 143, 188-194	2

636	Resting-State Fluctuations Underlie Free and Creative Verbal Behaviors in the Human Brain. 2021 , 31, 213-232	7
635	Gut microbiota interacts with intrinsic brain activity of patients with amnesic mild cognitive impairment. 2021 , 27, 163-173	21
634	Covariation between spontaneous neural activity in the insula and affective temperaments is related to sleep disturbance in individuals with major depressive disorder. 2021 , 51, 731-740	16
633	Modulation of the spontaneous brain activity and functional connectivity in the triple resting-state networks following the visual oddball paradigm.	
632	Recurrent and concurrent patterns of regional BOLD dynamics and functional connectivity dynamics in cognitive decline. 2021 , 13, 28	2
631	Association between resting-state functional brain connectivity and gene expression is altered in autism spectrum disorder.	1
630	Crosstalk between Depression and Dementia with Resting-State fMRI Studies and Its Relationship with Cognitive Functioning. 2021 , 9,	12
629	Resting-State Functional Connectivity and Brain Network Abnormalities in Depressive Patients with Suicidal Ideation. 2021 , 34, 234-244	4
628	Multimodal Imaging Analysis Reveals Frontal-Associated Networks in Relation to Individual Resilience Strength. 2021 , 18,	1
627	Biomarkers in Panic Disorder. 2021 , 16, 167-178	
626	Modulation of Functional Connectivity and Low-Frequency Fluctuations After Brain-Computer Interface-Guided Robot Hand Training in Chronic Stroke: A 6-Month Follow-Up Study. 2020 , 14, 611064	3
625	Sleep problems in preschoolers with autism spectrum disorders are associated with sensory sensitivities and thalamocortical overconnectivity.	0
624	Resting State Functional Connectivity of Brain With Electroconvulsive Therapy in Depression: Meta-Analysis to Understand Its Mechanisms. 2020 , 14, 616054	5
623	Temporal dynamic changes of intrinsic brain activity in Alzheimer's disease and mild cognitive impairment patients: a resting-state functional magnetic resonance imaging study. 2021 , 9, 63	6
622	Brain Activity in Resting-State Predicts Brain Activity in Task Execution. 2021 , 11, 184-193	
621	Neurological Correlates of Grit: A Critical Review. 2021 , 157-171	0
620	Altered regional activity and connectivity of functional brain networks in congenital unilateral conductive hearing loss. 2021 , 32, 102819	0
619	A multi-modal fusion of features method based on deep belief networks to diagnosis schizophrenia disease. 2021 , 19, 2050088	0

618	Resting-state functional connectivity of the human hypothalamus. 2021 , 179, 113-124	1
617	Tensor-Based Multi-index Representation Learning for Major Depression Disorder Detection with Resting-State fMRI. 2021 , 174-184	0
616	Cerebrovascular Reactivity Mapping Without Gas Challenges: A Methodological Guide. 2020 , 11, 608475	10
615	A Frequency-constrained Spectrum Difference Mapping Framework for Decoding Brain Activity from Functional Magnetic Resonance Imaging Data. 2021 ,	
614	Cerebral arterial pulsatility is linked to hippocampal microvascular function and episodic memory in healthy older adults. 2021 , 41, 1778-1790	5
613	Bioenergetics and abnormal functional connectivity in psychotic disorders. 2021 , 26, 2483-2492	2
612	Frequency-Specific Changes in the Fractional Amplitude of the Low-Frequency Fluctuations in the Default Mode Network in Medication-Free Patients With Bipolar II Depression: A Longitudinal Functional MRI Study. 2020 , 11, 574819	7
611	A Quantitative Data-Driven Analysis (QDA) Framework for Resting-state fMRI: a Study of the Impact of Adult Age.	
610	Effects of short-term cognitive-coping therapy on resting-state brain function in obsessive-compulsive disorder. 2021 , 11, e02059	2
609	Gray Matter and Regional Brain Activity Abnormalities in Subclinical Hypothyroidism. 2021 , 12, 582519	0
608	Power spectra reveal distinct BOLD resting-state time courses in white matter.	1
607	A Systematic Review on Techniques Adapted for Segmentation and Classification of Ischemic Stroke Lesions from Brain MR Images. 2021 , 118, 1225-1244	1
606	Altered Dynamic Amplitude of Low-Frequency Fluctuations in Patients With Migraine Without Aura. 2021 , 15, 636472	4
605	Altered intrinsic brain activity in patients with hepatic encephalopathy. 2021 , 99, 1337-1353	1
604	Functional plasticity abnormalities over the lifespan of first-episode patients with major depressive disorder: a resting state fMRI study. 2021 , 9, 349	1
603	Cerebral areas affected by unilateral acupuncture on SP3 in healthy volunteers: An explorative resting-state fMRI study. 2021 , 11, e02057	1
602	The Relationship Among Glucose Metabolism, Cerebral Blood Flow, and Functional Activity: a Hybrid PET/fMRI Study. 2021 , 58, 2862-2873	6
601	The Role of Cerebrovascular-Reactivity Mapping in Functional MRI: Calibrated fMRI and Resting-State fMRI. 2021 , 12, 657362	4

600	Echo Time Dependency of Local Activity Metrics of Resting-State Functional MRI. 2021 , 15, 619412	1
599	Association between functional brain alterations and neuropsychological scales in male chronic smokers using resting-state fMRI. 2021 , 238, 1387-1399	1
598	Neural dynamics of parametrically modulated human mechanical pain determined using whole-brain quantitative perfusion imaging.	
597	Brain Functional Mechanisms Determining the Efficacy of Transcutaneous Auricular Vagus Nerve Stimulation in Primary Insomnia. 2021 , 15, 609640	2
596	Towards robust and replicable sex differences in the intrinsic brain function of autism. 2021 , 12, 19	9
595	Post-stroke fatigue is linked to resting state posterior hypoactivity and prefrontal hyperactivity.	0
594	Spontaneous brain activity underlying auditory hallucinations in the hearing-impaired. 2021 , 136, 1-13	3
593	Recovery-Associated Resting-State Activity and Connectivity Alterations in Anorexia Nervosa. 2021 , 6, 1023-1033	2
592	The additive effect of late-life depression and olfactory dysfunction on the risk of dementia was mediated by hypersynchronization of the hippocampus/fusiform gyrus. 2021 , 11, 172	3
591	A review of resting-state fMRI and its use to examine psychiatric disorders. 2021 , 1, 42-53	10
590	Aberrant brain voxel-wise resting state fMRI in patients with thyroid-associated ophthalmopathy. 2021 , 31, 773-783	0
589	Neurovascular coupling dysfunction in end-stage renal disease patients related to cognitive impairment. 2021 , 41, 2593-2606	3
588	Effects of Spontaneous Neural Activity during Learning Football Juggling: A Randomized Control Trial. 2021 , 11, 4079	
587	Predicting language recovery in post-stroke aphasia using behavior and functional MRI. 2021 , 11, 8419	4
586	Effects of APOE ϵ on the Fractional Amplitude of Low-Frequency Fluctuation in Mild Cognitive Impairment: A Study Based on the Resting-State Functional MRI. 2021 , 13, 591347	1
585	Interindividual Signatures of fMRI Temporal Fluctuations. 2021 , 31, 4450-4463	0
584	Spontaneous Neural Activity Changes after Bariatric Surgery: a resting-state fMRI study.	0
583	Altered patterns of fractional amplitude of low-frequency fluctuation and regional homogeneity in abstinent methamphetamine-dependent users. 2021 , 11, 7705	2

582	Predicting Parkinson's disease trajectory using clinical and neuroimaging baseline measures. 2021 , 85, 44-51	1
581	Trait self-control mediates the association between resting-state neural correlates and emotional well-being in late adolescence. 2021 , 16, 632-641	3
580	Time-Frequency Characterization of Resting Brain in Bipolar Disorder during Euthymia-A Preliminary Study. 2021 , 11,	1
579	Effect of Experimental Manipulation of the Orbitofrontal Cortex on Short-Term Markers of Compulsive Behavior: A Theta Burst Stimulation Study. 2021 , 178, 459-468	6
578	Spectral analysis of physiological brain pulsations affecting the BOLD signal. 2021 , 42, 4298-4313	7
577	Phenotypical predictors of pregnancy-related restless legs syndrome and their association with basal ganglia and the limbic circuits. 2021 , 11, 9996	0
576	Altered fractional amplitude of low-frequency fluctuation in women with premenstrual syndrome via acupuncture at Sanyinjiao (SP6). 2021 , 20, 29	2
575	Study on acupuncture improving insomnia comorbid with depression and anxiety based on rs-fMRI: A protocol for systematic review and meta-analysis. 2021 , 100, e25988	1
574	ENIGMA HALPipe: Interactive, reproducible, and efficient analysis for resting-state and task-based fMRI data.	2
573	Distinct effects of prematurity on MRI metrics of brain functional connectivity, activity, and structure: Univariate and multivariate analyses. 2021 , 42, 3593-3607	2
572	Fractional amplitude of low-frequency fluctuation in patients with neovascular glaucoma: a resting-state functional magnetic resonance imaging study. 2021 , 11, 2138-2150	2
571	Multi-Modal Analysis of Resting-State fMRI Data in mTBI Patients and Association With Neuropsychological Outcomes. 2021 , 12, 639760	3
570	Abnormal hemispheric asymmetry of both brain function and structure in attention deficit/hyperactivity disorder: a meta-analysis of individual participant data. 2021 , 1	2
569	Spatial and temporal autocorrelation weave human brain networks.	6
568	The Effects of rs405509 on β Non-carriers in Non-demented Aging. 2021 , 15, 677823	1
567	Goal setting and attaining: Neural correlates of positive coping style and hope. 2021 , 58, e13887	1
566	Altered intrinsic brain activity in mild Alzheimer's disease patients with sleep disturbances. 2021 , 32, 942-948	1
565	Impact of Transcranial Direct Current Stimulation on Cognitive Function, Brain Functional Segregation, and Integration in Patients with Mild Cognitive Impairment According to Amyloid-Beta Deposition and β -Allele: A Pilot Study. 2021 , 11,	0

564	Temporal Dynamic Changes of Intrinsic Brain Activity Associated with Cognitive Reserve in Prodromal Alzheimer's Disease. 2021 , 81, 1285-1294	1
563	Frequency-specific alterations of the resting-state BOLD signals in nocturnal enuresis: an fMRI Study. 2021 , 11, 12042	0
562	Central Insulin Modulates Dopamine Signaling in the Human Striatum. 2021 , 106, 2949-2961	1
561	A CNN-Based Autoencoder and Machine Learning Model for Identifying Betel-Quid Chewers Using Functional MRI Features. 2021 , 11,	2
560	Common neurobiological correlates of resilience and personality traits within the triple resting-state brain networks assessed by 7-Tesla ultra-high field MRI. 2021 , 11, 11564	1
559	Disrupted Spontaneous Neural Activity in Patients With Thyroid-Associated Ophthalmopathy: A Resting-State fMRI Study Using Amplitude of Low-Frequency Fluctuation. 2021 , 15, 676967	3
558	Local Functional MR Change Pattern and Its Association With Cognitive Function in Objectively-Defined Subtle Cognitive Decline. 2021 , 13, 684918	3
557	Examining early structural and functional brain alterations in postpartum depression through multimodal neuroimaging. 2021 , 11, 13551	1
556	Distinct Basal Brain Functional Activity and Connectivity in the Emotional-Arousal Network and Thalamus in Patients With Functional Constipation Associated With Anxiety and/or Depressive Disorders. 2021 , 83, 707-714	5
555	The acts of opening and closing the eyes are of importance for congenital blindness: Evidence from resting-state fMRI. 2021 , 233, 117966	3
554	Regional Spontaneous Neural Activity Alterations in Type 2 Diabetes Mellitus: A Meta-Analysis of Resting-State Functional MRI Studies. 2021 , 13, 678359	3
553	A Comparative Study on the Predictive Value of Different Resting-State Functional Magnetic Resonance Imaging Parameters in Preclinical Alzheimer's Disease. 2021 , 12, 626332	0
552	The contributions of brain structural and functional variance in predicting age, sex and treatment. 2021 , 1, 100024	
551	Frontal lobe fALFF measured from resting-state fMRI at baseline predicts acute treatment response in first episode psychosis.	
550	Coupling relationship between glucose and oxygen metabolisms to differentiate preclinical Alzheimer's disease and normal individuals. 2021 , 42, 5051-5062	3
549	Machine Learning Evidence for Sex Differences Consistently Influences Resting-State Functional Magnetic Resonance Imaging Fluctuations Across Multiple Independently Acquired Data Sets. 2021	1
548	Sleep Problems in Preschoolers With Autism Spectrum Disorder Are Associated With Sensory Sensitivities and Thalamocortical Overconnectivity. 2021 ,	0
547	Surface-Based Falff: A Potential Novel Biomarker for Prediction of Radiation Encephalopathy in Patients With Nasopharyngeal Carcinoma. 2021 , 15, 692575	2

546	Developmental coupling of cerebral blood flow and fMRI fluctuations in youth.	0
545	Neurofunctional basis of work-related risk propensity: Evidence from fractional amplitude of low-frequency fluctuations and functional connectivity analyses. 2021 , 177, 110829	
544	Structural and functional neuroimaging of late-life depression: a coordinate-based meta-analysis. 2021 , 1	2
543	Multimodal Neuroimaging Predictors of Learning Performance of Sensorimotor Rhythm Up-Regulation Neurofeedback. 2021 , 15, 699999	0
542	A multimodal meta-analysis of regional structural and functional brain alterations in type 2 diabetes. 2021 , 62, 100915	8
541	Neurobiological antecedents of multisite pain in children. 2021 ,	3
540	The MRi-Share database: brain imaging in a cross-sectional cohort of 1870 university students. 2021 , 226, 2057-2085	2
539	Mechanisms of the Effects of Parental Emotional Warmth on Extraversion in Children and Adolescents. 2021 , 467, 134-141	1
538	. 2021 ,	
537	Unique spatiotemporal fMRI dynamics in the awake mouse brain.	
536	Altered Patterns of Amplitude of Low-Frequency Fluctuations and Fractional Amplitude of Low-Frequency Fluctuations Between Amnesic and Vascular Mild Cognitive Impairment: An ALE-Based Comparative Meta-Analysis. 2021 , 13, 711023	1
535	Abnormal Neural Activity in Different Frequency Bands in Parkinson's Disease With Mild Cognitive Impairment. 2021 , 13, 709998	0
534	Is resting-state functional connectivity altered in regular cannabis users? A systematic review of the literature. 2021 , 1	1
533	Identifying resting state differences salient for resilience to chronic pain based on machine learning multivariate pattern analysis. 2021 , 58, e13921	2
532	Relationship between Dynamic Blood-Oxygen-Level-Dependent Activity and Functional Network Connectivity: Characterization of Schizophrenia Subgroups. 2021 , 11, 430-446	
531	Disrupted Strength and Stability of Regional Brain Activity in Disorder of Consciousness Patients: A Resting-State Functional Magnetic Resonance Imaging Study. 2021 , 469, 59-67	3
530	Application of Near-Infrared Spectroscopy for Understanding Spontaneous Brain Activity During Resting State in Schizophrenia: A Mini Review. 2021 , 12, 704506	1
529	Individualized diagnosis of major depressive disorder via multivariate pattern analysis of thalamic sMRI features. 2021 , 21, 415	1

528	The association between white matter hyperintensities, cognition and regional neural activity in healthy subjects. 2021 , 54, 5427-5443	2
527	Altered Spontaneous Brain Activity in Subjects With Different Cognitive States of Biologically Defined Alzheimer's Disease: A Surface-Based Functional Brain Imaging Study. 2021 , 13, 683783	2
526	Comparison of functional dorsal attention network alterations in breast cancer survivors before and after chemotherapy. 2021 , 100, e27018	0
525	Highly accurate local functional fingerprints and their stability.	0
524	The coupling of BOLD signal variability and degree centrality underlies cognitive functions and psychiatric diseases. 2021 , 237, 118187	2
523	Repeated anodal high-definition transcranial direct current stimulation over the left dorsolateral prefrontal cortex in mild cognitive impairment patients increased regional homogeneity in multiple brain regions. 2021 , 16, e0256100	4
522	Using Fractional Amplitude of Low-Frequency Fluctuations and Functional Connectivity in Patients With Post-stroke Cognitive Impairment for a Simulated Stimulation Program. 2021 , 13, 724267	1
521	Detecting structural and functional neuroplasticity in elite ice-skating athletes. 2021 , 78, 102795	2
520	Aberrant Effective Connectivity of the Ventral Putamen in Boys With Attention-Deficit/Hyperactivity Disorder. 2021 , 18, 763-769	0
519	Neuroimaging Anomalies in Community-Dwelling Asymptomatic Adults With Very Early-Stage White Matter Hyperintensity. 2021 , 13, 715434	1
518	A Novel Spectrum Contrast Mapping Method for Functional Magnetic Resonance Imaging Data Analysis. 2021 , 15, 739668	1
517	Between-sex variability of resting-state functional brain networks in amyotrophic lateral sclerosis (ALS). 2021 , 128, 1881-1897	3
516	Structural and functional brain changes in X-linked Charcot-Marie-Tooth disease: insights from a multimodal neuroimaging study. 2021 , 1	
515	Polygenic Hazard Score Associated Multimodal Brain Networks Along the Alzheimer's Disease Continuum. 2021 , 13, 725246	
514	Consecutive Independence and Correlation Transform for Multimodal Data Fusion: Discovery of One-to-Many Associations in Structural and Functional Imaging Data. 2021 , 11, 8382	1
513	Pitfalls and recommended strategies and metrics for suppressing motion artifacts in functional MRI.	
512	DPABISurf: data processing & analysis for brain imaging on surface. 2021 , 66, 2453-2453	2
511	Global Fractional Anisotropy: Effect on Resting-state Neural Activity and Brain Networking in Healthy Participants. 2021 , 472, 103-115	3

510	Behavioral and neural correlates of social network size: The unique and common contributions of face recognition and extraversion. 2021 ,	0
509	Altered Variability and Concordance of Dynamic Resting-State fMRI Indices in Patients With Attention Deficit Hyperactivity Disorder. 2021 , 15, 731596	0
508	Correlation of visual area with tremor improvement after MRgFUS thalamotomy in Parkinson's disease. 2021 , 1-8	4
507	Neural correlates of problematic gaming in adolescents: A systematic review of structural and functional magnetic resonance imaging studies. 2021 , e13093	3
506	Abnormalities of Localized Connectivity in Obsessive-Compulsive Disorder: A Voxel-Wise Meta-Analysis. 2021 , 15, 739175	0
505	A guide for the use of fNIRS in microcephaly associated to congenital Zika virus infection. 2021 , 11, 19270	
504	Concordance of Intrinsic Brain Connectivity Measures Is Disrupted in Alzheimer's Disease. 2021 ,	1
503	Altered trigeminothalamic spontaneous low-frequency oscillations in migraine without aura: a resting-state fMRI study. 2021 , 21, 342	4
502	Enhancing the brain's emotion regulation capacity with a randomised trial of a 5-week heart rate variability biofeedback intervention.	2
501	Alterations of regional spontaneous brain activities in anxiety disorders: A meta-analysis. 2022 , 296, 233-240	1
500	Surface enhanced Raman spectroscopy-based immunoassay detection of tumor-derived extracellular vesicles to differentiate pancreatic cancers from chronic pancreatitis. 2021 , 52, 1810	1
499	Functional magnetic resonance imaging research in China. 2021 , 27, 1259-1267	1
498	Mathematical learning deficits originate in early childhood from atypical development of a frontoparietal brain network. 2021 , 19, e3001407	1
497	Urban green is more than the absence of city: Structural and functional neural basis of urbanicity and green space in the neighbourhood of older adults. 2021 , 214, 104196	0
496	Resting-state functional connectivity predictors of treatment response in schizophrenia - A systematic review and meta-analysis. 2021 , 237, 153-165	1
495	Spontaneous neural activity changes after bariatric surgery: A resting-state fMRI study. 2021 , 241, 118419	1
494	Altered resting-state functional connectivity of the right precuneus and cognition between depressed and non-depressed schizophrenia. 2021 , 317, 111387	0
493	Default mode network shows alterations for low-frequency fMRI fluctuations in euthymic bipolar disorder. 2021 , 144, 59-65	0

492	Dysregulated resting state functional connectivity and obesity: A systematic review. 2021 , 131, 270-292	3
491	How people reach their goals: Neural basis responsible for trait self-control association with hope. 2022 , 184, 111228	1
490	Brain functional remodeling caused by sciatic nerve transection repair in rats identified by multiple-model resting-state blood oxygenation level-dependent functional magnetic resonance imaging analysis. 2022 , 17, 418-426	
489	Personalized brain models identify neurotransmitter receptor changes in Alzheimer's disease. 2021 , ,	3
488	Excitatory-inhibitory balance within EEG microstates and resting-state fMRI networks: assessed via simultaneous trimodal PET-MR-EEG imaging. 2021 , 11, 60	5
487	NIRS-KIT: a MATLAB toolbox for both resting-state and task fNIRS data analysis. 2021 , 8, 010802	9
486	Test-retest reliability of laser evoked pain perception and fMRI BOLD responses. 2021 , 11, 1322	0
485	Hippocampal fractional amplitude of low-frequency fluctuation and functional connectivity changes in premenstrual syndrome. 2018 , 47, 545-553	10
484	The relationship between sleep efficiency and clinical symptoms is mediated by brain function in major depressive disorder. 2020 , 266, 327-337	9
483	Regional cerebral activity abnormality in pregnant women with antenatal depression. 2020 , 274, 381-388	2
482	Resting-state Brain Activity Changes Associated with Tardive Dyskinesia in Patients with Schizophrenia: Fractional Amplitude of Low-frequency Fluctuation Decreased in the Occipital Lobe. 2018 , 385, 237-245	14
481	Neurocognitive Recovery of Sentence Processing in Aphasia. 2019 , 62, 3947-3972	10
480	The Neuro Bureau ADHD-200 Preprocessed Repository.	4
479	Best Practices in Data Analysis and Sharing in Neuroimaging using MRI.	37
478	Visibility graphs for fMRI data: multiplex temporal graphs and their modulations across resting state networks.	3
477	Reproducibility of R-fMRI Metrics on the Impact of Different Strategies for Multiple Comparison Correction and Sample Sizes.	1
476	Excitatory-Inhibitory Balance within EEG Microstates and Resting-state fMRI Networks: Assessed via Simultaneous PET-MR-EEG Imaging.	3
475	The MRI-Share database: brain imaging in a cross-sectional cohort of 1,870 university students.	4

474	Percent amplitude of fluctuation: a simple measure for resting-state fMRI signal at single voxel level.	3
473	Capturing the spatiotemporal dynamics of task-initiated thoughts with combined EEG and fMRI.	1
472	Modelling Subject Variability in the Spatial and Temporal Characteristics of Functional Modes.	3
471	The physiological effects of non-invasive brain stimulation fundamentally differ across the human cortex.	0
470	Timescales of spontaneous fMRI fluctuations relate to structural connectivity in the brain.	3
469	Hemispheric asymmetries in resting-state EEG and fMRI are related to approach and avoidance behaviour, but not to eating behaviour or BMI.	0
468	Detecting brain network communities: considering the role of information flow and its different temporal scales.	1
467	Brain states govern the spatio-temporal dynamics of resting state functional connectivity.	1
466	Low-Frequency Fluctuations Amplitude Signals Exhibit Abnormalities of Intrinsic Brain Activities and Reflect Cognitive Impairment in Leukoaraiosis Patients. 2019 , 25, 5219-5228	12
465	Brain segmentation, spatial censoring, and averaging techniques for optical functional connectivity imaging in mice. 2019 , 10, 5952-5973	7
464	Resting-state brain organization revealed by functional covariance networks. 2011 , 6, e28817	54
463	Amplitude of low-frequency oscillations in first-episode, treatment-naive patients with major depressive disorder: a resting-state functional MRI study. 2012 , 7, e48658	122
462	Individual differences in brain structure and resting brain function underlie cognitive styles: evidence from the Embedded Figures Test. 2013 , 8, e78089	23
461	Abnormal intrinsic brain activity patterns in patients with subcortical ischemic vascular dementia. 2014 , 9, e87880	23
460	Assessment of unconstrained cerebrovascular reactivity marker for large age-range FMRI studies. 2014 , 9, e88751	30
459	A correspondence between individual differences in the brain's intrinsic functional architecture and the content and form of self-generated thoughts. 2014 , 9, e97176	109
458	Altered resting-state FMRI signals in acute stroke patients with ischemic penumbra. 2014 , 9, e105117	13
457	Multimodal FMRI resting-state functional connectivity in granulin mutations: the case of fronto-parietal dementia. 2014 , 9, e106500	44

456	Resting-state fMRI activity predicts unsupervised learning and memory in an immersive virtual reality environment. 2014 , 9, e109622	20
455	Altered resting-state connectivity in college students with nonclinical depressive symptoms. 2014 , 9, e114603	24
454	Altered hemodynamic activity in conduct disorder: a resting-state FMRI investigation. 2015 , 10, e0122750	18
453	Amplitude of low-frequency fluctuations in first-episode, drug-naïve depressive patients: A 5-year retrospective study. 2017 , 12, e0174564	11
452	Effects of taurine on resting-state fMRI activity in spontaneously hypertensive rats. 2017 , 12, e0181122	5
451	Contrasting resting-state fMRI abnormalities from sickle and non-sickle anemia. 2017 , 12, e0184860	12
450	The neurophysiology of ketamine: an integrative review. 2020 , 31, 457-503	8
449	From State-to-Trait Meditation: Reconfiguration of Central Executive and Default Mode Networks. 2019 , 6,	19
448	Differences in functional brain alterations driven by right or left facial nerve efferent dysfunction: Evidence from early Bell's palsy. 2019 , 9, 427-439	2
447	Functional and Structural Changes in Postherpetic Neuralgia Brain Before and Six Months After Pain Relieving. 2020 , 13, 909-918	3
446	Glioma-Induced Disruption of Resting-State Functional Connectivity and Amplitude of Low-Frequency Fluctuations in the Salience Network. 2021 , 42, 551-558	5
445	Cohort Profile: Firefighter Research on the Enhancement of Safety and Health (FRESH), a Prospective Cohort Study on Korean Firefighters. 2020 , 61, 103-109	8
444	Brain changes detected by functional magnetic resonance imaging and spectroscopy in patients with Crohn's disease. 2017 , 23, 3607-3614	6
443	Frequency-specific alterations of large-scale functional brain networks in patients with Alzheimer's disease. 2015 , 128, 602-9	3
442	Abnormal brain activity in adolescents with Internet addiction who attempt suicide: an assessment using functional magnetic resonance imaging. 2020 , 15, 1554-1559	9
441	Network-wide abnormalities explain memory variability in hippocampal amnesia. 2019 , 8,	19
440	Brain states govern the spatio-temporal dynamics of resting-state functional connectivity. 2020 , 9,	7
439	Deciphering the neural signature of human cardiovascular regulation. 2020 , 9,	11

438	Intrinsic excitation-inhibition imbalance affects medial prefrontal cortex differently in autistic men versus women. 2020 , 9,	37
437	Abnormal Low-Frequency Oscillations Reflect Abnormal Eye Movement and Stereovision in Patients With Comitant Exotropia. 2021 , 15, 754234	1
436	Amplitude of Low-Frequency Fluctuation in Multiple Frequency Bands in Tension-Type Headache Patients: A Resting-State Functional Magnetic Resonance Imaging Study. 2021 , 15, 742973	0
435	New methods for multiple testing in permutation inference for the general linear model. 2021 , 41, 276	0
434	The colors of our brain: an integrated approach for dimensionality reduction and explainability in fMRI through color coding (i-ECO). 2021 , 1	0
433	Systematic Review of Functional MRI Applications for Psychiatric Disease Subtyping. 2021 , 12, 665536	1
432	Resting state functional connectivity and structural abnormalities of the brain in acute retarded catatonia: an exploratory MRI study. 2021 ,	1
431	Altered Fractional Amplitude of Low-Frequency Fluctuation in Major Depressive Disorder and Bipolar Disorder. 2021 , 12, 739210	2
430	Resting-state functional reorganisation in Alzheimer's disease and amnesic mild cognitive impairment: protocol for a systematic review and meta-analysis. 2021 , 11, e049798	1
429	Alterations of spontaneous brain activity in systematic lupus erythematosus patients without neuropsychiatric symptoms: A resting-functional MRI study. 2021 , 30, 1781-1789	1
428	Exploration of LICA Detections in Resting State fMRI. 2011 , 104-111	
427	Results on a Lattice Computing Based Group Analysis of Schizophrenic Patients on Resting State fMRI. 2013 , 131-139	3
426	Discrimination of Resting-State fMRI for Schizophrenia Patients with Lattice Computing Based Features. 2013 , 482-490	
425	The Changes of Amplitude of Low-Frequency Fluctuation in the Acute Phase Patients with Concussion. 2015 , 03, 7-12	0
424	Concordance Among Indices of Intrinsic Brain Function: Insights from Inter-Individual Variation and Temporal Dynamics.	
423	Disambiguating brain functional connectivity.	2
422	Age-related changes in spatial and temporal features of resting state fMRI.	
421	Intrinsic functional connectivity of the central extended amygdala.	

- 420 A Study of a Year of Cognitive Change and Local Low-Frequency Amplitude of Brain Function in Patients with Late-Onset Depression with Mild Cognitive Impairment. **2018**, 05, 21-28
- 419 A Novel Spatial-Spectra Dynamics-Based Ranking Model for Sorting Time-Varying Functional Networks from Single Subject fMRI Data. **2018**, 431-441 ○
- 418 Physiological Significance of R-fMRI Indices: Can Functional Metrics Differentiate Structural Lesions (Brain Tumors)?.
- 417 Fractional amplitude of low-frequency fluctuation and degree centrality in autistic children: a resting-state fMRI study. **2018**, ○
- 416 Modular preprocessing pipelines can reintroduce artifacts into fMRI data. ○
- 415 China's Role in the Biological Psychiatry Research. **2019**, 1-18
- 414 Resting state fMRI reveals differential effects of glucose administration on central appetite signalling in young and old adults.
- 413 Stereoscopic Rendering in a Head Mounted Display Elicits Higher Functional Connectivity During Virtual Reality.
- 412 Cortical temporal hierarchy is immature in middle childhood.
- 411 fMRI detects bilateral brain network activation following unilateral chemogenetic activation of direct striatal projection neurons.
- 410 Short-term effects on brain functional network caused by focused-attention meditation revealed by Tucker3 clustering on graph theoretical metrics.
- 409 How brain reacts to targeted attack at a hub region.
- 408 Resting state fluctuations underlie free and creative verbal behaviors in the human brain. 2
- 407 Thalamus is a common locus of reading, arithmetic, and IQ: Analysis of local intrinsic functional properties. ○
- 406 Recovery-associated resting-state activity and connectivity alterations in Anorexia nervosa.
- 405 Towards robust and replicable sex differences in the intrinsic brain function of autism.
- 404 A Region-Based Feature Extraction Method for Rs-fMRI of Depressive Disorder Classification. **2020**, ○
- 403 Abnormal Fractional Amplitude of Low-Frequency Fluctuation Changes in Patients with Monocular Blindness: A Functional Magnetic Resonance Imaging (fMRI) Study. **2020**, 26, e926224 3

402	The Contribution of Brain Structural and Functional Variance in Predicting Age, Sex and Treatment.	
401	Predicting Sex from Resting-State fMRI Across Multiple Independent Acquired Datasets.	0
400	Capturing Neuroplastic Changes after iTBS in Patients with Post-Stroke Aphasia: A Pilot fMRI Study. 2021 , 11,	0
399	Discriminating subclinical depression from major depression using multi-scale brain functional features: A radiomics analysis. 2022 , 297, 542-552	1
398	The Application of Complexity Analysis in Brain Blood-Oxygen Signal. 2021 , 11,	0
397	Power spectra reveal distinct BOLD resting-state time courses in white matter. 2021 , 118,	3
396	Atypical Dynamic Functional Network Connectivity State Engagement during Social-Emotional Processing in Schizophrenia and Autism. 2021 ,	0
395	Resting state predicts neural activity during reward-guided decision making: An fMRI study on Balloon Analogue Risk Task. 2022 , 417, 113616	
394	Dynamical regional activity in putamen distinguishes bipolar type I depression and unipolar depression. 2022 , 297, 94-101	1
393	Frontopolar tDCS Induces Frequency-Dependent Changes of Spontaneous Low-Frequency Fluctuations: A Resting-State fMRI Study.. 2021 ,	0
392	Intrinsic excitation-inhibition imbalance affects medial prefrontal cortex differently in autistic men versus women.	1
391	China's Role in the Biological Psychiatry Research. 2021 , 1231-1248	
390	Predicting Longitudinal Disease Severity for Individuals with Parkinson's Disease using Functional MRI and Machine Learning Prognostic Models.	1
389	A Quantitative Data-Driven Analysis Framework for Resting-State Functional Magnetic Resonance Imaging: A Study of the Impact of Adult Age. 2021 , 15, 768418	0
388	Dynamics of task-induced modulation of spontaneous brain activity and functional connectivity in the triple resting-state networks assessed using the visual oddball paradigm. 2021 , 16, e0246709	1
387	Breath-Hold Cerebrovascular Reactivity Mapping for Neurovascular Uncoupling Assessment in Primary Gliomas. 2022 , 167-183	
386	Individualized Prediction of Females' Empathic Concern from Intrinsic Brain Activity within General Network of State Empathy. 2021 , 1	0
385	Structural and Functional Deficits in Patients with Poststroke Dementia: A Multimodal MRI Study. 2021 , 2021, 3536234	0

384	The Potential Advantages of Tai Chi Chuan in Promoting Inhibitory Control and Spontaneous Neural Activity in Young Adults. 2021 , 15, 747733	1
383	Effects of upgrading acquisition-techniques and harmonization methods: A multi-modal MRI study with implications for longitudinal designs.	
382	Task and Non-task Brain Activation Differences for Assessment of Depression and Anxiety by fNIRS. 2021 , 12, 758092	0
381	The role of negative emotions in sex differences in pain sensitivity. 2021 , 245, 118685	2
380	Variations in the frequency and amplitude of resting-state EEG and fMRI signals in normal adults: The effects of age and sex.	0
379	rsfMRI Study of Sensimotor Cortex in Multiple Sclerosis (MS) Using Independent Component Analysis (ICA) in GIFT Toolbox with Infomax Algorithm. 2021 , 337-350	
378	The therapeutic effect of Xueshuan Xinmai tablets on memory injury and brain activity in post-stroke patients: a pilot placebo controlled fMRI study. 2015 , 8, 7507-16	2
377	Herpes zoster chronification to postherpetic neuralgia induces brain activity and grey matter volume change. 2018 , 10, 184-199	18
376	Fractional Amplitude of Low-Frequency Fluctuations and Functional Connectivity in Comatose Patients Subjected to Resting-State Functional Magnetic Resonance Imaging. 2019 , 22, 203-209	1
375	Developmental Coupling of Cerebral Blood Flow and fMRI Fluctuations in Youth.	
374	Brain structure and function in people recovering from COVID-19 after hospital discharge or self-isolation: a longitudinal observational study protocol. 2021 , 9, E1114-E1119	1
373	A systematic review of resting-state and task-based fmri in juvenile myoclonic epilepsy. 2021 , 1	2
372	Altered Spontaneous Brain Activity Related to Neurologic and Sleep Dysfunction in Children With Obstructive Sleep Apnea Syndrome. 2021 , 15, 595412	3
371	Differential effects of alcohol-drinking patterns on the structure and function of the brain and cognitive performance in young adult drinkers: A pilot study. 2021 , 12, e2427	1
370	Alteration of Whole Brain ALFF/fALFF and Degree Centrality in Adolescents With Depression and Suicidal Ideation After Electroconvulsive Therapy: A Resting-State fMRI Study. 2021 , 15, 762343	0
369	Functional Integrity of Executive Control Network Contributed to Retained Executive Abilities in Mild Cognitive Impairment.. 2021 , 13, 710172	1
368	Abnormal Fractional Amplitude of Low-Frequency Fluctuation as a Potential Imaging Biomarker for First-Episode Major Depressive Disorder: A Resting-State fMRI Study and Support Vector Machine Analysis.. 2021 , 12, 751400	2
367	Structural and Functional Abnormalities in Knee Osteoarthritis Pain Revealed With Multimodal Magnetic Resonance Imaging.. 2021 , 15, 783355	0

366	Shared and Distinct Fractional Amplitude of Low-Frequency Fluctuation Patterns in Major Depressive Disorders With and Without Gastrointestinal Symptoms.. 2021 , 12, 744898	0
365	Abnormal resting-state brain activity and connectivity of brain-bladder control network in overactive bladder syndrome. 2021 , 2841851211057278	0
364	Extracting BOLD signals based on time-constrained multiset canonical correlation analysis for brain functional network estimation and classification. 2021 , 1775, 147745	0
363	Functional and Structural Brain Abnormalities in Schizophrenia: A Multimodal Meta-Analysis of Neuroimaging Studies.	
362	Resting state functional connectivity in pediatric populations. 2021 , 2, 65-87	
361	Identifying functional brain abnormalities in migraine and depression comorbidity.. 2022 , 12, 2288-2302	0
360	Metagenomic analysis reveals gut bacterial signatures for diagnosis and treatment outcome prediction in bipolar depression.. 2022 , 307, 114326	1
359	Decreased salience network fMRI functional connectivity following a course of rTMS for treatment-resistant depression.. 2022 , 300, 235-242	1
358	Effects of repetitive transcranial magnetic stimulation combined with cognitive training on resting-state brain activity in Alzheimer's disease.. 2022 , 19714009211067409	0
357	Resting-State Network Changes Following Transcranial Magnetic Stimulation in Patients With Aphasia-A Randomized Controlled Study.. 2021 ,	0
356	Test-retest stability of spontaneous brain activity and functional connectivity in the core resting-state networks assessed with ultrahigh field 7-Tesla resting-state functional magnetic resonance imaging.. 2022 ,	2
355	Abnormal characterization of dynamic functional connectivity in Alzheimer's disease.. 2022 , 17, 2014-2021	4
354	No Alteration Between Intrinsic Connectivity Networks by a Pilot Study on Localized Exposure to the Fourth-Generation Wireless Communication Signals.. 2021 , 9, 734370	
353	Distinct Features of Cerebral Blood Flow and Spontaneous Neural Activity as Integrated Predictors of Early Response to Antidepressants.. 2021 , 12, 788398	
352	Acute effects of ketamine on the pregenual anterior cingulate: linking spontaneous activation, functional connectivity, and glutamate metabolism.. 2022 , 1	0
351	Intrinsic Brain Activity Alterations in Patients With Mild Cognitive Impairment-to-Normal Reversion: A Resting-State Functional Magnetic Resonance Imaging Study From Voxel to Whole-Brain Level.. 2021 , 13, 788765	1
350	Frequency-Specific Changes of Amplitude of Low-Frequency Fluctuations in Patients with Acute Basal Ganglia Ischemic Stroke.. 2022 , 2022, 4106131	0
349	Individual [F]FDG PET and functional MRI based on simultaneous PET/MRI may predict seizure recurrence after temporal lobe epilepsy surgery.. 2022 , 1	0

348	Effect of Phase-Encoding Direction on Gender Differences: A Resting-State Functional Magnetic Resonance Imaging Study.. 2021 , 15, 748080	
347	Hybrid brain model accurately predict human procrastination behavior. 1	0
346	Unique spatiotemporal fMRI dynamics in the awake mouse brain.. 2021 ,	10
345	Effects of the -521 C/T SNP on Local Neural Activity and Functional Connectivity in Children With ADHD.. 2021 , 12, 785464	0
344	Intrinsic Brain Activity of Inferior Temporal Region Increased in Prodromal Alzheimer's Disease With Hearing Loss.. 2021 , 13, 772136	0
343	Surface-Based Functional Metrics and Auditory Cortex Characteristics in Chronic Tinnitus.	
342	Differentiating Melancholic and Non-melancholic Major Depressive Disorder Using Fractional Amplitude of Low-Frequency Fluctuations.. 2021 , 12, 763770	0
341	Frequency-Dependent Genetic Modulation of Neuronal Oscillations: A Combined Transcriptome and Resting-State Functional MRI Study.. 2022 ,	1
340	Effects of combat sports on cerebellar function in adolescents: a resting-state fMRI study.. 2021 , 20210826	
339	Increased cingulo-orbital connectivity is associated with violent behaviours in schizophrenia.. 2022 , 147, 183-189	0
338	Altered regional brain activity and functional connectivity patterns in major depressive disorder: A function of childhood trauma or diagnosis?. 2022 , 147, 237-247	0
337	Abnormal resting-state local spontaneous functional activity in irritable bowel syndrome patients: A meta-analysis.. 2022 ,	1
336	Hemodynamic and metabolic correspondence of voxel-wise resting-state activity metrics in healthy adults.. 2022 , 250, 118923	3
335	Modulation of Brain Networks during MR-Compatible Transcranial Direct Current Stimulation.. 2022 , 250, 118874	0
334	Magnetic Resonance Imaging as a Translational Research Tool for Major Depression. 2022 , 241-264	
333	The Function and Structure of Precuneus Is Associated With Subjective Sleep Quality in Major Depression.. 2021 , 12, 831524	0
332	Not Only in Sensorimotor Network: Local and Distant Cerebral Inherent Activity of Chronic Ankle Instability-A Resting-State fMRI Study.. 2022 , 16, 835538	0
331	Data-driven staging of genetic frontotemporal dementia using multi-modal MRI.. 2022 ,	1

- 330 The Predictive Value of Dynamic Intrinsic Local Metrics in Transient Ischemic Attack.. **2021**, 13, 808094 1
- 329 Functional Reorganization After Four-Week Brain-Computer Interface-Controlled Supernumerary Robotic Finger Training: A Pilot Study of Longitudinal Resting-State fMRI.. **2021**, 15, 766648
- 328 Altered Local Brain Amplitude of Fluctuations in Patients With Myotonic Dystrophy Type 1.. **2021**, 13, 790632 0
- 327 [Resting state functional MRI in neurology and psychiatry].. **2022**, 122, 5-14
- 326 Temporal dynamic patterns of the ventromedial prefrontal cortex underlie the association between rumination and depression.. **2022**, 1
- 325 Data-driven study on resting-state functional magnetic resonance imaging during early abstinence of alcohol dependence in male patients and its predictive value for relapse.. **2022**, 22, 143 0
- 324 Increased low-frequency brain responses to music after psilocybin therapy for depression. 1
- 323 Exercise Intensity and Brain Plasticity: What's the Difference of Brain Structural and Functional Plasticity Characteristics Between Elite Aerobic and Anaerobic Athletes?. **2022**, 16, 757522 0
- 322 Functional Covariance Connectivity of Gray and White Matter in Olfactory-Related Brain Regions in Parkinson's Disease.. **2022**, 16, 853061 0
- 321 Increased amplitude of hippocampal low frequency fluctuations in early psychosis: A two-year follow-up study.. **2022**, 241, 260-266 0
- 320 Multivariate genomic and transcriptomic determinants of imaging-derived personalized therapeutic needs in Parkinson's disease.. **2022**, 12, 5483 0
- 319 Neuromodulation of striatal D1 cells shapes BOLD fluctuations in anatomically connected thalamic and cortical regions. 1
- 318 Lag-optimized BOLD cerebrovascular reactivity derived from breathing task data has a stronger relationship with baseline cerebral blood flow.
- 317 Amplitude of Low-Frequency Oscillations in First-Episode Drug-Naive Patients with Major Depressive Disorder: A Resting State Functional Magnetic Resonance Imaging Study.. **2022**, 18, 555-561 0
- 316 Hypothyroidism and Diabetes-Related Dementia: Focused on Neuronal Dysfunction, Insulin Resistance, and Dyslipidemia.. **2022**, 23, 0
- 315 Pitfalls and Recommended Strategies and Metrics for Suppressing Motion Artifacts in Functional MRI.. **2022**, 1 0
- 314 ENIGMA HALFPipe: Interactive, reproducible, and efficient analysis for resting-state and task-based fMRI data.. **2022**, 1
- 313 The Resting-State Neural Network of Delay Discounting.. **2022**, 13, 828929

312	Developmental coupling of cerebral blood flow and fMRI fluctuations in youth.. 2022 , 38, 110576	0
311	Altered Spontaneous Brain Activity in Left-Behind Children: A Resting-State Functional MRI Study.. 2022 , 13, 834458	1
310	Aberrant Volume-Wise and Voxel-Wise Concordance Among Dynamic Intrinsic Brain Activity Indices in Parkinson's Disease: A Resting-State fMRI Study.. 2022 , 14, 814893	1
309	Resting-state functional magnetic resonance imaging signal variations in aging: The role of neural activity.. 2022 ,	0
308	Multimodal neuroimaging of metabotropic glutamate 5 receptors and functional connectivity in alcohol use disorder.. 2022 ,	
307	The neural correlates of amplitude of low-frequency fluctuation: a multimodal resting-state MEG and fMRI-EEG study.. 2022 ,	0
306	Mechanisms of Repetitive Transcranial Magnetic Stimulation on Post-stroke Depression: A Resting-State Functional Magnetic Resonance Imaging Study.. 2022 , 1	1
305	Altered resting fMRI spectral power in data-driven brain networks during development: A longitudinal study.. <i>Journal of Neuroscience Methods</i> , 2022 , 372, 109537	3
304	Characteristics of the Fractional Amplitude of Low-Frequency Fluctuation in Ocular Hypertension Patients: A Resting-State fMRI Study.. 2021 , 8, 687420	0
303	Regional amplitude abnormalities in the major depressive disorder: A resting-state fMRI study and support vector machine analysis.. 2022 , 308, 1-9	1
302	Brain function mediates the association between low vitamin D and neurocognitive status in female patients with major depressive disorder.. 2022 , 1-14	0
301	The local neural markers of MRI in patients with temporal lobe epilepsy presenting ictal panic: A resting resting-state postictal fMRI study.. 2022 , 129, 108490	0
300	Neural Substrates of Poststroke Depression: Current Opinions and Methodology Trends.. 2022 , 16, 812410	1
299	Altered Brain Activity in Patients With Comitant Strabismus Detected by Analysis of the Fractional Amplitude of Low-Frequency Fluctuation: A Resting-State Functional MRI Study.. 2022 , 16, 874703	1
298	Increased prefrontal cortex connectivity associated with depression vulnerability and relapse.. 2022 , 304, 133-141	1
297	Knowing Who You Are: Neural Correlates of Self-concept Clarity and Happiness.. 2022 ,	0
296	Investigation of Spontaneous Brain Activity at Rest in Patients with Chronic Pain by Using Resting-state fMRI. 2021 , 58, 1235-1242	
295	Prediction of Obsessive-Compulsive Disorder: Importance of neurobiology-aided feature design and cross-diagnosis transfer learning.. 2021 ,	1

- 294 Altered Spontaneous Brain Activity Related to Neurologic Dysfunction in Patients With Cerebral Small Vessel Disease.. **2021**, 13, 731585 1
- 293 Structural and functional abnormalities of olfactory-related regions in subjective cognitive decline, mild cognitive impairment and Alzheimer's disease. **2021**, 4
- 292 Resting-State Functional MRI Metrics in Patients With Chronic Mild Traumatic Brain Injury and Their Association With Clinical Cognitive Performance.. **2021**, 15, 768485 0
- 291 Traditional martial arts and shooting training have different effects on auditory fine structure processing abilityEvidence from behavioral tests and fMRI.
- 290 Five weeks of intermittent transcutaneous vagus nerve stimulation shape neural networks: a machine learning approach.. **2021**, 1
- 289 Computational approaches to predicting treatment response to obesity using neuroimaging.. **2021**, 1 1
- 288 Insights into δ activity: Associations between the frequency of experience and amplitudes of low-frequency oscillations in resting-state functional magnetic resonance imaging.. **2021**,
- 287 Thalamic altered spontaneous activity and connectivity in obstructive sleep apnea syndrome.. **2021**, 0
- 286 Similarities and differences between internet gaming disorder and tobacco use disorder: A large-scale network study.. **2021**, e13119
- 285 Multimodal multi-center analysis of electroconvulsive therapy effects: brainwide gray matter increase without functional changes.
- 284 Covariance Shrinkage can Assess and Improve Functional Connectomes.. **2022**, 119229
- 283 The Neuro-Endo-Microbio-Ome Study: A Pilot Study of Neurobiological Alterations Pre- Versus Post-Bariatric Surgery.. **2022**, 10998004221085976 2
- 282 Effects of Repetitive Transcranial Magnetic Stimulation on Cognitive Function in Patients With Stress-Related Depression: A Randomized Double-Blind fMRI and H-MRS Study.. **2022**, 13, 844606
- 281 Improving Depressive Symptoms of Post-stroke Depression Using the Shugan Jieyu Capsule: A Resting-State Functional Magnetic Resonance Imaging Study.. **2022**, 13, 860290
- 280 Functional Neural Alterations in Pathological Internet Use: A Meta-Analysis of Neuroimaging Studies.. **2022**, 13, 841514
- 279 Image_1.TIF. **2020**,
- 278 Table_1.XLSX. **2020**,
- 277 Image_1.jpg. **2018**,

276 Image_2.jpg. **2018,**

275 Image_1.pdf. **2020,**

274 Data_Sheet_1.docx. **2019,**

273 Image_1.TIF. **2019,**

272 Image_2.TIF. **2019,**

271 Image_3.TIF. **2019,**

270 Image_4.TIF. **2019,**

269 Image_5.TIF. **2019,**

268 Image_6.TIF. **2019,**

267 Image_7.TIF. **2019,**

266 Image_8.TIF. **2019,**

265 Image_9.TIF. **2019,**

264 Table_1.DOCX. **2019,**

263 Data_Sheet_1.docx. **2019,**

262 Table_1.DOCX. **2019,**

261 Image_1.JPEG. **2019,**

260 Image_2.JPEG. **2019,**

259 Table_1.DOCX. **2019,**

258 Table_2.DOCX. 2019,

257 Data_Sheet_1.docx. 2019,

256 Data_Sheet_1.doc. 2019,

255 Video_1.WMV. 2019,

254 Table_1.DOC. 2018,

253 Table_2.xlsx. 2018,

252 Data_Sheet_1.docx. 2019,

251 Data_Sheet_1.pdf. 2020,

250 Data_Sheet_1.PDF. 2020,

249 Table_1.DOCX. 2020,

248 Data_Sheet_1.docx. 2018,

247 Table_1.DOCX. 2018,

246 Data_Sheet_1.PDF. 2020,

245 Image_1.TIF. 2019,

244 Image_2.TIF. 2019,

243 Video_1.AVI. 2019,

242 Video_10.AVI. 2019,

241 Video_2.AVI. 2019,

240 Video_3.AVI. **2019**,

239 Video_4.AVI. **2019**,

238 Video_5.AVI. **2019**,

237 Video_6.AVI. **2019**,

236 Video_7.AVI. **2019**,

235 Video_8.AVI. **2019**,

234 Video_9.AVI. **2019**,

233 Table_1.docx. **2020**,

232 Table_2.docx. **2020**,

231 Table_3.docx. **2020**,

230 Image_1.png. **2020**,

229 Image_1.TIF. **2019**,

228 Image_2.TIF. **2019**,

227 Table_1.pdf. **2019**,

226 Table_1.doc. **2019**,

225 Data_Sheet_1.doc. **2021**,

224 Data_Sheet_1.ZIP. **2021**,

223 DataSheet_1.pdf. **2019**,

222	Table_1.docx. 2019,	
221	Attention Deficit Hyperactivity Disorder Classification Based on Deep Learning.. 2022, PP,	1
220	Tracing Evolving Networks Using Tensor Factorizations vs. ICA-Based Approaches.. 2022, 16, 861402	0
219	Regional Neural Activity Abnormalities and Whole-Brain Functional Connectivity Reorganization in Bulimia Nervosa: Evidence From Resting-State fMRI.. 2022, 16, 858717	0
218	Altered Variability and Concordance of Dynamic Resting-State Functional Magnetic Resonance Imaging Indices in Patients With Major Depressive Disorder and Childhood Trauma. 2022, 16,	0
217	Inverse Association Between Resting-State Putamen Activity and Iowa Gambling Task Performance in Patients With Obsessive-Compulsive Disorder and Control Subjects. 2022, 13,	
216	Altered Spontaneous Brain Activity Patterns of Meibomian Gland Dysfunction in Severely Obese Population Measured Using the Fractional Amplitude of Low-Frequency Fluctuations. 2022, 13,	
215	Changes in the amplitude of low-frequency fluctuations in specific frequency bands in major depressive disorder after electroconvulsive therapy. 2022, 12, 708-721	
214	Reliability and Validity of Power Spectrum Slope (PSS): A Metric for Measuring Resting-State Functional Magnetic Resonance Imaging Activity of Single Voxels. 2022, 16,	
213	Forecasting Brain Activity Based on Models of Spatio-Temporal Brain Dynamics: A Comparison of Graph Neural Network Architectures. 1-61	
212	Left DLPFC activity is associated with plasma kynurenine levels and can predict treatment response to escitalopram in major depressive disorder.. 2022,	0
211	How Impulsiveness Influences Obesity: The Mediating Effect of Resting-State Brain Activity in the dlPFC. 2022, 13,	
210	Efficacy and Mechanism of Moxibustion Treatment on Mild Cognitive Impairment Patients: An fMRI Study Using ALFF. 2022, 15,	0
209	Brain Under Fatigue [Can Perceived Fatigability in Multiple Sclerosis Be Seen on the Level of Functional Brain Network Architecture?. 2022, 16,	0
208	Cerebello-thalamofrontal dysconnectivity in paroxysmal kinesigenic dyskinesia: A resting-state fMRI study.. 2022, 99, 1-7	0
207	Abnormal spontaneous neural activity as a potential predictor of early treatment response in patients with obsessive-compulsive disorder.. 2022,	0
206	Decreased Efficiency of Between-Network Dynamics During Early Memory Consolidation With Aging. 2022, 14,	
205	Feature and decision-level fusion for schizophrenia detection based on resting-state fMRI data. 2022, 17, e0265300	2

- 204 Altered Intrinsic Brain Activity in Patients With Late-Life Depression: A Resting-State Functional MRI Study. **2022**, 13, ○
- 203 Real-World Visual Experience Alters Baseline Brain Activity in the Resting State: A Longitudinal Study Using Expertise Model of Radiologists. **2022**, 16, ○
- 202 Decreased spontaneous brain activity in the dorsal visual pathway in age-related macular degeneration patients revealed by fractional amplitude of low-frequency fluctuation. **11**, Publish Ahead of Print,
- 201 Alzheimer's Disease Diagnosis and Biomarker Analysis Using Resting-State Functional MRI Functional Brain Network With Multi-Measures Features and Hippocampal Subfield and Amygdala Volume of Structural MRI. 14, ○
- 200 Structural Integrity and Functional Neural Activity Associated with Oral Language Function after Stroke. **2022**, 11, 3028
- 199 Association of Reduced Local Activities in the Default Mode and Sensorimotor Networks with Clinical Characteristics in First-diagnosed Episode of Schizophrenia. **2022**, 1
- 198 A Study of Spontaneous Brain Activity on Resting-State Functional Magnetic Resonance Imaging in Adults with MRI-Negative Temporal Lobe Epilepsy. Volume 18, 1107-1116
- 197 Diagnosis of schizophrenia using brain resting-state fMRI with activity maps based on deep learning. ○
- 196 Neuroimaging signatures predicting motor improvement to focused ultrasound subthalamotomy in Parkinson's disease. **2022**, 8, ○
- 195 Aberrant Spontaneous Brain Activity in Coronary Heart Disease Using Fractional Amplitude of Low-Frequency Fluctuations: A Preliminary Resting-State Functional MRI Study. **2022**, 2022, 1-9 ○
- 194 Brain Functional Connectivity in the Resting State and the Exercise State in Elite Tai Chi Chuan Athletes: An fNIRS Study. 16, ○
- 193 Association between resting-state functional brain connectivity and gene expression is altered in autism spectrum disorder. **2022**, 13, 1
- 192 Emotional intelligence mediates the protective role of the orbitofrontal cortex spontaneous activity measured by fALFF against depressive and anxious symptoms in late adolescence. ○
- 191 Acupuncture mechanism studies employing task-based fMRI: a scoping review protocol. **2022**, 11,
- 190 Neuroimaging Markers of Chronic Eye Diseases and Their Application Values. 13,
- 189 RP-Rs-fMRIomics as a Novel Imaging Analysis Strategy to Empower Diagnosis of Brain Gliomas. **2022**, 14, 2818
- 188 Alterations in resting-state functional activity and connectivity for major depressive disorder appetite and weight disturbance phenotypes. 1-11 ○
- 187 Altered spontaneous brain activity in major depressive disorder: An activation likelihood estimation meta-analysis. **2022**, ○

- 186 Functional individual variability development of the neonatal brain. **2022**, 227, 2181-2190
- 185 A Resting State Functional Magnetic Resonance Imaging Study of Unmedicated Adolescents With Non-suicidal Self-Injury Behaviors: Evidence From the Amplitude of Low-Frequency Fluctuation and Regional Homogeneity Indicator. 13, 0
- 184 Lag-Optimized Blood Oxygenation Level Dependent Cerebrovascular Reactivity Estimates Derived From Breathing Task Data Have a Stronger Relationship With Baseline Cerebral Blood Flow. 16,
- 183 Functional connectivity correlates of reduced goal-directed behaviors in behavioural variant frontotemporal dementia. 1
- 182 Adaptation of prelimbic cortex mediated by IL-6/STAT3/Acp5 pathway contributes to the comorbidity of neuropathic pain and depression in rats. **2022**, 19, 0
- 181 Altered Regional Activity and Network Homogeneity within the Fronto-Limbic Network at Rest in Medicine-Free Obsessive-Compulsive Disorder. **2022**, 12, 857
- 180 Chemotherapy-induced functional brain abnormality in colorectal cancer patients: a resting-state functional magnetic resonance imaging study. 12, 0
- 179 Altered Brain Function Activity in Patients With Dysphagia After Cerebral Infarction: A Resting-State Functional Magnetic Resonance Imaging Study. 13, 1
- 178 Abnormalities in the Fractional Amplitude of Low-Frequency Fluctuation and Functional Connectivity in Parkinson's Disease With Excessive Daytime Sleepiness. 14, 0
- 177 Reproducibility in Matrix and Tensor Decompositions: Focus on model match, interpretability, and uniqueness. **2022**, 39, 8-24 0
- 176 The Cerebellum is Involved in Motor Improvements After Repetitive Transcranial Magnetic Stimulation in Parkinson's Disease Patients. **2022**,
- 175 Low frequency power in cerebral blood flow is a biomarker of neurologic injury in the acute period after cardiac arrest. **2022**, 178, 12-18 2
- 174 The powerful brain: Neural correlates of sense of power and hope. **2022**, 174, 108317
- 173 A resting state fMRI study of major depressive disorder with and without anxiety. **2022**, 315, 114697 0
- 172 Resting-state functional magnetic resonance imaging-based identification of altered brain the fractional amplitude of low frequency fluctuation in adolescent major depressive disorder patients undergoing electroconvulsive therapy. 13, 0
- 171 A-PASS: An automated pipeline to analyze simultaneously acquired EEG-fMRI data for studying brain activities during sleep.
- 170 Aberrant Functional Connectivity of the Orbitofrontal Cortex Is Associated With Excited Symptoms in First-Episode Drug-Naïve Patients With Schizophrenia. 13, 1
- 169 Alterations in Spontaneous Neuronal Activity and Microvascular Density of the Optic Nerve Head in Active Thyroid-Associated Ophthalmopathy. 13,

- 168 Quantifying Deviations of Brain Structure and Function in Major Depressive Disorder Across Neuroimaging Modalities. 1
- 167 Aberrant brain dynamics in major depressive disorder with suicidal ideation. **2022**, 314, 263-270 0
- 166 Resting-State Functional Connectivity Differences Following Experimental Manipulation of the Orbitofrontal Cortex in Two Directions via Theta-Burst Stimulation. 216770262211031
- 165 Acculturative orientations among Hispanic/Latinx caregivers in the ABCD Study: Associations with caregiver and youth mental health and youth brain function.
- 164 Feasibility and positive effects of scalp acupuncture for modulating motor and cerebral activity in Parkinson's disease: A pilot study. **2022**, 1-13 0
- 163 Cognition, Aryl Hydrocarbon Receptor Repressor Methylation, and Abstinence Duration-Associated Multimodal Brain Networks in Smoking and Long-Term Smoking Cessation. 16,
- 162 The effect of general anesthesia on the test-retest reliability of resting-state fMRI metrics and optimization of scan length. 16, 0
- 161 Altered asymmetries of resting-state MRI in the left thalamus of first-episode schizophrenia. 0
- 160 Disrupted Spontaneous Neural Activity and Its Interaction With Pain and Emotion in Temporomandibular Disorders. 16, 0
- 159 Neural substrates in patients with visual-spatial neglect recovering from right-hemispheric stroke. 16, 1
- 158 Differences in brain activity between normal and diabetic rats under isoflurane anesthesia: a resting-state functional MRI study. **2022**, 22, 0
- 157 Lateralized brain activities in subcortical vascular mild cognitive impairment with differential Chinese medicine patterns: A resting-state functional magnetic resonance imaging study. 16,
- 156 Predicting social anxiety in young adults with machine learning of resting-state brain functional radiomic features. **2022**, 12, 0
- 155 Predicting response to tVNS in patients with migraine using functional MRI: A voxels-based machine learning analysis. 16, 0
- 154 Intrinsic brain activity patterns across large-scale networks predict reciprocity propensity.
- 153 Effects of Antipsychotic Medications and Illness Duration on Brain Features That Distinguish Schizophrenia Patients. 0
- 152 Altered spontaneous brain activity in maintenance hemodialysis patients with cognitive impairment.
- 151 A multifaceted gradient in human cerebellum of structural and functional development. 0

- 150 Intrinsic brain activity reorganization contributes to long-term compensation of higher-order hearing abilities in single-sided deafness. 16,
- 149 Dynamic changes of amplitude of low-frequency in systemic lupus erythematosus patients with cognitive impairment. 16, ○
- 148 Application of DTI and fMRI in moyamoya disease. 13,
- 147 Altered brain activity in juvenile myoclonic epilepsy with a monotherapy: a resting-state fMRI study. 2022, 4, ○
- 146 Multimodal multi-center analysis of electroconvulsive therapy effects in depression: Brainwide gray matter increase without functional changes. 2022, 15, 1065-1072 1
- 145 Default mode network alterations underlie auditory verbal hallucinations in schizophrenia. 2022, 155, 24-32 ○
- 144 Comprehensive evaluation of harmonization on functional brain imaging for multisite data-fusion. ○
- 143 Altered spontaneous brain activity in Down syndrome and its relation with cognitive outcome. 2022, 12, ○
- 142 Abnormal fractional Amplitude of Low-Frequency Fluctuation in chronic ketamine users. 2022, 326, 111536 ○
- 141 Effects of a 12-Week Periodized Resistance Training Program on Resting Brain Activity and Cerebrovascular Function: A Nonrandomized Pilot Trial. 2022, 17, 263310552211194 ○
- 140 Longitudinal Changes in Resting State FMRI Spectra in Children. 2022, ○
- 139 More than just statics: Static and temporal dynamic changes in intrinsic brain activity in unilateral temporal lobe epilepsy. 16, ○
- 138 Functional brain activity is highly associated with cortical myelination in neonates. 1
- 137 Mapping sleep phenotypic and genetic links to the brain and heart: a systematic analysis of multimodal brain and cardiac images in the UK Biobank. ○
- 136 Spontaneous brain activity abnormalities in migraine: A meta-analysis of functional neuroimaging. ○
- 135 The landscape of functional brain network impairments in late-onset GM2 gangliosidosis. ○
- 134 Aberrant brain functional hubs convergence in the acute severe traumatic brain injury patients with rapidly recovering. ○
- 133 A spinal manipulative therapy altered brain activity in patients with lumbar disc herniation: A resting-state functional magnetic resonance imaging study. 16, ○

- 132 Brain regions involved in fractional amplitude of low-frequency fluctuation in cluster headache patients: a resting-state functional MRI study. **2022**, 22, ○
- 131 The functional connectivity of language network across the life span: Disentangling the effects of typical aging from Alzheimer's disease. 14, ○
- 130 Increased very low frequency pulsations and decreased cardiorespiratory pulsations suggest altered brain clearance in narcolepsy. **2022**, 2, ○
- 129 Treatment-Specific Network Modulation of MRI-Guided Focused Ultrasound Thalamotomy in Essential Tremor. ○
- 128 Neural mechanism of the relationship between sleep efficiency and clinical improvement in major depressive disorder: A longitudinal functional magnetic resonance imaging study. 13, ○
- 127 Central autonomic network alterations in male endurance athletes. **2022**, 12, ○
- 126 Frontal lobe fALFF measured from resting-state fMRI as a prognostic biomarker in first-episode psychosis. ○
- 125 Serum neurofilament light chain is associated with disturbed limbic-based functional connectivity in patients with anti-NMDAR encephalitis. ○
- 124 Machine learning techniques for MRI feature-based detection of frontotemporal lobar degeneration. **2022**, 207, 1312-1321 ○
- 123 Frequency-dependent white-matter functional network changes associated with cognitive deficits in subcortical vascular cognitive impairment. **2022**, 36, 103245 ○
- 122 Altered spontaneous brain activities in maintenance hemodialysis patients with cognitive dysfunction and the construction of cognitive function prediction models. ○
- 121 Cortical gradient of a human functional similarity network captured by the geometry of cytoarchitectonic organization. **2022**, 5, ○
- 120 The Resting State Functional MRI in Neurology and Psychiatry. ○
- 119 Abnormal brain activities in multiple frequency bands in Parkinson's disease with apathy. 16, ○
- 118 Pilot-RCT Finds No Evidence for Modulation of Neuronal Networks of Auditory Hallucinations by Transcranial Direct Current Stimulation. **2022**, 12, 1382 ○
- 117 The ALFF Alterations of Spontaneous Pelvic Pain in the Patients of Chronic Prostatitis/Chronic Pelvic Pain Syndrome Evaluated by fMRI. **2022**, 12, 1344 ○
- 116 The White Matter Functional Abnormalities in Patients with Transient Ischemic Attack: A Reinforcement Learning Approach. **2022**, 2022, 1-12 ○
- 115 Differences of resting fMRI and cognitive function between drug-naïve bipolar disorder and schizophrenia. **2022**, 22, ○

- 114 Self-Directed Neurofeedback Treatment for Subjective Tinnitus Patients Evaluated by Multimodal Functional Imaging. **2022**, 2022, 1-11 ○
- 113 Multiclass characterization of frontotemporal dementia variants via multimodal brain network computational inference. 1-58 1
- 112 Motor progression marker for newly diagnosed drug-naïve patients with Parkinson's disease: A resting-state functional MRI study. ○
- 111 Aberrant frontolimbic circuit in female depressed adolescents with and without suicidal attempts: A resting-state functional magnetic resonance imaging study. 13, ○
- 110 Deriving causal relationships in resting-state functional connectivity using SSFO-based optogenetic fMRI. ○
- 109 Abnormal functional connectivity in psoriasis patients with depression is associated with their clinical symptoms. 16, ○
- 108 Invariant structural and functional brain regions associated with tinnitus: A meta-analysis. **2022**, 17, e0276140 ○
- 107 Surface-based functional metrics and auditory cortex characteristics in chronic tinnitus. **2022**, 8, e10989 ○
- 106 Cholinergic modulation supports DMN suppression during resting state. ○
- 105 Pre-COVID resting-state brain activity in the fusiform gyrus prospectively predicts social anxiety alterations during the pandemic. ○
- 104 Quinone and SARS-CoV-2. **2023**, 47-81 ○
- 103 Partly recovery and compensation in anterior cingulate cortex after SSRI treatment—evidence from multi-voxel pattern analysis over resting state fMRI in depression. **2023**, 320, 404-412 ○
- 102 Underlying differences in resting-state activity metrics related to sensitivity to punishment. **2023**, 437, 114152 ○
- 101 From fears of evaluation to social anxiety: The longitudinal relationships and neural basis in healthy young adults. **2023**, 23, 100345 ○
- 100 Neuroimaging in essential tremor. **2023**, 491-518 ○
- 99 Neuroimaging in dystonia. **2023**, 541-566 ○
- 98 Effects of Coils, Post-processing Methods, and Amplitude Frequency on Resting-state Brain Function After Electroacupuncture at Zusanli: A Preliminary Study. ○
- 97 Resting-state functional MRI in multicenter studies on multiple sclerosis: a report on raw data quality and functional connectivity features from the Italian Neuroimaging Network Initiative. ○

- 96 Amplitude of low frequency fluctuations during resting state fMRI in autistic children. ○
- 95 Study protocol of a randomized controlled trial for the synergizing effects of rTMS and Tui Na on upper limb motor function and cortical activity in ischemic stroke. 13, ○
- 94 Association between fractional amplitude of low-frequency fluctuation (fALFF) and facial emotion recognition ability in first-episode schizophrenia patients: a fMRI study. **2022**, 12, ○
- 93 Insulin resistance disrupts white matter microstructure and amplitude of functional spontaneous activity in Bipolar Disorder. ○
- 92 Altered Intrinsic Brain Activity Related to Neurologic and Motor Dysfunction in Diabetic Peripheral Neuropathy Patients. ○
- 91 Disrupted metabolic and spontaneous neuronal activity of hippocampus in sepsis associated encephalopathy rats: A study combining magnetic resonance spectroscopy and resting-state functional magnetic resonance imaging. 16, ○
- 90 Fluoxetine shows neuroprotective effects against LPS-induced neuroinflammation via the Notch signaling pathway. **2022**, 113, 109417 ○
- 89 Amplitudes of resting-state functional networks – Investigation into their correlates and biophysical properties. **2023**, 265, 119779 ○
- 88 Altered brain activity and childhood trauma in Chinese adolescents with borderline personality disorder. **2023**, 323, 435-443 ○
- 87 Altered intrinsic brain activity and cognitive impairment in euthymic, unmedicated individuals with bipolar disorder. **2023**, 80, 103386 ○
- 86 Predicting responses to cognitive behavioral therapy in obsessive-compulsive disorder based on multilevel indices of rs-fMRI. **2023**, 323, 345-353 ○
- 85 The relationship between brain neural correlates, self-objectification, and interoceptive sensibility. **2023**, 439, 114227 ○
- 84 Extracting Multiple Nodes in a Brain Region of Interest for Brain Functional Network Estimation and Classification. **2022**, 10, 3408-3423 ○
- 83 ADHD Classification With Low-Frequency Fluctuation Feature Map Based on 3D CBAMe. **2022**, ○
- 82 Dynamic changes in fractional amplitude of low-frequency fluctuations in patients with chronic insomnia. 16, ○
- 81 Structural and functional changes in drug-naïve benign childhood epilepsy with centrotemporal spikes and their associated gene expression profiles. ○
- 80 Abnormal regional homogeneity and amplitude of low frequency fluctuation in chronic kidney patients with and without dialysis. 16, ○
- 79 A blood-based lipid profile associated with hippocampal volume and brain resting state activation observed in obese adults from the UK Biobank. ○

- 78 Spatial and Spectral Components of the BOLD Global Signal in Rat Resting-State Functional MRI. ○
- 77 Developmental dyslexia, developmental coordination disorder and comorbidity discrimination using multimodal structural and functional neuroimaging. **2022**, ○
- 76 Effects of Physiological Signal Removal on Resting-State Functional MRI Metrics. **2023**, 13, 8 ○
- 75 Decreased Regional Spontaneous Brain Activity and Cognitive Dysfunction in Patients with Coronary Heart Disease: a Resting-state Functional MRI Study. **2022**, ○
- 74 A study on alterations in functional activity in migraineurs during the interictal period. **2022**, e12372 ○
- 73 Altered fractional amplitude of low-frequency fluctuation in superior temporal gyrus: a resting-state fMRI study in Anxious depression. ○
- 72 Dynamic local metrics changes in patients with toothache: A resting-state functional magnetic resonance imaging study. 13, ○
- 71 Assessing the impact of MR-guided focused ultrasound thalamotomy on brain activity and connectivity in patients with essential tremor. **2022**, 53, E5 ○
- 70 Multi-modal multi-resolution atlas of the human neonatal cerebral cortex based on microstructural similarity. ○
- 69 Altered Brain Connectivity in Hyperkinetic Movement Disorders: a Review of Resting-State fMRI. **2022**, 103302 ○
- 68 The alterations of spontaneous neural activities and white matter microstructures in anti-N-methyl-D-aspartate receptor encephalitis: a resting-state fMRI and DTI study. ○
- 67 Nicotine addiction and overweight affect intrinsic neural activity and neurotransmitter activity: A fMRI study of interaction effects. ○
- 66 Maternal psychological distress associates with alterations in resting-state low-frequency fluctuations and distal functional connectivity of the neonate medial prefrontal cortex. ○
- 65 Alterations of amplitude of low-frequency fluctuations and fractional amplitude of low-frequency fluctuations in end-stage renal disease on maintenance dialysis: An activation likelihood estimation meta-analysis. 16, ○
- 64 Alteration of mean amplitude of low frequency fluctuations measured by fMRI at 11.7 T in the aging brain of mouse lemur primate. ○
- 63 Identification of chronic mild traumatic brain injury using resting state functional MRI and machine learning techniques. 16, ○
- 62 Psychological and neurological predictors of acupuncture effect in chronic pain patients: a randomized controlled neuroimaging trial. **2023**, Publish Ahead of Print, ○
- 61 Changes in Resting-State Neural Activity and Nerve Fibres in Ischaemic Stroke Patients with Hemiplegia. ○

- 60 Olfactory functional covariance connectivity in Parkinson's disease: Evidence from a Chinese population. 14, ○
- 59 Spontaneous brain activity in healthy aging: An overview through fluctuations and regional homogeneity. 14, ○
- 58 Continuous theta burst stimulation-induced suppression of the right fronto-thalamic-cerebellar circuit accompanies improvement in language performance in poststroke aphasia: A resting-state fMRI study. 14, ○
- 57 Transcriptional substrates of brain structural and functional impairments in drug-naive first-episode patients with major depressive disorder. 2023, ○
- 56 Amplitude of low-frequency fluctuation after taste exposure revealed by resting-state fMRI. 2023, 114091 ○
- 55 Associations between abnormal spontaneous neural activity and clinical variables, eye movements, and event-related potential indicators in major depressive disorder. 16, ○
- 54 Alterations in brain structure and function associated with pediatric growth hormone deficiency: A multi-modal magnetic resonance imaging study. 16, ○
- 53 A systematic review of the neural correlates of well-being reveals no consistent associations. 2023, 145, 105036 ○
- 52 Integrating Multi-scale Feature Representation and Ensemble Learning for Schizophrenia Diagnosis. 2022, ○
- 51 Effect of regional intrinsic activity following two kinds of theta burst stimulation on precuneus. ○
- 50 The effects of acupuncture therapy in migraine: An activation likelihood estimation meta-analysis. 16, ○
- 49 Evidence of functional abnormalities in the default mode network in bipolar depression: A coordinate-based activation likelihood estimation meta-analysis. 2023, ○
- 48 Deep brain stimulation does not modulate fMRI resting-state functional connectivity in essential tremor. ○
- 47 Fractional amplitude of low-frequency fluctuation changes of specific cerebral regions in patients with toothache: A functional magnetic resonance imaging study. 2023, 13, ○
- 46 Functional magnetic resonance imaging of headache: Issues, best-practices, and new directions, a narrative review. 2023, 63, 309-321 ○
- 45 A systematic review of multimodal brain age studies: Uncovering a divergence between model accuracy and utility. 2023, 4, 100712 ○
- 44 Symptom guided multimodal neuroimage fusion patterns in children with attention-deficit/hyperactivity disorder and its potential Brain structure-function-cognition-behavior pathological pathways. ○
- 43 Static and temporal dynamic alteration of intrinsic brain activity in MRI-negative temporal lobe epilepsy. 2023, 108, 33-42 ○

- 42 Multi-modal multi-resolution atlas of the human neonatal cerebral cortex based on microstructural similarity. **2023**, 272, 120071 ○
- 41 Can the aberrant occipital-cerebellum network be a predictor of treatment in panic disorder?. **2023**, 331, 207-216 ○
- 40 Altered spontaneous brain activity as a potential imaging biomarker for generalized and focal to bilateral tonic-clonic seizures: A resting-state fMRI study. **2023**, 140, 109100 ○
- 39 A Study of Fractional Amplitude of Low Frequency Fluctuation in Schizophrenia Patients with Persistent Verbal Auditory Hallucinations. **2022**, 7, ○
- 38 Resting-state fMRI signals contain spectral signatures of local hemodynamic response timing. ○
- 37 Multiple measurement analysis of resting-state fMRI for ADHD classification in adolescent brain from the ABCD study. **2023**, 13, ○
- 36 Increased subcortical brain activity in anxious but not depressed individuals. **2023**, 160, 38-46 ○
- 35 Cholinergic Modulation Supports Dynamic Switching of Resting State Networks Through Selective DMN Suppression. ○
- 34 Functional magnetic resonance imaging in migraine: A systematic review. **2023**, 43, 033310242211282 ○
- 33 Adaptive neuroplasticity in the default mode network contributing to absence of central sensitization in primary dysmenorrhea. 17, ○
- 32 The Mediating Role of Brain Structural Imaging Markers in Connecting Adverse Childhood Experiences and Psychological Resilience. **2023**, 10, 365 ○
- 31 Acculturative orientations among Hispanic/Latinx caregivers in the ABCD Study: Associations with caregiver and youth mental health and youth brain function. **2023**, ○
- 30 Is resting state fMRI better than individual characteristics at predicting cognition?. ○
- 29 Neuronal dysfunction in individuals at early stage of schizophrenia, A resting-state fMRI study. **2023**, 322, 115123 ○
- 28 Functional and structural brain abnormalities in substance use disorder: A multimodal meta-analysis of neuroimaging studies. **2023**, 147, 345-359 1
- 27 Correlation between retinal structure and brain multimodal magnetic resonance imaging in patients with Alzheimer's disease. 15, ○
- 26 Linking resting-state network fluctuations with systems of coherent synaptic density: A multimodal fMRI and 11C-UCB-J PET study. 17, ○
- 25 Abnormal amplitude of low-frequency fluctuation values as a neuroimaging biomarker for major depressive disorder with suicidal attempts in adolescents: A resting-state fMRI and support vector machine analysis. 14, ○

- 24 Resting-state brain functional alterations and their genetic mechanisms in drug-naive first-episode psychosis. **2023**, 9,
- 23 Is resting state fMRI better than individual characteristics at predicting cognition?.
- 22 Altered static and dynamic indices of intrinsic brain activity in patients with subcortical ischemic vascular disease: a resting-state functional magnetic resonance imaging analysis. **2023**, 65, 923-931
- 21 Multimodality neuroimaging in vascular mild cognitive impairment: A narrative review of current evidence. 15,
- 20 Fractional amplitude of physiological fluctuations of resting state fNIRS in Alzheimer's disease patient and healthy control. **2023**,
- 19 Associations between resting state brain activity and A1 adenosine receptor availability in the healthy brain: Effects of acute sleep deprivation. 17,
- 18 Abnormalities of regional spontaneous brain activity in poststroke aphasia: a meta-analysis.
- 17 Baseline white matter function predicts short-term treatment response in first-episode schizophrenia.
- 16 Shared and differential fractional amplitude of low-frequency fluctuation patterns at rest in major depressive disorders with or without sleep disturbance. 14,
- 15 The central renin angiotensin II system is a genetic pathway, functional decoding and selective target engagement characterization in humans.
- 14 Patient-specific multi-modal modeling uncovers neurotransmitter receptor involvement in motor and non-motor axes of Parkinson's disease.
- 13 Identifying individuals with attention-deficit/hyperactivity disorder based on multisite resting-state functional magnetic resonance imaging: A radiomics analysis.
- 12 A review of multi-modal magnetic resonance imaging studies on perimenopausal brain: a hint towards neural heterogeneity.
- 11 Basal forebrain activity predicts functional degeneration in the entorhinal cortex and decreases with Alzheimer's Disease progression.
- 10 Electroacupuncture for psychogenic erectile dysfunction: A resting-state functional magnetic resonance imaging study exploring the alteration of fractional amplitude of low frequency fluctuation. 17,
- 9 Regional abnormalities of spontaneous brain activity in migraine: A coordinate-based meta-analysis.
- 8 Power spectral analysis can determine language laterality from resting-state functional MRI data in healthy controls.
- 7 Editorial: Functional neuroimaging in psychiatric practice: How far have we come?. 14,

- 6 Resting-State fMRI Study of Vigilance Under Circadian and Homeostatic Modulation Based on Fractional Amplitude of Low-Frequency Fluctuation and Regional Homogeneity in Humans Under Normal Entrained Conditions. ○
- 5 Neural correlates of Type A personality: Type A personality mediates the association of resting-state brain activity and connectivity with eating disorder symptoms. **2023**, ○
- 4 Comprehensive evaluation of harmonization on functional brain imaging for multisite data-fusion. **2023**, 120089 ○
- 3 The Effect of Swallowing Action Observation Therapy on Resting fMRI in Stroke Patients with Dysphagia. **2023**, 2023, 1-10 ○
- 2 Increased low-frequency brain responses to music after psilocybin therapy for depression. **2023**, ○
- 1 From local properties to brain-wide organization: A review of intraregional temporal features in functional magnetic resonance imaging data. ○