

CITATION REPORT

List of articles citing

Effects of particle size, particle/matrix interface adhesion and particle loading on mechanical properties of particulate polymer composites

DOI: 10.1016/j.compositesb.2008.01.002

Composites Part B: Engineering, 2008, 39, 933-961.

Source: <https://exaly.com/paper-pdf/43204176/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2292	All-Temperature Flexible Supercapacitors Enabled by Antifreezing and Thermally Stable Hydrogel Electrolyte.		
2291	On the effect of particle size on fracture toughness of polymer composites. 2008 , 68, 3365-3372		76
2290	Surface effects on the near-tip stress fields of a mode-II crack. 2008 , 151, 95-106		38
2289	Compounding and mixing of polymers. 2009 , 71-105		3
2288	Poly(para-dioxanone)/inorganic particle composites as a novel biomaterial. 2009 , 90, 945-51		10
2287	Thermomechanical and optical properties of biodegradable poly(L-lactide)/silica nanocomposites by melt compounding. 2009 , 114, 3379-3388		80
2286	Flexural properties of phenolic resin reinforced with glass powder: Preliminary results. 2009 , 116, NA-NA		4
2285	Simultaneously increasing cryogenic strength, ductility and impact resistance of epoxy resins modified by n-butyl glycidyl ether. 2009 , 50, 1316-1323		106
2284	Micromechanical models for stiffness prediction of alumina trihydrate (ATH) reinforced poly (methyl methacrylate) (PMMA): Effect of filler volume fraction and temperature. 2009 , 69, 2015-2023		22
2283	Preparation and characterization of biodegradable poly(D,L-lactide) and surface-modified bioactive glass composites as bone repair materials. 2009 , 20, 1971-8		12
2282	Mechanical performance of nano-CaCO ₃ filled polystyrene composites. 2009 , 22, 555-562		27
2281	Nanoclay synergy in flame retarded/glass fibre reinforced polyamide 6. 2009 , 94, 2241-2250		94
2280	Reinforcement of epoxy resins with multi-walled carbon nanotubes for enhancing cryogenic mechanical properties. 2009 , 50, 4753-4759		165
2279	Tensile properties of yeast cell-loaded Ca-alginate gel layers. 2009 , 152, 297-300		4
2278	Role of strain concentration factors in predicting the inelastic behavior of laminated composite material. <i>Composites Part B: Engineering</i> , 2009 , 40, 267-274	10	1
2277	Energy absorption capability of nanocomposites: A review. 2009 , 69, 2392-2409		363
2276	From phenylsiloxane polymer composition to size-controlled silicon carbide nanocrystals. 2009 , 131, 809-15		56

2275	Micromechanics prediction of the effective elastic moduli of graphene sheet-reinforced polymer nanocomposites. 2010 , 18, 045005	117
2274	Banana fibers and microfibrils as lignocellulosic reinforcements in polymer composites. 2010 , 81, 811-819	119
2273	Critical particle size for interfacial debonding in polymer/nanoparticle composites. 2010 , 70, 861-872	47
2272	A rheological method for selecting nano-kaolin powder as filler in SBR rubber. 2010 , 8, 245-250	18
2271	Controllable nanostructural transitions in grafted nanoparticle-block copolymer composites. 2010 , 3, 356-362	20
2270	Effect of Al(OH) ₃ Particle Fraction on Mechanical Properties of Particle-Reinforced Composites Using Unsaturated Polyester as Matrix. 2010 , 10, 515-519	3
2269	Modeling and prediction of compressive creep of silane-treated TiO ₂ /high-density polyethylene. 2010 , 45, 3506-3513	3
2268	Thermal stability of CR/CSM rubber blends filled with nano- and micro-silica particles. 2010 , 100, 881-888	17
2267	Relaxation behavior of neat and particulate filled polypropylene in uniaxial and multiaxial compression. 2010 , 14, 47-68	12
2266	Synthesis and characterization of injectable composites of poly[D,L-lactide-co-(ϵ -caprolactone)] reinforced with β -TCP and CaCO ₃ for intervertebral disk augmentation. 2010 , 95, 75-83	9
2265	Poly(lactic acid) and zeolite composites prepared by melt processing: Morphological and physical-mechanical properties. 2010 , 115, 2262-2270	32
2264	Positron Lifetime Spectroscopy and Differential Scanning Calorimetric study of polystyrene-based composites with fly ash, cenospheres, and calcium aluminosilicate as fillers. 2010 , 116, 3087-3094	6
2263	Effect of filler loading on the mechanical properties of crosslinked 1,2,3-triazole polymers. 2010 , 118, 121-127	12
2262	Effect of the particle size and particle agglomeration on composite membrane performance. 2010 , 118, n/a-n/a	11
2261	Fabrication and properties of composites from BST and polypropylene-graft-poly(styrene-stat-divinylbenzene). 2010 , 30, 381-384	15
2260	Morphology, tensile and fracture characteristics of epoxy-alumina nanocomposites. 2010 , 527, 5670-5676	73
2259	Fracture behavior dependence on load-bearing capacity of filler in nano- and microcomposites of polypropylene containing calcium carbonate. 2010 , 31, 802-807	19
2258	Morphological interpretations and micromechanical properties of polyamide-6/polypropylene-grafted-maleic anhydride/nanoclay ternary nanocomposites. 2010 , 31, 4693-4703	60

2257	Filler/matrix-debonding and micro-mechanisms of deformation in particulate filled polypropylene composites under tension. 2010 , 51, 2040-2048		35
2256	Current issues in research on structure-property relationships in polymer nanocomposites. 2010 , 51, 3321-3343		673
2255	Particle size dependence of the elastic modulus of particulate filled PMMA near its Tg. 2010 , 51, 3826-3828		15
2254	Solvent-Free One-Pot Synthesis of high performance silica/epoxy nanocomposites. 2010 , 51, 5377-5384		17
2253	Effect of nanowhisker-modified zeolites on mechanical and thermal properties of poly(vinyl acetate) composites with pure-silica MFI. 2010 , 51, 5744-5755		14
2252	Nanodiamond/poly (lactic acid) nanocomposites: Effect of nanodiamond on structure and properties of poly (lactic acid). <i>Composites Part B: Engineering</i> , 2010 , 41, 646-653	10	64
2251	Particle toughening of polymers by plastic void growth. 2010 , 70, 885-891		96
2250	Increasing the toughness of nylon 12 by the incorporation of functionalized graphene. 2010 , 48, 4309-4314		119
2249	Evaluation of tribological properties of carbon fiber-reinforced PA6 composites. 2010 , 31, 536-542		13
2248	Polysulfone Activated Carbon Composite Membranes. 2010 , 660-661, 1081-1086		6
2247	Effect of Molecular Weight, Particle Size and Ringer's Solution on Mechanical Properties of Surface-treated Polypropylene-Hydroxyapatite Biocomposites. 2010 , 44, 2785-2799		5
2246	The Friction and Wear Properties of Thermoplastic PA6 Composites Filled with Carbon Fiber. 2010 , 23, 337-349		22
2245	Mechanical properties of particulate-filler/woven-glass-fabric-filled vinyl ester composites. 2010 , 16, 98-104		15
2244	The effect of interfacial interactions on the elastic modulus of polymer nanocomposites. 2010 ,		1
2243	ZnO and ZnO-BiO ₂ core-shell structured fillers on properties of polycarbonate nanocomposites. 2010 , 39, 419-424		
2242	The mechanics of biocomposites. 2010 , 411-440		6
2241	Rheological Behavior of Concentrated Hyperbranched Polymer/Silica Nanocomposite Suspensions. 2010 , 43, 7705-7712		42
2240	Halogen free flame retardants for Epoxy substrate in electronic applications. 2010 ,		

2239	The Tensile Fatigue Behavior of a Glass-fiber Reinforced Plastic Composite Using a Hybrid-toughened Epoxy Matrix. 2010 , 44, 2095-2109	49
2238	The Effect of Tungsten Sulfide Fullerene-Like Nanoparticles on the Toughness of Epoxy Adhesives. 2010 , 24, 1083-1095	55
2237	Effect of Polyethylene-Grafted Maleic Anhydride (PE-g-MAH) on Properties of Low Density Polyethylene/Eggshell Powder (LDPE/ESP) Composites. 2010 , 49, 347-353	37
2236	Oxide nanocrystal based nanocomposites for fabricating photoplastic AFM probes. 2011 , 3, 4632-9	7
2235	Self-assembly of organic-organic nanocomposites with nacre-like hierarchical structures. 2011 , 7, 4828	17
2234	Nanofluid acrylate composite resins-initial preparation and characterization. 2011 , 2, 1778	32
2233	THE EFFECT OF MICRON-RUBBER AND NANO-SILICA PARTICLES ON THE FATIGUE CRACK GROWTH BEHAVIOR OF AN EPOXY POLYMER. 2011 , 10, 1095-1099	17
2232	Multiscale modeling of cross-linked epoxy nanocomposites to characterize the effect of particle size on thermal conductivity. 2011 , 110, 124302	36
2231	The development and properties of Polypropylene-silica sand nanoparticles composites. 2011 ,	1
2230	The development and characterization of HDPE-silica sand nanoparticles composites. 2011 ,	1
2229	In Situ Fabrication of Surface Modified Lead Monoxide Nanopowder and Its HDPE Nanocomposite. 2011 , 50, 4478-4483	16
2228	Effect of ion exchange treatment on the properties of muscovite filled epoxy composite. 2011 , 52, 295-300	19
2227	Fire and mechanical performance of nanoclay reinforced glass-fiber/PBT composites containing aluminum hypophosphite particles. 2011 , 42, 794-800	86
2226	Properties of spin coated epoxy/silica thin film composites: Effect of nano- and micron-size fillers. 2011 , 42, 1432-1437	18
2225	Enhancement of dispersion and adhesion of B4C particles in epoxy resin using direct ultrasonic excitation. 2011 , 416, 293-297	27
2224	Toughening of polylactide with higher loading of nano-titania particles coated by poly(Ecaprolactone). 2011 , 65, 729-732	40
2223	The effect of alternate heating rates during cure on the structure-property relationships of epoxy/MMT clay nanocomposites. 2011 , 71, 1761-1768	27
2222	Multiscale analysis of stiffness and fracture of nanoparticle-reinforced composites using micromechanics and global-local finite element models. 2011 , 78, 2645-2662	23

2221	Temporary shape development in shape memory nanocomposites using magnetic force. 2011 , 47, 1709-1719	20
2220	The Effect of an Interphase on Micro-Crack Behaviour in Polymer Composites. 2011 , 83-97	6
2219	The role of hydroxyapatite in citric acid-based nanocomposites: surface characteristics, degradation, and osteogenicity in vitro. 2011 , 7, 4057-63	34
2218	Investigation of the fracture mechanism and mechanical properties of polystyrene/silica nanocomposite in various silica contents. 2011 , 46, 5628-5638	31
2217	Improved optical and electrical response in metal-polymer nanocomposites for photovoltaic applications. 2011 , 46, 6096-6105	13
2216	Long-term in vivo response to citric acid-based nanocomposites for orthopaedic tissue engineering. 2011 , 22, 2131-8	19
2215	A study on effect of mineral additions on the mechanical, thermal, and structural properties of poly(butylene terephthalate) (PBT) composites. 2011 , 18, 1081-1090	42
2214	Homogenization of viscoelastic-matrix fibrous composites with square-lattice reinforcement. 2011 , 81, 1903-1913	9
2213	Optimizing and evaluating the biocompatibility of fiber composites with calcium phosphate additives. 2011 , 161, 493-502	3
2212	Static and dynamic compressive properties of mica/polypropylene composites. 2011 , 528, 1567-1576	30
2211	Thermal and mechanical properties of alkyl-functionalized nanodiamond composites. 2011 , 11, 1183-1187	36
2210	Effect of temperature and particle weight fraction on mechanical and micromechanical properties of sand-polyethylene terephthalate composites: A laboratory and discrete element method study. <i>Composites Part B: Engineering</i> , 2011 , 42, 1461-1467	10 16
2209	Preparation and characterization of β -TCP/CS scaffolds by freeze-extraction and freeze-gelation. 2011 , 26, 371-375	2
2208	Perspectives in mechanics of heterogeneous solids. 2011 , 24, 1-26	43
2207	Structural evolution during uniaxial deformation of natural rubber reinforced with nano-alumina. 2011 , 22, 2001-2008	10
2206	Study on elastic modulus of crosslinked polyurethane/organoclay nanocomposites. 2011 , 22, 2022-2031	6
2205	Mechanical properties of nanosilica/polypropylene composites under dynamic compression loading. 2011 , 32, 565-575	19
2204	Pollen: A Novel, Biorenewable Filler for Polymer Composites. 2011 , 296, 1055-1062	11

2203	Early tissue response to citric acid-based micro- and nanocomposites. 2011 , 96, 29-37	27
2202	Effective surface treatments for enhancing the thermal conductivity of BN-filled epoxy composite. 2011 , 119, 3234-3243	75
2201	Preparation and characterization of nano/micro-calcium carbonate particles/polypropylene composites. 2011 , 119, 3560-3565	16
2200	Facile preparation of nylon 6 nanocomposites based on clay reinforcement and core-shell latex toughening: Morphology, properties, and impact fracture behavior. 2011 , 121, 541-553	6
2199	Coincorporation of nano-silica and nano-calcium carbonate in polypropylene. 2011 , 121, 3007-3013	7
2198	Characterization and diffusion behavior of chitosan-βoss composite membranes. 2011 , 122, 427-435	22
2197	Expandable graphite-methyl methacrylate-acrylic acid copolymer composite particles as a flame retardant of rigid polyurethane foam. 2011 , 122, 932-941	40
2196	Improvement in impact-, tensile-, and dynamic properties of injection molded wheat-pulp-polypropylene composites through fiber finishing. 2011 , 122, 2697-2707	4
2195	Toughness of HDPE/CaCO ₃ microcomposites prepared from masterbatch by melt blend method. 2011 , 122, 3303-3315	9
2194	Application of functional ANOVA to the study of thermal stability of micro-βano silica epoxy composites. 2011 , 105, 114-124	29
2193	Three-phase incremental damage theory of particulate-reinforced composites with a brittle interphase. 2011 , 93, 1136-1142	15
2192	Incremental damage theory of particulate-reinforced composites with a ductile interphase. 2011 , 93, 2655-2662	9
2191	Gelatin functionalization with tyrosine derived moieties to increase the interaction with hydroxyapatite fillers. 2011 , 7, 1693-701	54
2190	Mechanical and dry sliding wear characterization of epoxy-βiO ₂ particulate filled functionally graded composites materials using Taguchi design of experiment. 2011 , 32, 615-627	111
2189	Structure and surface coverage of water-based stearate coatings on calcium carbonate nanoparticles. 2011 , 362, 67-73	12
2188	Advanced hollow epoxy particle-filled composites. 2011 , 45, 2287-2299	3
2187	Fabrication and characterization of nanocomposites with high-impact polystyrene and hydroxyapatite with well-defined polystyrene via ATRP. 2011 , 30, 1445-1453	5
2186	Morphology and mechanical properties of antibacterial nylon 6/nano-silver nano-composite multifilament yarns. 2011 , 81, 1694-1701	17

2185	Mechanical and microstructural properties of polystyrene based composites: positron lifetime spectroscopic and DSC studies. 2011 , 31,	
2184	Adhesion and flammability of water based acrylic resins with silica nanoparticles. 2011 , 40, 125-132	1
2183	Nanocomposites of EVA/polystyrene nanoparticles/montmorillonite. 2011 , 45, 631-638	4
2182	Studies on acrylonitrile-Butadiene copolymer (NBR) layered silicate composites: mechanical and viscoelastic properties. 2011 , 45, 2011-2022	10
2181	Interface Stability of Microencapsulated-Paraffin Filled Epoxy Composites: Effect of Methylation on Melamine-Formaldehyde Shell Material. 2011 , 18, 645-659	16
2180	Mechanical and Thermal Properties of ABS/PVC Composites: Effect of Particles Size and Surface Treatment of Ground Calcium Carbonate. 2012 , 51, 473-479	15
2179	Micro-Crack Propagation in Particulate Composite with Different Types of Matrix. 2012 , 245, 138-143	1
2178	Viscoelastic, Mechanical and DOE-Based Study on PP-Nanocomposites. 2012 , 51, 832-839	4
2177	Characteristics of Exfoliated Graphite Nanoplatelets-Polyamide12 Nanocomposites Processed by Extrusion Injection Molding. 2012 ,	
2176	Determination of local debonding stress and investigation of its effect on mechanical properties of glass short fiber reinforced polycarbonate composites. 2012 ,	0
2175	Nanocomposites and Hybrid Materials. 2012 , 177-209	4
2174	Polymer diffusion in a polymer nanocomposite: effect of nanoparticle size and polydispersity. 2012 , 8, 6512	83
2173	Multiphase coatings from complex radiation curable polyurethane dispersions. 2012 , 75, 560-568	24
2172	Distribution of zirconia nanoparticles in the matrix of poly(4,4'-oxydiphenylenepyromellitimide). 2012 , 54, 486-495	9
2171	Effect of SEBS on morphology, thermal, and mechanical properties of PP/organoclay nanocomposites. 2012 , 69, 1073-1091	31
2170	Cyclic viscoelastoplasticity of polypropylene/nanoclay composites. 2012 , 16, 397-425	4
2169	Analysis of the Contribution of Adhesion and Hysteresis to Shoe-Floor Lubricated Friction in the Boundary Lubrication Regime. 2012 , 47, 341-347	26
2168	An attempt to quantitatively predict the interfacial adhesion of differently surface treated nanosilicas in a polyurethane coating matrix using tensile strength and DMTA analysis. 2012 , 34, 24-31	32

2167	Preparation of bio-nanocomposites of chitosan/thermoplastic starch reinforced with multiwalled carbon nanotubes. 2012,	1
2166	Calcium carbonate nanocomposites. 2012, 55-90	6
2165	Impact of large aspect ratio, shear-stiff, mica-like clay on mechanical behaviour of PMMA/clay nanocomposites. 2012, 53, 3230-3237	26
2164	Multifractal analysis of tensile toughness and filler dispersion for polypropylene/CaCO ₃ composites. 2012, 258, 8940-8945	16
2163	Natural fiber reinforced polystyrene composites: Effect of fiber loading, fiber dimensions and surface modification on mechanical properties. 2012, 41, 289-297	61
2162	Determination of Young's modulus in polyester-Al ₂ O ₃ and epoxy-Al ₂ O ₃ nanocomposites using the Digital Image Correlation method. 2012, 43, 304-309	20
2161	Nanoparticles with various surface modifications as functionalized cross-linking agents for composite resin materials. 2012, 72, 1153-1159	25
2160	Numerical study on the effects of hierarchical wavy interface morphology on fracture toughness. 2012, 57, 14-22	30
2159	Cyclic viscoelastoplasticity of polypropylene/nanoclay hybrids. 2012, 53, 396-408	10
2158	Prediction of strength in intercalated epoxy/clay nanocomposites via finite element modelling. 2012, 55, 10-16	12
2157	One-Pot Preparation of Core-Shell, Organic-Inorganic, Hybrid Latexes by In Situ Nanoparticle Precipitation in Pickering Emulsion Polymerization. 2012, 213, 1944-1952	9
2156	Effect of particle size and surface modification on mechanical properties of poly(para-dioxanone)/inorganic particles. 2012, 33, 1700-1706	6
2155	New type of ductile-to-ductile transition in particulate-filled composites. 2012, 445, 134-137	1
2154	Evaluation of different conductive nanostructured particles as filler in smart piezoresistive composites. 2012, 7, 327	24
2153	Preparation of silica nanospheres and porous polymer membranes with controlled morphologies via nanophase separation. 2012, 7, 440	8
2152	Natural Fiber Reinforced Composites. 2012, 52, 259-320	263
2151	Molecular dynamics method to locally resolve Poisson's ratio: Mechanical description of the solid-soft-matter interphase. 2012, 86, 036704	12
2150	Effect of surface functionalization of SiO ₂ particles on the interfacial and mechanical properties of PEN composite films. 2012, 415, 125-133	47

2149	Quasi-static and dynamic fracture behavior of particulate polymer composites: A study of nano- vs. micro-size filler and loading-rate effects. <i>Composites Part B: Engineering</i> , 2012 , 43, 3467-3481	10	68
2148	Mechanical and interfacial properties of wood and bio-based thermoplastic composite. 2012 , 72, 1733-1740		36
2147	Stretchable and conformable metal-polymer piezoresistive hybrid system. 2012 , 186, 191-197		40
2146	Fabrication of Bioactive Polyoxymethylene Nanocomposites for Bone Tissue Replacement. 2012 , 320, 24-37		13
2145	Radiation-protective polymer-matrix nanostructured composites. 2012 , 536, S522-S526		48
2144	Polymeric Extrusion. 2012 , 1		
2143	Surface-Functionalized Inorganic Colloidal Nanocrystals in Functional Nanocomposite Materials for Microfabrication. 2012 , 263-283		
2142	Bioactive Nano-Composite Multifilament Yarns. 2012 , 7, 155892501200700		3
2141	Tenacificaç do poli(óxido líico) pela adiç do terpolímero (etileno/acrilato de metila/metacrilato de glicidila). 2012 , 22, 164-169		11
2140	Effect of functionalized elastomer addition on mechanical and interfacial properties of poly (butylene terephthalate)/glass fiber composites. 2012 , 33, 58-67		13
2139	The effect of loading rates and particle geometry on compressive properties of polypropylene/zinc oxide nanocomposites: Experimental and numerical prediction. 2012 , 33, 99-108		11
2138	Effect of rolling deformation on the structures and properties of multi-walled carbon nanotube filled isotactic polypropylene. 2012 , 61, 545-553		
2137	Spiky nanostructured metal particles as filler of polymeric composites showing tunable electrical conductivity. 2012 , 50, 984-992		58
2136	High-performance hexagonal boron nitride/bismaleimide composites with high thermal conductivity, low coefficient of thermal expansion, and low dielectric loss. 2012 , 23, 919-928		61
2135	Mechanical properties of polypropylene blended with esterified and alkylated lignin. 2012 , 125, 1701-1712		75
2134	Melt viscoelasticity, electrical conductivity, and crystallization of PVDF/MWCNT composites: Effect of the dispersion of MWCNTs. 2012 , 125, E49		33
2133	Mechanical, thermal, and transport properties of nitrile rubber-nanocalcium carbonate composites. 2012 , 126, 1983-1992		24
2132	Deformation and fracture behaviors of vinyl ester/fly ash composites. 2012 , 128, n/a-n/a		

2131	On depression of glass transition temperature of epoxy nanocomposites. 2012 , 47, 6891-6895		17
2130	Response of fly ash-reinforced functionally graded rubber composites subjected to mechanical loading. 2012 , 48, 89-100		3
2129	Improving interlaminar fracture toughness of carbon fibre/epoxy laminates by incorporation of nano-particles. <i>Composites Part B: Engineering</i> , 2012 , 43, 90-94	10	105
2128	Processing of diamond-particle-dispersed silver-matrix composites in solid-liquid co-existent state by SPS and their thermal conductivity. <i>Composites Part B: Engineering</i> , 2012 , 43, 1445-1452	10	32
2127	A comparison of melt and solution mixing on the dispersion of carbon nanotubes in a poly(vinylidene fluoride) matrix. <i>Composites Part B: Engineering</i> , 2012 , 43, 1425-1432	10	60
2126	Effect of intumescent ammonium polyphosphate (APP) and melamine cyanurate (MC) on the properties of epoxy/glass fiber composites. <i>Composites Part B: Engineering</i> , 2012 , 43, 124-128	10	69
2125	Effects of silane-modified carbon nanotubes on flexural and fracture behaviors of carbon nanotube-modified epoxy/basalt composites. <i>Composites Part B: Engineering</i> , 2012 , 43, 2298-2302	10	98
2124	Effect of surface modification with 3-aminopropyltriethoxy silane on mechanical and crystallization performances of ZnO/poly(butylenesuccinate) composites. <i>Composites Part B: Engineering</i> , 2012 , 43, 2209-2216	10	21
2123	Nano-porous thermally sintered nano silica as novel fillers for dental composites. 2012 , 28, 133-45		80
2122	Preparation, characterization and properties of novel $\text{Ba}_{0.95}\text{Ca}_{0.05}\text{Ti}_{0.8}\text{Zr}_{0.2}\text{O}_3$ -poly(vinylidene fluoride-trifluoroethylene). 2012 , 132, 740-746		24
2121	Static and dynamic mechanical properties of poly(vinyl chloride) loaded with aluminum oxide nanopowder. 2012 , 33, 523-528		18
2120	Characterization and finite element modeling of montmorillonite/polypropylene nanocomposites. 2012 , 35, 425-433		13
2119	Numerical analysis of the stress-strain distributions in the particle reinforced metal matrix composite SiC/6064Al. 2012 , 38, 1-6		32
2118	Characterization of alendronate sodium-loaded UHMWPE for anti-osteolysis in orthopedic applications. 2012 , 32, 83-91		9
2117	Contrast on tensile and flexural properties of glass powder reinforced epoxy composites: Pilot study. 2012 , 123, 152-161		11
2116	Structure-property relationships of halogen-free flame-retarded poly(butylene terephthalate) and glass fiber reinforced PBT. 2012 , 124, 9-18		20
2115	Effect of thermal fatigue on the mechanical properties of epoxy matrix composites reinforced with olive pits powder. 2012 , 124, 67-76		27
2114	Performance of epoxy filled with nano- and micro-sized Magnesium hydroxide. 2012 , 47, 1480-1488		32

2113	Mechanical properties of polymer near graphite sheet. 2013 , 47, 449-458		9
2112	Effect of end-capped nanosilica on mechanical properties and microstructure of LLLDPE/EVA blends. 2013 , 127, 1172-1179		7
2111	Surface-modified talc particles by acetoxy groups grafting: Effects on mechanical properties of polypropylene/talc composites. 2013 , 53, 89-95		6
2110	Effect of HA with different grain size range on the crystallization behaviors and mechanical property of HA/PLGA composite. 2013 , 565, 52-57		17
2109	Investigation of nano-size montmorillonite on enhancing polyvinyl alcohol-starch blends prepared via solution cast approach. <i>Composites Part B: Engineering</i> , 2013 , 47, 238-247	10	59
2108	Determination of the elastic modulus of poly(ethylene oxide) using a photoisomerizing dye. 2013 , 422, 246-250		23
2107	Strength analysis of particulate polymers. <i>Composites Part B: Engineering</i> , 2013 , 54, 278-288	10	7
2106	The influence of nano/micro hybrid structure on the mechanical and self-sensing properties of carbon nanotube-microparticle reinforced epoxy matrix composite. 2013 , 54, 28-36		39
2105	Effect of processing method on the properties of multifunctional exfoliated graphite nanoplatelets/polyamide 12 composites. 2013 , 64, 122-131		40
2104	The relationship between nanosilica dispersion degree and the tensile properties of polyurethane nanocomposites. 2013 , 291, 2745-2753		6
2103	A comparative study of the effect of different rigid fillers on the fracture and failure behavior of polypropylene based composites. <i>Composites Part B: Engineering</i> , 2013 , 52, 72-83	10	39
2102	The effects of UV irradiation exposure on the structure and properties of polypropylene/ZnO nanocomposite fibers. 2013 , 14, 1627-1634		14
2101	Elastoplastic modeling of polymeric composites containing randomly located nanoparticles with an interface effect. 2013 , 99, 123-130		16
2100	Three-dimensional discrete element modeling of micromechanical bending tests of ceramic-polymer composite materials. 2013 , 248, 77-83		10
2099	Confrontation between Molecular Dynamics and micromechanical approaches to investigate particle size effects on the mechanical behaviour of polymer nanocomposites. 2013 , 79, 495-505		22
2098	Simultaneously enhanced cryogenic tensile strength and fracture toughness of epoxy resins by carboxylic nitrile-butadiene nano-rubber. 2013 , 55, 178-187		77
2097	Effect of hybrid phenolic hollow microsphere and silica-filled vinyl ester composites. 2013 , 47, 169-182		18
2096	Ceramic-polymer capacitive sensors for tactile/force awareness in harsh environment robotic applications. 2013 , 22, 125017		9

2095	Abrasive wear performance and antibacterial assessment of untreated and treated ZnO-reinforced polymer composite. 2013 , 34, 1020-1032		16
2094	Properties of flame-retardant fillers in polypropylene/ethylene propylene diene monomer composites. 2013 , 26, 1223-1236		15
2093	The modelling of the toughening of epoxy polymers via silica nanoparticles: The effects of volume fraction and particle size. 2013 , 54, 7022-7032		86
2092	Superhard transparent hybrid nanocomposites for high fidelity UV-nanoimprint lithography. 2013 , 54, 6177-6183		8
2091	Mechanical properties of bioinspired bicontinuous nanocomposites. 2013 , 80, 71-78		13
2090	Mechanical and fracture properties of halloysite nanotube reinforced vinyl-ester nanocomposites. 2013 , 130, 1716-1725		9
2089	Thermal-Diffusivity Measurements of Conductive Composites Based on EVA Copolymer Filled With Expanded and Unexpanded Graphite. 2013 , 34, 2297-2306		8
2088	Fracture analysis of epoxy/SWCNT nanocomposite based on globalâ€¦cal finite element model. <i>Composites Part B: Engineering</i> , 2013 , 54, 400-408	10	24
2087	Contribution of matrix yielding energy to the crack resistance of particle reinforced composites. 2013 , 86, 135-141		8
2086	Effect of particle size distribution on debonding energy and crack resistance of polymer composites. 2013 , 77, 53-60		15
2085	Core/shell rubber toughened polyamide 6: an effective way to get good balance between toughness and yield strength. 2013 , 3, 21563		28
2084	Preparation and characterisation of epoxy/alumina polymer nanocomposites. 2013 , 20, 721-740		14
2083	Tailored intracellular delivery via a crystal phase transition in 400 nm vaterite particles. 2013 , 1, 1273-1281		66
2082	NR/CSM/biogenic silica rubber blend composites. <i>Composites Part B: Engineering</i> , 2013 , 55, 368-373	10	14
2081	Mechanical Properties of Mica-Filled Polycarbonate/Poly(Acrylonitrile-Butadiene-Styrene) Composites. 2013 , 52, 727-736		22
2080	Effect of preliminary compression and uniform shear on the deformation behavior of a filled polymer nanocomposite in orientation stretching. 2013 , 449, 94-97		9
2079	Effect of clinoptilolite filler on the physical and mechanical properties of polypropylene. 2013 , 34, 1396-1403		6
2078	Nanofluid polyurethane/polyurea resinsâ€¦thin films and clearcoats. 2013 , 51, 3439-3448		10

2077	Crystallization, shrinkage and mechanical characteristics of polypropylene/CaCO ₃ nanocomposites. 2013 , 26, 544-554	14
2076	The effect of a graded interphase on the mechanism of stress transfer in a fiber-reinforced composite. 2013 , 58, 35-54	38
2075	Three-dimensional assessment of low velocity impact damage in particle toughened composite laminates using micro-focus X-ray computed tomography and synchrotron radiation laminography. 2013 , 52, 62-69	69
2074	Multilayered confinement of iPP/TPOSS and nylon 6/APOSS blends. 2013 , 54, 6992-7003	6
2073	Anisotropic compressive deformation behaviors of tungsten fiber reinforced Zr-based metallic glass composites. 2013 , 566, 16-21	23
2072	Crystalline morphology and properties of multi-walled carbon nanotube filled isotactic polypropylene nanocomposites: Influence of filler size and loading. 2013 , 52, 70-79	32
2071	Novel phosphorous-nitrogen intumescent flame retardant system. Its effects on flame retardancy and thermal properties of polypropylene. 2013 , 98, 297-305	105
2070	Recycling of polyamide (PA) from scrap tires as composites and blends. 2013 , 1, 762-767	10
2069	A statistical study on the stress-strain relation of progressively debonded composites. 2013 , 49, 257-261	5
2068	Biomimetic adhesive containing nanocomposite hydrogel with enhanced materials properties. 2013 , 9, 3825	103
2067	Structure and Mechanical Properties of Polymers. 2013 , 425-434	2
2066	Cryogenic Properties of Polymer Materials. 2013 , 9-39	1
2065	Nanoscaled Boehmites Modes of Action in a Polymer and its Carbon Fiber Reinforced Plastic. 2013 , 49-58	1
2064	Micro and Nanofillers in Rubbers. 2013 , 303-356	2
2063	Bio-composites based on polypropylene reinforced with Almond Shells particles: Mechanical and thermal properties. 2013 , 51, 225-230	96
2062	Pine cone fiber/clay hybrid composite: Mechanical and thermal properties. 2013 , 50, 376-381	75
2061	Mechanical and thermal properties of bio-composites based on polypropylene reinforced with Nut-shells of Argan particles. 2013 , 49, 442-448	101
2060	Smectite-Polymer Nanocomposites. 2013 , 679-706	19

2059	Thermal conductivity, coefficient of linear thermal expansion and mechanical properties of LDPE/Ni composites. 2013 , 87, 435-445		17
2058	Mechanical properties and in vitro evaluation of bioactivity and degradation of dexamethasone-releasing poly-D-L-lactide/nano-hydroxyapatite composite scaffolds. 2013 , 22, 41-50		14
2057	Effect of bimodal particle size distributions on the toughening mechanisms in silica nanoparticle filled epoxy resin. 2013 , 54, 1832-1845		72
2056	Time-dependent response of polypropylene/clay nanocomposites under tension and retraction. 2013 , 53, 931-940		3
2055	Polymer concrete with recycled PET: The influence of the addition of industrial waste on flammability. 2013 , 40, 378-389		13
2054	Influence of cluster size and surface functionalization of ZnO nanoparticles on the morphology, thermomechanical and piezoelectric properties of P(VDF-TrFE) nanocomposite films. 2013 , 279, 204-211		67
2053	Enhanced mechanical properties of epoxy nanocomposites by mixing noncovalently functionalized boron nitride nanoflakes. 2013 , 9, 2602-10		155
2052	Influence of silica and coupling agent loading on thermal, morphological and mechanical properties of hybrid membranes. 2013 , 70, 2305-2317		2
2051	Enhanced fatigue behavior of a glass fiber reinforced hybrid particles modified epoxy nanocomposite under WISPERX spectrum load sequence. 2013 , 54, 25-31		32
2050	Carbon nanotube-graphene nanoplatelet hybrids as high-performance multifunctional reinforcements in epoxy composites. 2013 , 74, 221-227		315
2049	Carbon Nanotubes for Novel Hybrid Structural Composites with Enhanced Damage Tolerance and Self-Sensing/Actuating Abilities. 2013 , 1-20		3
2048	The influence of multiscale fillers reinforcement into impact resistance and energy absorption properties of polyamide 6 and polypropylene nanocomposite structures. 2013 , 50, 244-252		23
2047	Reinforcement and quantitative description of inorganic particulate-filled polymer composites. <i>Composites Part B: Engineering</i> , 2013 , 51, 224-232	10	74
2046	Adhesive contact of a fluid-filled membrane driven by electrostatic forces. 2013 , 50, 2678-2690		4
2045	Influence of talc morphology on the mechanical properties of talc filled polypropylene. 2013 , 20, 1		26
2044	New Phosphonate-Based Additives for Fortification in Model Epoxies. 2013 , 46, 2067-2077		5
2043	Microstructure effect on the mechanical properties of heterogeneous composite materials. <i>Composites Part B: Engineering</i> , 2013 , 44, 714-721	10	9
2042	Investigation of erosive wear behavior and physical properties of SGF and/or calcite reinforced ABS/PA6 composites. <i>Composites Part B: Engineering</i> , 2013 , 44, 385-393	10	32

2041	Micromechanics models of particulate filled elastomer at finite strain deformation. <i>Composites Part B: Engineering</i> , 2013 , 45, 881-887	10	11
2040	Aspects of fracture toughness modelling of particle filled polymer composites. <i>Composites Part B: Engineering</i> , 2013 , 45, 1569-1574	10	24
2039	Effect of huntite mineral on mechanical, thermal and morphological properties of polyester matrix. <i>Composites Part B: Engineering</i> , 2013 , 45, 1534-1540	10	27
2038	Particle size Dependent on the static and dynamic compression properties of polypropylene/silica composites. 2013 , 45, 539-547		24
2037	On Nanoparticles Release from Polymer Nanocomposites for Applications in Lightweight Automotive Components. 2013 , 429, 012046		7
2036	The influence of SiC particle size and volume fraction on the thermal conductivity of spark plasma sintered UO ₂ -SiC composites. 2013 , 442, 245-252		33
2035	Aminoalcohol functionalized zirconium phosphate as versatile filler for starch-based composite membranes. 2013 , 97, 210-6		8
2034	Synergetic effects of radiolytically degraded PTFE microparticles and organoclay in PTFE-reinforced ethylene vinyl acetate composites. 2013 , 143, 149-154		12
2033	Interfacial Properties of Carbon-Rubber Interfaces Investigated via Indentation Pull-Out Tests and the JKR Theory. 2013 , 52, 155-161		1
2032	Smart piezoresistive tunnelling composite for flexible robotic sensing skin. 2013 , 22, 125039		25
2031	Thermal and Mechanical Responses of Particulate Composite Plates Under Direct Excitation. 2013 ,		2
2030	Particulate Composite Damage: Numerical Estimation of Micro-Crack Propagation Direction. 2013 , 592-593, 445-448		1
2029	The Effect of a Rapid Heating Rate, Mechanical Vibration and Surfactant Chemistry on the Structure-Property Relationships of Epoxy/Clay Nanocomposites. 2013 , 6, 3624-3640		14
2028	Application of rapid tooling for the production of moulds suitable for autoclave forming of CFRP. 2013 , 19, 327-336		9
2027	Effect of CaCO ₃ Particle Size and Size Distribution on Rheological and Mechanical Properties of Polyethylene. 2013 , 734-737, 2252-2255		
2026	Fatigue Behavior of a Nanocomposite under a Fighter Aircraft Spectrum Load Sequence. 2013 , 24, 58-66		4
2025	Reusing Waste Oyster Shells in Polypropylene and its Performances. 2013 , 641-642, 1001-1004		1
2024	Mechanical and Morphology Properties of Polypropylene/ Nano-CaCO ₃ Composites. 2013 , 774-776, 625-628		

2023	Electrical and thermal properties of stainless steel fibers and carbon nanotubes reinforced polyamide-6. 2013 , 42, 437-445	8
2022	Synthesis, characterization, and properties of flexible magnetic nanocomposites of cobalt ferriteâpolybenzoxazineâlinear low-density polyethylene. 2013 , 128, 3726-3733	13
2021	Characterization of Mechanical and Fracture Behaviour in Nano-Silicon Carbide-Reinforced Vinyl-Ester Nanocomposites. 2013 , 52, 921-930	4
2020	Rheology, mechanical properties, and biodegradation of poly(Îaprolactone)/silica nanocomposites. 2013 , 34, 1620-1628	20
2019	Analysis of thermal conductivity of polymeric nanocomposites under mechanical loading. 2013 , 114, 213503	10
2018	Nanomaterials for cartilage tissue engineering. 2013 , 301-334	
2017	Immobilization and Encapsulation of Contaminants Using Silica Treatments: A Review. 2013 , 24, 49-67	8
2016	Influence of strain rate on the toughening effect of CaCO ₃ in polypropylene/CaCO ₃ composites. 2013 , 19, 271-275	2
2015	Surface resistivity and mechanical properties of rotationally molded polyethylene/graphite composites. 2013 , 19, 258-270	14
2014	Influence of halloysite nanotubes on physical and mechanical properties of cellulose fibres reinforced vinyl ester composites. 2013 , 32, 233-247	22
2013	Fundamentals of Polymers and Polymer Composite. 2013 , 1-33	0
2012	Modelling of tensile properties glass powder/epoxy composites post-cured in an oven and in microwaves. 2013 , 32, 689-699	3
2011	Thermal processing and properties of bioplastic sheets derived from meat and bone meal. 2013 , 130, 256-263	14
2010	Enhancement of mechanical properties of experimental composite by Fuller's earth nanofibers for cervical restoration. 2013 , 101, 911-8	2
2009	Mechanical Properties of Rubber Toughened Polyester Filled Carbon Black. 2013 , 701, 37-41	2
2008	Comparison between Nano-and Micro-Sized Copper Particles as Fillers in NAO Friction Materials. 2013 , 3, 12	15
2007	Aplicaço de um planejamento fatorial para a avaliaço das propriedades mecnicas, trmicas, morfolgicas e de escoamento de compsitos ^base de PEAD e CaCO ₃ . 2013 , 18, 1382-1394	
2006	The Effect of Nanoparticles Percentage on Mechanical Behavior of Silica-Epoxy Nanocomposites. 2013 , 2013, 1-10	58

2005	Properties of vulcanized polyisoprene rubber composites filled with opalized white tuff and precipitated silica. 2014 , 2014, 913197	6
2004	Mechanical properties of epoxy resin based on granite stone powder from the Sergipe fold-and-thrust belt composites. 2014 , 17, 878-887	18
2003	Rheological and mechanical characterization of poly (methyl methacrylate)/silica (PMMA/SiO ₂) composites. 2014 , 17, 926-932	13
2002	Mechanical properties and connectivity evaluation of a conductive coated piezoceramic/polymer composite. 2014 , 04, 1450019	2
2001	Effect of magnesium hydroxide nanoparticles with rod and plate shape on mechanical and biological properties of poly(L-lactide) composites. 2014 , 22, 1032-1041	9
2000	Cross-linked Chitosan/Thermoplastic Starch Reinforced with Multiwalled Carbon Nanotubes Using Maleate Esters as Coupling Agent: Mechanical, Tribological and Thermal Characteristics. 2014 , 53, 1476-1486	5
1999	SYNTHESIS AND CHARACTERISATION OF ELECTROSPUN CHITOSAN MEMBRANES REINFORCED BY HALLOYSITE NANOTUBES. 2014 , 14, 1450058	31
1998	Study on the load partition behaviors of high particle content B ₄ C/Al composites in compression. 2014 , 48, 355-364	13
1997	Effects of particle/matrix interface and strengthening mechanisms on the mechanical properties of metal matrix composites. 2014 , 21, 415-429	20
1996	Preparation and Characterization of TiO ₂ Particulate Filled Polyester Based Glass Fiber Reinforced Polymer Composite. 2014 , 984-985, 360-366	1
1995	Structure and Mechanical Properties of Starch/Styrene-Butadiene Latex Composites. 2014 , 936, 74-81	7
1994	On the Thermomechanical Response of HTPB Composite Beams Under Near-Resonant Base Excitation. 2014 ,	2
1993	Thermal and mechanical response of particulate composite plates under inertial excitation. 2014 , 116, 244904	13
1992	The effect of nano fillers in electrical and mechanical properties of isotropic conductive adhesive. 2014 ,	2
1991	EFFECTS OF SURFACE TREATMENTS AND SILICA SIZE ON MECHANICAL PROPERTIES OF SILICA-REINFORCED ELASTOMERIC COMPOSITES. 2014 , 87, 264-275	2
1990	Effect of reinforcement of sustainable ECaSiO ₃ nanoparticles in bio-based epoxy resin system. 2014 , 131, n/a-n/a	10
1989	Preparation of the modified epoxy resins with flexible diglycidyl ether of diethylene glycol. 2014 , 26, 326-334	11
1988	Combined extraction and functionalization of low-cost nanoparticles from municipal solid waste fly ash through PICVD. 2014 , 2, 2242-2251	13

1987	Influence of selected submicron inorganic particles on mechanical and thermo-mechanical properties of unsaturated polyester/glass composites. 2014 , 33, 935-941	5
1986	Thermomechanical properties of poly(lactic acid) films reinforced with hydroxyapatite and regenerated cellulose microfibers. 2014 , 131, n/a-n/a	
1985	Calendered linear low-density polyethylene consolidated meat and bone meal composites. 2014 , 131, n/a-n/a	2
1984	Effects of functional group on the mechanical properties of PA6/SiO ₂ composites. 2014 , 35, 435-440	5
1983	Fracture Mechanism of Wood-Plastic Composites (WPCS): Observation and Analysis. 2014 , 385-415	
1982	Role of functionalized multiwalled carbon nanotubes on mechanical properties of epoxy-based composites at cryogenic temperature. 2014 , 26, 922-934	13
1981	Strain-Responsive Polyurethane/PEDOT:PSS Elastomeric Composite Fibers with High Electrical Conductivity. 2014 , 24, 2957-2966	193
1980	Nanosized Gold and Silver Spherical, Spiky, and Multi-branched Particles. 2014 , 179-212	3
1979	Mechanical and Thermal Properties of Horn Fibre Reinforced Polypropylene Composites. 2014 , 97, 648-659	10
1978	A study on role of nanosized SiO ₂ on deformation mechanism of vinyl ester. 2014 , 37, 1677-1683	3
1977	Comparative Study on the Wear Properties of Fly Ash and Silica Fume Filled Nylon Composites. 2014 , 592-594, 1277-1284	3
1976	Poly(3-hydroxybutyrate)/ZnO bionanocomposites with improved mechanical, barrier and antibacterial properties. 2014 , 15, 10950-73	164
1975	High Compressive Strength of Palm Oil Empty Fruit Bunches (<i>Elaeis guineensis</i>) Composites. 2014 , 896, 557-561	1
1974	Vibration Exposure Analysis of the Polysiloxane Reinforced with Rice Husk Silica. 2014 , 660, 531-535	2
1973	Effect of Filler Content on the Performance of Epoxy/PTW Composites. 2014 , 2014, 1-11	48
1972	Mechanical and rheological response of polypropylene/boehmite nanocomposites. 2014 , 33, 252-265	10
1971	Carbon Black-Filled PE/PP/EPDM Blends: Phase Selective Localization of Carbon Black and EPDM-Induced Phase Stabilization. 2014 , 53, 442-450	12
1970	Structure-fracture properties relationship for Polypropylene reinforced with fly ash with and without maleic anhydride functionalized isotactic Polypropylene as coupling agent. 2014 , 55, 85-92	30

1969	High thermal and mechanical properties enhancement obtained in highly filled polybenzoxazine nanocomposites with fumed silica. <i>Composites Part B: Engineering</i> , 2014 , 56, 197-206	10	76
1968	Dynamic behavior and flame retardancy of HDPE/hemp short fiber composites: Effect of coupling agent and fiber loading. 2014 , 113, 74-82		38
1967	Development of butyl rubber/utile composites for flexible microwave substrate applications. 2014 , 40, 7439-7448		9
1966	Preparation and properties of PEC nanocomposite membranes with carboxymethyl cellulose and modified silica. 2014 , 106, 403-9		13
1965	Properties of B ₄ C/B ₂ O ₃ /Al(OH) ₃ -epoxy nanocomposite prepared by ultrasonic dispersion approach for high temperature neutron shields. 2014 , 445, 63-71		31
1964	Effects of electron beam irradiation on mechanical properties and nanostructural morphology of montmorillonite added polyvinyl alcohol composite. <i>Composites Part B: Engineering</i> , 2014 , 63, 141-153	10	30
1963	Effect of particle size, dispersion, and particle/matrix adhesion on W reinforced polymer composites. 2014 , 40, 2145-2153		14
1962	Fracture study of the composite using essential work of fracture method: PP/SEBS/MA/E1 clay. 2014 , 53, 741-748		43
1961	Effect of alumina particles loading on the mechanical properties of light-cured dental resin composites. 2014 , 54, 430-435		56
1960	A polycaprolactone-based compatibilization treatment to improve dispersion and interphase structure of silica polyurethane composites. 2014 , 54, 1817-1826		5
1959	Influence of interfacial adhesion on the mechanical response of magneto-rheological elastomers at high strain. 2014 , 20, 803-814		10
1958	Void nucleation and growth in mineral-filled PVC – An experimental and numerical study. 2014 , 51, 1494-1506		17
1957	Mechanical and electrical properties of the epoxy composites with graphite nanoplatelets and carbon nanotubes. 2014 , 211, 336-341		15
1956	Surfactant-free dimer fatty acid polyamide/montmorillonite bio-nanocomposites. 2014 , 292, 669-676		7
1955	Influence of particle size and debonding damage on an elastic/plastic singular field around a crack-tip in particulate-reinforced composites. 2014 , 225, 1373-1389		3
1954	Effects of Nanoparticle Size on the Thermoelectric and Mechanical Properties of Skutterudite Nanocomposites. 2014 , 43, 2115-2120		11
1953	Are linear elastic material properties relevant predictors of the cyclic fatigue resistance of dental resin composites?. 2014 , 30, 381-91		28
1952	Physical and mechanical properties of graphene oxide/polyethersulfone nanocomposites. 2014 , 25, 322-328		33

1951	Effect of hybrid carbon nanotube/short glass fiber reinforcement on the properties of polypropylene composites. <i>Composites Part B: Engineering</i> , 2014 , 63, 154-160	10	60
1950	Effect of filler shape, volume fraction and loading rate on dynamic fracture behavior of glass-filled epoxy. <i>Composites Part B: Engineering</i> , 2014 , 64, 126-137	10	38
1949	Effect of nanoclays on the mechanical properties and durability of novolac phenolic resin/woven glass fiber composite at various chemical environments. 2014 , 63, 149-158		38
1948	Elastic Moduli Prediction of Synthetic Lightweight Aggregates. 2014 ,		
1947	Poly(lactic acid) (PLA) biocomposites reinforced with coir fibres: Evaluation of mechanical performance and multifunctional properties. 2014 , 63, 76-84		200
1946	XFEM with equivalent eigenstrain for matrix-inclusion interfaces. 2014 , 53, 893-908		18
1945	The influence of toughening-particles in CFRPs on low velocity impact damage resistance performance. 2014 , 58, 47-55		45
1944	Mechanical, thermal and water absorption behavior of hollow epoxy particle-filled polyester composites. 2014 , 48, 1725-1733		1
1943	Reinforcement of maleated polyethylene/ground tire rubber thermoplastic elastomers using talc and wood flour. 2014 , 131, n/a-n/a		7
1942	Effect of Bentonite Clay on the Mechanical, Thermal, and Pervaporation Performance of the Poly(vinyl alcohol) Nanocomposite Membranes. 2014 , 53, 16820-16831		68
1941	Surface-initiated polymer brushes in the biomedical field: applications in membrane science, biosensing, cell culture, regenerative medicine and antibacterial coatings. 2014 , 114, 10976-1026		426
1940	Preparation of hybrid colloidal graphite-copper phthalocyanine and their utilization in polymer composites with enhanced thermal conductivity and mechanical properties. 2014 , 21, 1		1
1939	Effects of rare earth samarium oxide on the properties of polypropylene-graft-cardanol grafted by reactive extrusion. 2014 , 131,		6
1938	Nanomaterials: the next step in injectable bone cements. 2014 , 9, 1745-64		32
1937	Enhanced thermal and mechanical properties of polyimide/graphene composites. 2014 , 22, 983-989		36
1936	Core-shell particles for design of high-performance polymeric materials with good transparency and toughness. 2014 , 21, 1		6
1935	Effects of (conductive polypyrrole)-modified tire dust on the mechanical, electrical, and morphology properties of (low-density polyethylene)/(tire dust) composites. 2014 , 20, 131-136		1
1934	A comparative investigation of bio waste filler (wood apple-coconut) reinforced polymer composites. 2014 , 35, 180-185		72

1933	The preparation and properties study of methoxy functionalized silicone-modified epoxy resins. 2014 , 131, n/a-n/a	9
1932	The effect of polystyrene blocks content and of type of elastomer blocks on the properties of block copolymer/layered silicate nanocomposites. 2014 , 616, 569-576	6
1931	Mussel-inspired polydopamine coated hollow carbon microspheres, a novel versatile filler for fabrication of high performance syntactic foams. 2014 , 6, 18644-52	57
1930	Composite Films Based on Styrene-co-butyl-acrylate with Colemanite and Calcium Bentonite Mineral Fillers. 2014 , 50, 335-342	1
1929	Enhancing the Adhesion of a Biomimetic Polymer Yields Performance Rivaling Commercial Glues. 2014 , 24, 3259-3267	131
1928	Mechanophore activation at heterointerfaces. 2014 , 136, 15925-8	83
1927	Dual-stage growth factor release within 3D protein-engineered hydrogel niches promotes adipogenesis. 2014 , 2, 1627-1639	16
1926	In situ formed crosslinked polyurethane toughened polylactide. 2014 , 5, 2530	105
1925	Nano and Hybrid Composites Based on Poly(ethylene terephthalate): Blending and Characterization. 2014 , 33, n/a-n/a	4
1924	Behaviour of whey protein emulsion gel during oral and gastric digestion: effect of droplet size. 2014 , 10, 4173-83	65
1923	Distinct mechanical properties of nanoparticle-tethering polymers. 2014 , 4, 35272-35283	15
1922	Thermal conductivity improvement of surface-enhanced polyetherimide (PEI) composites using polyimide-coated h-BN particles. 2014 , 16, 20041-6	47
1921	Effects of surface-modified silica nanoparticles attached graphene oxide using isocyanate-terminated flexible polymer chains on the mechanical properties of epoxy composites. 2014 , 2, 10557-10567	63
1920	Surface treated pollen performance as a renewable reinforcing filler for poly(vinyl acetate). 2014 , 2, 17031-17040	16
1919	Multiscale mechanics to determine nanocomposite elastic properties with piezospectroscopy. 2014 , 81, 211-218	5
1918	Novel antibacterial electrospun mats based on poly(d,l-lactide) nanofibers and zinc oxide nanoparticles. 2014 , 49, 8373-8385	58
1917	Effects of functional groups and ionization on the structure of alkanethiol-coated gold nanoparticles. 2014 , 30, 11075-85	42
1916	Mechanical stability of surface architecture--consequences for superhydrophobicity. 2014 , 6, 18380-94	58

1915	Current Approaches to Designing Nanomaterials Inspired by Mussel Adhesive Proteins. 2014 , 309-334	1
1914	Alumina modification with long chain carboxylic acid surface nanocrystals for biocompatible polysulfone nanocomposites. 2014 , 6, 14460-8	24
1913	Bioactive nanoparticle-gelatin composite scaffold with mechanical performance comparable to cancellous bones. 2014 , 6, 13061-8	60
1912	Factors controlling the enhanced mechanical and thermal properties of nanodiamond-reinforced cross-linked high density polyethylene. 2014 , 118, 11341-52	32
1911	The friction and wear properties of nano-SiO ₂ and -TiO ₂ particle-reinforced PMMA composites. 2014 , 27, 793-800	7
1910	Obtaining Monodisperse Melamine Phosphate Grains by a Continuous Reaction Crystallization Process. 2014 , 53, 6593-6599	3
1909	Challenges and solutions for joining polymer materials. 2014 , 35, 1551-70	26
1908	Electrochemistry of redox mediators encapsulated within organically modified silicate matrix in the presence of TiO ₂ and palladium nanoparticles; application on electroanalysis of ascorbic acid. 2014 , 729, 95-102	4
1907	Influence of polyhedral oligomeric silsesquioxanes on thermal and mechanical properties of melt-mixed poly(methyl methacrylate)/polyhedral oligomeric silsesquioxanes composites. 2014 , 26, 307-318	5
1906	Strength improvements in toughened epoxy composites using surface treated GnPs. 2014 , 131, n/a-n/a	7
1905	Simple one-step method to produce titanium dioxide/polycaprolactone composite films with increased hydrophilicity, enhanced cellular interaction and improved degradation for skin tissue engineering. 2014 , 49, 6373-6382	5
1904	Nitrile functionalized Al ₂ O ₃ reinforced polyarylene ether nitriles terminated with phthalonitrile composites. 2014 , 21, 1	9
1903	Structural, mechanical, thermal, and electrical properties of carbon black reinforced polyester resin composites. 2014 , 131, n/a-n/a	17
1902	A semi-concurrent multiscale approach for modeling damage in nanocomposites. 2014 , 74, 30-38	69
1901	Optimizing Ceramic Preform Properties for Liquid Metal Infiltration. 2014 , 23, 2015-2019	2
1900	Fracture Surface Analysis of 3D-Printed Tensile Specimens of Novel ABS-Based Materials. 2014 , 14, 343-353	249
1899	Effects of AlB ₂ Particles and Zinc on the Absorbed Impact Energy of Gravity Cast Aluminum Matrix Composites. 2014 , 66, 926-934	3
1898	Mechanical Properties of High Density Polyethylene/Modified Calcium Silicate Composites. 2014 , 6, 179-189	11

1897	Effect of geometry and loading fractions on energy absorbing properties of fiberglass polymer composite under quasi-static and low-velocity impact loadings. 2014 , 131, n/a-n/a		
1896	Mechanical, thermal and friction properties of rice bran carbon/nitrile rubber composites: Influence of particle size and loading. 2014 , 63, 565-574		84
1895	Effects of modified silica on morphology, mechanical property, and thermostability of injection-molded polycarbonate/silica nanocomposites. 2014 , 33, 911-922		16
1894	Functionalized carbon nanotube reinforced scaffolds for bone regenerative engineering: fabrication, in vitro and in vivo evaluation. 2014 , 9, 035001		70
1893	Surface functionalized carbon nanotubes and its effects on the mechanical properties of epoxy based composites at cryogenic temperature. 2014 , 71, 2465-2485		14
1892	Nanocomposite biomaterials based on poly(ether-ether-ketone) (PEEK) and WS inorganic nanotubes. 2014 , 2, 4509-4520		26
1891	Amine-functionalized multiwall carbon nanotubes impart osteoinductive and bactericidal properties in poly(ϵ -caprolactone) composites. 2014 , 4, 19086-19098		49
1890	Effect of nanoclay on the thermal properties of compatibilized ethylene vinyl acetate copolymer/high-density polyethylene blends. 2014 , 27, 650-662		13
1889	Antibiotic-loaded silica nanoparticle-collagen composite hydrogels with prolonged antimicrobial activity for wound infection prevention. 2014 , 2, 4660-4670		116
1888	Biocompatible polymer composites based on ultrahigh molecular weight polyethylene perspective for cartilage defects replacement. 2014 , 586, S544-S547		23
1887	The effect of low temperature air plasma treatment on physico-chemical properties of kaolinite/polyethylene composites. <i>Composites Part B: Engineering</i> , 2014 , 59, 293-299	10	19
1886	Fracture behavior of epoxy nanocomposites modified with polyol diluent and amino-functionalized multi-walled carbon nanotubes: A loading rate study. 2014 , 59, 57-69		27
1885	Influence of seawater absorption on the vibration damping characteristics and fracture behaviors of basalt/CNT/epoxy multiscale composites. <i>Composites Part B: Engineering</i> , 2014 , 63, 61-66	10	42
1884	Boron nitride-MWCNT/epoxy hybrid nanocomposites: Preparation and mechanical properties. 2014 , 318, 37-42		58
1883	An experimental investigation of the scratch behaviour of polymers: Influence of hard or soft fillers. 2014 , 317, 277-290		28
1882	Boron cross-linked graphene oxide/polyvinyl alcohol nanocomposite gel electrolyte for flexible solid-state electric double layer capacitor with high performance. 2014 , 132, 103-111		61
1881	Modification of acrylic bone cement with mesoporous silica nanoparticles: effects on mechanical, fatigue and absorption properties. 2014 , 29, 451-61		44
1880	Structural modelling and stiffness of filled elastomers. <i>Composites Part B: Engineering</i> , 2014 , 60, 555-560	10	3

1879	Fracture Mechanics of Rubber Epoxy Composites. 2014 , 45, 4046-4054		5
1878	Contribution of hydrogen and/or covalent bonds on reinforcement of natural rubber latex films with surface modified silica. 2014 , 131, n/a-n/a		11
1877	Formulation engineering of water in cocoa Butter emulsion. 2014 , 142, 100-110		17
1876	Incorporation of mesoporous silica particles in gelatine gels: effect of particle type and surface modification on physical properties. 2014 , 30, 6970-9		11
1875	Effects of acrylic acid-grafted HDPE in HDPE-based binder on properties after injection and debinding in metal injection molding. 2014 , 147, 238-246		14
1874	Development and characterization of high performance nano-hybrid GFRE composites for structural applications. 2014 , 116, 523-534		13
1873	Mechanical and thermal properties of ambient cured cotton fabric-reinforced fly ash-based geopolymer composites. 2014 , 40, 14019-14028		40
1872	Improved strength and toughness of polyketone composites using extremely small amount of polyamide 6 grafted graphene oxides. 2014 , 77, 366-378		62
1871	Fabrication of mesoporous TiO ₂ membranes by a nanoparticle-modified polymeric sol process. 2014 , 433, 43-48		23
1870	A multiscale approach and microstructure design of the elastic composite behavior reinforced with natural particles. <i>Composites Part B: Engineering</i> , 2014 , 66, 247-254	10	30
1869	Multiscale characterization of acrylic bone cement modified with functionalized mesoporous silica nanoparticles. 2014 , 37, 141-52		21
1868	Interfacial shear strength of reduced graphene oxide polymer composites. 2014 , 77, 390-397		29
1867	Synergistic effect of exfoliated graphite nanoplatelets and short glass fiber on the mechanical and interfacial properties of epoxy composites. 2014 , 98, 15-21		48
1866	On the importance of specific interface area in clay nanocomposites of PMMA filled with synthetic nano-mica. 2014 , 55, 3770-3781		12
1865	The influence of low concentrations of a water soluble poragen on the material properties, antibiotic release, and biofilm inhibition of an acrylic bone cement. 2014 , 42, 168-76		17
1864	Toughening mechanism of heterogeneous aliphatic polyurethanes. 2014 , 55, 2086-2093		13
1863	Static and dynamic compressive properties of polypropylene/zinc oxide nanocomposites. 2014 , 54, 949-960		5
1862	The Effects of Interphase and Interface Characteristics on the Tensile Behaviour of POM/CaCO ₃ Nanocomposites. 2014 , 4, 17		12

1861	Mechanics of particulate composites with glassy polymer binders in compression. 2014 , 372, 20130215	8
1860	Corrigendum: Fabrication and in vitro characterization of bioactive glass composite scaffolds for bone regeneration (2013 Biofabrication 5 045005). 2014 , 6, 029501	9
1859	Pre-processing studies for selective laser sintering of glass beads-filled polyamide 12 composites. 2014 , 4, 28	5
1858	Greater than the sum: Synergy and emergent properties in nanoparticle-polymer composites. 2015 , 40, 760-767	20
1857	Anisotropic Composites of Desaminotyrosine and Desaminotyrosyl Tyrosine Functionalized Gelatin and Bioactive Glass Microparticles. 2015 , 1718, 9-14	
1856	Recovery and utilisation of non-metallic fraction from waste printed circuit boards in polypropylene composites. 2015 , 44, 314-321	8
1855	Flexural Properties of MMT Reinforced Unsaturated Polyester/Epoxidized Palm Oil Biobased Resin. 2015 , 1112, 377-380	4
1854	Tensile Properties and Melt Flow Index of Polypropylene/Ethylene Propylene Diene Monomer Nanocomposites. 2015 , 1107, 125-130	1
1853	Composite materials development from recyclable dry fraction of household solid wastes. 2015 , 54, 424-431	
1852	Dynamic mechanical analysis of fish dermal armour from <i>A. gigas</i> and <i>P. pardalis</i> . 2015 , 4, 199-206	2
1851	Preparation and Properties of Biocomposite Based on Natural Rubber and Bagasse Nanocellulose. 2015 , 26, 01005	4
1850	Dielectric properties of inorganic fillers filled epoxy thin film. 2015 ,	2
1849	The effect of particle size on the rheological properties of polyamide 6/biochar composites. 2015 ,	7
1848	Nitro-Group Functionalization of Dopamine and its Contribution to the Viscoelastic Properties of Catechol-Containing Nanocomposite Hydrogels. 2015 , 216, 1109-1119	41
1847	Properties of talc/wollastonite/polyamide 6 hybrid composites. 2015 , 36, 739-746	29
1846	Autoclaved aerated concrete waste (AACW): An alternative filler material for the natural rubber industry. 2015 , 36, 2030-2041	2
1845	Optimization of melt blending process of nylon 6-POSS: Improving mechanical properties of spun fibers. 2015 , 55, 1580-1588	7
1844	Cellulose nanofibers from the skin of beavertail cactus, <i>Opuntia basilaris</i> , as reinforcements for polyvinyl alcohol. 2015 , 132, n/a-n/a	9

1843	Preparation of Sheet-like Polymer-Encapsulated Composite Particles by Seeded Polymerization from Sub-micrometer Sheets. 2015 , 10, 1581-5	
1842	Efficient cross-section preparation method for high-resolution imaging of hard polymer composites with a scanning electron microscope. 2015 , 260, 117-24	6
1841	The effect of processing routes on the thermal and mechanical properties of poly(urethane-isocyanurate) nanocomposites. 2015 , 132, n/a-n/a	10
1840	Epoxide-Modified SiO ₂ @Epoxy Nanocomposite for Enhanced Mechanical Properties. 2015 , 1110, 27-31	1
1839	Starch-MMT composite films: Effects of bio-inspired modification on MMT. 2015 , 67, 470-477	10
1838	Effects of extrusion process, type and content of clays, and foaming process on the clay exfoliation in HMS PP composites. 2015 , 132, n/a-n/a	8
1837	Toughening linear low-density polyethylene with halloysite nanotubes. 2015 , 36, 869-883	27
1836	Effect of Modified Silica Particles with Phenyltriethoxysilane on Mechanical and Thermal Properties of Natural Rubber Composites. 2015 , 354, 62-68	9
1835	The outstanding ability of nanosilica to stabilize dispersions of Nylon 6 droplets in a polypropylene matrix. 2015 , 53, 1567-1579	19
1834	Compliance switching for adhesion control. 2015 , 53, 48-57	13
1833	Physical and Mechanical Properties of Polymer Composites with High Content of Wastes Including Boron. 2015 , 18, 1188-1196	34
1832	Processing, performance, and applications of plant and animal protein-based blends and their biocomposites. 2015 , 201-235	5
1831	How Sensitive Is the Elasticity of Hydroxyapatite-Nanoparticle-Reinforced Chitosan Composite to Changes in Particle Concentration and Crystallization Temperature?. 2015 , 6, 986-98	5
1830	Mechanical Properties of Sago/Urea Formaldehyde Particleboard Affected by the Weight Fraction of Sago. 2015 , 27, 01001	
1829	Experimental Investigation of Mechanical and Thermal Properties of Silica Nanoparticle-Reinforced Poly(acrylamide) Nanocomposite Hydrogels. 2015 , 10, e0136293	22
1828	Indentation Depth Dependent Mechanical Behavior in Polymers. 2015 , 2015, 1-20	30
1827	Investigation of Theoretical Models for the Elastic Stiffness of Nanoparticle-Modified Polymer Composites. 2015 , 2015, 1-17	8
1826	Studies on Physical and Mechanical Properties of Silica Fume-Filled Nylon 66 Polymer Composites for Mechanical Components. 2015 , 23, 427-434	10

1825	Effect of Micro and Nano Zinc Oxide on the Properties of Pre-Vulcanized Natural Rubber Latex Films. 2015 , 31, 145-156		10
1824	Particle Size Effect on Load Transfer in Single Particle Composite Samples via X-Ray Diffraction. 2015 ,		1
1823	Finite Dilution Inverse Gas Chromatography as a Versatile Tool To Determine the Surface Properties of Biofillers for Plastic Composite Applications. 2015 , 87, 6724-9		11
1822	Thermal, Mechanical and Magneto-Mechanical Characterization of Liquid Crystalline Elastomers Loaded with Iron Oxide Nanoparticles. 2015 , 1718, 3-7		
1821	Flexible thermoplastic composite of Polyvinyl Butyral (PVB) and waste of rigid Polyurethane foam. 2015 , 25, 175-180		8
1820	Biointerface dynamics--Multi scale modeling considerations. 2015 , 132, 236-45		7
1819	High-performance conductive materials based on the selective location of carbon black in poly(ether ether ketone)/polyimide matrix. <i>Composites Part B: Engineering</i> , 2015 , 79, 124-131	10	22
1818	Mechanical properties of graphene nanocomposites: A multiscale finite element prediction. 2015 , 132, 536-544		70
1817	An experimental study on particle resuspension in a room with impinging jet ventilation. 2015 , 89, 48-58		13
1816	Interlaminar fracture micro-mechanisms in toughened carbon fibre reinforced plastics investigated via synchrotron radiation computed tomography and laminography. 2015 , 71, 176-183		23
1815	Importance of superior dispersion versus filler surface modification in producing robust polymer nanocomposites: The example of polypropylene/nanosilica hybrids. 2015 , 68, 147-157		60
1814	Generalized domain-independent interaction integral for solving the stress intensity factors of nonhomogeneous materials. 2015 , 67-68, 151-168		18
1813	Largely enhanced fracture toughness of an immiscible polyamide 6/acrylonitrile-Butadiene-Butyrene blend achieved by adding chemically modified graphene oxide. 2015 , 5, 101466-101474		9
1812	Inorganic particle enhanced polymer hollow fiber membranes with high mechanical properties. 2015 , 167, 209-218		16
1811	A simulation study of the electrostriction effects in dielectric elastomer composites containing polarizable inclusions with different spatial distributions. 2015 , 17, 32479-97		22
1810	Thermal Properties of Linear Low Density Polyethylene/Thermoplastic Starch/Banana Fiber Composites. 2015 , 754-755, 13-18		1
1809	Modelling the damage and deformation process in a plastic bonded explosive microstructure under tension using the finite element method. 2015 , 110, 91-101		46
1808	Active layer thickness across the crack plane and fracture energy consumption in polymer nanocomposites: adhesion against tear strength. 2015 , 5, 107642-107651		6

1807	Effect of Adhesive Nano-Additives on Static Load Transfer Capacity and Failure Mode of Bonded Steel-Magnesium Single Lap Joints. 2015,		
1806	BisGMA/EPDM/amine functionalised MWCNTs based nanocomposites. 2015, 44, 266-275		2
1805	Evaluation of properties of industrial waste filled polymer composites for automobile applications. 2015, 31, 996-1006		5
1804	Processing and characterization of polyethylene-based composites. 2015, 1, 63-79		44
1803	Additive manufacturing under pressure. 2015, 21, 89-97		15
1802	New models for yield strength of polymer/clay nanocomposites. <i>Composites Part B: Engineering, 2015, 73, 111-117</i>	10	54
1801	Epoxy nanocomposites functionalized with in situ generated magnetite nanocrystals: Microstructure, magnetic properties, interaction among magnetic particles. 2015, 59, 278-289		20
1800	Viscoelastic Properties of Polymer-Grafted Nanoparticle Composites from Molecular Dynamics Simulations. 2015, 48, 1240-1255		57
1799	Components interactions controlling starch-kaolinite composite films properties. 2015, 117, 739-745		11
1798	Evaluation of Mechanical, Friction, and Wear Characteristics of Nano-SiC Filled Ortho Cresol Novalac Epoxy Composites under Dry Sliding Condition. 2015, 34, n/a-n/a		4
1797	Liquid-phase metal inclusions for a conductive polymer composite. 2015, 27, 1928-32		245
1796	Composite mesoporous silica nanoparticle/chitosan nanofibers for bone tissue engineering. 2015, 5, 17541-17549		45
1795	Preparation and characterization of maleimide-polystyrene/SiO ₂ -Al ₂ O ₃ hybrid nanocomposites by an in situ sol-gel process and its antimicrobial activity. <i>Composites Part B: Engineering, 2015, 75, 167-175</i> ¹⁰		30
1794	A developed model to assume the interphase properties in a ternary polymer nanocomposite reinforced with two nanofillers. <i>Composites Part B: Engineering, 2015, 75, 29-35</i>	10	58
1793	Fundamentals of Polymers and Polymer Composite. 2015, 3-42		2
1792	Enhancing mechanical properties of highly efficient polymer solar cells using size-tuned polymer nanoparticles. 2015, 7, 2668-76		15
1791	Effect of conductive particles on the mechanical, electrical, and thermal properties of maleated polyethylene. 2015, 26, 362-368		6
1790	Physicomechanical and antibacterial properties of experimental resin-based dental sealants modified with nylon-6 and chitosan nanofibers. 2015, 103, 1560-8		22

1789	Development of an Active Thermoplastic Film with Oxygen Scavengers Made of Activated Carbon and Sodium Erythorbate. 2015 , 28, 113-121	12
1788	Towards Quantifying Interfacial Adhesion in the Ternary Blends with Matrix/Shell/Core-Type Morphology. 2015 , 54, 223-232	9
1787	Miscibility, intramolecular specific interactions and mechanical properties of a DGEBA based epoxy resin toughened with a sliding graft copolymer. 2015 , 33, 433-443	13
1786	Strengthened electrically conductive composite materials based on ultra-high-molecular-weight polyethylene reactor powder and nanosized carbon fillers. 2015 , 10, 42-52	3
1785	Fabrication and characterization of poly(octanediol citrate)/gallium-containing bioglass microcomposite scaffolds. 2015 , 50, 2189-2201	21
1784	Effect of particle size distribution on fracture toughness of polymer composites considering plastic void growth after particle debonding. 2015 , 66, 1-6	2
1783	Hydroxyapatite-reinforced in situ forming PLGA systems for intrasosseous injection. 2015 , 103, 2365-73	13
1782	Mechanical behavior of the alumina-filled silicone rubber under pure shear at finite strain. 2015 , 85, 57-65	12
1781	Mode-I pullout model of nanofibers with surface effects. 2015 , 150, 115-125	4
1780	Characterization of mechanical and morphological properties of cellulose reinforced polyamide 6 composites. 2015 , 22, 3199-3215	41
1779	Improving flexural and dielectric properties of MWCNT/epoxy nanocomposites by introducing advanced hybrid filler system. 2015 , 132, 50-64	39
1778	Effect of in-situ formed core-shell inclusions on the mechanical properties and impact fracture of polypropylene. 2015 , 71, 221-230	4
1777	Physical properties of Sn58Bi α Ni lead-free solder and its interfacial reaction with copper substrate. 2015 , 86, 371-378	47
1776	Mechanical properties of epoxy nanocomposites using titanium dioxide as reinforcement – a review. 2015 , 95, 506-524	92
1775	Curing and thermo-mechanical studies of a modified thermosetting clearcoat containing OH-functional POSS nanocages. 2015 , 87, 129-137	12
1774	Natural rubber/graphene oxide composites: Effect of sheet size on mechanical properties and strain-induced crystallization behavior. 2015 , 9, 672-685	54
1773	Novel architecture for anomalous strengthening of a particulate filled polymer matrix composite. 2015 , 5, 62477-62485	4
1772	Effect of nanostructured fly ash on mechanical, dynamic mechanical and thermal properties of PP/ABS blends. 2015 , 24, 595-605	2

1771	Comparative Study of Agroindustrial Wastes for their use in Polymer Matrix Composites. 2015 , 8, 778-785		18
1770	Analyzing the influence of particle size and stiffness state of the nanofiller on the mechanical properties of epoxy/clay nanocomposites using a novel shear-stiff nano-mica. 2015 , 50, 4845-4859		19
1769	Improvement on the properties of polylactic acid (PLA) using bamboo charcoal particles. <i>Composites Part B: Engineering</i> , 2015 , 81, 14-25	10	141
1768	Thermo-Mechanical Performance of Natural Rubber/Recycled Ethylene-Propylene-Diene Rubber Blends in the Presence of ZnO Nanoparticles. 2015 , 20, 514-528		7
1767	Isotactic polypropylene (PP) modified by ABS and CaCO ₃ nanoparticles: effect of composition and compatibilization on the phase morphology, mechanical properties and fracture behavior. 2015 , 72, 2757-2782 ⁴		
1766	Different coupling agents in wood-polypropylene composites containing recycled mineral wool: A comparison of the effects. 2015 , 34, 879-895		12
1765	Molecular-Scale Understanding of Cohesion and Fracture in P3HT:Fullerene Blends. 2015 , 7, 9957-64		48
1764	A numerical approach for determining the effective elastic symmetries of particulate-polymer composites. <i>Composites Part B: Engineering</i> , 2015 , 78, 227-243	10	17
1763	Investigation of the response to low velocity impact and quasi-static indentation loading of particle-toughened carbon-fibre composite materials. 2015 , 74, 38-46		47
1762	One-Step Fabrication of Nanocomposite Thin Films of PTFE in SiO _x for Repelling Water. 2015 , 17, 474-482		12
1761	Preparation and Mechanical Properties of Composites Based on Rigid Polyvinyl Chloride Filled with Organic Modified Illite Powder. 2015 , 54, 507-516		13
1760	Polymer Interphase Self-Reinforcement and Strengthening Mechanisms in Low-Loaded Nanocomposite Fibers. 2015 , 216, 1313-1320		28
1759	Effect of core-shell rubber (CSR) nano-particles on mechanical properties and fracture toughness of an epoxy polymer. 2015 , 66, 16-28		132
1758	Development of high performance poly (ether-ketone) composites based on novel processing technique. 2015 , 73, 50-59		20
1757	Electrical and mechanical characterization of a flexible conducting composite. 2015 , 72, 1787-1797		5
1756	Nano-sized boron nitride epoxy composites for underfill application: effect of diluent and filler loading. 2015 , 26, 774-783		7
1755	Mechanical, Electromagnetic, and X-ray Shielding Characterization of a 3D Printable Tungsten/Polycarbonate Polymer Matrix Composite for Space-Based Applications. 2015 , 44, 2598-2607		59
1754	Effect of Adhesive Nanoparticle Enrichment on Static Load Transfer Capacity and Failure Mode of Bonded Steel/Magnesium Single Lap Joints. 2015 , 137,		15

1753	Micromechanics predictions for two-phased nanocomposites and three-phased multiscale composites: A review. 2015 , 34, 605-623	10
1752	Simultaneously enhanced tensile strength and fracture toughness of epoxy resins by a poly(ethylene oxide)-block-carboxyl terminated butadiene-acrylonitrile rubber dilock copolymer. 2015 , 5, 42362-42368	44
1751	Effect of trifluoroacetic acid on the properties of polyvinyl alcohol and polyvinyl alcoholâcellulose composites. 2015 , 277, 242-251	57
1750	The microcapsule-type formaldehyde scavenger: the preparation and the application in urea-formaldehyde adhesives. 2015 , 293, 46-53	19
1749	Mechanical Behavior of StarchâCarbon Nanotubes Composites. 2015 , 141-171	3
1748	Effect of clay modification on structureâproperty relationships and thermal degradation kinetics of Epolypropylene/clay composite materials. 2015 , 122, 393-406	8
1747	Mechanical Properties of Epoxy Nanocomposites Using Alumina as Reinforcement - A Review. 2015 , 30, 9-38	21
1746	Prediction of effective through-thickness thermal conductivity of woven fabric reinforced composites with embedded particles. 2015 , 127, 132-140	25
1745	Intrinsic defect-induced tailoring of interfacial shear strength in CNT/polymer nanocomposites. 2015 , 127, 108-119	33
1744	Electrically conductive kraft lignin-based carbon filler for polymers. 2015 , 89, 161-168	19
1743	Influence of micro/nanofiller alumina on the mechanical behavior of novel hybrid epoxy nanocomposites. 2015 , 27, 342-351	18
1742	Mechanical performance of Buckminster fullerene-reinforced composite with interface defects using finite element method through homogenization techniques. 2015 , 22, 299-314	6
1741	Multiscale homogenization model for thermoelastic behavior of epoxy-based composites with polydisperse SiC nanoparticles. 2015 , 128, 342-353	19
1740	The effect of filler chemical constitution and morphological properties on the mechanical properties of natural fiber composites. 2015 , 22, 39-50	37
1739	On the mechanical properties of PLC-bioactive glass scaffolds fabricated via BioExtrusion. 2015 , 57, 288-93	22
1738	Effect of non-ionic surfactant assisted modification of hexagonal boron nitride nanoplatelets on the mechanical and thermal properties of epoxy nanocomposites. 2015 , 22, 611-627	25
1737	The evaluation of physical properties and in vitro cell behavior of PHB/PCL/sol-gel derived silica hybrid scaffolds and PHB/PCL/fumed silica composite scaffolds. 2015 , 136, 93-8	25
1736	Comparison of two finite element homogenization prediction approaches for through thickness thermal conductivity of particle embedded textile composites. 2015 , 133, 719-726	6

1735	Effects of nanoparticle size and content on mechanical properties of dental nanocomposites: experimental versus modeling. 2015 , 24, 837-848	6
1734	Homocomposites of Polylactide (PLA) with Induced Interfacial Stereocomplex Crystallites. 2015 , 3, 2220-2231	41
1733	Extraordinarily High Conductivity of Stretchable Fibers of Polyurethane and Silver Nanoflowers. 2015 , 9, 10876-86	124
1732	Reinforcement in the mechanical properties of shape memory liquid crystalline epoxy composites. 2015 , 132, n/a-n/a	10
1731	Comparative assessment of nanomaterial definitions and safety evaluation considerations. 2015 , 73, 137-50	222
1730	Mechanical characterization and fractographic study of epoxy/kaolin polymer nanocomposites. 2015 , 133, 70-76	7
1729	Spectral analysis of lamellae evolution and constraining effects aided by nano-carbons: A coupled experimental and simulation study. 2015 , 75, 187-198	11
1728	Effect of yttria-titanium shell-core structured powder on strength and ageing of zirconia/titanium composites. 2015 , 646, 96-100	7
1727	Hysteresis of the viscoelastic properties and the normal force in magnetically and mechanically soft magnetoactive elastomers: Effects of filler composition, strain amplitude and magnetic field. 2015 , 76, 191-202	89
1726	Influence of TiO ₂ and ZnO nanoparticles on properties of waterborne polyacrylate coating exposed to outdoor conditions. 2015 , 89, 67-74	59
1725	Broadband microwave-absorbing honeycomb structure with novel design concept. <i>Composites Part B: Engineering</i> , 2015 , 83, 14-20	10 69
1724	Designing of carbon nanotube/polymer composites using melt recirculation approach: Effect of aspect ratio on mechanical, electrical and EMI shielding response. 2015 , 88, 269-277	98
1723	Novel hybrid materials for preparation of bone tissue engineering scaffolds. 2015 , 26, 231	16
1722	Multifunctional Chitosan-45S5 Bioactive Glass-Poly(3-hydroxybutyrate-co-3-hydroxyvalerate) Microsphere Composite Membranes for Guided Tissue/Bone Regeneration. 2015 , 7, 20845-54	56
1721	Enzymatically degradable and flexible bio-nanocomposites derived from PHBV and PBAT blend: assessing thermal, morphological, mechanical, and biodegradation properties. 2015 , 293, 2921-2930	18
1720	Interplay between the inclusions of different sizes and their proximity to the wall boundaries on the nature of their stress distribution within the inclusions inside particulate packing. 2015 , 286, 98-106	2
1719	Cohesive-zone modelling of crack nucleation and propagation in particulate composites. 2015 , 149, 170-190	43
1718	Evaluation of the Effect of Nanosilica on Thermal and Mechanical Properties of Metal-Metal and Metal-Glass Canola-Based Polyurethane/Nanosilica Adhesives. 2015 , 54, 1661-1666	4

1717	Influence of alkali treatment on internal microstructure and tensile properties of abaca fibers. 2015 , 65, 27-35	126	
1716	Effect of oil palm shell powder on the mechanical performance and thermal stability of polyester composites. 2015 , 65, 823-830	38	
1715	Polypropylene/silica micro- and nanocomposites modified with poly(styrene-b-ethylene-co-butylene-b-styrene). 2015 , 132, n/a-n/a	15	
1714	Influence of phosphor amount on microstructure and damage evolution of silicone/phosphor composite in light-emitting diodes packaging. 2015 , 107, 98-106	8	
1713	Plastic yielding contribution to fracture toughness of polymers modified with rubber and inorganic fillers. 2015 , 50, 2178-2188	5	
1712	Synthesis and characterization of zinc oxide (ZnO) filled glass fiber reinforced polyester composites. 2015 , 67, 313-317	36	
1711	Mechanical properties of kenaf fibre reinforced polymer composite: A review. 2015 , 76, 87-96	352	
1710	Tribology of composites produced with recycled GFRP waste. 2015 , 49, 2849-2858	5	
1709	The Influence of Hydroxyapatite and Calcium Carbonate Microparticles on the Mechanical Properties of Nonwoven Composite Materials Based on Polycaprolactone. 2015 , 5, 22-30	13	
1708	Self-repair of structural and functional composites with intrinsically self-healing polymer matrices: A review. 2015 , 69, 226-239	128	
1707	A model for the prediction of debond onset in spherical-particle-reinforced composites under tension. Application of a coupled stress and energy criterion. 2015 , 106, 60-67	26	
1706	Tailoring the interface of an immiscible polymer blend by a mutually miscible homopolymer grafted onto graphene oxide: outstanding mechanical properties. 2015 , 17, 1811-21	51	
1705	Extended fatigue life of a catalyst free self-healing acrylic bone cement using microencapsulated 2-octyl cyanoacrylate. 2015 , 103, 305-12	12	
1704	Mechanical, biological and structural characterization of human atherosclerotic femoral plaque tissue. 2015 , 11, 295-303	25	
1703	Mechanical Properties of a Hybrid Nanocomposite Under Room Temperature and Hot-Wet Environments. 2015 , 68, 363-369	2	
1702	Toughening of electrospun poly(l-lactic acid) nanofiber scaffolds with unidirectionally aligned halloysite nanotubes. 2015 , 50, 1435-1445	59	
1701	Effects of nano-sized and micro-sized carbon fibers on the interlaminar shear strength and tribological properties of high strength glass fabric/phenolic laminate in water environment. <i>Composites Part B: Engineering</i> , 2015 , 68, 92-99	10	23
1700	Novel flame-retardant epoxy composites containing aluminium β -carboxylethylmethylphosphinate. 2015 , 55, 657-663	10	

1699	Effect of micromechanical models on structural responses of functionally graded plates. 2015 , 119, 598-609	56
1698	Determination of the viscoelastic interfacial properties between silica and SNR-based materials via a semi-empirical approach. 2015 , 80, 1-12	1
1697	Structure-property relationships in nylon 6 nanocomposites based on octaphenyl-, dodecaphenyl-BOSS, montmorillonite, and their combinations. 2015 , 36, 153-160	4
1696	Hybrid glass fibre reinforced composites with micro and poly-diallyldimethylammonium chloride (PDDA) functionalized nano silica inclusions. 2015 , 65, 543-549	29
1695	Dependence of physical properties of linear low-density polyethylene on the silicon dioxide filler size. 2016 , 29, 754-767	4
1694	Empirical Modeling and Experimental Investigation of the Amine Treated Nanoclay Reinforced Epoxy-Polyurethane Blended Resin Composites. 2016 , 24, 539-546	2
1693	Development and Characterization of a Bioinspired Bone Matrix with Aligned Nanocrystalline Hydroxyapatite on Collagen Nanofibers. 2016 , 9,	18
1692	Effects of polypropylene methyl polyhedral oligomeric silsesquioxanes and polypropylene-grafted maleic anhydride compatibilizers on the properties of palm kernel shell reinforced polypropylene biocomposites. 2016 , 26, 228-235	11
1691	Reinforcement of Poly (Lactic Acid) with Spray-dried Lignocellulosic Material. 2016 , 12,	1
1690	Properties of Sago Particleboards Resinated with UF and PF Resin. 2016 , 2016, 1-12	8
1689	Development of Flexible Polyurethane Nanostructured Biocomposite Foams Derived from Palm Olein-Based Polyol. 2016 , 2016, 1-12	18
1688	Urea Formaldehyde Composites Reinforced with Sago Fibres Analysis by FTIR, TGA, and DSC. 2016 , 2016, 1-10	8
1687	Effect of Heat Assisted Bath Sonication on the Mechanical and Thermal Deformation Behaviours of Graphene Nanoplatelets Filled Epoxy Polymer Composites. 2016 , 2016, 1-8	20
1686	Dental Composites with Calcium / Strontium Phosphates and Polylysine. 2016 , 11, e0164653	26
1685	Influence of different fillers on the properties of an experimental vinyl polysiloxane. 2016 , 30,	9
1684	Avaliaçã das propriedades mecânicas e da flamabilidade de concretos polimficos produzidos com resina PET e retardante de chamas reciclados. 2016 , 16, 69-88	2
1683	Advanced Materials and Designs for Hydraulic, Earth, and Aerospace Structures. 2016 ,	
1682	Ceramic-polymer nanocomposites for bone-tissue regeneration. 2016 , 331-367	6

1681	Wood Sawdust/Natural Rubber Eco-composites Cross-Linked by Electron Beam Irradiation. 2016 , 9,	25
1680	Synthesis of a New Titanate Coupling Agent for the Modification of Calcium Sulfate Whisker in Poly(Vinyl Chloride) Composite. 2016 , 9,	14
1679	Carbon Microparticles from Organosolv Lignin as Filler for Conducting Poly(Lactic Acid). 2016 , 8,	7
1678	Microfibrillated Lignocellulose Enables the Suspension-Polymerisation of Unsaturated Polyester Resin for Novel Composite Applications. 2016 , 8,	20
1677	Influence of Organically-Modified Montmorillonite and Synthesized Layered Silica Nanoparticles on the Properties of Polypropylene and Polyamide-6 Nanocomposites. 2016 , 8,	14
1676	Effect of Particle Size on Mechanical Properties of Sawdust-High Density Polyethylene Composites under Various Strain Rates. 2016 , 11,	7
1675	Effect of Carbon-Based Particles on the Mechanical Behavior of Isotactic Poly(propylene)s. 2016 , 301, 429-440	12
1674	Background Definitions. 2016 , 23-34	
1673	Bioactive nanocomposites for dental application obtained by reactive suspension method. 2016 , 2, 37-49	4
1672	Stretchable, High-k Dielectric Elastomers through Liquid-Metal Inclusions. 2016 , 28, 3726-31	225
1671	Fabrication of alumina based electrically conductive polymer composites. 2016 , 133, n/a-n/a	5
1670	Mathematical modeling for the mechanical properties of poly(vinylchloride) ternary composites. 2016 , 56, 1109-1117	2
1669	Preparation and characterization of polybutylene-succinate/poly(ethylene-glycol)/cellulose nanocrystals ternary composites. 2016 , 133, n/a-n/a	24
1668	Influence of Interfacial Adhesion on Fatigue Resistance of Polypropylene/Calcium Carbonate Composite. 2016 , 73, 370-376	
1667	Effect of Montmorillonite Modification on Ultra Violet Radiation Cured Nanocomposite Filled with Glycidyl Methacrylate Modified Kenaf. 2016 , 133, 012007	
1666	Modal analysis of additive manufactured carbon fiber reinforced polymer composite framework: Experiment and modeling. 2016 ,	1
1665	Extensional rheology, cellular structure, mechanical behavior relationships in HMS PP/montmorillonite foams with similar densities. 2016 , 23, 1	10
1664	Thermoset Blends of an Epoxy Resin and Polydicyclopentadiene. 2016 , 49, 8960-8970	35

1663	An analytical model for particulate reinforced composites (PRCs) taking account of particle debonding and matrix cracking. 2016 , 3, 106501		7
1662	Polyethylene/Other Biomaterials-based Biocomposites and Bionanocomposites. 2016 , 279-314		4
1661	Mechanical strength of additive manufactured carbon fiber reinforced polyetheretherketone. 2016 , ,		1
1660	Synergistic Toughening of Epoxy Modified by Graphene and Block Copolymer Micelles. 2016 , 49, 9507-9520		48
1659	Polysiloxane-Based Surface Modification of Silica Fillers for Low Stress Underfill. 2016 ,		0
1658	Polymer Nanocomposite Interfaces: The Hidden Lever for Optimizing Performance in Spherical Nanofilled Polymers. 2016 , 1-69		5
1657	Development of Polymeric Biocomposites: Particulate Incorporation, Interphase Generation and Evaluation by Nanoindentation. 2016 , 337-378		
1656	Investigation of Interfacial Interactions between Nanofillers and Polymer Matrices Using a Variety of Techniques. 2016 , 253-282		1
1655	Surface modification of mordenite in Nafion composite membrane for direct ethanol fuel cell and its characterizations: Effect of types of silane coupling agent. 2016 , 4, 2637-2646		10
1654	Partial slip contact modeling of heterogeneous elasto-plastic materials. 2016 , 114, 98-110		20
1653	The Effect of Acrylic Acid on Tensile and Morphology Properties of Wollastonite Filled High Density Polyethylene/Natural Rubber Composites. 2016 , 19, 401-405		2
1652	Thermal, impact and toughness behaviors of expanded graphite/graphite oxide-filled epoxy composites. <i>Composites Part B: Engineering</i> , 2016 , 94, 238-244	10	36
1651	Hybrid biocomposites from agricultural residues: mechanical, water absorption and tribological behaviors. 2016 , 36, 663-671		17
1650	Evaluating the effectiveness of nanofillers in filament wound carbon/epoxy multiscale composite pipes. <i>Composites Part B: Engineering</i> , 2016 , 96, 1-6	10	30
1649	Smart Polymer Nanoparticles for High-Performance Water-Based Coatings. 2016 , 619-645		1
1648	Effect of van der Waals force cut-off distance on adhesive collision parameters in DEM simulation. 2016 , 299, 9-18		25
1647	Study on different behaviour of poly(vinylidene fluoride)-polyhedral oligomeric silsesquioxane nanocomposites in mechanical properties and nano-tensile testing. 2016 , 20, 475-478		4
1646	Stretchable magneto-dielectric composites based on raspberry-shaped iron oxide nanostructures. 2016 , 4, 2345-2352		2

1645	A Guide for Hydrodynamic Reinforcement Effect in Nanoparticle-filled Polymers. 2016 , 41, 318-346		49
1644	Bioinspired trimodal macro/micro/nano-porous scaffolds loading rhBMP-2 for complete regeneration of critical size bone defect. 2016 , 32, 309-323		156
1643	Temperature effect on nano-rubber toughening in epoxy and epoxy/carbon fiber laminated composites. <i>Composites Part B: Engineering</i> , 2016 , 95, 423-432	10	31
1642	Comparative study of glut palmitate salt and polyethylene grafted maleic anhydride compatibilizer on the properties of silica filled high-density polyethylene composites. 2016 , 52, 104-110		5
1641	Analytical effective elastic properties of particulate composites with soft interfaces around anisotropic particles. 2016 , 129, 10-18		61
1640	On the statistical determination of strength of random heterogeneous materials. 2016 , 149, 220-230		17
1639	Dried distillers grains with solubles as a multifunctional filler in low density wood particleboards. 2016 , 89, 21-28		7
1638	Improved flexible, controlled dielectric constant material from recycled LDPE polymer composites. 2016 , 27, 8848-8855		10
1637	Investigation of the preparation and superior properties of novel propylene-based elastic HMAs. 2016 , 6, 26775-26782		3
1636	Characterization and properties of low-linear-density polyethylene/Typha latifolia composites. 2016 , 21, 590-598		19
1635	Experimental investigation on the mechanical properties of Co-polypropylene/GF/CaCO ₃ hybrid nanocomposites. 2016 , 58, 454-463		8
1634	Biointerfaces Mediated by Molecular Bonds: Cohesive Behaviors. 2016 , 08, 1650040		4
1633	Mechanical, Dynamic Mechanical and Vibration Behavior of Nanoclay Dispersed Natural Fiber Hybrid Intra-ply Woven Fabric Composite. 2016 , 281-296		15
1632	Effect of silane treatment on the mechanical properties of polyurethane/water glass grouting materials. 2016 , 116, 110-120		32
1631	Potential of carbon particle reinforced polypropylene formed in-situ through the pyrolysis of carboxymethylcellulose. 2016 , 1, 6-14		4
1630	Influence of Processing Parameters and Composition on the Effective Compatibilization of Polypropylene/Poly(ethylene terephthalate) Blends. 2016 , 31, 179-187		26
1629	Processing of Polypropylene/ Spheri Glass 3000 Nanocomposites by Melt Intercalation Method. 2016 , 25, 1114-1121		6
1628	The effect of particle size on the in vivo degradation of poly(d,l-lactide-co-glycolide)/Tricalcium phosphate micro- and nanocomposites. 2016 , 45, 340-348		15

1627	Tailoring Material Stiffness by Filler Particle Organization. 2016 , 8, 27449-27453		9
1626	Utilization of Waste Carbon as Reinforcement in Thermoset Composites. 2016 , 203-229		2
1625	A comparative study on industrial waste fillers affecting mechanical properties of polymer-matrix composites. 2016 , 3, 105302		20
1624	Mechanical Properties and Interfacial Interaction of Modified Calcium Sulfate Whisker/Poly(Vinyl Chloride) Composites. 2016 , 32, 1352-1360		35
1623	The roles of nanoparticles accumulation and interphase properties in properties of polymer particulate nanocomposites by a multi-step methodology. 2016 , 91, 127-132		56
1622	Nanoparticle reinforcement in elastomeric polyethylene composites under tensile tests. <i>Composites Part B: Engineering</i> , 2016 , 107, 97-105	10	5
1621	Shape memory effect of thermal-responsive nano-hydroxyapatite reinforced poly-d-l-lactide composites with porous structure. <i>Composites Part B: Engineering</i> , 2016 , 107, 67-74	10	25
1620	Silica-Epoxy Vitriimer Nanocomposites. 2016 , 49, 5893-5902		117
1619	Nanoparticle- and Nanofiber-Based Polymer Nanocomposites: An Overview. 2016 , 1-38		7
1618	Effect of Copper Sulfide Nanoparticles on the Optical and Electrical Behavior of Poly(vinyl alcohol) Films. 2016 , 45, 5910-5920		63
1617	On the machinability and surface finish of cutting nanoparticle and elastomer modified epoxy. 2016 , 109, 580-589		4
1616	Crack path simulation in a particle-toughened interlayer within a polymer composite laminate. 2016 , 133, 89-96		11
1615	Mechanical and thermal properties of low density polyethylene composites filled with dye-loaded shell powder. 2016 , 133,		6
1614	Mechanical Properties of Injection-Molded Glass Microsphere-Reinforced Polyamide. 2016 , 25, 4256-4265		4
1613	Positron annihilation spectroscopy and mechanical properties studies for epoxy matrices reinforced with different nanoparticles. 2016 , 23, 1		7
1612	Investigating graphene/conducting polymer hybrid layered composites as pseudocapacitors: Interplay of heterogeneous electron transfer, electric double layers and mechanical stability. <i>Composites Part B: Engineering</i> , 2016 , 105, 46-59	10	46
1611	Fracture mechanical model for tensile strength of particle reinforced elastomeric composites. 2016 , 102, 54-60		7
1610	Suppression of negative temperature coefficient of resistance of multiwalled nanotube/silicone rubber composite through segregated conductive network and its application to laser-printing fusing element. 2016 , 37, 371-378		18

1609	Tailoring the properties of PP/PA6 nanostructured blends by the addition of nanosilica and compatibilizer agents. 2016 , 85, 532-552		29
1608	Large-scale ordering of nanoparticles using viscoelastic shear processing. 2016 , 7, 11661		88
1607	Mechanical and flammability characterisations of biochar/polypropylene biocomposites. <i>Composites Part B: Engineering</i> , 2016 , 106, 120-128	10	107
1606	Biaxial flexural strength of new Bis-GMA/TEGDMA based composites with different fillers for dental applications. 2016 , 32, 1073-8		26
1605	Direct numerical simulation of particle alignment in viscoelastic fluids. 2016 , 235, 125-142		30
1604	Highly ductile polypropylene-based nanocomposites by dispersing monodisperse silica nanospheres in functionalized polypropylene containing hydroxyl groups. 2016 , 99, 63-71		13
1603	Nano-structured interpenetrating composites with enhanced Young's modulus and desired Poisson's ratio. 2016 , 91, 195-202		7
1602	The effects of surface treated carbon fibers and CaCO ₃ nanoparticles inclusions on the mechanical performances of PA6/ABS-based composites. 2016 , 58, 996-1003		6
1601	Studies of RTV silicone rubber nanocomposites based on graphitic nanofillers. 2016 , 56, 369-378		33
1600	Micromechanical analysis of a hybrid composite—effect of boron carbide particles on the elastic properties of basalt fiber reinforced polymer composite. 2016 , 3, 115303		5
1599	Effect of high loading of titanium dioxide particles on the morphology, mechanical and thermo-mechanical properties of the natural rubber-based composites. 2016 , 25, 1021-1035		28
1598	Biocomposites with Size-Fractionated Biocarbon: Influence of the Microstructure on Macroscopic Properties. 2016 , 1, 636-647		62
1597	A parametric study of mechanical and flammability properties of biochar reinforced polypropylene composites. 2016 , 91, 177-188		48
1596	Interphase tuning for stronger and tougher composites. 2016 , 6, 26305		26
1595	Study of thermal, flammability and mechanical properties of intumescent flame retardant PP/kenaf nanocomposites. 2016 , 7, 202-220		34
1594	High Strength Conductive Composites with Plasmonic Nanoparticles Aligned on Aramid Nanofibers. 2016 , 26, 8435-8445		89
1593	Reactive Extrusion Strategies to Fabricate Magnetite/Polyethylene Nanocomposites with Enhanced Mechanical and Magnetic Hyperthermia Properties. 2016 , 301, 1525-1536		7
1592	Mechanical strength characterization of three-component composite structural components. 2016 ,		

1591	Viscoelastic behaviour and modelling of nano and micro TiO ₂ powder-epoxy resin composites. 2016 , 28, 138-146	5
1590	Rheological and mechanical properties of highly filled polyolefin based on PP/barium sulfate. 2016 ,	3
1589	Toughening of syndiotactic polypropylene with chalk. 2016 , 133,	7
1588	On the Emergence of the Payne Effect in Polymer Melts Reinforced with Nanoparticles. 2016 , 25, 312-321	20
1587	Low density polyethylene/silica nanocomposite foams. Relationship between chemical composition, particle dispersion, cellular structure and physical properties. 2016 , 81, 173-185	15
1586	Estimation of homogenized Young's modulus of silicone/phosphor composite considering random dispersion and size variation of phosphor particles. 2016 , 50, 1981-1988	1
1585	Rheological, mechanical and morphological behavior of polylactide/nano-sized calcium carbonate composites. 2016 , 73, 3531-3545	17
1584	Preparation of damping structural integration materials via the formation of nanostructure in triblock copolymer modified epoxy resins. 2016 , 23, 1	9
1583	Novel DOPO-based epoxy curing agents. 2016 , 126, 1339-1348	23
1582	Dipole correlation effects on the local field and the effective dielectric constant in composite dielectrics containing high-k inclusions. 2016 , 18, 19103-17	28
1581	Effect of Polymer Grafting Density on Mechanophore Activation at Heterointerfaces. 2016 , 5, 819-822	27
1580	Effect of Ball Milled and Ultrasonic Sago Starch Dispersion on Sago Starch Filled Natural Rubber Latex (SSNRL) Films. 2016 , 19, 782-787	11
1579	Preparation and tribological properties of 3D network polymer-based nanocomposites reinforced by carbon nanofibers. 2016 , 356-357, 101-109	16
1578	A novel approach for the preparation of nanosized Gd ₂ O ₃ structure: The influence of surface force on the morphology of ball milled particles. 2016 , 506, 13-19	9
1577	Effects of strain rate on mechanical properties of nanosilica/epoxy. <i>Composites Part B: Engineering</i> , 2016 , 96, 119-124	10 30
1576	Magneto-responsive liquid crystalline elastomer nanocomposites as potential candidates for dynamic cell culture substrates. 2016 , 65, 369-78	33
1575	Methods to increase the toughness of structural adhesives with micro particles: an overview with focus on cork particles. 2016 , 47, 307-325	24
1574	Analysis and evaluation of biobased polyester of PTT/PBAT blend: thermal, dynamic mechanical, interfacial bonding, and morphological properties. 2016 , 27, 938-945	8

1573	Effects of ultrasonic irradiation on colloidal stability of B4C and PbO particles and preparations of epoxy composites. 2016 , 37, 1839-1847	4
1572	Physico-chemical and biological studies on three-dimensional porous silk/spray-dried mesoporous bioactive glass scaffolds. 2016 , 42, 13761-13772	16
1571	Comparative study of dielectric and mechanical properties of HDPE-MWCNT-SiO ₂ nanocomposites. 2016 , 83, 294-301	10
1570	Sol-gel template preparation of alumina nanofillers for reinforcing the epoxy resin. 2016 , 80, 353-361	3
1569	Starch/chitosan films reinforced with polydopamine modified MMT: Effects of dopamine concentration. 2016 , 61, 678-684	42
1568	Powder Selection. 2016 , 177-223	
1567	Fabrication and characterization of novel zirconia filled glass fiber reinforced polyester hybrid composites. 2016 , 133,	7
1566	Effect of cenosphere surface treatment and blending method on the tensile properties of thermoplastic matrix syntactic foams. 2016 , 133,	35
1565	A lexicographic multiobjective genetic algorithm for optimization of mechanical properties of crab carapace impregnated coir-polyester composites. 2016 , 37, 844-853	7
1564	Investigation of CNT modification of epoxy resin in CFRP strengthening systems. 2016 , 37, 1021-1033	13
1563	Reinforcement of irradiated waste polyamide/reclaimed rubber powder composites with glass fiber. 2016 , 37, 1539-1548	2
1562	Maleic anhydride polypropylene modified cellulose nanofibril polypropylene nanocomposites with enhanced impact strength. 2016 , 37, 782-793	44
1561	Mechanical properties of hybrid structural composites reinforced with nanosilica. 2016 , 37, 1216-1222	10
1560	Internal structure analysis of Polypropylene/quartz composites related to their toughness. 2016 , 37, 1488-1496	5
1559	Interfacial interactions in silica-reinforced polypropylene nanocomposites and their impact on the mechanical properties. 2016 , 37, 2018-2026	9
1558	High-modulus steels reinforced with ceramic particles through ingot casting process. 2016 , 32, 992-1003	5
1557	Effect of different carbon nano-fillers on rheological properties and lap shear strength of epoxy adhesive joints. 2016 , 82, 53-64	81
1556	Poly(ethylene oxide) bionanocomposites reinforced with chitin nanofiber networks. 2016 , 84, 267-274	25

1555	The debonding toughness in layered particulate polymer composites. 2016 , 107, 139-147	
1554	Fabrication and mechanical properties of Ti/APC-2 hybrid nanocomposite laminates at elevated temperatures. 2016 , 50, 2035-2045	7
1553	Characterizing Mechanical Properties of Hybrid Alumina Carbon Fiber Composites with Piezospectroscopy. 2016 ,	
1552	American Process: Production of Low Cost Nanocellulose for Renewable, Advanced Materials Applications. 2016 , 267-302	41
1551	Micromechanics methods for evaluating the effective moduli of soft neo-Hookean composites. 2016 , 86, 219-234	6
1550	Automated analysis of microstructural effects on the failure response of heterogeneous adhesives. 2016 , 81, 250-261	9
1549	Structure-property relationships in super-toughened polypropylene-based ternary blends of core-shell morphology. 2016 , 6, 1508-1526	37
1548	The degradation of mechanical properties in polymer nano-composites exposed to liquid media - a review. 2016 , 6, 1076-1089	40
1547	The formation of web-like connection among electrospun chitosan/PVA fiber network by the reinforcement of ellipsoidal calcium carbonate. 2016 , 60, 518-525	23
1546	Inorganic Fillers for Dental Resin Composites: Present and Future. 2016 , 2, 1-11	86
1545	Effect of strain rate and filler size on mechanical behavior of a Cu filled elastomer based composite. 2016 , 127, 185-192	10
1544	Fracture behavior of polycaprolactone/clay nanocomposites. 2016 , 50, 3863-3872	8
1543	Stabilization of carbon dioxide (CO ₂) bubbles in micrometer-diameter aqueous droplets and the formation of hollow microparticles. 2016 , 16, 1587-92	11
1542	A facile approach to spinning multifunctional conductive elastomer fibres with nanocarbon fillers. 2016 , 25, 035015	33
1541	Thermal conductivity of polymer-based composites: Fundamentals and applications. 2016 , 59, 41-85	988
1540	System compliance dictates the effect of composite filler content on polymerization shrinkage stress. 2016 , 32, 551-60	25
1539	Friction and wear properties of friction materials containing nano/micro-sized SiO ₂ particles. 2016 , 68, 259-266	23
1538	Effect of ion exchange treatment on dynamic compression properties of polypropylene/muscovite-layered silicate composites. 2016 , 29, 867-889	3

1537	Recycling polymeric multi-material products through micronization. 2016 , 116, 268-278		17
1536	The effects of various nanoparticles on the thermal and mechanical properties of an epoxy resin. 2016 , 20, 145-150		11
1535	Mechanisms governing the mechanical behavior of an AlSi/CNTs/EP hybrid composite. <i>Composites Part B: Engineering</i> , 2016 , 90, 443-449	10	14
1534	Wear and Failure Mechanism of PTFE/SiO ₂ /Epoxy Composites. 2016 , 138,		2
1533	Dispersion of PMMA-grafted, mesoscopic iron-oxide rods in polymer films. 2016 , 12, 2550-6		9
1532	Mechanical, dynamic mechanical, and thermal analysis of Shorea robusta-dispersed polyester composite. 2016 , 21, 314-326		31
1531	Properties of nano-sized synthetic diamond and boron nitride filled different types of epoxy resin. 2016 , 27, 245-254		1
1530	Effects of aluminium nitride silane-treatment on the mechanical and thermal properties of polybenzoxazine matrix. 2016 , 45, 72-80		15
1529	Biocomposites from waste derived biochars: Mechanical, thermal, chemical, and morphological properties. 2016 , 49, 560-570		108
1528	Toughening of Epoxy Nanocomposites: Nano and Hybrid Effects. 2016 , 56, 70-112		105
1527	Microstructure, residual stress, and intermolecular force distribution maps of graphene/polymer hybrid composites: Nanoscale morphology-promoted synergistic effects. <i>Composites Part B: Engineering</i> , 2016 , 92, 175-192	10	29
1526	A mesomechanics parametric finite element study of damage growth and coalescence in polymers using an Elastoviscoelastic-Viscoplastic internal state variable model. 2016 , 96, 83-95		10
1525	3D FE analysis of tensile behavior for co-PP/SGF composite by considering interfacial debonding using CZM. 2016 , 35, 365-374		9
1524	On the tensile behavior of clay-epoxy nanocomposite considering interphase debonding damage via mixed-mode cohesive zone material. <i>Composites Part B: Engineering</i> , 2016 , 89, 303-315	10	23
1523	Computational homogenization at extreme scales. 2016 , 6, 68-74		43
1522	Effect of nanofiller shape on viscoelasticity of rubber nanocomposite investigated by FEA. <i>Composites Part B: Engineering</i> , 2016 , 92, 160-166	10	9
1521	Site-Selective Modification of Cellulose Nanocrystals with Isophorone Diisocyanate and Formation of Polyurethane-CNC Composites. 2016 , 8, 1458-67		90
1520	Viscous and elastic properties of polylactide melts filled with silica particles: Effect of particle size and concentration. <i>Composites Part B: Engineering</i> , 2016 , 89, 44-53	10	26

1519	Overview of Various Sorts of Polymer Nanocomposite Reinforced with Layered Silicate. 2016 , 55, 723-743		7
1518	Effect of aluminum and aluminum/nickel hybrid fillers on the properties of epoxy composites. 2016 , 230, 550-557		2
1517	Stiffening mechanisms in vermiculite- α -morphous polyamide bio-nanocomposites. 2016 , 74, 51-63		13
1516	A strategy for improving mechanical properties of composite nanofibers through surface functionalization of fillers with hyperbranched polyglycerol. 2016 , 51, 797-808		35
1515	Thermomechanical properties of glass fabric/epoxy composites filled with fly ash. <i>Composites Part B: Engineering</i> , 2016 , 85, 268-276	10	43
1514	Novel low-cost hybrid composites from asphaltene/SBS tri-block copolymer with improved thermal and mechanical properties. 2016 , 51, 2394-2403		42
1513	Effects of surface morphology and treatment of iron oxide nanoparticles on the mechanical properties of an epoxy coating. 2016 , 90, 10-20		39
1512	Green polypropylene/waste paper composites with superior modulus and crystallization behavior: Optimizing specific energy in solid-state shear pulverization for filler size reduction and dispersion. 2016 , 83, 47-55		27
1511	Stochastic continuum modeling of random interphases from atomistic simulations. Application to a polymer nanocomposite. 2016 , 303, 430-449		50
1510	Synthesis and studies of CdS and ZnS-PE/NBR modified thermoplastic elastomeric copolymer nanocomposite films. 2016 , 162, 121-125		11
1509	Mechanical properties of silicone rubber under high loadings of alumina trihydrate filler. 2016 , 48, 354-382	10	
1508	Modification of nanostructure and improvement of mechanical properties of polypropylene/polyamide 6/layered silicate ternary nanocomposites through variation of processing route. <i>Composites Part B: Engineering</i> , 2016 , 85, 207-215	10	17
1507	Bioactive woven flax-based composites: Development and characterisation. 2016 , 46, 549-561		23
1506	A combined numerical and experimental study for characterizing interfacial properties of polyoxymethylene- α -calcium carbonate nanocomposites in tensile state. 2016 , 50, 1523-1532		
1505	Effect of magnetite particle loading on mechanical and strain sensing properties of polyester composites. 2016 , 51, 693-705		4
1504	Sea coral-derived cuttlebone reinforced epoxy composites: Characterization and tensile properties evaluation with mathematical models. 2016 , 50, 807-823		15
1503	Low-velocity impact behavior of carbon fiber/epoxy multiscale hybrid nanocomposites reinforced with multiwalled carbon nanotubes and boron nitride nanoplates. 2016 , 50, 761-770		37
1502	Characterization of mesoporous silica nanoparticle composites at low filler content. 2016 , 50, 715-722		9

1501	Fabrication and characterization of silicon carbide/epoxy nanocomposite using silicon carbide nanowhisker and nanoparticle reinforcements. 2016 , 50, 435-446	58
1500	Effect of mixed size particles reinforcing on the thermal and dynamic mechanical properties of Al ₂ O ₃ /PPS composites. 2016 , 37, 3219-3227	3
1499	Influence of micro- and nanofiller contents on friction and wear behavior of epoxy composites. 2017 , 24, 485-494	3
1498	Mechanical performance of woven carbon fabric reinforced pCBT composites with nanosilica particles. 2017 , 38, 2528-2535	
1497	Hybrid silica micro and PDDA/nanoparticles-reinforced carbon fibre composites. 2017 , 51, 783-795	6
1496	Multiscale modeling of interface debonding effect on mechanical properties of nanocomposites. 2017 , 38, 789-796	13
1495	Nanosilica-reinforced Epoxidized natural rubber nanocomposites: Effect of Epoxidation level on morphological and mechanical properties. 2017 , 38, 1151-1157	6
1494	Mechanical behavior of fibers and films based on PP/Quartz composites. 2017 , 38, 1631-1639	
1493	The X-ray attenuation and the flexural properties of lead-free coated fabrics. 2017 , 47, 252-268	11
1492	Fabrication and characterization of rice bran carbon/styrene butadiene rubber composites fabricated by latex compounding method. 2017 , 38, 2594-2602	16
1491	Mechanical properties of Macadamia nutshell powder and PLA bio-composites. 2017 , 15, 150-156	11
1490	Effect of hydroxyapatite concentration on high-modulus composite for biodegradable bone-fixation devices. 2017 , 105, 1963-1971	9
1489	Effect of glass fiber surface treatment on the mechanical strength of glass fiber reinforced resin mineral composite for machine tool bed. 2017 , 38, 1559-1570	2
1488	Mechanical properties improvement of montmorillonite-filled isotactic polypropylene nanocomposites by Emodification. 2017 , 38, E412-E420	7
1487	The effect of marine sediments on the mechanical properties and thermal stability of proteinic biopolymer. 2017 , 38, 1624-1630	0
1486	Fabrication of acrylic modified coconut fiber reinforced polypropylene biocomposites: Study of mechanical, thermal, and erosion properties. 2017 , 38, 2852-2862	10
1485	Nano-sized TiO ₂ -reinforced natural rubber composites prepared by latex compounding method. 2017 , 23, 200-209	16
1484	Interfacial bond assessment of clay-polyolefin nanocomposites CPNC on view of mechanical and fracture properties. 2017 , 28, 983-992	8

1483	Fabrication and properties of poly(butylene succinate) biocomposites reinforced by waste silkworm silk fabric. 2017 , 95, 125-131		35
1482	A statistical micromechanical multiscale method for determination of the mechanical properties of composites with periodic microstructure. <i>Composites Part B: Engineering</i> , 2017 , 115, 138-143	10	18
1481	Reinforcement of a PMMA resin for interim fixed prostheses with silica nanoparticles. 2017 , 69, 213-222		26
1480	Evaluation of nanoparticle dispersion and its influence on the tensile modulus of polymer nanocomposites by a modeling method. 2017 , 295, 363-369		9
1479	Effects of Particle Size and Particle Loading on the Tensile Properties of Iron-Ore-Tailing-Filled Epoxy and Polypropylene Composites. 2017 , 52, 817-828		10
1478	Probability of Debonding and Effective Elastic Properties of Particle-Reinforced Composites. 2017 , 33, 789-796		6
1477	Spark plasma coating of tungsten-coated SiC particles. 2017 , 310, 282-286		6
1476	Magnetic bionanocomposites from cellulose nanofibers: Fast, simple and effective production method. 2017 , 99, 29-36		18
1475	A Numerical Homogenization Scheme for Glass Particle-Toughened Polymers Under Dynamic Loading. 2017 , 08, 1750001		3
1474	All-solid-state flexible nanocomposite polymer electrolytes based on poly(ethylene oxide): Lithium perchlorate using functionalized graphene. 2017 , 303, 37-46		21
1473	Synthesis of Silicone Elastomers Containing Silyl-Based Polymer-Grafted Carbonyl Iron Particles: An Efficient Way To Improve Magnetorheological, Damping, and Sensing Performances. 2017 , 50, 2189-2200		74
1472	Incorporation of coconut shell based nanoparticles in kenaf/coconut fibres reinforced vinyl ester composites. 2017 , 4, 035020		21
1471	Effects of ultrasonic vibration on the rheological behavior of high-density polyethylene composites filled with flash aluminum flake pigments. 2017 , 134,		2
1470	Multifunctional polymer composites reinforced by carbon nanotubesâalumina hybrids with urchin-like structure. 2017 , 11, 94-102		14
1469	Conceptualizing Physical and Chemical Interactions in the Compatibilized HDPE/PA6 and HDPE/EVOH Pairs: Theoretical and Experimental Analyses. 2017 , 56, 1986-1996		6
1468	A multiscale crack-bridging model of cellulose nanopaper. 2017 , 103, 22-39		49
1467	Organic-inorganic nanocomposites prepared by reactive suspension method: investigation on filler/matrix interactions and their effect on the nanoparticles dispersion. 2017 , 295, 695-701		9
1466	Understanding the strain-dependent dielectric behavior of carbon black reinforced natural rubber â An interfacial or bulk phenomenon?. 2017 , 142, 91-97		26

1465	Physico-mechanical properties of poly(lactic acid) biocomposites reinforced with cow dung. 2017 , 4, 025302	4
1464	High-performance flexible epoxy/ZnO nanocomposites with enhanced mechanical and thermal properties. 2017 , 57, 932-946	7
1463	Effects of chicken eggshell filler size on the processing, mechanical and thermal properties of PVC matrix composite. 2017 , 46, 42-51	15
1462	Influence of the Volume Fraction, Size and Surface Coating of Hard Spheres on the Microstructure and Rheological Properties of Model Mozzarella Cheese. 2017 , 12, 33-44	14
1461	Role of nanoparticle size in self-assemble processes of collagen for tissue engineering application. 2017 , 99, 655-664	19
1460	Carbon dot –Unique reinforcing filler for polymer with special reference to physico-mechanical properties. 2017 , 112, 189-200	23
1459	Light-Stimulated Permanent Shape Reconfiguration in Cross-Linked Polymer Microparticles. 2017 , 9, 14422-14428	21
1458	Elaboration and characterization of composite material based on epoxy resin and clay fillers. 2017 , 15, 190-204	11
1457	Mechanical Properties of Polymer–Bullerene Bulk Heterojunction Films: Role of Nanomorphology of Composite Films. 2017 , 29, 3954-3961	39
1456	Soft Multifunctional Composites and Emulsions with Liquid Metals. 2017 , 29, 1605985	206
1455	CO ₂ /CH ₄ separation using mixed matrix membrane-based polyurethane incorporated with ZIF-8 nanoparticles. 2017 , 71, 1839-1853	20
1454	Influence of colloidal nano-silica on alkyd autoxidation. 2017 , 52, 7158-7165	4
1453	Effect of nanosized alumina fillers on manufacturing of UV light-curable-resin bond abrasive tool. 2017 , 21, 223-238	6
1452	High performance electrospun PVdF-HFP/SiO ₂ nanocomposite membrane electrolyte for Li-ion capacitors. 2017 , 134, 45177	46
1451	Improvement of mechanical properties by a polydopamine interface in highly filled hierarchical composites of titanium dioxide particles and poly(vinyl butyral). 2017 , 146, 73-82	18
1450	Effects of thinner on RTV silicone rubber nanocomposites reinforced with GR and CNTs. 2017 , 28, 1842-1850	18
1449	Free-volume effects on the thermomechanical performance of epoxy–SiO ₂ nanocomposites. 2017 , 134, 45216	12
1448	Physicochemical and biological assessment of PEEK composites embedding natural amorphous silica fibers for biomedical applications. 2017 , 79, 354-362	29

1447	Spincoat-fabricated multilayer PDMS-phosphor composites for thermometry. 2017 , 28, 065101	13
1446	A study of tensile and thermal properties of 3D printed conductive ABS $\hat{\text{ZnO}}$ composite. 2017 ,	10
1445	Gradient nanocomposite printing by dip pen nanolithography. 2017 , 138, 186-200	4
1444	Thermal, structural and morphological properties of High Density Polyethylene matrix composites reinforced with submicron agro silica particles and Titania particlesPeer review under responsibility of Taibah University.View all notes. 2017 , 11, 645-653	6
1443	Studies of nanocomposites based on carbon nanomaterials and RTV silicone rubber. 2017 , 134,	22
1442	A facile method to prepare flexible boron nitride/poly(vinyl alcohol) composites with enhanced thermal conductivity. 2017 , 149, 41-47	138
1441	Fabrication and enhanced mechanical properties of porous PLA/PEG copolymer reinforced with bacterial cellulose nanofibers for soft tissue engineering applications. 2017 , 61, 114-131	19
1440	Bioactive glass containing silicone composites for left ventricular assist device drivelines: role of Bioglass 45S5fi particle size on mechanical properties and cytocompatibility. 2017 , 52, 9023-9038	11
1439	Sustainable Biocomposites from Pyrolyzed Grass and Toughened Polypropylene: Structure-Property Relationships. 2017 , 2, 2191-2199	27
1438	Temperature effects on rigid nano-silica and soft nano-rubber toughening in epoxy under impact loading. 2017 , 134, 45319	7
1437	Matrix-Free Polymer Nanocomposite Thermoplastic Elastomers. 2017 , 50, 4742-4753	29
1436	Analysis of the effect of size, amount and surface treatment on the tensile strain of a brittle adhesive reinforced with micro cork particles. 2017 , 5,	4
1435	Sol-gel-derived bioactive glass nanoparticle-incorporated glass ionomer cement with or without chitosan for enhanced mechanical and biomineralization properties. 2017 , 33, 805-817	41
1434	Reinforcement mechanism of functionalized polypropylene containing hydroxyl group nanocomposites studied by rheo-optical near-infrared spectroscopy. 2017 , 92, 86-96	19
1433	Low modulus and bioactive Ti/ β CP/Ti-mesh composite prepared by spark plasma sintering. 2017 , 80, 197-206	17
1432	Towards sustainable micro and nano composites from fly ash and natural fibers for multifunctional applications. 2017 , 146, 375-385	30
1431	Highly translucent and strong ZrO ₂ -SiO ₂ nanocrystalline glass ceramic prepared by sol-gel method and spark plasma sintering with fine 3D microstructure for dental restoration. 2017 , 37, 4067-4081	28
1430	Effects of temperature and strain rate on the tensile behavior of polypropylene composites insulator coatings used in offshore deepwater pipelines. 2017 , 134, 45209	3

1429	Influence of cryogenic treatment on mechanical and interfacial properties of carbon nanotube fiber/bisphenol-F epoxy composite. <i>Composites Part B: Engineering</i> , 2017 , 125, 195-202	10	42
1428	Effect of interface on the thermal mechanical properties of chemically bonded epoxy-silica hybrids. 2017 , 106, 137-144		5
1427	Rubber/Ceramic Composites. 2017 , 537-574		4
1426	Sustainable biocarbon from pyrolyzed perennial grasses and their effects on impact modified polypropylene biocomposites. <i>Composites Part B: Engineering</i> , 2017 , 118, 116-124	10	65
1425	Effects of mixed micro and nano silica particles on the dynamic compressive performances of epoxy adhesive. 2017 , 5,		7
1424	Effects of Al(OH)O nanoparticle agglomerate size in epoxy resin on tension, bending, and fracture properties. 2017 , 19, 1		20
1423	Mechanical and electrical properties of a polyester resin reinforced with clay-based fillers. 2017 , 31, 1151-1156		1
1422	Permeability of textile fabrics with spherical inclusions. 2017 , 99, 1-14		31
1421	Elastomer/thermoplastic modified epoxy nanocomposites: The hybrid effect of "micro" and "nano" scale. 2017 , 116, 1-29		68
1420	Effect of single-particle magnetostriction on the shear modulus of compliant magnetoactive elastomers. 2017 , 95, 032503		13
1419	Mechanical Properties of Poly(dopamine)-Coated Graphene Oxide and Poly(vinyl alcohol) Composite Fibers Coated with Reduced Graphene Oxide and Their Use for Piezoresistive Sensing. 2017 , 34, 1600382		8
1418	Impact of interfacial adhesion on the microstructure and property variations of biocarbons reinforced nylon 6 biocomposites. 2017 , 98, 32-44		56
1417	Micro Cork Particles as Adhesive Reinforcement Material for Brittle Resins. 2017 , 399-418		1
1416	Sharp volumetric billboard based characterization and modeling of complex 3D Ni/Al high energy ball milled composites. 2017 , 108, 93-106		6
1415	Polydopamine nanoparticles doped in liquid crystal elastomers for producing dynamic 3D structures. 2017 , 5, 6740-6746		67
1414	Effect of particle size on gamma radiation shielding property of gadolinium oxide dispersed epoxy resin matrix composite. 2017 , 4, 035035		39
1413	Multifractal and mechanical analysis of amorphous solid dispersions. 2017 , 523, 91-101		7
1412	Effects of small particles on the mechanical behavior and on the local damage of highly filled elastomers. 2017 , 52, 878-888		6

1411	Novel cellular perlite-epoxy foams: Effects of particle size. 2017 , 53, 597-622	1
1410	Toughening of Epoxy/Ionic Liquid Networks with Thermoplastics Based on Poly(2,6-dimethyl-1,4-phenylene ether) (PPE). 2017 , 5, 1153-1164	22
1409	Uniaxial deformation of polystyrene-silica nanocomposites studied by hybrid molecular dynamics-finite element simulations. 2017 , 129, 1-12	12
1408	Dynamic instability of functionally graded multilayer graphene nanocomposite beams in thermal environment. 2017 , 162, 244-254	184
1407	Esterification of Kraft lignin as a method to improve structural and mechanical properties of lignin-polyethylene blends. 2017 , 134,	21
1406	3D printing of tough hydrogel composites with spatially varying materials properties. 2017 , 14, 24-30	46
1405	Controlling lignin particle size for polymer blend applications. 2017 , 134,	18
1404	Synthesis and characterization of reinforced hybrid porous beads: Application to the adsorption of malachite green in aqueous solution. 2017 , 120, 291-302	13
1403	Conforming to interface structured adaptive mesh refinement: New technique for the automated modeling of materials with complex microstructures. 2017 , 125, 24-40	24
1402	A novel method for prediction of tensile strength of spherical particle-filled polymer composites with strong adhesion. 2017 , 57, 137-143	12
1401	Effect of expandable graphite on flame retardant, thermal and mechanical properties of thermoplastic polyurethane composites filled with huntite&hydromagnesite mineral. 2017 , 647, 70-80	55
1400	Mechanical Characterization of Mesoscale Interfaces Using Indentation Techniques. 2017 , 69, 22-29	6
1399	Radiation induced degradation of silica reinforced silicone foam: Experiments and modeling. 2017 , 105, 148-156	12
1398	Chlorosulfonated Rubber-Based Nanoblends: Preparation, Characterization and Applications. 2017 , 105-153	1
1397	Rubber Nanoblends: State of the Art, New Challenges and Opportunities. 2017 , 1-13	1
1396	Rheology and applications of highly filled polymers: A review of current understanding. 2017 , 66, 22-53	182
1395	Two-Step Procedure of Fly Ash Modification as an Alternative Method for Creation of Functional Composite. 2017 , 25, 1342-1347	16
1394	Estimation of Effective Thermal and Mechanical Properties of Particulate Thermal Interface Materials (TIMs) by a Random Network Model. 2017 ,	1

1393	Thermal conductivity of graphene oxide-enhanced polyvinyl alcohol composites depending on molecular interaction. 2017 , 129, 201-206	22
1392	A numerical study on improving the specific properties of staggered composites by incorporating voids. 2017 , 13, 144-154	10
1391	Ferroelectric performance, surface and mechanical properties of poled PVDF sheet with metal coating: Assessing through PFM, FTIR, and nanoindentation and nanoscratch. 2017 , 515, 134-142	1
1390	DGEBA Epoxy/CaCO ₃ Nanocomposites for Improved Chemical Resistance and Mechanical Properties for Coating Applications. 2017 , 23-44	
1389	Preparation and characterization of poly(ethylene 2,5-furandicarboxylate/nanocrystalline cellulose composites via solvent casting. 2017 , 37, 869-878	19
1388	Effect of dispersion preparation technique of calcium carbonate (CaCO ₃) fillers on mechanical properties of natural rubber (NR) latex films. 2017 ,	1
1387	Novel self-healing dental luting cements with microcapsules for indirect restorations. 2017 , 66, 76-82	10
1386	Effect of polyurethane dispersion as surface treatment for carbon fabrics on mechanical properties of carbon/Nylon composites. 2017 , 151, 268-281	24
1385	Electrospun API-loaded mixed matrix membranes for controlled release. 2017 , 7, 43300-43309	3
1384	Zirconia based feedstocks: Influence of particle surface modification on the rheological properties. 2017 , 43, 16950-16956	9
1383	Additive manufacturing of multifunctional reactive materials. 2017 , 17, 176-182	47
1382	Microstructure Design of Lightweight, Flexible, and High Electromagnetic Shielding Porous Multiwalled Carbon Nanotube/Polymer Composites. 2017 , 13, 1701388	118
1381	The influence of matrix crystallinity, filler grain size and modification on properties of PLA/calcium carbonate composites. 2017 , 62, 203-209	27
1380	Improving Dispersion and Barrier Properties of Polyketone/Graphene Nanoplatelet Composites via Noncovalent Functionalization Using Aminopyrene. 2017 , 9, 27984-27994	35
1379	Poly(lactic acid)/starch composites: Effect of microstructure and morphology of starch granules on performance. 2017 , 134, 45504	15
1378	Surface treatment of carbon nanoparticles by nitrogen/oxygen alternating current arc discharge and the application in ABS/EPDM composites. <i>Composites Part B: Engineering</i> , 2017 , 129, 97-106	10 4
1377	Effect of resin modifiers on the structural properties of epoxy resins. 2017 , 134, 45348	9
1376	Effect of type and loading of surface-modifying agent on mechanical properties of modified geothermal scale powder/stereolithography polymer composite. 2017 , 201, 012005	2

1375	Effect of combination ultrasonic and ball milling techniques of commercial fillers dispersion on mechanical properties of natural rubber (NR) latex films. 2017 ,	3
1374	Large deflection geometrically nonlinear analysis of functionally graded multilayer graphene platelet-reinforced polymer composite rectangular plates. 2017 , 180, 760-771	62
1373	Effect of crosslinker length on the elastic and compression modulus of poly(acrylamide) nanocomposite hydrogels. 2017 , 790, 012037	12
1372	Influence of Natural Fillers Size and Shape into Mechanical and Barrier Properties of Biocomposites. 2017 , 459-487	0
1371	Encapsulation of Inorganic Renewable Nanofiller. 2017 , 143-164	
1370	Impact of Chemical Treatment and the Manufacturing Process on Mechanical, Thermal, and Rheological Properties of Natural Fibers-Based Composites. 2017 , 225-252	10
1369	Multi-biofunctional polymer graphene composite for bone tissue regeneration that elutes copper ions to impart angiogenic, osteogenic and bactericidal properties. 2017 , 159, 293-302	41
1368	Electromagnetic, magnetorheological and stability properties of polysiloxane elastomers based on silane-modified carbonyl iron particles with enhanced wettability. 2017 , 26, 105003	20
1367	The research on the mechanical properties improvement of HDPE/ABS blends reinforced with acid-treated wood fiber. 2017 , 49, 1238-1243	1
1366	Functionalized graphene nanoplatelets/poly(ethylene oxide) nanocomposites: Correlation between crystallization behavior and mechanical performance. 2017 , 18, 2153-2160	7
1365	Preparation and performance of CdS-hyperbranched poly(arylene ether ketone) nanocomposite materials. 2017 , 46, 381-388	3
1364	Graphene-incorporated nanofibrous hybrid membrane with enhanced properties. 2017 , 25, 1057-1062	3
1363	Synthesis and characterization of cellulose nanocrystals as reinforcing agent in solely palm based polyurethane foam. 2017 ,	8
1362	Investigation of flexural behaviour of polymer composite golf shaft. 2017 , 4, 9341-9345	1
1361	Sliding wear Behavior of Cast Al-7075 Alloy Reinforced with MgO Particulates. 2017 , 4, 11096-11101	3
1360	Studies on nanocomposites reinforced with CNTs in different types of dielectric rubber. 2017 , 267, 310-317	10
1359	Study the effects of Cloisite15A nanoclay incorporation on the morphology and gas permeation properties of Pebax2533 polymer. 2017 , 134, 45302	16
1358	Modeling microwave dielectric properties of polymer composites using the interphase approach. 2017 , 31, 1343-1352	4

1357	Thermal buckling and postbuckling of functionally graded graphene nanocomposite plates. 2017 , 132, 430-441	152
1356	. 2017 , 24, 1718-1725	20
1355	How fracture toughness of epoxy-based nanocomposite is affected by PA66 electrospun nanofiber yarn. 2017 , 182, 62-73	29
1354	Tung Oil Wood Finishes with Improved Weathering, Durability, and Scratch Performance by Addition of Cellulose Nanocrystals. 2017 , 9, 24936-24946	18
1353	Modular-based multiscale modeling on viscoelasticity of polymer nanocomposites. 2017 , 59, 187-201	7
1352	Toughened carbon fibre-reinforced polymer composites with nanoparticle-modified epoxy matrices. 2017 , 52, 1767-1788	64
1351	Electronic Polymer Composite. 2017 , 107-149	1
1350	A continuum constitutive model for mechanical behavior of 5052 resin epoxy containing various percentages of MWCNTs. 2017 , 51, 2423-2434	1
1349	In-situ pyrolysis: A novel technique for the dispersion of carbon particles in thermoplastics. 2017 , 36, 414-421	
1348	Buckling and postbuckling of functionally graded multilayer graphene platelet-reinforced composite beams. 2017 , 161, 111-118	283
1347	Composite beads for forming in situ microcosm of biodegrading microbial communities in groundwater. <i>Composites Part B: Engineering</i> , 2017 , 108, 420-426	10
1346	Reinforcement of graphene nanosheets on the microstructure and properties of Sn58Bi lead-free solder. 2017 , 113, 264-272	57
1345	Composite Design. 2017 , 149-183	
1344	Physical Properties of Fibres and Matrix. 2017 , 21-48	
1343	Toughness of a brittle epoxy resin reinforced with micro cork particles: Effect of size, amount and surface treatment. <i>Composites Part B: Engineering</i> , 2017 , 114, 299-310	10 47
1342	PVDF-PAni blend: a free-standing film with variable electrical resistance. 2017 , 74, 1483-1492	2
1341	Novel cellular perlite-epoxy foams: Effect of density on mechanical properties. 2017 , 53, 425-442	5
1340	Influence of surface activated carbon nano fiber on thermo-mechanical properties of high performance polymeric nano composites. 2017 , 51, 1057-1072	14

- 1339 Peptide-Polymer Conjugates for Bioinspired Compatibilization of Internal Composite Interfaces: via Specific Interactions toward Stiffer and Tougher Materials. **2017**, 4, 1600501 19
- 1338 Transdermal anti-inflammatory activity of bilayer film containing olive compound hydroxytyrosol: physical assessment, in vivo dermal safety and efficacy study in Freund's adjuvant-induced arthritic rat model. **2017**, 43, 108-119 18
- 1337 Numerical modeling of elastohydrodynamic lubrication in point or line contact for heterogeneous elasto-plastic materials. **2017**, 24, 1300-1308 9
- 1336 Cellulose acetate-based composites with antimicrobial properties from embedded molybdenum trioxide particles. **2017**, 64, 43-50 8
- 1335 Polyamide/Carbon Nanoparticles Nanocomposites: A Review. **2017**, 57, 475-494 29
- 1334 Filled Polymer Composites. **2017**, 23-46 8
- 1333 Influence of surface texturing on scratch/mar visibility for polymeric materials: a review. **2017**, 52, 1221-1234 15
- 1332 Sustainable biocomposites from biobased polyamide 6,10 and biocarbon from pyrolyzed miscanthus fibers. **2017**, 134, 45
- 1331 Rheological and fire properties of a composite of unsaturated polyester resin and halogen-free flame retardants. **2017**, 134, 13
- 1330 Role of weak particle-matrix interfacial adhesion in deformation and fracture mechanisms of rigid particulate-filled poly(methyl methacrylate). **2017**, 104, 1-12 13
- 1329 Chitosan composites reinforced with nanostructured waste fly ash. **2017**, 19, 870-883 5
- 1328 Quasi-static and dynamic nanoindentation of particle-reinforced soft composites. **2017**, 134, 1
- 1327 Microwave effects on montmorillonite reinforced polyvinyl alcohol-starch nanocomposite. **2017**, 23, E142-E151 1
- 1326 Ceramic-Based Polybenzoxazine Micro- and Nanocomposites. **2017**, 861-919 4
- 1325 Modal analysis of additive manufactured carbon fiber reinforced polymer composite: Experiment and modeling. **2017**, 4
- 1324 The Influence of Thermoplastic Starch and Banana Fibre Contents on Physical and Thermal Properties of LLDPE. **2017**, 209, 012039 4
- 1323 Toughening Underfills by Stress-Absorbing Core-Shell Fillers. **2017**, 4
- 1322 Biochar and carbon nanotubes as fillers in polymers: A comparison. **2017**, 3

1321	Behaviour of Hybrid SiC/Jute Epoxy Composites Manufactured by Vacuum Assisted Resin Infusion. 2017 , 25, 333-344	7
1320	Auto-hybridization of Polyethylene/Maple Composites: The Effect of Fiber Size and Concentration. 2017 , 25, 471-482	
1319	Research on wear resistance of poly-component´composite materials´. 2017 , 63, 106-114	
1318	Analysis of production parameters of single-lap bonds adhesive bonded with composites based on aluminium filler´. 2017 , 63, 36-44	0
1317	Biodegradable food packaging nanocomposites based on ZnO-reinforced polyhydroxyalkanoates. 2017 , 185-221	4
1316	The mechanics of biocomposites. 2017 , 375-411	
1315	Influence of Partially Debonded Interface on Elasticity of Syntactic Foam: A Numerical Study. 2017 , 10,	9
1314	Ti Reactive Sintering of Electrically Conductive Al ₂ O ₃ ˆTiN Composite: Influence of Ti Particle Size and Morphology on Electrical and Mechanical Properties. 2017 , 10, 1348	5
1313	Preparation of Microporous Polypropylene/Titanium Dioxide Composite Membranes with Enhanced Electrolyte Uptake Capability via Melt Extruding and Stretching. 2017 , 9,	22
1312	Calcium Silicate Improved Bioactivity and Mechanical Properties of Poly(3-hydroxybutyrate-co-3-hydroxyvalerate) Scaffolds. 2017 , 9,	21
1311	Experimental Investigation of the Magnetorheological Behavior of PDMS Elastomer Reinforced with Iron Micro/Nanoparticles. 2017 , 9,	23
1310	Spectroscopy and microscopy of microfibrillar and nanofibrillar composites. 2017 , 279-299	2
1309	Effect of oil palm empty fruit bunches fibers reinforced polymer recycled. 2017 , 223, 012064	0
1308	Composite Film of Chitosan Loaded Norfloxacin With Improved Flexibility and Antibacterial Activity for Wound Dressing Application. 2017 , 33, 628-636	15
1307	Tribological Performance of Al-MMC Reinforced with Treated Fly Ash using Response Surface Methodology. 2017 , 10, 1-9	1
1306	Relevance of Adhesion in Particulate/Fibre-Polymer Composites and Particle Coated Fibre Yarns. 2017 , 115-146	
1305	Electrospun Hydroxyapatite Containing Polyvinyl Alcohol Nanofibers Doped with Nanogold for Bone Tissue Engineering. 2017 , 66, 96-100	8
1304	Impact response of advanced composite structures reinforced by carbon nanoparticles. 2017 , 217-235	3

1303	Effective Assembly of Nano-Ceramic Materials for High and Anisotropic Thermal Conductivity in a Polymer Composite. 2017 , 9,	45
1302	Influence of compounding technology on rheological, thermal and mechanical behavior of blast furnace slag filled polystyrene compounds. 2017 ,	
1301	A Comparative Analysis of the Reinforcing Efficiency of Silsesquioxane Nanoparticles versus Apatite Nanoparticles in Chitosan Biocomposite Fibres. 2017 , 1, 9	3
1300	Fracture toughness modelling of polymers filled with inhomogeneously distributed rigid spherical particles. 2017 , 11, 545-554	12
1299	Management of both toughness and stiffness of polypropylene nanocomposites using poly(5-hexen-1-ol-co-propylene) and silica nanospheres. 2018 , 29, 417-423	9
1298	Mechanical properties of epoxy/boehmite nanocomposites in dependency of mass fraction and surface modification - An experimental and numerical approach. 2018 , 141, 34-45	27
1297	Seamless modulus gradient structures for highly resilient, stretchable system integration. 2018 , 4, 28-35	19
1296	Molecular dynamics simulation on the mechanical properties of natural-rubber-graft-rigid-polymer/rigid-polymer systems. 2018 , 20, 8228-8240	12
1295	Effect of carbon nanofibers on mechanical and electrical behaviors of acrylonitrile-butadiene rubber composites. 2018 , 29, 1661-1669	13
1294	Mechanically improved polyvinyl alcohol-composite films using modified cellulose nanowhiskers as nano-reinforcement. 2018 , 191, 25-34	41
1293	A review on the role of interface in mechanical, thermal, and electrical properties of polymer composites. 2018 , 1, 415-439	77
1292	Effect of filler load and high-energy ball milling process on properties of plasticized wheat gluten/olive pomace biocomposite. 2018 , 29, 1230-1238	15
1291	A graphene oxide-Ag co-dispersing nanosystem: Dual synergistic effects on antibacterial activities and mechanical properties of polymer scaffolds. 2018 , 347, 322-333	143
1290	Preparation and characterization of open-cell epoxy foams modified with carbon fibers and aluminum powder. 2018 , 202, 917-923	12
1289	Mechanical properties and thermal characteristics of poly(lactic acid) and paraffin wax blends prepared by conventional melt compounding and sub-critical gas-assisted processing (SGAP). 2018 , 98, 262-272	8
1288	Processing and characterization of nano filler containing friction material. 2018 , 5, 9467-9475	5
1287	Tensile and impact characterization of S-glass/epoxy composite laminates containing microscale borax, perlite, and sewage sludge ash particles. 2018 , 40, 1	6
1286	Novel nanocomposites based on chlorinated styrene butadiene rubber and manganous tungstate: focus on curing, mechanical, electrical and solvent transport properties. 2018 , 53, 9861-9876	12

1285	Development of an image-based numerical model for predicting the microstructure-property relationship in alumina trihydrate (ATH) filled poly(methyl methacrylate) (PMMA). 2018 , 211, 125-148		6
1284	Optimization of material formulation and processing parameters in relation to mechanical properties of bioepoxy/clay nanocomposites using Taguchi design of experiments. 2018 , 135, 45769		6
1283	Multiscale modeling of polymer systems comprising nanotube-like inclusions by considering interfacial debonding under plastic deformations. 2018 , 194, 302-315		4
1282	Effects of nanofiber orientations on the fracture toughness of cellulose nanopaper. 2018 , 194, 350-361		37
1281	Preparation of UV-protective starch/kefiran/ZnO nanocomposite as a packaging film: Characterization. 2018 , 16, 103-111		63
1280	Vibration, Buckling and Aeroelastic Analyses of Functionally Graded Multilayer Graphene-Nanoplatelets-Reinforced Composite Plates Embedded in Piezoelectric Layers. 2018 , 10, 1850023		31
1279	Re-Use of Marble Stone Powders in Producing Unsaturated Polyester Composites. 2018 , 20, 1701061		9
1278	Modeling the effects of elastic modulus and thermal expansion coefficient on the shrinkage of glass fiber reinforced composites. <i>Composites Part B: Engineering</i> , 2018 , 146, 98-105	10	13
1277	Mechanical properties evaluation of T800 carbon fiber reinforced hybrid composite embedded with silicon carbide microparticles. 2018 , 14, 589-608		17
1276	The effects of silane coupling agents on the mechanical properties of basalt fiber reinforced poly(butylene terephthalate) composites. <i>Composites Part B: Engineering</i> , 2018 , 146, 145-154	10	53
1275	Effect of Particle Size on Mechanical and Tribological Behavior of LM4/SiCp Based MMC. 2018 , 5, 5901-5907		9
1274	Effect of Silicon Carbide Particles Embedment on the properties of Kevlar Fiber Reinforced Polymer Composites. 2018 , 5, 6098-6108		11
1273	Micro-crack behavior of carbon fiber reinforced Fe ₃ O ₄ /graphene oxide modified epoxy composites for cryogenic application. 2018 , 108, 12-22		131
1272	Elastomer nanocomposites with superior dynamic mechanical properties via trans-1, 4-poly (butadiene-co-isoprene) incorporation. 2018 , 158, 156-163		34
1271	Thermal conductivity estimation of high solid loading particulate composites: A numerical approach. 2018 , 127, 252-265		9
1270	Evaluation of hybrid-short-coir-fibre-reinforced composites via full factorial design. 2018 , 202, 313-323		25
1269	Influence of incorporation methods of ATH on microstructure, elastomeric properties, flammability, and thermal decomposition of dynamically vulcanized NR/PP blends. 2018 , 135, 46231		12
1268	The effects of POSS particles on the flame retardancy of intumescent polypropylene composites and the structure-property relationship. 2018 , 149, 96-111		35

1267	Mechanical and dynamic properties of resin blend and composite systems: A molecular dynamics study. 2018 , 190, 160-168		20
1266	Reinforced carbon fiber laminates with oriented carbon nanotube epoxy nanocomposites: Magnetic field assisted alignment and cryogenic temperature mechanical properties. 2018 , 517, 40-51		222
1265	On the mechanical behaviours of a craze in particulateâpolymer composites. 2018 , 98, 1376-1396		3
1264	Effect of Pistachio Shell Particle Content on the Mechanical Properties of Polymer Composite. 2018 , 43, 4689-4696		23
1263	Three-dimensional polycaprolactone-bioactive glass composite scaffolds: Effect of particle size and volume fraction on mechanical properties and in vitro cellular behavior. 2018 , 67, 1005-1015		9
1262	Mechanical properties and strengthening mechanism of epoxy resin reinforced with nano-SiO ₂ particles and multi-walled carbon nanotubes. 2018 , 695, 34-43		27
1261	Thermal Conductivity of Nanocomposites Based in High Density Polyethylene and Surface Modified Hexagonal Boron Nitride via Cold Ethylene Plasma. 2018 , 38, 429-441		8
1260	The effect of plasma treatment on the mechanical behavior of UHMWPE fiberâreinforced thermoplastic HDPE composite. 2018 , 50, 73-77		9
1259	Enhanced Piezocapacitive Effect in CaCu ₃ Ti ₄ O ₁₂ âPolydimethylsiloxane Composited Sponge for Ultrasensitive Flexible Capacitive Sensor. 2018 , 1, 274-283		32
1258	Static and dynamic mechanical responses of CaCO ₃ nanoparticle modified epoxy/carbon fiber nanocomposites. <i>Composites Part B: Engineering</i> , 2018 , 140, 223-231	10	42
1257	Theoretical framework and design of mechanochemically augmented polymer composites. 2018 , 19, 27-38		6
1256	Chemical modification of Fe powders under surfactant-assisted ball milling in polydiene solutions. 2018 , 540, 53-66		5
1255	Bromination of UHMWPE surface as a method of changing adhesion to nanoparticles. 2018 , 14, 65-71		8
1254	On the key role of SiO ₂ @POSS hybrid filler in tailoring networking and interfaces in rubber nanocomposites. 2018 , 65, 429-439		15
1253	Shear-Induced Migration of Rigid Particles near an Interface between a Newtonian and a Viscoelastic Fluid. 2018 , 34, 1795-1806		14
1252	Effect of Silica Nanotube Surface Modification on the Physical Properties of Nanocomposites with Poly(methyl methacrylate). 2018 , 26, 113-120		1
1251	Recycled high-density polyethylene plastics added with lead oxide nanoparticles as sustainable radiation shielding materials. 2018 , 176, 276-287		53
1250	Transport properties of concrete-like granular materials interacted by their microstructures and particle components. 2018 , 32, 1840011		29

1249	Calcium copper titanate/polyurethane composite films with high dielectric constant, low dielectric loss and super flexibility. 2018 , 44, 5086-5092		34
1248	Evaluation of hybrid effect on the thermomechanical and mechanical properties of calcite/SGF/PP hybrid composites. <i>Composites Part B: Engineering</i> , 2018 , 140, 68-77	10	17
1247	Development of a recycling solution for waste thermoset material: waste source study, comminution scheme and filler characterization. 2018 , 20, 1320-1336		6
1246	Properties of nylon-6-based composite reinforced with coconut shell particles and empty fruit bunch fibres. 2018 , 47, 77-86		12
1245	Printable Skin-Driven Mechanoluminescence Devices via Nanodoped Matrix Modification. 2018 , 30, e1800291	108	
1244	Investigation of functional, physical, mechanical and thermal properties of TiO ₂ embedded polyester hybrid composites: A design of experiment (DoE) study. 2018 , 28, 266-274		4
1243	Thermal, Morphological and Physic-Mechanical Properties of Natural Rubber - CaCO ₃ Composites Using Jatropha Oil as Softener.. 2018 , 156, 05016		4
1242	Multifunctional green nanostructured composites: preparation and characterization. 2018 , 5, 055010		1
1241	Effect of surface-modified Al ₂ O ₃ on the thermomechanical properties of polybutylene succinate/Al ₂ O ₃ composites. 2018 , 44, 13530-13537		22
1240	Flexural and impact characterizat of wheat flour reinforced epoxy composites treated with saline water. 2018 , 5, 5792-5801		
1239	Size-Dependent Submerging of Nanoparticles in Polymer Melts: Effect of Line Tension. 2018 , 51, 2411-2417	14	
1238	Low density ablative materials modified by nanoparticles addition: Manufacturing and characterization. 2018 , 109, 330-337		21
1237	Compressive mechanical properties of sawdust/high density polyethylene composites under various strain rate loadings. 2018 , 24, 162-173		2
1236	Hybrid composites based on sisal fibers and silica nanoparticles. 2018 , 39, 146-156		16
1235	Experimental investigation on air void and compressive strength optimization of resin mineral composite for precision machine tool. 2018 , 39, 457-466		5
1234	The properties of rice bran carbon/nitrile-butadiene rubber composites fabricated by latex compounding method. 2018 , 39, E687-E696		16
1233	Morphological, thermal, mechanical, and rheological properties of high density polyethylene reinforced with Illite clay. 2018 , 39, 1522-1533		19
1232	Mechanical and Tribological Peculiarity of Nano-TiO ₂ -Augmented, Polyester-Based Homogeneous Nanocomposites and Their Functionally Graded Materials. 2018 , 37, 679-696		10

1231	Effect of nylon 6 (PA6) addition on the properties of glass fiber reinforced acrylonitrile-butadiene-styrene. 2018 , 39, 14-21	11
1230	The effects of glutamine palmitic acid content on properties of high density polyethylene/silica composites. 2018 , 24, 217-223	1
1229	Improvement in impact resistance performance of glass/epoxy composite through carbon nanotubes and silica nanoparticles. 2018 , 232, 785-799	4
1228	Lipid-extracted algal biomass based biocomposites fabrication with poly(vinyl alcohol). 2018 , 31, 525-533	22
1227	Polycarbonate/TiO ₂ nanofibers nanocomposite: Preparation and properties. 2018 , 39, E780-E790	7
1226	Graphene/montmorillonite hybrid nanocomposites based on polypropylene: Morphological, mechanical, and rheological properties. 2018 , 39, 2046-2053	10
1225	Development of HDPE-modified eggshell composite. 2018 , 39, 1630-1637	7
1224	Mechanical, Thermal, and Microscopic Profile of Novel Glass Fiber-Reinforced Polyester Composites as a Function of Barium Sulfate Loading. 2018 , 37, 929-936	4
1223	Experimental investigation of mechanical and viscoelastic properties of Acacia Nilotica filler blended polymer composite. 2018 , 39, 2535-2546	6
1222	Effect of different silane coupling agents on cryogenic properties of silica-reinforced epoxy composites. 2018 , 30, 24-37	13
1221	Mechanical and thermal properties of volcanic particle filled PLA/PBAT composites. 2018 , 39, E1500-E1511	13
1220	Physico-mechanical properties of gamma-irradiated clay/polyester nanocomposites. 2018 , 39, 3666-3675	3
1219	Effect of polyurethane dispersion treatment on the performance improvement of carbon woven fabric-reinforced composites. 2018 , 31, 408-425	6
1218	Dynamic caustics in unidirectional fiber-reinforced composites with mode I cracks: Experiment and numerical simulation. 2018 , 25, 286-294	4
1217	Mixed-mode I/III fracture toughness of polymer matrix composites toughened with waste particles. 2018 , 25, 679-687	3
1216	Effect of halogen-free nanoparticles on the mechanical, structural, thermal and flame retardant properties of polymer matrix composite. 2018 , 183, 381-388	31
1215	Graphite Filler-Based Nanocomposites with Thermoplastic Polymers: A Review. 2018 , 57, 565-580	17
1214	Influence of particle size of isotactic polypropylene (iPP) on barrier property against agglomeration of homogenized microcrystalline cellulose (HMCC) in iPP/HMCC composites. 2018 , 38, 213-222	1

1213	Analysis of agglomeration and interfacial properties in PBT/nano-Sb ₂ O ₃ composites. 2018 , 32, 739-752	7
1212	Interphase-layer effect on deformation of silicone rubber filled with nanosilica particles. 2018 , 135, 45880	3
1211	Interfacial influence on mechanical properties of polypropylene/polypropylene-grafted silica nanocomposites. 2018 , 135, 45887	3
1210	Size effect of tire rubber particles on tribological properties of brake friction materials. 2018 , 394-395, 80-86	23
1209	Experimental investigation of the coupled magneto-mechanical response in magnetorheological elastomers. 2018 , 58, 207-221	45
1208	Chitosan biocomposites with enzymatically produced nanocrystalline cellulose. 2018 , 39, E448-E456	11
1207	Thermal stability and adhesive strength of boron nitride nano platelets and carbon nano tube modified adhesives. 2018 , 52, 1557-1565	7
1206	Micro-Computed Tomography as a Tool to Investigate the Deformation Behavior of Particulate-Filled Composite Materials. 2018 , 140,	3
1205	Antibacterial and amine scavenging properties of silver-silica composite for post-harvest storage of fresh fish. 2018 , 107, 61-69	23
1204	Fabrication of retro-reflective polyurethane via covalently embedding with amino-functionalized glass microspheres. 2018 , 115, 115-121	1
1203	Reinforcement of the mechanical properties in nitrile rubber by adding graphene oxide/silicon dioxide hybrid nanoparticles. 2018 , 135, 46091	18
1202	Additively manufactured biodegradable porous magnesium. 2018 , 67, 378-392	174
1201	Laser confocal microscopical characterization of toughened epoxy resins: Correlations between structural features and mechanical properties. 2018 , 135, 46094	1
1200	Poly (ether ether ketone) - Silicon carbide composite adhesives for elevated temperature applications of stainless steel joints. 2018 , 155, 177-188	12
1199	The effective ellipsoid: a method for calculating the permittivity of composites with multilayer ellipsoids. 2018 , 25, 1031-1038	
1198	Effect of Al(₂ mathrm{O} ₃) Nanoparticles on the Mechanical and Physical Properties of Epoxy Composite. 2018 , 43, 1511-1517	28
1197	Prediction of the tensile strength of hybrid polymer composites filled with spherical particles and short fibers. 2018 , 187, 509-517	12
1196	Fully recoverable rigid shape memory foam based on copper-catalyzed azide-alkyne cycloaddition (CuAAC) using a salt leaching technique. 2018 , 9, 121-130	12

1195	A model for tensile strength of polymer/carbon nanotubes nanocomposites assuming the percolation of interphase regions. 2018 , 538, 148-154		58
1194	Structure and interaction of silk fibroin and graphene oxide in concentrated solution under shear. 2018 , 107, 2590-2597		12
1193	Mechanisms contributing to mechanical property changes in composites of polypropylene reinforced with spray-dried cellulose nanofibrils. 2018 , 25, 439-448		22
1192	Effect of incorporating clustered silica nanoparticles on the performance and biocompatibility of catechol-containing PEG-based bioadhesive. 2018 , 13, 025003		15
1191	Influence of Silica Size on Properties of Poly[(Butylene Succinate)-Co-Adipate]/Butyl-Etherified High-Amylose Starch Blend Composites. 2018 , 70, 1700181		
1190	Design criteria of multilayer fibers reinforced composite in bulky 3D loaded applications. <i>Composites Part B: Engineering</i> , 2018 , 137, 92-101	10	4
1189	Self-heating of a polymeric particulate composite under mechanical excitations. 2018 , 117, 116-125		11
1188	Experimental and numerical investigation on the impact behavior of dual-core composite sandwich panels designed for hydraulic turbine applications. 2018 , 185, 254-263		10
1187	Glass fibers/SiCp reinforced epoxy composites: Effect of environmental conditions. 2018 , 52, 1253-1264		19
1186	Characterization of poly(lactic acid) biocomposites filled with chestnut shell waste. 2018 , 20, 914-924		27
1185	Effect of silica particle loading on shape distortion in glass/vinyl ester-laminated composite plates. 2018 , 109, 656-664		13
1184	The effect of polymer molar mass and silica nanoparticles on the rheological and mechanical properties of poly(ε-caprolactone) nanocomposites. 2018 , 4, 112-126		7
1183	Failure Mode of Epoxidised Natural Rubber - Microalumina Particle Composite (ENRAM) Using Electron Microscopy. 2018 , 1082, 012099		
1182	Tensile and Physical Properties of Unsaturated Polyester/Potash Feldspar Composites: The Effect of Potash Feldspar Loading. 2018 , 454, 012192		0
1181	Effect of Mesoporous Nanoparticles from LCD Glass Panels Waste toward Polypropylene Based Hybrid Composites. 2018 ,		
1180	Effect of the size of silica nanoparticles on the mechanical characteristics of heterogeneous epoxy resin materials. 2018 ,		0
1179	Injection Molding of Thermoplastic Cellulose Esters and Their Compatibility with Poly(Lactic Acid) and Polyethylene. 2018 , 11,		11
1178	Electrically-Conductive Sub-Micron Carbon Particles from Lignin: Elucidation of Nanostructure and Use as Filler in Cellulose Nanopapers. 2018 , 8,		6

1177	Effect of brominated UHMWPE on the properties and structure of the resulting UHMWPE/boron carbide nanocomposite. 2018 ,	0
1176	Effect of ZnO Nanoparticles on the Simultaneous Improvement in Curing and Mechanical Properties of NR/ Recycled EPDM Blends. 2018 , 34, 1-18	2
1175	Effect of boron carbide particles inclusion on the mechanical behaviour of S2-Glass fiber based polyester composites. 2018 , 5, 20257-20267	8
1174	Functionalization and Chemical Linking of Reduced Graphene Oxide or Graphite onto Polyurethane and the Impact on the Tensile Strength and Sheet Resistance of Polymer Composites. 2018 , 26, 141-153	1
1173	An experimental investigation on mechanical properties of SiC particle and sisal fibre reinforced epoxy matrix composites. 2018 , 402, 012094	5
1172	The Effect of Cyperus Odoratus Size and Loading on the Properties of Polypropylene/Cyperus Odoratus (PP/CY) Composites. 2018 , 1019, 012056	1
1171	Significance Of The Type Of Reinforcement On The Mechanical Behavior Of Thermoplastic Composites. 2018 , 5, 13139-13145	1
1170	The Effect of Varying Almond Shell Flour (ASF) Loading in Composites with Poly(Butylene Succinate (PBS) Matrix Compatibilized with Maleinized Linseed Oil (MLO). 2018 , 11,	24
1169	Thermal and Mechanical Properties of Silica?Lignin/Poly lactide Composites Subjected to Biodegradation. 2018 , 11,	12
1168	Understanding the performance of corona aged epoxy nano micro composites. 2018 , 13, 1280-1285	16
1167	Modification of Syndiotactic Polypropylene with Nano-Calcium Carbonate and Halloysite. 2018 , 33, 314-321	1
1166	Study thermo-mechanical properties of polyester composite reinforced by ceramic particles, SiC. 2018 , 225, 01021	3
1165	Dataset on structure and mechanical properties of electrospun polyacrylonitrile nanofibrous mesh reinforced by halloysite nanotubes. 2018 , 21, 2170-2178	1
1164	. 2018 ,	3
1163	Tailoring Performance, Damping, and Surface Properties of Magnetorheological Elastomers via Particle-Grafting Technology. 2018 , 10,	16
1162	. 2018 ,	1
1161	Feasibility study on the use of carbonized cassava cortex as reinforcement in polymer-matrix composites. 2018 , 5, 1545557	2
1160	Fabrication and Properties of Polypropylene and Kenaf Fiber Composite. 2018 , 429, 012016	4

1159	Correlation of free space length and surface energy of epoxy nanocomposites to surface tracking. 2018 , 25, 2129-2138	11
1158	Forced Vibration Analysis of FG-Graphene Platelet Reinforced Polymer Composite Shells Bonded With Piezoelectric Layers Considering Electroelastic Nonlinearities. 2018 ,	3
1157	Structure and properties of PA6-66/aminopropyltriethoxysilane-modified clay nanocomposites prepared by in situ polymerization. 2018 , 39, 16-24	1
1156	Radiopaque Fully Degradable Nanocomposites for Coronary Stents. 2018 , 8, 17409	12
1155	Mechanical and cytotoxicity properties of hybrid ceramics filled polyamide 12 filament feedstock for craniofacial bone reconstruction via fused deposition modelling. 2018 , 34, e309-e316	22
1154	Recycled polypropylene-polyethylene torrefied almond shell biocomposites. 2018 , 125, 425-432	12
1153	Direct measurement of the elasticity and fracture properties of electrospun polyacrylonitrile/halloysite fibrous mesh in water. 2018 , 72, 11-23	5
1152	The Impact Toughness and Hardness of Treated and Untreated Sisal Fibre-Epoxy Resin Composites. 2018 , 2018, 1-10	15
1151	Dynamics of Architecturally Engineered All-Polymer Nanocomposites. 2018 , 12, 10807-10816	18
1150	A study on the effects of graphene nano-platelets (GnPs) sheet sizes from a few to hundred microns on the thermal, mechanical, and electrical properties of polypropylene (PP)/GnPs composites. 2018 , 12, 885-897	34
1149	Experimental study of bitumen emulsion cement mortars: mechanical behaviour and relation to mixtures. 2018 , 51, 1	20
1148	Micro-computed tomography based experimental investigation of micro- and macro-mechanical response of particulate composites with void growth. 2018 , 98, 3049-3071	4
1147	Thermoplastic polyurethane-carbon black nanocomposite coating: Fabrication and solid particle erosion resistance. 2018 , 158, 381-390	129
1146	Ultrastrong Translucent Glass Ceramic with Nanocrystalline, Biomimetic Structure. 2018 , 18, 7146-7154	15
1145	Mechanical and electro-mechanical properties of EAP actuators with inkjet printed electrodes. 2018 , 246, 122-127	6
1144	Comparative study on disintegration methods for oral film preparations. 2018 , 132, 50-61	25
1143	Gelatin-based porous silicon hydrogel composites for the controlled release of tramadol. 2018 , 108, 485-497	18
1142	A Case Study: Particulate-Filled Polyester Hybrid Laminated Composites. 2018 ,	

1141	Bioinspired Wear-Resistant and Ultradurable Functional Gradient Coatings. 2018 , 14, e1802717	9
1140	Effect of through-thickness electrical conductivity of CFRPs on lightning strike damages. 2018 , 114, 429-438	38
1139	Atomic force microscopy methodology and AFMech Suite software for nanomechanics on heterogeneous soft materials. 2018 , 9, 3584	30
1138	Replacement of Commercial Silica by Rice Husk Ash in Epoxy Composites: A Comparative Analysis. 2018 , 21,	13
1137	Pollen fillers for reinforcing and strengthening of epoxy composites. 2018 , 1, 95-103	22
1136	Synergistic reinforcing and toughening of polydicyclopentadiene nanocomposites with low loadings vinyl-functionalized multi-walled carbon nanotubes. 2018 , 153, 287-294	10
1135	Composites Based on Polypropylene and Talc: Processing Procedure and Prediction Behavior by Using Mathematical Models. 2018 , 2018, 1-8	2
1134	Thermal, mechanical and physical properties of nanoegg shell particle-filled epoxy nanocomposites. 2018 , 52, 3989-4000	16
1133	Flexible and self-assembly anisotropic FeCo nanochain-polymer composite films for highly stretchable magnetic device. 2018 , 164, 8-16	4
1132	Utilization of Flyash as Filler Material in Hybrid Polyester Composites for Improved Thermo-Mechanical and Erosion Wear Behavior. 2018 , 10, 2439-2452	8
1131	2.18 Particulate Filled and Short Fiber Reinforced Polymer Composites. 2018 , 360-400	3
1130	Sustainable biocarbon reinforced nylon 6/polypropylene compatibilized blends: Effect of particle size and morphology on performance of the biocomposites. 2018 , 112, 1-10	36
1129	Effect of adding carbon fiber on conductive stability of acrylonitrile-butadiene rubber composites. 2018 , 135, 46668	6
1128	The effect of Portland cement inclusions in hybrid glass fibre reinforced composites based on a full factorial design. 2018 , 202, 233-240	10
1127	Morphology of Poly(styrene- co-butadiene) Random Copolymer Thin Films and Nanostructures on a Graphite Surface. 2018 , 34, 7784-7796	4
1126	Supraparticles: Functionality from Uniform Structural Motifs. 2018 , 12, 5093-5120	116
1125	Ultrastable, highly luminescent quantum dot composites based on advanced surface manipulation strategy for flexible lighting-emitting. 2018 , 29, 315203	18
1124	Structure-property relationships of polypropylene-based nanocomposites obtained by dispersing mesoporous silica into hydroxyl-functionalized polypropylene. Part 1: toughness, stiffness and transparency. 2018 , 50, 1057-1065	15

1123	Towards highly durable bimodal composite claddings using microwave processing. 2018 , 349, 655-666	22
1122	Control of fracture at the interface of dissimilar materials using randomly oriented inclusions and networks. 2018 , 130, 157-174	9
1121	Particle-loaded gels. 2018 , 143-178	
1120	Dynamic Covalent Chemistry at Interfaces: Development of Tougher, Healable Composites through Stress Relaxation at the Resin-Silica Nanoparticles Interface. 2018 , 5, 1800511	26
1119	1.14 Micromechanics of Particulate Composites. 2018 , 353-375	
1118	Vibrationally directed assembly of micro- and nanoparticle-polymer composites. 2018 , 192, 1209-1217	10
1117	Epoxy toughening with graphite fluoride: Toward high toughness and strength. 2018 , 150, 44-51	19
1116	Combination of Magnetic Lignocellulosic Particles, High-Density Polyethylene, and Carbon Black for the Construction of Composites with Tunable Functionalities. 2017 , 10,	7
1115	Nonlinear in-plane instability of functionally graded multilayer graphene reinforced composite shallow arches. 2018 , 204, 301-312	58
1114	Influence of the material properties of a poly(D,L-lactide)/β-tricalcium phosphate composite on the processability by selective laser sintering. 2018 , 87, 267-278	23
1113	Influence of particle shape and size on mechanical properties in copper-polymer composites. 2018 , 339, 39-45	13
1112	Strong and Tough Ceramic Composites via Ice Templating. 2018 , 177-227	
1111	Tensile Behavior of Bio-Composites: Date Palm Rachi/Epoxy, Date Palm Pits/Epoxy. 2018 , 288-295	
1110	Bioactive glass composites for bone and musculoskeletal tissue engineering. 2018 , 285-336	2
1109	Thermal conductivity and tortuosity of porous composites considering percolation of porous network: From spherical to polyhedral pores. 2018 , 167, 134-140	32
1108	Composite materials from fully bio-based thermosetting resins and recycled waste poly(ethylene terephthalate). <i>Composites Part B: Engineering</i> , 2018 , 153, 117-123	10 20
1107	Kaolinite dispersion in cassava starch-based composite films: a photonic microscopy and X-ray tomography study. 2018 , 38, 641-647	1
1106	Investigation of Mechanical Properties of Silicone/Phosphor Composite Used in Light Emitting Diodes Package. 2018 , 10,	11

1105	Maximum tangential stress coupled with probabilistic aspect of fracture toughness of hybrid bio-composite. 2018 , 21, 201-214	5
1104	Effect of compatibiliser on the properties of polypropylene/glass fibre/nanoclay composites. 2018 , 28, 103-111	2
1103	Deformable liquid metal polymer composites with tunable electronic and mechanical properties. 2018 , 33, 2443-2453	26
1102	Additively manufactured biodegradable porous iron. 2018 , 77, 380-393	111
1101	Effect of Compaction Pressure and Magnesium Weight Fraction on Hardness of Recycled-Polystyrene Matrix Composite. 2018 , 70, 1454-1458	2
1100	Structure-property relationships of polypropylene-based nanocomposites obtained by dispersing mesoporous silica into hydroxyl-functionalized polypropylene. Part 2: Matrix-filler interactions and pore filling of mesoporous silica characterized by evolved gas analysis. 2018 , 50, 1067-1077	9
1099	Thermal and Mechanical Properties of Bamboo Fiber Reinforced Epoxy Composites. 2018 , 10,	90
1098	Designer poly(urea-siloxane) microspheres with controlled modulus and size: Synthesis, morphology, and nanoscale stiffness by AFM. 2018 , 150, 289-300	9
1097	Effects of the total content of eutectic Sn-Cu alloy and Cu particles used as conductive filler on the structure and properties of polyamide-66 composites. 2018 , 25, 1	0
1096	Effects of the nanofiller size and aspect ratio on the thermal and rheological behavior of PEG nanocomposites containing boehmites or hydrotalcites. 2018 , 134, 1667-1680	7
1095	Synergistic Effect of Oil Palm Based Pozzolan Materials/Oil Palm Waste on Polyester Hybrid Composite. 2018 , 26, 4063-4072	6
1094	3D Printing of Silk Particle-Reinforced Chitosan Hydrogel Structures and Their Properties. 2018 , 4, 3036-3046	60
1093	Evaluation of highly filled epoxy composites modified with walnut shell waste filler. 2018 , 75, 2511-2528	41
1092	Effect of reinforcements at different scales on mechanical properties of epoxy adhesives and adhesive joints: a review. 2018 , 94, 1082-1121	52
1091	Special Resins for Stereolithography: In Situ Generation of Silver Nanoparticles. 2018 , 10,	29
1090	Mechanical evaluation of polylactic acid (PLA) based composites reinforced with different calcium phosphates. 2018 , 5, 105304	3
1089	Ultrafine bamboo-char as a new reinforcement in poly(lactic acid)/bamboo particle biocomposites: The effects on mechanical, thermal, and morphological properties. 2018 , 33, 3870-3879	8
1088	Effects of microstructure morphology on stress in mechanoluminescent particles: Micro CT image-based 3D finite element analyses. 2018 , 114, 338-351	6

1087	Study of the influence of graphite content on polysulfone-graphite composite membrane properties. 2018 , 134, 1647-1656	4
1086	Characterization of polyamide 6.10 composites incorporated with microcrystalline cellulose fiber: Effects of fiber loading and impact modifier. 2018 , 37, 3412-3420	5
1085	Effect of second phase particles and stringers on microstructures after rolling and recrystallization. 2018 , 736, 41-52	17
1084	Mechanical and Dynamic Mechanical Studies on Epoxy-Cobaltous Sulfate Polymer Hybrids. 2018 , 19, 1490-1499	4
1083	Composite material based on hydroxyapatite and multi-walled carbon nanotubes filled by iron: Preparation, properties and drug release ability. 2018 , 93, 606-614	17
1082	Exploring Chemical, Mechanical, and Electrical Functionalities of Binders for Advanced Energy-Storage Devices. 2018 , 118, 8936-8982	337
1081	Reactive block copolymers for the toughening of epoxies: Effect of nanostructured morphology and reactivity. 2018 , 55, 533-543	11
1080	Estimation of Effective Thermal and Mechanical Properties of Particulate Thermal Interface Materials by a Random Network Model. 2018 , 140,	5
1079	Influence of cement particles on the mechanical and buckling behavior of laminated GFRP composites with variation of end conditions of buckling. 2018 , 5, 065323	4
1078	Corundum Fillers with Variable Sizes and Shapes for Epoxy Nanocomposites as High-Performance Chemical Anchoring and Bonding Systems. 2018 , 303, 1700552	
1077	Exchangeable interfacial crosslinks towards mechanically robust elastomer/carbon nanotubes vitrimers. 2018 , 165, 24-30	46
1076	Toughening and stiffening of starch food extrudates through the addition of cellulose fibres and minerals. 2018 , 84, 515-528	9
1075	Embedded electrical tracks in 3D printed objects by fused filament fabrication of highly conductive composites. 2018 , 23, 294-302	20
1074	Influence of Filler Precoating and Printing Parameter on Mechanical Properties of 3D Printed Acrylonitrile Butadiene Styrene/Zinc Oxide Composite. 2019 , 58, 1-13	5
1073	Polypropylene/organically modified-grafted mica/organoclay hybrid nanocomposites: Preparation, characterization, and mechanical properties. 2019 , 40, 1718-1730	4
1072	On the Nonlinear Vibrations of Polymer Nanocomposite Rectangular Plates Reinforced by Graphene Nanoplatelets: A Unified Higher-Order Shear Deformable Model. 2019 , 43, 603-620	33
1071	Effect of PA66 nanofiber yarn on tensile fracture toughness of reinforced epoxy nanocomposite. 2019 , 233, 2033-2043	11
1070	PREPARATION AND PROPERTIES OF CASHEW NUT SHELL LIQUID-BASED COMPOSITE REINFORCED BY COCONUT SHELL PARTICLES. 2019 , 26, 1850174	5

1069	Effect of PEDOT:PSS content on structure and properties of PEDOT:PSS/poly(vinyl alcohol) composite fiber. 2019 , 76, 2097-2111	14
1068	The influence of alumina particle modification on the adhesion of the polyacrylate matrix composite films and the metal substrate. 2019 , 26, 417-430	6
1067	Morphological study of surface-modified urea-formaldehyde microcapsules using 3-aminopropyltriethoxy silane. 2019 , 76, 1317-1331	9
1066	Experimental and micromechanical modeling of fracture toughness: MWCNT-reinforced polypropylene/glass fiber hybrid composites. 2019 , 32, 1031-1055	12
1065	Nanoindentation study on mechanical properties and curing depth of dental resin nanocomposites. 2019 , 40, 1473-1480	11
1064	The influence of sintering temperature on characteristic of ceramics based on bentonite, glass bead and alumina. 2019 , 1191, 012034	
1063	Effect of various enzymatic treatments on the mechanical properties of coir fiber/poly(lactic acid) biocomposites. 2019 , 089270571986461	5
1062	Development of chitosan/gelatin hydrogels incorporation of biphasic calcium phosphate nanoparticles for bone tissue engineering. 2019 , 30, 1636-1657	26
1061	Measurement of dispersion and homogeneity of functionalized graphene/CNT hybrid epoxy composite. 2019 , 1, 1	5
1060	Experimental study mechanical behaviour of epoxy resin composites filled with aluminium particles. 2019 ,	3
1059	Synthesis, electrical properties, and kinetic thermal analysis of polyaniline/ polyvinyl alcohol - magnetite nanocomposites film. 2019 , 26, 347-359	2
1058	Effect of micro-crystalline cellulose particles on mechanical properties of alkaline treated jute fabric reinforced green epoxy composite. 2019 , 26, 9057-9069	32
1057	Flame Retardant Polymer Nanocomposites and Interfaces. 2019 ,	2
1056	Influence of silica fillers on failure modes of glass/vinyl ester composites under different mechanical loadings. 2019 , 218, 106605	9
1055	Photocurable Poly(ethylene glycol) Diacrylate Resins with Variable Silica Nanoparticle Loading. 2019 , 58, 14775-14784	0
1054	Microstructures and properties of Ag composite fillers for electronic packaging applications. 2019 , 30, 11520-11528	1
1053	Deformation characteristics of glass-filled epoxy composite under compression: Role of filler shape and volume fraction. 2019 , 40, 4726-4741	1
1052	Computationally fast morphological descriptor-based microstructure reconstruction algorithms for particulate composites. 2019 , 182, 107746	4

1051	Material Utilization of Cotton Post-Harvest Line Residues in Polymeric Composites. 2019 , 11,		8
1050	Polypropylene Blend with Polyphenols through Dynamic Vulcanization: Mechanical, Rheological, Crystalline, Thermal, and UV Protective Property. 2019 , 11,		15
1049	Structure and properties of nylon-6/amino acid modified nanoclay composite fibers. 2019 , 110, 1336-1342		3
1048	Morphology and mechanical behaviour of pea-based starch-protein composites obtained by extrusion. 2019 , 223, 115086		14
1047	Compaction self-assembly of ultralow-binder-content particulate composites. <i>Composites Part B: Engineering</i> , 2019 , 175, 107144	10	5
1046	Hybrid metal/thermoplastic composites for FDM-type additive manufacturing. 2019 , 089270571986415		9
1045	Elastic interphase properties of nanoparticle/epoxy nanocomposites: A molecular dynamics study. <i>Composites Part B: Engineering</i> , 2019 , 176, 107211	10	20
1044	Evaluation of expanded perlite behavior in PS/Perlite composites. 2019 , 181, 105223		6
1043	Toughening Epoxy Resin Using a Liquid Crystalline Elastomer for Versatile Application. 2019 , 1, 2291-2301		11
1042	Effect of Fiber Surface Modification on the Interfacial Adhesion and Thermo-Mechanical Performance of Unidirectional Epoxy-Based Composites Reinforced with Bamboo Fibers. 2019 , 24,		14
1041	Prevulcanized natural rubber and carbon black: High-deformation piezoresistive composites. 2019 , 253, 427-429		4
1040	Effect of Morphology of Calcium Carbonate on Toughness Behavior and Thermal Stability of Epoxy-Based Composites. 2019 , 7, 178		18
1039	Microstructure and Mechanical Properties of a SiO ₂ Ceramic and TC4 Alloy Joint Brazed with a Nanocomposite Filler. 2019 , 28, 4427-4433		4
1038	Deriving Commercial Level Adhesive Performance from a Bio-Based Mussel Mimetic Polymer. 2019 , 7, 13315-13323		24
1037	Calculation and Measurement of Elastic Modulus of Nano BaTiO ₃ Enhanced IPMC. 2019 , 793, 53-57		1
1036	Mechanical properties and in vitro degradation behavior of additively manufactured phosphate glass particles/fibers reinforced polylactide. 2019 , 136, 48171		2
1035	Silicon carbide whiskers enhance mechanical and anti-wear properties of PA6 towards potential applications in aerospace and automobile fields. <i>Composites Part B: Engineering</i> , 2019 , 175, 107096	10	20
1034	Key factors in mechanical reinforcement by double percolation network: Particle migration and shear stability of filler network. 2019 , 182, 121820		4

1033	Synthesis of an alkynyl neutral polymer-bonding agent and its enhancing effect on tensile strength of glycidyl azide polymer-based propellants. 2019 , 28, 943-955		3
1032	Electrospun Nylon 6,6/ZIF-8 Nanofiber Membrane for Produced Water Filtration. 2019 , 11, 2111		8
1031	Effect of elevated in-service temperature on the mechanical properties and microstructure of particulate-filled epoxy polymers. 2019 , 170, 108994		29
1030	Mass, Size, and Density Measurements of Microparticles in a Quadrupole Ion Trap. 2019 , 91, 13508-13513		6
1029	Synergistic enhanced yield strength, tensile ductility and impact toughness of polydicyclopentadiene nanocomposites by introducing low loadings of di-functionalized silica. 2019 , 79, 106052		5
1028	Physicochemical characterization and antimicrobial activity of edible propolis-chitosan nanoparticle films. 2019 , 137, 105326		17
1027	Myristic acid as surface modifier of calcium carbonate hydrophobic nanoparticles. 2019 , 21, 1		1
1026	Hybrid Glass Fiber Reinforced Polymer Matrix Composites: Mechanical Strength Characterization and Life Assessment. 2019 , 189-208		1
1025	Construction of a binary channel efficient cooling composites with reflective and phase-change properties. <i>Composites Part B: Engineering</i> , 2019 , 178, 107517	10	19
1024	Impact of silane treated basalt fibers and montmorillonite nano-clay on polypropylene composites. 2019 , 6, 125325		2
1023	The Effects of Aluminum-Nitride Nano-Fillers on the Mechanical, Electrical, and Thermal Properties of High Temperature Vulcanized Silicon Rubber for High-Voltage Outdoor Insulator Applications. 2019 , 12,		4
1022	Theoretical modeling of the temperature dependent tensile strength for particulate-polymer composites. 2019 , 184, 107881		3
1021	Effect of Boron Carbide Particles on the properties of Kevlar49 Fiber Reinforced Polymer Composites. 2019 , 18, 230-240		
1020	Magneto-elastic properties of isotropic MR elastomers with a tri-modal particle size distribution. 2019 , 80, 106105		2
1019	Bending Properties of Fine Pitch Flexible CIF (Chip-in-Flex) Packages Using APL (Anchoring Polymer Later) ACFs (Anisotropic Conductive Films). 2019 ,		
1018	Explanation of main tunneling mechanism in electrical conductivity of polymer/carbon nanotubes nanocomposites by interphase percolation. 2019 , 76, 5717-5731		5
1017	Effect of fiber amount on mechanical and thermal properties of (3-aminopropyl) triethoxysilane treated basalt fiber reinforced ABS composites. 2019 , 6, 115340		3
1016	Forming Covalent Crosslinks between Polymer-Grafted Nanoparticles as a Route to Highly Filled and Mechanically Robust Nanocomposites. 2019 , 29, 1905168		20

1015	The effects of particle size and content on Morphology and Mechanical Properties of Rice Straw and Coal Fly Ash filled-Polypropylene Composites. 2019 , 1175, 012282	2
1014	Mechanical behavior of PP reinforced with marble dust. 2019 , 228, 116766	26
1013	Micromechanical modeling of unidirectional composites with random fiber and interphase thickness distributions. 2019 , 89, 2563-2575	5
1012	Advances in toughened polymer materials by structured rubber particles. 2019 , 98, 101160	51
1011	High strength and toughness epoxy nanocomposites reinforced with graphene oxide-nanocellulose micro/nanoscale structures. 2019 , 497, 143802	9
1010	Particle-toughened interlayers enhance mechanical response of composite laminates. 2019 , 182, 107761	17
1009	Toughening in nanosilica-reinforced epoxy with tunable filler-matrix interface properties. 2019 , 183, 107799	14
1008	Oil phase displacement by acoustic streaming in a reservoir-on-a-chip. 2019 , 23, 1	3
1007	Effect of aspect ratio of graphene oxide on properties of poly (vinyl alcohol) nanocomposites. 2019 , 5, 84-93	14
1006	Thermo-Mechanical Properties of PLA/Short Flax Fiber Biocomposites. 2019 , 9, 3797	36
1005	Highly Thermal Conductive and Electrically Insulated Graphene Based Thermal Interface Material with Long-Term Reliability. 2019 ,	3
1004	Experimental and numerical study of the effect of silica filler on the tensile strength of a 3D-printed particulate nanocomposite. 2019 , 347, 615-625	2
1003	Manufacturing, thermochemical characterization and ablative performance evaluation of carbon-phenolic ablative material with nano-Al ₂ O ₃ addition. 2019 , 169, 108979	12
1002	Pressure-conductive rubber sensor based on liquid-metal-PDMS composite. 2019 , 299, 111610	20
1001	The fabrication of a degradable film with high antimicrobial and antioxidant activities. 2019 , 140, 111692	9
1000	Cell-Laden Particulate-Composite Hydrogels with Tunable Mechanical Properties Constructed with Gradient-Interface Hydrogel Particles. 2019 , 1, 2571-2576	4
999	Enhanced optomechanical properties of mechanochemiluminescent poly(methyl acrylate) composites with granulated fluorescent conjugated microporous polymer fillers. 2019 , 10, 2206-2211	28
998	Effect of networked hybridized nanoparticle reinforcement on the thermal conductivity and mechanical properties of natural rubber composites.. 2019 , 9, 636-644	7

997	Influence of Al ₂ O ₃ particle size on properties of thermoplastic starch/Al ₂ O ₃ composites. 2019 , 76, 5889-5902		3
996	Application of sunflower husk, hazelnut shell and walnut shell as waste agricultural fillers for epoxy-based composites: A study into mechanical behavior related to structural and rheological properties. 2019 , 75, 1-11		61
995	Mechanical and Thermal Properties Modeling, Sorption Characteristics of Multiscale (Multiwalled Carbon Nanotubes/Glass Fiber) Filler Reinforced Polypropylene Composites. 2019 , 25, E94-E107		7
994	Interfacial Engineering of Reduced Graphene Oxide for Aramid Nanofiber-Enabled Structural Supercapacitors. 2019 , 2, 464-472		20
993	Selectively localized nanosilica particles at the phase interface of PS/PA6/nanosilica composites with co-continuous structure via reactive extrusion. 2019 , 172, 125-133		13
992	Nano boron nitride/polyurethane adhesives in flexible laminated food packaging: Peeling resistance and permeability properties. 2019 , 93, 102326		9
991	Ultrastrong nanocomposites with interphases: Nonlocal deformation and damage behavior. 2019 , 75, 93-108		5
990	Formulation optimization of bioreinforced composites from polyolefins and dried distillers' grains using statistical methods. 2019 , 119, 246-260		3
989	Microwave synthesized composite claddings with enhanced cavitation erosion resistance. 2019 , 422-423, 242-251		28
988	Improved Electromagnetic Interference Shielding Properties Through the Use of Segregate Carbon Nanotube Networks. 2019 , 12,		9
987	Study of Tribological Properties of Nano-Sized Red Mud Particle-Reinforced Polyester Composites. 2019 , 72, 2417-2431		8
986	Enhanced mechanical and tribological performance of PA66 nanocomposites containing 2D layered Zirconium phosphate nanoplatelets with different sizes. 2019 , 2, 407-422		15
985	Dramatically enhanced tensile strength and impact toughness of polydicyclopentadiene composites by covalent bond formation between phenyl-functionalized silica and dicyclopentadiene. <i>Composites Part B: Engineering</i> , 2019 , 170, 31-40	10	14
984	Effect of filler size on thermal properties of paraffin/silver nanoparticle composites. 2019 , 36, 1004-1012		15
983	Polymer Composites: Reinforcing Fillers. 2019 , 1-72		4
982	Effect of graphene nanoplatelets thickness on strain sensitivity of nanocomposites: A deeper theoretical to experimental analysis. 2019 , 181, 107697		21
981	Enhanced elastomer toughness and fracture properties imparted by chemically reactive flat nanoparticles. 2019 , 78, 105932		5
980	Evaluation of the particle geometry and interphase influence on the filler-matrix debonding process. 2019 , 6, 085341		4

979	Properties of hybrid composites using coral reefs waste and coconut fiber. 2019 , 508, 012059		2
978	Influence of particle size and particle loading on mechanical properties of silicon carbide reinforced epoxy composites. 2019 , 103, 4787-4794		11
977	Viscoelastic damage behavior of fiber reinforced nanoparticle-filled epoxy nanocomposites: Multiscale modeling and experimental validation. <i>Composites Part B: Engineering</i> , 2019 , 174, 107005	10	14
976	Influence of filler material on mechanical and vibration properties of basalt/epoxy composites. 2019 , 6, 085342		5
975	Modeling the electrical resistivity of polymer composites with segregated structures. 2019 , 10, 2537		58
974	Mechanical and thermal behaviour of food waste (Citrus limetta peel) fillers based novel epoxy composites. 2019 , 27, 527-535		14
973	The fabrication of mechanoluminescent composites manufactured via the displaced foam dispersion technique. 2019 , 48, 191-200		2
972	Evaluation of Size Distribution Measurement Methods for Sub-100 nm Colloidal Silica Nanoparticles and Its Application to CMP Slurry. 2019 , 8, P3195-P3200		4
971	Property evaluation and material characterization of soybean oil modified bioepoxy/clay nanocomposites for environmental sustainability. 2019 , 5, 100012		6
970	Effect of particle size distribution on thermo-mechanical properties of NiO filled LDPE composites. 2019 , 42, 1		2
969	Thermal and dynamic mechanical properties of polyethylene glycol/quartz composites for phase change materials. 2019 , 136, 48130		9
968	Fillers and Filled Plastics. 2019 , 1-27		
967	Tunable Mechanical Anisotropy, Crack Guiding, and Toughness Enhancement in Two-Stage Reactive Polymer Networks. 2019 , 21, 1900578		9
966	Structural stabilizing effect of SEBS-g-MAH on a PP-PET blend for multiple mechanical recycling. 2019 , 166, 60-72		16
965	Isolating the effect of polymer-grafted nanoparticle interactions with matrix polymer from dispersion on composite property enhancement: The example of polypropylene/halloysite nanocomposites. 2019 , 176, 38-50		19
964	Thermal enhancement and shape stabilization of a phase-change energy-storage material via copper nanowire aerogel. 2019 , 373, 857-869		35
963	Wear resistance of Al ₂ O ₃ /WC-Co/epoxy coatings on TC18 (Ti-5Al-5Mo-5V-1Cr-1Fe) alloy. 2019 , 374, 1100-11072		
962	Photothermal Control over the Mechanical and Physical Properties of Polydimethylsiloxane. 2019 , 52, 3839-3844		5

961	Preparation and characterization of starch-based composite films reinforced by apricot and walnut shells. 2019 , 136, 47978		12
960	The Effect of Dispersion and Particle-Matrix Interactions on the Fatigue Behavior of Novel Epoxy/Halloysite Nanocomposites. 2019 , 121-155		7
959	An in-situ study of stress evolution and fracture growth during compression of concrete. 2019 , 168, 26-40		9
958	Reprocessing of injection-molded magnetorheological elastomers based on TPE matrix. <i>Composites Part B: Engineering</i> , 2019 , 172, 253-261	10	21
957	Mechanical and Thermal Properties of Fiber Reinforced Styrene-Ethylene-Butylene-Styrene (SEBS) Composite Doped with CuO, MgO and ZnO Nanoparticles. 2019 , 31, 714-718		1
956	En Wear-Resisting Properties of Epoxy/WC-Co/Al Coating on 300M Steel. 2019 , 1151, 47-53		
955	Synthesis and characterization of high-performance epoxy/ Ti3AlC2-reinforced conductive polymer composites. 2019 , 53, 3861-3874		5
954	Hybrid Epoxy Composites Reinforced with Flax Fiber and Basalt Fiber. 2019 , 639-650		2
953	High specific strength hybrid polypropylene composites using carbon fibre and hollow glass microspheres: Development, characterization and comparison with empirical models. <i>Composites Part B: Engineering</i> , 2019 , 173, 106875	10	25
952	Vibration and Buckling Characteristics of Functionally Graded Graphene Nanoplatelets Reinforced Composite Beams with Open Edge Cracks. 2019 , 12,		20
951	Highly filled multilayer thermoplastic/graphene conducting composite structures with high strength and thermal stability for electromagnetic interference shielding applications. 2019 , 136, 47792		21
950	X-ray attenuation and mechanical properties of tungsten-silicone rubber nanocomposites. 2019 , 6, 085045		7
949	Study on Tensile Strength of GFRP Nanocomposites by VARTM. 2019 , 351-360		1
948	Exploring the cell-protein-mineral interfaces: Interplay of silica (nano)rods@collagen biocomposites with human dermal fibroblasts. 2019 , 1, 100004		4
947	Mechanical, thermomechanical, and local anisotropy analyses of long basalt fiber reinforced polyamide 6 composites. 2019 , 222, 110917		17
946	Friction and wear behavior of PTFE coatings modified with poly (methyl methacrylate). <i>Composites Part B: Engineering</i> , 2019 , 172, 316-322	10	27
945	Effect of ZTA volume fractions on the microstructure and properties of ZTAp/high manganese steel composites. 2019 , 6, 046535		4
944	The Synthesis of Urchin-Like Serried Hydroxyapatite (USHA) and its Reinforcing Effect for Dental Resin Composites. 2019 , 304, 1800738		5

943	Spatial and temporal tunability of magnetically-actuated gradient nanocomposites. 2019 , 15, 3133-3148	8
942	Decoupling subsurface inhomogeneities: a 3D finite element approach for contact nanomechanical measurements. 2019 , 30, 285703	3
941	Enabling Applications of Covalent Adaptable Networks. 2019 , 10, 175-198	80
940	Montmorillonite with unique interlayer space imparted polymer scaffolds with sustained release of Ag+. 2019 , 45, 11517-11526	7
939	The fabrication and characterization of high density polyethylene composites reinforced by carbon nanotube coated carbon fibers. 2019 , 121, 149-156	25
938	Effect of Alumina Contents on the Physicomechanical Properties of Alumina (Al ₂ O ₃) Reinforced Polyester Composites. 2019 , 2019, 1-9	14
937	Globally reinforced mechanical, electrical, and thermal properties of nonlinear conductivity composites by surface treatment of varistor microspheres. 2019 , 175, 151-157	9
936	Silk and Silk-Based Composites: Opportunities and Challenges. 2019 , 91-106	1
935	Compression Molded Thermoplastic Composites Entirely Made of Recycled Materials. 2019 , 11, 631	10
934	Rubber Toughening of Polylactic Acid (PLA) with Poly(butylene adipate-co-terephthalate) (PBAT): Mechanical Properties, Fracture Mechanics and Analysis of Ductile-to-Brittle Behavior while Varying Temperature and Test Speed. 2019 , 115, 125-137	48
933	Influence of the particle size on the magnetorheological effect of magnetorheological elastomers. 2019 , 481, 176-182	30
932	Modeling the influence of interleaf layers in composite materials on elastic properties, thermal expansion, and chemical shrinkage. 2019 , 53, 2415-2428	12
931	Effect of electrostatic interactions on structure and mechanical properties of ice templated colloid-polymer composites. 2019 , 52, 214002	5
930	Fabrication and mechanical characterization of 3D printed vertical uniform and gradient scaffolds for bone and osteochondral tissue engineering. 2019 , 90, 37-48	101
929	Enhancement of thermal conductivity of carbon fiber-reinforced polymer composite with copper and boron nitride particles. 2019 , 121, 449-456	27
928	Development of mechanical properties in dental resin composite: Effect of filler size and filler aggregation state. 2019 , 101, 274-282	33
927	Core-shell nanospheres to achieve ultralow friction polymer nanocomposites with superior mechanical properties. 2019 , 11, 8237-8246	20
926	A functional polysaccharide film forming by pectin, chitosan, and tea polyphenols. 2019 , 215, 1-7	59

925	Multiscale fracture mechanics model for the dorsal closure in Drosophila embryogenesis. 2019 , 127, 154-166	9
924	Mechanical Strength Enhancement of Polylactic Acid Hybrid Composites. 2019 , 11,	7
923	Highly Dynamic Nanocomposite Hydrogels Self-Assembled by Metal Ion-Ligand Coordination. 2019 , 15, e1900242	23
922	Viscosity and fragility of confined polymer nanocomposites: a tale of two interfaces. 2019 , 11, 8546-8553	6
921	Mechanical properties of 3D parts fabricated by fused deposition modeling: Effect of various fillers in polylactide. 2019 , 136, 47824	26
920	Thermoresponsive Stiffening with Microgel Particles in a Semiflexible Fibrin Network. 2019 , 52, 3029-3041	6
919	Effect of solid state shear milling on structure and properties of poly(vinyl alcohol)/shell powder composite prepared by thermal processing. 2019 , 6, 065318	0
918	Production and Digital Image Correlation Analysis of Titanium Foams with Different Pore Morphologies as a Bone-Substitute Material. 2019 , 2019, 1-14	4
917	Imidazole-supported silica one-pot processed nanoparticles to enhance toughness of epoxy based nanocomposites. 2019 , 231, 75-86	11
916	Hierarchy of Hybrid Materials-The Place of Inorganics--Organics in it, Their Composition and Applications. 2019 , 7, 179	119
915	Design and testing of high-density polyethylene nanocomposites filled with lead oxide micro- and nano-particles: Mechanical, thermal, and morphological properties. 2019 , 136, 47812	19
914	Solid particle erosion of epoxy matrix composites reinforced by Al ₂ O ₃ spheres. 2019 , 136, 432-445	21
913	A mechanically robust and flexible PEGylated poly(glycerol sebacate)/ETCP nanoparticle composite membrane for guided bone regeneration. 2019 , 7, 3279-3290	15
912	A modified shear-lag model for prediction of stress distribution in unidirectional fibrous composites considering interphase. 2019 , 14, 97-117	
911	Silica sand modified aluminium composite: an empirical study of the physical, mechanical and morphological properties. 2019 , 6, 076539	5
910	Correlation between homogenization treatment and subsequent hot extrusion of Al-Mg-Si alloy. 2019 , 54, 9843-9856	11
909	A Comparative Study of the Efficacy of Local/Global and Parametric/Nonparametric Machine Learning Methods for Establishing Structure-Property Linkages in High-Contrast 3D Elastic Composites. 2019 , 8, 67-81	10
908	Construction of 3D boron nitride nanosheets/silver networks in epoxy-based composites with high thermal conductivity via in-situ sintering of silver nanoparticles. 2019 , 369, 1150-1160	82

907	Thermal and mechanical properties of carbon fiber-reinforced resin composites with copper/boron nitride coating. 2019 , 220, 494-501	8
906	Polymer-Based Nano-Composites for Thermal Insulation. 2019 , 21, 1801162	27
905	Study on the mechanical, electrical and optical properties of metal-oxide nanoparticles dispersed unsaturated polyester resin nanocomposites. 2019 , 13, 102264	36
904	Improving energy dissipation and damage resistance of CFRP laminates using alumina nanoparticles. 2019 , 48, 208-217	10
903	Compressive properties of magnetorheological elastomer with different magnetic fields and types of filler. 2019 , 30, 1106-1115	20
902	Investigation of the changes in physical properties of PES/PVC fabrics after aging. 2019 , 136, 47523	3
901	Analytical prediction of the impact response of graphene reinforced spinning cylindrical shells under axial and thermal loads. 2019 , 71, 331-348	56
900	An improved crack-bridging model for rigid particle-polymer composites. 2019 , 211, 291-302	14
899	Polymer-particulate composites with differential interfaces: synthesis, characterization, and mathematical modeling to evaluate interface-yield strength correlations. 2019 , 297, 545-556	4
898	Evaluation of fracture toughness of epoxy-nickel coated carbon fiber composites with Al ₂ O ₃ nano filler. 2019 ,	2
897	Effect of Graphite Content on The Mechanical Properties of Acrylonitrile-Butadiene-Styrene (ABS). 2019 , 383, 1800018	4
896	Influence of stress triaxiality and strain rate on stress-strain behaviour and dilation of mineral-filled PVC. 2019 , 75, 350-357	7
895	The mechanical and thermal properties of chopped basalt fiber-reinforced poly (butylene terephthalate) composites: Effect of fiber amount and length. 2019 , 53, 2465-2475	9
894	A simple and robust computational homogenization approach for heterogeneous particulate composites. 2019 , 349, 45-90	12
893	Polypropylene crystallization at an alumina interface using single walled carbon nanotubes. 2019 , 543, 9-16	
892	Aggregation level and interfacial interactions of nano-Sb ₂ O ₃ /PBT composites: effect of high energy ball milling and amount of the nanofiller. 2019 , 26, 449-463	1
891	Sustainable use of eggshell powder in the composite based on recycled polystyrene and virgin polystyrene mixture. 2019 , 24, 266-275	7
890	Evaluation of Mechanical and Interfacial Properties of Bio-Composites Based on Poly(Lactic Acid) with Natural Cellulose Fibers. 2019 , 20,	46

889	Phase field method for simulating the brittle fracture of fiber reinforced composites. 2019 , 211, 321-340	25
888	High-density polyethylene/mollusk shell-waste composites: effects of particle size and coupling agent on morphology, mechanical and thermal properties. 2019 , 8, 1915-1925	19
887	Rational Design of Soft, Thermally Conductive Composite Liquid-Cooled Tubes for Enhanced Personal, Robotics, and Wearable Electronics Cooling. 2019 , 4, 1800690	16
886	Multiscale simulation of the interlaminar failure of graphene nanoplatelets reinforced fibers laminate composite materials. 2019 , 136, 47664	3
885	Investigating mechanical properties of leather treated with Aloe barbadensis Miller and Carrageenan using existing theoretical models. 2019 , 76, 6123-6136	
884	Porous graphitic biocarbon and reclaimed carbon fiber derived environmentally benign lightweight composites. 2019 , 664, 363-373	15
883	Sea water absorption on corrosion and hardness properties of lining brake with hybrid particulates composites. 2019 , 539, 012020	
882	Investigation on Polymer Composite Materials Wear Reinforced by Microparticles of Jatropha Curcas L. Waste. 2019 , 638, 012011	1
881	Thermal conductivity and impact properties of iron ore tailings filled epoxy composites. 2019 , 38, 668	1
880	The effect of graphene loading on natural rubber latex/graphene stretchable conductive material. 2019 , 670, 012041	
879	Improving the mechanical and thermal properties of chlorinated poly(vinylchloride) by incorporating modified CaCO ₃ nanoparticles as a filler. 2019 , 43, 750-759	14
878	Value-Added Utilization of Agro-Waste Derived Oil Palm Ash in Epoxy Composites. 2019 , 7, 1269-1278	2
877	Effect of Nano Filler Reinforcement on Mechanical Properties of Epoxy Composites. 2019 , 574, 012010	4
876	Hydro-Thermal Fatigue of Polymer Matrix Composite Biomaterials. 2019 , 12,	17
875	Deconvolution of Stress Interaction Effects from Atomic Force Spectroscopy Data across Polymer-Particle Interfaces. 2019 , 52, 8940-8955	6
874	Mechanical, Chemical and Morphological Analysis of Crab shell/Sisal Natural Fiber Hybrid Composites. 2019 , 1-15	20
873	The Influence of Silicon Carbide Powders on the Enhancement of the Wear Resistance of Epoxy Resin. 2019 , 813, 80-85	2
872	Thermally conductive, super flexible and flame-retardant BN-OH/PVA composite film reinforced by lignin nanoparticles. 2019 , 7, 14159-14169	41

871	Theoretical Modelling Analysis on Tensile Properties of Bioepoxy/Clay Nanocomposites Using Epoxidised Soybean Oils. 2019 , 2019, 1-20	4
870	Hybrid Green Bionanocomposites of Bio-based Poly(butylene succinate) Reinforced with Pyrolyzed Perennial Grass Microparticles and Graphene Nanoplatelets. 2019 , 4, 20476-20485	9
869	Thermal Characteristics of Sisal Composites Containing Charcoal Particles. 2019 , 18, 3174-3181	1
868	Recent progress in shape memory polymer composites: methods, properties, applications and prospects. 2019 , 8, 327-351	37
867	Effect of alkali and silane surface treatments on the mechanical and physical behaviors of date palm seed-filled thermoplastic polyurethane eco-composites. 2019 , 089270571989090	4
866	Effects of interface adhesive and resin cohesive strength on tensile strength of resin sand based on numerical analysis. 2019 , 16, 406-413	1
865	Effect of Pyrolysis Temperature and Time on Properties of Palm Kernel Shell-Based Biochar. 2019 , 548, 012020	9
864	Preparation and characterization of poly(hydroxybutyrate) and hollow glass microspheres composite films: morphological, thermal, and mechanical properties. 2019 , 8, 935-943	4
863	Modification of silicone elastomers with Bioglass 45S5fi increases in ovo tissue biointegration. 2019 , 107, 1180-1188	3
862	Hybrid materials based on rubber blend nanocomposites. 2019 , 40, 3056-3064	2
861	A parallel and efficient multi-split XFEM for 3-D analysis of heterogeneous materials. 2019 , 347, 365-401	22
860	X-ray shielding behavior of garment woven with melt-spun polypropylene monofilament. 2019 , 345, 15-25	15
859	Analyzing effects of surface roughness, voids, and particle-matrix interfacial bonding on the failure response of a heterogeneous adhesive. 2019 , 346, 410-439	9
858	Effects of micrometre-sized graphite flake to reinforce the performances of poly(lactic acid) thermoplastic biocomposites. 2019 , 27, 20-32	2
857	Effects of purity in single-wall carbon nanotubes into rubber nanocomposites. 2019 , 715, 195-203	10
856	Rigid filler toughening in PLA-Calcium Carbonate composites: Effect of particle surface treatment and matrix plasticization. 2019 , 113, 78-88	33
855	Influence of nano-SiO ₂ on the bonding strength and wear resistance properties of polyurethane coating. 2019 , 26, 77-83	10
854	Fabrication of starch - Nanocellulose composite fibers by electrospinning. 2019 , 90, 90-98	30

853	Nano-dispersion of fluorinated phosphonate-modified nanodiamond in crystalline fluoropolymer matrix to achieve a transparent polymer/nanofiller hybrid. 2019 , 40, E842	9
852	Effect of reinforcement filler on vulcanization, diffusion, mechanical, and electrical properties of natural rubber. 2019 , 51, 512-526	2
851	Effect of interfacial coating and testing conditions on the flexural performance of carbon woven fibre-reinforced polyamide laminates. 2019 , 48, 57-65	4
850	The thermal degradation and dynamic mechanical properties modeling of MWCNT/glass fiber multiscale filler reinforced polypropylene composites. 2019 , 169, 249-259	38
849	Prolonged release from orodispersible films by incorporation of diclofenac-loaded micropellets. 2019 , 554, 149-160	22
848	Aggregation States of Poly(4-methylpentene-1) at a Solid Interface. 2019 , 51, 247-255	10
847	Enhancement of basic properties of polysaccharide-based composites with organic and inorganic fillers: A review. 2019 , 136, 47251	37
846	Mechanical behavior and thermal stability of ultrasonically synthesized halloysite-epoxy composite. 2019 , 11, 39-44	14
845	Rheological behavior of polypropylene/carbon quantum dot nanocomposites: the effects of particles size, particles/matrix interface adhesion, and particles loading. 2019 , 76, 4335-4354	4
844	Flexible piezoelectric ultrasonic energy harvester array for bio-implantable wireless generator. 2019 , 56, 216-224	54
843	Mechanical Characterizations of 3D-printed PLLA/Steel Particle Composites. 2018 , 12,	318
842	Thermomechanical, water absorption, ultraviolet resistance and laser-assisted electroless plating behavior of Cu ₂ O and melamine-formaldehyde-coated sisal fiber-modified poly(lactic acid) composites. 2019 , 40, 3264-3274	10
841	A facile strategy for the modification of chitosan/gliadin composites by tannic acid. 2019 , 240, 209-212	6
840	Tuning the interphase adhesion in high-density polyethylene-silica nanocomposites with ionic liquids. 2019 , 136, 47366	1
839	High impact strength for polypropylene/titanate whisker composites with dual compatibilizing agents. 2019 , 40, 3421-3428	3
838	Ternary nanocomposites based on epoxy, modified silica, and tetrabutyl titanate: Morphology, characteristics, and kinetics of the curing process. 2019 , 136, 47412	9
837	Preparation of Rigid Bentonite/PAM Nanocomposites by an Adiabatic Process: Influence of Load Content and Nano-structure on Mechanical Properties and Glass Transition Temperature. 2019 , 29, 1111-1118	3
836	Structure-property relationships between microscopic filler surface chemistry and macroscopic rheological, thermo-mechanical, and adhesive performance of SiO ₂ filled nanocomposite underfills. 2019 , 118, 223-234	16

835	Semi-empirical investigation of the interfacial shear strength of short fiber polymer composites. 2019 , 74, 99-103	4
834	Effect of Copolymer Sequence on Local Viscoelastic Properties near a Nanoparticle. 2019 , 52, 513-527	7
833	A new constitutive model of micro-particle reinforced metal matrix composites with damage effects. 2019 , 152, 524-534	13
832	Effect of silica nanoparticles on mechanical properties of Kevlar/epoxy hybrid composites. 2019 , 110, 606-613	10
831	Theoretical model for the tensile strength of polymer materials considering the effects of temperature and particle content. 2019 , 6, 015315	3
830	Critical review of the factors dominating the fracture toughness of CNT reinforced polymer composites. 2019 , 6, 012003	5
829	High temperature performance of composite adhesives based on PEEK and boron carbide particles. 2019 , 40, 2473-2481	6
828	Tailoring of thermal and mechanical properties of hollow glass bead-filled polypropylene porous Films via stretching ratio and filler content. 2019 , 40, 2938-2945	1
827	In situ formation of zinc phthalate as a highly dispersed nucleating agent for mechanically strengthened isotactic polypropylene. 2019 , 358, 1243-1252	25
826	Self-healing waterborne polyurethane coating by pH-dependent triggered-release mechanism. 2019 , 136, 47082	15
825	Bismuth oxide-based nanocomposite for high-energy electron radiation shielding. 2019 , 54, 3023-3034	11
824	Effect of low nanoclay content on the physico-mechanical properties of poly(lactic acid) nanocomposites. 2019 , 27, 43-54	5
823	Size effect in particle debonding: Comparisons between finite fracture mechanics and cohesive zone model. 2019 , 53, 1941-1954	4
822	Application of the Basalt Powder as a Filler for Polypropylene Composites With Improved Thermo-Mechanical Stability and Reduced Flammability. 2019 , 59, E71-E79	16
821	Aluminosilicate-epoxy resin composite as novel material for electrical insulation with enhanced mechanical properties and improved thermal conductivity. 2019 , 40, 3182-3188	10
820	Numerical modeling of hybrid composite materials. 2019 , 57-101	10
819	High-toughness PLA/Bamboo cellulose nanowhiskers bionanocomposite strengthened with silylated ultrafine bamboo-char. <i>Composites Part B: Engineering</i> , 2019 , 165, 174-182	10 28
818	Impact of nanoparticles on the process-induced distortions of carbon fiber reinforced plastics: An experimental and simulative approach. 2019 , 136, 47031	7

817	Biodegradation of polyhydroxybutyrate and hollow glass microspheres composite films. 2019 , 136, 47195	5
816	Edge crack effect on tensile behavior of diversified wood particulate composites. 2019 , 109-131	
815	Effects of 2D boron nitride (BN) nanoplates filler on the thermal, electrical, mechanical and dielectric properties of high temperature vulcanized silicone rubber for composite insulators. 2019 , 774, 396-404	42
814	Mechanical and thermal properties of high-density polyethylene/alumina/glass fiber hybrid composites. 2019 , 32, 1566-1581	8
813	Investigation of the mechanical properties of Napier-grass-reinforced composites for the aerospace industry. 2019 , 321-334	1
812	Design and Synthesis of Polymer Nanocomposites. 2019 , 47-83	44
811	Vibration-damping characterization of the basalt/epoxy composite laminates containing graphene nanopellets. 2019 , 26, 147-153	8
810	Multi-walled carbon nanotubes buckypaper/epoxy composites: effect of loading and pressure on tensile and electrical properties. 2019 , 76, 2801-2817	11
809	Enhancing toughness of thin films and coatings through embedded nanoinclusions. 2019 , 99, e201800159	0
808	A study of oriented conductive composites with segregated network structure obtained via solid-state processing of UHMWPE reactor powder and carbon nanofillers. 2019 , 40, E146	5
807	X-ray shielding by a novel garment woven with melt-spun monofilament weft yarn containing lead and tin particles. 2019 , 89, 63-75	7
806	Mechanical Properties of Pineapple Leaf Fiber Reinforced Epoxy Infused with Silicon Carbide Micro Particles. 2019 , 16, 137-151	23
805	Magneto-mechanical properties of polydimethylsiloxane composites with a binary magnetic filler system. 2019 , 40, 337-345	6
804	Ductility and Flame Retardancy Enhancement of PVC by Nanostructured Fly Ash. 2019 , 11, 2241-2251	5
803	Effect of ethylene-1-butene copolymer on tensile properties and toughness of polypropylene/mica/organoclay hybrid nanocomposites. 2019 , 25, 117-126	4
802	Stress intensity factor evaluations for a curved crack in orthotropic particulate composites using an interaction integral method. 2019 , 26, 631-638	3
801	Enhanced interfacial interactions of isocyanate-grafted graphene oxide/nitrile-butadiene rubber nanocomposites: mechanical and thermo-physical properties. 2019 , 40, E1103-E1110	6
800	Processable conductive and mechanically reinforced polylactide/graphene bionanocomposites through interfacial compatibilizer. 2019 , 40, 389-400	12

799	Mechanical performance of thermoplastic composites using bituminous coal as filler: Study of a potentially sustainable end-use application for Appalachian coal. 2019 , 40, 591-599	6
798	Computational modelling of particulate-reinforced materials up to high volume fractions: Linear elastic homogenisation. 2019 , 233, 1101-1116	0
797	Mechanical analysis of functionally graded graphene oxide-reinforced composite beams based on the first-order shear deformation theory. 2020 , 27, 3-11	42
796	The effects of fiber silane modification on the mechanical performance of chopped basalt fiber/ABS composites. 2020 , 33, 1449-1465	12
795	High loading rice husk green composites: Dimensional stability, tensile behavior and prediction, and combustion properties. 2020 , 33, 882-897	12
794	Piezoresistive epoxy resin films with carbon black particles for small-strain sensors. 2020 , 77, 3725-3734	3
793	Development and characterization of structural adhesives for aerospace industry with alumina nanoparticles under shear and thermo-mechanical impact loads. 2020 , 234, 490-507	6
792	A composite RAS with an enhanced uniformity of absorbing performance using a MWCNT-anchored aramid fiber. 2020 , 200, 108442	6
791	A novel surface modification of Sb ₂ O ₃ nanoparticles with a combination of cationic surfactant and silane coupling agent. 2020 , 1-17	0
790	Experimental, analytical and finite element studies on nano(MWCNT) and hybrid (MWCNT/glass fiber) filler reinforced polypropylene composites. 2020 , 29, 1071-1085	5
789	Flammability Characteristics and Mechanical Properties of Casein Based Polymeric Composites. 2020 , 12,	2
788	Large deformation and energy absorption of additively manufactured auxetic materials and structures: A review. <i>Composites Part B: Engineering</i> , 2020 , 201, 108340	10 79
787	Manipulation of Fracture Behavior of Poly(methyl methacrylate) Nanocomposites by Interfacial Design of a Metal-Organic-Framework Nanoparticle Toughener. 2020 , 36, 11938-11947	5
786	Pseudo-Ductility, Morphology and Fractography Resulting from the Synergistic Effect of CaCO ₃ and Bentonite in HDPE Polymer Nano Composite. 2020 , 13,	3
785	A Phenol-Amine Superglue Inspired by Insect Sclerotization Process. 2020 , 32, e2002118	30
784	Significantly Enhanced Mechanical Strength by the Hollow Structure of Conductive Stretchable Silver Nanoflower-Polyurethane Fibers. 2020 , 22, 2000674	3
783	Aluminum-Filled Amorphous-PET, a Composite Showing Simultaneous Increase in Modulus and Impact Resistance. 2020 , 12,	7
782	Highly Adhesive and Sustainable UV/Heat Dual-Curable Adhesives Embedded with Reactive Core-Shell Polymer Nanoparticles for Super-Narrow Bezel Display. 2020 , 13,	0

781	Tensile strength of granular aggregates: Stress chains across particle phase versus stress concentration by pores. 2020 , 102, 022906	3
780	Recent Progress in Isotropic Magnetorheological Elastomers and Their Properties: A Review. 2020 , 12,	11
779	In Situ Fourier Transform Infrared Spectroscopic Imaging for Elucidating Variations in Chemical Structures of Polymer Composites at the Matrixâ€Filler Interface during Reactive Processing. 2020 , 53, 10711-10717	2
778	Investigation of Thermal Properties of Waste Tungsten Carbide (WC) loaded HDPE Matrix. 2020 , 25, 101547	1
777	Effect of ball-milling time on chemical property of coconut shell powder. 2020 , 1572, 012021	3
776	Experimental and numerical study of the laser transmission welding between PA6/sepiolite nanocomposites and PLA. 2020 , 238, 107277	1
775	New bulk-fill composite system with high irradiance light polymerization: Integrity and degree of conversion. 2020 , 36, 1615-1623	6
774	Poly(εCaprolactone)/Brewersâ€Spent Grain Compositesâ€The Impact of Filler Treatment on the Mechanical Performance. 2020 , 4, 167	2
773	Mechanical and Thermal Properties of Hybrid Non-Woven Kenaf Fibre Mat-Graphene Nanoplatelets reinforced Polypropylene Composites. 2020 , 1010, 124-129	1
772	Effect of waste fillers addition on properties of high-density polyethylene composites: mechanical properties, burning rate, and water absorption. 2020 , 1	2
771	Heterogeneous magnetic micropillars for regulated bending actuation. 2020 , 38, 100734	4
770	The Mechanical Behaviors of Polyethylene/Silver Nanoparticle Composites: an Insight from Molecular Dynamics study. 2020 , 10, 7600	4
769	Investigation of the effect of surface crack on low-velocity impact response in hybrid laminated composite plates. 2020 , 42, 1	9
768	Optimizing electric field distribution via tuning cross-linked point size for improving the dielectric properties of polymer nanocomposites. 2020 , 12, 12416-12425	12
767	Hybrid Magnetic Micropillar Arrays for Programmable Actuation. 2020 , 32, e2001879	34
766	The Use of Composite Materials in 3D Printing. 2020 , 4, 42	42
765	Experimental and Monte Carlo investigations of gamma ray transmission and buildup factors for inorganic nanoparticle/epoxy composites. 2020 , 174, 108960	13
764	The Effect of Carbon Black on the Properties of Plasticised Wheat Gluten Biopolymer. 2020 , 25,	9

763	Two-Stage Simulation of Tensile Modulus of Carbon Nanotube (CNT)-Reinforced Nanocomposites After Percolation Onset Using the Ouali Approach. 2020 , 72, 3943-3951		3
762	In-situ shear exfoliation and thermal conductivity of SBS/Graphite nanoplatelet nanocomposites. <i>Composites Part B: Engineering</i> , 2020 , 197, 108172	10	10
761	Mechanical and structural properties for recycled thermoplastics from waste fishing ropes. 2020 , 22, 1682-1689		3
760	Improving the actuation performance of magneto-polymer composites by silane functionalisation of carbonyl-iron particles. <i>Composites Part B: Engineering</i> , 2020 , 196, 108091	10	7
759	A highly tough and ultralow friction resin nanocomposite with crosslinkable polymer-encapsulated nanoparticles. <i>Composites Part B: Engineering</i> , 2020 , 197, 108157	10	12
758	Lightweight, transparent piezoresistive sensors conceptualized as anisotropic magnetorheological elastomers: A durability study. 2020 , 183, 105816		7
757	Mechanical Performance of HDPE/UHMWPE Hybrid Composites and Tribological Characterization using Taguchi Method. 2020 , 24, 1452-1461		1
756	Mechanical and Self-Healing Behavior of Matrix-Free Polymer Nanocomposites Constructed via Grafted Graphene Nanosheets. 2020 , 36, 7427-7438		7
755	Mechanical properties of glassy polymers with controlled NP spatial organization. 2020 , 90, 106640		10
754	Tribological behavior and energy dissipation of hybrid nanoparticle-reinforced HPMC composites during sliding wear. 2020 , 389, 125617		6
753	Theoretical Study of Nanocomposite Permittivity with a Tunable Clustering of Inclusions. 2020 , 3, 2000005		1
752	Experimental study on the influences of different surface treatment processes and adhesive type on the aluminum adhesive-bonded joint strength. 2020 , 1-14		0
751	3 Glass fibre-reinforced composites and their drilling-induced delamination. 2020 , 35-50		
750	POSS nanoparticles as a potential compatibilizer for natural rubber/butadiene rubber blends. 2020 , 31, 2290		1
749	Quantitative fractography as a novel approach to measure fracture toughness of direct resin composites. 2020 , 109, 103857		4
748	Improvement of mechanical and physical performance of poly (lactic acid) biocomposites by application of surface silanization for huntite hydromagnesite mineral. 2020 , 089270572093077		4
747	The effects of mismatch fracture properties in encapsulation-based self-healing concrete using cohesive-zone model. 2020 , 14, 792-801		4
746	Enhancing the toughness of composites via dynamic thiol-thioester exchange (TTE) at the resin-filler interface. 2020 , 11, 4760-4767		5

745	Numerical Characterization for Electrical Conductivity of Two-Dimensional Nanocomposite Systems with Conducting Fiber Fillers. 2020 , 13,	
744	Mechanical and degradation properties of poly(methyl methacrylate) cement/borate bioactive glass composites. 2020 , 108, 2765-2775	6
743	Epoxy/polyurethane nanocomposite coatings for anti-erosion/wear applications: A review. 2020 , 54, 3189-3203	12
742	Poly(2-oxazoline)-based magnetic hydrogels: Synthesis, performance and cytotoxicity. 2020 , 190, 110912	11
741	Colorless Silk/Copper Sulfide Hybrid Fiber and Fabric with Spontaneous Heating Property under Sunlight. 2020 , 21, 1596-1603	10
740	Statistical design of sustainable composites from poly(lactic acid) and grape pomace. 2020 , 137, 49061	7
739	Factors affecting thermal conductivities of the polymers and polymer composites: A review. 2020 , 193, 108134	202
738	Characterization and 3D printability of poly (lactic acid)/acetylated tannin composites. 2020 , 149, 112320	22
737	Economically Competitive Biodegradable PBAT/Lignin Composites: Effect of Lignin Methylation and Compatibilizer. 2020 , 8, 5338-5346	47
736	On numerical evaluation of Eshelby tensor for superspherical and superellipsoidal inclusions in isotropic elastic material. <i>Composites Part B: Engineering</i> , 2020 , 192, 107964	10 6
735	Mechanical characterization of the nitrocellulose-based visco-hyperelastic binder in polymer bonded explosives. 2020 , 32, 023103	5
734	Comparative mechanical, thermal properties and morphological study of untreated and NaOH-treated coconut shell-reinforced cardanol environmental friendly green composites. 2020 , 34, 1720-1740	9
733	Numerical study of composite laminates subjected to low-velocity impact using a localized damage algorithm of Puck's 3D IFF criterion. 2020 , 228, 106901	3
732	Investigation of biphasic calcium phosphate (BCp)/polyvinylpyrrolidone (PVp) /graphene oxide (GO) composite for biomedical implants. 2020 , 46, 24413-24423	5
731	Experimental investigation on the mechanical behavior of recycled rubber reinforced polymer composites filled with aluminum powder. 2020 , 259, 119845	6
730	Controlling the Release of Hydrogen Peroxide from Catechol-Based Adhesive Using Silica Nanoparticle. 2020 , 6, 4502-4511	6
729	Quasi-Static Tests of Hybrid Adhesive Bonds Based on Biological Reinforcement in the Form of Eggshell Microparticles. 2020 , 12,	5
728	Modulating water mobility in comminuted meat protein gels using model hydrophilic filler particles. 2020 , 129, 109376	4

727	Effect of the Fluorination of Graphene Nanoflake on the Dispersion and Mechanical Properties of Polypropylene Nanocomposites. 2020 , 10,	5
726	Polypropylene-Based Nanocomposite with Enhanced Aging Stability by Surface Grafting of Silica Nanofillers with a Silane Coupling Agent Containing an Antioxidant. 2020 , 5, 12431-12439	10
725	Study on the Flammability and Thermal Stability of Non Halogen UPR-Based Fire Retardant Composite through Combination of Carbon Black and Hydroxide Additives. 2020 , 391, 1900176	3
724	Self-reinforced polyethylene enabled by cyclic pulsating pressure. 2020 , 202, 122665	4
723	An operator based novel micromechanical model of viscoelastic hybrid woven fibre-particulate reinforced polymer composites. 2020 , 83, 104044	2
722	Effect of microstructural damage on the mechanical properties of silica nanoparticle-reinforced silicone rubber composites. 2020 , 235, 107195	13
721	Evaluation of thermomechanical behaviors of UO ₂ -5 vol% Mo nuclear fuel pellets with sandwiched configuration. 2020 , 539, 152295	2
720	Mechanically robust, UV screener core-double-shell nanostructures provide enhanced shielding for EM radiations over wide angle of incidence. 2020 , 12, 15775-15790	6
719	The Influence of Modification with Natural Fillers on the Mechanical Properties of Epoxy Adhesive Compositions after Storage Time. 2020 , 13,	19
718	Biochar filled high-density polyethylene composites with excellent properties: Towards maximizing the utilization of agricultural wastes. 2020 , 146, 112185	36
717	Thermo-mechanical properties of high density polyethylene with zinc oxide as a filler. 2020 , 29, 309-320	11
716	Halloysite nanotubes loaded with nano silver for the sustained-release of antibacterial polymer nanocomposite scaffolds. 2020 , 46, 237-247	29
715	A Method to Improve the Characteristics of EPDM Rubber Based Eco-Composites with Electron Beam. 2020 , 12,	6
714	In-situ growth of silica nano-protrusions on halloysite nanotubes for interfacial reinforcement in polymer/halloysite scaffolds. 2020 , 513, 145772	13
713	Kinetically assembled binary nanoparticle networks. 2020 , 12, 5091-5102	1
712	Hybrid Polyester Composites Reinforced with CurauFibres and Nanoclays. 2020 , 21, 399-406	20
711	Change of rheological/mechanical properties of poly(caprolactone)/CaCO ₃ composite with particle surface modification. 2020 , 32, 29-39	5
710	Grain size effect on tensile and flexural strength of particulate composites reinforced with Acropora waste. 2020 , 22, 156-161	4

709	Effect of shape and size of filler particle on the aggregation and sedimentation behavior of the polymer composite. 2020 , 366, 43-51	34
708	Toward Stimuli-Responsive Dynamic Thermosets through Continuous Development and Improvements in Covalent Adaptable Networks (CANs). 2020 , 32, e1906876	110
707	Layer-by-Layer Assembly of Nanofiber/Nanoparticle Artificial Skin for Strain-Insensitive UV Shielding and Visualized UV Detection. 2020 , 5, 1900976	7
706	Effects of Various Methods of Chemical Modification of Lignocellulose Hazelnut Shell Waste on a Newly Synthesized Bio-based Epoxy Composite. 2020 , 28, 1190-1203	14
705	Thermally induced fragmentation of nanoscale calcite.. 2020 , 10, 6088-6091	5
704	Introduction. 2020 , 1-5	2
703	Lattice composites with embedded short carbon fiber/Fe3O4/epoxy hollow spheres for structural performance and microwave absorption. 2020 , 188, 108427	10
702	Characterization studies of biopolymeric matrix and cellulose fibres based composites related to functionalized fibre-matrix interface. 2020 , 29-93	22
701	Effect of nanoparticles loading on free vibration response of epoxy and filament winding basalt/epoxy and E-glass/epoxy composite tubes: Experimental, analytical and numerical investigations. 2020 ,	6
700	Effect of Heat and Sonic Vibration on Penetration of a Flowable Resin Composite Used as a Pit and Fissure Sealant. 2020 , 44, 41-46	3
699	Effect of the wine lees wastes as cost-advantage and natural fillers on the thermal and mechanical properties of poly(3-hydroxybutyrate-co-hydroxyhexanoate) (PHBH) and poly(3-hydroxybutyrate-co-hydroxyvalerate) (PHBV). 2020 , 137, 48869	18
698	Effect of filler functional groups on the mechanical properties and relevant mechanisms of polydicyclopentadiene nanocomposites. 2020 , 137, 49010	4
697	Enhancement in Nanomechanical, Thermal, and Abrasion Properties of SiO2 Nanoparticle-Modified Epoxy Coatings. 2020 , 10, 310	7
696	Bioinspired design of elastomeric vitrimers with sacrificial metal-ligand interactions leading to supramechanical robustness and retentive malleability. 2020 , 192, 108756	19
695	Mechanically reinforced biodegradable Poly(butylene adipate-co-terephthalate) with interactive nanoinclusions. 2020 , 197, 122518	9
694	The effect of silk fibroin nanoparticles on the morphology, rheology, dynamic mechanical properties, and toughness of poly(lactic acid)/poly(ϵ -caprolactone) nanocomposite. 2020 , 137, 49232	7
693	Effect of hydroxyapatite filler concentration on mechanical properties of poly (methyl methacrylate) denture base. 2020 , 2, 1	11
692	Assessment of tensile and damping behaviour of hybrid particle/woven fibre/polymer composites. 2020 , 244, 112231	10

691	Size-Tailored Physicochemical Properties of Monodisperse Polystyrene Nanoparticles and the Nanocomposites Made Thereof. 2020 , 10, 5191	3
690	Green-composites produced from waste residue in pulp and paper industry: A sustainable way to manage industrial wastes. 2020 , 262, 121251	27
689	The effect of triethyl citrate on the dispersibility and water vapor sorption behavior of polylactic acid/zeolite composites. 2020 , 89, 106571	4
688	Rheological characterisation of abrasive media and finishing behaviours in abrasive flow machining. 2020 , 107, 3569-3580	8
687	Stress distribution analysis and interface influence on fiber reinforced composites. 2020 , 146, 103400	3
686	Complex concentrated alloy bimodal composite claddings with enhanced cavitation erosion resistance. 2020 , 392, 125751	14
685	Effect of particle size, fiber content, and surface treatment on the mechanical properties of maple-reinforced LLDPE produced by rotational molding. 2021 , 29, 343-353	2
684	Evaluation of mechanical properties of biodegradable coconut shell/rice husk Powder polymer composites for light weight applications. 2021 , 39, 1241-1247	10
683	Mechanical property of polymer composites reinforced with nanomaterials. 2021 , 29, 696-704	2
682	Multifunctional magneto-polymer matrix composites for electromagnetic interference suppression, sensors and actuators. 2021 , 115, 100705	26
681	Tribological and anti-corrosion performance of epoxy resin composite coatings reinforced with differently sized cubic boron nitride (CBN) particles. 2021 , 9, 104-118	20
680	Incorporation of hydrophobic nanochitosan improves wear resistance of dental sealants. 2021 , 70, 309-317	3
679	Tensile failure prediction of a short fiber or particle composite. 2021 , 42, 774-790	1
678	Role of filler morphology on friction and dry sliding wear behavior of epoxy alumina nanocomposites. 2021 , 235, 1614-1626	1
677	Influence of particle size and glassy carbon content on the thermal, mechanical, and electrical properties of PHBV/glassy carbon composites. 2021 , 138, 49740	5
676	Effect of the wine wastes on the thermal stability, mechanical properties, and biodegradation's rate of poly(3-hydroxybutyrate). 2021 , 138, 49713	6
675	Molecular Damage Detection in an Elastomer Nanocomposite with a Coumarin Dimer Mechanophore. 2021 , 42, e2000359	11
674	Evaluation of the mechanical properties of graphene-based nanocomposites incorporating a graded interphase based on isoparametric graded finite element model. 2021 , 28, 543-575	1

673	Fabrication and Characterization of Silica Based Ceramic Composite for Filtration Applications. 2021 , 13, 1951-1960	2
672	Raw and chemically treated bio-waste filled (Limonia acidissima shell powder) vinyl ester composites: Physical, mechanical, moisture absorption properties, and microstructure analysis. 2021 , 27, 97-107	14
671	Modeling and statistical understanding: The effect of carbon nanotube on mechanical properties of recycled polycaprolactone/epoxy composites. 2021 , 138, 49886	5
670	The effect of incorporation of hybrid silica and cobalt ferrite nanofillers on the mechanical characteristics of glass fiber-reinforced polymeric composites. 2021 , 42, 271-284	14
669	3D printing of silk microparticle reinforced polycaprolactone scaffolds for tissue engineering applications. 2021 , 118, 111433	29
668	Modeling the solid particle erosion of rubber particulate-reinforced epoxy. 2021 , 153, 106656	8
667	Development of a Novel Viscoelastic Nanocomposite and Investigation of Its Damping Capacity for Large Frequency Band. 2021 , 233-252	
666	Varnish technology during the 16th-18th century: The use of pumice and bone ash as solid driers. 2021 , 47, 59-68	3
665	Food hydrocolloids: Application as functional ingredients to control lipid digestion and bioavailability. 2021 , 111, 106404	24
664	Thiourethane filler functionalization for dental resin composites: Concentration-dependent effects on toughening, stress reduction and depth of cure. 2021 , 118, 111535	2
663	Boosting electrical and piezoresistive properties of polymer nanocomposites via hybrid carbon fillers: A review. 2021 , 173, 1020-1040	28
662	Correlation between compression strength and failure mechanism of carbon fiber composite with tailored modulus of amide acid/SiO ₂ synergistically stiffened epoxy matrix. 2021 , 202, 108593	5
661	Numerical prediction of elastic properties for alumina green parts printed by stereolithography process. 2021 , 41, 2002-2015	2
660	Fused filament fabrication of Nd-Fe-B bonded magnets: Comparison of PA12 and TPU matrices. 2021 , 38, 101745	4
659	Extrusion-based 3D printed biodegradable porous iron. 2021 , 121, 741-756	19
658	Experimental investigation of glass powder reinforced polymer composite. 2021 , 39, 484-487	1
657	Numerical and experimental investigation of the erosion of zirconia particulate-reinforced epoxy matrix composites by angular silicon carbide particles. 2021 , 42, 220-235	2
656	Interfacial improvement of poly (lactic acid)/tannin acetate composites via radical initiated polymerization. 2021 , 159, 113068	6

655	Fast and thermal neutrons attenuation through micro-sized and nano-sized CdO reinforced HDPE composites. 2021 , 180, 109245	4
654	Understanding interfacial influence on properties of polymer nanocomposites. 2021 , 22, 100879	29
653	Polypropylene/abaca fiber eco-composites: Influence of bio-waste additive on flame retardancy and mechanical properties. 2021 , 42, 1356-1370	2
652	Mechanical, morphology, crystallisation and melting behaviour of polypropylene composites reinforced by non-metals recycled from waste printed circuit boards. 2021 , 50, 162-171	1
651	A review on cotton gin trash: Sustainable commodity for material fabrication. 2021 , 281, 125300	6
650	Development of barite-filled acrylonitrile butadiene styrene composites: Mechanical, thermal, melt-flow and morphological characterizations. 2021 , 3, 100042	3
649	Comprehensive Characterization of APTES Surface Modifications of Hydrous Boehmite Nanoparticles. 2021 , 37, 171-179	7
648	A review on tribology of polymer composite coatings. 2021 , 9, 429-470	28
647	Sustainable resin systems for polymer composites. 2021 , 89-108	1
646	Comments on "Incorporation of Xuan-paper waste residue in red mud/waste polyethylene composites". 2021 , 404, 124164	2
645	Utilization of coffee silverskin in the production of Poly(3-hydroxybutyrate-co-3-hydroxyvalerate) biopolymer-based thermoplastic biocomposites for food contact applications. 2021 , 140, 106172	9
644	Al, Fe and Cu waste metallic particles in conductive polystyrene composites. 2021 , 14, 893-898	9
643	Nanosilica reinforced EPDM silicone rubber blends: Experimental and theoretical evaluation of mechanical and solvent sorption properties. 2021 , 46, 4381-4386	1
642	Sustainable upcycling of brewers' spent grain by thermo-mechanical treatment in twin-screw extruder. 2021 , 285, 124839	9
641	Effect of hollow glass beads on density and mechanical properties of silicone rubber composites. 2021 , 138, 49865	3
640	Reinforcement of polypropylene by cellulose microfibrils modified with polydopamine and octadecylamine. 2021 , 138, 49851	2
639	A method of step-by-step packing and its application in generating 3D microstructures of polycrystalline and composite materials. 2021 , 37, 241-250	17
638	A Novel Approach on Reusing Silicon Wafer Kerf Particle as Potential Filler Material in Polymer Composite. 1	4

637	The investigation of reinforcement properties of nano-CaCO ₃ synthesized from Achatina fulica snail shell through mechanochemical methods on epoxy nanocomposites. 2021 , 7, 79-86	2
636	Fabrication of robust protein-based foams with multifunctionality by manipulating intermolecular interactions.	0
635	Synthesis and Modification of Hydroxyapatite Nanofiber for Poly(Lactic Acid) Composites with Enhanced Mechanical Strength and Bioactivity. 2021 , 11,	5
634	A review on mechanical and wear properties of fiber-reinforced thermoset composites with ceramic and lubricating fillers. 2021 , 46, 7701-7710	2
633	Potential of calcium carbonate as secondary filler in eggshell powder filled recycled polystyrene composites. 2021 , 31,	0
632	Material Reuse of Waste Abrasive Particles from Abrasive Water Jet Technology in the Field of Polymer Particle Composite Systems. 2021 , 87-99	
631	Functional label-free assessment of fibroblast differentiation in 3D collagen-I-matrices using particle image velocimetry. 2021 , 9, 5917-5927	2
630	Physicochemical characterization and rheological properties of magnetic elastomers containing different shapes of corroded carbonyl iron particles. 2021 , 11, 868	4
629	Wine By-Products as Raw Materials for the Production of Biopolymers and of Natural Reinforcing Fillers: A Critical Review. 2021 , 13,	14
628	The Influence of Mixing Methods of Epoxy Composition Ingredients on Selected Mechanical Properties of Modified Epoxy Construction Materials. 2021 , 14,	1
627	Liquid metal architectures for soft and wearable energy harvesting devices. 2021 , 4, 012001	11
626	Optimization of Particle Size of Teak Wood Saw Powder Using Taguchi Method. 2021 , 409-421	
625	Nanoscaled BoehmitesâModes of Action in a Polymer and Its Carbon Fiber Reinforced Plastic. 2021 , 367-376	
624	An overview of metal oxide-filled biocomposites. 2021 , 97-111	
623	Improved mechanical performances of short aramid fiber-reinforced polypropylene composites by Ti ₃ C ₂ Mxene nanosheets. 2021 , 42, 2010-2018	7
622	Polymer Nanocomposite Matrix. 2021 , 523-542	
621	Microstructure and mechanical properties of oxide particulates reinforced PMCs. 2021 , 42, 1230-1238	1
620	Impact of Brick Powder on Tensile and Flexural Properties of a Hemp Fiber. 2021 , 115-124	

619	Effect of weave architecture and glass microspheres percentage on the low velocity impact response of hemp/green epoxy composites. 2021 , 55, 2179-2195	11
618	Tuneable chemistry at the interface and self-healing towards improving structural properties of carbon fiber laminates: a critical review.	1
617	A bioresorbable MgZn binary alloy strengthened poly-lactic acid matrix composite. 2021 ,	0
616	A comparative investigation of physical treatment of matrix/fiber on the mechanical behavior of jute-textile reinforced polymer composites. 2021 ,	
615	High modulus polyimide particle-reinforcement of epoxy composites. 2021 , 2, 2278-2288	4
614	Mechanical, Thermal, and Morphological Properties of Graphene Nanoplatelet-Reinforced Polypropylene Nanocomposites: Effects of Nanofiller Thickness. 2021 , 5, 24	7
613	Processing and Characterization of Surface Treated Chicken Eggshell and Calcium Carbonate Particles Filled High-Density Polyethylene Composites. 2021 , 24,	6
612	Nanostructured Dense Collagen-Polyester Composite Hydrogels as Amphiphilic Platforms for Drug Delivery. 2021 , 8, 2004213	12
611	The structure and fluorescence properties of polypropylene/carbon quantum dot composite fibers. 1	1
610	Onset critical strains as an effective parameter for compatibilizer efficiency in a polypropylene-poly(ethylene terephthalate) blend. 2021 , 138, 50656	1
609	Effect of Silane-Treated Wollastonite on Mechanical and Thermal Properties of 3D-Printed ABS via Fused Deposition Modeling. 877, 61-66	0
608	Utilization of Waste Marble Dust in Poly(Lactic Acid)-Based Biocomposites: Mechanical, Thermal and Wear Properties. 2021 , 29, 2952-2963	10
607	Magnetic Polymer Composite Particles: Design and Magnetorheology. 2021 , 13,	7
606	Structural Energetic Properties of Al/PVDF Composite Materials Prepared Using Fused Filament Fabrication. 2021 , 46, 670-678	1
605	Mechanical properties of epoxy composites embedded with functionalized urea-formaldehyde microcapsules containing an oxidizable oil. 2021 , 260, 124106	8
604	Thermo-physical and mechanical characteristics of composites based on high-density polyethylene (HDPE) e spent coffee grounds (SCG). 2021 , 29, 2888-2900	6
603	Impact of Process Parameters on Solid Particle Erosion Behavior of Waste Marble Dust-Filled Polyester Composites. 2021 , 46, 7197-7209	3
602	Heat-Resistant Polymer Composites Based on Ethylene Tetrafluoroethylene Mixed with Inorganic Polyoxides. 2021 , 14,	0

601	Evaluation of flammability, thermal stability and mechanical behavior of expandable graphite-reinforced acrylonitrile-Butadiene-Styrene terpolymer. 1	2
600	Tailored higher performance silicone elastomer with nanofibrillated cellulose through acidic treatment. 2021 , 42, 2282-2292	1
599	Effect of Dispersant Agent Content on the Properties of Composites Based on Poly (Lactic Acid) and Alfa Fiber. 2021 , 395, 2000266	1
598	Preparation of TiO ₂ /epoxy resin composite and its effect on mechanical and bonding properties of OPC mortars. 2021 , 272, 121960	14
597	Mathematical and finite element analysis estimations of the reinforcement effect on Young's modulus of polymer membrane/montmorillonite clay nanocomposites. 2021 , 42, 2112-2121	1
596	Digital light 3D printing of customized bioresorbable airway stents with elastomeric properties. 2021 , 7,	17
595	Influence of Gamma Irradiation and Water Aging on the Space Charge Characteristics of Epoxy Micro-Nano Composites. 2021 , 13,	0
594	Quantitative evaluation of nanoparticle dispersion based on modeling methods and image analysis: A case study on nano-Sb ₂ O ₃ filled Poly (butylene terephthalate) composites. 2021 , 42, 3098	4
593	Interrelation between Fiber-Matrix Interphasial Phenomena and Flexural Stress Relaxation Behavior of a Glass Fiber-Polymer Composite. 2021 , 13,	1
592	Numerical study of thermal effect in silicone rubber filled with carbonyl iron powder under microwave radiation. 2021 , 56, 10264-10281	1
591	Thermal and bonding properties of epoxy asphalt bond coats. 1	11
590	Effective mass density of rigid sphere-reinforced elastic composites. 2021 , 56, 1209-1221	1
589	Graphene nanoplatelet, multiwall carbon nanotube, and hybrid multiwall carbon nanotube-graphene nanoplatelet epoxy nanocomposites as strain sensing coatings. 2021 , 40, 632-643	8
588	Designing Supertough and Ultrastretchable Liquid Metal-Embedded Natural Rubber Composites for Soft-Matter Engineering. 2021 , 13, 15610-15620	3
587	Studying the creep behaviour of stretchable capacitive sensor with barium titanate silicone elastomer composite. 2021 , 319, 112560	3
586	Fracture Surface and Mechanical Properties of Epoxy Composites. 2021 , 259-298	0
585	Tribological and mechanical behaviors of mollusk shell-ultrahigh molecular weight polyethylene bio-composite. 2021 , 42, 3206-3215	1
584	Recent developments in fire retardant glass fibre reinforced epoxy composite and geopolymer as a potential fire-retardant material: A review. 2021 , 277, 122246	4

583	A comparison of thermally conductive polyamide 6-boron nitride composites produced via additive layer manufacturing and compression molding. 2021 , 42, 2751	5
582	Eco-friendly high-density polyethylene/amorphous cellulose composites: Environmental and functional value. 2021 , 290, 125886	4
581	Polymer nanocomposites with aligned two-dimensional materials. 2021 , 114, 101360	14
580	Investigation on Wettability and Mechanical Properties of Novel Zinc Phosphate Glass-Based Epoxy Composites. 2021 , 690, 012047	0
579	Mechanical, Thermal and Thermomechanical Properties of Sponge Iron Slag filled Needle-Punched Nonwoven Jute Epoxy Hybrid Composites. 2021 , 22, 1082-1098	4
578	Nanoscale Effect Investigation for Effective Bulk Modulus of Particulate Polymer Nanocomposites Using Micromechanical Framework. 2021 , 2021, 1-13	4
577	Mechanical and physical properties of polyethylene/sour cherry shell powder bio-composite as potential food packaging. 2021 , 9, 3071-3077	3
576	Dynamic mechanical response of VO ₂ - UHMWPE polymer composite across the phase transition. 2021 , 26, 102003	0
575	A Generalized Approach for Evaluating the Mechanical Properties of Polymer Nanocomposites Reinforced with Spherical Fillers. 2021 , 11,	3
574	Biodegradable Molybdenum/Polybutylene Adipate Terephthalate Conductive Paste for Flexible and Stretchable Transient Electronics. 2001297	3
573	Photopolymerization shrinkage-stress reduction in polymer-based dental restoratives by surface modification of fillers. 2021 , 37, 578-587	5
572	Spectral characterization of morphological structure of organomodified montmorillonite clay-based epoxy nanocomposite. 2021 , 26, 471-485	1
571	Synthesis, mechanical, thermal, and electrical characterization of graphite-epoxy composites. 2021 , 68, 1456-1465	2
570	Improvement of the impact resistance of natural fiber-reinforced polypropylene composites through hybridization. 2021 , 32, 2499-2507	4
569	Magnetic characterization of magnetoactive elastomers containing magnetic hard particles using first-order reversal curve analysis. 2021 ,	0
568	Filament extrusion of bioresorbable PDLGA for additive manufacturing utilising diatom biosilica to inhibit process-induced thermal degradation. 2021 , 116, 104265	1
567	Physicochemical and Mechanical Properties of Bis-GMA/TEGDMA Dental Composite Resins Enriched with Quaternary Ammonium Polyethylenimine Nanoparticles. 2021 , 14,	2
566	A modified peridynamic method to model the fracture behaviour of nanocomposites. 2021 , 247, 107614	2

565	Effects of Al ₂ O ₃ and BaO nano-additives on mechanical characteristics of high-density polyethylene. 2021 , 262, 124251	3
564	Analysis of Shielding Performance of Radiation-Shielding Materials According to Particle Size and Clustering Effects. 2021 , 11, 4010	2
563	Polymer/MXene nanocomposite— new age for advanced materials. 1-16	2
562	Thermal and mechanical properties of stereocomplex polylactide enhanced by nanosilica. 2021 , 299, 1161	1
561	Natural Rubber Biocomposites Filled with Phyto-Ashes Rich in Biogenic Silica Obtained from Wheat Straw and Field Horsetail. 2021 , 13,	2
560	The universal usefulness of stearic acid as surface modifier: applications to the polymer formulations and composite processing. 2021 , 96, 1-33	7
559	Functionalization and use of grape stalks as poly(butylene succinate) (PBS) reinforcing fillers. 2021 , 126, 538-548	4
558	D-Sorbitol Physical Properties Effects on Filaments Used by 3D Printing Process for Personalized Medicine. 2021 , 26,	1
557	Synergistic Composite Coating for Separators in Lithium Metal Batteries. 2021 , 4, 5237-5245	4
556	Evaluation of machine learning methods in predicting optimum tensile strength of microwave post-cured composite tailored for weight-sensitive applications. 2021 , 25, 100985-100985	1
555	Stretchable Semiconducting Composite Films Fabricated via Blending Polythiophene with an Elastomer Bearing Pendant Dopant. 2021 , 3, 3114-3124	0
554	Mechanical, microstructure, and dynamic mechanical analysis of nano-shell and plant fiber hybrid biocomposite. 002199832110134	5
553	Experimental characterization of polydisperse particle-loaded flow for linear resin transfer molding injections. 2021 , 42, 3980-3995	
552	Effect of coir fiber and inorganic filler on physical and mechanical properties of epoxy based hybrid composites. 2021 , 42, 3911-3921	7
551	Incorporation of Copper-Doped Mesoporous Bioactive Glass Nanospheres in Experimental Dental Composites: Chemical and Mechanical Characterization. 2021 , 14,	6
550	The science of plant-based foods: Constructing next-generation meat, fish, milk, and egg analogs. 2021 , 20, 4049-4100	56
549	Interaction of Poly L-Lactide and Tungsten Disulfide Nanotubes Studied by in Situ X-ray Scattering during Expansion of PLLA/WSNT Nanocomposite Tubes. 2021 , 13,	1
548	Evaluation of mechanical, thermal, and morphological properties of PEEK/PEI matrix reinforced with halloysite nanotubes. 1-11	

547	Influence of Alkali Treatment on the Microstructure and Mechanical Properties of Coir and Abaca Fibers. 2021 , 14,	8
546	Influence of soapstone waste on the mechanical and rheological properties of high-density polyethylene. 2021 , 138, 50966	1
545	Towards a generally applicable methodology for the characterization of particle properties relevant to processing in powder bed fusion of polymers –From single particle to bulk solid behavior. 2021 , 41, 101957	3
544	Optimization assisted coarse-grained modeling of agglomerated nanoparticle reinforced thermosetting polymers. 2021 , 225, 123741	0
543	Printable homocomposite hydrogels with synergistically reinforced molecular-colloidal networks. 2021 , 12, 2834	13
542	Recent Strategies for Strengthening and Stiffening Tough Hydrogels. 2021 , 1, 2100026	6
541	The influence of crystalline structure of cellulose in chitosan-based biocomposites on removal of Ca(II), Mg(II), Fe(III) ion in aqueous solutions. 2021 , 28, 5745	3
540	Selectively distributed graphene in 1,6-hexanediol diacrylate/epoxy composites via digital light processing 3D printing for enhanced thermal conductivity. 2021 , 276, 116763	5
539	Mechanical and thermal performance of PEEK/PEI blend matrix reinforced with surface modified halloysite nanotubes. 089270572110286	1
538	Effects of shell powder size and content on the properties of polycaprolactone composites. 2021 , 138, 51264	2
537	Reversible Writing/Re-Writing Polymeric Paper in Multiple Environments. 2021 , 31, 2104784	8
536	Effects of Ferroelectric Fillers on Composite Dielectric Elastomer Actuator. 2021 , 10, 137	3
535	3D viscoelastic computational grains with spherical inclusions with or without interphases/coatings for micromechanical modeling of heterogeneous materials. 2021 , 122, 4966-4986	3
534	Thermo-Mechanical and Morphological Properties of Polymer Composites Reinforced by Natural Fibers Derived from Wet Blue Leather Wastes: A Comparative Study. 2021 , 13,	5
533	Synergistic effect of ZnO and TiO ₂ nanoparticles on the thermal stability and mechanical properties of glass fiber-reinforced LY556 epoxy composites. 2021 , 42, 4831-4844	4
532	Evaluation of the tribological behaviour of UHMWPE filled with industrial machining waste. 1	
531	Impact of alkali treatment and fiber length on mechanical properties of new agro waste Lagenaria Siceraria fiber reinforced epoxy composites. 1-12	6
530	Effect of high aspect ratio flaky aluminum on mechanical properties of epoxy-based particulate composites. 2021 , 27, 711	0

529	Fabrication of Thermochromic Membrane and Its Characteristics for Fever Detection. 2021 , 14,	0
528	Enhancing Mechanical and Combustion Performance of Boron/Polymer Composites via Boron Particle Functionalization. 2021 , 13, 28908-28915	6
527	Influence of alignment and microstructure features on the mechanical properties and failure mechanisms of cellulose nanocrystals (CNC) films. 2021 , 118, 104399	4
526	Polymer-Grafted Porous Silica Nanoparticles with Enhanced CO Permeability and Mechanical Performance. 2021 , 13, 27411-27418	4
525	Investigation of mechanical and tribological behaviour of expanded perlite particle reinforced polyphenylene sulphide. 2021 , 235, 2356-2367	0
524	Mechanical Properties of Bio-Composites Based on Epoxy Resin and Nanocellulose Fibres. 2021 , 14,	6
523	Analysis and design of recycled glass bead sandwich panels in bending. 2021 , 265, 113730	0
522	A comparative study of mechanical, dynamic mechanical and thermal properties of rice husk ash, modified rice husk ash and nano silica filled epoxy composites. 2021 , 47, 5351-5351	4
521	Moisture absorption characteristics and effects on mechanical properties of Kolon/epoxy composites. 2021 , 26, 16-23	7
520	Boron nitride with high zeta potential via plasma processing in solution for preparation of polyrotaxane composite.	5
519	Effects of cathode doping on 3D printed continuous carbon fiber structural battery composites by UV-assisted coextrusion deposition. 002199832110316	1
518	Crosslinked Low-Density Polyethylene/Polyhedral Oligomeric Silsesquioxanes Composites: Effects of Crosslinker Concentration on the Mechanical, Thermal, Rheological, and Shape Memory Properties. 1-26	0
517	A Phenomenological Primary-Secondary-Tertiary Creep Model for Polymer-Bonded Composite Materials. 2021 , 13,	4
516	Stress Corrosion Cracking in Amorphous Phase Separated Oxide Glasses: A Holistic Review of Their Structures, Physical, Mechanical and Fracture Properties. 2021 , 2, 412-446	0
515	Investigation of mechanical properties and tribological performance of Al-LSP and Al-Al ₂ O ₃ composite. 2021 , ahead-of-print,	0
514	Intrinsically conducting polymer (ICP) coated aramid fiber reinforced composites for broadband radar absorbing structures (RAS). 2021 , 211, 108827	4
513	Bidirectional differentiation of BMSCs induced by a biomimetic procallus based on a gelatin-reduced graphene oxide reinforced hydrogel for rapid bone regeneration. 2021 , 6, 2011-2028	19
512	Formation of SiC whiskers/leucite-based ceramic composites from low temperature hardening geopolymer. 2021 , 47, 17930-17938	2

511	Unraveling the mechanical origin of stable solid electrolyte interphase. 2021 , 5, 1860-1872		25
510	Nano CaCO ₃ modified multifunctional epoxy nanocomposites: A study on flexural and structural properties. 2021 , 47, 3295-3295		1
509	The outstanding interfacial adhesion between acrylo-POSS/natural rubber composites and polyamide-based cords: An environmentally friendly alternative to resorcinol-formaldehyde latex coating. 2021 , 228, 123880		4
508	Using ultra-thin interlaminar carbon nanotube sheets to enhance the mechanical and electrical properties of carbon fiber reinforced polymer composites. <i>Composites Part B: Engineering</i> , 2021 , 216, 108842	10	8
507	Hybrid Silica-Based Fillers in Nanocomposites: Influence of Isotropic/Isotropic and Isotropic/Anisotropic Fillers on Mechanical Properties of Styrene-Butadiene (SBR)-Based Rubber. 2021 , 13,		3
506	Block Copolymer and Nanosilica-Modified Epoxy Nanocomposites. 2021 , 3, 4156-4167		2
505	Controlling glass bead surface functionality - Impact on network formation in natural edible polymer systems. 2021 , 211, 108864		0
504	Finite element modeling of glass particle reinforced epoxy composites under uniaxial compression and sliding wear. 2021 , 63, 645-653		3
503	Fracture behavior of hybrid epoxy nanocomposites based on multi-walled carbon nanotube and core-shell rubber. 2021 ,		3
502	Rheological Properties, Surface Microhardness, and Dentin Shear Bond Strength of Resin-Modified Glass Ionomer Cements Containing Methacrylate-Functionalized Polyacids and Spherical Pre-Reacted Glass Fillers. 2021 , 12,		4
501	Advances in development of green composites based on natural fibers: a review. 1		3
500	Interfacial localization of organoclay enhances the peelability of polyethylene/polybutene-1/organoclay nanocomposite films. <i>Composites Part B: Engineering</i> , 2021 , 218, 108930	10	1
499	Transparent nanocomposites with enhanced performances from poly(propylene carbonate) and silica. 2022 , 139, 51513		0
498	Surface modified boron nitride towards enhanced thermal and mechanical performance of thermoplastic polyurethane composite. <i>Composites Part B: Engineering</i> , 2021 , 218, 108871	10	17
497	Effects of particle distribution and calculation method on results of nano-indentation technique in heterogeneous nanocomposites-experimental and numerical approaches. 2021 , 225, 111054		0
496	Two-step sintering technique for enhancing mechanical and oxygen permeation properties of dual-phase oxygen transport membranes. 2021 , 41, 4884-4895		3
495	Modified POSS nano-structures as novel co-initiator-crosslinker: Synthesis and characterization. 2021 , 37, 1283-1294		2
494	Incorporation of Biochar to Improve Mechanical, Thermal and Electrical Properties of Polymer Composites. 2021 , 13,		7

493	The effect of micro-mechanical signatures of constituent phases in modern dental restorative materials on their macro-mechanical property: A statistical nanoindentation approach. 2021 , 120, 104591	0
492	Effect of gamma and neutron irradiation on properties of boron nitride/epoxy resin composites. 2021 , 190, 109643	2
491	Three-Dimensional Insights into Interfacial Segregation at the Atomic Scale in a Nanocrystalline Glass-Ceramic. 2021 , 21, 6898-6906	0
490	An extensive review: How starch and gluten impact dough machinability and resultant bread qualities. 2021 , 1-12	3
489	. 2021 , 109, 1364-1397	8
488	Critical assessment of structural changes in some copolyamide-clay hybrid materials in correlation with the filler characteristics.	
487	Forming a conductive large area AA6061 HDPE metal-polymer composite via top plate friction stir processing. 2021 , 68, 34-42	0
486	Studies on thermal, structural, and compositional properties of agro-waste jute fiber composite reinforced with cardanol resin. 1	
485	In-plane actuation performance of graphene oxide filled VHB 4910 dielectric elastomer. 2022 , 139, 51594	1
484	Effective use of olive pulp as biomass additive for eco-grade TPU-based composites using functional surface modifiers. 1	0
483	High Performance Carbon Dioxide Foams of Nanocomposites of Binary Colloids for Effective Carbon Utilization in Enhanced Oil Recovery Applications. 2021 , 343, 117659	2
482	Effects of addition of silica nanospheres on mechanical properties of clay/sodium polyacrylate hydrogels. 2021 , 28, 102710	2
481	Comparative study of flexural and physical properties of graphite-filled immiscible polypropylene/epoxy and high-density polyethylene/epoxy blends. 096739112110470	
480	Influences of particle content, size and particle/matrix bonding strength on the gas transmission coefficient of carbon fiber reinforced epoxy. 2021 , 216, 109071	2
479	Microstructure and mechanical testing of Al/graphite/Fly-ash metal matrix composite material. 2021 , ahead-of-print,	0
478	Toughening of Bioceramic Composites for Bone Regeneration. 2021 , 5, 259	4
477	Evaluation of mechanical and thermal properties of PP/iron ore tailing composites. <i>Composites Part B: Engineering</i> , 2021 , 221, 109001	10 1
476	Assessment on hybrid jute/coir fibers reinforced polyester composite with hybrid fillers under different environmental conditions. 2021 , 301, 124117	8

475	Determination of discrete element model parameters for a cohesive soil and validation through narrow point opener performance analysis. 2021 , 213, 105123		13
474	Unmodified Silica Nanoparticles Enhance Mechanical Properties and Welding Ability of Epoxy Thermosets with Tunable Vitrimers Matrix. 2021 , 13,		3
473	Roles of Small Polyetherimide Moieties on Thermal Stability and Fracture Toughness of Epoxy Blends. 2021 , 13,		0
472	Numerical study of damage in particulate composites during high-strain rate loading using novel damage model. 2021 , 160, 103944		1
471	Investigation of Dispersion, Interfacial Adhesion of Isotropic and Anisotropic Filler in Polymer Composite. 2021 , 11, 8561		1
470	Three-way evolved gas analysis-mass spectrometry combined with principal component analysis (EGA-MS-PCA) to probe interfacial states between matrix and filler in poly(styrene-b-butadiene-b-styrene) (SBS) nanocomposites. 2021 , 101, 107300		2
469	Comparative study of fire-resistant coatings based on high and low molecular weight tannins. 1		2
468	Epoxy@HQ@PS/GO composite coatings: Size effect and the loading of fillers on the self-healing and passive protection. 2021 , 158, 106352		
467	Poly-ether-ether-ketone @Neodymium-iron-boron bonded permanent magnets via fused filament fabrication. 2021 , 279, 116857		4
466	Strategies of binder design for high-performance lithium-ion batteries: a mini review. 1		3
465	The microscopic mechanism of size effect in silica-particle reinforced silicone rubber composites. 2021 , 255, 107945		3
464	Preparation and properties of photochromic regenerated silk fibroin/Tungsten trioxide nanoparticles hybrid fibers. 2021 , 27, 100810		6
463	Composite binder, processing, and particle size effects on mechanical properties of non-hazardous high explosive surrogates. 2021 , 391, 442-449		2
462	Effect of Cu nanoparticles on the tribological performance of polydopamine + polytetrafluoroethylene coatings in oil-lubricated condition. 2021 , 565, 150525		1
461	Impact of the particle-polymer interface on small- and large-scale deformation response in protein- and carbohydrate-based food matrices. 2021 , 191, 51-59		0
460	Prediction of mechanical properties of graphite nanoflake/polydimethylsiloxane nanocomposites as affected by processing method. <i>Composites Part B: Engineering</i> , 2021 , 224, 109186	10	3
459	A technique for improving dispersion within polymer-glass composites using polymer precipitation. 2021 , 123, 104767		1
458	Applicability of interface spring and interphase models in micromechanics for predicting effective stiffness of polymer-matrix nanocomposite. 2021 , 49, 101489		1

457	EBSD studies on microstructure and crystallographic orientation of UO ₂ -Mo composite fuels. 2021 , 53, 4052-4059	1
456	Molecular dynamics investigation of structural and mechanical properties of silica nanorod reinforced dental resin composites. 2021 , 124, 104830	1
455	NiO-nanoflowers decorating a plastic electrode for the non-enzymatic amperometric detection of H ₂ O ₂ in milk: Old issue, new challenge. 2022 , 132, 108549	6
454	Hyperbranched flame retardant for epoxy resin modification: Simultaneously improved flame retardancy, toughness and strength as well as glass transition temperature. 2022 , 428, 131226	16
453	Hardness behaviour of carbon nanotube-aluminium nano-composite using nanoindentation technique. 2021 , 46, 6097-6101	1
452	Representative volume element based micromechanical modelling of rod shaped glass filled epoxy composites. 2021 , 3, 1	7
451	Dispersion Technology and Its Simulation. 2021 , 241-265	0
450	Polymer Nanocomposite Matrix. 2021 , 1-20	
449	Material Modeling of Epoxy Granite Composite by Analytical Model and Regression Analysis. 2021 , 17, 253	1
448	Relevance of Chemically Functionalized Nano-Fillers and Modified Nanocomposite in Energy Systems. 2021 , 1854-1909	
447	Influence of Almond Shell Content and Particle Size on Mechanical Properties of Starch-Based Biocomposites. 2021 , 12, 5823	0
446	Effect of Particle-Surface-Modification on the Failure Behavior of Epoxy/Boehmite CFRPs. 2021 , 411-431	
445	Modeling and Simulation of Nanocomposites and Their Manufacturing Processes. 2021 , 27-54	
444	Fabrication and analysis of aluminium filled epoxy resin composites for mechanical properties. 2021 ,	1
443	Cellulose nanofibril-reinforced polypropylene composites for material extrusion: Rheological properties. 2018 , 58, 793-801	26
442	Comparison of Mechanical Properties of Polymer-Based Multi-phase Particulate Composites. 2013 , 317-320	2
441	Application of Lignin in Thermoplastic Materials. 2019 , 405-426	3
440	Filler-Reinforced Poly(Glycolic Acid) for Degradable Frac Balls Under High-Pressure Operation. 2016 , 181-189	1

439	Nanoparticles of polydopamine for improving mechanical and flame-retardant properties of an epoxy resin. <i>Composites Part B: Engineering</i> , 2020 , 186, 107828	10	29
438	Potential use of industrial waste-red mud in developing hybrid composites: A waste management approach. 2020 , 276, 124278		17
437	Investigation on microstructure and mechanical properties of in-situ TiB ₂ /Al ₂ O ₃ /Cu ₄ Mg composite profile fabricated by porthole die extrusion. 2020 , 786, 139449		7
436	Graphite fluoride reinforced PA6 composites: Crystallization and mechanical properties. 2018 , 16, 217-225		17
435	High conductivity and stretchability of 3D welded silver nanowire filled graphene aerogel hybrid nanocomposites. 2017 , 5, 8211-8218		27
434	Modeling of Cohesive Fracture and Plasticity Processes in Composite Microstructures. 2016 , 142, 04016069	10	
433	Failure analysis of self-healing epoxy resins using microencapsulated 5E2N and carbon nanotubes. 2021 , 30, 025011		2
432	A New Elastic Theory of Nanocomposites With Incoherent Interface Effect Based on Interface Energy Density. 2020 , 87,		1
431	Filler Dispersion and Unidirectional Sliding Characteristics of As-Cast and Multi-Pass Friction Stir Processed ZrB ₂ /AA7075 In-Situ Composites. 2021 , 143,		2
430	Effect of Red Mud and Copper Slag Particles on Physical and Mechanical Properties of Bamboo-Fiber-Reinforced Epoxy Composites. 2012 , 4, 141248		11
429	Effects of Polarity on the Filler-Rubber Interaction and Properties of Silica Filled Grafted Natural Rubber Composites. 2013 , 2013, 1-9		22
428	Study of tetrapodal ZnO-PDMS composites: a comparison of fillers shapes in stiffness and hydrophobicity improvements. 2014 , 9, e106991		45
427	Thermoset Polymer Reinforced With Silica Micro and Nanoparticles. 2016 , 44, 20130331		2
426	Surface Activation of Wood Plastic Composites (WPC) for Enhanced Adhesion with Epoxy Coating. 2019 , 8, 20180034		4
425	Size Effects in Electrical Properties of Carbon-Polypropylene Composites. 2016 , 61, 1008-1016		1
424	Research on Influence of Polyurethane Adhesive Modified by Polyurethane Filler Based on Recyclate. 2018 , 18, 418-423		4
423	Effects of Aluminium Microparticles and Surface Treatment of AlCu ₄ Mg on Mechanical Properties of Adhesive Bond Strength. 2017 , 17, 66-71		8
422	Mechanical Characterisation of Metal/Polymeric Composite Waste/Metal Sandwich Panel. 2017 , 17, 530-536		3

4 ²¹	Effect of alkaline treatment on physico-mechanical properties of black rice husk ash filled polypropylene biocomposites. 2015 , 57, 370-376	4
4 ²⁰	Comparison of the tribological and mechanical performance for nano and micro filler epoxy composites. 2016 , 58, 526-530	4
4 ¹⁹	Enhanced Dispersion and Mechanical Behavior of Polypropylene Composites Compounded Using Extension-Dominated Extrusion. 2020 , 35, 281-301	5
4 ¹⁸	Synthesis and prediction of surface morphology, physical and mechanical properties of functionalized nano zinc-oxide embedded in unidirectional S-glass fiber epoxy composites. 2, 2006	1
4 ¹⁷	Structural Effect of Conductive Carbons on the Adhesion and Electrochemical Behavior of LiNi _{0.4} Mn _{0.4} Co _{0.2} O ₂ Cathode for Lithium Ion Batteries. 2018 , 9, 330-338	5
4 ¹⁶	Thermoplastic magnetic elastomer for fused filament fabrication. 2019 , 6, 363-376	7
4 ¹⁵	Effects of nanomaterials and particles on mechanical properties and fracture toughness of composite materials: a short review. 2019 , 6, 1191-1212	13
4 ¹⁴	Thermophysical and mechanical properties of Bisphenol A epoxy resin filled with multiwalled carbon nanotubes. 2015 , 55,	1
4 ¹³	Enhancing electrical conductivity of multiwalled carbon nanotube/epoxy composites by graphene nanoplatelets. 2018 , 57,	3
4 ¹²	Development of Natural Bio-Filler-Based Epoxy Composite for Wind Turbine Blade Application. 2018 , 180-196	1
4 ¹¹	Relevance of Chemically Functionalized Nano-Fillers and Modified Nanocomposite in Energy Systems. 2019 , 10-65	2
4 ¹⁰	Effects of Mechanical Fibrillation on Cellulose Reinforced Poly(Ethylene Oxide). 2015 , 06, 713-723	3
4 ⁰⁹	The Application of a Representative Volume Element (RVE) Model for the Prediction of Rice Husk Particulate-Filled Polymer Composite Properties. 2019 , 10, 78-103	2
4 ⁰⁸	Hybrid Composites of Phosphate Glass Fibre/Nano-Hydroxyapatite/Poly lactide: Effects of Nano-Hydroxyapatite on Mechanical Properties and Degradation Behaviour. 2018 , 06, 13-31	1
4 ⁰⁷	High-Performance Polymer-Matrix Composites: Novel Routes of Synthesis and Interface-Structure-Property Correlations. 2021 , 1-25	
4 ⁰⁶	Effects of Different Amine Activators on the Monomer Conversion, Biaxial Flexural Strength, and Color Stability of Experimental Provisional Dental Restorations. 2021 , 15, 488-494	2
4 ⁰⁵	Flammability and mechanical behavior of cotton fiber polymeric composite laminate with polyurethane and alumina trihydrate. 002199832110476	
4 ⁰⁴	Nonlinear Architectures Can Alter the Dynamics of Polymer-Nanoparticle Composites.	1

- 403 Potential composite materials based on polyethylene and yellow phosphorus slag: preparation and characterisation. 1-14
- 402 Electrical and mechanical properties of flexible multiwalled carbon nanotube/poly (dimethylsiloxane) based nanocomposite sheets. **2021**, 9, 106550 2
- 401 Processing of Polymer Composites. **2009**, 21, 371-375
- 400 Polymers and White Fillers. **2009**, 235-337
- 399 Toughened Poly (Acid Lactic): Mechanical and Morphological Characterizations. 693-699
- 398 Prediction of the Stiffness of Nanoclay-Polypropylene Composites Using a Monte Carlo Finite Element Analysis Approach. **2013**, 1207-1219
- 397 Highly Filled Systems of Polybenzoxazine Composites. **2013**, 47-65
- 396 Effect of Slag Particle Size and Volume Fraction on Mechanical Properties of Slag Reinforced Composite. **2013**, 26, 218-222
- 395 Mechanical and Other Related Properties of Tropical Natural Fibre Composites. **2014**, 53-74
- 394 Features of the Deformation Behaviour of Particulate-Filled Composites Based on Polyethylene and Rubber Particles at Elevated Temperatures. **2014**, 41, 15-24 1
- 393 Constitutive Model of Discontinuously-Reinforced Composites Taking Account of Reinforcement Damage and Size Effect and Its Application. **2015**, 489-527
- 392 Mathematical Modeling and Experimental Evaluation of the Tensile Properties of Multiwalled Carbon Nanotubes filled Acrylonitrile Butadiene Styrene Composites. **2015**, 3, 23-30 1
- 391 Polymer Nanocomposites for Structural Applications. 505-518 1
- 390 Mechanical Properties of Polymeric Composite Based on Aluminium Microparticles. **2015**, 15, 624-628 8
- 389 Particulate Composites Based on Epoxy-Rubber Blends. **2016**, 1-28
- 388 A review of correlative modeling for transport properties, microstructures, and compositions of granular materials in soft matter. **2016**, 65, 178101 3
- 387 Property Models. **2016**, 83-135
- 386 Microstructures and Interfaces. **2016**, 281-307

- 385 Reinforcing by Fibres. **2017**, 1-19
- 384 Effect of Saline Environment on Mechanical Properties of Structural Adhesive Bonds. **2016**, 64, 1609-1617 1
- 383 Mechanical Properties of Pineapple Leaf Powder Filled High Density Polyethylene. 9, 13-19 3
- 382 Particulate Composites Based on Epoxy/Rubber Blends. **2017**, 371-398
- 381 Stress-strain and fracture toughness behaviour of composites reinforced with inhomogeneously distributed particles. **2017**,
- 380 Estimation of Tribological Performance of Al-MMC Reinforced with a Novel In-Situ Ternary Mixture using Grey Relational Analysis. **2017**, 10, 1-9 2
- 379 Influence of Melt Compounding on Blast Furnace Slag Filled PP Compounds: A Comparative Study. **2017**, 32, 446-454
- 378 Sustainable Green Nanocomposites from Bacterial Bioplastics for Food-Packaging Applications. 229-257 1
- 377 Biodegradable Polymer/Carbon Nanotube Composites for Water and Wastewater Treatments. 15-33
- 376 The Influence of Formulation Variation and Thermal Boundary Conditions on the Near-Resonant Thermomechanics of Mock Explosives. **2018**, 47-55 1
- 375 Study of Mechanical Properties of Raffia Palm Fibre/Groundnut Shell Reinforced Epoxy Hybrid Composites. **2018**, 06, 179-192 1
- 374 Application of Lignin in Thermoplastic Materials. **2018**, 1-22
- 373 The Wear of Glass Fiber Reinforced Polyester Composite Materials at Different Loads and Speeds. **2018**, 5, 259-266 1
- 372 Stable Nano Calcite Synthesis. 869-880 0
- 371 FLEXURAL PROPERTIES OF WOOD SAWDUST AND OIL BEAN POD SHELL FILLED COMPOSITE. **2018**, 6, 337-344
- 370 Avaliaõ da morfologia e propriedades mecânicas de compõsitos laminados a base de epõxi, cortiã e microesferas de vidro. **2019**, 24, 0
- 369 Drug-Loaded UHMWPE to Inhibit Wear Particle-Induced Osteolysis: Processing, Characterization, and Biological Evaluation. **2019**, 151-190 0
- 368 The Effect of MAPE Compatibilizer Agent on the Tensile Strength of Recycled PET/HDPE Plastic Composite. **2020**, 484-489

367	A Review on Tensile Properties of Epoxy Polymer Matrix Nanocomposites by Pure and Hybrid Nanosilica Reinforcements. 2020 , 449-461	
366	Graphene Oxide Influences on Mechanical Properties and Drug Release Ability of Hydroxyapatite Based Composite Material. 2020 , 139-149	
365	Understanding the influence of manufacturing and material parameters on the mechanical properties of polymer-clay composites: An exploratory statistical analysis. 2020 ,	
364	Investigation of the Mechanical Properties of Polyamide 6 Hybrid Nanocomposites with MWCNT and Copper Nanoparticles. 2021 , 261-272	
363	Three-dimensional Printing of Customized Bioresorbable Airway Stents.	
362	Polymer-Grafted Nanoparticles as Single-Component, High Filler Content Composites via Simple Transformative Aging. 2107139	4
361	The effects of main toughening mechanisms and functionally interphase properties on fracture energy and fatigue characteristics of nanocomposites containing various fillers. 2021 , 116, 103141	0
360	Research into mechanical properties of an ablative composite on a polymer matrix base with aerogel particles. 2021 , 280, 114855	2
359	Fabrication of a mechanically tough and strong graphene oxide aerogel modified phenolic resin by balancing the trade-off between load transfer efficiency and chain segment mobility. 2021 , 152, 106701	2
358	Progress in interlaminar toughening of aerospace polymer composites using particles and non-woven veils. 1-27	1
357	QbD steered fabrication of Pullulan-Terminalia catappa-Carbopolfi 971P film forming gel for improved rheological, textural and biopharmaceutical aspects. 2021 ,	
356	Extraction and Characterization of a Novel Natural Lignocellulosic (Bagasse and Husk) Fibers from Arrowroot (Maranta Arundinacea). 1-17	3
355	Prediction of Mechanical properties of Epoxy composites containing mono and hybrids particulate fillers.. 2021 , 1189, 012003	
354	Fundamental study of colloidal stability and dispersion of novel nanosized conductive polyaniline (PANI)/prevulcanised latex (PVL) film for antimicrobial applications. 2021 , 1195, 012055	0
353	Fatigue behavior of epoxy alumina nanocomposite role of particle morphology. 2020 , 110, 102807	1
352	Effect of Low Weight Fraction of Nano-reinforcement on Tensile Properties of Polymer Nanocomposites. 2021 , 729-735	
351	The potential use of Indonesian glutinous rice flour as nanoparticles organic filler for dental impression materials. 1007, 012003	1
350	Polymer-based composites for musculoskeletal regenerative medicine. 2020 , 33-82	1

349	Titanyum Karbidi (TiC) Takviyeli Epoksi ile Geliştirilmiş Hibrit Kompozitlerin Üretim Davranış Deneysel ve Sayısal İncelenmesi.	1
348	Evaluation of fracture toughness of epoxy polymer composite incorporating micro/nano silica, rubber and CNTs. 2020 , 30,	3
347	Optimization of processing parameters and its effect on the mechanical properties of recycled low density polyethylene composite reinforced with Tetracarpidium conophorum shell particulates. 2020 , 7, 025305	0
346	USE OF TURKISH BENTONITE MINERAL AS AN ADDITIVE FOR POLY(LACTIC ACID) BASED BIO-COMPOSITE MATERIALS.	
345	Mechanical Behavior Modelling and Filler Geometry Effect of Glass Filler Reinforced Starch-Epoxy Hybrid Matrix Composites. 2021 , 14,	0
344	Spraying slurries in fluidized beds: Impact of slurry properties on spray characteristics and agglomerate formation.	0
343	Swelling of a non-vascular-plant-inspired soft composite. 2021 ,	2
342	The Influence of Biodegradable Dispersed Fillers Obtained by Spray Drying on the Mechanical Properties of Polylactide Fibers. 2020 , 15, 456-465	1
341	Bioresorbable Composites for Bone Reconstruction. 2020 , 15, 400-414	
340	Effect of Silane Coupling Agent Content on Mechanical Properties of Hydroxyapatite/Poly(methyl methacrylate) Denture Base Composite.	
339	The Effects of Material Formulation and Manufacturing Process on Mechanical and Thermal Properties of Conventional Epoxy/Clay Nanocomposites. 2021 , 97-112	
338	Nanoparticles-reinforced poly-L-lactic acid composite materials as bioresorbable scaffold candidates for coronary stents: Insights from mechanical and finite element analysis. 2022 , 125, 104977	1
337	Mechanical properties of unidirectional laminated hybrid SiC/Nextel 720 fiber-reinforced oxide matrix composites fabricated by a novel precursor infiltration and pyrolysis method. 2022 , 832, 142375	0
336	Optimization of UV-curable alumina suspension for digital light processing of ceramic membranes. 2022 , 643, 120066	1
335	Photothermal Regenerated Fibers with Enhanced Toughness: Silk Fibroin/MoS Nanoparticles. 2021 , 13,	0
334	The Use of Mussel Shell as a Bio-Additive for Poly(Lactic Acid) Based Green Composites. 2021 , 15, 621-626	
333	Additive manufacturing of antibacterial PLA-ZnO nanocomposites: Benefits, limitations and open challenges. 2021 ,	12
332	316L FFF binder development and debinding optimization. 2021 , 8, 116515	2

331	Stretchable carbonyl iron powder/polydimethylsiloxane composites for noise suppression in gigahertz bandwidth. 2021 , 218, 109150	4
330	Atomistic-scale analysis of the deformation and failure of polypropylene composites reinforced by functionalized silica nanoparticles. 2021 , 11, 23108	0
329	Effective properties of 0-3, 1-3, and 2-2 composites based on unified unit-cell micromechanics model. 2021 , 103807	1
328	Calcium Carbonate Particles Filled Homopolymer Polypropylene at Different Loading Levels: Mechanical Properties Characterization and Materials Failure Analysis. 2021 , 5, 302	2
327	Analysis, Development, and Scaling-Up of Poly(lactic acid) (PLA) Biocomposites with Hazelnuts Shell Powder (HSP). 2021 , 13,	5
326	UV-Sensing Cellulose Fibers Manufactured by Direct Incorporation of Photochromic Minerals.	1
325	Behavior of nanosilver and nanotitanium reinforced polymethyl methacrylate for dental applications.	0
324	Lateral-torsional buckling of functionally graded porous arches with graphene platelets reinforcements under an arbitrary radial concentrated load. 2021 , 281, 114973	0
323	A new technology of transforming recycled glass waste to construction components. 2021 , 313, 125539	0
322	Evaluation of thermophysical properties of UO ₂ -10 Vol% Mo nuclear fuel pellets. 2021 , 559, 153444	0
321	Multiparticle Effective Field and Related Methods in Micromechanics of Random Structure Composites. 2022 , 311-401	
320	Investigations of polyamide nano-composites containing bentonite and organo-modified clays: Mechanical, thermal, structural and processing performances. 2021 , 60, 293-302	1
319	Optimisation of Material Formulation and Processing Parameters in Relation to Mechanical Properties of Bioepoxy/Clay Nanocomposites Using Taguchi Design of Experiments (DoEs). 2021 , 113-144	
318	Epoxy matrix polymer composites with metal particle reinforcements. 2021 ,	
317	Theoretical Modelling of Bioepoxy/Clay Nanocomposites. 2021 , 201-229	
316	Unique stiffness-deformability features of dendrimeric silica reinforced HDPE nanocomposites obtained by an innovative route. 2022 , 331, 111619	0
315	Hybrid polymer aerogels containing porphyrins as catalysts for efficient photodegradation of pharmaceuticals in water.. 2022 , 613, 461-476	0
314	Solvation of gold nanoparticles passivated with functionalized alkylthiols: A molecular dynamics study. 2022 , 347, 118342	

313	The evolution of the structure and mechanical properties of fully bioresorbable polymer-glass composites during degradation. 2022 , 218, 109194	0
312	Globally enhanced thermal, mechanical and electrical properties of current-field grading composites with self-assembly semiconducting grains on 3D cellulose aerogel scaffolds. 2022 , 218, 109197	1
311	Quasi-static compressive behavior of bioactive glass reinforced high density polyethylene composites. 2022 , 311, 131557	0
310	Ultralow-Binder-Content Carbon-Based Artificial Timber. 2022 , 34,	
309	Polymer-metal-organic framework hybrids for bioimaging and cancer therapy. 2022 , 456, 214393	3
308	Properties of Optimal Material Formulation of Bioepoxy/Clay Nanocomposites. 2021 , 171-199	
307	Evaluation of the Effect of Different Nano-Size of WO ₃ on the Structural and Mechanical Properties of HDPE. 2022 , 32, 1506	1
306	Macromolecular Insights into the Altered Mechanical Deformation Mechanisms of Non-Polyolefin Contaminated Polyolefins.. 2022 , 14,	0
305	Influence of Nanofillers on Adhesion Properties of Polymeric Composites.. 2022 , 7, 3844-3859	3
304	Local elastic properties of polystyrene nanocomposites increase significantly due to nonaffine deformations.. 2022 , 105, L012501	
303	Micro and nano effects of recycled plastic waste to reinforce and enhance in biocomposites. 2022 , 195-211	
302	Synthesizing heat transfer factors on thermal bonding structure of mineral added polypropylene spun-bond. 52138	0
301	Quasicrystalline Metal Powder: A Potential Filler for UHMWPE Composites. 25,	0
300	Fly ash-reinforced polyester composites. 2022 , 357-372	
299	Comparison of Young's Modulus of Continuous and Aligned Lignocellulosic Jute and Mallow Fibers Reinforced Polyester Composites Determined Both Experimentally and from Theoretical Prediction Models.. 2022 , 14,	2
298	Critical Roles of Mechanical Properties of Solid Electrolyte Interphase for Potassium Metal Anodes. 2112399	3
297	Characterisation of bone regeneration in 3D printed ductile PCL/PEG/hydroxyapatite scaffolds with high ceramic microparticle concentrations. 2021 ,	2
296	Novel Biocomposite Films Based on High Methoxyl Pectin Reinforced with Zeolite Y for Food Packaging Applications.. 2022 , 11,	2

295	Confocal Microscopy Visualizes Particle-Track Interactions in Epoxy Composites with Optical Force Probe-Cross-Linked Rubber Particles. 2022 , 55, 1060-1066		3
294	Physico Chemical and Mechanical Properties of Natural Cellulosic Water Hyacinth Fiber and Its Composites. 1-11		0
293	Utilization of electric arc furnace dust as a filler for unsaturated polyester resin. 2022 , 159, 1194-1202		2
292	A novel class of bioinspired composite via ultrasound-assisted directed self-assembly digital light 3D printing. 2022 , 26, 101388		3
291	A microstructure image-based numerical model for predicting the fracture toughness of alumina trihydrate (ATH) filled poly(methyl methacrylate) (PMMA) composites. <i>Composites Part B: Engineering</i> , 2022 , 232, 109632	10	0
290	Mori-Tanaka experimental-analytical model for predicting engineering elastic moduli of composite materials. <i>Composites Part B: Engineering</i> , 2022 , 232, 109635	10	3
289	Predicting the mechanical behaviour of highly particle-filled polymer composites using the nonlinear finite element method. 2022 , 286, 115275		1
288	Effects of filler composition, loading, and geometry on the dielectric loss, partial discharge, and dielectric strength of liquid metal polymer composites. <i>Composites Part B: Engineering</i> , 2022 , 234, 109686 ¹⁰		4
287	Efficacy of graphitic allotrope's surface area in silicone rubber based composites for reverse piezo-electric actuation: Nano effect. 2022 , 336, 113411		0
286	A modified classic-micromechanics approach to predict effective elastic properties of nanoparticles reinforced polymers.		
285	Essential Work of Fracture and Evaluation of the Interfacial Adhesion of Plasticized PLA/PBSA Blends with the Addition of Wheat Bran By-Product.. 2022 , 14,		1
284	Improved Tribological Properties of Poly(methyl methacrylate) Based Composites by the Synergistic Effect of Incorporating Ultra-High Molecular Weight Polyethylene and Heat Treatment. 1		
283	Formulation of sustained-release orodispersible film containing drug-resin complexes of donepezil hydrochloride. 2022 , 52, 259		2
282	A Comprehensive Evaluation of Mechanical, Thermal, and Antibacterial Properties of PLA/ZnO Nanoflower Biocomposite Filaments for 3D Printing Application.. 2022 , 14,		5
281	Mechanical characterization of Waste Plastic and Waste Paper Composites (WPWPC). 2022 ,		0
280	Crosslinking of Pressure-Sensitive Adhesives with Polymer-Grafted Nanoparticles.. 2022 ,		2
279	Utilization of waste black limestone filler in short jute fiber reinforced epoxy composites: Influence on the mechanical behaviour. 095440892210781		1
278	Influences of Modified SmO on Thermal Stability, Mechanical and Neutron Shielding Properties of Aminophenol Trifunctional Epoxy Resin.. 2022 , 14,		1

- 277 Fire retardancy in nanocomposites by using nanomaterial additives. **2022**, 163, 105466 2
- 276 Processing and Testing of Eco-composites: Materials and Methodology. **2022**, 43-57
- 275 Hybrid nanocomposites—An efficient representative volume element formulation with interface properties. **2022**, 30, 096739112210846
- 274 Fabrication of High Toughness Silk Fibroin/Tungsten Disulfide Nanoparticles Hybrid Fiber and Self-Heating Textile by Wet Spinning. **2022**, 10, 1-17 1
- 273 Mechanical properties of HNT filled carbon fabric epoxy composites. **2022**, 52, 2048-2052 0
- 272 Tissue Engineering Multiscale Modeling of Biomaterials Pgdlla/P(Lla-Co-ECI)/Pcl/Graphene Oxide Interfacial Debonding: Rheological and Mechanical Properties, Compatibility and Morphology.
- 271 Toughened thermoset resins. **2022**, 293-370 2
- 270 Thermal and mechanical characterization of alumina modified multifunctional novolac epoxy nanocomposites. **2022**, 30, 096739112210818
- 269 Materials Properties: Mechanical Characteristics. **2022**, 97-158
- 268 Temperature-rate induced polymerization and phase separation of block copolymer toughened polymer composites. **2022**, 109329 1
- 267 The interface debonding in particle-reinforced nonlinear viscoelastic polymer composites. **2022**, 57, 1353
- 266 Development of a model for modulus of polymer halloysite nanotube nanocomposites by the interphase zones around dispersed and networked nanotubes.. **2022**, 12, 2443 1
- 265 Effect of PEEK Particles on Physiomechanical Behavior of Carbon/Epoxy Composite. **2022**, 2022, 1-12 0
- 264 Evaluation of tribological and biological properties of TaB 2 / PEEK composite coatings prepared by electrodeposition. 52265
- 263 A predictive model towards understanding the effect of reinforcement agglomeration on the stiffness of nanocomposites.. **2022**, 56, 1591-1604 2
- 262 Multimodal Deformation of Liquid Metal Multimaterial Composites as Stretchable, Dielectric Materials for Capacitive Pressure Sensing.. **2022**, 0
- 261 Crystalline properties and morphology of bulk-fill dental resin composites as function of light-cure protocol and composition. 1
- 260 UV-Curable, Low-Viscosity Resin with a High Silica Filler Content for Preparing Ultrastiff, 3D-Printed Molds. **2022**, 4, 2636-2647 1

259	A hydrophobic coating on cellulose nanocrystals improves the mechanical properties of polyamide-6 nanocomposites. 002199832210754	1
258	Synthesis of Highly Stretchable and Electrically Conductive Multiwalled Carbon Nanotube/Polymer Nanocomposite Films. 2022 , 4, 1867-1877	4
257	Effect of poly ether ether ketone particles on v-notched shear and drop weight impact behavior of carbon/epoxy composite.	1
256	Discussion of a new mechanical model for interpenetrating phase composites under compression considering constituent phase interactions. 2022 , 12, 035051	1
255	Oil-Based Mud Waste as a Filler Material in LDPE Composites: Evaluation of Mechanical Properties.. 2022 , 14,	
254	Utilization of waste dolomite dust in carbon fiber reinforced vinylester composites. 2022 ,	1
253	Superior EMI shielding effectiveness with enhanced electrical conductivity at low percolation threshold of flexible novel ethylene methyl acrylate/single-walled carbon nanotube nanocomposites.	1
252	Experimental characterisation and modelling of the strain rate dependent mechanical response of a filled thermo-reversible supramolecular polyurethane. 2022 , 104239	
251	Effect of shape and size of nanofillers on the viscoelasticity of polymer nanocomposites. 2022 , 246, 124750	0
250	Size-dependent filling effect of crystalline celluloses in structural engineering of composite oleogels. 2022 , 160, 113331	1
249	Non-linear homogenization of polymer composites with porous inclusions. 2022 , 168, 104276	1
248	Fabrication and characterization of new eco-friendly composites obtained by the complete recycling of exhausted coffee capsules. 2022 , 222, 109358	0
247	Nano-engineered ZnO/CNF-based epoxidized natural rubber with enhanced strength for novel Self-healing glove fabrication. 2022 , 437, 135440	0
246	Contact-dewatered cellulose nanomaterials for reinforced biopolymer composites. 2022 , 31, 103443	
245	Epoxy resin/TiO ₂ nanocomposites prepared by the Reactive Suspension Method: Dynamic-mechanical properties and their prediction by theoretical models. 2022 , 31, 103347	1
244	Photocurable resin-silica composites with low thermal expansion for 3D printing microfluidic components onto printed circuit boards. 2022 , 31, 103482	1
243	Ultra-fine nano-CaCO ₃ based-epoxy composites: A high-strength nano-filler engineered via planetary ball milling for advanced structural applications. 2022 , 318, 132221	1
242	Characterization of a soft magnetic composite for use in road-embedded wireless-charging systems. 2021 , 06, 57-66	0

241	Glasslike Polymer Nanocomposite Coating via High Loading of Mixed-Size Nanoparticles. 2022 , 4, 672-681	0
240	Effects of particle size of hydroxyapatite on mechanical property and cytocompatibility of hydroxyapatite/poly(amino acid) composites. 2022 , 43, 1107-1120	0
239	Preparation and Evaluation of Conductive Polymeric Composite from Metals Alloys and Graphene to Be Future Flexible Antenna Device. 2021 , 21, 34-52	
238	Properties of Polysiloxane/Nanosilica Nanodielectrics for Wearable Electronic Devices.. 2021 , 12,	2
237	Impact modification of hybrid polypropylene composites with poly(vinyl alcohol) fibers. 073168442110533	
236	Soft Bioelectronics Based on Nanomaterials.. 2021 ,	11
235	Review on Self-Healing Thermal Barrier Coatings for Space Applications. 2021 , 10, 20210062	
234	Preparation and thermophysical properties of graphite flake-carbon fiber coreinforced copper matrix composites. 2021 , 8, 125603	0
233	Impacts of Lithium Salts on the Thermal and Mechanical Characteristics in the Lithiated PEO/LAGP Composite Electrolytes. 2022 , 6, 12	2
232	Physico-mechanical behavior of carbon black-infused polymer composite. 2022 , 45, 1	
231	Composite Materials Based on Iron Oxide Nanoparticles and Polyurethane for Improving the Quality of MRI.. 2021 , 13,	3
230	Mechanical Behavior of Composite Materials. 2022 , 267-281	
229	Utilization of brown alga (Sargassum plagiophyllum) as an efficient reinforcement material for application in wheat gluten biocomposites. 2022 , 139, 52080	1
228	Experimental and computational study of thermal behavior of PVC composites based on modified eggshell biofiller for UPVC product. 2022 , 29, 1	1
227	Influence of Graphene Nano Fillers and Carbon Nano Tubes on the Mechanical and Thermal Properties of Hollow Glass Microsphere Epoxy Composites. 2022 , 10, 40	5
226	Effects of graphene nanoplatelets and montmorillonite nanoclay reinforcement on dental polymethyl methacrylate.	0
225	Low-Temperature Synthesis of Hollow Tricalcium Phosphate Particles for Bone Tissue Engineering Applications.. 2022 ,	1
224	Effects of introducing CNTs and GPLs on mechanical, modal, thermal, and water uptake properties of twill basalt fiber-reinforced epoxy matrix composites. 1-16	1

223	Fractionation of technical lignin and its application on the lignin/poly-(butylene adipate-co-terephthalate) bio-composites.. 2022,		1
222	Architected cellular fiber-reinforced composite. <i>Composites Part B: Engineering</i> , 2022 , 109894	10	0
221	Low-Shrinkage Resin Matrices in Restorative Dentistry-Narrative Review.. 2022 , 15,		0
220	Facile Preparation of Cellulose Fiber Reinforced Polypropylene Using Hybrid Filler Method.. 2022 , 14,		1
219	Properties and Functionality of Plant-Based Ingredients. 2022 , 23-88		1
218	Mechanical properties and interfacial interactions in oleyl titanate-treated blast furnace slag/polypropylene composites.		0
217	Photonic crystal fabrication approaches and achieving industrial-level fabrication with roll-to-roll process at room temperature. 2022 ,		
216	Formulating Polypropylene with Desired Mechanical Properties through Melt Compounding of Homopolymer and Impact Copolymer. 2022 , 2022, 1-13		0
215	In-situ infrared cure monitoring combined with two-trace two-dimensional (2T2D) correlation analysis to elucidate the matrix-filler interaction of nanocomposites: Case of thermosetting urethane/silica nanospheres. 2022 , 107587		
214	Development and characterization of composites produced from recycled polyethylene terephthalate and waste marble dust.		1
213	The influence of expandable graphite on the thermal, flame retardant and mechanical characteristics of short carbon fiber reinforced polyamide composites. 089270572210966		1
212	Mechanical characteristics of epoxy nanocomposites derived through reinforcing carbonaceous fillers. 2022 ,		
211	Polymer Grafted Nanoparticle Composites with Enhanced Thermal and Mechanical Properties.. 2022 ,		2
210	Extraction, Characterization, and Comparison of Properties of Cassava Bagasse and Black Seed Fibers. 1-14		0
209	Mechanical, Thermal, and Ablative Properties of Silica, Zirconia, and Titania Modified Carbon-Phenol Ablative Composites. 2022 , 2022, 1-13		
208	A biodegradable in situ Zn-MgGe composite for bone-implant applications.. 2022 ,		0
207	Enhancement of the mechanical and acoustical properties of flexible polyurethane foam/waste seashell composites for industrial applications. 0021955X2210883		3
206	Effects of particle morphology on the shear response of granular soils by discrete element method and 3D printing technology.		0

- 205 Dynamic fracture behaviors of rubberized mortars with various rubber powder sizes and volume percentages. **2022**, 269, 108553 1
- 204 Mechanical and thermal properties of polydimethylsiloxane/magnetite nanocomposites for cancer treatment by localized hyperthermia and Photothermal ablation.
- 203 Granite Powder Influence on the Static Mechanical Properties of Tapsi fiber-reinforced Hybrid Composites: A Comparative Study. 1-17 0
- 202 Effects of Sr/F-Bioactive Glass Nanoparticles and Calcium Phosphate on Monomer Conversion, Biaxial Flexural Strength, Surface Microhardness, Mass/Volume Changes, and Color Stability of Dual-Cured Dental Composites for Core Build-Up Materials. **2022**, 12, 1897
- 201 Ceramic-Based Nanocomposites: A Perspective from Carbonaceous Nanofillers. **2022**, 103764
- 200 Improving the tensile, toughness, and flexural properties of epoxy resin based nanocomposites filled with ZrO₂ and Y₂O₃ nanoparticles. **2022**, 38, 105662 0
- 199 Additive manufacturing of bioactive and biodegradable porous iron-akermanite composites for bone regeneration. **2022**, 2
- 198 An energy-based approach to study the aggregation/agglomeration phenomenon in polymer nanocomposites: Dispersion force against inter-particle cohesion. 0
- 197 Role of Algae in the Production of Biomaterials. **2022**, 311-331
- 196 Effect of aluminosilicate nanoclay on polyester composites' static and dynamic mechanical properties. 0
- 195 Mechanical property study of plywood bonded with dimethylol dihydroxy ethylene urea crosslinked rice starch- natural rubber latex-based adhesive. **2022**, 0
- 194 Polymer-Magnetic Semiconductor Nanocomposites for Industrial Electronic Applications. **2022**, 14, 2467 0
- 193 Monte Carlo simulation for exploring the mechanical properties of particle-reinforced composites based on the scale boundary finite element method. **2022**, 115933 0
- 192 Superior electromagnetic interference shielding effectiveness of functionalized MWCNTs filled flexible thermoplastic polymer nanocomposites. 009524432211085 1
- 191 Effect of particle doping on the mechanical behavior of 2D woven (0°/90°) jute fabric (plain weave) reinforced polymer matrix composites. **2022**, 47,
- 190 Enhancing the physicochemical properties and functional performance of starch-based films using inorganic carbon materials: A review. **2022**, 119743 0
- 189 Influence of MgO and ZnO as nano-additives on the mechanical, microstructural and thermal performance of high-density polyethylene.
- 188 Adsorption configuration of stearic acid onto calcium sulfate whisker.

- 187 Modeling of toughening effect in rigid particulate-filled polymer composites by artificial intelligence: a review. 1-18
- 186 Quantitative assessment of particle dispersion in polymeric composites and its effect on mechanical properties. **2022**, 19, 1836-1845 2
- 185 Effect of particle morphology on mechanical behaviour of highly particle-filled composites. **2022**, 227, 107446 0
- 184 Static and dynamic mechanical properties of epoxy nanocomposites reinforced by hybridization with carbon nanofibers and block ionomers. **2022**, 271, 108638 1
- 183 Characterization of Potential Cellulose from *Hylocereus Polyrhizus* (Dragon Fruit) peel: A Study on Physicochemical and Thermal Properties. **2022**, 1-15
- 182 Preparation of Polyacrylamide-Poly(Methyl Methacrylate) Emulsion for Enhancing the Adhesion of Polyester/Cotton Yarn.
- 181 Structural, Mechanical and Flammability Characterization of Crosslinked Talc Composites with Different Particle Sizes. **2022**, 15, 4492
- 180 Thermal, electrical and mechanical properties of carbon fiber/copper powder/carbon black reinforced hybrid Polyamide 6,6 composites. 095400832211147 0
- 179 Metal-organic framework (MOF) composites as promising materials for energy storage applications. **2022**, 102732 6
- 178 Effects of the crosslinking of chitosan/DCPA particles in the antimicrobial and mechanical properties of dental restorative composites. **2022**,
- 177 Modeling and influencing factor analysis for the temperature and damage dependent tensile strength of fiber/polymer composites. 0
- 176 Organic-Inorganic Double-Gel System Thermally Insulating and Hydrophobic Polyimide Aerogel. **2022**, 14, 2818 0
- 175 Reuse of black cumin biomass into beneficial additive for thermoplastic polyurethane-based green composites with silane modifiers. 0
- 174 Investigation of Dry Sliding Friction Wear Behavior of CuSn11 Bronze Plain Bearing Applying Impregnated Graphite Filled PTFE. 1-15
- 173 The near-isotropic elastic properties of interpenetrating composites reinforced by regular fibre-networks. **2022**, 221, 110923
- 172 Processing and physico-mechanical characterization of sponge iron slag filled ramie fiber reinforced epoxy-based composites.
- 171 A quantitative interphase model for polymer nanocomposites: Verification, validation, and consequences regarding size effects. **2022**, 107094 1
- 170 Tetra functional epoxy/polyhedral oligomeric silsesquioxane (POSS) nanocomposites with enhanced mechanical, thermal, anticorrosion and dielectric properties. 875608792211146

- 169 The effect of hydroxyapatite filler on biodegradable poly(sorbitol sebacate malate) composites.
- 168 Hydrophobic ZSM-5/styrene-butadiene-styrene (SBS) membrane for the removal of pyridine from aqueous solutions via pervaporation. **2022**, 10, 108317 0
- 167 Tensile strength of rubber described via the formation and rupture of load-bearing polymer chains. **2022**, 106,
- 166 Adhesion of Silica and Block Copolymer Toughened Epoxy Composites. **2022**, 4, 6169-6178
- 165 Thermoresponsive Hybrid Colloidal Capsules as an Inorganic Additive for Fire-Resistant Silicone-Based Coatings. 0
- 164 Digital Light Processing of Highly Filled Polymer Composites with Interface-Mediated Mechanical Properties. 0
- 163 The Effect of Nanoparticle Softness on the Interfacial Dynamics of a Model Polymer Nanocomposite. 0
- 162 Investigation on mechanical characterization of Al/MoS₂/WC hybrid composite. **2022**, 2
- 161 Comparison of theoretical and experimental physio-mechanical properties of coal-fly ash (CFA) reinforced iron matrix composites. 0
- 160 In-line measurement and characterization in glass bead-filled polypropylene extrusion based on machine vision.
- 159 Prediction and validation of composite mechanical properties resulting from voxel-based microstructural design in material jetting.
- 158 Hygrothermal aging effects on tribological and mechanical behaviors of mollusc shell-reinforcement UHMWPE biocomposites. 089270572211188 1
- 157 Experimental data-driven uncertainty quantification for the dynamic fracture toughness of particulate polymer composites. **2022**, 108724 2
- 156 Investigation of the Fire Performance of Polyamide 6-Based Composites with Halogen-free Flame Retardants and Synergistic Materials. **2022**, 7, 28885-28895
- 155 Mechanical Performance of Corn Starch/Poly(Vinyl Alcohol) Composite Hydrogels Reinforced by Inorganic Nanoparticles and Cellulose Nanofibers. **2022**, 8, 514
- 154 Development and characterisation of hybrid composite skin simulants based on short polyethylene fibre and bioactive glass particle-reinforced silicone. **2022**, 105424
- 153 Simultaneously stiffening and toughening epoxy by urea treated hydroxylated halloysite nanotubes. **2022**, 256, 125194
- 152 Impact of stress triaxiality, strain rate, and temperature on the mechanical response and morphology of PVDF. **2022**, 114, 107717 0

151	Carbonate Lake Sediments in the Plastics Processing-Preliminary Polylactide Composite Case Study: Mechanical and Structural Properties. 2022 , 15, 6106	1
150	Structural, optical, dielectric, and surface properties of polyimide hybrid nanocomposites films embedded mesoporous silica nanoparticles synthesized from rice husk ash for optoelectronic applications. 2022 , 54,	0
149	Photopolymerization of ceramic/zeolite reinforced photopolymers: Towards 3D/4D printing and gas adsorption applications. 2022 , 179, 111552	0
148	Improving hydrophobicity and compatibility between kenaf fiber and polymer composite by surface treatment with inorganic nanoparticles. 2022 , 15, 104233	0
147	Fabrication and characterization of novel polyhydroxybutyrate-keratin/nanohydroxyapatite electrospun fibers for bone tissue engineering applications. 2022 , 220, 1368-1389	2
146	Effects of interface bonding on the macro-mechanical properties of microcapsule/epoxy resin composites. 2022 , 34, 102310	1
145	Spraying EPDM@NPs as an efficient strategy for polyethylene-based high-voltage insulation. 2023 , 451, 138874	0
144	Self-healing Mixed Matrix Membranes Containing Metal-Organic Frameworks.	0
143	Nanoparticulate reinforced composites and their application to additively manufactured Ti6Al4V for use in the aerospace sector. 2022 , 9, 29	0
142	Mechanical properties and thermal analysis of graphene nanoplatelets reinforced polyimine composites. 2022 , 22, 696-704	0
141	Thermal-Induced Percolation Phenomena and Elasticity of Highly Oriented Electrospun Conductive Nanofibrous Biocomposites for Tissue Engineering. 2022 , 23, 8451	1
140	Characterising the Tensile Properties of Short Polyethylene Fibre and Bioactive Glass Reinforced Silicone Composite Skin Simulants.	0
139	Performance of Advanced Waterborne Wood Coatings Reinforced with Cellulose Nanocrystals.	0
138	Volcanic particle materials in polymer composites: a review. 2022 , 57, 16989-17020	0
137	A high-performance thermally conductive and electrically insulating silver@siloxane/graphene/epoxy composites at low filler content: Fabrication, mechanism study of insulation and thermal conductivity enhancement. 2022 ,	2
136	Introduction of an adhesion factor to cube in cube models and its effect on calculated moduli of particulate composites. 2022 , 12,	0
135	3D-Printed Radiopaque Bioresorbable Stents to Improve Device Visualization. 2201955	0
134	Characterization of Mechanical and Electrical Properties of Polystyrene Composite Reinforced by Hybrid Reinforcement Filler. 42-52	0

- 133 Morphology evolution of self-same nanocomposites hybridized with jumbo-sized particles. ○
- 132 The biocomposites properties of compounded poly(lactic acid) with untreated and treated spent coffee grounds. ○
- 131 Polyhydroxybutyrate Rice Hull and Torrefied Rice Hull Biocomposites. **2022**, 14, 3882 ○
- 130 Microstructure and Mechanical Properties of Unidirectional, Laminated Cf/SiC Composites with Al_2O_3 Nanoparticles as Filler. **2022**, 12, 3406 ○
- 129 Fractionated Crystallization Behavior of Low-Molecular-Weight Polyethylene Grafted onto SiO_2 Nanoparticles. ○
- 128 Effects of particle size and oxide shell on variable stiffness performance of phase-changing materials. 002199832211292 ○
- 127 Interfacial modification: The dynamic compression properties and enhancement mechanism of concrete added with micro-nano hierarchical carbon-based fiber. **2022**, 110340 ○
- 126 Tribological Properties of Metal Particulate Reinforced Polymeric Functionally Graded Materials. **2023**, 463-470 ○
- 125 Effect of γ irradiation on the properties of functionalized carbon-doped boron nitride reinforced epoxy resin composite. **2022**, 110167 ○
- 124 Development and properties evaluation of diamond-containing metal composites for fused filament fabrication of diamond tool. **2022**, 109423 ○
- 123 Influence of alumina nanoparticles addition on the tribological behaviour of the random discontinuous carbon fibers reinforced epoxy composites. **2022**, 26, 101589 ○
- 122 Compressive Strength Evaluation of Nanodiamond/ MWCNT/Graphene Reinforced Novel Hybrid Polymer Nano Composites. ○
- 121 Inhibition of CaCO_3 growth and synthesis of submicron particles by preferential adsorption of additive Ca^{2+} ions on fresh precipitates. ○
- 120 Semiflexible polymer nanocomposites: Role of stiffness on structure and macrophase separation. **2022**, ○
- 119 Investigation of Jute/Tetracarpidium conophorum reinforced polypropylene composites for automobile application: Mechanical, wear and flow properties. **2022**, ○
- 118 Micronized cellulose particles from mechanical treatment and their performance on reinforcing polypropylene composite. ○
- 117 Effect of Superhydrophobic Coating and Nanofiller Loading on Facial Elastomer Physical Properties. **2022**, 15, 7343 ○
- 116 Influence of Compounding Parameters on the Tensile Properties and Fibre Dispersion of Injection-Moulded Polylactic Acid and Thermomechanical Pulp Fibre Biocomposites. **2022**, 14, 4432 ○

115	Effect of Architecture and Topology on the Self-Assembly of Polymer-Grafted Nanoparticles. 2022 , 55, 9312-9323	0
114	Effect of Low-Temperature Plasma Treatment on Starch-Based Biochar and Its Reinforcement for Three-Dimensional Printed Polypropylene Biocomposites.	0
113	Micromechanical Deformation Processes and Failure of PBS Based Composites Containing Ultra-Short Cellulosic Fibers for Injection Molding Applications. 2022 , 14, 4499	0
112	The 3D Printability and Mechanical Properties of Polyhydroxybutyrate (PHB) as Additives in Urethane Dimethacrylate (UDMA) Blends Polymer for Medical Application. 2022 , 14, 4518	1
111	Adsorption of Polyethyleneimine on Fine Arsenopyrite and the Effect on Its Xanthate Flotation. 2022 , 12, 1390	0
110	Development of Lightweight Polymer Laminates for Radiation Shielding and Electronics Applications. 2022 , 2022, 1-13	0
109	Predicting Material Properties of Additively Manufactured Acrylonitrile Butadiene Styrene via a Multiscale Analysis Process. 2022 , 14, 4310	0
108	Nanocomposites. 2022 , 545-786	0
107	Gd ³⁺ ionic nano-aggregate clusters enable metallopolymers redox electrolytes as high-performance flexible radiation shielding. 2022 , 109817	0
106	Fabrication of high-performance thermally conductive and electrically insulating polymer composites with siloxane/multi-walled carbon nanotube core-shell hybrids at low filler content. 2022 , 262, 125430	2
105	Achieving excellent oxidation resistance and mechanical properties of TiB ₂ /B ₄ C/carbon aerogel composites by quick-gelation and mechanical mixing. 2022 , 11, 3031-3041	0
104	High frictional stability of braking material reinforced by Basalt fibers. 2023 , 178, 108048	0
103	Influence of aqueous sodium chloride solutions on operational properties of epoxy coatings. 2022 , 24, 629-640	0
102	Recent advances for liquid metals: synthesis, modification and bio-applications. 2022 ,	0
101	Influence of Physical Modification of the Adhesive Composition on the Strength Properties of Aerospace Aluminum Alloy Sheet Adhesive Joints. 2022 , 15, 7799	2
100	Modeling of Creep Behavior of Particulate Composites with Focus on Interfacial Adhesion Effect. 2022 , 23, 14120	0
99	An alternative shear lag model for composites with discrete interfaces. 2022 , 104530	0
98	Impact of Micro Silica Filler Particle Size on Mechanical Properties of Polymeric Based Composite Material. 2022 , 14, 4830	1

- 97 DOPO-BASED FLAME RETARDANT: PREPARATION AND ITS APPLICATION IN SILICONE RUBBER BLENDS. **2022**, ○
- 96 Characterization of steel lined with multilayer micro/nano-polymeric composites. **2022**, 12, ○
- 95 Novel Ternary Epoxy Resin Composites Obtained by Blending Graphene Oxide and Polypropylene Fillers: An Avenue for the Enhancement of Mechanical Characteristics. ○
- 94 Mechanical Properties and Deformation Mechanism of Bimodal-Rubber-Particle-Toughened Polyphenylene Ether/Polystyrene Blends. ○
- 93 Sustainable valorization of asphaltenes via flash joule heating. **2022**, 8, ○
- 92 Preparation and compression mechanical properties of carbon fiber/epoxy nanoparticle composites. 095400832211407 ○
- 91 Numerical simulation of the fracture and compression response of self-healing concrete containing engineered aggregates. **2022**, 104858 ○
- 90 Local deformation and interfacial damage behavior of partially stabilized zirconia-reinforced metastable austenitic steel composites: Numerical simulation and validation. **2023**, 225, 111515 1
- 89 Translaminar enveloping ply for CFRP interlaminar toughening. **2023**, 250, 110464 ○
- 88 A modified version of conventional Halpin-Tsai model for the tensile modulus of polymer halloysite nanotube nanocomposites by filler network and nearby interphase. **2023**, 36, 102547 ○
- 87 A novel approach for preparation of nanocomposites with an excellent rigidity/deformability balance based on reinforced HDPE with halloysite. **2023**, 184, 111765 ○
- 86 Mechanical performance of 3D printed polyether-ether-ketone nanocomposites: An experimental and analytic approach. **2023**, 305, 116459 ○
- 85 Study on the effect of the density and incorporation amount of Coal Fly ash hollow microspheres on the fire performance of epoxy resin. **2023**, 34, 105213 ○
- 84 Closed-cell polyurethane spray foam obtained with novel TiO₂–ZnO hybrid fillers –mechanical, insulating properties and microbial purity. **2023**, 65, 105760 1
- 83 Mechanical Properties of Pineapple Leaf Powder Filled High Density Polyethylene. 9, 13-19 ○
- 82 Hybrid GNPs/silane functionalised BN composite as TIM: Thermal, shear strength and moisture analysis. **2022**, ○
- 81 Mechanical, thermal, tribological, and flammability properties of polybutylene terephthalate composites: Comparing the effects of synthetic wollastonite nanofibers, natural wollastonite, and graphene oxide. ○
- 80 Management of ground tire rubber waste by incorporation into polyurethane-based composite foams. ○

- 79 Modelling of the effect of ATH fillers on the rheology, curing kinetics, and flexural properties of the epoxy resin forming the hydraulic turbines' stay vanes extension. ○
- 78 Noninvasive Adaptation Appraisal of Antimicrobial Nano-Filled Composite. **2022**, ○
- 77 Comparative Evaluation of Adhesive Bond Strength of Conventional GIC and Cention N to Enamel and Dentin of Primary Teeth: An In Vitro Study. **2022**, 15, 412-416 ○
- 76 Additive Manufacturing of Polymer/Mg-Based Composites for Porous Tissue Scaffolds. **2022**, 14, 5460 ○
- 75 The modulatory roles and regulatory strategy of starch in the textural and rehydration attributes of dried noodle products. 1-17 ○
- 74 Recycling of waste crab shells into reinforced poly (lactic acid) biocomposites for 3D printing. **2022**, ○
- 73 Determining the Modulus of Dilatation of Various Materials Using the Molecular-Dynamics Method. **2022**, 95, 1647-1651 ○
- 72 Cushion Polyurethane Sandwich Composite Structures Strengthened by a Concave-Convex Fabric Panels. **2022**, 23, 3615-3623 ○
- 71 Effect of Alumina and Silicon Carbide Nanoparticle-Infused Polymer Matrix on Mechanical Properties of Unidirectional Carbon Fiber-Reinforced Polymer. **2022**, 6, 381 2
- 70 Understanding the effect of particle reinforcement on friction stir weldment: A review. 146442072211402 ○
- 69 Rational Design of Mesoporous Silica (SBA-15)/PF (Phenolic Resin) Nanocomposites by Tuning the Pore Sizes of Mesoporous Silica. **2022**, 15, 8879 ○
- 68 Alginate/gelatin/boron-doped hydroxyapatite-coated Ti implants: in vitro and in vivo evaluation of osseointegration. ○
- 67 A review on epoxy granite reinforced polymer composites in machine tool structures âStatic, dynamic and thermal characteristics. 1
- 66 Coffee Waste Macro-Particle Enhancement in Biopolymer Materials for Edible Packaging. **2023**, 15, 365 ○
- 65 Microcrystalline cellulose grafted hyperbranched polyester with roll comb structure for synergistic toughening and strengthening of PHBV/ bio-based polyester elastomer composites. ○
- 64 Intensified Nonequilibrium Effect of Polymer Nanocomposites with Decreasing Nanoparticle Size. ○
- 63 Modification of SiBCN by Zr atom and its effect on ablative resistance of Cf/SiBCN(Zr) composites. **2023**, 110511 ○
- 62 Towards better understanding the stiffness of nanocomposites via parametric study of an analytical model modeling parameters and experiments. 002199832211491 ○

61	Synthesis of Hyperbranched Flame Retardants with Varied Branched ChainsâRigidity and Performance of Modified Epoxy Resins. 2023 , 15, 449	1
60	Mechanical Properties of a Bone-like BioceramicâEpoxy-Based Composite Material with Nanocellulose Fibers. 2023 , 16, 739	0
59	Bisphenol-AâCarbon Nanotube Nanocomposite: Interfacial DFT Prediction and Experimental Strength Testing.	0
58	Significances of effective interphase characteristics on the Pukanszky interfacial factor and strength of halloysite-containing composites after mechanical percolation onset. 2023 , 102664	0
57	Mechanism of bonding during laser transmission welding using EIP absorber. 1-9	0
56	Polydopamine modified CuS particles filled cellulose fiber for photothermal conversion performance. 2023 , 193, 116188	0
55	Enhanced dielectric constant and mechanical investigation of epoxidized natural rubber with TM-doped CeO2 nanocomposites. 2023 , 939, 168601	0
54	H2 Uptake and Diffusion Characteristics in Sulfur-Crosslinked Ethylene Propylene Diene Monomer Polymer Composites with Carbon Black and Silica Fillers after High-Pressure Hydrogen Exposure Reaching 90 MPa. 2023 , 15, 162	0
53	Polypropylene and Graphene Nanocomposites: Effects of Selected 2D-NanofillerâPlate Sizes on Fundamental Physicochemical Properties. 2023 , 8, 8	0
52	Hygrothermal aging of particle-filled epoxy-based composites. 2022 , 110248	0
51	Multiscale bridging method to characterize elasto-plastic properties of polymer nanocomposites. 1-15	0
50	Preparation of polyacrylamide-poly(methyl methacrylate) emulsion for enhancing the adhesion of polyester/cotton yarn. 004051752211506	0
49	Acrylonitrile Butadiene Styrene-Based Composites with Permalloy with Tailored Magnetic Response. 2023 , 15, 626	0
48	Composite Heterogeneous Energetic Materials: Propellants and Explosives, Similar but Different?. 2023 , 1-45	0
47	Aerospace applications of polymer/carbonaceous nanofiller nanocomposites: mechanical, thermal, nonflammability, and physical aspects. 2023 , 85-111	0
46	Condition Monitoring of Wood Polymer Composite for Civil Engineering. 2023 , 87-114	0
45	Recent trends in polymeric composites and blends for three-dimensional printing and bioprinting. 2023 , 131-157	0
44	Evaluation of mechanical properties of alkaline treated natural fiber PMC. 2023 ,	0

43	Polypropylene/talc/graphene nanoplates (GNP) hybrid composites: Effect of GNP content on the thermal, rheological, mechanical, and electrical properties.	o
42	Management of ground tire rubber waste by incorporation into polyurethane-based composite foams.	o
41	Development of ductile green flame retardant poly(lactic acid) composites using hydromagnesite&h; huntite and bio-based plasticizer.	o
40	Reactive Compatibilization of Impact Copolymer Polypropylene and Organically Modified Mesoporous Silica to Prepare Composites Possessing Enhanced Mechanical Properties.	o
39	Role of MWCNTs Loading in Designing Self-Sensing and Self-Heating Structural Elements. 2023 , 13, 495	1
38	Study on Recycling of Waste Glass Fiber Reinforced Polypropylene Composites: Examination of Mechanical and Thermal Properties. 63-76	o
37	The Effect of Wastes of Nettle Fiber on Mechanical and Thermal Properties of Polypropylene Composite. 2023 , 20,	o
36	INSIGHT INTO THE EFFECT OF TI/ZR OXIDE HYBRID PARTICLES ON DENTAL COMPOSITES: PARTICLE SYNTHESIS AND CHARACTERIZATION AND THE MECHANICAL BEHAVIOR OF COMPOSITES. 2023 , 200-219	o
35	PCL and DMSO2 Composites for Bio-Scaffold Materials. 2023 , 16, 2481	o
34	Copper Composites and Laser Sintering: Novel Hybridization Method for 3D Printed Electronics.	o
33	Review and Perspectives on Advanced Binder Designs Incorporating Multifunctionalities for LithiumâSulfur Batteries.	o
32	Utilization of waste slate powder in poly(lactic acid) based composite for 3D printer filament. 2023 , 24, 703-714	o
31	Insights into synergy-induced multifunctional property enhancement mechanisms in hybrid graphene nanoplatelet reinforced polymer composites. 2023 , 463, 142406	o
30	3D spirally coiled piezoelectric nanogenerator for large impact energy harvesting. 2023 , 111, 108412	o
29	Numerical modeling of the erosion of alumina particulate reinforced epoxy-matrix composites: Material removal mechanisms including reinforcement fracture. 2023 , 522, 204710	o
28	Waste marble dust-filled sustainable polymer composite selection using a multi-criteria decision-making technique. 2023 , 16, 104695	o
27	The influence of organic and inorganic antibacterial additives on the strength and biocidal properties of thermoplastic elastomers (TPO). 2023 , 198, 116682	o
26	Thermomechanical and Electrical Material Characterization for a DLP Printing Process Simulation of Electrically Conductive Parts. 2023 ,	o

- 25 Size and proximity of micro-scale hard-inclusions increase the risk of rupture in fibroatheroma-like laboratory models. **2023**, 141, 105749 ○
- 24 Effect of Filler-Filler Interactions on Mechanical Properties of Phenol Formaldehyde Based Hybrid Composites. 13, 24-38 ○
- 23 Out-of-plane buckling of functionally graded porous arches reinforced by graphene platelets in a thermal environment. 1-15 ○
- 22 Achieving toughening of PEEK via preparation of thermally stable and crystalline PEKEKK nanospheres by microemulsion method. **2023**, 270, 125809 ○
- 21 Graphene Oxide-Grafted Hybrid Diblock Copolymer Brush (GO-graft-PEG6k-block-P(MA-POSS)) as Nanofillers for Enhanced Lithium Ion Conductivity of PEO-Based Nanocomposite Solid Polymer Electrolytes. **2023**, 127, 2066-2082 ○
- 20 Enhancement in Mechanical Properties of Glass/Epoxy Composites by a Hybrid Combination of Multi-Walled Carbon Nanotubes and Graphene Nanoparticles. **2023**, 15, 1189 1
- 19 Constitutive Relations of RCC: An Overview. **2023**, 1-15 ○
- 18 Improving Flame Retardant Properties of Aliphatic Polyketone (POK)-Based Composites. **2023**, 8, 9415-9422 ○
- 17 Mechanical behavior and essential work of fracture of surface-modified exfoliated graphite filled polypropylene/ethylene-vinyl acetate blend nano-composites. **2023**, 140, ○
- 16 The influence of cellulose content on the morphology, thermal, and mechanical properties of poly(lactic acid)/ *Eucomis autumnalis* cellulose biocomposites. ○
- 15 Preparation and characterization of strontium aluminate/urea-formaldehyde composite: a solution for oxidation-induced darkening problem. ○
- 14 Mechanical behavior of nanorubber reinforced epoxy over a wide strain rate loading. **2023**, ○
- 13 Effect of NH₂-MWCNTs sprayed carbon fiber on the mechanical properties of carbon fiber reinforced polycarbonate composite for lightweight structural applications. 002199832311642 ○
- 12 Thermal stability augmentation of poly(vinyl chloride) by blending with carboxymethyl cellulose. **2022**, 61, 1719-1727 ○
- 11 The Effect of Silica Particle Size on the Mechanical Enhancement of Polymer Nanocomposites. **2023**, 13, 1095 ○
- 10 Evaluation of tensile, thermal, and biological properties of natural rubber-based biocomposite with biosilicate and 45S5-K bioglass. ○
- 9 Studying the influence of the addition of nano-titanium dioxide on the rheological, mechanical, thermal, and electrical properties of polycarbonate/wood flour. 089270572311620 ○
- 8 Effect of adding ceramic powder particles on the mechanical properties of fiber reinforced epoxy matrix (Al₂O₃-TiO₂ (97-3%)/laboratory study). **2023**, ○

- 7 Durability study of quasi-isotropic carbon/epoxy composites under various environmental conditions. ○
- 6 Crystal and morphology development in immiscible nonpolar polymer blend nanocomposite based on low-density polyethylene and linear low-density polyethylene in presence of clay and compatibilizer. ○
- 5 Influence of polyether ether ketone particles on thermal characteristics of carbon/epoxy composite. ○
- 4 Mechanical, Thermal, and Fire Retardant Properties of Rice Husk Biochar Reinforced Recycled High-Density Polyethylene Composite Material. **2023**, 15, 1827 ○
- 3 Shock Wave-Assisted Exfoliation of 2D-Material-Based Polymer Nanocomposites: A Breakthrough in Nanotechnology. ○
- 2 Chitosan-based mixed matrix membranes: effect of different fillers on membrane properties and performance in hydrophilic pervaporation. 1-25 ○
- 1 Microcrystalline cellulose grafted hyperbranched polyester with roll comb structure for synergistic toughening and strengthening of microbial PHBV/bio-based polyester elastomer composites. **2023**, 242, 124608 ○