Navigational Strategies Used by Insects to Find Distant,

Journal of Chemical Ecology 34, 854-866 DOI: 10.1007/s10886-008-9484-5

Citation Report

#	Article	IF	CITATIONS
1	Physical Processes and Real-Time Chemical Measurement of the Insect Olfactory Environment. Journal of Chemical Ecology, 2008, 34, 837-853.	1.8	144
2	The use of Odors at Different Spatial Scales: Comparing Birds with Fish. Journal of Chemical Ecology, 2008, 34, 867-881.	1.8	81
3	Preferred viewing directions of bumblebees (Bombus terrestrisL.) when learning and approaching their nest site. Journal of Experimental Biology, 2009, 212, 3193-3204.	1.7	55
4	The neuro-ecology of resource localization in Drosophila: Behavioral components of perception and search. Fly, 2009, 3, 50-61.	1.7	26

5 Edge Effects in the Directionally Biased Distribution of Choristoneura rosaceana (Lepidoptera:) Tj ETQq0 0 0 rgBT /Oyerlock 10 Tf 50 582

6	Pulsed Odors from Maize or Spinach Elicit Orientation in European Corn Borer Neonate Larvae. Journal of Chemical Ecology, 2009, 35, 1032-1042.	1.8	28
7	Identifying an odour source in fluid-advected environments, algorithms abstracted from moth-inspired plume tracing strategies. Applied Bionics and Biomechanics, 2010, 7, 3-17.	1.1	7
8	Sex Pheromones and Their Impact on Pest Management. Journal of Chemical Ecology, 2010, 36, 80-100.	1.8	758
9	Interaction Between Visual and Olfactory Cues During Host Finding in the Tomato Fruit Fly Neoceratitis cyanescens. Journal of Chemical Ecology, 2010, 36, 249-259.	1.8	30
10	Modelling pheromone anemotaxis for biosecurity surveillance: Moth movement patterns reveal a downwind component of anemotaxis. Ecological Modelling, 2010, 221, 2801-2807.	2.5	3
11	Vegetation complexity—The influence of plant species diversity and plant structures on plant chemical complexity and arthropods. Basic and Applied Ecology, 2010, 11, 383-395.	2.7	141
12	Evidence of active or passive downwind dispersal in mark–release–recapture of moths. Entomologia Experimentalis Et Applicata, 2010, 134, 160-169.	1.4	10
13	lonotropic and metabotropic mechanisms in chemoreception: 'chance or design'?. EMBO Reports, 2010, 11, 173-179.	4.5	88
14	Identifying an Odour Source in Fluid-Advected Environments, Algorithms Abstracted from Moth-Inspired Plume Tracing Strategies. Applied Bionics and Biomechanics, 2010, 7, 3-17.	1.1	13
15	Mobile robot gas source localization via top-down visual attention mechanism and shape analysis. , 2010, , .		7
16	Behavioral and neurophysiological responses of an insect to changing ratios of constituents in host plant-derived volatile mixtures. Journal of Experimental Biology, 2010, 213, 3388-3397.	1.7	102
17	Pheromones of Terrestrial Invertebrates. , 2010, , 153-223.		30
18	Sugar-fermenting yeast as an organic source of carbon dioxide to attract the malaria mosquito Anopheles gambiae. Malaria Journal, 2010, 9, 292.	2.3	133

		CITATION REPORT		
#	Article		IF	CITATIONS
19	Recent Insights from Radar Studies of Insect Flight. Annual Review of Entomology, 201	11, 56, 337-356.	11.8	252
20	The neurobiology of insect olfaction: Sensory processing in a comparative context. Pro Neurobiology, 2011, 95, 427-447.	ogress in	5.7	189
21	Negotiating a noisy, information-rich environment in search of cryptic prey: olfactory p patchiness in prey cues. Journal of Animal Ecology, 2011, 80, 742-752.	predators need	2.8	28
22	Activation, orientation and landing of female Culex quinquefasciatus in response to ca and odour from human feet: 3-D flight analysis in a wind tunnel. Medical and Veterinar 2011, 25, 94-103.	rbon dioxide y Entomology,	1.5	43
23	Sex differences in olfaction-mediated visual acuity in blowflies and its consequences for gender-specific trapping. Entomologia Experimentalis Et Applicata, 2011, 139, 25-34.	אר	1.4	27
24	Studying sensorimotor integration in insects. Current Opinion in Neurobiology, 2011,	21, 527-534.	4.2	49
25	Animal Orientation Strategies for Movement in Flows. Current Biology, 2011, 21, R86	1-R870.	3.9	227
26	Potential insight for drug discovery from high-fidelity receptor-mediated transduction insects. Expert Opinion on Drug Discovery, 2011, 6, 1091-1101.	mechanisms in	5.0	0
27	Attraction Modulated by Spacing of Pheromone Components and Anti-attractants in a a Moth. Journal of Chemical Ecology, 2011, 37, 899-911.	Bark Beetle and	1.8	40
28	Odometry and insect navigation. Journal of Experimental Biology, 2011, 214, 1629-16	41.	1.7	79
29	Moment-to-moment flight manoeuvres of the female yellow fever mosquito (<i>Aedes response to plumes of carbon dioxide and human skin odour. Journal of Experimental E 214, 3480-3494.</i>	aegyptiL) in 3iology, 2011,	1.7	94
30	The spatial and temporal patterns of odors sampled by lobsters and crabs in a turbuler Journal of Experimental Biology, 2011, 214, 3138-3153.	nt plume.	1.7	49
31	A Flux Capacitor for Moth Pheromones. Chemical Senses, 2012, 37, 295-298.		2.0	4
32	Floral to green: mating switches moth olfactory coding and preference. Proceedings of Society B: Biological Sciences, 2012, 279, 2314-2322.	f the Royal	2.6	137
33	Blowfly flight characteristics are shaped by environmental features and controlled by c information. Journal of Experimental Biology, 2012, 215, 2501-2514.	ptic flow	1.7	62
34	Searching for plausible gas sources using SIFT features. , 2012, , .			0
35	Experience-dependent modulation of antennal sensitivity and input to antennal lobes i (<i>Spodoptera littoralis</i>) pre-exposed to sex pheromone. Journal of Experimental I 215, 2334-2341.	n male moths 3iology, 2012,	1.7	37
36	Moth-inspired plume tracing via multiple autonomous vehicles under formation contro Behavior, 2012, 20, 131-142.	ol. Adaptive	1.9	22

#	Article	IF	CITATIONS
37	Mechanisms of Odor Coding in Coniferous Bark Beetles: From Neuron to Behavior and Application. Psyche: Journal of Entomology, 2012, 2012, 1-14.	0.9	27
38	Notes on pupal behaviour, eclosion, mate attraction, copulation and predation of the New Zealand glowwormArachnocampa luminosa(Skuse) (Diptera: Keroplatidae), at Waitomo. New Zealand Entomologist, 2012, 35, 1-9.	0.3	6
39	Evaluation of low density polyethylene and nylon for delivery of synthetic mosquito attractants. Parasites and Vectors, 2012, 5, 202.	2.5	24
40	Visual cues collimate the trajectories of almond moth <i>Cadra cautella</i> males flying in wind and still air within a windâ€formed plume of pheromone. Physiological Entomology, 2012, 37, 42-52.	1.5	4
41	Characterization of olfactory sensory neurons in the white clover seed weevil, Apion fulvipes (Coleoptera: Apionidae). Journal of Insect Physiology, 2012, 58, 1325-1333.	2.0	22
42	Plant odorants interfere with detection of sex pheromone signals by male Heliothis virescens. Frontiers in Cellular Neuroscience, 2012, 6, 42.	3.7	47
43	Mobile Robots for Localizing Gas Emission Sources on Landfill Sites: Is Bio-Inspiration the Way to Go?. Frontiers in Neuroengineering, 2011, 4, 20.	4.8	67
44	Deciding Which Way to Go: How Do Insects Alter Movements to Negotiate Barriers?. Frontiers in Neuroscience, 2012, 6, 97.	2.8	50
45	COMPUTATIONAL FLUID DYNAMICS SIMULATION OF HERBIVORE-INDUCED PLANT VOLATILES AROUND GREENHOUSES. Acta Horticulturae, 2012, , 147-154.	0.2	5
46	Pheromone production, male abundance, body size, and the evolution of elaborate antennae in moths. Ecology and Evolution, 2012, 2, 227-246.	1.9	59
47	Use of bilateral information to determine the walking direction during orientation to a pheromone source in the silkmoth Bombyx mori. Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology, 2012, 198, 295-307.	1.6	50
48	Observations on the flight paths of the dayâ€flying moth <i>Virbia lamae</i> during periods of mate location: do males have a strategy for contacting the pheromone plume?. Journal of Animal Ecology, 2012, 81, 268-276.	2.8	17
49	Individualâ€based modelling of moth dispersal to improve biosecurity incursion response. Journal of Applied Ecology, 2012, 49, 287-296.	4.0	13
50	Olfactory cue use by three-spined sticklebacks foraging in turbid water: prey detection or prey location?. Animal Behaviour, 2012, 84, 151-158.	1.9	41
51	Active sensation during orientation behavior in the Drosophila larva: more sense than luck. Current Opinion in Neurobiology, 2012, 22, 208-215.	4.2	86
52	Smelling on the fly: sensory cues and strategies for olfactory navigation in Drosophila. Current Opinion in Neurobiology, 2012, 22, 216-222.	4.2	57
53	Olfactory ecology and the processing of complex mixtures. Current Opinion in Neurobiology, 2012, 22, 236-242.	4.2	29
54	Path Integration Controls Nest-Plume Following in Desert Ants. Current Biology, 2012, 22, 645-649.	3.9	72

#	Article	IF	CITATIONS
55	Egg developmental status and the complexity of synthetic kairomones combine to influence attraction behaviour in the blowfly <i>Calliphora vicina</i> . Physiological Entomology, 2012, 37, 127-135.	1.5	6
56	Location of and landing on a source of human body odour by female <i>Culex quinquefasciatus</i> in still and moving air. Physiological Entomology, 2012, 37, 153-159.	1.5	11
57	Modification of spontaneous activity patterns in the malaria vector <i>Anopheles gambiae sensu stricto</i> when presented with hostâ€associated stimuli. Physiological Entomology, 2012, 37, 233-240.	1.5	9
58	Olfactory conditioning with single chemicals in the German Cockroach, Blattella germanica (Dictyoptera: Blattellidae). Applied Entomology and Zoology, 2013, 48, 387-396.	1.2	10
59	Insect density–plant density relationships: a modified view of insect responses to resource concentrations. Oecologia, 2013, 173, 1333-1344.	2.0	39
60	Insect–machine hybrid system for understanding and evaluating sensory-motor control by sex pheromone in Bombyx mori. Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology, 2013, 199, 1037-1052.	1.6	13
61	Group recruitment in a thermophilic desert ant, Ocymyrmex robustior. Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology, 2013, 199, 711-722.	1.6	6
62	Phase-Dependent Visual Control of the Zigzag Paths of Navigating Wood Ants. Current Biology, 2013, 23, 2393-2399.	3.9	28
63	Ants use a predictive mechanism to compensate for passive displacements by wind. Current Biology, 2013, 23, R1083-R1085.	3.9	35
64	Odor tracking flight of male Manduca sexta moths along plumes of different cross-sectional area. Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology, 2013, 199, 1015-1036.	1.6	25
65	Aimâ€ŧhenâ€shoot anemotaxis involved in the hopping approach of potato tuberworm moth <i>Phthorimaea operculella</i> toward a sex pheromone source. Physiological Entomology, 2013, 38, 292-301.	1.5	6
66	Parental misperception of youngest child size. Current Biology, 2013, 23, R1085-R1086.	3.9	4
67	Intensity Invariant Dynamics and Odor-Specific Latencies in Olfactory Receptor Neuron Response. Journal of Neuroscience, 2013, 33, 6285-6297.	3.6	122
68	Gas source localization with a micro-drone using bio-inspired and particle filter-based algorithms. Advanced Robotics, 2013, 27, 725-738.	1.8	183
69	How insects sense olfactory patches – the spatial scaling of olfactory information. Oikos, 2013, 122, 1009-1016.	2.7	39
70	Floral volatile organic compounds: Between attraction and deterrence of visitors under global change. Perspectives in Plant Ecology, Evolution and Systematics, 2013, 15, 56-67.	2.7	113
71	Adaptive control system of an insect brain during odor source localization. , 2013, , .		0
72	The Plume Also Rises: Trajectories of Pheromone Plumes Issuing from Point Sources in an Orchard Canopy at Night. Journal of Chemical Ecology, 2013, 39, 1150-1160.	1.8	22

#	Article	IF	CITATIONS
73	Trace conditioning in insects—keep the trace!. Frontiers in Physiology, 2013, 4, 67.	2.8	24
74	Long-Distance Animal Migrations in the Oceanic Environment: Orientation and Navigation Correlates. ISRN Zoology, 2013, 2013, 1-23.	O.5	32
75	Identifying Rhodamine Dye Plume Sources in Near-Shore Oceanic Environments by Integration of Chemical and Visual Sensors. Sensors, 2013, 13, 3776-3798.	3.8	10
76	A Tethered system to investigate the behavioral changes of the silk moth for chemical plume tracing. , 2013, , .		2
77	Too Fresh Is Unattractive! The Attraction of Newly Emerged Nicrophorus vespilloides Females to Odour Bouquets of Large Cadavers at Various Stages of Decomposition. PLoS ONE, 2013, 8, e58524.	2.5	30
78	Expression of a GABAB - Receptor in Olfactory Sensory Neurons of Sensilla trichodea on the Male Antenna of the Moth Heliothis virescens. International Journal of Biological Sciences, 2013, 9, 707-715.	6.4	11
79	Insect Odorant Response Sensitivity Is Tuned by Metabotropically Autoregulated Olfactory Receptors. PLoS ONE, 2013, 8, e58889.	2.5	71
80	Temporal Features of Spike Trains in the Moth Antennal Lobe Revealed by a Comparative Time-Frequency Analysis. PLoS ONE, 2014, 9, e84037.	2.5	4
81	ls there an efficient trap or collection method for sampling Anopheles darlingi and other malaria vectors that can describe the essential parameters affecting transmission dynamics as effectively as human landing catches? - A Review. Memorias Do Instituto Oswaldo Cruz, 2014, 109, 685-705.	1.6	73
83	Changes in floral bouquets from compoundâ€specific responses to increasing temperatures. Global Change Biology, 2014, 20, 3660-3669.	9.5	93
84	Mixture Processing and Odor-Object Segregation in Insects. Progress in Brain Research, 2014, 208, 63-85.	1.4	13
85	Precise Detection of Direct Glomerular Input Duration by the Olfactory Bulb. Journal of Neuroscience, 2014, 34, 16058-16064.	3.6	71
86	Reactive Searching and Infotaxis in Odor Source Localization. PLoS Computational Biology, 2014, 10, e1003861.	3.2	63
87	Trapping and the Detection, Control, and Regulation of Tephritid Fruit Flies. , 2014, , .		45
88	Odor Landscapes in Turbulent Environments. Physical Review X, 2014, 4, .	8.9	93
89	Questing activity in bed bug populations: male and female responses to host signals. Physiological Entomology, 2014, 39, 199-207.	1.5	28
90	Information flow through neural circuits for pheromone orientation. Nature Communications, 2014, 5, 5919.	12.8	65
91	Scene perception and the visual control of travel direction in navigating wood ants. Philosophical Transactions of the Royal Society B: Biological Sciences, 2014, 369, 20130035.	4.0	29

#	Article	IF	CITATIONS
92	Responses to Pheromones in a Complex Odor World: Sensory Processing and Behavior. Insects, 2014, 5, 399-422.	2.2	40
93	Plume-Tracking Behavior of Flying Drosophila Emerges from a Set of Distinct Sensory-Motor Reflexes. Current Biology, 2014, 24, 274-286.	3.9	186
94	Plant odour plumes as mediators of plant–insect interactions. Biological Reviews, 2014, 89, 68-81.	10.4	115
96	Desert Ants Locate Food by Combining High Sensitivity to Food Odors with Extensive Crosswind Runs. Current Biology, 2014, 24, 960-964.	3.9	84
97	Death Valley, <i>Drosophila</i> , and the Devonian Toolkit. Annual Review of Entomology, 2014, 59, 51-72.	11.8	75
98	Behavioral Assays for Studies of Host Plant Choice and Adaptation in Herbivorous Insects. Annual Review of Entomology, 2014, 59, 263-278.	11.8	139
99	One rhinophore likely provides sufficient sensory input for odour-based navigation by the nudibranch mollusc, <i>Tritonia diomedea</i> . Journal of Experimental Biology, 2014, 217, 4149-58.	1.7	8
100	Visual ground pattern modulates flight speed of male Oriental fruit moth <i>Grapholita molesta</i> . Physiological Entomology, 2014, 39, 271-279.	1.5	6
101	Blow fly responses to semiochemicals produced by decaying carcasses. Medical and Veterinary Entomology, 2014, 28, 26-34.	1.5	19
103	Frequency-dependent flight activity in the colour polymorphic wood tiger moth. Environmental Epigenetics, 2015, 61, 765-772.	1.8	18
105	Attractiveness of host volatiles combined with background visual cues to the tea leafhopper, <i><scp>E</scp>mpoasca vitis</i> . Entomologia Experimentalis Et Applicata, 2015, 157, 291-299.	1.4	13
106	Extracting Social Information from Chemosensory Cues: Consideration of Several Scenarios and Their Functional Implications. Frontiers in Neuroscience, 2015, 9, 439.	2.8	6
107	Unexpected plant odor responses in a moth pheromone system. Frontiers in Physiology, 2015, 6, 148.	2.8	30
108	Dynamical feature extraction at the sensory periphery guides chemotaxis. ELife, 2015, 4, .	6.0	107
109	Identification ofCaraganaplant volatiles, overlapping profiles, and olfactory attraction to Caraganain the laboratory. Journal of Plant Interactions, 2015, 10, 41-50.	2.1	12
110	Modeling Optimal Strategies for Finding a Resource-Linked, Windborne Odor Plume: Theories, Robotics, and Biomimetic Lessons from Flying Insects. Integrative and Comparative Biology, 2015, 55, 461-477.	2.0	33
111	Spatial memory-based behaviors for locating sources of odor plumes. Movement Ecology, 2015, 3, 11.	2.8	23
112	The Mothematics of Female Pheromone Signaling: Strategies for Aging Virgins. American Naturalist, 2015, 185, 417-432.	2.1	61

ARTICLE IF CITATIONS # The Role of Olfactory Cues for the Search Behavior of a Specialist and Generalist Butterfly. Journal 113 0.7 24 of Insect Behavior, 2015, 28, 77-87. Desert ants use olfactory scenes for navigation. Animal Behaviour, 2015, 106, 99-105. 114 1.9 115 Olfactory signal coding in an odor background. BioSystems, 2015, 136, 35-45. 2.0 16 Learning to Rapidly Re-Contact the Lost Plume in Chemical Plume Tracing. Sensors, 2015, 15, 7512-7536. Coarse topographic organization of pheromone-sensitive afferents from different antennal surfaces 117 2.1 7 in the American cockroach. Neuroscience Letters, 2015, 595, 35-40. Interplay between insects and plants: dynamic and complex interactions that have coevolved over millions of years but act in milliseconds. Journal of Experimental Botany, 2015, 66, 455-465. 4.8 119 Chemical Ecology in Insects., 2016, , 29-45. 5 The Rate of Concentration Change and How It Determines the Resolving Power of Olfactory Receptor 120 2.8 Neurons. Frontiers in Physiology, 2016, 7, 645. Mice Develop Efficient Strategies for Foraging and Navigation Using Complex Natural Stimuli. Current 121 3.9 98 Biology, 2016, 26, 1261-1273. Ozone degrades floral scent and reduces pollinator attraction to flowers. New Phytologist, 2016, 7.3 209, 152-160. Intracellular regulation of the insect chemoreceptor complex impacts odor localization in flying 123 1.7 37 insects. Journal of Experimental Biology, 2016, 219, 3428-3438. Genetic mapping of male pheromone response in the European corn borer identifies candidate genes regulating neurogenesis. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, E6401-E6408. 124 7.1 On the Air: Broadcasting and Reception of Volatile Messages in Brood-Site Pollination Mutualisms. 125 0.7 9 Signaling and Communication in Plants, 2016, , 227-255. Deciphering Chemical Language of Plant Communication. Signaling and Communication in Plants, 2016, Innate olfactory preferences for flowers matching proboscis length ensure optimal energy gain in a 127 12.8 48 hawkmoth. Nature Communications, 2016, 7, 11644. Insect-controlled Robot: A Mobile Robot Platform to Evaluate the Odor-tracking Capability of an Insect. Journal of Visualized Experiments, 2016, , . 129 Visualization of house-entry behaviour of malaria mosquitoes. Malaria Journal, 2016, 15, 233. 2.324 Host Habitat Volatiles Enhance the Olfactory Response of the Larval Parasitoid <i>Holepyris sylvanidis</i>to Specifically Host-Associated Cues. Chemical Senses, 2016, 41, bjw065

#	Article	IF	CITATIONS
131	Movement and egg laying in Monarchs: To move or not to move, that is the equation. Austral Ecology, 2016, 41, 154-167.	1.5	64
132	Conspecific females promote calling behavior in the noctuid moth, <i><scp>P</scp>seudaletia adultera</i> . Entomologia Experimentalis Et Applicata, 2016, 159, 362-369.	1.4	15
133	Multi-agent search for source localization in a turbulent medium. Physics Letters, Section A: General, Atomic and Solid State Physics, 2016, 380, 1698-1705.	2.1	50
134	The neurobiological basis of orientation in insects: insights from the silkmoth mating dance. Current Opinion in Insect Science, 2016, 15, 16-26.	4.4	46
135	Adaptive Processing in the Insect Olfactory System. , 2016, , 3-24.		11
136	Use of habitat odour by hostâ€ s eeking insects. Biological Reviews, 2017, 92, 1241-1249.	10.4	98
137	Effects of wind, ambient temperature and sun position on damselfly flight activity and perch orientation. Animal Behaviour, 2017, 124, 175-181.	1.9	10
138	Synthetic blend of larval frass volatiles repel oviposition in the invasive box tree moth, Cydalima perspectalis. Journal of Pest Science, 2017, 90, 873-885.	3.7	24
139	Flight behavior and oviposition of Tuta absoluta on susceptible and resistant genotypes of Solanum lycopersicum. Arthropod-Plant Interactions, 2017, 11, 567-575.	1.1	11
140	Herbivoreâ€induced plant volatiles and tritrophic interactions across spatial scales. New Phytologist, 2017, 216, 1054-1063.	7.3	147
141	Windscapes and olfactory foraging in a large carnivore. Scientific Reports, 2017, 7, 46332.	3.3	48
142	Maximizing Information Yield From Pheromone-Baited Monitoring Traps: Estimating Plume Reach, Trapping Radius, and Absolute Density of <i>Cydia pomonella</i> (Lepidoptera: Tortricidae) in Michigan Apple. Journal of Economic Entomology, 2017, 110, tow258.	1.8	34
143	Multisensory neural integration of chemical and mechanical signals. BioEssays, 2017, 39, 1700060.	2.5	8
144	The Effect of Wind Exposure on the Web Characteristics of a Tetragnathid Orb Spider. Journal of Insect Behavior, 2017, 30, 273-286.	0.7	13
145	Antennal mechanosensors mediate sex pheromoneâ€induced upwind orientation in the potato tuberworm moth. Physiological Entomology, 2017, 42, 113-124.	1.5	4
146	Colour as a backup for scent in the presence of olfactory noise: testing the efficacy backup hypothesis using bumblebees (<i>Bombus terrestris</i>). Royal Society Open Science, 2017, 4, 170996.	2.4	46
147	A Background of a Volatile Plant Compound Alters Neural and Behavioral Responses to the Sex Pheromone Blend in a Moth. Frontiers in Physiology, 2017, 8, 79.	2.8	17
148	Chemical Signatures in Plant–Insect Interactions. Advances in Botanical Research, 2017, , 139-177.	1.1	12

#	Article	IF	CITATIONS
149	An olfactory virtual reality system for mice. Nature Communications, 2018, 9, 839.	12.8	75
150	Olfaction, experience and neural mechanisms underlying mosquito host preference. Journal of Experimental Biology, 2018, 221, .	1.7	53
151	Comparison of Attraction and Trapping Capabilities of Bucket- and Delta-Style Traps With Different Pheromone Emission Rates for Gypsy Moths (Lepidoptera: Erebidae): Implications for Understanding Range of Attraction and Utility in Surveillance. Environmental Entomology, 2018, 47, 107-113.	1.4	17
152	Eco-friendly pheromone dispensers—a green route to manage the European grapevine moth?. Environmental Science and Pollution Research, 2018, 25, 9426-9442.	5.3	36
153	Entrotaxis as a strategy for autonomous search and source reconstruction in turbulent conditions. Information Fusion, 2018, 42, 179-189.	19.1	65
154	Predicting monarch butterfly (Danaus plexippus) movement and egg-laying with a spatially-explicit agent-based model: The role of monarch perceptual range and spatial memory. Ecological Modelling, 2018, 374, 37-50.	2.5	89
155	The optimal movement patterns for mating encounters with sexually asymmetric detection ranges. Scientific Reports, 2018, 8, 3356.	3.3	11
156	Molecular elements of pheromone detection in the female moth, <i>Heliothis virescens</i> . Insect Science, 2018, 25, 389-400.	3.0	9
157	Access to the odor world: olfactory receptors and their role for signal transduction in insects. Cellular and Molecular Life Sciences, 2018, 75, 485-508.	5.4	233
158	Plant Volatiles as Mate-Finding Cues for Insects. Trends in Plant Science, 2018, 23, 100-111.	8.8	124
159	Behavioral responses of Frankliniella occidentalis to floral volatiles combined with different background visual cues. Arthropod-Plant Interactions, 2018, 12, 31-39.	1.1	15
161	How house design affects malaria mosquito density, temperature, and relative humidity: an experimental study in rural Gambia. Lancet Planetary Health, The, 2018, 2, e498-e508.	11.4	58
162	Prevention of malaria transmission around reservoirs: an observational and modelling study on the effect of wind direction and village location. Lancet Planetary Health, The, 2018, 2, e406-e413.	11.4	12
163	A Wind Tunnel for Odor Mediated Insect Behavioural Assays. Journal of Visualized Experiments, 2018, ,	0.3	5
164	What Can Computational Modeling Tell Us about the Diversity of Odor-Capture Structures in the Pancrustacea?. Journal of Chemical Ecology, 2018, 44, 1084-1100.	1.8	19
165	Algorithms for Olfactory Search across Species. Journal of Neuroscience, 2018, 38, 9383-9389.	3.6	117
166	Flight behaviour of malaria mosquitoes around odour-baited traps: capture and escape dynamics. Royal Society Open Science, 2018, 5, 180246.	2.4	27
167	A balance between aerodynamic and olfactory performance during flight in Drosophila. Nature Communications, 2018, 9, 3215.	12.8	29

#	Article	IF	CITATIONS
168	How do animals find their way back home? A brief overview of homing behavior with special reference to social Hymenoptera. Insectes Sociaux, 2018, 65, 521-536.	1.2	17
169	Information-theoretic analysis of realistic odor plumes: What cues are useful for determining location?. PLoS Computational Biology, 2018, 14, e1006275.	3.2	43
170	Concerted pulsatile and graded neural dynamics enables efficient chemotaxis in C. elegans. Nature Communications, 2018, 9, 2866.	12.8	32
171	Modelling and observing the role of wind in Anopheles population dynamics around a reservoir. Malaria Journal, 2018, 17, 48.	2.3	15
172	Keeping track of mosquitoes: a review of tools to track, record and analyse mosquito flight. Parasites and Vectors, 2018, 11, 123.	2.5	34
173	Moth-inspired navigation algorithm in a turbulent odor plume from a pulsating source. PLoS ONE, 2018, 13, e0198422.	2.5	17
174	History dependence in insect flight decisions during odor tracking. PLoS Computational Biology, 2018, 14, e1005969.	3.2	47
175	Orientation, Navigation, and Search. , 2019, , 290-300.		0
176	Intraspecific variation in herbivoreâ€induced plant volatiles influences the spatial range of plant–parasitoid interactions. Oikos, 2019, 128, 77-86.	2.7	31
177	Tools in the Investigation of Volatile Semiochemicals on Insects: From Sampling to Statistical Analysis. Insects, 2019, 10, 241.	2.2	19
178	Insect Odorscapes: From Plant Volatiles to Natural Olfactory Scenes. Frontiers in Physiology, 2019, 10, 972.	2.8	132
179	Perceptual Range, Targeting Ability, and Visual Habitat Detection by Greater Fritillary Butterflies Speyeria cybele (Lepidoptera: Nymphalidae) and Speyeria atlantis. Journal of Insect Science, 2019, 19, .	1.5	11
180	Ectoparasite Behavior. , 2019, , 653-657.		0
181	Mutagenesis of odorant coreceptor <i>Orco</i> fully disrupts foraging but not oviposition behaviors in the hawkmoth <i>Manduca sexta</i> . Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 15677-15685.	7.1	80
182	Factors Affecting Short-Range Host-Seeking for the Yellow Fever Mosquito (Diptera: Culicidae). Journal of Medical Entomology, 2019, 56, 609-616.	1.8	5
183	Food-derived volatiles enhance consumption in <i>Drosophila melanogaster</i> . Journal of Experimental Biology, 2019, 222, .	1.7	9
184	Molecular Mechanism of Insect Olfaction: Olfactory Receptors. , 2019, , 93-114.		10
185	Floral volatiles and visitors: A metaâ€network of associations in a natural community. Journal of Ecology, 2019, 107, 2574-2586.	4.0	37

		CITATION REPORT		
#	Article		IF	CITATIONS
186	Olfactory Navigation and the Receptor Nonlinearity. Journal of Neuroscience, 2019, 39	, 3713-3727.	3.6	19
187	Cold treatment enhances lowâ€temperature flight performance in false codling moth, leucotreta (Lepidoptera: Tortricidae). Agricultural and Forest Entomology, 2019, 21	<i>Thaumatotibia I, 243-251.</i>	1.3	7
188	Encoding of Wind Direction by Central Neurons in Drosophila. Neuron, 2019, 102, 828	-842.e7.	8.1	77
189	Invertebrate Pheromones: Models for Neuroethology. , 2019, , 31-39.			1
190	Nocturnal navigation by whip spiders: antenniform legs mediate near-distance olfactor of a shelter. Animal Behaviour, 2019, 149, 45-54.	y localization	1.9	16
191	Chemical Plume Tracing using an AUV based on POMDP Source Mapping and A-star Pa , .	th Planning. , 2019,		6
192	Odor Stimuli: Not Just Chemical Identity. Frontiers in Physiology, 2019, 10, 1428.		2.8	40
193	Effects of wind speed on background herbivory of an insect herbivore. Ecoscience, 202	0, 27, 71-76.	1.4	4
194	Cooperative information-driven source search and estimation for multiple agents. Infor Fusion, 2020, 54, 72-84.	mation	19.1	36
195	Mini-brain computations converting dynamic olfactory inputs into orientation behavior Opinion in Neurobiology, 2020, 64, 1-9.	. Current	4.2	9
196	Moth Mating: Modeling Female Pheromone Calling and Male Navigational Strategies to Reproductive Success. Applied Sciences (Switzerland), 2020, 10, 6543.	o Optimize	2.5	13
197	Using virtual worlds to understand insect navigation for bio-inspired systems. Current Insect Science, 2020, 42, 97-104.	Opinion in	4.4	4
198	Floral Scent Composition and Fine-Scale Timing in Two Moth-Pollinated Hawaiian Schie (Caryophyllaceae). Frontiers in Plant Science, 2020, 11, 1116.	dea	3.6	13
199	Olfactory-Based Navigation via Model-Based Reinforcement Learning and Fuzzy Inferer IEEE Transactions on Fuzzy Systems, 2021, 29, 3014-3027.	ice Methods.	9.8	11
200	Can Mating Disruption Be a Possible Route to Control Plum Fruit Moth in Mediterranea Environments?. Insects, 2020, 11, 589.	in	2.2	8
201	Understanding biological plume tracking behavior using deep reinforcement-learning. ,	2020, , .		1
202	Use of semiochemicals for surveillance and control of hematophagous insects. Chemo 30, 277-286.	ecology, 2020,	1.1	21
203	Lure, retain, and catch malaria mosquitoes. How heat and humidity improve odour-bait performance. Malaria Journal, 2020, 19, 357.	ed trap	2.3	16

#	Article	IF	CITATIONS
204	Effect of Collection Month, Visible Light, and Air Movement on the Attraction of Male Agriotes obscurus L. (Coleoptera: Elateridae) Click Beetles to Female Sex Pheromone. Insects, 2020, 11, 729.	2.2	3
205	Characterizing long-range search behavior in Diptera using complex 3D virtual environments. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 12201-12207.	7.1	33
206	Odor tracking in aquatic organisms: the importance of temporal and spatial intermittency of the turbulent plume. Scientific Reports, 2020, 10, 7961.	3.3	20
207	Automatic tracking of free-flying insects using a cable-driven robot. Science Robotics, 2020, 5, .	17.6	17
209	Odors: from chemical structures to gaseous plumes. Neuroscience and Biobehavioral Reviews, 2020, 111, 19-29.	6.1	7
210	Evaluation of d-Limonene and β-Ocimene as Attractants of Aphytis melinus (Hymenoptera: Aphelinidae), a Parasitoid of Aonidiella aurantii (Hemiptera: Diaspididae) on Citrus spp Insects, 2020, 11, 44.	2.2	21
211	Identification and evaluation of four cucurbitaceous host plant volatiles attractive to Diaphania indica (Saunders) (Lep.: Pyralidae). Chemoecology, 2020, 30, 173-182.	1.1	10
212	Multimodal interactions in insect navigation. Animal Cognition, 2020, 23, 1129-1141.	1.8	68
213	Mouse Navigation Strategies for Odor Source Localization. Frontiers in Neuroscience, 2020, 14, 218.	2.8	30
214	Dynamics of sensory integration of olfactory and mechanical stimuli within the response patterns of moth antennal lobe neurons. Journal of Theoretical Biology, 2021, 509, 110510.	1.7	11
215	Diel activity patterns and arrestment behaviour in host associations of green mirids (Creontiades) Tj ETQq0 0 0 rg	gBT /Overlo	ock 10 Tf 50
216	Navigation Along Windborne Plumes of Pheromone and Resource-Linked Odors. Annual Review of Entomology, 2021, 66, 317-336.	11.8	26
217	Plant Volatiles and Their Role in Insect Olfaction. , 2021, , 127-156.		5
218	Spatial information from the odour environment in mammalian olfaction. Cell and Tissue Research, 2021, 383, 473-483.	2.9	27
220	Role of fruit volatiles of different guava varieties in attraction and oviposition behaviors of peach fruit fly, Bactrocera zonata Saunders. Arthropod-Plant Interactions, 2021, 15, 95-106.	1.1	4
221	Olfactory tracking strategies in a neotropical fruit bat. Journal of Experimental Biology, 2021, 224, .	1.7	6
223	Prolonged activation of carbon dioxide-sensitive neurons in mosquitoes. Interface Focus, 2021, 11, 20200043.	3.0	3
224	<i>Orius similis</i> (Hemiptera: Anthocoridae): A Promising Candidate Predator of <i>Spodoptera frugiperda</i> (Lepidoptera: Noctuidae). Journal of Economic Entomology, 2021, 114, 582-589.	1.8	12

#	Article	IF	CITATIONS
225	Calmodulin regulates the olfactory performance in Drosophila melanogaster. Scientific Reports, 2021, 11, 3747.	3.3	17
226	Flow-mediated olfactory communication in honeybee swarms. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	7.1	16
227	Mosquito Host Seeking in 3D Using a Versatile Climate-Controlled Wind Tunnel System. Frontiers in Behavioral Neuroscience, 2021, 15, 643693.	2.0	8
228	Spatial odor discrimination in the hawkmoth, <i>Manduca sexta</i> (L.). Biology Open, 2021, 10, .	1.2	3
229	The seasonal dynamic of Tuta absoluta in Solanum lycopersicon cultivation: Contributions of climate, plant phenology, and insecticide spraying. Pest Management Science, 2021, 77, 3187-3197.	3.4	3
230	Use of odor by host-finding insects: the role of real-time odor environment and odor mixing degree. Chemoecology, 2021, 31, 149-158.	1.1	10
231	Spatial, but not temporal, aspects of orientation are controlled by the fine-scale distribution of chemical cues in turbulent odor plumes. Journal of Experimental Biology, 2021, 224, .	1.7	6
232	Plant Volatiles and Oviposition Behavior in the Selection of Barley Cultivars by Wheat Stem Sawfly (Hymenoptera: Cephidae). Environmental Entomology, 2021, 50, 940-947.	1.4	5
233	Mating Disruption for Managing the Honeydew Moth, Cryptoblabes gnidiella (Millière), in Mediterranean Vineyards. Insects, 2021, 12, 390.	2.2	2
235	Distinct protocerebral neuropils associated with attractive and aversive female-produced odorants in the male moth brain. ELife, 2021, 10, .	6.0	8
236	Latest Developments in Insect Sex Pheromone Research and Its Application in Agricultural Pest Management. Insects, 2021, 12, 484.	2.2	60
237	Host preference of Thrips hawaiiensis for different ornamental plants. Journal of Pest Science, 2022, 95, 761-770.	3.7	2
238	Estimating Perceptual Range of Female Monarch Butterflies (<i>Danaus plexippus</i>) to Potted Vegetative Common Milkweed (<i>Asclepias syriaca</i>) and Blooming Nectar Resources. Environmental Entomology, 2021, 50, 1028-1036.	1.4	7
239	The influence of stimulus duration on olfactory perception. PLoS ONE, 2021, 16, e0252931.	2.5	1
241	Consensus driven by a minority in heterogenous groups of the cockroach Periplaneta americana. IScience, 2021, 24, 102723.	4.1	7
242	Principles of odor coding in vertebrates and artificial chemosensory systems. Physiological Reviews, 2022, 102, 61-154.	28.8	34
244	Circadian rhythms of insect pheromone titer, calling, emission, and response: a review. Die Naturwissenschaften, 2021, 108, 35.	1.6	20
245	The routes of one-eyed ants suggest a revised model of normal route following. Journal of Experimental Biology, 2021, 224, .	1.7	6

#	Article	IF	CITATIONS
246	Predator cue-induced plasticity of morphology and behavior in planthoppers facilitate theÂsurvival from predation. Scientific Reports, 2021, 11, 16760.	3.3	11
247	A unified mechanism for innate and learned visual landmark guidance in the insect central complex. PLoS Computational Biology, 2021, 17, e1009383.	3.2	28
248	Open-source computational simulation of moth-inspired navigation algorithm: A benchmark framework. MethodsX, 2021, 8, 101529.	1.6	4
250	Multiscale timing of pheromone transduction in hawkmoth olfactory receptor neurons. , 2021, , 435-468.		1
251	The Critical Role of Head Movements for Spatial Representation During Bumblebees Learning Flight. Frontiers in Behavioral Neuroscience, 2020, 14, 606590.	2.0	9
252	Adaptive temporal processing of odor stimuli. Cell and Tissue Research, 2021, 383, 125-141.	2.9	9
253	Enhancement of Natural Control Function for Aphids by Intercropping and Infochemical Releasers in Wheat Ecosystem. Progress in Biological Control, 2020, , 85-116.	0.5	4
254	From Insects to Micro Air Vehicles—A Comparison of Reactive Plume Tracking Strategies. Advances in Intelligent Systems and Computing, 2016, , 1533-1548.	0.6	15
255	Spatial and Temporal Dynamics of Arthropods in Arable Fields. , 2010, , 51-64.		8
256	Ectoparasite Behavior. , 2010, , 596-600.		1
256 267	Ectoparasite Behavior. , 2010, , 596-600. Pheromones and General Odor Perception in Insects. Frontiers in Neuroscience, 2014, , 23-56.	0.0	1 32
256 267 269	Ectoparasite Behavior., 2010, , 596-600. Pheromones and General Odor Perception in Insects. Frontiers in Neuroscience, 2014, , 23-56. Olfactory coding in the turbulent realm. PLoS Computational Biology, 2017, 13, e1005870.	0.0	1 32 22
256 267 269 270	Ectoparasite Behavior., 2010, 596-600. Pheromones and General Odor Perception in Insects. Frontiers in Neuroscience, 2014, 23-56. Olfactory coding in the turbulent realm. PLoS Computational Biology, 2017, 13, e1005870. Synthetic sex-aggregation pheromone of Lutzomyia longipalpis, the South American sand fly vector of Leishmania infantum, attracts males and females over long-distance. PLoS Neglected Tropical Diseases, 2020, 14, e0008798.	0.0 3.2 3.0	1 32 22 9
256 267 269 270 271	Ectoparasite Behavior., 2010,, 596-600. Pheromones and General Odor Perception in Insects. Frontiers in Neuroscience, 2014,, 23-56. Olfactory coding in the turbulent realm. PLoS Computational Biology, 2017, 13, e1005870. Synthetic sex-aggregation pheromone of Lutzomyia longipalpis, the South American sand fly vector of Leishmania infantum, attracts males and females over long-distance. PLoS Neglected Tropical Diseases, 2020, 14, e0008798. A General Odorant Background Affects the Coding of Pheromone Stimulus Intermittency in Specialist Olfactory Receptor Neurones. PLoS ONE, 2011, 6, e26443.	0.0 3.2 3.0 2.5	1 32 22 9 31
256 267 269 270 271	Ectoparasite Behavior., 2010,, 596-600. Pheromones and General Odor Perception in Insects. Frontiers in Neuroscience, 2014,, 23-56. Olfactory coding in the turbulent realm. PLoS Computational Biology, 2017, 13, e1005870. Synthetic sex-aggregation pheromone of Lutzomyia longipalpis, the South American sand fly vector of Leishmania infantum, attracts males and females over long-distance. PLoS Neglected Tropical Diseases, 2020, 14, e0008798. A General Odorant Background Affects the Coding of Pheromone Stimulus Intermittency in Specialist Olfactory Receptor Neurones. PLoS ONE, 2011, 6, e26443. The Speed of Smell: Odor-Object Segregation within Milliseconds. PLoS ONE, 2012, 7, e36096.	0.0 3.2 3.0 2.5 2.5	1 32 22 9 31 76
256 267 269 270 271 272 272	Ectoparasite Behavior., 2010, , 596-600. Pheromones and General Odor Perception in Insects. Frontiers in Neuroscience, 2014, , 23-56. Olfactory coding in the turbulent realm. PLoS Computational Biology, 2017, 13, e1005870. Synthetic sex-aggregation pheromone of Lutzomyia longipalpis, the South American sand fly vector of Leishmania infantum, attracts males and females over long-distance. PLoS Neglected Tropical Diseases, 2020, 14, e0008798. A General Odorant Background Affects the Coding of Pheromone Stimulus Intermittency in Specialist Olfactory Receptor Neurones. PLoS ONE, 2011, 6, e26443. The Speed of Smell: Odor-Object Segregation within Milliseconds. PLoS ONE, 2012, 7, e36096. Automated Tracking of Animal Posture and Movement during Exploration and Sensory Orientation Behaviors. PLoS ONE, 2012, 7, e41642.	0.0 3.2 3.0 2.5 2.5	1 32 22 9 31 76
256 267 269 270 271 272 272	Ectoparasite Behavior., 2010,, 596-600. Pheromones and General Odor Perception in Insects. Frontiers in Neuroscience, 2014,, 23-56. Olfactory coding in the turbulent realm. PLoS Computational Biology, 2017, 13, e1005870. Synthetic sex-aggregation pheromone of Lutzomyia longipalpis, the South American sand fly vector of Leishmania infantum, attracts males and females over long-distance. PLoS Neglected Tropical Diseases, 2020, 14, e0008798. A General Odorant Background Affects the Coding of Pheromone Stimulus Intermittency in Specialist Olfactory Receptor Neurones. PLoS ONE, 2011, 6, e26443. The Speed of Smell: Odor-Object Segregation within Milliseconds. PLoS ONE, 2012, 7, e36096. Automated Tracking of Animal Posture and Movement during Exploration and Sensory Orientation Behaviors. PLoS ONE, 2012, 7, e41642. A 3D Analysis of Flight Behavior of Anopheles gambiae sensu stricto Malaria Mosquitoes in Response to Human Odor and Heat. PLoS ONE, 2013, 8, e62995.	0.0 3.2 3.0 2.5 2.5 2.5	1 32 22 9 31 76 79

#	Article	IF	CITATIONS
276	Electrophysiological and behavioural responses of female Isoceras sibirica (Lepidoptera: Cossidae) to volatiles produced by the plant, Asparagus officinalis. European Journal of Entomology, 0, 114, 101-105.	1.2	3
277	Oviposition preference and olfactory response of Diaphania indica (Lepidoptera: Pyralidae) to volatiles of uninfested and infested cucurbitaceous host plants. European Journal of Entomology, 0, 116, 392-401.	1.2	6
278	Robust and Rapid Air-Borne Odor Tracking without Casting. ENeuro, 2015, 2, ENEURO.0102-15.2015.	1.9	35
279	A Comparison between Mouse, <i>In Silico</i> , and Robot Odor Plume Navigation Reveals Advantages of Mouse Odor Tracking. ENeuro, 2020, 7, ENEURO.0212-19.2019.	1.9	17
280	Odor-identity dependent motor programs underlie behavioral responses to odors. ELife, 2015, 4, .	6.0	39
281	Continuous lateral oscillations as a core mechanism for taxis in Drosophila larvae. ELife, 2016, 5, .	6.0	51
282	Olfactory receptor neurons use gain control and complementary kinetics to encode intermittent odorant stimuli. ELife, 2017, 6, .	6.0	80
283	Antagonism in olfactory receptor neurons and its implications for the perception of odor mixtures. ELife, 2018, 7, .	6.0	72
284	Elementary sensory-motor transformations underlying olfactory navigation in walking fruit-flies. ELife, 2018, 7, .	6.0	103
285	Front-end Weber-Fechner gain control enhances the fidelity of combinatorial odor coding. ELife, 2019, 8, .	6.0	15
286	Walking Drosophila navigate complex plumes using stochastic decisions biased by the timing of odor encounters. ELife, 2020, 9, .	6.0	59
287	Encoding and control of orientation to airflow by a set of Drosophila fan-shaped body neurons. ELife, 2020, 9, .	6.0	43
288	Flying bats use serial sampling to locate odour sources. Biology Letters, 2021, 17, 20210430.	2.3	10
289	Decreased reproductive fitness of Dysdercus koenigii Fabricius (Heteroptera: Pyrrhocoreidae) in response to hexane leaf extract of Ocimum sanctum Linn. (Lamiaceae). International Journal of Tropical Insect Science, 0, , 1.	1.0	1
290	Changes in gaseous concentration of alkylpyrazine analogs affect mouse avoidance behavior. Bioscience, Biotechnology and Biochemistry, 2021, 85, 2343-2351.	1.3	0
291	Visual and olfactory preferences of Frankliniella occidentalis (Thysanoptera: Thripidae) for color and volatiles of different Rosa chinensis (Rosales: Rosaceae) cultivars. Oriental Insects, 0, , 1-17.	0.3	1
292	A connectome of the Drosophila central complex reveals network motifs suitable for flexible navigation and context-dependent action selection. ELife, 2021, 10, .	6.0	168
293	Influence of habitat quality and resource density on breedingâ€season female monarch butterfly <i>Danaus plexippus</i> movement and space use in northâ€central USA agroecosystem landscapes. Journal of Applied Ecology, 2022, 59, 431-443.	4.0	8

#	Article	IF	CITATIONS
294	Effects of Mechanosensory Input on the Tracking of Pulsatile Odor Stimuli by Moth Antennal Lobe Neurons. Frontiers in Neuroscience, 2021, 15, 739730.	2.8	7
296	Modeling Trapping of Fruit Flies for Detection, Suppression, or Eradication. , 2014, , 379-420.		1
305	Effects of indoor air movement and ambient temperature on mosquito (Anopheles gambiae) behaviour around bed nets: implications for malaria prevention initiatives. Malaria Journal, 2021, 20, 427.	2.3	6
306	Variability in human attractiveness to mosquitoes. Current Research in Parasitology and Vector-borne Diseases, 2021, 1, 100058.	1.9	10
307	Brain Premotor Centers for Pheromone Orientation Behavior. Entomology Monographs, 2020, , 243-264.	0.5	1
309	Showier plants host more larvae: distribution and movement of generalist caterpillars among plants in the field. Ecological Entomology, 2021, 46, 514-524.	2.2	0
310	Olfactory lures in predator control do not increase predation risk to birds in areas of conservation concern. Wildlife Research, 2022, 49, 183-192.	1.4	1
312	Olfactory Sensing and Navigation in Turbulent Environments. Annual Review of Condensed Matter Physics, 2022, 13, 191-213.	14.5	35
313	Location of and landing on a source of human body odour by female Culex quinquefasciatus in still and moving air. Physiological Entomology, 2012, 37, 153-159.	1.5	2
315	Host plant acceptance in a generalist insect: threshold,Âfeedback or choice?. Behaviour, 2020, 157, 1059-1089.	0.8	2
316	Learning a Generic Olfactory Search Strategy From Silk Moths by Deep Inverse Reinforcement Learning. IEEE Transactions on Medical Robotics and Bionics, 2022, 4, 241-253.	3.2	0
317	3-Dimensional Hydrothermal Vent Localization Based on Chemical Plume Tracing. , 2020, , .		0
318	Sensing complementary temporal features of odor signals enhances navigation of diverse turbulent plumes. ELife, 2022, 11, .	6.0	14
319	The role of food odor in invertebrate foraging. Genes, Brain and Behavior, 2022, 21, e12793.	2.2	9
320	Predicting and Manipulating Cone Responses to Naturalistic Inputs. Journal of Neuroscience, 2022, 42, 1254-1274.	3.6	10
323	Multimodal Information Processing and Associative Learning in the Insect Brain. Insects, 2022, 13, 332.	2.2	9
324	Time-Dependent Odorant Sensitivity Modulation in Insects. Insects, 2022, 13, 354.	2.2	5
325	Acute ozone exposure impairs detection of floral odor, learning, and memory of honey bees, through olfactory generalization. Science of the Total Environment, 2022, 827, 154342.	8.0	20

ARTICLE

326

IF CITATIONS

327Effects of floor pattern on flight behaviour of the smaller tea tortrix, <i>Adoxophyes honmai</i>, during orientation flight in a sex pheromone plume. Physiological Entomology, 2022, 47, 96-109.1.50328A Nonlinear Observability Analysis of Ambient Wind Estimation with Uncalibrated Sensors, Inspired by
Insect Neural Encoding., 2021, .6

Morphology of the Olfactory Organ in the Climbing Perch (Anabas testudineus, Anabantidae,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 742

329	Variation in the ratio of compounds in a plant volatile blend during transmission by wind. Scientific Reports, 2022, 12, 6176.	3.3	5
337	Aeroscapes and the Sensory Ecology of Olfaction in a Tropical Dry Forest. Frontiers in Ecology and Evolution, 2022, 10, .	2.2	3
338	Understanding costs and benefits of thermal plasticity for pest management: insights from the integration of laboratory, semi-field and field assessments of <i>Ceratitis capitata</i> (Diptera:) Tj ETQq1 1 0.784	•3 1. 9rgBT	/Overlock
339	Primacy of Human Odors Over Visual and Heat Cues in Inducing Landing in Female Aedes aegypti Mosquitoes. Journal of Insect Behavior, 2022, 35, 31-43.	0.7	6
340	Odor-Pollution From Fungicides Disrupts Learning and Recognition of a Common Floral Scent in Bumblebees (Bombus impatiens). Frontiers in Ecology and Evolution, 0, 10, .	2.2	7
341	Deconstructing and contextualizing foraging behavior in bumble bees and other central place foragers. Apidologie, 2022, 53, .	2.0	5
342	Information about space from time: how mammals navigate the odour landscape. Neuroforum, 2022, .	0.3	1
343	Insect-inspired AI for autonomous robots. Science Robotics, 2022, 7, .	17.6	42
344	Modelling ectotherms' populations considering physiological age structure and spatial motion: A novel approach. Ecological Informatics, 2022, 70, 101703.	5.2	8
345	Floral and Bird Excreta Semiochemicals Attract Western Carpenter Ants. Frontiers in Ecology and Evolution, 0, 10, .	2.2	2
346	The Ability of Bumblebees <i>Bombus terrestris</i> (Hymenoptera: Apidae) to Detect Floral Humidity is Dependent Upon Environmental Humidity. Environmental Entomology, 2022, 51, 1010-1019.	1.4	3
348	The combined role of visual and olfactory cues in foraging by <i>Cataglyphis</i> ants in laboratory mazes. Environmental Epigenetics, 0, , .	1.8	0
349	A neural circuit for wind-guided olfactory navigation. Nature Communications, 2022, 13, .	12.8	43
350	A central place foraging seabird flies at right angles to the wind to jointly optimize locomotor and olfactory search efficiency. Proceedings of the Royal Society B: Biological Sciences, 2022, 289, .	2.6	9
352	A Neural Model for Insect Steering Applied to Olfaction and Path Integration. Neural Computation,	2.2	7

#	Article	IF	CITATIONS
353	<i>Rosa chinensis</i> Cultivars Affect Fitness-Related Characteristics and Digestive Physiology of the Western Flower Thrips, <i>Frankliniella occidentalis</i> Pergande (Thysanoptera: Thripidae). Journal of Economic Entomology, 0, , .	1.8	2
354	Gas Source Localization Using Bio-inspired Algorithm for Mini Flying Sniffer Robot: Development and Experimental Investigation. Computer Engineering and Applications Journal, 2020, 9, 207-214.	0.2	1
355	Experimental and theoretical probe on mechano- and chemosensory integration in the insect antennal lobe. Frontiers in Physiology, 0, 13, .	2.8	0
356	Aversive Bimodal Associations Differently Impact Visual and Olfactory Memory Performance in Drosophila. IScience, 2022, 25, 105485.	4.1	4
357	Sensorimotor ecology of the insect antenna: Active sampling by a multimodal sensory organ. Advances in Insect Physiology, 2022, , 1-105.	2.7	2
358	Monarch Butterfly Ecology, Behavior, and Vulnerabilities in North Central United States Agricultural Landscapes. BioScience, 2022, 72, 1176-1203.	4.9	6
359	Gravid <i>Periplaneta americana</i> (Blattodea: Blattidae) Fails to Detect or Respond to the Presence of the Oothecal Parasitoid <i>Aprostocetus hagenowii</i> (Hymenoptera: Eulophidae). Environmental Entomology, 2022, 51, 1086-1093.	1.4	1
360	Linalool: A ubiquitous floral volatile mediating the communication between plants and insects. Journal of Systematics and Evolution, 2023, 61, 538-549.	3.1	6
362	Chapter 19: Vision in mosquitoes. , 2022, , 511-533.		7
363	Behavioral algorithms and neural mechanisms underlying odor-modulated locomotion in insects. Journal of Experimental Biology, 2023, 226, .	1.7	3
365	Emergent behaviour and neural dynamics in artificial agents tracking odour plumes. Nature Machine Intelligence, 2023, 5, 58-70.	16.0	10
366	Autonomous Underwater Vehicle Based Chemical Plume Tracing via Deep Reinforcement Learning Methods. Journal of Marine Science and Engineering, 2023, 11, 366.	2.6	0
367	Optimal active particle navigation meets machine learning ^(a) . Europhysics Letters, 2023, 142, 17001.	2.0	8
369	Active Sensing in Bees Through Antennal Movements Is Independent of Odor Molecule. Integrative and Comparative Biology, 2023, 63, 315-331.	2.0	3
370	Aerosol Alteration of Behavioral Response to Pheromone in Bombyx mori. Journal of Chemical Ecology, 0, , .	1.8	0
371	Near-surface wind variability over spatiotemporal scales relevant to plume tracking insects. Physics of Fluids, 2023, 35, .	4.0	2
372	Temporal novelty detection and multiple timescale integration drive Drosophila orientation dynamics in temporally diverse olfactory environments. PLoS Computational Biology, 2023, 19, e1010606.	3.2	2
373	Gain control in olfactory receptor neurons and the detection of temporal fluctuations in odor concentration. Frontiers in Physiology, 0, 14, .	2.8	1

#	Article	IF	CITATIONS
374	Scents and sensibility: Best practice in insect olfactometer bioassays. Entomologia Experimentalis Et Applicata, 2023, 171, 808-820.	1.4	2
375	Olfactory search with finite-state controllers. Proceedings of the National Academy of Sciences of the United States of America, 2023, 120, .	7.1	0
376	Unraveling the Significance of Draglines: Female Sexual Signalization in the Nursery-Web Spider, Pisaura mirabilis. Insects, 2023, 14, 765.	2.2	0
377	Active smelling in the American cockroach. Journal of Experimental Biology, 0, , .	1.7	0
378	Disrupting pest reproduction techniques can replace pesticides in vineyards. A review. Agronomy for Sustainable Development, 2023, 43, .	5.3	2
379	Sensorimotor transformation underlying odor-modulated locomotion in walking Drosophila. Nature Communications, 2023, 14, .	12.8	1
381	Evidence for a role of SNMP2 and antennal support cells in sensillum lymph clearance processes of moth pheromone-responsive sensilla. Insect Biochemistry and Molecular Biology, 2024, 164, 104046.	2.7	1
382	Numerical Investigation of Odor-Guided Navigation in Flying Insects: Impact of Turbulence, Wingbeat-Induced Flow, and Schmidt Number on Odor Plume Structures. Biomimetics, 2023, 8, 593.	3.3	0
383	Chemical Insect Attractants Produced by Flowers of Impatiens spp. (Balsaminaceae) and List of Floral Visitors. International Journal of Molecular Sciences, 2023, 24, 17259.	4.1	0
384	Emergent spatial goals in an integrative model of the insect central complex. PLoS Computational Biology, 2023, 19, e1011480.	3.2	0
385	Design of Polymer Carriers for Optimized Pheromone Release in Sustainable Insect Control Strategies. Advanced Science, 2024, 11, .	11.2	0
389	Opsin mutants alter host plant selection by color vision in the nocturnal invasive pest Tuta absoluta. International Journal of Biological Macromolecules, 2024, 265, 130636.	7.5	0