Odor Detection in Insects: Volatile Codes

Journal of Chemical Ecology 34, 882-897

DOI: 10.1007/s10886-008-9485-4

Citation Report

| #  | Article  | IF           | CITATIONS |
|----|--|--------------|-----------|
| 1  | A receptor and binding protein interplay in the detection of a distinct pheromone component in the silkmoth <i>Antheraea polyphemus</i> ). International Journal of Biological Sciences, 2009, 5, 745-757.   | 2.6          | 160       |
| 2  | Electroantennogram and Behavioral Responses ofAnastrepha suspensa(Diptera: Tephritidae) to Putrescine and Ammonium Bicarbonate Lures. Environmental Entomology, 2009, 38, 1259-1266.   | 0.7          | 26        |
| 3  | Nearest Neural Neighbors: Moth Sex Pheromone Receptors HR11 and HR13. Chemical Senses, 2009, 34, 465-468.  | 1.1          | 25        |
| 4  | HR11 and HR13 Receptor-Expressing Neurons Are Housed Together in Pheromone-Responsive Sensilla Trichodea of Male Heliothis virescens. Chemical Senses, 2009, 34, 469-477.  | 1.1          | 52        |
| 5  | Behavioral and electrophysiological studies on the sexually biased synergism between oligosaccharides and phospholipids in gustatory perception of nuptial secretion by the German cockroach. Journal of Insect Physiology, 2009, 55, 742-750.             | 0.9          | 19        |
| 6  | Visual Perception: Saccadic Omission— Suppression or TemporalÂMasking?. Current Biology, 2009, 19,<br>R493-R496.   | 1.8          | 37        |
| 7  | Olfaction: Chemical Signposts along the Silk Road. Current Biology, 2009, 19, R491-R493.   | 1.8          | 0         |
| 8  | Representations of odor plume flux are accentuated deep within the moth brain. Journal of Biology, 2009, 8, 16.  | 2.7          | 10        |
| 9  | Olfactory Perception: Receptors, Cells, and Circuits. Cell, 2009, 139, 45-59.  | 13.5         | 476       |
| 10 | Sex-specific odorant receptors of the tobacco hornworm Manduca sexta. Frontiers in Cellular<br>Neuroscience, 2010, 4, .  | 1.8          | 38        |
| 11 | Towards plant-odor-related olfactory neuroethology in Drosophila. Chemoecology, 2010, 20, 51-61.   | 0.6          | 28        |
| 12 | Pheromones and signature mixtures: defining species-wide signals and variable cues for identity in both invertebrates and vertebrates. Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology, 2010, 196, 685-700. | 0.7          | 305       |
| 13 | Sex Pheromones and Their Impact on Pest Management. Journal of Chemical Ecology, 2010, 36, 80-100.   | 0.9          | 758       |
| 14 | Flying the Fly: Long-range Flight Behavior of Drosophila melanogaster to Attractive Odors. Journal of Chemical Ecology, 2010, 36, 599-607.   | 0.9          | 151       |
| 15 | Relevance of resource-indicating key volatiles and habitat odour for insect orientation. Animal Behaviour, 2010, 79, 1077-1086.  | 0.8          | 66        |
| 16 | Distinct antennal lobe phenotypes in the leafâ€cutting ant ( <i>Atta vollenweideri</i> ). Journal of Comparative Neurology, 2010, 518, 352-365.  | 0.9          | 73        |
| 17 | Characterization of the volatile fraction emitted by Pinus spp. by one- and two-dimensional chromatographic techniques with mass spectrometric detection. Journal of Chromatography A, 2010, 1217, 1845-1855.  | 1.8          | 39        |
| 18 | Molecular and chemical mechanisms involved in aphid resistance in cultivated tomato. New   | 3 <b>.</b> 5 | 33        |

| #  | ARTICLE  | IF  | Citations |
|----|--|-----|-----------|
| 19 | A metaâ€analysis of insect pest behavioral manipulation with plant volatiles. Entomologia Experimentalis Et Applicata, 2010, 134, 201-210.   | 0.7 | 131       |
| 20 | lonotropic and metabotropic mechanisms in chemoreception: 'chance or design'?. EMBO Reports, 2010, 11, 173-179.  | 2.0 | 88        |
| 21 | Pheromone Transduction in Moths. Frontiers in Cellular Neuroscience, 2010, 4, 133.   | 1.8 | 87        |
| 22 | Pheromones of Terrestrial Invertebrates. , 2010, , 153-223.  |     | 30        |
| 23 | Coding and interaction of sex pheromone and plant volatile signals in the antennal lobe of the codling moth <i>Cydia pomonella</i> . Journal of Experimental Biology, 2010, 213, 4291-4303.  | 0.8 | 64        |
| 24 | Comparison of volatile blends and gene sequences of two isolates of <i>Metarhizium anisopliae</i> of different virulence and repellency toward the termite <i>Macrotermes michaelseni</i> Journal of Experimental Biology, 2011, 214, 956-962. | 0.8 | 39        |
| 25 | Invertebrate Models for Biomedical Research, Testing, and Education. ILAR Journal, 2011, 52, 126-152.  | 1.8 | 89        |
| 26 | The neurobiology of insect olfaction: Sensory processing in a comparative context. Progress in Neurobiology, 2011, 95, 427-447.  | 2.8 | 189       |
| 27 | Earthworms Use Odor Cues to Locate and Feed on Microorganisms in Soil. PLoS ONE, 2011, 6, e21927.  | 1.1 | 28        |
| 28 | Differential expression of odorant receptor genes involved in the sexual isolation of two <i>Heliothis</i> moths. Insect Molecular Biology, 2011, 20, 115-124.   | 1.0 | 24        |
| 29 | Pollination by brood-site deception. Phytochemistry, 2011, 72, 1655-1666.  | 1.4 | 117       |
| 30 | Perception of plant volatile blends by herbivorous insects – Finding the right mix. Phytochemistry, 2011, 72, 1605-1611.   | 1.4 | 607       |
| 31 | Chemical cues involved in the attraction of the oligolectic bee Hoplitis adunca to its host plant Echium vulgare. Biochemical Systematics and Ecology, 2011, 39, 498-508.  | 0.6 | 17        |
| 32 | Binding Characterization of Recombinant Odorant-binding Proteins from the Parasitic Wasp,<br>Microplitis mediator (Hymenoptera: Braconidae). Journal of Chemical Ecology, 2011, 37, 189-194.   | 0.9 | 44        |
| 33 | Transcriptome profiling of chemosensory appendages in the malaria vector Anopheles gambiae reveals tissue- and sex-specific signatures of odor coding. BMC Genomics, 2011, 12, 271.  | 1.2 | 181       |
| 34 | The Role of Frass and Cocoon Volatiles in Host Location by Monodontomerus aeneus, a Parasitoid of Megachilid Solitary Bees. Environmental Entomology, 2011, 40, 126-131.   | 0.7 | 16        |
| 35 | The origin and dynamic evolution of chemical information transfer. Proceedings of the Royal Society B: Biological Sciences, 2011, 278, 970-979.  | 1,2 | 156       |
| 36 | Insect olfaction from model systems to disease control. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 12987-12995.   | 3.3 | 182       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Antennal transcriptome of <i>Manduca sexta</i> . Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 7449-7454.   | 3.3 | 269       |
| 38 | Antennal Lobe Processing Correlates to Moth Olfactory Behavior. Journal of Neuroscience, 2012, 32, 5772-5782.   | 1.7 | 35        |
| 39 | Floral to green: mating switches moth olfactory coding and preference. Proceedings of the Royal Society B: Biological Sciences, 2012, 279, 2314-2322.   | 1.2 | 137       |
| 40 | Spatial Organization of Antennal Olfactory Sensory Neurons in the Female Spodoptera littoralis<br>Moth: Differences in Sensitivity and Temporal Characteristics. Chemical Senses, 2012, 37, 613-629.                    | 1.1 | 61        |
| 42 | Mechanisms of Odor Coding in Coniferous Bark Beetles: From Neuron to Behavior and Application. Psyche: Journal of Entomology, 2012, 2012, 1-14.   | 0.4 | 27        |
| 43 | Divergent and convergent projections to the two parallel olfactory centers from two neighboring, pheromoneâ€receptive glomeruli in the male American cockroach. Journal of Comparative Neurology, 2012, 520, 3428-3445. | 0.9 | 20        |
| 45 | Characterization of olfactory sensory neurons in the white clover seed weevil, Apion fulvipes (Coleoptera: Apionidae). Journal of Insect Physiology, 2012, 58, 1325-1333.   | 0.9 | 22        |
| 46 | Candidate Olfaction Genes Identified within the Helicoverpa armigera Antennal Transcriptome. PLoS ONE, 2012, 7, e48260.   | 1.1 | 163       |
| 47 | Selectivity of odorant receptors in insects. Frontiers in Cellular Neuroscience, 2012, 6, 29.   | 1.8 | 35        |
| 48 | Temporal response dynamics of Drosophila olfactory sensory neurons depends on receptor type and response polarity. Frontiers in Cellular Neuroscience, 2012, 6, 54.   | 1.8 | 70        |
| 49 | Non-linear blend coding in the moth antennal lobe emerges from random glomerular networks. Frontiers in Neuroengineering, 2012, 5, 6.   | 4.8 | 13        |
| 50 | The Impact of Induced Plant Volatiles on Plant-Arthropod Interactions. , 2012, , 15-73.   |     | 5         |
| 51 | Chemical Communication in Insects: The Peripheral Odour Coding System of Drosophila Melanogaster. Advances in Experimental Medicine and Biology, 2012, 739, 59-77.  | 0.8 | 28        |
| 52 | Different sensory modalities are required for successful courtship in two species of the Drosophila willistoni group. Animal Behaviour, 2012, 83, 217-227.  | 0.8 | 21        |
| 53 | Modelling the signal delivered by a population of first-order neurons in a moth olfactory system.<br>Brain Research, 2012, 1434, 123-135.   | 1.1 | 22        |
| 54 | Insecticidal activities of garlic substances against adults of grain moth, <i>Sitotroga cerealella</i> (Lepidoptera: Gelechiidae). Insect Science, 2012, 19, 205-212.   | 1.5 | 48        |
| 55 | Olfaction in dragonflies: Electrophysiological evidence. Journal of Insect Physiology, 2012, 58, 270-277.   | 0.9 | 31        |
| 56 | Chemosensory protein genes of <i>batocera horsfieldi</i> (hope): identification and expression pattern. Journal of Applied Entomology, 2012, 136, 781-792.  | 0.8 | 14        |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 57 | Volatile sesquiterpenes from fungi: what are they good for?. Phytochemistry Reviews, 2012, 11, 15-37.  | 3.1 | 159       |
| 58 | Behavioural and electrophysiological responses of females of two species of tabanid to volatiles in urine of different mammals. Medical and Veterinary Entomology, 2013, 27, 77-85.                                      | 0.7 | 21        |
| 59 | Antennal transcriptome analysis of the chemosensory gene families in the tree killing bark beetles, Ips typographus and Dendroctonus ponderosae (Coleoptera: Curculionidae: Scolytinae). BMC Genomics, 2013, 14, 198.    | 1.2 | 216       |
| 60 | Salience of multimodal flower cues manipulates initial responses and facilitates learning performance of bumblebees. Behavioral Ecology and Sociobiology, 2013, 67, 1587-1599.   | 0.6 | 37        |
| 61 | The role of the coreceptor Orco in insect olfactory transduction. Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology, 2013, 199, 897-909.                                    | 0.7 | 121       |
| 62 | Mixture and odorant processing in the olfactory systems of insects: a comparative perspective.<br>Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology,<br>2013, 199, 911-928. | 0.7 | 45        |
| 63 | Long-Distance Systemic Signaling and Communication in Plants. Signaling and Communication in Plants, $2013,  \ldots$   | 0.5 | 16        |
| 64 | Animal Communication and Noise. Animal Signals and Communication, 2013, , .  | 0.4 | 110       |
| 65 | Modulation of Reproductive Behaviors by Non-Host Volatiles in the Polyphagous Egyptian Cotton Leafworm, Spodoptera littoralis. Journal of Chemical Ecology, 2013, 39, 1273-1283.   | 0.9 | 23        |
| 66 | Identification and functional characterization of sex pheromone receptors in beet armyworm Spodoptera exigua (Hýbner). Insect Biochemistry and Molecular Biology, 2013, 43, 747-754.                                     | 1.2 | 72        |
| 67 | Molecular identification and differential expression of sensory neuron membrane proteins in the antennae of the black cutworm moth Agrotis ipsilon. Journal of Insect Physiology, 2013, 59, 430-443.                     | 0.9 | 78        |
| 68 | Sexual dimorphism in the olfactory system of a solitary and a eusocial bee species. Journal of Comparative Neurology, 2013, 521, 2742-2755.  | 0.9 | 40        |
| 69 | Microbial Volatile Emissions as Insect Semiochemicals. Journal of Chemical Ecology, 2013, 39, 840-859.   | 0.9 | 386       |
| 70 | The Role of Volatiles in Plant–Plant Interactions. Signaling and Communication in Plants, 2013, , 393-412.   | 0.5 | 7         |
| 71 | An odorant receptor from the common cutworm ( <i><scp>S</scp>podoptera litura</i> ) exclusively tuned to the important plant volatile cisâ€3â€ <scp>H</scp> exenyl acetate. Insect Molecular Biology, 2013, 22, 424-432. | 1.0 | 58        |
| 72 | Olfactory Responses of Drosophila Larvae. Chemical Senses, 2013, 38, 315-323.  | 1.1 | 27        |
| 73 | Quantitative patterns between plant volatile emissions induced by biotic stresses and the degree of damage. Frontiers in Plant Science, 2013, 4, 262.  | 1.7 | 205       |
| 74 | Grooming Behavior as a Mechanism of Insect Disease Defense. Insects, 2013, 4, 609-630.   | 1.0 | 123       |

| #  | Article   | IF                | CITATIONS           |
|----|---|-------------------|---------------------|
| 75 | Noise in Chemical Communication. Animal Signals and Communication, 2013, , 373-405.   | 0.4               | 13                  |
| 76 | Application of artificial neural networks on mosquito Olfactory Receptor Neurons for an olfactory biosensor., 2013, 2013, 5390-3.   |                   | 5                   |
| 77 | From Chemistry to Behavior. Molecular Structure and Bioactivity of Repellents against Ixodes ricinus Ticks. PLoS ONE, 2013, 8, e67832.  | 1.1               | 9                   |
| 78 | Shifts in sensory neuron identity parallel differences in pheromone preference in the European corn borer. Frontiers in Ecology and Evolution, 2014, 2, .   | 1.1               | 46                  |
| 80 | Mixture Processing and Odor-Object Segregation in Insects. Progress in Brain Research, 2014, 208, 63-85.  | 0.9               | 13                  |
| 81 | Volatiles from nonâ€host aromatic plants repel tea green leafhopper <i><scp>E</scp>mpoasca vitis</i> . Entomologia Experimentalis Et Applicata, 2014, 153, 156-169.                                   | 0.7               | 25                  |
| 82 | Odorant and Gustatory Receptors in the Tsetse Fly Glossina morsitans morsitans. PLoS Neglected Tropical Diseases, 2014, 8, e2663.   | 1.3               | 51                  |
| 83 | Sex- and tissue-specific profiles of chemosensory gene expression in a herbivorous gall-inducing fly (Diptera: Cecidomyiidae). BMC Genomics, 2014, 15, 501.   | 1.2               | 81                  |
| 84 | Asymmetry in olfactory generalization and the inclusion criterion in ants. Communicative and Integrative Biology, 2014, 7, e29163.  | 0.6               | 2                   |
| 85 | Trapping and the Detection, Control, and Regulation of Tephritid Fruit Flies. , 2014, , .   |                   | 45                  |
| 86 | Narrow tuning of an odorant receptor to plant volatiles in <i><scp>S</scp>podoptera exigua</i> ( <scp>H</scp> ýbner). Insect Molecular Biology, 2014, 23, 487-496.                                    | 1.0               | 50                  |
| 87 | Coâ€localization of insect olfactory sensory cells improves the discrimination of closely separated odour sources. Functional Ecology, 2014, 28, 1216-1223.   | 1.7               | 27                  |
| 88 | Identification of Plant Semiochemicals and Characterization of New Olfactory Sensory Neuron Types in a Polyphagous Pest Moth, Spodoptera littoralis. Chemical Senses, 2014, 39, 719-733.              | 1.1               | 19                  |
| 89 | Physiological Organization and Topographic Mapping of the Antennal Olfactory Sensory Neurons in Female Hawkmoths, Manduca sexta. Chemical Senses, 2014, 39, 655-671.                                  | 1.1               | 29                  |
| 90 | Molecular characterization and phylogenetic analysis of three odorant binding protein gene transcripts in <i>Dendrolimus</i> species (Lepidoptera: Lasiocampidae). Insect Science, 2014, 21, 597-608. | 1.5               | 25                  |
| 91 | Duration of Plant Damage by Host Larvae Affects Attraction of Two Parasitoid Species (Microplitis) Tj ETQq1 1 of Chemical Ecology, 2014, 40, 1176-1185.   | 0.784314 r<br>0.9 | rgBT /Overloc<br>14 |
| 92 | Odor Coding in a Disease-Transmitting Herbivorous Insect, the Asian Citrus Psyllid. Chemical Senses, 2014, 39, 539-549.   | 1.1               | 36                  |
| 93 | Plant odour plumes as mediators of plant–insect interactions. Biological Reviews, 2014, 89, 68-81.  | 4.7               | 115                 |

| #   | ARTICLE  | IF         | CITATIONS    |
|-----|--|------------|--------------|
| 95  | The volatile organic compounds of introduced and native dung and carrion and their role in dung beetle foraging behaviour. Ecological Entomology, 2014, 39, 556-565.   | 1.1        | 41           |
| 96  | Response profile of pheromone receptor neurons in male Grapholita molesta (Lepidoptera:) Tj ETQq1 1 0.784314   | 4 rgBT /Ov | erlock 10 Tf |
| 97  | Generation of Acetoin and Its Derivatives in Foods. Journal of Agricultural and Food Chemistry, 2014, 62, 6487-6497.   | 2.4        | 89           |
| 98  | Attraction of two larval parasitoids with varying degree of host specificity to single components and a binary mixture of host-related plant volatiles. Chemoecology, 2014, 24, 127-135.   | 0.6        | 13           |
| 99  | Molecular Characterization, Expression Pattern, and Ligand-Binding Property of Three Odorant Binding Protein Genes from Dendrolimus tabulaeformis. Journal of Chemical Ecology, 2014, 40, 396-406.                                       | 0.9        | 35           |
| 100 | Morphology and physiology of the olfactory system of blood-feeding insects. Journal of Physiology (Paris), 2014, 108, 96-111.  | 2.1        | 41           |
| 101 | Analysis of chemosensory gene families in the beetle Monochamus alternatus and its parasitoid Dastarcus helophoroides. Comparative Biochemistry and Physiology Part D: Genomics and Proteomics, 2014, 11, 1-8.                           | 0.4        | 75           |
| 103 | Flight attraction of Spodoptera littoralis (Lepidoptera, Noctuidae) to cotton headspace and synthetic volatile blends. Frontiers in Ecology and Evolution, 2015, 3, .  | 1.1        | 28           |
| 104 | Identification of candidate olfactory genes in Leptinotarsa decemlineata by antennal transcriptome analysis. Frontiers in Ecology and Evolution, 2015, 3, .  | 1.1        | 31           |
| 105 | Evolution of two receptors detecting the same pheromone compound in crop pest moths of the genus Spodoptera. Frontiers in Ecology and Evolution, 2015, 3, .  | 1.1        | 35           |
| 106 | Antennal Transcriptome Analysis and Comparison of Chemosensory Gene Families in Two Closely Related Noctuidae Moths, Helicoverpa armigera and H. assulta. PLoS ONE, 2015, 10, e0117054.  | 1.1        | 109          |
| 107 | Genomics of adaptation to host-plants in herbivorous insects. Briefings in Functional Genomics, 2015, 14, 413-423.   | 1.3        | 135          |
| 108 | Evolution of herbivory in Drosophilidae linked to loss of behaviors, antennal responses, odorant receptors, and ancestral diet. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 3026-3031.   | 3.3        | 122          |
| 109 | A <scp>cDNA</scp> library from the antenna of <i>Monochamus alternatus</i> Hope and binding properties of odorantâ€binding proteins. Journal of Applied Entomology, 2015, 139, 229-236.  | 0.8        | 32           |
| 110 | Expression profile and ligandâ€binding characterization of odorantâ€binding protein 2 from <i><scp>B</scp>atocera horsfieldi</i> ( <scp>H</scp> ope). Journal of Applied Entomology, 2015, 139, 361-369.                                 | 0.8        | 6            |
| 111 | Advances in the Identification and Characterization of Olfactory Receptors in Insects. Progress in Molecular Biology and Translational Science, 2015, 130, 55-80.  | 0.9        | 78           |
| 112 | Semiochemical modulation of host preference of Callosobruchus maculatus on legume seeds. Journal of Stored Products Research, 2015, 63, 31-37.   | 1.2        | 15           |
| 113 | Analysis of antennal transcriptome and odorant binding protein expression profiles of the recently identified parasitoid wasp, Sclerodermus sp Comparative Biochemistry and Physiology Part D: Genomics and Proteomics, 2015, 16, 10-19. | 0.4        | 37           |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 114 | Interference of plant volatiles on pheromone receptor neurons of male Grapholita molesta (Lepidoptera: Tortricidae). Journal of Insect Physiology, 2015, 81, 118-128.   | 0.9 | 18        |
| 115 | Biosynthetic infochemical communication. Bioinspiration and Biomimetics, 2015, 10, 043001.  | 1.5 | 8         |
| 116 | Characterizing Volatiles and Attractiveness of Five Brassicaceous Plants with Potential for a †Push-Pull†M Strategy Toward the Cabbage Root Fly, Delia radicum. Journal of Chemical Ecology, 2015, 41, 330-339. | 0.9 | 32        |
| 117 | Chemical cues modulating electrophysiological and behavioural responses in the parasitic wasp <i>Cotesia sesamiae</i> i>. Canadian Journal of Zoology, 2015, 93, 281-287.                                       | 0.4 | 29        |
| 118 | Behavioral Responses of <i>Laricobius </i> spp. and Hybrids (Coleoptera: Derodontidae) to Hemlock Woolly Adelgid and Adelgid Host Tree Odors in an Olfactometer. Environmental Entomology, 2015, 44, 1562-1570. | 0.7 | 7         |
| 119 | Chemosensillum immunolocalization and ligand specificity of chemosensory proteins in the alfalfa plant bug Adelphocoris lineolatus (Goeze). Scientific Reports, 2015, 5, 8073.                                  | 1.6 | 38        |
| 120 | Differential expression of the chemosensory transcriptome in two populations of the stemborer Sesamia nonagrioides. Insect Biochemistry and Molecular Biology, 2015, 65, 28-34.                                 | 1.2 | 16        |
| 121 | Pheromone Reception in Moths. Progress in Molecular Biology and Translational Science, 2015, 130, 109-128.  | 0.9 | 81        |
| 122 | Pheromone isoform composition differentially affects female behaviour in the red-legged salamander, Plethodon shermani. Animal Behaviour, 2015, 100, 1-7.   | 0.8 | 21        |
| 123 | Transplant Antennae and Host Brain Interact to Shape Odor Perceptual Space in Male Moths. PLoS ONE, 2016, 11, e0147906.   | 1.1 | 5         |
| 124 | Identification and Expression Analysis of Candidate Odorant-Binding Protein and Chemosensory Protein Genes by Antennal Transcriptome of Sitobion avenae. PLoS ONE, 2016, 11, e0161839.                          | 1,1 | 99        |
| 125 | Chemosensory proteins involved in host recognition in the storedâ€food mite ⟨i⟩Tyrophagus putrescentiae⟨/i⟩. Pest Management Science, 2016, 72, 1508-1516.  | 1.7 | 17        |
| 126 | Sensory and immune genes identification and analysis in a widely used parasitoid wasp <i>Trichogramma dendrolimi</i> (Hymenoptera: Trichogrammatidae). Insect Science, 2016, 23, 417-429.                       | 1.5 | 13        |
| 127 | Antennal Sensilla and Sexual Dimorphism of the Parasitoid <i>Trichospilus pupivorus</i> (Hymenoptera: Eulophidae). Microscopy and Microanalysis, 2016, 22, 913-921.   | 0.2 | 12        |
| 128 | Effects of different animal manures on attraction and reproductive behaviors of common house fly, Musca domestica L. Parasitology Research, 2016, 115, 3585-3598.   | 0.6 | 22        |
| 129 | The impact of plant chemical diversity on plant–herbivore interactions at the community level.<br>Oecologia, 2016, 181, 1199-1208.  | 0.9 | 88        |
| 130 | Insights Into the Evolution of Chemoreceptor Genes Superfamily in <i>Tyrophagus putrescentiae</i> (Acari: Acaridae). Journal of Medical Entomology, 2016, 53, 753-759.  | 0.9 | 1         |
| 131 | On the Air: Broadcasting and Reception of Volatile Messages in Brood-Site Pollination Mutualisms. Signaling and Communication in Plants, 2016, , 227-255.   | 0.5 | 9         |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 132 | Transcriptomics and identification of candidate chemosensory genes in antennae of Conogethes punctiferalis (Lepidoptera: Crambidae). Journal of Asia-Pacific Entomology, 2016, 19, 911-920.   | 0.4 | 10        |
| 133 | Bark Beetle Research in the Postgenomic Era. Advances in Insect Physiology, 2016, 50, 265-293.  | 1.1 | 8         |
| 134 | Deciphering Chemical Language of Plant Communication. Signaling and Communication in Plants, 2016,  | 0.5 | 18        |
| 135 | A Model for Carrier-Mediated Biological Signal Transduction Based on Equilibrium Ligand Binding<br>Theory. Bulletin of Mathematical Biology, 2016, 78, 1039-1057.   | 0.9 | 2         |
| 136 | Antennal transcriptome analysis of the Asian longhorned beetle Anoplophora glabripennis. Scientific Reports, 2016, 6, 26652.  | 1.6 | 85        |
| 137 | Antennal transcriptome and differential expression of olfactory genes in the yellow peach moth, Conogethes punctiferalis (Lepidoptera: Crambidae). Scientific Reports, 2016, 6, 29067.  | 1.6 | 50        |
| 138 | Olfactory perception and behavioral effects of sex pheromone gland components in Helicoverpa armigera and Helicoverpa assulta. Scientific Reports, 2016, 6, 22998.  | 1.6 | 38        |
| 139 | Abundance and Accumulation of <i>Escherichia coli </i> and <i>Salmonella </i> Typhimurium Procured by Male and Female House Flies (Diptera: Muscidae) Exposed to Cattle Manure. Annals of the Entomological Society of America, 2017, 110, 37-44.   | 1.3 | 17        |
| 140 | Synthetic blend of larval frass volatiles repel oviposition in the invasive box tree moth, Cydalima perspectalis. Journal of Pest Science, 2017, 90, 873-885.   | 1.9 | 24        |
| 141 | Role of plant volatiles and hetero-specific pheromone components in the wind tunnel response of male <i>Grapholita molesta</i> (Lepidoptera: Tortricidae) to modified sex pheromone blends. Bulletin of Entomological Research, 2017, 107, 573-582. | 0.5 | 9         |
| 142 | Identification of Candidate Odorant-Binding Protein and Chemosensory Protein Genes in Cyrtorhinus lividipennis (Hemiptera: Miridae), a Key Predator of the Rice Planthoppers in Asia. Environmental Entomology, 2017, 46, 654-662.                  | 0.7 | 41        |
| 143 | Chemical sex recognition in the harvestman Discocyrtus prospicuus (Arachnida: Opiliones). Acta Ethologica, 2017, 20, 215-221.   | 0.4 | 5         |
| 144 | Morphological study of the antennal sensilla in Gerromorpha (Insecta: Hemiptera: Heteroptera). Zoomorphology, 2017, 136, 327-347.   | 0.4 | 32        |
| 145 | Fine Structure of Scorpion Pectines for Odor Capture. Journal of Bionic Engineering, 2017, 14, 589-599.   | 2.7 | 3         |
| 146 | Co-inoculum of Beauveria brongniartii and B. bassiana shows in vitro different metabolic behaviour in comparison to single inoculums. Scientific Reports, 2017, 7, 13102.   | 1.6 | 15        |
| 147 | Sexual dimorphism in epicuticular compounds despite similar sexual selection in sex roleâ€reversed seed beetles. Journal of Evolutionary Biology, 2017, 30, 2005-2016.  | 0.8 | 2         |
| 148 | Molecular characterization, expression pattern and ligandâ€binding properties of the pheromoneâ€binding protein gene from <i>Cyrtotrachelus buqueti</i> . Physiological Entomology, 2017, 42, 369-378.  | 0.6 | 23        |
| 149 | Maternally-transmitted microbiota affects odor emission and preference in Drosophila larva.<br>Scientific Reports, 2017, 7, 6062.   | 1.6 | 30        |

| #   | ARTICLE   | IF                            | CITATIONS                 |
|-----|---|-------------------------------|---------------------------|
| 150 | Plant-associated odor perception and processing in two parasitoid species with different degrees of host specificity: Implications for host location strategies. Journal of Insect Physiology, 2017, 101, 169-177.    | 0.9                           | 0                         |
| 151 | Three Novel Bile Alcohols of Mature Male Sea Lamprey (Petromyzon marinus) Act as Chemical Cues for Conspecifics. Journal of Chemical Ecology, 2017, 43, 543-549.  | 0.9                           | 15                        |
| 152 | Bioinformatic analysis of gene encoding odorant binding protein (OBP) 1, OBP2, and chemosensory proteins in Grapholita molesta. Biochemical Systematics and Ecology, 2017, 70, 60-68.                                 | 0.6                           | 1                         |
| 153 | Pheromones and Other Chemical Communication in Animals $\hat{a}^{-}1$ , 2017, , .   |                               | 0                         |
| 154 | Electroantennogram Responses to Plant Volatiles Associated with Fenvalerate Resistance in the Diamondback Moth, Plutella xylostella (Lepidoptera: Plutellidae). Journal of Economic Entomology, 2018, 111, 1354-1360. | 0.8                           | 9                         |
| 155 | Transcriptome analysis of genes involved in the response of a pollinator fig wasp to volatile organic compounds from its host figs. Acta Oecologica, 2018, 90, 91-98.   | 0.5                           | 5                         |
| 156 | Cloning and functional characterization of three new pheromone receptors from the diamondback moth, Plutella xylostella. Journal of Insect Physiology, 2018, 107, 14-22.  | 0.9                           | 28                        |
| 157 | Captures of oriental fruit moth, Grapholita molesta (Lepidoptera: Tortricidae), in traps baited with host-plant volatiles in Chile. Applied Entomology and Zoology, 2018, 53, 193-204.                                | 0.6                           | 16                        |
| 158 | Sexual dimorphism of antenna of the scale insect Drosicha corpulenta (Kuwana) (Hemiptera:) Tj ETQq0 0   | O rgBT /Oyerlock              | 10 <sub>4</sub> Tf 50 422 |
| 159 | A receptor-neuron correlate for the detection of attractive plant volatiles in Helicoverpa assulta (Lepidoptera: Noctuidae). Insect Biochemistry and Molecular Biology, 2018, 97, 31-39.                              | 1.2                           | 36                        |
| 160 | Comparative Genomics Reveals Thousands of Novel Chemosensory Genes and Massive Changes in Chemoreceptor Repertories across Chelicerates. Genome Biology and Evolution, 2018, 10, 1221-1236.                           | 1.1                           | 35                        |
| 161 | Behavioural response of the invasive <i>Halyomorpha halys</i> (Hemiptera: Pentatomidae) to host plant stimuli augmented with semiochemicals in the field. Agricultural and Forest Entomology, 2018, 20, 62-72.        | 0.7                           | 19                        |
| 162 | Antennal transcriptome and odorant binding protein expression profiles of an invasive mealybug and its parasitoid. Journal of Applied Entomology, 2018, 142, 149-161.   | 0.8                           | 19                        |
| 163 | Advances in Attract-and-Kill for Agricultural Pests: Beyond Pheromones. Annual Review of Entomology, 2018, 63, 453-470.   | 5.7                           | 103                       |
| 164 | Factors affecting catch of the black-headed caterpillar, Opisina arenosella Walker in sex pheromone-baited traps and evidence for population suppression by mass trapping. Oriental Insects, 2018, 52, 143-158.       | 0.1                           | 4                         |
| 165 | Effects of mating on host selection by female small white butterflies Pieris rapae (Lepidoptera:) Tj ETQq1 1 Physiology, 2018, 204, 245-255.  | 0.784314 rgBT <sub>0</sub> .7 | /Overlock 10<br>7         |
| 167 | Insect Pheromone Receptors – Key Elements in Sensing Intraspecific Chemical Signals. Frontiers in Cellular Neuroscience, 2018, 12, 425.   | 1.8                           | 61                        |
| 168 | The Ecology of Plant Chemistry and Multi-Species Interactions in Diversified Agroecosystems. Frontiers in Plant Science, 2018, 9, 1713.   | 1.7                           | 10                        |

| #   | Article   | IF                | CITATIONS         |
|-----|---|-------------------|-------------------|
| 169 | Transcriptomics reveal the molecular underpinnings of chemosensory proteins in Chlorops oryzae. BMC Genomics, 2018, 19, 890.  | 1.2               | 19                |
| 170 | The Black spotted, Yellow Borer, Conogethes punctiferalis Guen $	ilde{A}$ $	ilde{\mathbb{Q}}$ e and Allied Species. , 2018, , .   |                   | 3                 |
| 171 | Functional Characterization of Odorant Binding Protein 27 (RproOBP27) From Rhodnius prolixus Antennae. Frontiers in Physiology, 2018, 9, 1175.  | 1.3               | 25                |
| 172 | Extraction and Identification of Pheromones of the Borer, Conogethes punctiferalis (Crambidae:) Tj ETQq1 1 0.784  | 4314 rgBT         | <br> Overlock     |
| 173 | Larval pheromones act as colony-wide regulators of collective foraging behavior in honeybees. Behavioral Ecology, 2018, 29, 1132-1141.  | 1.0               | 11                |
| 174 | Identification of candidate olfactory genes in cicada Subpsaltria yangi by antennal transcriptome analysis. Comparative Biochemistry and Physiology Part D: Genomics and Proteomics, 2018, 28, 122-133.                                 | 0.4               | 7                 |
| 175 | A Gustatory Receptor Used for Rapid Detection of Tyrophagus putrescentiae in Fungi Hosts. Scientific Reports, 2018, 8, 11425.   | 1.6               | 2                 |
| 176 | Behavior and Electrophysiological Response of Gravid and Non-Gravid Lucilia cuprina (Diptera:) Tj ETQq1 1 0.7843  | 14 rgBT /0<br>0.8 | Overlock 10<br>21 |
| 177 | Dynamic Changes in Chemosensory Gene Expression during the Dendrolimus punctatus Mating Process. Frontiers in Physiology, 2017, 8, 1127.  | 1.3               | 25                |
| 178 | Combinatorial Codes and Labeled Lines: How Insects Use Olfactory Cues to Find and Judge Food, Mates, and Oviposition Sites in Complex Environments. Frontiers in Physiology, 2018, 9, 49.   | 1.3               | 130               |
| 179 | Silencing of Chemosensory Protein Gene NlugCSP8 by RNAi Induces Declining Behavioral Responses of Nilaparvata lugens. Frontiers in Physiology, 2018, 9, 379.  | 1.3               | 42                |
| 180 | Antennal transcriptome analysis of the chemosensory gene families in Carposina sasakii (Lepidoptera:) Tj ETQq $1\ 1$  | 0.784314          | f rgBT /Ove       |
| 181 | The Identification of Sea Lamprey Pheromones Using Bioassay-Guided Fractionation. Journal of Visualized Experiments, 2018, , .  | 0.2               | 2                 |
| 182 | Molecular characterization and ligand-binding properties of six odorant-binding proteins (OBPs) from Aphis gossypii. Journal of Asia-Pacific Entomology, 2018, 21, 914-925.   | 0.4               | 9                 |
| 183 | Molecular and functional characterization of three odorant binding proteins from the oriental fruit moth <i>Grapholita molesta</i> (Busck) (Lepidoptera: Tortricide). Archives of Insect Biochemistry and Physiology, 2018, 98, e21456. | 0.6               | 17                |
| 184 | Development of a Female-Targeted Lure for the Box Tree Moth Cydalima perspectalis (Lepidoptera:) Tj ETQq $1\ 1\ 0$ .  | 784314 rg         | BT /Overlo        |
| 185 | Antennal sensory structures in water bugs of Nepoidea (Insecta: Hemiptera: Nepomorpha), their morphology and function. Zoomorphology, 2019, 138, 307-319.   | 0.4               | 11                |
| 186 | Odors from phylogenetically-distant plants to Brassicaceae repel an herbivorous Brassica specialist.<br>Scientific Reports, 2019, 9, 10621.   | 1.6               | 11                |

| #   | Article   | IF         | CITATIONS   |
|-----|---|------------|-------------|
| 187 | Expression profiles and ligand-binding properties of two odorant-binding proteins from Grapholita molesta (Busck) (Lepidoptera: Tortricidae). Journal of Asia-Pacific Entomology, 2019, 22, 1098-1108.  | 0.4        | 4           |
| 188 | Identification of candidate chemosensory genes of Ophraella communa LeSage (Coleoptera:) Tj ETQq1 1 0.7843  | 14.rgBT /C | Overlock 10 |
| 189 | EAG Responses of Adult Lobesia botrana Males and Females Collected from Vitis vinifera and Daphne Gnidium to Larval Host-Plant Volatiles and Sex Pheromone. Insects, 2019, 10, 281.   | 1.0        | 4           |
| 190 | Volatiles from Merino fleece evoke antennal and behavioural responses in the Australian sheep blow fly <i>Lucilia cuprina</i> . Medical and Veterinary Entomology, 2019, 33, 491-497.   | 0.7        | 6           |
| 191 | Chemical communication in springtails: a review of facts and perspectives. Biology and Fertility of Soils, 2019, 55, 425-438.   | 2.3        | 12          |
| 192 | Functional Analysis of the Chemosensory Protein GmolCSP8 From the Oriental Fruit Moth, Grapholita molesta (Busck) (Lepidoptera: Tortricidae). Frontiers in Physiology, 2019, 10, 552.   | 1.3        | 14          |
| 193 | Structural investigation of selective binding dynamics for the pheromoneâ€binding protein 1 of the grapevine moth, Lobesia botrana. Archives of Insect Biochemistry and Physiology, 2019, 101, e21557.  | 0.6        | 13          |
| 194 | Plants, microbes, and odorants involved in host plant location by a specialist moth: who's making the message?. Entomologia Experimentalis Et Applicata, 2019, 167, 313-322.  | 0.7        | 7           |
| 195 | Functional Analysis of MsepOR13 in the Oriental Armyworm Mythimna separata (Walker). Frontiers in Physiology, 2019, 10, 367.  | 1.3        | 8           |
| 196 | Chemosensory proteins used as target for screening behaviourally active compounds in the rice pest <i>Cnaphalocrocis medinalis</i> (Lepidoptera: Pyralidae). Insect Molecular Biology, 2019, 28, 123-135.   | 1.0        | 39          |
| 197 | Interference mechanism of Sophora alopecuroides L. alkaloids extract on host finding and selection of the Asian citrus psyllid Diaphorina citri Kuwayama (Hemiptera: Psyllidae). Environmental Science and Pollution Research, 2019, 26, 1548-1557. | 2.7        | 16          |
| 198 | Identification and functional characterization of an odorant receptor in pea aphid, <i>Acyrthosiphon pisum</i> Insect Science, 2019, 26, 58-67.   | 1.5        | 23          |
| 199 | Morphological assessment of the sensilla of the antennal flagellum in different castes of the stingless bee <i>Tetragonisca fiebrigi</i> . Journal of Zoology, 2020, 310, 110-125.  | 0.8        | 9           |
| 200 | Color discrimination and preference in the fire ant Solenopsis invicta Buren. Insectes Sociaux, 2020, 67, 167-178.  | 0.7        | 3           |
| 201 | Volatiles of bacteria associated with parasitoid habitats elicit distinct olfactory responses in an aphid parasitoid and its hyperparasitoid. Functional Ecology, 2020, 34, 507-520.  | 1.7        | 24          |
| 202 | The mechanism underlying OBP heterodimer formation and the recognition of odors in Holotrichia oblita Faldermann. International Journal of Biological Macromolecules, 2020, 152, 957-968.   | 3.6        | 13          |
| 203 | Olfactory Reception of Host Alarm Pheromone Component by the Odorant-Binding Proteins in the Samurai Wasp, Trissolcus japonicus (Hymenoptera: Scelionidae). Frontiers in Physiology, 2020, 11, 1058.  | 1.3        | 5           |
| 204 | Moth Mating: Modeling Female Pheromone Calling and Male Navigational Strategies to Optimize Reproductive Success. Applied Sciences (Switzerland), 2020, 10, 6543.   | 1.3        | 13          |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 205 | Functional morphology of antennae and sensilla of Hippodamia variegata (Coleoptera: Coccinellidae). PLoS ONE, 2020, 15, e0237452.  | 1.1 | 15        |
| 206 | Comparative morphology of antennal surface structures in pleurostict scarab beetles (Coleoptera). Zoomorphology, 2020, 139, 327-346.   | 0.4 | 14        |
| 207 | Broadly Tuned Odorant Receptor AlinOR59 Involved in Chemoreception of Floral Scent in <i>Adelphocoris lineolatus </i>  | 2.4 | 9         |
| 208 | Analyses of chemosensory genes provide insight into the evolution of behavioral differences to phytochemicals in Bactrocera species. Molecular Phylogenetics and Evolution, 2020, 151, 106858.     | 1.2 | 12        |
| 209 | Insect olfactory communication in a complex and changing world. Current Opinion in Insect Science, 2020, 42, 1-7.  | 2.2 | 58        |
| 210 | Sex-specific molecular specialization and activity rhythm dependent gene expression in honey bee antennae. Journal of Experimental Biology, 2020, 223, .   | 0.8 | 11        |
| 211 | Cellular and Molecular Targets of Waterbuck Repellent Blend Odors in Antennae of Glossina fuscipes fuscipes Newstead, 1910. Frontiers in Cellular Neuroscience, 2020, 14, 137.                     | 1.8 | 5         |
| 212 | Sexual-biased gene expression of olfactory-related genes in the antennae of Conogethes pinicolalis (Lepidoptera: Crambidae). BMC Genomics, 2020, 21, 244.  | 1.2 | 12        |
| 213 | Identification of a General Odorant Receptor for Repellents in the Asian Corn Borer Ostrinia furnacalis. Frontiers in Physiology, 2020, 11, 176.   | 1.3 | 13        |
| 214 | Neuronal Compartmentalization: A Means to Integrate Sensory Input at the Earliest Stage of Information Processing?. BioEssays, 2020, 42, e2000026.   | 1.2 | 24        |
| 215 | Chemical signal is in the blend: bases of plant-pollinator encounter in a highly specialized interaction. Scientific Reports, 2020, 10, 10071.   | 1.6 | 30        |
| 216 | Evaluation of preference of brown marmorated stink bug, Halyomorpha halys (StåI) for different colour bell peppers and the role of plant protein. Arthropod-Plant Interactions, 2020, 14, 363-372. | 0.5 | 4         |
| 217 | Olfactory coâ€receptor is involved in host recognition and oviposition in ⟨scp⟩⟨i⟩Ophraella communa⟨ i⟩⟨ scp⟩ (Coleoptera: Chrysomelidae). Insect Molecular Biology, 2020, 29, 381-390.            | 1.0 | 18        |
| 218 | Functional characterization of pheromone receptor candidates in codling moth <i>Cydia pomonella</i> (Lepidoptera: Tortricidae). Insect Science, 2021, 28, 445-456.                                 | 1.5 | 7         |
| 219 | Biochar-derived smoke-water exerts biological effects on nematodes, insects, and higher plants but not fungi. Science of the Total Environment, 2021, 750, 142307.                                 | 3.9 | 12        |
| 220 | Functional Characterization of Chemosensory Protein AmalCSP5 From Apple Buprestid Beetle, <i>Agrilus mali</i> (Coleoptera: Buprestidae). Journal of Economic Entomology, 2021, 114, 348-359.       | 0.8 | 3         |
| 221 | Toxicological effects of the fungal volatile compound 1-octen-3-ol against the red flour beetle, Tribolium castaneum (Herbst). Ecotoxicology and Environmental Safety, 2021, 208, 111597.          | 2.9 | 32        |
| 222 | Liquid Baits with Oenococcus oeni Increase Captures of Drosophila suzukii. Insects, 2021, 12, 66.  | 1.0 | 7         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 223 | Morphological variability and teratologies in the stag beetle Lucanus cervus (Coleoptera: Lucanidae) from Romania. Biologia (Poland), 2021, 76, 2181-2193.   | 0.8 | 1         |
| 224 | A coffee berry borer (Hypothenemus hampei) genome assembly reveals a reduced chemosensory receptor gene repertoire and male-specific genome sequences. Scientific Reports, 2021, 11, 4900.                           | 1.6 | 8         |
| 225 | Prospect of propolis from stingless bee, Heterotrigona itama as biological control of the subterranean termite, Coptotermes curvignathus. IOP Conference Series: Earth and Environmental Science, 2021, 711, 012018. | 0.2 | 0         |
| 227 | Antennal Enriched Odorant Binding Proteins Are Required for Odor Communication in Glossina f. fuscipes. Biomolecules, 2021, 11, 541.   | 1.8 | 10        |
| 228 | Effects of Multi-Component Backgrounds of Volatile Plant Compounds on Moth Pheromone Perception. Insects, 2021, 12, 409.   | 1.0 | 3         |
| 229 | Morphology of the Antennal Sensilla of a Water-Oat Pest, the Long Green Planthopper Saccharosydne procerus (Hemiptera: Delphacidae). Entomological News, 2021, 129, .  | 0.1 | 0         |
| 230 | Latest Developments in Insect Sex Pheromone Research and Its Application in Agricultural Pest Management. Insects, 2021, 12, 484.  | 1.0 | 60        |
| 231 | Volatile organic compound patterns predict fungal trophic mode and lifestyle. Communications Biology, 2021, 4, 673.  | 2.0 | 39        |
| 232 | Identification and expression analysis of odorant-binding proteins and chemosensory proteins in the antennal transcriptome of Yemma signatus (Hsiao, 1974). Phytoparasitica, 2021, 49, 917.                          | 0.6 | 4         |
| 233 | Herbivore-induced plant volatiles mediate behavioral interactions between a leaf-chewing and a phloem-feeding herbivore. Basic and Applied Ecology, 2021, 53, 39-48.   | 1.2 | 7         |
| 234 | Large-scale characterization of sex pheromone communication systems in Drosophila. Nature Communications, 2021, 12, 4165.  | 5.8 | 48        |
| 235 | Electrophysiological responses of Philaenus spumarius and Neophilaenus campestris females to plant volatiles. Phytochemistry, 2021, 189, 112848.   | 1.4 | 9         |
| 237 | A single point mutation causes one-way alteration of pheromone receptor function in two Heliothis species. IScience, 2021, 24, 102981.   | 1.9 | 10        |
| 238 | Baculovirus infection affects caterpillar chemoperception. Insect Biochemistry and Molecular Biology, 2021, 138, 103648.   | 1.2 | 10        |
| 239 | Multiscale timing of pheromone transduction in hawkmoth olfactory receptor neurons. , 2021, , 435-468.   |     | 1         |
| 240 | Molecular mechanisms of pheromone detection. , 2021, , 355-413.  |     | 4         |
| 241 | History and Development of Food-Based Attractants. , 2014, , 75-118.   |     | 58        |
| 244 | Estudo comparativo das sensilas antenais de operárias de Melipona scutellaris (Hymenoptera: Apidae) de diferentes altitudes. EntomoBrasilis, 2013, 6, 64-67.   | 0.2 | 5         |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 245 | Dynamical Modeling of the Moth Pheromone-Sensitive Olfactory Receptor Neuron within Its Sensillar Environment. PLoS ONE, 2011, 6, e17422.   | 1.1 | 13        |
| 246 | Putative Chemosensory Receptors of the Codling Moth, Cydia pomonella, Identified by Antennal Transcriptome Analysis. PLoS ONE, 2012, 7, e31620.   | 1.1 | 166       |
| 247 | Identification and Expression Profiling of Odorant Binding Proteins and Chemosensory Proteins between Two Wingless Morphs and a Winged Morph of the Cotton Aphid Aphis gossypii Glover. PLoS ONE, 2013, 8, e73524.                  | 1.1 | 86        |
| 248 | Identification of Candidate Odorant Receptors in Asian Corn Borer Ostrinia furnacalis. PLoS ONE, 2015, 10, e0121261.  | 1.1 | 50        |
| 249 | Identification of Putative Olfactory Genes from the Oriental Fruit Moth Grapholita molesta via an Antennal Transcriptome Analysis. PLoS ONE, 2015, 10, e0142193.  | 1.1 | 40        |
| 250 | A Conserved Odorant Receptor Tuned to Floral Volatiles in Three Heliothinae Species. PLoS ONE, 2016, 11, e0155029.  | 1.1 | 26        |
| 251 | Attraction, Oviposition and Larval Survival of the Fungus Gnat, Lycoriella ingenua, on Fungal Species Isolated from Adults, Larvae, and Mushroom Compost. PLoS ONE, 2016, 11, e0167074.   | 1.1 | 12        |
| 252 | PROTEIN BAITS, VOLATILE COMPOUNDS AND IRRADIATION INFLUENCE THE EXPRESSION PROFILES OF ODORANTBINDING PROTEIN GENES IN BACTROCERA DORSALIS (DIPTERA: TEPHRITIDAE). Applied Ecology and Environmental Research, 2017, 15, 1883-1899. | 0.2 | 18        |
| 253 | Identification of Kairomonal Compounds From Host Plants Attractive to Melon Fly, Zeugodacus cucurbitae (Coquillett) (Diptera:Tephritidae). Journal of Entomology, 2017, 14, 216-227.  | 0.2 | 3         |
| 254 | Expanding the olfactory code by in silico decoding of odor-receptor chemical space. ELife, 2013, 2, e01120.   | 2.8 | 59        |
| 255 | Evolved differences in larval social behavior mediated by novel pheromones. ELife, 2014, 3, e04205.   | 2.8 | 64        |
| 256 | Host seed type and volatile compound abundance level mould host location and preference behaviours in Callosobruchus maculatus (Fabricius, 1775) (Coleoptera: Chrysomelidae). Polish Journal of Entomology, 2021, 90, 152-163.      | 0.1 | 0         |
| 257 | The role of fungi and their associated volatiles in the ecology ofÂTribolium castaneum. , 2016, , .   |     | 1         |
| 260 | Functional Diversity of Infochemicals in Agri-Ecological Networks. , 2020, , 187-208.   |     | 3         |
| 262 | The transposable element-rich genome of the cereal pest Sitophilus oryzae. BMC Biology, 2021, 19, 241.  | 1.7 | 40        |
| 265 | Stink Bug Communication and Signal Detection in a Plant Environment. Insects, 2021, 12, 1058.   | 1.0 | 5         |
| 266 | Expression profiles and functional prediction of ionotropic receptors in Asian corn borer, (Lepidoptera: Crambidae). Journal of Integrative Agriculture, 2022, 21, 474-485.   | 1.7 | 4         |
| 267 | Identification of Olfactory Genes in Monochamus saltuarius and Effects of Bursaphelenchus xylophilus Infestation on Their Expression. Forests, 2022, 13, 258.   | 0.9 | 5         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 268 | Characteristics of Chili (Capsicum annuum L.) That Are Resistant and Susceptible to Oriental Fruit Fly (Bactrocera dorsalis Hendel) Infestation. Horticulturae, 2022, 8, 314.                               | 1.2 | 2         |
| 269 | An odorant receptor of the green mirid bug, Apolygus lucorum, tuned to linalool. Insect<br>Biochemistry and Molecular Biology, 2022, 144, 103764.   | 1.2 | 1         |
| 270 | Morphological and Ultrastructural Characterization of Antennal Sensilla and the Detection of Floral Scent Volatiles in Eupeodes corollae (Diptera: Syrphidae). Frontiers in Neuroanatomy, 2021, 15, 791900. | 0.9 | 4         |
| 271 | Reduced olfactory acuity in recently flightless insects suggests rapid regressive evolution. Bmc Ecology and Evolution, 2022, 22, 50.   | 0.7 | 3         |
| 272 | Advances in the study of the evolution of plant–pollinator relationships. , 0, , 458-468.   |     | 0         |
| 312 | Functional Characterization of Odorant Binding Protein PyasOBP2 From the Jujube Bud Weevil, Pachyrhinus yasumatsui (Coleoptera: Curculionidae). Frontiers in Physiology, 2022, 13, 900752.                  | 1.3 | 5         |
| 313 | Genomic insights into evolution and control of <i>Wohlfahrtia magnifica</i> , a widely distributed myiasisâ€causing fly of warmâ€blooded vertebrates. Molecular Ecology Resources, 2022, 22, 2744-2757.     | 2.2 | 4         |
| 315 | Odorant Receptor PxylOR11 Mediates Repellency of Plutella xylostella to Aromatic Volatiles.<br>Frontiers in Physiology, 0, 13, .  | 1.3 | 1         |
| 316 | Behavioral Responses of Bemisia tabaci Mediterranean Cryptic Species to Three Host Plants and Their Volatiles. Insects, 2022, 13, 703.  | 1.0 | 1         |
| 317 | Insights Into Chemosensory Proteins From Non-Model Insects: Advances and Perspectives in the Context of Pest Management. Frontiers in Physiology, 0, 13, .  | 1.3 | 6         |
| 319 | An almost nontoxic tetrodotoxin analog, $5,6,11$ -trideoxytetrodotoxin, as an odorant for the grass puffer. Scientific Reports, 2022, $12$ , .  | 1.6 | 10        |
| 320 | Annotations of novel antennae-expressed genes in male Glossina morsitans morsitans tsetse flies. PLoS ONE, 2022, 17, e0273543.  | 1.1 | 0         |
| 321 | Biosynthesis of Sesquiterpenes in Basidiomycetes: A Review. Journal of Fungi (Basel, Switzerland), 2022, 8, 913.  | 1.5 | 11        |
| 322 | Revisiting trends in morphology of antennal sensilla in scarabaeoid beetles. Zoomorphology, 2022, 141, 315-326.   | 0.4 | 4         |
| 323 | Male <i>Grapholita molesta </i> (Busck) adults responding to various component combinations of synthetic female sex pheromone. Entomological Research, 2022, 52, 394-403.                                   | 0.6 | 0         |
| 324 | Newly Discovered Components of Dendrolimus pini Sex Pheromone. Insects, 2022, 13, 1063.   | 1.0 | 1         |
| 325 | Antibiotics from Insect-Associated Actinobacteria. Biology, 2022, 11, 1676.   | 1.3 | 9         |
| 326 | Differentiation of action mechanisms between natural and synthetic repellents through neuronal electroantennogram and proteomic in Aedes aegypti (Diptera: Culicidae). Scientific Reports, 2022, 12, .      | 1.6 | 0         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 327 | Insect exuviae as soil amendment affect flower reflectance and increase flower production and plant volatile emission. Plant, Cell and Environment, 2023, 46, 931-945.   | 2.8 | 2         |
| 328 | Chapter 2: Comparative morphology of the peripheral olfactory system of disease vector arthropods. , 2022, , 29-70.  |     | 9         |
| 329 | Single Sensillum Recording: An electrophysiological recording that directly reveal olfactory transduction mechanisms in insects. Hikaku Seiri Seikagaku(Comparative Physiology and Biochemistry), 2022, 39, 150-159.   | 0.0 | 0         |
| 330 | Impact of Agro-Industrial Side-Streams on Sesquiterpene Production by Submerged Cultured Cerrena unicolor. Foods, 2023, 12, 668.   | 1.9 | 1         |
| 332 | Controlling the Behavior of Harmful Insects: Light and Chemical Signals and Their Combined Action. Entomological Review, 2022, 102, 782-819.   | 0.1 | 0         |
| 333 | Functional imaging and quantification of multineuronal olfactory responses in <i>C. elegans</i> . Science Advances, 2023, 9, .   | 4.7 | 9         |
| 334 | Odorant-Binding Proteins and Chemosensory Proteins in Spodoptera frugiperda: From Genome-Wide Identification and Developmental Stage-Related Expression Analysis to the Perception of Host Plant Odors, Sex Pheromones, and Insecticides. International Journal of Molecular Sciences, 2023, 24, 5595. | 1.8 | 10        |
| 335 | Bio-efficacy of insecticidal molecule emodin against dengue, filariasis, and malaria vectors.<br>Environmental Science and Pollution Research, 2023, 30, 61842-61862.  | 2.7 | 6         |
| 336 | Nonanal, a new fall armyworm sex pheromone component, significantly increases the efficacy of pheromone lures. Pest Management Science, 2023, 79, 2831-2839.   | 1.7 | 8         |
| 337 | Ecological aspects of volatile organic compounds emitted by exotic invasive plants. Frontiers in Ecology and Evolution, $0,11,$  | 1.1 | 3         |
| 338 | Identification and sex-specific expression of chemosensory genes in the antennal transcriptomes of <i>Pachyrhinus yasumatsui</i> (Coleoptera: Curculionidae). Journal of Insect Science, 2023, 23, .   | 0.6 | 1         |
| 344 | Ecological drivers of bee cognition: insights from stingless bees. Behavioral Ecology and Sociobiology, 2023, 77, .  | 0.6 | 0         |
| 348 | Honey bee adaptations for foraging. , 2024, , 45-64.   |     | О         |