CITATION REPORT List of articles citing



DOI: 10.1007/s11926-008-0020-y Current Rheumatology Reports, 2008, 10, 110-7.

Source: https://exaly.com/paper-pdf/43294003/citation-report.pdf

Version: 2024-04-09

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
619	UV and pigmentation: molecular mechanisms and social controversies. 2008 , 21, 509-16		74
618	Vitamin D deficiency and risk of cardiovascular disease. 2008 , 117, 503-11		1770
617	Evaluation of vitamin D repletion regimens to correct vitamin D status in adults. 2009 , 15, 95-103		64
616	Combination treatment with progesterone and vitamin D hormone may be more effective than monotherapy for nervous system injury and disease. 2009 , 30, 158-72		78
615	Genetics of bone loss in rheumatoid arthritisrole of vitamin D receptor polymorphisms. 2009 , 48, 342-	6	31
614	Diabetes and fractures: an overshadowed association. 2009 , 16, 435-45		74
613	Vitamin D deficiency and risk for cardiovascular disease. 2009 , 338, 40-4		203
612	Scientific Opinion on the substantiation of health claims related to vitamin D and normal function of the immune system and inflammatory response (ID 154, 159), maintenance of normal muscle function (ID 155) and maintenance of normal cardiovascular function (ID 159) pursuant to Article		13
611	13(1) of Regulation (EC) No 1924/2006. 2010 , 8, 1468 Micronutrient deficiencies after bariatric surgery. 2010 , 26, 1031-7		245
610	Vitamin D-mediated calcium absorption in patients with clinically stable Crohn@ disease: a pilot study. 2010 , 54, 1085-91		17
609	Overview of the Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. 2010 , 172, 4-9		101
608	Vitamin D deficiency reduces the benefits of progesterone treatment after brain injury in aged rats. 2011 , 32, 864-74		57
607	Complete resolution of sickle cell chronic pain with high dose vitamin D therapy: a case report and review of the literature. 2011 , 33, 549-51		22
606	Assessment and modification of cardiovascular disease risk in the HIV-infected individual. 2011, 6, 307-	320	2
605	Vitamin D is linked to carotid intima-media thickness and immune reconstitution in HIV-positive individuals. 2011 , 16, 555-63		70
604	Plasma concentrations of 25-hydroxyvitamin D among Jordanians: Effect of biological and habitual factors on vitamin D status. 2011 , 11, 8		27
603	1,25-Dihydroxyvitamin Dlenhances NK susceptibility of human melanoma cells via Hsp60-mediated FAS expression. 2011 , 41, 2937-46		18

602	A novel perspective for Alzheimer@disease: vitamin D receptor suppression by amyloid-land preventing the amyloid-landuced alterations by vitamin D in cortical neurons. 2011 , 23, 207-19	122
601	Health benefits and health claims of probiotics: bridging science and marketing. 2011 , 106, 1291-6	141
600	Pediatric 25-hydroxyvitamin D concentrations in neurofibromatosis type 1. 2011 , 24, 169-74	17
599	Vitamin D and parathyroid hormone in relation to bone mineral density in postmenopausal women. 2012 , 69, 243-248	5
598	Effects of seasonal vitamin D deficiency and respiratory acidosis on bone metabolism markers in submarine crewmembers during prolonged patrols. 2012 , 112, 587-96	11
597	High dose 1,25(OH)2D3 inhibits osteoblast mineralization in vitro. 2012 , 29, 934-8	32
596	The Role of Vitamin D Deficiency in the Pathogenesis of Osteoporosis and in the Modulation of the Immune System in HIV-Infected Patients. 2012 , 10, 277-287	6
595	A 21st century evaluation of the safety of oral vitamin D. 2012 , 28, 344-56	29
594	Vitamin D and psychosis: mini meta-analysis. 2013 , 150, 235-9	82
593	Vitamin D: health panacea or false prophet?. 2013 , 29, 37-41	42
592	Vitamin D inquiry in hippocampal neurons: consequences of vitamin D-VDR pathway disruption on calcium channel and the vitamin D requirement. 2013 , 34, 1453-8	51
592 591		51 15
	calcium channel and the vitamin D requirement. 2013 , 34, 1453-8	
591	calcium channel and the vitamin D requirement. 2013 , 34, 1453-8 Extraskeletal effects and manifestations of Vitamin D deficiency. 2013 , 17, 602-10 The relationship between vitamin D status and HIV-related complications in HIV-infected children	15
591 590	calcium channel and the vitamin D requirement. 2013 , 34, 1453-8 Extraskeletal effects and manifestations of Vitamin D deficiency. 2013 , 17, 602-10 The relationship between vitamin D status and HIV-related complications in HIV-infected children and young adults. 2013 , 32, 1224-9	15
591 590 589	calcium channel and the vitamin D requirement. 2013, 34, 1453-8 Extraskeletal effects and manifestations of Vitamin D deficiency. 2013, 17, 602-10 The relationship between vitamin D status and HIV-related complications in HIV-infected children and young adults. 2013, 32, 1224-9 Vitamin D Ihew trend or real benefis?. 2013, 4, 363-367 Short communication: High prevalence of vitamin D deficiency in HIV-infected and HIV-uninfected	15 16
591 590 589 588	Extraskeletal effects and manifestations of Vitamin D deficiency. 2013, 17, 602-10 The relationship between vitamin D status and HIV-related complications in HIV-infected children and young adults. 2013, 32, 1224-9 Vitamin D Ihew trend or real benefis?. 2013, 4, 363-367 Short communication: High prevalence of vitamin D deficiency in HIV-infected and HIV-uninfected pregnant women. 2013, 29, 1224-8 Vitamin d status and response to initial vitamin d supplementation in korean women with	15 16 7

584	Abstracts of the 34th International Symposium on Intensive Care and Emergency Medicine, March 18-21, 2014, Brussels, Belgium. 2014 , 18 Suppl 1, P1-P502	2
583	The Limpet controlled drug cabinet alarm and camera. 2014 , 18, P2	1
582	Role of pharmacist in multidisciplinary pediatric intensive care rounds: a retrospective descriptive study. 2014 , 18, P3	1
581	Improvement in the identification and management of inadvertent hypothermia in the critically ill: an audit cycle. 2014 , 18, P4	78
580	Compliance of a ventilator-associated pneumonia care bundle in an adult intensive care setting. 2014 , 18, P6	1
579	Referrals to a critical care unit: compliance with the NCEPOD recommendations. 2014 , 18, P7	78
578	Organisational changes in service provision outside critical care impact on referral patterns. 2014 , 18, P8	78
577	Demands on a continuing education online-study program for physicians. 2014 , 18, P10	78
576	Do generic measures fully capture health-related quality of life in adult, general critical care survivors?. 2014 , 18, P11	78
575	Surgical HDU admissions: utilisation, organ support and finance. 2014 , 18, P12	78
574	Convalescence via critical care collaboration. 2014 , 18, P13	78
573	Can dynamic light improve melatonin production and quality of sleep?. 2014 , 18, P14	Ο
572	Targeting blood tests in the ICU may lead to a significant cost reduction. 2014 , 18, P15	Ο
571	Results of the Telemedicine Program for implementation of the Surviving Sepsis Campaign Protocol in a community Brazilian hospital. 2014 , 18, P17	78
570	ICU nursing connectivity and the quality of care in an academic medical center: a network analysis. 2014 , 18, P18	78
569	Compassion fatigue and burnout among healthcare professionals in the ICU. 2014 , 18, P19	6
568	Effect of divergences about patient@care plan on the outcome of critically ill patients. 2014, 18, P20	78
567	Prevalence, risk factors and consequences of intra-team conflicts in the ICU. 2014 , 18, P21	78

566	Do we spend less on older critically ill patients? Relationship among intensity of care, severity of illness and mortality. 2014 , 18, P22	78
565	New policy for ICU visits: prospective study. 2014 , 18, P23	1
564	Dealing with cultural diversity during the process of communication and decision-making in the ICU: a literature review. 2014 , 18, P24	1
563	Symptoms of anxiety, depression and post-traumatic stress in pairs of patients and their family members during and following ICU stay: who suffers most?. 2014 , 18, P25	1
562	Heart-focused anxiety in critically ill patients Orelatives. 2014, 18, P26	78
561	Family satisfaction in the ICU: a 6-month experience. 2014 , 18, P27	78
560	Qualitative analysis of a family satisfaction in an adult ICU. 2014 , 18, P28	1
559	Outcomes of ventilated surgical and medical ICU patients: do patients die from ARDS or with ARDS?. 2014 , 18, P29	1
558	Advance care planning in critically ill haematology patients. 2014 , 18, P30	78
557	A new questionnaire to determine the effect of team interaction in the ICU on perceived futility and intention to quit: results of a pilot study in two German hospitals. 2014 , 18, P31	78
556	ASA helps prediction of the death rate in surgical ICU patients. 2014 , 18, P32	78
555	Till death do us part: amyotrophic lateral sclerosis in the ICU. 2014 , 18, P33	78
554	Death rate of patients admitted to a Brazilian ICU on weekends and holidays. 2014 , 18, P34	1
553	How many ways are there to die? Identification of ICU death typologies using cluster analysis. 2014 , 18, P35	78
552	Independent risk factors associated with the decision to withhold therapeutic intervention in patients admitted to the emergency room. 2014 , 18, P36	78
551	Autopsy-detected diagnostic errors in critically ill patients with cirrhosis. 2014 , 18, P37	78
550	Profile, outcomes, and predictors of mortality of abdomino-pelvic trauma patients in a tertiary ICU in Saudi Arabia. 2014 , 18, P38	78
549	Radiation exposure in trauma patients is affected by age. 2014 , 18, P39	78

548	Survival rate and predictors of outcome in intubated patients with haematological malignancies in a Greek ICU. 2014 , 18, P40	78
547	Predictors of outcome in patients with haematological malignancies admitted to critical care. 2014 , 18, P41	78
546	Early risk stratification in patients with oncological and hematological malignancies in the emergency department. 2014 , 18, P42	78
545	Calculated radiation exposure for trauma patients is lower when using the New Injury Severity Score versus the Injury Severity Score to calculate injury severity. 2014 , 18, P43	78
544	Early warning scores: breaking or building barriers to critical care. 2014 , 18, P44	78
543	Impact of obesity on outcomes in patients with sepsis. 2014 , 18, P46	78
542	Obesity is not associated with poor outcomes in older patients with sepsis. 2014 , 18, P47	78
541	Long-term outcome in COPD patients with pneumonic and nonpneumonic exacerbation: a 6-year prospective follow-up study. 2014 , 18, P48	78
540	Frailty predicts need for medical review but not degree of organ support after complex orthopaedic surgery. 2014 , 18, P49	1
539	Frailty measures in the critically ill: are we approaching a critical age? A systematic review. 2014 , 18, P50	1
538	Prediction of 1-year mortality of patients treated for more than 72 hours in an ICU. 2014 , 18, P51	78
537	Long-term physical functioning and health-related outcomes in survivors of intensive care. 2014 , 18, P52	78
536	Patients with prolonged stay on ICUs and the risk of mortality within 1-year of cardiac surgery. 2014 , 18, P53	78
535	Six-month outcomes in lung cancer patients surviving ICU admission: results from a multinational multicenter study. 2014 , 18, P54	78
534	Survival and quality of life in patients acquiring acute kidney injury in the first 24 hours of ICU admission. 2014 , 18, P55	78
533	Increasing age of patients admitted to intensive care, and association between increased age and greater risk of post-ICU death. 2014 , 18, P56	1
532	Outcomes of military patients treated at the UK Royal Centre for Defence Medicine 2007 to 2013. 2014 , 18, P57	78
531	Very old patients with cancer admitted to the ICU: outcome and predictive factors of mortality. 2014 , 18, P58	78

530	A retrospective review of mortality and complications following oesophagectomy in a large UK teaching hospital. 2014 , 18, P59	O
529	SwissScoring: a nationwide survey about SAPS II assessing accuracy. 2014 , 18, P60	78
528	Abandoning the National Early Warning Score in our district general hospital. 2014 , 18, P61	78
527	Endpoint resuscitation-based prediction model for early mortality of severe sepsis and septic shock. 2014 , 18, P62	78
526	Is the Golden hour important? Looking at disability and health-related quality of life in a Portuguese trauma registry. 2014 , 18, P63	78
525	Predicting outcomes after blunt chest wall trauma: development and external validation of a new prognostic model. 2014 , 18, P64	2
524	Transplantation of bone marrow-derived mononuclear cells can improve the survival rate and suppress the inflammatory response in a rat crush injury model. 2014 , 18, P65	78
523	Impact of a dedicated trauma desk in ambulance control on the identification of major trauma in Scotland. 2014 , 18, P66	78
522	The Manchester Triage System in optimizing triage in adult general medical emergency patients: the Triage Project. 2014 , 18, P67	1
521	Introduction of the Kaifu telemedicine system for emergency medicine to ambulance services with improvement of the survival rates. 2014 , 18, P68	78
520	Training to achieve coordination of rescue and ambulance and medical teams. 2014 , 18, P69	78
519	Complementary cooperation of an ambulance helicopter and car with medical doctors: meaning of simultaneous dispatch. 2014 , 18, P70	78
518	Evaluation and prevention of violence in the emergency department in Lebanon. 2014 , 18, P71	78
517	Epidemiology and critical care management of patients admitted after intentional self-poisoning. 2014 , 18, P72	78
516	Price per unit: the cost of alcohol-related admissions to a regional ICU. 2014 , 18, P73	78
515	Clinical research of patients with multiple organ dysfunction syndrome induced by severe heat stroke: nine case reports and literature review. 2014 , 18, P74	78
514	Effect of low-dose hydrocortisone on gene expression profiles after severe burn injury. 2014 , 18, P75	78
513	Low socioeconomic status, ethnicity and geographical location confers high risk of significant accidental burns injuries in London. 2014 , 18, P77	2

512	Effectiveness of noncontrast abdominal multidetector CT for evaluating the patient with renal insufficiency in the emergency department. 2014 , 18, P78	78
511	Antipyretics in the emergency department - intravenous paracetamol versus intramuscular diclofenac: a comparative study. 2014 , 18, P79	78
510	Survey of severe sepsis and septic shock management in Thailand: THAI-SHOCK SURVEY 2013. 2014 , 18, P80	78
509	Laboratory early warning score versus clinical early warning score as a predictor of imminent cardiac arrest. 2014 , 18, P81	78
508	Hospital mortality predictive factors following Rapid Response Team activation. 2014 , 18, P82	1
507	Long-term outcome of the Emergency Response Team system in in-hospital cardiac arrest. 2014 , 18, P83	78
506	Epidemiology of unplanned intensive care admissions through inhospital referrals at a tertiary referral centre university hospital. 2014 , 18, P84	78
505	Use of low-dose CT KUB: is it becoming the easy way out?. 2014 , 18, P85	78
504	Bled dry? An audit of blood sampling practices on an adult intensive therapy unit. 2014, 18, P86	78
503	Decreasing central-line blood draws by consolidation of phlebotomy timing: results of a quality improvement project. 2014 , 18, P87	78
502	Introducing an arterial non-injectable connector into clinical practice. 2014 , 18, P88	78
501	Novel hemostatic technique using a silicone gel dressing for tangential excision in burn surgery. 2014 , 18, P89	78
500	Should we avoid invasive treatment in cancer patients with pericardial tamponade?. 2014 , 18, P90	78
499	Goal-directed hemostatic therapy using rotational thromboelastometry in patients requiring emergent cardiovascular surgery. 2014 , 18, P91	78
498	Thromboelastometric examination on the ICU before elective procedures. 2014 , 18, P92	78
497	ROTEM: Multiplate monitoring in the ICU and outcome scores. 2014 , 18, P93	1
496	Retrospective observational study of interventional radiology and critical care coagulopathy. 2014 , 18, P94	78
495	Monitoring of treatment with low molecular weight heparins using viscoelastic devices. 2014 , 18, P95	1

494	Heparin stability in parenteral nutrition bags prepared in a neonatal ICU. 2014, 18, P96	78
493	Bivalirudin or heparin: which anticoagulation strategy for critically ill cardiac surgery patients?. 2014 , 18, P97	78
492	Reversal of edoxaban-induced anticoagulation by the four-factor prothrombin complex concentrate Beriplex in a rabbit model. 2014 , 18, P98	78
491	Use of a specific antidote to dabigatran (idarucizumab) reduces blood loss and mortality in dabigatran-induced and trauma-induced bleeding in pigs. 2014 , 18, P99	6
490	Primary bivalirudin anticoagulation for patients with an implantable ventricular assist device. 2014 , 18, P100	78
489	Plasma-free hemoglobin and microvascular response to fresh or old blood transfusion in septic patients. 2014 , 18, P101	78
488	Fatty acid composition of blood plasma in multiple organ dysfunction syndrome. 2014 , 18, P102	78
487	Response of coagulation and fibrinolysis system was different between older and nonolder patients with severe sepsis. 2014 , 18, P103	78
486	EAminocaproic acid does not increase adverse effects in cardiac surgery: an analysis of 2,852 cases. 2014 , 18,	78
485	Eculizumab treatment of atypical haemolytic uraemic syndrome: results from the largest prospective clinical trial to date. 2014 , 18, P105	1
484	Variation in red blood cell transfusion thresholds in critically ill patients. 2014 , 18, P106	3
483	A liberal strategy of red blood cell transfusion reduces cardiovascular complications in older patients undergoing cardiac surgery. 2014 , 18, P107	78
482	Anemia and high hematocrit are associated with in-hospital mortality in emergency department patients with suspected infection. 2014 , 18, P108	78
481	New simplified criteria for predicting massive transfusion in trauma. 2014 , 18, P109	78
480	Blood product transfusions in septic patients are associated with mortality, ARDS, and more days on mechanical ventilation. 2014 , 18, P111	78
479	Inflammatory properties of microparticles in stored red blood cell transfusion products. 2014 , 18, P113	2
478	Influenza A (H1N1): the first hit for transfusion-related acute lung injury?. 2014, 18, P114	78
477	Prothrombin complex concentrate restores haemostasis in a dabigatran anticoagulated polytrauma pig model. 2014 , 18, P115	2

476	Effect of a fixed dose of fresh frozen plasma on systemic inflammation and endothelial damage in nonbleeding critically ill patients. 2014 , 18, P116	78
475	Application of damage control resuscitation strategies to patients with severe traumatic hemorrhage: review of plasma to packed red blood cell ratios at a single institution. 2014 , 18, P117	78
474	In a trauma experimental pig model prothrombin complex concentrates and a specific antidote (idarucizumab) are effective to reverse the anticoagulant effects of dabigatran. 2014 , 18, P118	3
473	Attenuation of ischemia-reperfusion injury in swine resuscitated for hemorrhagic shock by low-dose inhaled nitrite or carbon monoxide. 2014 , 18, P119	78
472	Validation of inflationary non-invasive blood pressure monitoring in emergency room patients. 2014 , 18, P120	78
471	Influence of the oscillometric calibration method on accuracy and precision of continuous non-invasive arterial pressure measurements using the CNAPIdevice. 2014 , 18, P121	78
470	Arterial pulse waveform as an n-soliton evolution of the left ventricular pressure pulse. 2014 , 18, P122	78
469	Tackling the burden of postsurgical complications in the USA: would perioperative goal-directed therapy help?. 2014 , 18, P123	1
468	Radiological control of central venous catheter (CVC) versus electrocardiogram-guided control inserted CVC: confirm with transesophageal echocardiography. 2014 , 18, P124	1
467	Impact of the neutral position and rotation of the head in ultrasound-guided internal jugular vein catheterization on duration of procedure and complications. 2014 , 18, P125	78
466	Anthropometric formulas versus intracavitary ECG for optimal tip position of central venous catheters. 2014 , 18, P126	78
465	Residents learning ultrasound-guided catheterization are not sufficiently skilled to use landmarks. 2014 , 18, P127	78
464	Development of a standardized method of peripherally inserted central catheter (PICC-line) bedside installation. 2014 , 18, P128	1
463	Is chest X-ray necessary after central venous catheter insertion?. 2014 , 18, P129	1
462	Diagnostic value of chest ultrasound after cardiac surgery: a comparison with chest X-ray and auscultation. 2014 , 18, P130	2
461	Ultrasound measurement of carotid flow time changes with volume status. 2014 , 18, P131	6
460	Real-time ultrasound-guided subclavian vein cannulation in cardiac surgery: comparison between short-axis and long-axis techniques. 2014 , 18, P132	78
459	Transthoracic echocardiography used in conjunction with passive leg raising for assessment of fluid responsiveness in severe sepsis or septic shock patients. 2014 , 18, P133	78

458	enthusiasts or indispensable tool?. 2014 , 18, P134	4
457	Accuracy of synthesized right-sided/posterior chest lead electrocardiograms. 2014 , 18, P135	78
456	Aortic stiffness in patients with early sepsis. 2014 , 18, P136	78
455	Novel technology for non-invasive thoracic fluid measurement: an animal model comparative study. 2014 , 18, P137	78
454	Adherence to the nurse-driven hemodynamic protocol during postoperative care. 2014 , 18, P138	78
453	Pulse wave transit time technique for perioperative non-invasive hemodynamic monitoring. 2014 , 18, P139	78
452	Validation of cardiac output from Mostcare compared with a pulmonary artery catheter in septic patients. 2014 , 18, P140	1
451	Novel non-invasive technology for cardiac output determination. 2014 , 18, P141	78
450	Performance of pulse contour and pulse wave transit time-based continuous cardiac output analyses: clinical validation of two methods in Thai patients undergoing cardiac surgery. 2014 , 18, P142	1
449	Comparison of PiCCO and VolumeView: simultaneous measurement in sepsis pig models. 2014 , 18, P143	1
448	Effects of the restrictive fluid strategy on postoperative pulmonary and renal function following pulmonary resection surgery. 2014 , 18, P144	78
447	Perioperative fluid balance and postoperative changes in serum creatinine in patients admitted to critical care after elective major surgery. 2014 , 18, P145	78
446	Very limited usefulness of pulse pressure variation as a predictor of volume responsiveness in critically ill septic patients. 2014 , 18, P146	78
445	Effects of central hypovolemia induced by tilt table on the Doppler- based renal resistive index in healthy volunteers. 2014 , 18, P147	78
444	Tissue oxygenation as a target for goal-directed therapy in high-risk surgery. 2014 , 18, P148	78
443	Why measurements do (not) work: the human factor. 2014 , 18, P149	78
442	Fluid responsiveness in septic shock. 2014 , 18, P150	78
441	Use of pulse pressure variation and stroke volume variation in spontaneously breathing patients to assess dynamic arterial elastance and to predict arterial pressure response to fluid administration. 2014 , 18, P151	2

440	Accuracy of the plethysmographic variation index as a predictor of fluid responsiveness after cardiac surgery. 2014 , 18, P152	78
439	Kinetics of volume expansion during a fluid challenge. 2014 , 18, P153	78
438	Fluid challenge with shock. 2014 , 18, P154	78
437	In vivo effect of hydroxyethyl starch solution (HES 130/0.4) on different fibrinogen assays. 2014 , 18, P155	78
436	BXL 628 ameliorates toxicity of lactated Ringer in HK-2 human renal proximal tubule cells in a hypovolemia mimicking model. 2014 , 18, P156	78
435	Hypotonic fluids after liver transplantation may be associated with prolonged ICU stay. 2014 , 18, P157	78
434	Early Vasopressin Application in Shock study. 2014 , 18, P158	6
433	Terlipressin-induced hyponatraemia. 2014 , 18, P159	1
432	Vitamin D deficiency and altered bone mineral metabolism in HIV-infected individuals. 2014 , 11, 263-70	11
431	Incidence of adverse events in a Brazilian coronary ICU. 2014 , 18, P5	78
430	Care of Burns in Scotland: 3-year data from the Managed Clinical Network National Registry. 2014 , 18, P76	1
429	Transfusion requirements in septic shock patients: a randomized controlled trial. 2014 , 18, P112	1
428	Fibrinogen at admission is an independent predictor of mortality in severe sepsis and septic shock. 2014 , 18, P209	2
427	Urinary tissue inhibitor of metalloproteinases-2 and insulin-like growth factor-binding protein 7 as early biomarkers of acute kidney injury and renal recovery following cardiac surgery. 2014 , 18, P381	78
426	Plasma platelet-derived microparticles to platelet count ratio as a marker of mortality in critically ill patients. 2014 , 18, P210	1
425	Efficacy of terutroban in preventing delayed cerebral ischemia after subarachnoid hemorrhage: a functional isotope imaging study on a rat model. 2014 , 18, P461	78
424	Clinical pulmonary infection score calculator in the early diagnosis and treatment of ventilator-associated pneumonia in the ICU. 2014 , 18, P304	5
423	Ability to speak in ventilator-dependent tracheostomized ICU patients. 2014 , 18, P323	0

422	Vasopressin versus norepinephrine for the management of septic shock in cancer patients. 2014 , 18, P161	2
421	Effect of nasal high flow for postoperative respiratory failure: a prospective observational study. 2014 , 18, P311	78
420	Effect of subglottic secretion drainage for preventing ventilator-associated pneumonia. 2014 , 18, P331	2
419	Enteral administration of antiepileptic agents could have efficacy for prevention of post-traumatic seizures in severe traumatic brain injury. 2014 , 18, P481	78
418	Demand versus supply in intensive care: an ever-growing problem. 2014 , 18, P9	2
417	Analysis of the acoustic environment in an ICU using patient information as a covariate. 2014 , 18, P16	78
416	Factors affecting the clinical response to National Early Warning score triggers. 2014 , 18, P45	1
415	Haemodynamic effects of phenylephrine commenced prior to induction of anaesthesia in older patients undergoing high-risk vascular surgery. 2014 , 18, P164	78
414	Acetaminophen-induced hypotension in the surgical ICU. 2014 , 18, P165	1
413	Experiences of a tertiary center with use of extracorporeal membrane oxygenation support in patients with cardiogenic shock after cardiac surgery. 2014 , 18, P166	78
412	Potential use of veno-arterial extracorporeal membrane oxygenation for cardiogenic shock refractory to mechanical assist devices: baseline physiology and mortality data. 2014 , 18, P167	78
411	Normobaric oxygen paradox and the microcirculation in the critically ill patient: a prospective observational study. 2014 , 18, P168	78
410	Predictive criteria for the development of intra-abdominal hypertension and abdominal compartment syndrome. 2014 , 18, P169	78
409	Early lactate-guided therapy in cardiac surgery patients: a randomized controlled trial. 2014 , 18, P170	1
408	Lactate as a predictor of deterioration in emergency department patients with and without infection. 2014 , 18, P171	78
407	Correlation between conventional and advanced hemodynamic parameters versus serum lactate in patients with severe sepsis. 2014 , 18, P173	78
406	Delayed assessment of serum lactate in sepsis is associated with an increased mortality rate. 2014 , 18, P174	78
405	Lactate quartile concentration and prognosis in severe sepsis and septic shock. 2014 , 18, P176	78

404	Comparison of the effects of histidine-triptophan-ketoglutarate solution and crystalloid cardioplegia on myocardial protection during pediatric cardiac surgery. 2014 , 18, P178	78
403	Hyperdynamic ejection fraction in the critically ill patient. 2014 , 18, P179	78
402	Impact of nitric oxide on pulmonary regurgitation and cardiac function in the acute stage after right ventricular outflow surgery. 2014 , 18, P180	78
401	Cardiogenic oscillation in pediatric patients after cardiac surgery. 2014 , 18, P181	1
400	Intraoperative dexamethasone on left atrial function and postoperative atrial fibrillation in cardiac surgical patients. 2014 , 18, P182	78
399	White blood cell count and new-onset atrial fibrillation after cardiac surgery. 2014 , 18, P183	78
398	Anti-adrenergic effects of ranolazine in isolated rat aorta. 2014 , 18, P184	78
397	Delays in extubation following elective adult cardiac surgery. 2014 , 18, P185	78
396	Effects of perfusion pressure on the splanchnic circulation after cardiopulmonary bypass: a randomized double cross-over study. 2014 , 18, P186	1
395	Isoflurane attenuates left ventricular akinesia and preserves cardiac output in the Tako-tsubo rat model. 2014 , 18, P187	78
394	Preoperative therapy with angiotensin-converting enzyme inhibitors in cardiac surgery patients: is there any impact on postoperative renal function?. 2014 , 18, P188	78
393	Characterization of the profile and clinical variables associated with mortality in a Brazilian coronary ICU. 2014 , 18, P189	78
392	Hospital visit pattern and its effect on reperfusion time and clinical outcomes in ST-segment elevation acute myocardial infarction. 2014 , 18, P190	78
391	Tissue-aggressive inflammatory response defines the tissue aggressiveness of the post-infarction milieu. 2014 , 18, P191	78
390	Impact of positive end-expiratory pressure application on ventriculo-arterial coupling in decompensated left ventricles after cardiac surgery: a non-invasive echocardiographic study. 2014 , 18, P192	78
389	Prevalence of elevated cardiac troponin T in ICU patients using the high-sensitivity assay and the relationship with mortality. 2014 , 18, P193	78
388	Rhabdomyolysis following cardiac surgery: from prevalence to prevention. 2014 , 18, P194	78
387	Open cavity abdominal surgery in octogenarians and nonagenarians admitted to a university teaching hospital ICU: a retrospective review. 2014 , 18, P195	78

386	Postoperative resource utilization and survival among liver transplant recipients with Model for End-stage Liver Disease score 40: a retrospective cohort study. 2014 , 18, P201	78
385	Causes and consequences of infections in patients after liver transplantation: 2-year study in the only ICU that hospitalizes these cases in Greece. 2014 , 18, P202	78
384	Extracorporeal membrane oxygenation before and after adult liver transplantation: worth the effort?. 2014 , 18, P203	9
383	Is cirrhotic cardiomyopathy a risk factor for post-reperfusion syndrome during liver transplantation?. 2014 , 18, P204	78
382	Perioperative management of patients undergoing combined heart-liver transplantation. 2014 , 18, P205	1
381	Impaired balance between coagulation and fibrinolysis plays a prominent role in patients with sepsis. 2014 , 18, P206	78
380	Clinical usefulness of measurement of plasma soluble fibrin levels in critically ill patients. 2014 , 18, P207	78
379	Value of microbial metabolites in blood serum as criteria for bacterial load in the pathogenesis of hemodynamic disorders in critically ill patients. 2014 , 18, P208	3
378	Receptor for advanced glycation end products axis in critically ill patients. 2014 , 18, P211	78
377	Usefulness of the endotoxin activity assay as a biomarker to assess severity in ICU patients. 2014 , 18, P212	78
376	Usefulness of presepsin and procalcitonin levels in the diagnosis of sepsis in patients with acute kidney injury. 2014 , 18, P213	78
375	Differentiating sepsis from non-infective systemic inflammatory response syndrome: comparison between C-reactive protein and leptin. 2014 , 18, P214	78
374	Use of procalcitonin and white blood cells as combined predictors of infection in cardiac surgery patients. 2014 , 18, P215	1
373	Single pro-adrenomedullin determination in septic shock and 28-day mortality. 2014 , 18, P216	78
372	Club Cell protein: a candidate diagnostic biomarker of Pseudomonas aeruginosa nosocomial pneumonia. 2014 , 18, P218	78
371	Plasma cholinesterase activity as diagnostic marker for systemic inflammation. 2014 , 18, P219	1
370	Pre-analytic factors and initial biomarker levels in community- acquired pneumonia patients. 2014 , 18, P221	78
369	Altered T-cell repertoire diversity in septic shock patients. 2014 , 18, P223	78

368	Association between DNA haplogroups and severe sepsis in patients who underwent major surgery. 2014 , 18, P224	78
367	Activated protein C consumption and coagulation parameters in severe sepsis and septic shock. 2014 , 18, P226	78
366	Flow-cytometric analysis in traumatic brain injury to evaluate immunosuppression. 2014 , 18, P227	1
365	Polymorphonuclear cell surface expression patterns differ in inflammatory and infectious stages in polytraumatized and septic shock patients. 2014 , 18, P228	78
364	Lymphocyte surface expression patterns differ in inflammatory and infectious stages in polytraumatized and septic shock patients. 2014 , 18, P229	78
363	Cl:Na ratio on ICU admission as a prognostic indicator of mortality in sepsis patients. 2014 , 18, P230	78
362	Dysfunction of peroxisomes as one of the possible causes of multiple organ dysfunction syndrome development. 2014 , 18, P231	78
361	Differential effect of alcohol on TNFIFeceptor II production in the presence of LPS challenge ex vivo. 2014 , 18, P232	78
360	Neutrophil phenotype model for extracorporeal treatment of sepsis. 2014 , 18, P233	78
359	Prolactin, cortisol and heat shock proteins in early sepsis: preliminary data. 2014 , 18, P234	78
358	AMP-protein kinase may protect against sepsis-induced acute kidney injury through modulation of immune response and endothelial activation. 2014 , 18, P235	78
357	Study of the ex vivo immune response of polytrauma older patients in the ICU on admission: preliminary results. 2014 , 18, P236	1
356	Multiple trauma is linked with reversal of immunoparalysis and provides survival benefit from Pseudomonas aeruginosa. 2014 , 18, P237	78
355	Delayed admission to the ICU is associated with increased in-hospital mortality in patients with community-acquired severe sepsis or shock. 2014 , 18, P241	Ο
354	Effect of clarithromycin in patients with Gram-negative sepsis: subgroup analysis of a randomized trial. 2014 , 18, P242	1
353	Benefit profile of recombinant human soluble thrombomodulin in sepsis-induced DIC. 2014 , 18, P243	78
352	Comprehensive assessment of the true sepsis burden using electronic health record screening augmented by natural language processing. 2014 , 18, P244	1
351	Outcomes of neutropenic patients with severe sepsis on a specialist cancer ICU. 2014 , 18, P245	2

350	Vitamin D and ICU outcome in septic patients: a difficult connection?. 2014 , 18, P246	78
349	A meta-analysis of randomized controlled trials on the use of statins in septic patients. 2014 , 18, P247	78
348	Efficacy of early administration of thrombomodulin alfa in patients with sepsis-induced disseminated intravascular coagulation: subanalysis from post-marketing surveillance data. 2014 , 18, P248	78
347	Dynamic myocardial depression in septic cardiomyopathy. 2014 , 18, P249	78
346	Significant change in the practice of chest radiography in Dutch ICUs. 2014 , 18, P250	78
345	Stating clear indications for chest radiographs after cardiac surgery increases their efficacy and safely reduces costs. 2014 , 18, P251	78
344	Evaluation of early graft function in a case series of lung-transplanted patients. 2014, 18, P252	78
343	Lung function in the immediate postoperative period after videoassisted thoracoscopic and thoracotomy pulmonary resection. 2014 , 18, P254	78
342	Lung ultrasound reaeration score: a useful tool to predict non-invasive ventilation effectiveness. 2014 , 18, P255	2
341	Ultrasound in the diagnosis of pneumothorax: a survey of current practice. 2014 , 18, P256	78
340	Computed tomographic assessment of airflow obstruction in smoke inhalation injury. 2014 , 18, P257	78
339	Semi-upright position improves ventilation and oxygenation in mechanically ventilated intensive care patients. 2014 , 18, P258	3
338	Effects of sitting on the respiratory pattern, mechanics and work of breathing in mechanically ventilated patients. 2014 , 18, P259	78
337	The win ratio method: a novel hierarchical endpoint for pneumonia trials in patients on mechanical ventilation. 2014 , 18, P260	5
336	Failure to obtain admission sputum culture is associated with higher mortality and fewer ventilator-free days for intubated pneumonia patients: a quality improvement project. 2014 , 18, P261	78
335	Nonventilatory factors affecting noninvasive mechanical ventilation success in hypercapnic critical care patients. 2014 , 18, P263	78
334	Physiologic comparison between NAVA, PAV+ and PSV in critically ill patients. 2014 , 18, P264	78
333	Oxygenation index outperforms the P/F ratio for mortality prediction. 2014 , 18, P266	1

332	Determining the mechanical ventilation mode and pressure support combination that is best compatible with the rapid shallow breathing index calculated in spontaneous ventilation. 2014 , 18, P267	1
331	New setting of neurally adjusted ventilatory assist during mask noninvasive ventilation. 2014 , 18, P268	78
330	A new setting to improve noninvasive neurally adjusted ventilatory assist by helmet. 2014 , 18, P269	78
329	Is neurally adjusted ventilatory assist feasible during anesthesia?. 2014 , 18, P270	78
328	PEEP titration on the basis of intratidal resistance-volume profiles. 2014 , 18, P273	78
327	US study of gliding in nondependent lung regions: the dark side of the moon. 2014 , 18, P274	78
326	Protective ventilation reduces bacterial growth and lung injury in a porcine pneumonia model. 2014 , 18, P275	78
325	Changes in computed tomography and ventilation/perfusion mismatch with positive end-expiratory pressure. 2014 , 18, P276	78
324	Ventilator settings in ICUs: comparing a Dutch with a global cohort. 2014 , 18, P277	78
323	Graphical user interface for visualization of a decision support system for PEEP titration. 2014 , 18, P278	78
322	Time-dependent apoptosis induction after spontaneous-breathing or ventilation-analogue experimental mechanostimulation of monolayer lung cell cultures. 2014 , 18, P279	78
321	Influence of positive end-expiratory pressure on cyclic recruitment and derecruitment during one breathing cycle in porcine acute lung injury. 2014 , 18, P280	78
320	Effect of positive end-expiratory pressure on right ventricle function assessed by speckle tracking echocardiography. 2014 , 18, P281	78
319	Airway pressure release ventilation restores hemodynamic stability in patients with cardiogenic shock: initial experience in cardiac intensive care. 2014 , 18, P282	78
318	Experimental VILI begins with subpleural lung lesions. 2014 , 18, P283	78
317	CT scan and ultrasound comparative assessment of PEEP-induced lung aeration changes in ARDS. 2014 , 18, P285	8
316	Effect of tidal volume and positive end-expiratory pressure on lung hysteresis of healthy piglets. 2014 , 18, P286	78
315	Evaluation and quantification of pulmonary hyperinflation in three gravitational zones of domestic felines by computed tomography. 2014 , 18, P287	78

Effect of inhaled nitric oxide on apoptosis of lymphocytes in newborns in a critical state. 2014 , 18, P288	1
High-frequency oscillatory ventilation use in patients with H1N1: a single-centre review. 2014 , 18, P290	78
EIT comparison of airway pressure release ventilation and conventional ventilation. 2014, 18, P291	78
Comparison of HFOV and conventional ventilation in H1N1 influenza ARDS. 2014 , 18, P293	78
Opening pressures and intratidal opening and closing in ARDS lung. 2014 , 18, P294	78
Compliance with protective lung ventilation in an Irish teaching hospital. 2014 , 18, P295	78
Mechanisms underlying the lung-protective effects of FLow- controlled EXpiration. 2014, 18, P296	2
Fluid balance predicts weaning failure in chronic obstructive pulmonary disease patients. 2014 , 18, P299	2
Role of the rapid shallow breathing index to predict the success of mechanical ventilator liberation in acute respiratory failure. 2014 , 18, P300	78
Determinants of ventilator weaning outcome in a medical-surgical ICU. 2014 , 18, P301	78
Microbiology and outcomes of severe pneumonia in critically ill cancer patients. 2014, 18, P302	78
Biomarker-based exclusion of ventilator-associated pneumonia: a multicentre validation study. 2014 , 18, P303	1
Validation of the 2005 American Thoracic Society/Infectious Diseases Society of America guidelines for ventilator-associated pneumonia: a Japanese multicenter observational study. 2014 , 18, P305	78
Surveillance and evaluation of ventilator-associated events as per Centers for Disease Control and Prevention guidelines. 2014 , 18, P306	78
Extracorporeal carbon dioxide removal as a bridge to lung transplantation in life-threatening hypercapnia. 2014 , 18, P307	78
Quantifying sputum production in intensive therapy. 2014 , 18, P309	78
Outcomes of patients with acute respiratory failure of mixed aetiology treated with non-invasive ventilation in a large teaching hospital critical care unit. 2014 , 18, P310	78
Inhalation injury and clinical course in major burned patients. 2014 , 18, P312	78
	High-frequency oscillatory ventilation use in patients with H1N1: a single-centre review. 2014, 18, P290 EIT comparison of airway pressure release ventilation and conventional ventilation. 2014, 18, P291 Comparison of HFOV and conventional ventilation in H1N1 influenza ARDS. 2014, 18, P293 Opening pressures and intratidal opening and closing in ARDS lung. 2014, 18, P294 Compliance with protective lung ventilation in an Irish teaching hospital. 2014, 18, P295 Mechanisms underlying the lung-protective effects of FLow- controlled Expiration. 2014, 18, P296 Fluid balance predicts weaning failure in chronic obstructive pulmonary disease patients. 2014, 18, P299 Role of the rapid shallow breathing index to predict the success of mechanical ventilator liberation in acute respiratory failure. 2014, 18, P300 Determinants of ventilator weaning outcome in a medical-surgical ICU. 2014, 18, P301 Microbiology and outcomes of severe pneumonia in critically ill cancer patients. 2014, 18, P302 Biomarker-based exclusion of ventilator-associated pneumonia: a multicentre validation study. 2014, 18, P303 Validation of the 2005 American Thoracic Society/Infectious Diseases Society of America guidelines for ventilator-associated pneumonia: a Japanese multicenter observational study. 2014, 18, P305 Surveillance and evaluation of ventilator-associated events as per Centers for Disease Control and Prevention guidelines. 2014, 18, P306 Extracorporeal carbon dioxide removal as a bridge to lung transplantation in life-threatening hypercapnia. 2014, 18, P307 Quantifying sputum production in intensive therapy. 2014, 18, P309 Outcomes of patients with acute respiratory failure of mixed aetiology treated with non-invasive ventilation in a large teaching hospital critical care unit. 2014, 18, P310

296	Severe respiratory failure in multiple trauma patients: extracorporeal support as a salvage therapy - a single-center experience. 2014 , 18, P313	78
295	Advanced respiratory care techniques in a severe adult respiratory failure unit. 2014 , 18, P314	78
294	Novel carbon dioxide removal device driven by a renal-replacement system without hemofilter: an experimental approach and validation. 2014 , 18, P316	2
293	Does geography affect referral rates for extracorporeal membrane oxygenation in England?. 2014 , 18, P317	78
292	Assessment of an endotracheal tube cleaning closed-suctioning system by micro-computed tomography: preliminary clinical data. 2014 , 18, P318	78
291	Does cost affect endotracheal tube performance?. 2014 , 18, P319	78
2 90	Tracheostomy in obese patients: the best tube choice issue. 2014 , 18, P320	1
289	Development of the novel Tracoe Twist Plus tracheostomy tube. 2014 , 18, P322	78
288	Double-lumen endotracheal tube for percutaneous tracheostomy: in vitro and in vivo preliminary data. 2014 , 18, P324	78
287	National survey of ICUs in the UK: discharging patients with tracheostomies. 2014 , 18, P325	78
286	Percutaneous dilatational tracheostomy in patients with severe coagulopathy or thrombocytopenia. 2014 , 18, P326	78
285	Repeat bedside percutaneous tracheostomy: still a contraindication?. 2014 , 18, P327	O
284	National UK survey: a review of percutaneous tracheostomy and auxiliary subglottic suction port use. 2014 , 18, P328	2
283	Is the post-critical care environment safe for tracheostomy patients?. 2014 , 18, P329	78
282	Survey on the use of chlorhexidine and toothpaste as part of oral care in UK ICUs. 2014, 18, P330	78
281	Survey of the use and practicalities of subglottic suction drainage in the UK. 2014 , 18, P332	78
280	Intravenous perfluorocarbons increased oxygen delivery/ consumption in ARDS in swine. 2014 , 18, P333	78
279	Prevention of pneumothorax using venovenous ECMO in acute respiratory distress syndrome with emphysematous/cystic changes in the lung. 2014 , 18, P334	1

278	Injurious ventilation has an age-dependent affect on the pulmonary renin-angiotensin system in LPS-challenged rats. 2014 , 18, P335	1
277	Role of Th1 and Th17 imbalance in acute lung injury mice. 2014 , 18, P336	78
276	Comparison of CD80 level on dendritic cells in acute lung injury mice. 2014 , 18, P337	78
275	Five-year single-centre review of ARDS patients receiving high-frequency oscillatory ventilation. 2014 , 18, P338	78
274	Blocking angiotensin type 1 receptor modulates Thl-mediated and Th17-mediated responses in lipopolysaccharide-induced acute lung injury mice. 2014 , 18, P339	78
273	Echocardiographic guidance for Avalon Elite dual-lumen catheter implantation. 2014 , 18, P340	2
272	Risk factors for multi-resistant organisms in sepsis. 2014 , 18, P342	78
271	Clostridium difficile infection in ICU patients. 2014 , 18, P344	78
270	Retrospective observational analysis of the infective risk of arterial lines in a general ICU. 2014 , 18, P345	78
269	Reducing CR-BSI in a general ICU. 2014 , 18, P346	78
268	Risk factors of candidemia in postoperative ICU patients: a prospective study. 2014 , 18, P347	1
267	Escherichia coli infection in Polish neonatology ICUs in 2009 to 2012. 2014 , 18, P348	78
266	Infection control as a nonpharmacologic strategy for the prevention of healthcare-associated infections in a Ukrainian hospital. 2014 , 18, P349	78
265	Surveillance for nosocomial pathogens in our ICU. 2014 , 18, P350	78
264	Candida in the respiratory tract secretions of critically ill patients and the impact of antifungal treatment: a randomized placebocontrolled pilot trial (CANTREAT study). 2014 , 18, P352	78
263	Retrospective analysis of respiratory isolates post out-of-hospital cardiac arrest to establish choices in empirical antibiotic cover. 2014 , 18, P353	78
262	Pharmacokinetics of antituberculosis drugs in critically ill patients with tuberculosis and acute respiratory failure. 2014 , 18, P354	78
261	Eight-year study of the Staphylococcus epidermidis resistance profile against glycopeptides, oxazolidinones and glycylcyclines in an ICU of a Greek tertiary hospital. 2014 , 18, P355	78

260	Vancomycin-resistant enterococci: eradication using vancomycin?. 2014 , 18, P356	78
259	Audit of bacteraemia management in a university hospital ICU. 2014 , 18, P357	78
258	Sepsis: impact of timely and appropriate empirical antibiotic therapy on mortality. 2014 , 18, P358	1
257	Safety and efficacy of amphotericin B inhalation for Candida spp. in the respiratory tract of critically ill patients. 2014 , 18, P359	78
256	Inhaled tobramycin for the treatment of nosocomial pneumonia in sepsis. 2014 , 18, P360	78
255	Sternal wound infections in cardiac surgery: effects of vancomycin prophylaxis. 2014 , 18, P361	78
254	Retrospective analysis of the clinical utility of blood cultures taken surrounding intensive care admission. 2014 , 18, P362	78
253	Employing quality improvement methodology in sepsis: an electronic sepsis order set further improves compliance with the Surviving Sepsis Campaign 3-hour bundle. 2014 , 18, P363	78
252	Acute kidney injury in cardiorenal syndrome type 1: a meta-analysis. 2014 , 18, P364	78
251	Early detection of postoperative acute kidney injury by Doppler renal resistive index in major lung and cardiac operations. 2014 , 18, P365	78
250	Renal resistive index at ICU admission and its change after 24 hours predict acute kidney injury in sepsis. 2014 , 18, P366	4
249	Acute kidney injury and cardiac surgery: impact of fluid balance on AKI classification and prognosis. 2014 , 18, P367	78
248	Acute kidney injury of all severity is associated with extended hospitalization after critical illness. 2014 , 18, P368	2
247	Early acute kidney injury in nonsepsis, noncardiac surgical patients admitted to a general surgical ICU. 2014 , 18, P369	78
246	Impact of kidney function calculation formulae on predicting early adverse renal events in cardiac surgery. 2014 , 18, P370	78
245	Fluid accumulation increases the risk of AKI progression and death in critically ill patients with early AKI. 2014 , 18, P371	1
244	Postoperative acute kidney injury in patients with gynecologic malignancies. 2014 , 18, P372	78
243	Acute kidney injury after elective adult cardiac surgery. 2014 , 18, P373	78

242	Incidence and outcomes of contrast-induced nephropathy in adult ICU patients. 2014 , 18, P374	78
241	Human acute kidney injury is associated with a proinflammatory phenotype. 2014 , 18, P375	78
240	Risk factors for the development of contrast-induced nephropathy in ICU patients. 2014, 18, P376	78
239	Test characteristics of acute kidney injury biomarkers in animal models of sepsis. 2014 , 18, P377	78
238	Perioperative measurement of urinary oxygen tension as a tool in the prevention of acute kidney injury?. 2014 , 18, P378	78
237	Postoperative acute kidney injury can be predicted by the novel biomarkers insulin-like growth factor-binding protein 7/tissue inhibitor of metalloproteinases-2 as early as 6 hours after surgery. 2014 , 18, P379	78
236	Urine TIMP2 [IGFBP7 increases 24 hours before severe AKI. 2014 , 18, P380	78
235	Resveratrol ameliorates apoptosis induced by contrast medium ioxitalamate in HK-2 human renal proximal tubule cells in vitro. 2014 , 18, P383	78
234	Estimated GFR versus creatinine clearance for evaluation of recovery from acute kidney injury. 2014 , 18, P385	78
233	Recovery from AKI by KDIGO criteria. 2014 , 18, P386	1
233	Recovery from AKI by KDIGO criteria. 2014, 18, P386 Incidence and outcomes of acute kidney injury following orthotopic lung transplant: a population-based cohort study. 2014, 18, P387	1
	Incidence and outcomes of acute kidney injury following orthotopic lung transplant: a	
232	Incidence and outcomes of acute kidney injury following orthotopic lung transplant: a population-based cohort study. 2014 , 18, P387	1
232	Incidence and outcomes of acute kidney injury following orthotopic lung transplant: a population-based cohort study. 2014 , 18, P387 Fluid accumulation post cardiac surgery and risk for renal replacement therapy. 2014 , 18, P388 Recovery of renal function after acute kidney injury requiring continuous renal replacement	1 78
232 231 230	Incidence and outcomes of acute kidney injury following orthotopic lung transplant: a population-based cohort study. 2014 , 18, P387 Fluid accumulation post cardiac surgery and risk for renal replacement therapy. 2014 , 18, P388 Recovery of renal function after acute kidney injury requiring continuous renal replacement therapy. 2014 , 18, P389 Relation between preoperative use of diuretics and renal replacement therapy after cardiac	1 78 78
232231230229	Incidence and outcomes of acute kidney injury following orthotopic lung transplant: a population-based cohort study. 2014 , 18, P387 Fluid accumulation post cardiac surgery and risk for renal replacement therapy. 2014 , 18, P388 Recovery of renal function after acute kidney injury requiring continuous renal replacement therapy. 2014 , 18, P389 Relation between preoperative use of diuretics and renal replacement therapy after cardiac surgery: a propensity score analysis. 2014 , 18, P390 Continuous renal replacement therapy (CVVHD) for acute kidney injury in critical care: incidence	78 78 78
232 231 230 229	Incidence and outcomes of acute kidney injury following orthotopic lung transplant: a population-based cohort study. 2014, 18, P387 Fluid accumulation post cardiac surgery and risk for renal replacement therapy. 2014, 18, P388 Recovery of renal function after acute kidney injury requiring continuous renal replacement therapy. 2014, 18, P389 Relation between preoperative use of diuretics and renal replacement therapy after cardiac surgery: a propensity score analysis. 2014, 18, P390 Continuous renal replacement therapy (CVVHD) for acute kidney injury in critical care: incidence and outcome across South West Wales. 2014, 18, P391	1 78 78 78 2

224	Development of key performance indicators for renal replacement therapy in adult intensive care to guide safe and cost-effective therapy. 2014 , 18, P396	78
223	Effectiveness of sub-albumin protein leakage membrane EMIC2 in post-cardiac surgery rhabdomyolysis. 2014 , 18, P397	78
222	Myoglobin removal of small-protein leakage membrane (EMIC2) in patients in the ICU: a case series. 2014 , 18, P398	2
221	Plasma filtration with dialysis (plasma diafiltration) in critically ill patients with acute liver failure. 2014 , 18, P399	78
220	Efficacy of continuous plasma diafiltration therapy. 2014 , 18, P400	78
219	Hemodialysis with high cutoff membranes improves tissue perfusion in severe sepsis: preliminary data of the Sepsis in Florence sTudy (SIFT). 2014 , 18, P401	1
218	Pharmacodynamics and pharmacokinetics of ciprofloxacin during sustained low-efficiency dialysis. 2014 , 18, P402	78
217	Pharmacokinetics of meropenem during continuous renal replacement therapy in critically ill patients. 2014 , 18, P403	1
216	Impact of ideal versus estimated body weight on haemofiltration dosing in critically ill patients with AKI. 2014 , 18, P404	1
215	ICU patients treated with RRT for AKI who have chronic kidney disease have better 1-year outcome compared with patients with better kidney function. 2014 , 18, P405	78
214	Long-term outcomes in acute kidney injury patients treated with renal replacement therapy who were alive at hospital discharge. 2014 , 18, P406	78
213	Polymyxin B-immobilized fiber hemoperfusion therapy improves sepsis-related immunosuppression. 2014 , 18, P407	78
212	Endotoxin activity assay and polymyxin B hemoperfusion use in a cohort of critically ill patients. 2014 , 18, P408	78
211	An assessment of long-term sleep quality using actigraphy in survivors of critical illness. 2014 , 18, P410	78
210	Study to assess whether staff are able to accurately assess sleep quality and quantity in intensive care patients. 2014 , 18, P411	78
209	Simplified versus standard EEG to measure the depth of sedation in mechanically ventilated ICU patients. 2014 , 18, P412	78
208	Haemodynamic effects of clonidine in an ovine model of severe sepsis with septic acute kidney injury. 2014 , 18, P414	78
207	Off-label use of clonidine for sedation in Dutch ICUs. 2014 , 18, P415	1

206	Different effects of propofol and dexmedetomidine on preload dependency in endotoxemic shock with norepinephrine infusion: a randomized case-control study. 2014 , 18, P417	1
205	Propofol: monitoring for complications. 2014 , 18, P418	Ο
204	Influence of increased intracranial pressure on sevoflurane-fentanyl anesthesia in major abdominal surgery. 2014 , 18, P419	78
203	Quantifying sedation satisfaction during bronchoscopy using the Bispectral Index. 2014 , 18, P420	78
202	Risk factor of withdrawal syndrome in the paediatric ICU. 2014 , 18, P421	1
201	Epidural analgesia reduces perioperative myocardial infarction and all-cause mortality after cardiac surgery: but at least 25 epidural hematomas have already happened. 2014 , 18, P422	78
200	Delirium screening, prevention and treatment in the ICU: a systematic review of implementation strategies. 2014 , 18, P423	1
199	Effect of enteral and/or parenteral glutamine supplementation on mortality and morbidity in the critically ill. 2014 , 18, P424	78
198	Increased threshold for gastric residual volumes and impact on nutrition in the ICU. 2014 , 18, P425	78
197	Early enteral feeding in the septic critically ill patient: evaluation of our feeding protocol. 2014 , 18, P426	1
196	A nutritional protocol and personalized support reduce the cumulative caloric deficit of cardiac surgery patients. 2014 , 18, P427	1
195	Vitamin B and C levels of homeless patients who visit the emergency department with alcohol ingestion. 2014 , 18, P428	78
194	Acid-base disorders according to the Stewart approach in septic patients. 2014 , 18, P429	78
193	Changes in urinary electrolytes during acute respiratory acid-base modifications. 2014 , 18, P430	1
192	Admission hypomagnesemia as a mortality predictor in medical critically ill patients. 2014, 18, P431	2
191	Impact of reduced frequency of phosphate testing on detected phosphate levels and phosphate prescription in critical care. 2014 , 18, P432	78
190	Effect of albumin and total protein concentration on plasma sodium measurements in the ICU. 2014 , 18, P433	78
189	Main causes of water-electrolyte disturbances in patients with acute brain injury: central diabetes insipidus and cerebral salt wasting syndrome. 2014 , 18, P434	78

188	Cardiac surgery alters the sensitivity of the dynamic interaction between the pituitary and adrenal glands. 2014 , 18, P435	78
187	Melatonin blood values and total antioxidant capacity in critically ill patients. 2014 , 18, P436	2
186	Continuous prediction of glucose-level changes using an electronic nose in critically ill patients. 2014 , 18, P437	1
185	Evaluation of blood glucose control in ICU patients with Space GlucoseControl: a European study. 2014 , 18, P438	78
184	Evaluation of Symphony CGM, a non-invasive, transdermal continuous glucose monitoring system for use in critically ill patients. 2014 , 18, P439	2
183	Time-course evaluation of blood glucose changes in response to insulin delivery in critically ill patients. 2014 , 18, P440	78
182	Glycaemia and critical care outcomes. 2014 , 18, P441	78
181	First clinical study data from therapeutic use of a novel continuous glucose monitoring system in the ICU. 2014 , 18, P443	1
180	Impact of corticosteroid administration in septic shock on glycemic variability. 2014, 18, P445	78
179	Blood glucose target in acute phase suggested by the analysis of the relationship between blood glucose profile and the severity of the diseases. 2014 , 18, P446	78
178	Anti-inflammatory and antioxidant effects of ranolazine on primary cultured astrocytes. 2014, 18, P447	1
177	Intrathecal lactate to predict spinal cord ischemia in major abdominal surgery. 2014 , 18, P449	78
176	Predictors of ventilatory outcome in cervical spinal injuries. 2014 , 18, P450	78
175	Evaluation of the ocular microcirculation in brain-dead patients: first step towards a new method of multimodal neuromonitoring?. 2014 , 18, P452	78
174	External validation of an early warning alert for elevated intracranial pressure in the Avert-IT database. 2014 , 18, P453	78
173	New support system using a mobile device for diagnostic image display and treatment of acute stroke in Japanese depopulated areas. 2014 , 18, P454	78
172	Effects of cardiac output-guided hemodynamic management on fluid administration after aneurysmal subarachnoid hemorrhage. 2014 , 18, P455	1
171	Effect of transient cerebral ischemia on the expression of receptor for advanced glycation end products in the gerbil hippocampus proper. 2014 , 18, P456	78

170	Correlation of thermal Doppler flowmetry and microdialysis values in patients with severe subarachnoid hemorrhage and traumatic brain injury. 2014 , 18, P457	78
169	New look at the 20 mmHg ICP threshold. 2014 , 18, P458	1
168	Model of intracranial hypertension of tumor etiology in laboratory rats. 2014 , 18, P459	78
167	Arterial-jugular bulb differences in pCO2, lactate, serum sodium and C-reactive protein in neurocritical patients. 2014 , 18, P460	78
166	Accuracy of transcranial color-coded duplex sonography in predicting clinical vasospasm and delayed cerebral ischemia in patients with subarachnoid hemorrhage. 2014 , 18, P462	78
165	Brain death determination in Europe: one condition with too many nuances. 2014 , 18, P464	78
164	What do brain-dead patients ultimately die of?. 2014 , 18, P465	78
163	Acute and long-term outcomes of ICU-acquired weakness: a cohort study and propensity matched analysis. 2014 , 18, P466	3
162	Early electrophysiological diagnosis of ICU-acquired weakness. 2014 , 18, P467	78
161	Choosing a cerebral near-infrared spectroscopy system for use in traumatic brain injury: deriving the ideal source detector layout. 2014 , 18, P468	1
160	Single-subject assessment of the distribution of white matter abnormalities measured by diffusion tensor imaging in patients with severe traumatic brain injury. 2014 , 18, P469	78
159	Long-term outcome after severe traumatic brain injury. 2014 , 18, P470	78
158	Vitamin D level could affect the recovery rate in traumatic brain injury: a retrospective study. 2014 , 18, P471	1
157	Could selected probiotics have beneficial effects on clinical outcome of severe traumatic brain injury patients?. 2014 , 18, P472	5
156	Effect of blood alcohol level on outcome of patients with traumatic brain injury. 2014, 18, P473	78
155	Long-term outcome prediction using IMPACT and APACHE II in patients with traumatic brain injury treated in the ICU. 2014 , 18, P474	78
154	Validating and comparing the CAM-ICU and the ICDSC in mild and moderate traumatic brain injury patients: a multicenter prospective study. 2014 , 18, P475	1
153	Functional status after 3 years in ICU patients with traumatic brain injury. 2014 , 18, P476	78

152	Demographic profiles and extent of critical care resources utilisation in patients with severe traumatic brain injury: a Tan Tock Seng Hospital National Neuroscience Institute study. 2014 , 18, P477	78
151	Outcome measures in randomized controlled trials of patients with severe traumatic brain injury: a systematic review. 2014 , 18, P478	78
150	Predicting 6-month mortality of patients with traumatic brain injury: usefulness of common severity scores. 2014 , 18, P479	78
149	Work activities after 3-year follow-up in ICU patients with traumatic brain injury. 2014 , 18, P480	78
148	Simulation-based education for cardiopulmonary resuscitation and airway management protocols: a brief report of a systematic review and meta-analysis. 2014 , 18, P482	1
147	Video analysis of cardiopulmonary resuscitation performance of ambulance crews during transportation. 2014 , 18, P483	78
146	Implementation of the PulsePoint smartphone application for crowd-sourcing bystander resuscitation. 2014 , 18, P484	6
145	Emergency room advanced life support after cardiac arrest: outcomes and survival, nursing care and team response. 2014 , 18, P485	78
144	What is the role of head computed tomography in post-resuscitation care?. 2014 , 18, P486	1
143	To see or not to see: does video CPR perform better than telephone CPR?. 2014 , 18, P487	78
142	Initial anticoagulation strategy for extracorporeal cardiopulmonary resuscitation patients. 2014 , 18, P488	78
141	Predictors of poor outcome in out-of-hospital cardiac arrest. 2014 , 18, P489	78
140	Mean initial cerebral saturation and time to start advanced life support in out-of-hospital cardiac arrest: are they correlated?. 2014 , 18, P490	78
139	Predicting survival in patients admitted to intensive care following out-of-hospital cardiac arrest using the Prognosis After Resuscitation score. 2014 , 18, P491	2
138	Post Arrest Consult Team: a knowledge translation strategy for post-cardiac arrest care. 2014 , 18, P492	78
137	One-year assessment of in-hospital cardiac arrest. 2014 , 18, P493	3
136	Endovascular hypothermia after cardiac arrest in a Chilean ICU. 2014 , 18, P494	78
135	Knowledge and use of therapeutic hypothermia in cardiac arrest victims among healthcare staff in Greece. 2014 , 18, P495	78

134	Induced hypothermia of 33LC does not affect host response compared with maintaining 36LC. 2014 , 18, P496	78
133	Shivering during targeted temperature management after cardiac arrest: a physiologic description. 2014 , 18, P498	78
132	Temperature management following cardiac arrest: introducing a protocol improves compliance with targets. 2014 , 18, P499	78
131	Factors involved in prolonged effect of neuromuscular blockade in therapeutic hypothermia. 2014 , 18, P500	78
130	Serum phosphate concentration during the rewarming period after deep hypothermic circulatory arrest. 2014 , 18, P501	0
129	Influence of baseline magnesium concentrations on shivering in therapeutic temperature modulation. 2014 , 18, P502	0
128	Derived electromyography is an accurate measure of shivering burden during targeted temperature management. 2014 , 18, P497	78
127	Lactate clearance as a predictor of mortality in colonic perforation. 2014 , 18, P175	78
126	Intensive alveolar recruitment after cardiac surgery: a randomized controlled clinical trial. 2014, 18,	78
125	Adipose tissue lactate clearance but not blood lactate clearance is associated with clinical outcome in severe sepsis or septic shock during the post-resuscitation period. 2014 , 18, P172	78
124	Correlation between arterial lactate and venous lactate in patients with sepsis and septic shock. 2014 , 18, P177	6
123	Value of peak flow rates measured during a spontaneous breathing trial to predict success of weaning from mechanical ventilation. 2014 , 18, P297	78
122	Implementation of the Behavioural Pain Scale in sedated mechanically ventilated patients in a UK ICU. 2014 , 18, P413	78
121	T-cell receptor activation-associated cytokine release is impaired in septic patients with faecal peritonitis. 2014 , 18, P225	78
120	Vitamin A intake, serum vitamin D and bone mineral density: analysis of the Korea National Health and Nutrition Examination Survey (KNHANES, 2008-2011). 2015 , 7, 1716-27	13
119	Association between VDR polymorphisms and rheumatoid arthritis disease: Systematic review and updated meta-analysis of case-control studies. 2015 , 220, 807-16	40
118	Morbid Obesity in Adolescents. 2015 ,	
117	Treatment of Chronic Pain by Integrative Approaches. 2015 ,	

116	Sunlight Effects on Immune System: Is There Something Else in addition to UV-Induced Immunosuppression?. 2016 , 2016, 1934518	38
115	Maternal Vitamin D Status and Adverse Birth Outcomes in Children from Rural Western Kenya. 2016 , 8,	20
114	Vitamin D machinery and metabolism in porcine adipose-derived mesenchymal stem cells. 2016 , 7, 118	7
113	Dissociation between Low Vitamin D Level and Hypertension in Coal Mine Workers: Evidence from the Kailuan Study. 2016 , 55, 1255-60	7
112	A randomized clinical trial comparing 3 different replacement regimens of vitamin D in clinically asymptomatic pediatrics and adolescents with vitamin D insufficiency. 2016 , 42, 106	6
111	Vitamin D deficiency in patients with either rheumatic diseases or inflammatory bowel diseases on biologic therapy. 2016 , 11, 803-7	2
110	A randomized controlled trial of vitamin D replacement strategies in pediatric CF patients. 2016 , 15, 234-41	16
109	Case-control study of vitamin D receptor gene polymorphism in Pakistani rheumatoid arthritis patients. 2015 , 57, 633-633	2
108	Case-control study of vitamin D receptor gene polymorphism in Pakistani rheumatoid arthritis patients. 2017 , 57, 633-636	1
107	Association of serum 25-hydroxyvitamin D and serum total cholesterol with depressive symptoms in Korean adults: the Fifth Korean National Health and Nutrition Examination Survey (KNHANES V, 2010-2012). 2017 , 20, 1836-1843	8
106	Effects of Vitamin D Supplementation on Bone Mineral Density and Bone Markers in HIV-Infected Youth. 2017 , 76, 539-546	19
105	Vitamins, Minerals, and Bioactive Compounds. 2017 , 75-97	
104	Serum 25-hydroxyvitamin D and Age-Related Cataract. 2017 , 24, 281-286	6
103	UVR: sun, lamps, pigmentation and vitamin D. 2017 , 16, 291-301	21
102	. 2017,	3
101	A cross-sectional study on the association between vitamin D levels and caries in the permanent dentition of Korean children. 2018 , 18, 43	17
100	Non-musculoskeletal benefits of vitamin D. 2018 , 175, 60-81	67
99	Associations of vitamin D with insulin resistance, obesity, type 2 diabetes, and metabolic syndrome. 2018 , 175, 177-189	109

98	Vitamin D and cardiovascular diseases: Causality. 2018 , 175, 29-43	33
97	Experimental manipulation of dietary arsenic levels in great tit nestlings: Accumulation pattern and effects on growth, survival and plasma biochemistry. 2018 , 233, 764-773	17
96	Molecular and Genetic Response of Human Skin Under Ultraviolet Radiation. 2018 , 15-27	2
95	Vitamin D status correlates with the markers of cystic fibrosis-related pulmonary disease. 2019 , 60, 210-215	6
94	Prevalence of vitamin D deficiency and associated comorbidities among Abu Dhabi Emirates population. 2019 , 12, 503	21
93	Pectin/PEG food grade hydrogel blend for the targeted oral co-delivery of nutrients. 2019, 577, 637-644	17
92	Clinical implications of fetuin-A. 2019 , 89, 79-130	15
91	Vitamin D basis of Alzheimer@ disease: from genetics to biomarkers. 2019 , 18, 7-15	20
90	Effects of UV-C treatment and ultrafine-grinding on the biotransformation of ergosterol to vitamin D, physiochemical properties, and antioxidant properties of shiitake and Jew@ear. 2020 , 309, 125738	14
89	Vitamin D and microbiota: Two sides of the same coin in the immunomodulatory aspects. 2020 , 79, 106112	31
88	Variable Thresholds of Vitamin D Plasma Levels to Suppress PTH: the Effect of Weight and Bariatric Surgery. 2020 , 30, 1551-1559	5
87	Arsenic-related oxidative stress in experimentally-dosed wild great tit nestlings. 2020 , 259, 113813	14
86	Immune Modulatory Effects of Vitamin D on Viral Infections. 2020 , 12,	24
85	Orange juice intake and anthropometric changes in children and adolescents. 2021 , 24, 4482-4489	2
84	Twelve-Week Daily Consumption of Fortified Milk with EB, D, and Group B Vitamins Has a Positive Impact on Inflammaging Parameters: A Randomized Cross-Over Trial. 2020 , 12,	1
83	Plain vitamin D or active vitamin D in the treatment of osteoporosis: where do we stand today?. 2020 , 15, 182	8
82	Measurement of plasma 25-hydroxyvitamin D2, 25-hydroxyvitamin D3 and 3-epi-25-hydroxyvitamin D3 in population of patients with cardiovascular disease by UPLC-MS/MS method. 2020 , 1159, 122350	7
81	Emirati Adults Have a Higher Overall Knowledge on Vitamin D Compared to Tourists. 2020 , 11, 1022	О

80	Is a @ealthy diet a @alcium-rich diet the same thing? Qualitative study examining perceptions of a calcium-rich diet in individuals who have received bone health education. 2020 , 33, 496-504	
79	Zein coated calcium carbonate nanoparticles for the targeted controlled release of model antibiotic and nutrient across the intestine. 2020 , 25, 101394	5
78	Impact of 25-Hydroxyvitamin D on the Prognosis of Acute Ischemic Stroke: Machine Learning Approach. 2020 , 11, 37	3
77	Traditional Chinese Medicine and Gut Microbiome: Their Respective and Concert Effects on Healthcare. 2020 , 11, 538	14
76	Microsphere embedded hydrogel construct - binary delivery of alendronate and BMP-2 for superior bone regeneration. 2021 , 9, 6856-6869	1
75	Low Serum 25-Hydroxyvitamin D Level as a Potential Risk Factor of Erectile Dysfunction in Elderly Men with Moderate to Severe Lower Urinary Tract Symptoms. 2021 ,	2
74	A fast and facile platform for fabricating phase-change materials-based drug carriers powered by chemical Marangoni effect. 2021 , 271, 120748	3
73	Development of Personalized Nutrition: Applications in Lactose Intolerance Diagnosis and Management. 2021 , 13,	1
72	Vitamin D: Not Just Bone Metabolism but a Key Player in Cardiovascular Diseases. 2021 , 11,	9
7 ¹	Diabetic patients with chronic kidney disease: Non-invasive assessment of cardiovascular risk. 2021 , 12, 975-996	1
70	Spinal Care in the Aging Athlete. 2021 , 40, 571-584	1
69	Micronutrients deficiences in patients after bariatric surgery. 2021 , 1	5
68	An LC-MS/MS Method for Analysis of Vitamin D Metabolites and C3 Epimers in Mice Serum: Oral Supplementation Compared to UV Irradiation. 2021 , 26,	0
67	Editorial Comment: Dietary and circulating vitamin D and risk of renal cell carcinoma: a meta-analysis of observational studies. 2021 , 47, 745-746	
66	Serum Metabolite Profile Associated with Sex-Dependent Visceral Adiposity Index and Low Bone Mineral Density in a Mexican Population. 2021 , 11,	O
65	Dysmagnesemia Is the Most Common Disturbance of the Calcium-Magnesium-Phosphorous Balance among Older Hospitalized People in Warsaw. 2021 , 13,	
64	Total, Bioavailable, and Free 25-Hydroxyvitamin D Equally Associate with Adiposity Markers and Metabolic Traits in Mexican Adults. 2021 , 13,	2
63	Pain Medicine in Older Adults: How Should It Differ?. 2013 , 977-1002	2

62	Vitamin D status among Adult Saudi Females visiting Primary Health Care Clinics. 2012, 6, 116-26	37
61	The effects of vitamin D receptor silencing on the expression of LVSCC-A1C and LVSCC-A1D and the release of NGF in cortical neurons. 2011 , 6, e17553	82
60	Vitamin D status in patients with Behcet@ Disease. 2011 , 66, 721-3	18
59	The Association of Vitamin D Receptor Polymorphisms of Fokl and Taql with Rheumatoid Arthritis in North-East of Iran. 2019 , 7, 20-29	1
58	Is vitamin D receptor a druggable target for non-alcoholic steatohepatitis?. 2020 , 26, 5812-5821	4
57	The Relationship between Serum 25-Hydroxyvitamin D, Parathyroid Hormone and the Glomerular Filtration Rate in Korean Adults: The Korea National Health and Nutrition Examination Survey between 2009 and 2011. 2014 , 35, 98-106	4
56	Association between vitamin D intake and bone mineral density in Koreans aged 卧0 years: analysis of the 2009 Korea National Health and Nutrition Examination Survey using a newly established vitamin D database. 2019 , 13, 115-125	5
55	Comparison of Serum Level of Vitamin D3 in Covid-19 Patients and Non-Infected Individuals. 2021 , 28, 13-19	О
54	New Insight into the Action of Vitamin D. 2011 , 32, 89	6
53	Vitamin Deficiencies After Bariatric Surgery?. 2015 , 83-91	
53 52	Vitamin Deficiencies After Bariatric Surgery?. 2015 , 83-91 Pain Medicine in Older Adults: How Should It Differ?. 2015 , 233-258	
52	Pain Medicine in Older Adults: How Should It Differ?. 2015 , 233-258	
52 51	Pain Medicine in Older Adults: How Should It Differ?. 2015, 233-258 Principles of Bone Biology and Regeneration. 1-13	2
52 51 50	Pain Medicine in Older Adults: How Should It Differ?. 2015, 233-258 Principles of Bone Biology and Regeneration. 1-13 Spine Injections for Persistent Lumbar and Radicular Pain After Lumbar Spine Surgery. 2016, 525-574 Relationship between serum 25-hydroxyvitamin D levels and the SYNTAX score in patients with	2
52 51 50 49	Pain Medicine in Older Adults: How Should It Differ?. 2015, 233-258 Principles of Bone Biology and Regeneration. 1-13 Spine Injections for Persistent Lumbar and Radicular Pain After Lumbar Spine Surgery. 2016, 525-574 Relationship between serum 25-hydroxyvitamin D levels and the SYNTAX score in patients with acute coronary syndrome. 2017, 17, 293-297	2
52 51 50 49 48	Pain Medicine in Older Adults: How Should It Differ?. 2015, 233-258 Principles of Bone Biology and Regeneration. 1-13 Spine Injections for Persistent Lumbar and Radicular Pain After Lumbar Spine Surgery. 2016, 525-574 Relationship between serum 25-hydroxyvitamin D levels and the SYNTAX score in patients with acute coronary syndrome. 2017, 17, 293-297 Assessment of Correlation of Vitamin D Level with Coronary Artery Disease. 2020, 3, 70-73 Insights into the Perspective Correlation Between Vitamin D and Regulation of Hormones: Thyroid	2

44	Vitamin d deficiency in healthy male population: results of the Iranian multi- center osteoporosis study. 2010 , 39, 45-52	18
43	Vitamin D Status and Risk of Cystic Fibrosis-Related Diabetes: A Retrospective Single Center Cohort Study. 2021 , 13,	O
42	Monocyte and neutrophil to high density lipoprotein cholesterol ratios are elevated in patients with vitamin D deficiency. 2022 , 5, 119-123	
41	Enteric Coated Oral Delivery of Hydroxyapatite Nanoparticle for Modified Release Vitamin D3 Formulation. 2021 , 2021, 1-9	1
40	Vitamin D and Phosphate Interactions in Health and Disease 2022 , 1362, 37-46	1
39	Vitamin D and Histological Features of Breast Cancer: Preliminary Data from an Observational Retrospective Italian Study 2022 , 12,	
38	Jiangzhi granule attenuates non-alcoholic steatohepatitis through modulating bile acid in mice fed high-fat vitamin D deficiency diet 2022 , 149, 112825	0
37	ORAL HEALTH AND VITAMIN D IN ADULT - A SYSTEMATIC REVIEW 2022 , 1-29	Ο
36	Table_1.DOCX. 2020 ,	
35	Table_2.DOCX. 2020 ,	
34	Voeding. 2022 , 319-332	
33	An Overlooked Bone Metabolic Disorder: Cigarette Smoking-Induced Osteoporosis. 2022 , 13, 806	2
32	Does Vitamin D Insufficiency Influence Prebiotic Effect on Calcium Absorption and Bone Retention?. 2022 , 1	
31	Effect of Oral Vitamin D3 on Dental Caries: An In-Vivo and In-Vitro Study. 2022 ,	
30	Adaptability Challenges for Organic Broiler Chickens: A Commentary. 2022, 12, 1354	1
29	Association between food intake patterns and serum vitamin D concentrations in US adults. 1-34	
29	Association between food intake patterns and serum vitamin D concentrations in US adults. 1-34 Interplay of Vitamin D and <i>CYP3A4</i> Polymorphisms in Endocrine Disorders and Cancer.	

26	Seasonal pattern of vitamin D hydroxyl metabolite concentrations and their association with cardiac medications (an observational study. 2022 , 102187	Ο
25	Vitamin D and calcium, together and separately, play roles in female reproductive performance. 2022 , 12,	O
24	Correlation between Serum 25-Hydroxyvitamin D Level and Depression among Korean Women with Secondary Amenorrhea: A Cross-Sectional Observational Study. 2022 , 14, 2835	О
23	The Efficacy of Vitamin D Supplementation in the Treatment of Fibromyalgia Syndrome and Chronic Musculoskeletal Pain. 2022 , 14, 3010	3
22	The association between visceral fat and osteoporotic vertebral compression refractures. 2022 , 111808	
21	Environmental and personal factors for osteoporosis or osteopenia from a large health check-up database: a retrospective cohort study in Taiwan. 2022 , 22,	O
20	Vitamin D and the Kidney: Two Players, One Console. 2022 , 23, 9135	3
19	A Nutritionally Complete Oral Nutritional Supplement Powder Improved Nutritional Outcomes in Free-Living Adults at Risk of Malnutrition: A Randomized Controlled Trial. 2022 , 19, 11354	O
18	Therapeutic Potential of Chrysin in Improving Bone Health. 2022 , 12, 8728	O
17	Wnt signaling: a double-edged sword in protecting bone from cancer.	O
16	Maternal vitamin D and growth of under-five children: a systematic review and meta-analysis of observational and interventional studies. 2022 , 15,	O
15	Effect of Vitamin D on Bone Regeneration: A Review. 2022 , 58, 1337	2
14	Fat-soluble vitamins: updated review of their role and orchestration in human nutrition throughout life cycle with sex differences. 2022 , 19,	O
13	The relationship between dietary intakes assessed by duplicate portion sampling method and bone health in female students: a cross-sectional study.	O
12	Suppression of vitamin D metabolizing enzyme CYP24A1 provides increased sensitivity to chemotherapeutic drugs in breast cancer.	O
11	The Role of CYP3A in Health and Disease. 2022 , 10, 2686	1
10	Foods, nutrients and hip fracture risk: A prospective study of middle-aged women. 2022, 41, 2825-2832	О
9	Research Progress on the Correlation between Vitamin D Level and Coronavirus Disease 2019. 2022 , 12, 10586-10590	O

8	The Role of the Pharmacist in Patient Self-Advocacy for Osteoporosis Screening. 2022, 37, 612-622	0
7	The role of serum inflammatory in mycoplasma pneumoniae infection with respiratory asthma. 1-17	O
6	Relationship between periodontal disease and vitamin D. 2022 , 3, 381-385	0
5	Correlation between meteorological factors and vitamin D status under different season. 2023, 13,	o
4	Association of a low vitamin D status with risk of post-stroke depression: A meta-analysis and systematic review. 10,	O
3	Postoperative Osteoporosis in Subjects with Morbid Obesity Undergoing Bariatric Surgery with Gastric Bypass or Sleeve Gastrectomy. 2023 , 15, 1302	O
2	The Relationship between Dental Caries, Bone Mineral Density, and Bone Metabolism among Adolescents.	О
1	Copper-containing chitosan-based hydrogels enabled 3D-printed scaffolds to accelerate bone repair and eliminate MRSA-related infection. 2023 , 124463	O