Psychometric properties of two ADHD questionnaires: the FBB-HKS in the general population of German child BELLA study

European Child and Adolescent Psychiatry 17, 106-115

DOI: 10.1007/s00787-008-1012-1

Citation Report

#	Article	IF	CITATIONS
1	The contribution of the BELLA study in filling the gap of knowledge on mental health and well-being in children and adolescents in Germany. European Child and Adolescent Psychiatry, 2008, 17, 5-9.	2.8	4
2	How often do children meet ICD-10/DSM-IV criteria of attention deficit-/hyperactivity disorder and hyperkinetic disorder? Parent-based prevalence rates in a national sample – results of the BELLA study. European Child and Adolescent Psychiatry, 2008, 17, 59-70.	2.8	156
3	No brain structure abnormalities in boys with Tourette's syndrome: A voxelâ€based morphometry study. Movement Disorders, 2009, 24, 2398-2403.	2.2	31
4	In Search of an ADHD Screening Tool for African American Children. Journal of the National Medical Association, 2010, 102, 372-374.	0.6	6
5	Attention-deficit/hyperactivity disorder symptoms in preschool children: Examining psychometric properties using item response theory Psychological Assessment, 2010, 22, 546-558.	1.2	26
6	Environmental exposure to lead, but not other neurotoxic metals, relates to core elements of ADHD in Romanian children: Performance and questionnaire dataâ~t, â~tâ~tâ~tStudy approval: This study has been reviewed and approved by the Ethics Committee of the "Romanian College of Physiciansâ€. Environmental Research. 2010. 110. 476-483.	3.7	100
7	Developmental aspects of environmental neurotoxicology: Lessons from lead and polychlorinated biphenyls. Journal of the Neurological Sciences, 2011, 308, 9-15.	0.3	152
8	Lower Urinary Tract Conditions in Children With Attention Deficit Hyperactivity Disorder: Correlation of Symptoms Based on Validated Scoring Systems. Journal of Urology, 2011, 185, 663-668.	0.2	31
9	Increased putamen and callosal motor subregion in treatment- $na\tilde{A}$ ve boys with Tourette syndrome indicates changes in the bihemispheric motor network. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2011, 52, 306-314.	3.1	59
10	Attentional Performance in Children and Adolescents with Tic Disorder and Co-Occurring Attention-Deficit/Hyperactivity Disorder: New Insights from a 2 × 2 Factorial Design Study. Journal of Abnormal Child Psychology, 2011, 39, 819-828.	3.5	45
11	An observational study of once-daily modified-release methylphenidate in ADHD: effectiveness on symptoms and impairment, and safety. European Child and Adolescent Psychiatry, 2011, 20, 243-255.	2.8	25
12	An observational study of once-daily modified-release methylphenidate in ADHD: the effect of previous treatment on ADHD symptoms, other externalising symptoms and quality-of-life outcomes. European		
	Child and Adolescent Psychiatry, 2011, 20, 277-288.	2.8	7
13	Child and Adolescent Psychiatry, 2011, 20, 277-288. Assessment of daily profiles of ADHD and ODD symptoms, and symptomatology related to ADHD medication, by parent and teacher ratings. European Child and Adolescent Psychiatry, 2011, 20, 289-296.	2.8	28
13	Child and Adolescent Psychiatry, 2011, 20, 277-288. Assessment of daily profiles of ADHD and ODD symptoms, and symptomatology related to ADHD		
	Child and Adolescent Psychiatry, 2011, 20, 277-288. Assessment of daily profiles of ADHD and ODD symptoms, and symptomatology related to ADHD medication, by parent and teacher ratings. European Child and Adolescent Psychiatry, 2011, 20, 289-296. What contributes to patient and parent satisfaction with medication in the treatment of children with ADHD? A report on the development of a new rating scale. European Child and Adolescent Psychiatry, 2011, 20, 297-307. Comparison of the Efficacy of Two Different Modified Release Methylphenidate Preparations for Children and Adolescents with Attention-Deficit/Hyperactivity Disorder in a Natural Setting: Comparison of the Efficacy of Medikinet [®] Retard and Concerta [®] â®â® <a and<="" child="" clinical="" controlled,="" crossover="" double-blind="" journal="" multicenter="" of="" randomized,="" td="" trial.=""><td>2.8</td><td>28</td>	2.8	28
14	Child and Adolescent Psychiatry, 2011, 20, 277-288. Assessment of daily profiles of ADHD and ODD symptoms, and symptomatology related to ADHD medication, by parent and teacher ratings. European Child and Adolescent Psychiatry, 2011, 20, 289-296. What contributes to patient and parent satisfaction with medication in the treatment of children with ADHD? A report on the development of a new rating scale. European Child and Adolescent Psychiatry, 2011, 20, 297-307. Comparison of the Efficacy of Two Different Modified Release Methylphenidate Preparations for Children and Adolescents with Attention-Deficit/Hyperactivity Disorder in a Natural Setting: Comparison of the Efficacy of Medikinet [®] Retard and Concerta [®] â®ãe™a	2.8	28
14 15	Assessment of daily profiles of ADHD and ODD symptoms, and symptomatology related to ADHD medication, by parent and teacher ratings. European Child and Adolescent Psychiatry, 2011, 20, 289-296. What contributes to patient and parent satisfaction with medication in the treatment of children with ADHD? A report on the development of a new rating scale. European Child and Adolescent Psychiatry, 2011, 20, 297-307. Comparison of the Efficacy of Two Different Modified Release Methylphenidate Preparations for Children and Adolescents with Attention-Deficit/Hyperactivity Disorder in a Natural Setting: Comparison of the Efficacy of Medikinet [®] Retard and Concerta [®] â®â® Randomized, Controlled, Double-Blind Multicenter Clinical Crossover Trial. Journal of Child and Adolescent Psychopharmacology, 2011, 21, 445-454. Comorbidity of schizophrenia and adult attention-deficit hyperactivity disorder. World Journal of	2.8 2.8 0.7	28 18 16

#	ARTICLE	IF	CITATIONS
19	Fine motor skills and interhemispheric transfer in treatmentâ€naive male children with Tourette syndrome. Developmental Medicine and Child Neurology, 2012, 54, 629-635.	1.1	20
20	Altered motor network recruitment during finger tapping in boys with tourette syndrome. Human Brain Mapping, 2012, 33, 666-675.	1.9	26
21	Effectiveness of telephone-assisted parent-administered behavioural family intervention for preschool children with externalizing problem behaviour: a randomized controlled trial. European Child and Adolescent Psychiatry, 2013, 22, 553-565.	2.8	49
22	Impact of ADHD symptoms on autism spectrum disorder symptom severity. Research in Developmental Disabilities, 2013, 34, 3545-3552.	1.2	76
23	Finger tappingâ€related activation differences in treatmentâ€naïve pediatric Tourette syndrome: a comparison of the preferred and nonpreferred hand. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2013, 54, 273-279.	3.1	19
24	Neurofeedback in ADHD and insomnia: Vigilance stabilization through sleep spindles and circadian networks. Neuroscience and Biobehavioral Reviews, 2014, 44, 183-194.	2.9	73
25	Distinguishing among disruptive behaviors to help predict high school graduation: Does gender matter?. Journal of School Psychology, 2014, 52, 407-418.	1.5	6
26	Parent–child inpatient treatment for children with behavioural and emotional disorders: a multilevel analysis of within-subjects effects. BMC Psychiatry, 2015, 15, 288.	1.1	14
27	An objective measure of hyperactivity aspects with compressed webcam video. Child and Adolescent Psychiatry and Mental Health, 2015, 9, 45.	1.2	8
28	Prevalence of incontinence, attention deficit/hyperactivity disorder and oppositional defiant disorder in preschool children. European Child and Adolescent Psychiatry, 2015, 24, 837-843.	2.8	38
29	Adaptive Multimodal Treatment for Children with Attention-Deficit-/Hyperactivity Disorder: An 18 Month Follow-Up. Child Psychiatry and Human Development, 2015, 46, 44-56.	1.1	22
30	A DTI study on the corpus callosum of treatment-naÃ⁻ve boys with â€⁻pure' Tourette syndrome. Psychiatry Research - Neuroimaging, 2016, 247, 1-8.	0.9	15
31	Relationship between attention-deficit/hyperactivity disorder and sedentary behavior in adolescence: a cross-sectional study. ADHD Attention Deficit and Hyperactivity Disorders, 2017, 9, 213-218.	1.7	16
32	The faster internal clock in ADHD is related to lower processing speed: WISC-IV profile analyses and time estimation tasks facilitate the distinction between real ADHD and pseudo-ADHD. European Child and Adolescent Psychiatry, 2017, 26, 1177-1186.	2.8	31
33	Prenatal exposure to very severe maternal obesity is associated with adverse neuropsychiatric outcomes in children. Psychological Medicine, 2017, 47, 353-362.	2.7	57
34	Mental Health Care Use in Children of Parents with Mental Health Problems: Results of the BELLA Study. Child Psychiatry and Human Development, 2017, 48, 983-992.	1,1	5
35	Transcranial direct current stimulation improves clinical symptoms in adolescents with attention deficit hyperactivity disorder. Journal of Neural Transmission, 2017, 124, 133-144.	1.4	83
36	Telephoneâ€assisted selfâ€help for parents of children with attentionâ€deficit/hyperactivity disorder who have residual functional impairment despite methylphenidate treatment: a randomized controlled trial. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2017, 58, 682-690.	3.1	37

#	ARTICLE	IF	Citations
37	Attention profiles in autism spectrum disorder and subtypes of attention-deficit/hyperactivity disorder. European Child and Adolescent Psychiatry, 2018, 27, 1433-1447.	2.8	21
38	Increased attentionâ€deficit/hyperactivity symptoms in atopic dermatitis are associated with history of antihistamine use. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 615-626.	2.7	48
39	Attention as neurocognitive endophenotype of ADHD across the life span: a family study. European Archives of Psychiatry and Clinical Neuroscience, 2019, 269, 627-644.	1.8	5
40	Risk and protective factors for the development of ADHD symptoms in children and adolescents: Results of the longitudinal BELLA study. PLoS ONE, 2019, 14, e0214412.	1.1	72
41	Altered hypothalamus-pituitary-adrenal axis function: A relevant factor in the comorbidity of atopic eczema and attention deficit/hyperactivity disorder?. Psychoneuroendocrinology, 2019, 105, 178-186.	1.3	18
42	Maternal antenatal daytime sleepiness and child neuropsychiatric and neurocognitive development. Psychological Medicine, 2019, 49, 2081-2090.	2.7	9
43	ADHD Traits in German School-Aged Children: Validation of the German Strengths and Weaknesses of ADHS Symptoms and Normal Behavior (SWAN-DE) Scale. Journal of Attention Disorders, 2019, 23, 553-562.	1.5	8
44	Functional Impairment in Children With Externalizing Behavior Disorders: Psychometric Properties of the Weiss Functional Impairment Rating Scale–Parent Report in a German Clinical Sample. Journal of Attention Disorders, 2019, 23, 1546-1556.	1.5	27
45	Long-Term Course After Adaptive Multimodal Treatment for Children With ADHD: An 8-Year Follow-Up. Journal of Attention Disorders, 2020, 24, 145-162.	1.5	22
46	Predicting delinquent behavior in young adults with a childhood diagnosis of ADHD: results from the Cologne Adaptive Multimodal Treatment (CAMT) Study. European Child and Adolescent Psychiatry, 2022, 31, 553-564.	2.8	2
47	Children with Attention-Deficit/Hyperactivity Disorder Grown Up: An 18-Year Follow-Up after Multimodal Treatment. Journal of Attention Disorders, 2021, 25, 1801-1817.	1.5	7
48	Toward a Dimensional Assessment of Externalizing Disorders in Children: Reliability and Validity of a Semi-Structured Parent Interview. Frontiers in Psychology, 2020, 11, 1840.	1.1	10
49	Long-Term Effectiveness of Guided Self-Help for Parents of Children With ADHD in Routine Careâ€"An Observational Study. Journal of Attention Disorders, 2021, 25, 265-274.	1.5	10
50	The Accuracy of Retrospective Recall of Childhood ADHD: Results from a Longitudinal Study. Journal of Psychopathology and Behavioral Assessment, 2021, 43, 413-426.	0.7	8
51	Negative parenting behaviour as a mediator of the effects of telephone-assisted self-help for parents of pharmacologically treated children with attention-deficit/hyperactivity disorder. European Child and Adolescent Psychiatry, 2021, 30, 861-875.	2.8	5
52	The co-occurrence of Attention-Deficit/Hyperactivity Disorder and mathematical difficulties: An investigation of the role of basic numerical skills. Research in Developmental Disabilities, 2021, 112, 103881.	1.2	8
55	Validity and Reliability of the Persian Version of Conner's Adult ADHD Rating Scales : Observer and Self-report Screening Versions. Journal of Clinical Research & Governance, 0, , .	0.2	6
56	Mediation and Moderation of Outcome in a Training Intervention for Adolescents With Attention-Deficit/Hyperactivity Disorder. Journal of Cognitive Education and Psychology, 2016, 15, 412-427.	0.2	4

#	Article	IF	CITATIONS
57	Risk and resource factors of antisocial behaviourÂin children and adolescents: results of the longitudinal BELLA study. Child and Adolescent Psychiatry and Mental Health, 2021, 15, 61.	1.2	10
58	Validity Evaluation of Estimating Missed or Scratched Questions in Computer-Based Implementation of Conners' Attention Questionnaire. Psychology Research (Libertyville, Ill), 2011, 1, .	0.0	O
61	Cross-Informant Disagreement on Behavioral Symptoms in Adolescent Attention-Deficit/Hyperactivity Disorder and Its Impact on Treatment Effects. European Journal of Psychological Assessment, 2018, 34, 79-86.	1.7	7
63	Disinhibition of Primitive Reflexes in Attention Deficit and Hyperactivity Disorder: Insight Into Specific Mechanisms in Girls and Boys. Frontiers in Psychiatry, 2021, 12, 430685.	1.3	8
64	Evaluation of estimating missed answers in conners adult ADHD rating scale (screening version). Iranian Journal of Psychiatry, 2010, 5, 108-12.	0.4	3
65	Stability of the effects of a social competence training program for children with oppositional defiant disorder/conduct disorder: a 10-month follow-up. European Child and Adolescent Psychiatry, 2022, , 1.	2.8	1
67	Irritability and Emotional Impulsivity as Core Feature of ADHD and ODD in Children. Journal of Psychopathology and Behavioral Assessment, 2022, 44, 679-697.	0.7	5
68	Are different reading problems associated with different anxiety types?. Applied Cognitive Psychology, 2022, 36, 793-804.	0.9	6
69	Parenting Behaviors as Mediators of the Association Between Parental Internalizing Symptoms and Child Externalizing Symptoms. Child Psychiatry and Human Development, 0, , .	1.1	2
70	The Effects of Different Theta and Beta Neurofeedback Training Protocols on Cognitive Control in ADHD. Journal of Cognitive Enhancement: Towards the Integration of Theory and Practice, 2022, 6, 463-477.	0.8	3
71	Long-Term Effects of an Oligoantigenic Diet in Children with Attention-Deficit/Hyperactivity Disorder (ADHD) on Core Symptomatology. Nutrients, 2022, 14, 5111.	1.7	2
72	Validation of a new emotion regulation self-report questionnaire for children. BMC Psychiatry, 2022, 22, .	1.1	3
73	Links between excessive daytime sleepiness and EEG power and activation in two subtypes of ADHD. Biological Psychology, 2023, 177, 108504.	1.1	1
74	Effects of game-based digital therapeutics on attention deficit hyperactivity disorder in children and adolescents as assessed by parents or teachers: a systematic review and meta-analysis. European Child and Adolescent Psychiatry, 2024, 33, 481-493.	2.8	3
78	Gender and Age Differences in ADHD Symptoms and Co-occurring Depression and Anxiety Symptoms Among Children and Adolescents in the BELLA Study. Child Psychiatry and Human Development, 0, , .	1.1	1