

CITATION REPORT

List of articles citing

Using respondent-driven sampling methodology for HIV biological and behavioral surveillance in international settings: a systematic review

DOI: 10.1007/s10461-008-9421-1
AIDS and Behavior, 2008, 12, S105-30.

Source: <https://exaly.com/paper-pdf/43325291/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
342	Implementation challenges to using respondent-driven sampling methodology for HIV biological and behavioral surveillance: field experiences in international settings. <i>AIDS and Behavior</i> , 2008 , 12, S131-41	4.21	191
341	Phylogenetic analysis of HIV sequences obtained in a respondent-driven sampling study of men who have sex with men. 2009 , 25, 1335-8		10
340	Estimating HIV prevalence and risk behaviors among high-risk heterosexual men with multiple sex partners: use of respondent-driven sampling. 2009 , 51, 72-7		34
339	Relationship between heterosexual anal sex, injection drug use and HIV infection among black men and women. 2009 , 20, 310-4		29
338	Correlates of unprotected receptive anal intercourse among gay and bisexual men: Kampala, Uganda. <i>AIDS and Behavior</i> , 2009 , 13, 677-81	4.3	29
337	Rising HIV prevalence among married and unmarried among men who have sex with men: Jinan, China. <i>AIDS and Behavior</i> , 2009 , 13, 671-6	4.3	74
336	Respondent-driven sampling as Markov chain Monte Carlo. 2009 , 28, 2202-29		119
335	Improving survey methods in sero-epidemiological studies of injecting drug users: a case example of two cross sectional surveys in Serbia and Montenegro. 2009 , 9, 14		14
334	AN EMPIRICAL TEST OF RESPONDENT-DRIVEN SAMPLING: POINT ESTIMATES, VARIANCE, DEGREE MEASURES, AND OUT-OF-EQUILIBRIUM DATA. 2009 , 39, 73-116		135
333	HIV among injecting drug users: current epidemiology, biologic markers, respondent-driven sampling, and supervised-injection facilities. 2009 , 4, 308-13		28
332	Ethical considerations in HIV/AIDS biobehavioral surveys that use respondent-driven sampling: illustrations from Lebanon. 2009 , 99, 1562-7		16
331	Advances and future directions in HIV surveillance in low- and middle-income countries. 2009 , 4, 253-9		23
330	DEJONG ET AL. RESPOND. 2010 , 100, 583-584		78
329	Survey Methods for Hard-to-Reach Populations: Introduction to the Special Issue. 2010 , 5, 3.1-16		45
328	Les méthodes d'enquêtes auprès des populations difficiles à joindre: Introduction au numéro spécial. 2010 , 5, 3.2-16		3
327	Sampling Hard-to-Reach Populations with Respondent Driven Sampling. 2010 , 5, 38.1-48		87
326	Linking parenting and informal mentor processes to depressive symptoms among rural African American young adult men. 2010 , 16, 299-306		25

325	Effectiveness of respondent-driven sampling to recruit high risk heterosexual men who have multiple female sexual partners: differences in HIV prevalence and sexual risk behaviours measured at two time points. <i>AIDS and Behavior</i> , 2010 , 14, 1330-9	4.3	18
324	Comparing respondent-driven sampling and targeted sampling methods of recruiting injection drug users in San Francisco. 2010 , 87, 839-50		99
323	Prevalence of HIV/HCV/HBV infections and drug-related risk behaviours amongst IDUs recruited through peer-driven sampling in Iran. 2010 , 21, 493-500		41
322	SOCIAL NETWORK ANALYSIS WITH RESPONDENT-DRIVEN SAMPLING DATA: A STUDY OF RACIAL INTEGRATION ON CAMPUS. 2010 , 32, 112-124		41
321	Respondent-Driven Sampling: An Assessment of Current Methodology. 2010 , 40, 285-327		375
320	Tortured exiles on the streets: a research agenda and methodological challenge. 2010 , 8, 14-28		3
319	Respondent-Driven Sampling (RDS) of People Who Inject Drugs: Assessing RDS Assumptions and Requirements. 2010 , 37, 575-598		5
318	Assessing respondent-driven sampling. 2010 , 107, 6743-7		266
317	Échantillonnage déterminé selon les répondants pour les populations difficiles à joindre. 2010 , 5, 38.2-48		3
316	The emerging HIV epidemic among men who have sex with men in southeastern Europe. 2010 , 8, 1351-8		13
315	Evaluating respondent-driven sampling in a major metropolitan area: Comparing injection drug users in the 2005 Seattle area national HIV behavioral surveillance system survey with participants in the RAVEN and Kiwi studies. 2010 , 20, 159-67		51
314	Formative research to optimize respondent-driven sampling surveys among hard-to-reach populations in HIV behavioral and biological surveillance: lessons learned from four case studies. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2010 , 22, 784-92	2.2	78
313	Respondent-driven sampling: A new method for studying street children with findings from Albania. 2010 , 5, 1-11		13
312	A comparison of four sampling methods among men having sex with men in China: implications for HIV/STD surveillance and prevention. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2011 , 23, 1400-9	2.2	40
311	Conducting a respondent-driven sampling survey with the use of existing resources in Sydney, Australia. 2011 , 116, 125-31		6
310	Accessing a diverse sample of injection drug users in San Francisco through respondent-driven sampling. 2011 , 118, 83-91		14
309	Use of respondent driven sampling (RDS) generates a very diverse sample of men who have sex with men (MSM) in Buenos Aires, Argentina. <i>PLoS ONE</i> , 2011 , 6, e27447	3.7	40
308	Putting respondent-driven sampling on the map: insights from Rio de Janeiro, Brazil. 2011 , 57 Suppl 3, S136-43		30

307	Analysis of data collected by RDS among sex workers in 10 Brazilian cities, 2009: estimation of the prevalence of HIV, variance, and design effect. 2011 , 57 Suppl 3, S129-35		72
306	SNOWBALL VERSUS RESPONDENT-DRIVEN SAMPLING. 2011 , 41, 355-366		419
305	Human rights abuses and suicidal ideation among male injecting drug users in Delhi, India. 2011 , 22, 161-6		18
304	Use of respondent-driven sampling to enhance understanding of injecting networks: a study of people who inject drugs in Sydney, Australia. 2011 , 22, 267-73		13
303	High HIV and hepatitis C prevalence amongst injecting drug users in Mauritius: findings from a population size estimation and respondent driven sampling survey. 2011 , 22, 252-8		31
302	Amsterdamse basecokegebruikers in beeld. 2011 , 7, 36-48		
301	Possible increase in HIV and syphilis prevalence among men who have sex with men in Guangzhou, China: results from a respondent-driven sampling survey. <i>AIDS and Behavior</i> , 2011 , 15, 1058-66	4.3	58
300	Behavioral surveillance of heterosexual exchange-sex partnerships in San Francisco: context, predictors and implications. <i>AIDS and Behavior</i> , 2011 , 15, 236-42	4.3	10
299	HIV risk behaviours and their relationship to intimate partner violence (IPV) among men who have multiple female sexual partners in Cape Town, South Africa. <i>AIDS and Behavior</i> , 2011 , 15, 132-41	4.3	73
298	Bridging populations-sexual risk behaviors and HIV prevalence in clients and partners of female sex workers, Bangkok, Thailand 2007. 2011 , 88, 533-44		13
297	Central and East European migrant men who have sex with men in London: a comparison of recruitment methods. 2011 , 11, 69		9
296	Expanded syringe exchange programs and reduced HIV infection among new injection drug users in Tallinn, Estonia. <i>BMC Public Health</i> , 2011 , 11, 517	4.1	23
295	HIV risk behaviours among injecting drug users in Northeast India following scale-up of a targeted HIV prevention programme. <i>BMC Public Health</i> , 2011 , 11 Suppl 6, S9	4.1	25
294	The Game of Contacts: Estimating the Social Visibility of Groups. 2011 , 33, 70-78		42
293	Capture-recapture methods and respondent-driven sampling: their potential and limitations. 2011 , 87, 267-8		15
292	"Taking care of business": alcohol as currency in transactional sexual relationships among players in Cape Town, South Africa. 2011 , 21, 41-50		27
291	HIV prevalence and risk behaviours among men having sex with men in Nigeria. 2011 , 87, 65-70		73
290	Complex Networks. <i>Communications in Computer and Information Science</i> , 2011 ,		0.3

289	Case study: An ethics case study of HIV prevention research on Facebook: the Just/Us study. 2011 , 36, 1082-92	64
288	Respondent-Driven Sampling With Hard-to-Reach Emerging Adults: An Introduction and Case Study With Rural African Americans. 2011 , 26, 30-60	23
287	Respondent-driven sampling in a syringe exchange setting. 2012 , 40, 725-9	2
286	Respondent driven sampling--where we are and where should we be going?. 2012 , 88, 397-9	57
285	A comparison of respondent-driven and venue-based sampling of female sex workers in Liuzhou, China. 2012 , 88 Suppl 2, i95-101	37
284	The impact of human rights violations and perceptions of discrimination on health service utilization among injection drug users in Delhi, India. 2012 , 47, 230-43	8
283	Network Sampling with Memory: A proposal for more efficient sampling from social networks. 2012 , 42, 206-256	35
282	New Approaches to Demographic Data Collection. 2012 , 44, 56	6
281	Respondent-driven sampling to recruit in-country migrant workers in China: a methodological assessment. 2012 , 40, 92-101	18
280	Reaching black men who have sex with men: a comparison between respondent-driven sampling and time-location sampling. 2012 , 88, 622-6	37
279	Commentary: Respondent-driven Sampling in the Real World. 2012 , 23, 148-50	58
278	Long-chain peer referral of men who have sex with men: a novel approach to establish and maintain a cohort to measure HIV incidence, Nanjing, China. 2012 , 59, 177-84	15
277	Evaluation of respondent-driven sampling. 2012 , 23, 138-47	194
276	Sampling and Surveying Hard-to-Reach Populations for Demographic Research. <i>Demographic Research</i> , 2012 , 26, 131-150	1 18
275	Spatial mapping of hepatitis C prevalence in recent injecting drug users in contact with services. 2012 , 140, 1054-63	7
274	The structure of online diffusion networks. 2012 ,	190
273	Multiple routes of drug administration and HIV risk among injecting drug users. 2012 , 42, 413-20	8
272	Respondent-driven sampling to recruit young adult non-medical users of pharmaceutical opioids: problems and solutions. 2012 , 121, 23-9	18

271	Understanding the association between injecting and sexual risk behaviors of injecting drug users in Manipur and Nagaland, India. 2012 , 9, 40		11
270	Respondent driven sampling and community structure in a population of injecting drug users, Bristol, UK. 2012 , 126, 324-32		18
269	The global epidemiology of HIV/AIDS. 2012 , 3-13		
268	Detoxification center-based sampling missed a subgroup of higher risk drug users, a case from Guangdong, China. <i>PLoS ONE</i> , 2012 , 7, e35189	3-7	4
267	HIV infection among men who have sex with men in Kampala, Uganda--a respondent driven sampling survey. <i>PLoS ONE</i> , 2012 , 7, e38143	3-7	99
266	Risk factors for HIV and unprotected anal intercourse among men who have sex with men (MSM) in Almaty, Kazakhstan. <i>PLoS ONE</i> , 2012 , 7, e43071	3-7	32
265	Respondent-Driven Sampling. 2012 , 12, 72-93		80
264	Respondent-driven sampling and the recruitment of people with small injecting networks. <i>AIDS and Behavior</i> , 2012 , 16, 890-9	4-3	15
263	Understanding the HIV/AIDS epidemic in transgender women of Lima, Peru: results from a sero-epidemiologic study using respondent driven sampling. <i>AIDS and Behavior</i> , 2012 , 16, 872-81	4-3	154
262	Social network and other correlates of HIV testing: findings from male sex workers and other MSM in Shanghai, China. <i>AIDS and Behavior</i> , 2012 , 16, 858-71	4-3	71
261	Estimating design effect and calculating sample size for respondent-driven sampling studies of injection drug users in the United States. <i>AIDS and Behavior</i> , 2012 , 16, 797-806	4-3	75
260	HIV/AIDS-related stigmatizing and discriminatory attitudes and recent HIV testing among men who have sex with men in Beijing. <i>AIDS and Behavior</i> , 2012 , 16, 499-507	4-3	49
259	The sensitivity of respondent-driven sampling. 2012 , 175, 191-216		57
258	Substance use among populations displaced by conflict: a literature review. 2012 , 36, 533-57		65
257	Social network characteristics and HIV vulnerability among transgender persons in San Salvador: identifying opportunities for HIV prevention strategies. <i>AIDS and Behavior</i> , 2012 , 16, 214-24	4-3	35
256	Determinants of unequal HIV care access among people living with HIV in Peru. 2013 , 9, 22		10
255	Understanding recruitment: outcomes associated with alternate methods for seed selection in respondent driven sampling. 2013 , 13, 93		22
254	Exposure to HIV prevention programmes associated with improved condom use and uptake of HIV testing by female sex workers in Nagaland, Northeast India. <i>BMC Public Health</i> , 2013 , 13, 476	4-1	13

253	Risky single-occasion drinking and disadvantaged men: will recruitment through primary care miss hazardous drinkers?. 2013 , 37, 1577-81		5
252	Using intervention mapping for the development of a targeted secure web-based outreach strategy named SafeFriend, for Chlamydia trachomatis testing in young people at risk. <i>BMC Public Health</i> , 2013 , 13, 996	4.1	12
251	Reaching men who have sex with men: a comparison of respondent-driven sampling and time-location sampling in Guatemala City. <i>AIDS and Behavior</i> , 2013 , 17, 3081-90	4.3	37
250	Respondent driven sampling for HIV biological and behavioral surveillance in Latin America and the Caribbean. <i>AIDS and Behavior</i> , 2013 , 17, 2313-40	4.3	36
249	HIV prevalence and risk behaviours from three consecutive surveys among men who have multiple female sexual partners in Cape Town. <i>AIDS and Behavior</i> , 2013 , 17, 2367-75	4.3	3
248	Reaching men who have sex with men in Myanmar: population characteristics, risk and preventive behavior, exposure to health programs. <i>AIDS and Behavior</i> , 2013 , 17, 1386-94	4.3	13
247	Correlates of bisexual behaviors among men who have sex with men in El Salvador. <i>AIDS and Behavior</i> , 2013 , 17, 1279-87	4.3	18
246	Effectiveness of respondent driven sampling to recruit undocumented Central American immigrant women in Houston, Texas for an HIV behavioral survey. <i>AIDS and Behavior</i> , 2013 , 17, 719-27	4.3	29
245	Socio-demographic factors, health risks and harms associated with early initiation of injection among people who inject drugs in Tallinn, Estonia: evidence from cross-sectional surveys. 2013 , 24, 150-5		18
244	Association between TLR3 rs3775291 and resistance to HIV among highly exposed Caucasian intravenous drug users. 2013 , 20, 78-82		27
243	Surveillance for human immunodeficiency virus/acquired immunodeficiency syndrome for countries in transition: PART 2: Surveillance for human immunodeficiency virus/acquired immunodeficiency syndrome in Russia. 2013 , 327-333		
242	An empirical examination of respondent driven sampling design effects among HIV risk groups from studies conducted around the world. <i>AIDS and Behavior</i> , 2013 , 17, 2202-10	4.3	50
241	Determinants of HIV infection among female sex workers in two cities in the Republic of Moldova: the role of injection drug use and sexual risk. <i>AIDS and Behavior</i> , 2013 , 17, 2588-96	4.3	8
240	Anal sex role, circumcision status, and HIV infection among men who have sex with men in Chongqing, China. 2013 , 42, 1275-83		31
239	New evidence on the HIV epidemic in Libya: why countries must implement prevention programs among people who inject drugs. 2013 , 62, 577-83		33
238	Estimating HIV prevalence and HIV-related risk behaviors among heterosexual women who have multiple sex partners using respondent-driven sampling in a high-risk community in South Africa. 2013 , 62, 457-64		9
237	HIV among men who have sex with men in Malawi: elucidating HIV prevalence and correlates of infection to inform HIV prevention. 2013 , 16 Suppl 3, 18742		49
236	HIV surveillance in MENA: recent developments and results. 2013 , 89 Suppl 3, iii11-16		33

235	Alcohol and condom use among HIV-positive and HIV-negative female sex workers in Nagaland, India. 2013 , 24, 695-702		4
234	HIV, hepatitis and syphilis prevalence and correlates of condom use during anal sex among men who have sex with men in the Republic of Moldova. 2013 , 24, 357-64		6
233	Community understanding of Respondent-Driven Sampling in a medical research setting in Uganda: importance for the use of RDS for public health research. 2013 , 16,		8
232	Possible HIV transmission modes among at-risk groups at an early epidemic stage in the Philippines. 2013 , 85, 2057-64		8
231	Protective Parenting, Relationship Power Equity, and Condom Use Among Rural African American Emerging Adult Women. 2013 , 62, 341-353		10
230	Respondent-driven sampling on directed networks. 2013 , 7,		21
229	Social network-based recruitment successfully reveals HIV-1 transmission networks among high-risk individuals in El Salvador. 2013 , 63, 135-41		30
228	Filling the Knowledge Gap: Measuring HIV Prevalence and Risk Factors among Men Who Have Sex with Men and Female Sex Workers in Tripoli, Libya. <i>PLoS ONE</i> , 2013 , 8, e66701	3.7	20
227	Balancing theory and practice in respondent-driven sampling: a case study of innovations developed to overcome recruitment challenges. <i>PLoS ONE</i> , 2013 , 8, e70344	3.7	20
226	The epidemiology of HIV and prevention needs among men who have sex with men in Africa. 2013 , 16, 18972		1
225	HIV risk practices by female sex workers according to workplace. 2014 , 48, 428-37		12
224	A multicentre sero-behavioural survey for hepatitis B and C, HIV and HTLV among people who inject drugs in Germany using respondent driven sampling. <i>BMC Public Health</i> , 2014 , 14, 845	4.1	12
223	Reliability and validity of the Haitian Creole PHQ-9. 2014 , 29, 1679-86		20
222	Using respondent-driven sampling with fBard to reach marginalised young people: problems with slow recruitment and small network size. 2014 , 17, 599-611		9
221	Non-partner violence against women who use drugs in San Francisco. 2014 , 20, 1285-98		10
220	University students and the risk of HIV and other sexually transmitted infections in Uganda: the Crane survey. 2014 , 26, 209-15		11
219	HIV risks vary according to type of sex work in a cross-sectional survey from Nagaland, India. 2014 , 14, 133		4
218	HIV-testing behavior and associated factors among MSM in Chongqing, China: results of 2 consecutive cross-sectional surveys from 2009 to 2010. 2014 , 93, e124		25

217	HIV-1, HBV, HCV, HTLV, HPV-16/18, and Treponema pallidum infections in a sample of Brazilian men who have sex with men. <i>PLoS ONE</i> , 2014 , 9, e102676	3-7	27
216	Spatial, temporal and relational patterns in respondent-driven sampling: evidence from a social network study of rural drug users. 2014 , 68, 792-8		32
215	Experiencing antipsychotic discontinuation: results from a survey of Australian consumers. 2014 , 21, 917-23		17
214	A continuing HIV epidemic and differential patterns of HIV-STI risk among MSM in Quito, Ecuador: an urgent need to scale up HIV testing and prevention. <i>AIDS and Behavior</i> , 2014 , 18, 88-98	4-3	23
213	HIV risk behaviors of male injecting drug users and associated non-condom use with regular female sexual partners in north-east India. 2014 , 11, 5		16
212	Sampling methodologies for epidemiologic surveillance of men who have sex with men and transgender women in Latin America: an empiric comparison of convenience sampling, time space sampling, and respondent driven sampling. <i>AIDS and Behavior</i> , 2014 , 18, 2338-48	4-3	45
211	Estimating Labor Trafficking among Unauthorized Migrant Workers in San Diego. 2014 , 653, 65-86		41
210	Assessing differences in groups randomized by recruitment chain in a respondent-driven sample of Seattle-area injection drug users. 2014 , 24, 861-867.e14		6
209	Errors in reported degrees and respondent driven sampling: implications for bias. 2014 , 142, 120-6		29
208	Respondent driven sampling is an effective method for engaging methamphetamine users in HIV prevention research in South Africa. 2014 , 143, 134-40		15
207	Optimizing the implementation of integrated biological and behavioural surveillance surveys of HIV in resource limited settings-lessons from Nepal. 2014 , 4, S605-S615		4
206	Spatial recruitment bias in respondent-driven sampling: Implications for HIV prevalence estimation in urban heterosexuals. <i>AIDS and Behavior</i> , 2014 , 18, 2366-73	4-3	13
205	Chlamydia prevalence and associated behaviours among female sex workers in Vanuatu: results from an integrated bio-behavioural survey, 2011. <i>AIDS and Behavior</i> , 2014 , 18, 2040-9	4-3	8
204	Sexual motivation, sexual transactions and sexual risk behaviors in men who have sex with men in Dar es Salaam, Tanzania. <i>AIDS and Behavior</i> , 2014 , 18, 2432-41	4-3	11
203	Strong propensity for HIV transmission among men who have sex with men in Vietnam: behavioural data and sexual network modelling. 2014 , 4, e003526		11
202	Prevalence of HIV, syphilis, and other sexually transmitted infections among MSM from three cities in Panama. 2014 , 91, 793-808		12
201	Reaching the hard-to-reach: a systematic review of strategies for improving health and medical research with socially disadvantaged groups. 2014 , 14, 42		576
200	Risky behavior and correlates of HIV and Hepatitis C Virus infection among people who inject drugs in three cities in Afghanistan. 2014 , 143, 127-33		16

199	Prevalence of IGRA-positivity and risk factors for tuberculosis among injecting drug users in Estonia and Latvia. 2014 , 25, 175-8		4
198	A simulative comparison of respondent driven sampling with incentivized snowball sampling--the "strudel effect". 2014 , 135, 71-7		17
197	Recent developments of sampling hard-to-survey populations: an assessment. 424-444		9
196	STI patients are effective recruiters of undiagnosed cases of HIV: results of a social contact recruitment study in Malawi. 2014 , 65, e162-9		13
195	Research in the Social Scientific Study of Religion, Volume 25'. 2014 ,		
194	High hepatitis C virus prevalence among drug users in Iran: systematic review and meta-analysis of epidemiological evidence (2001-2012). 2015 , 40, 116-30		37
193	If You Are Not Counted, You Don't Count: Estimating the Number of African-American Men Who Have Sex with Men in San Francisco Using a Novel Bayesian Approach. 2015 , 92, 1052-64		10
192	Correlates of Concurrent Sexual Partnerships Among Young, Rural African American Men. 2015 , 130, 392-9		11
191	Hard-to-reach populations of men who have sex with men and sex workers: a systematic review on sampling methods. 2015 , 4, 141		12
190	Network Model-Assisted Inference from Respondent-Driven Sampling Data. 2015 , 178, 619-639		43
189	Non-fatal overdoses and related risk factors among people who inject drugs in St. Petersburg, Russia and Kohtla-Järve, Estonia. <i>BMC Public Health</i> , 2015 , 15, 1255	4.1	26
188	Respondent-driven sampling among gay and bisexual men: experiences from a New Zealand pilot study. 2015 , 8, 549		1
187	Design and baseline findings of a large-scale rapid response to an HIV outbreak in people who inject drugs in Athens, Greece: the ARISTOTLE programme. 2015 , 110, 1453-67		47
186	Brief Report: Respondent-driven Sampling Estimators Under Real and Theoretical Recruitment Conditions of Female Sex Workers in China. 2015 , 26, 661-5		20
185	Estimating the Size of Hidden Populations Using Respondent-driven Sampling Data: Case Examples from Morocco. 2015 , 26, 846-52		27
184	Vulnerability in the context of HIV and syphilis infection in a population of men who have sex with men (MSM) in Salvador, Bahia State, Brazil. <i>Cadernos De Saude Publica</i> , 2015 , 31, 1035-48	3.2	14
183	High HIV Burden in Men Who Have Sex with Men across Colombia's Largest Cities: Findings from an Integrated Biological and Behavioral Surveillance Study. <i>PLoS ONE</i> , 2015 , 10, e0131040	3.7	15
182	Social network analysis for program implementation. <i>PLoS ONE</i> , 2015 , 10, e0131712	3.7	135

181	Sexual violence, condom negotiation, and condom use in the context of sex work: results from two West African countries. 2015 , 68 Suppl 2, S171-9		56
180	High HIV prevalence in a respondent-driven sampling survey of injection drug users in Tehran, Iran. <i>AIDS and Behavior</i> , 2015 , 19, 440-9	4.3	14
179	A qualitative analysis of peer recruitment pressures in respondent driven sampling: Are risks above the ethical limit?. 2015 , 26, 832-42		9
178	Influence of interleukin 10 polymorphisms -592 and -1082 to the HIV, HBV and HCV serostatus among intravenous drug users. 2015 , 30, 175-180		10
177	A Comparison of Referred Sexual Partners to Their Community Recruited Counterparts in The BROTHERS Project (HPTN 061). <i>AIDS and Behavior</i> , 2015 , 19, 2214-23	4.3	6
176	Current and recent drug use intensifies sexual and structural HIV risk outcomes among female sex workers in the Russian Federation. 2015 , 26, 755-63		35
175	High prevalence of stigma-related abuse among a sample of men who have sex with men in Tanzania: implications for HIV prevention. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2015 , 27, 63-70	2.2	54
174	Bias, variance and breadth/depth tradeoffs in respondent-driven sampling. 2015 , 85, 89-102		4
173	Combined prevention for persons who inject drugs in the HIV epidemic in a transitional country: the case of Tallinn, Estonia. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2015 , 27, 105-111	2.2	14
172	Men who have sex with men in Mozambique: identifying a hidden population at high-risk for HIV. <i>AIDS and Behavior</i> , 2015 , 19, 393-404	4.3	27
171	HIV prevalence and risk behaviors among people who inject drugs in two serial cross-sectional respondent-driven sampling surveys, Zanzibar 2007 and 2012. <i>AIDS and Behavior</i> , 2015 , 19 Suppl 1, S36-45	4.3	12
170	Using a 2-stage strategy with respondent-driven sampling to recruit a hard-to-reach population for a placebo microbicide gel clinical trial in Nellore, Andhra Pradesh (India). <i>AIDS and Behavior</i> , 2015 , 19, 369-79	4.3	5
169	Sexual behaviours of men who inject drugs in northeast India. 2015 , 12, 4		6
168	Piloting a Social Networks Strategy to Increase HIV Testing and Counseling Among Men Who Have Sex with Men in Greater Accra and Ashanti Region, Ghana. <i>AIDS and Behavior</i> , 2015 , 19, 1990-2000	4.3	24
167	HIV Prevalence Among People Who Inject Drugs in Greater Kuala Lumpur Recruited Using Respondent-Driven Sampling. <i>AIDS and Behavior</i> , 2015 , 19, 2347-57	4.3	17
166	Strengthening the Reporting of Observational Studies in Epidemiology for respondent-driven sampling studies: "STROBE-RDS" statement. 2015 , 68, 1463-71		133
165	Health research among hard-to-reach people: six degrees of sampling. 2015 , 187, 1145-1149		6
164	Diagnostics for Respondent-driven Sampling. 2015 , 178, 241-269		152

163	Challenges to recruiting population representative samples of female sex workers in China using Respondent Driven Sampling. 2015 , 125, 79-93		18
162	Factors associated with HIV infection among a respondent-driven sample of men who have sex with men in Salvador, Brazil. <i>Revista Brasileira De Epidemiologia</i> , 2016 , 19, 256-71	1.3	7
161	[Building bridges: interdisciplinarity in practice. PopTrans Study: a study with transvestites and transsexual women in Salvador, Bahia State, Brazil]. <i>Cadernos De Saude Publica</i> , 2016 , 32, e00180415	3.2	7
160	Factors associated with HIV testing among male injecting drug users: findings from a cross-sectional behavioural and biological survey in Manipur and Nagaland, India. 2016 , 13, 21		8
159	Increased HIV Testing among Men Who Have Sex with Men from 2008 to 2012, Nanjing, China. <i>PLoS ONE</i> , 2016 , 11, e0154466	3.7	5
158	Respondent-driven sampling and an unusual epidemic. 2016 , 53, 518-530		4
157	Changing trend of HIV, Syphilis and Hepatitis C among Men Who Have Sex with Men in China. 2016 , 6, 31081		43
156	Situaci3n de VIH en usuarios de drogas inyectables en Colombia. <i>Infectio</i> , 2016 , 20, 70-76	0.7	4
155	A Systematic Review of Published Respondent-Driven Sampling Surveys Collecting Behavioral and Biologic Data. <i>AIDS and Behavior</i> , 2016 , 20, 1754-76	4.3	40
154	Factors Associated with Productive Recruiting in a Respondent-Driven Sample of Men who Have Sex with Men in Vancouver, Canada. 2016 , 93, 379-87		15
153	Evaluation of SMARTube to Detect HIV Infection Before Seroconversion Using Standard Methods. 2016 , 32, 1067-1071		1
152	HIV and hepatitis C prevalence, and related risk behaviours among people who inject drugs in three cities in Croatia: Findings from respondent-driven sampling surveys. 2016 , 32, 57-63		12
151	T Cell Distribution in Relation to HIV/HBV/HCV Coinfections and Intravenous Drug Use. 2016 , 29, 464-470		7
150	The Influence of Childhood Adversity on Rural Black Men's Sexual Risk Behavior. 2016 , 50, 813-822		8
149	The complex interplay of social networks, geography and HIV risk among Malaysian Drug Injectors: Results from respondent-driven sampling. 2016 , 37, 98-106		4
148	Update on respondent-driven sampling: Theory and practical considerations for studies of persons who inject drugs. 2016 , 9, 205979911667287		9
147	Recruiting the social contacts of patients with STI for HIV screening in Lilongwe, Malawi: process evaluation and assessment of acceptability. 2016 , 92, 587-592		3
146	Does size really matter? A sensitivity analysis of number of seeds in a respondent-driven sampling study of gay, bisexual and other men who have sex with men in Vancouver, Canada. 2016 , 16, 157		8

145	High variability of HIV and HCV seroprevalence and risk behaviours among people who inject drugs: results from a cross-sectional study using respondent-driven sampling in eight German cities (2011-14). <i>BMC Public Health</i> , 2016 , 16, 927	4.1	26
144	Prevalence and Mental Health Correlates of Illegal Cannabis Use Among Bisexual Women. 2016 , 16, 181-202		7
143	The HIV care continuum among men who have sex with men in Moscow, Russia: a cross-sectional study of infection awareness and engagement in care. 2016 , 92, 161-7		17
142	Respondent-Driven Sampling Testing Assumptions: Sampling with Replacement. 2016 , 32, 29-73		10
141	Differences in T cell distribution and CCR5 expression in HIV-positive and HIV-exposed seronegative persons who inject drugs. 2016 , 205, 231-9		5
140	Comparing the effectiveness of respondent-driven sampling and quota sampling in migration research. 2016 , 19, 645-661		14
139	Alcohol Use and Associated Sexual and Substance Use Behaviors Among Men Who Have Sex with Men in Moscow, Russia. <i>AIDS and Behavior</i> , 2016 , 20, 523-36	4.3	21
138	Pathways to HIV-Related Behavior Among Heterosexual, Rural Black Men: A Person-Centered Analysis. 2017 , 46, 913-924		4
137	Modeling and analyzing respondent-driven sampling as a counting process. 2017 , 73, 1189-1198		9
136	Correlates of anti-hepatitis C positivity and use of harm reduction services among people who inject drugs in two cities in Croatia. 2017 , 171, 132-139		2
135	Global Trends of Monitoring and Data Collection on the HIV Response among Key Populations Since the 2001 UN Declaration of Commitment on HIV/AIDS. <i>AIDS and Behavior</i> , 2017 , 21, 34-43	4.3	7
134	Reproducibility of Respondent-Driven Sampling (RDS) in Repeat Surveys of Men Who have Sex with Men, Unguja, Zanzibar. <i>AIDS and Behavior</i> , 2017 , 21, 2180-2187	4.3	7
133	Being a Music Performer in French Speaking Switzerland: Relationships to Work and Employment. 2017 , 43, 309-334		0
132	An Immunization Strategy for Hidden Populations. 2017 , 7, 3268		8
131	Social Network Clustering and the Spread of HIV/AIDS Among Persons Who Inject Drugs in 2 Cities in the Philippines. 2017 , 76, 26-32		9
130	NEW SURVEY QUESTIONS AND ESTIMATORS FOR NETWORK CLUSTERING WITH RESPONDENT-DRIVEN SAMPLING DATA. 2017 , 47, 274-306		9
129	HIV decline associated with changes in risk behaviours among young key populations in Nepal: analysis of population-based HIV prevalence surveys between 2001 and 2012. 2017 , 28, 864-875		6
128	Measuring a hidden population: A novel technique to estimate the population size of women with sexual violence-related pregnancies in South Kivu Province, Democratic Republic of Congo. 2017 , 7, 45-53		11

127	Prevalence and genotypes of GBV-C and its associations with HIV infection among persons who inject drugs in Eastern Europe. 2017 , 89, 632-638		15
126	Inference for respondent-driven sampling with misclassification. 2017 , 11,		3
125	Novel sampling design for respondent-driven sampling. 2017 , 11,		7
124	HIV and hepatitis B and C co-infection among people who inject drugs in Zanzibar. <i>BMC Public Health</i> , 2017 , 17, 917	4.1	8
123	Understanding sexual healthcare seeking behaviour: why a broader research perspective is needed. 2017 , 17, 462		8
122	Hepatitis C bio-behavioural surveys in people who inject drugs-a systematic review of sensitivity to the theoretical assumptions of respondent driven sampling. 2017 , 14, 44		5
121	Network-Based Research on Rural Opioid Use: an Overview of Methods and Lessons Learned. 2018 , 15, 113-119		10
120	Methods for Inference from Respondent-Driven Sampling Data. 2018 , 5, 65-93		16
119	Defining and surveying key populations at risk of HIV infection: Towards a unified approach to eligibility criteria for respondent-driven sampling HIV biobehavioral surveys. 2018 , 29, 895-903		2
118	Statistical adjustment of network degree in respondent-driven sampling estimators: venue attendance as a proxy for network size among young MSM. 2018 , 54, 118-131		9
117	Evaluating Variance Estimators for Respondent-Driven Sampling. <i>Journal of Survey Statistics and Methodology</i> , 2017 , 2017,	1.6	9
116	HIV Prevalence, Knowledge, Attitudes, and Practices Among Polydrug Users in Brazil: A Biological Survey Using Respondent Driven Sampling. <i>AIDS and Behavior</i> , 2018 , 22, 2089-2103	4.3	8
115	HIV Prevalence and Related Risk Factors in Men Who Have Sex with Men in Bamako, Mali: Findings from a Bio-behavioral Survey Using Respondent-Driven Sampling. <i>AIDS and Behavior</i> , 2018 , 22, 2079-2088	4.3	14
114	Overlooked Threats to Respondent Driven Sampling Estimators: Peer Recruitment Reality, Degree Measures, and Random Selection Assumption. <i>AIDS and Behavior</i> , 2018 , 22, 2340-2359	4.3	19
113	A SIMULATION-BASED FRAMEWORK FOR ASSESSING THE FEASIBILITY OF RESPONDENT-DRIVEN SAMPLING FOR ESTIMATING CHARACTERISTICS IN POPULATIONS OF LESBIAN, GAY AND BISEXUAL OLDER ADULTS. 2018 , 12, 2252-2278		2
112	A stochastic simulation model to study respondent-driven recruitment. <i>PLoS ONE</i> , 2018 , 13, e0207507	3.7	1
111	Human Rights as Political Determinants of Health: A Retrospective Study of North Korean Refugees. 2018 , 55, 271-279		10
110	Dynamics of Information Diffusion and Social Sensing. 2018 , 525-600		

109	Association of IFN γ rs12979860 polymorphism with the acquisition of HCV and HIV infections among people who inject drugs. 2018 , 90, 1779-1783		4
108	Risk Behaviors and Perceptions Among Self-identified Men Who Have Sex with Men (MSM), Bisexuals, Transvestites, and Transgender Women in Western Guatemala. <i>AIDS and Behavior</i> , 2018 , 22, 45-56	4.3	6
107	Syringe disposal among people who inject drugs before and after the implementation of a syringe services program. 2019 , 202, 13-17		14
106	Consistent condom use and its predictors among female sexual Partners of People who Inject Drugs in Klang Valley, Malaysia. <i>BMC Public Health</i> , 2019 , 19, 1473	4.1	1
105	What has changed HIV and syphilis infection among men who have sex with men (MSM) in Southwest China: a comparison of prevalence and behavioural characteristics (2013-2017). <i>BMC Public Health</i> , 2019 , 19, 1314	4.1	12
104	"You Never Know What You're Getting": Opioid Users' Perceptions of Fentanyl in Southwest Pennsylvania. 2019 , 54, 955-966		16
103	Drug Users and HIV Risk in Guatemala City, Guatemala. 2019 , 49, 296-307		1
102	One size does not fit all: HIV prevalence and correlates of risk for men who have sex with men, transgender women in multiple cities in Papua New Guinea. <i>BMC Public Health</i> , 2019 , 19, 623	4.1	11
101	Estimating HIV and HCV prevalence among people who inject drugs in 5 Ukrainian cities using stratification-based respondent driven and random sampling. 2019 , 67, 91-101		4
100	Maximizing respondent-driven sampling field procedures in the recruitment of sexual minorities for health research. 2019 , 7, 2050312119829983		4
99	The 12 city HIV Surveillance Survey among MSM in Brazil 2016 using respondent-driven sampling: a description of methods and RDS diagnostics. <i>Revista Brasileira De Epidemiologia</i> , 2019 , 22, e190004	1.3	7
98	Hierarchical multi-armed bandits for discovering hidden populations. 2019 ,		2
97	Prevalence and correlates of alcohol and tobacco use among key populations in Togo in 2017: a cross-sectional study. 2019 , 9, e028934		3
96	Unseen, unheard and unprotected: prevalence and correlates of violence among female sex workers in Mozambique. 2019 , 21, 898-913		7
95	Mobility and sex work: why, where, when? A typology of female-sex-worker mobility in Zimbabwe. 2019 , 220, 322-330		10
94	Respondent-driven sampling and the homophily configuration graph. 2019 , 38, 131-150		7
93	Prevalence and Risk Factors for HIV Infection in a Population of Homosexual, Bisexual, and Other Men Who Have Sex with Men in the Metropolitan Region of Chile: A Re-emerging Health Problem. <i>AIDS and Behavior</i> , 2020 , 24, 827-838	4.3	6
92	Implementing Respondent-Driven Sampling to Recruit Women Who Exchange Sex in New York City: Factors Associated with Recruitment and Lessons Learned. <i>AIDS and Behavior</i> , 2020 , 24, 580-591	4.3	1

91	Socioeconomic Differences in Access to Neighborhood and Network Social Capital and Associations With Body Mass Index Among Black Americans. 2020 , 34, 150-160		2
90	Hard-to-Survey Populations and Respondent-Driven Sampling: Expanding the Political Science Toolbox. 2020 , 18, 509-526		2
89	Characterizing social cohesion and gender identity as risk determinants of HIV among cisgender men who have sex with men and transgender women in Cte d'Ivoire. 2020 , 42, 25-32		7
88	Does the mental health of migrant workers suffer from long commute time? Evidence from China. 2020 , 19, 100932		4
87	Health and healthcare in North Korea: a retrospective study among defectors. 2020 , 14, 41		5
86	Estimation and correction of bias in network simulations based on respondent-driven sampling data. 2020 , 10, 6348		1
85	HIV prevalence and associated risk factors among female sex workers in Dar es Salaam, Tanzania: tracking the epidemic. 2020 , 31, 950-957		3
84	Factors associated with HIV and syphilis infection among female sex workers in three cities in Papua New Guinea: findings from Kauntim mi tu, a biobehavioral survey. 2020 , 17, 311-320		6
83	Population estimation and harm reduction among people who inject drugs in Addis Ababa, Ethiopia. 2020 , 17, 61		0
82	Using geographical data and rolling statistics for diagnostics of respondent-driven sampling. 2020 ,		0
81	Prevalence and risk factors associated with HIV/hepatitis B and HIV/hepatitis C co-infections among people who inject drugs in Mozambique. <i>BMC Public Health</i> , 2020 , 20, 851	4.1	4
80	Sex, Drugs, and Impulse Regulation: A Perspective on Reducing Transmission Risk Behavior and Improving Mental Health Among MSM Living With HIV. 2020 , 11, 1005		3
79	HIV and other sexually transmitted infections among female sex workers in Moscow (Russia): prevalence and associated risk factors. 2020 , 96, 601-607		3
78	HIV Prevalence and Associated Risks in a Respondent-Driven Sample of Illicit Stimulant Users in a Southern United States City. <i>AIDS and Behavior</i> , 2020 , 24, 2336-2346	4.3	2
77	Potential for conflicts in recreational and artisanal billfish fisheries on the coast of Kenya. 2020 , 117, 103960		8
76	Population Size Estimation Using Multiple Respondent-Driven Sampling Surveys. <i>Journal of Survey Statistics and Methodology</i> , 2021 , 9, 94-120	1.6	2
75	HIV, syphilis and hepatitis B prevalence, related risk behaviours and correlates of condom use among transgender women in two cities in Sri Lanka: findings from respondent-driven sampling surveys. 2021 , 18, 311-318		
74	Recognizing the hidden: strengthening the HIV surveillance system among key and priority populations in Mozambique. <i>BMC Public Health</i> , 2021 , 21, 91	4.1	

73	Mixed Membership Graph Clustering via Systematic Edge Query. 2021 , 69, 5189-5205		2
72	Applications and Recruitment Performance of Web-Based Respondent-Driven Sampling: Scoping Review. <i>Journal of Medical Internet Research</i> , 2021 , 23, e17564	7.6	0
71	Telephone peer recruitment and interviewing during a respondent-driven sampling (RDS) survey: feasibility and field experience from the first phone-based RDS survey among men who have sex with men in Cte d'Ivoire. 2021 , 21, 25		2
70	Past 12-month nonfatal overdose among people who inject drugs in Ukraine: City-level estimates and risk factors from a cross-sectional study. 2021 , 220, 108513		1
69	A comparison of the effectiveness of respondent-driven and venue-based sampling for identifying undiagnosed HIV infection among cisgender men who have sex with men and transgender women in Tijuana, Mexico. 2021 , 24, e25688		0
68	Prevalence of HIV, viral hepatitis B/C and tuberculosis and treatment outcomes among people who use drugs: Results from the implementation of the first drop-in-center in Mozambique. 2021 , 90, 103095		2
67	An evaluation of assumptions underlying respondent-driven sampling and the social contexts of sexual and gender minority youth participating in HIV clinical trials in the United States. 2021 , 24, e25694		1
66	Subway development and obesity: Evidence from China. 2021 , 21, 101065		3
65	Network centrality for the identification of biomarkers in respondent-driven sampling datasets. <i>PLoS ONE</i> , 2021 , 16, e0256601	3.7	0
64	Prevalence and factors associated with trichomonas vaginalis infection among female sex workers in Togo, 2017. 2021 , 21, 775		0
63	A Bayesian framework for modelling the preferential selection process in respondent-driven sampling. 1471082X2110439		
62	Testing key underlying assumptions of respondent-driven sampling within a real-world network of people who inject drugs. 1-12		1
61	Respondent-Driven Sampling in Online Social Networks. 2013 , 403-411		3
60	Alcohol Use and HIV Risk Within Social Networks of MSM Sex Workers in the Dominican Republic. <i>AIDS and Behavior</i> , 2017 , 21, 216-227	4.3	6
59	Global HIV surveillance among MSM: is risk behavior seriously underestimated?. 2010 , 24, 2301-3		15
58	Network quantification despite biased labels. 2010 ,		17
57	Unequal edge inclusion probabilities in link-tracing network sampling with implications for Respondent-Driven Sampling. 2016 , 10,		4
56	Correcting for differential recruitment in respondent-driven sampling data using ego-network information. 2020 , 14,		3

55	Respondent driven sampling of wheelchair users: A lack of traction?. <i>F1000Research</i> , 2016 , 5, 753	3.6	2
54	Elevated 12-month and lifetime prevalence and comorbidity rates of mood, anxiety, and alcohol use disorders in Chinese men who have sex with men. <i>PLoS ONE</i> , 2013 , 8, e50762	3.7	23
53	Effectiveness of integrated HIV prevention interventions among Chinese men who have sex with men: evaluation of a 16-city public health program. <i>PLoS ONE</i> , 2012 , 7, e50873	3.7	20
52	CCR5 haplotypes influence HCV serostatus in Caucasian intravenous drug users. <i>PLoS ONE</i> , 2013 , 8, e70561	3.7	4
51	Feasibility of recruiting a diverse sample of men who have sex with men: observation from Nanjing, China. <i>PLoS ONE</i> , 2013 , 8, e77645	3.7	7
50	Social cohesion, social participation, and HIV related risk among female sex workers in Swaziland. <i>PLoS ONE</i> , 2014 , 9, e87527	3.7	81
49	Methodological challenges in collecting social and behavioural data regarding the HIV epidemic among gay and other men who have sex with men in Australia. <i>PLoS ONE</i> , 2014 , 9, e113167	3.7	6
48	Prevalence and Correlates of HIV and Hepatitis C Virus Infections and Risk Behaviors among Malaysian Fishermen. <i>PLoS ONE</i> , 2015 , 10, e0118422	3.7	10
47	Comparison of Respondent Driven Sampling Estimators to Determine HIV Prevalence and Population Characteristics among Men Who Have Sex with Men in Moscow, Russia. <i>PLoS ONE</i> , 2016 , 11, e0155519	3.7	18
46	A CCL5 Haplotype Is Associated with Low Seropositivity Rate of HCV Infection in People Who Inject Drugs. <i>PLoS ONE</i> , 2016 , 11, e0156850	3.7	3
45	Using Respondent Driven Sampling to Identify Malaria Risks and Occupational Networks among Migrant Workers in Ranong, Thailand. <i>PLoS ONE</i> , 2016 , 11, e0168371	3.7	5
44	Social venue range and referral chain impact: Implications for the sampling of hidden communities. <i>PLoS ONE</i> , 2017 , 12, e0181494	3.7	5
43	Cross-sectional study of female sex workers in Soweto, South Africa: Factors associated with HIV infection. <i>PLoS ONE</i> , 2017 , 12, e0184775	3.7	25
42	HIV prevalence, sexual risk behaviours and HIV testing among female sex workers in three cities in Sri Lanka: Findings from respondent-driven sampling surveys. <i>PLoS ONE</i> , 2020 , 15, e0239951	3.7	1
41	Transfer of sampling methods for studies on most-at-risk populations (MARPs) in Brazil. <i>Cadernos De Saude Publica</i> , 2011 , 27 Suppl 1, S36-44	3.2	22
40	Implementation of respondent-driven sampling among female sex workers in Brazil, 2009. <i>Cadernos De Saude Publica</i> , 2011 , 27 Suppl 1, S45-55	3.2	11
39	Social Structural Analysis of Street-Involved Youth in Winnipeg, Canada. <i>Journal of Social Structure</i> , 2020 , 12, 1-17	2.3	2
38	Assessing the assumptions of respondent-driven sampling in the national HIV Behavioral Surveillance System among injecting drug users. <i>Open AIDS Journal</i> , 2012 , 6, 77-82	0.6	27

37	Estimating the Population Size of Female Sex Workers in Three South African Cities: Results and Recommendations From the 2013-2014 South Africa Health Monitoring Survey and Stakeholder Consensus. <i>JMIR Public Health and Surveillance</i> , 2018 , 4, e10188	11.4	7
36	Using Partially-Observed Facebook Networks to Develop a Peer-Based HIV Prevention Intervention: Case Study. <i>Journal of Medical Internet Research</i> , 2018 , 20, e11652	7.6	6
35	Ensuring Inclusion of Adolescent Key Populations at Higher Risk of HIV Exposure: Recommendations for Conducting Biological Behavioral Surveillance Surveys. <i>JMIR Public Health and Surveillance</i> , 2017 , 3, e40	11.4	8
34	Sampling Key Populations for HIV Surveillance: Results From Eight Cross-Sectional Studies Using Respondent-Driven Sampling and Venue-Based Snowball Sampling. <i>JMIR Public Health and Surveillance</i> , 2017 , 3, e72	11.4	23
33	Anal human papillomavirus and HIV: A cross-sectional study among men who have sex with men in Moscow, Russia, 2012-2013. <i>Eurosurveillance</i> , 2015 , 20,	19.8	9
32	Reducing alcohol-related harm in disadvantaged men: development and feasibility assessment of a brief intervention delivered by mobile telephone. <i>Public Health Research</i> , 2013 , 1, 1-138	1.7	12
31	HIV Research with Men who Have Sex with Men (MSM): Advantages and Challenges of Different Methods for Most Appropriately Targeting a Key Population. <i>AIMS Public Health</i> , 2017 , 4, 221-239	1.9	16
30	Adapting chain referral methods to sample new migrants. <i>Demographic Research</i> , 33, 665-700	1	18
29	High burden of hepatitis C & HIV co-infection among people who inject drugs in Manipur, Northeast India. <i>Indian Journal of Medical Research</i> , 2016 , 143, 348-56	2.9	11
28	Project BESPOKE (Integrated Bio-Behavioral Assessment of HIV and STI Among Young Tertiary Student Men Who Have Sex With Men in Nairobi, Kenya): A Respondent-Driven Sampling Survey Protocol. <i>Frontiers in Public Health</i> , 2021 , 9, 619694	6	0
27	Assessing Respondent-Driven Sampling in the Estimation of the Prevalence of Sexually Transmitted Infections (STIs) in Populations Structured in Complex Networks. <i>Communications in Computer and Information Science</i> , 2011 , 108-118	0.3	
26	Respondent driven sampling of wheelchair users: A lack of traction?. <i>F1000Research</i> , 2016 , 5, 753	3.6	1
25	Information diffusion in social sensing. <i>Numerical Algebra, Control and Optimization</i> , 2016 , 6, 365-411	1.7	3
24	Factors Affecting the Designing of Sampling Method for Hidden Populations Exposed to High Risk Diseases. <i>Journal of Health Promotion Management</i> , 2017 , 7, 1-10		
23	Using IBBS Survey Data and Stakeholder Consensus to Estimate Population Size of Female Sex Workers in Three South African Cities: Results and Recommendations From the 2013-14 South Africa Health Monitoring Survey (Preprint).		
22	Using Partially-Observed Facebook Networks to Develop a Peer-Based HIV Prevention Intervention: Case Study (Preprint).		
21	Application of the Respondent-Driven Sampling methodology in a biological and behavioral surveillance survey among female sex workers, Brazil, 2016. <i>Revista Brasileira De Epidemiologia</i> , 2019 , 22Suppl 1, e190002	1.3	0
20	Applications and Recruitment Performance of Web-Based Respondent-Driven Sampling: Scoping Review (Preprint).		

19	Left behind?: male clients of female sex workers in Zambia. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2020 , 32, 1498-1505	2.2	0
18	HIV infection prevalence and associated risk factors in people who inject drugs in Medellin. <i>Infectio</i> , 2020 , 24, 88	0.7	0
17	An evaluation of assumptions underlying respondent-driven sampling and the social contexts of sexual and gender minority youth participating in HIV clinical trials in the United States. 2020 ,		1
16	Decision tree Thompson sampling for mining hidden populations through attributed search. <i>Social Network Analysis and Mining</i> , 2022 , 12, 1	2.2	1
15	OUP accepted manuscript. <i>Journal of Survey Statistics and Methodology</i> ,	1.6	
14	Progress toward the UNAIDS 90-90-90 targets among female sex workers and sexually exploited female adolescents in Juba and Nimule, South Sudan.. <i>BMC Public Health</i> , 2022 , 22, 132	4.1	0
13	Estimating Population Size from a Privatized Network Sample. <i>Journal of Survey Statistics and Methodology</i> ,	1.6	
12	Sampling in software engineering research: a critical review and guidelines. <i>Empirical Software Engineering</i> , 2022 , 27, 1	3.3	3
11	Web-Based Respondent-Driven Sampling in Research on Multiple Migrants: Challenges and Opportunities. <i>Imiscoe Research Series</i> , 2022 , 59-77	0.5	
10	The prevalence, incidence and risk factors for HIV among female sex workers in a cohort being prepared for a phase IIb HIV vaccine trial in Dar es Salaam, Tanzania. 2022 , Publish Ahead of Print,		0
9	Challenges of Respondent Driven Sampling to Assess Sexual Behaviour and Estimate the Prevalence of Human Immunodeficiency Virus(HIV) and Syphilis in Men Who Have Sex with Men (MSM) in Singapore. 2013 , 42, 350-353		0
8	Peer-based Retention Of people who Use Drugs in Rural Research (PROUD-R2): a multisite, randomised, 12-month trial to compare efficacy of standard versus peer-based approaches to retain rural people who use drugs in research. 2022 , 12, e064400		0
7	HIV prevalence among men who have sex with men, transgender women and cisgender male sex workers in sub-Saharan Africa: a systematic review and meta-analysis. 2022 , 25,		0
6	Perceptions towards governance of billfish resource use: The lens of artisanal fishers in Kenya. 9,		0
5	Awareness and use of HIV pre-exposure prophylaxis and factors associated with awareness among MSM in Beijing, China. 2023 , 13,		0
4	High HIV and syphilis prevalence among female sex workers and sexually exploited adolescents in Nimule town at the border of South Sudan and Uganda. 2023 , 18, e0266795		0
3	Improving web-based respondent-driven sampling performance among men who have sex with men in the Netherlands. 2023 , 2, e0000192		0
2	Hidden population size estimation and diagnostics using two respondent-driven samples with applications in Armenia. 2200136		0

- 1 Discrimination and mental health of highly educated immigrants in Hong Kong: The buffering role of group concentration. **2023**, 137, 104326

o