

CITATION REPORT

List of articles citing

The Netherlands Study of Depression and Anxiety (NESDA): rationale, objectives and methods

DOI: 10.1002/mpr.256

International Journal of Methods in Psychiatric Research, 2008, 17, 121-40.

Source: <https://exaly.com/paper-pdf/43381455/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
741	The Netherlands Study of Depression and Anxiety (NESDA): rationale, objectives and methods. <i>International Journal of Methods in Psychiatric Research</i> , 2008 , 17, 121-40	4.3	694
740	Depression is associated with decreased blood pressure, but antidepressant use increases the risk for hypertension. 2009 , 53, 631-8		202
739	Associations between sociodemographic, sampling and health factors and various salivary cortisol indicators in a large sample without psychopathology. 2009 , 34, 1109-20		148
738	Assessing salivary cortisol in large-scale, epidemiological research. 2009 , 34, 1423-36		572
737	Collaborative stepped care for anxiety disorders in primary care: aims and design of a randomized controlled trial. 2009 , 9, 159		23
736	Receiving treatment for common mental disorders. 2009 , 31, 46-55		53
735	The role of personality in comorbidity among anxiety and depressive disorders in primary care and specialty care: a cross-sectional analysis. 2009 , 31, 470-7		33
734	Adherence to evidence-based guidelines for depression and anxiety disorders is associated with recording of the diagnosis. 2009 , 31, 460-9		56
733	Primary care patients with anxiety and depression: need for care from the patient's perspective. <i>Journal of Affective Disorders</i> , 2009 , 119, 163-71	6.6	44
732	Hierarchical functional modularity in the resting-state human brain. 2009 , 30, 2220-31		147
731	Screening for depression and anxiety: correlates of non-response and cohort attrition in the Netherlands study of depression and anxiety (NESDA). <i>International Journal of Methods in Psychiatric Research</i> , 2009 , 18, 229-39	4.3	20
730	Genome-wide association for major depressive disorder: a possible role for the presynaptic protein piccolo. 2009 , 14, 359-75		322
729	Childhood life events and childhood trauma in adult patients with depressive, anxiety and comorbid disorders vs. controls. 2010 , 122, 66-74		253
728	Metabolic syndrome abnormalities are associated with severity of anxiety and depression and with tricyclic antidepressant use. 2010 , 122, 30-9		109
727	Genome-wide association study of smoking initiation and current smoking. 2009 , 84, 367-79		116
726	A genome-wide association study of northwestern Europeans involves the C-type natriuretic peptide signaling pathway in the etiology of human height variation. <i>Human Molecular Genetics</i> , 2009 , 18, 3516-24	5.6	70
725	P.2.b.005 Magnetisation imaging in major depressive disorder. <i>European Neuropsychopharmacology</i> , 2009 , 19, S393-S394	1.2	

724	P.2.b.006 Valence-specific frontal hypoactivation during word recognition in major depressive disorder. <i>European Neuropsychopharmacology</i> , 2009 , 19, S394	1.2	
723	P.2.b.007 Pain and depression: occurrence of pain among patients with mild and moderate depression. <i>European Neuropsychopharmacology</i> , 2009 , 19, S394-S395	1.2	
722	Association between anxiety disorders and heart rate variability in The Netherlands Study of Depression and Anxiety (NESDA). 2009 , 71, 508-18		138
721	Salivary cortisol levels in persons with and without different anxiety disorders. 2010 , 72, 340-7		191
720	Parental history of depression or anxiety and the cortisol awakening response. 2010 , 197, 180-5		67
719	Disorder-specific automatic self-associations in depression and anxiety: results of The Netherlands Study of Depression and Anxiety. <i>Psychological Medicine</i> , 2010 , 40, 1101-11	6.9	84
718	Long-term benzodiazepine use and salivary cortisol: the Netherlands Study of Depression and Anxiety (NESDA). 2010 , 30, 160-8		17
717	Which physician and practice characteristics are associated with adherence to evidence-based guidelines for depressive and anxiety disorders?. 2010 , 48, 240-8		52
716	A Genomewide Association Study of Nicotine and Alcohol Dependence in Australian and Dutch Populations. 2010 , 13, 11-29		2
715	De samenhang tussen werkkenmerken en psychopathologische karakteristieken op het werkfunctioneren bij mensen met depressies of angststoornissen. 2010 , 2, 18-26		
714	Patient factors associated with guideline-concordant treatment of anxiety and depression in primary care. 2010 , 25, 648-55		43
713	Do Automatic Self-Associations Relate to Suicidal Ideation?. 2010 , 32, 428-437		28
712	Cognitive reactivity: investigation of a potentially treatable marker of suicide risk in depression. <i>Journal of Affective Disorders</i> , 2010 , 122, 46-52	6.6	51
711	Subthreshold depression based on functional impairment better defined by symptom severity than by number of DSM-IV symptoms. <i>Journal of Affective Disorders</i> , 2010 , 123, 230-7	6.6	49
710	The structure and dimensionality of the Inventory of Depressive Symptomatology Self Report (IDS-SR) in patients with depressive disorders and healthy controls. <i>Journal of Affective Disorders</i> , 2010 , 125, 146-54	6.6	52
709	Work functioning in persons with depressive and anxiety disorders: the role of specific psychopathological characteristics. <i>Journal of Affective Disorders</i> , 2010 , 125, 198-206	6.6	81
708	Cardiovascular disease in persons with depressive and anxiety disorders. <i>Journal of Affective Disorders</i> , 2010 , 125, 241-8	6.6	116
707	The educational patterning of health-related adversities in individuals with major depression. <i>Journal of Affective Disorders</i> , 2010 , 126, 96-102	6.6	3

706	Manic symptoms in patients with depressive and/or anxiety disorders. <i>Journal of Affective Disorders</i> , 2010 , 126, 252-6	6.6	8
705	The performance of the Alcohol Use Disorder Identification Test (AUDIT) in detecting alcohol abuse and dependence in a population of depressed or anxious persons. <i>Journal of Affective Disorders</i> , 2010 , 126, 441-6	6.6	33
704	Explaining heterogeneity in disability associated with current major depressive disorder: effects of illness characteristics and comorbid mental disorders. <i>Journal of Affective Disorders</i> , 2010 , 127, 203-10	6.6	15
703	Depressive and anxiety disorders and the association with obesity, physical, and social activities. <i>Depression and Anxiety</i> , 2010 , 27, 1057-65	8.4	107
702	The course of untreated anxiety and depression, and determinants of poor one-year outcome: a one-year cohort study. 2010 , 10, 86		74
701	The shared genetics of migraine and anxious depression. 2010 , 50, 1549-60		43
700	Whole brain resting-state analysis reveals decreased functional connectivity in major depression. 2010 , 4,		341
699	Migraine symptomatology and major depressive disorder. 2010 , 30, 1073-81		18
698	A genomewide association study of nicotine and alcohol dependence in Australian and Dutch populations. 2010 , 13, 10-29		90
697	The functional c.-2G>C variant of the mineralocorticoid receptor modulates blood pressure, renin, and aldosterone levels. 2010 , 56, 995-1002		40
696	Reasons and determinants for not receiving treatment for common mental disorders. 2010 , 61, 250-7		89
695	Increased sympathetic and decreased parasympathetic activity rather than changes in hypothalamic-pituitary-adrenal axis activity is associated with metabolic abnormalities. 2010 , 95, 2458-66		167
694	Genome-wide association study of suicide attempts in mood disorder patients. 2010 , 167, 1499-507		113
693	Stimulated gene expression profiles as a blood marker of major depressive disorder. 2010 , 68, 179-86		81
692	Reduced medial prefrontal cortex volume in adults reporting childhood emotional maltreatment. 2010 , 68, 832-8		265
691	Longitudinal evidence for unfavorable effects of antidepressants on heart rate variability. 2010 , 68, 861-8		159
690	Depressive and anxiety disorders and risk of subclinical atherosclerosis Findings from the Netherlands Study of Depression and Anxiety (NESDA). 2010 , 69, 203-10		29
689	Child abuse and negative explicit and automatic self-associations: the cognitive scars of emotional maltreatment. 2010 , 48, 486-94		115

688	The validity of the Dutch K10 and extended K10 screening scales for depressive and anxiety disorders. <i>Psychiatry Research</i> , 2010 , 176, 45-50	9.9	115
687	Development and validation of a 30-item short adaptation of the Mood and Anxiety Symptoms Questionnaire (MASQ). <i>Psychiatry Research</i> , 2010 , 179, 101-6	9.9	100
686	Neuroticism modulates amygdala-prefrontal connectivity in response to negative emotional facial expressions. 2010 , 49, 963-70		213
685	Dimensions of depression and anxiety and the hypothalamo-pituitary-adrenal axis. 2011 , 69, 366-73		68
684	Depression, anxiety, and arterial stiffness. 2011 , 69, 795-803		70
683	Heavy alcohol use, rather than alcohol dependence, is associated with dysregulation of the hypothalamic-pituitary-adrenal axis and the autonomic nervous system. 2011 , 116, 170-6		51
682	Are sedentary television watching and computer use behaviors associated with anxiety and depressive disorders?. <i>Psychiatry Research</i> , 2011 , 186, 239-43	9.9	97
681	One-year severity of depressive symptoms: results from the NESDA study. <i>Psychiatry Research</i> , 2011 , 190, 226-31	9.9	9
680	Antidepressant use and salivary cortisol in depressive and anxiety disorders. <i>European Neuropsychopharmacology</i> , 2011 , 21, 691-9	1.2	50
679	Psychiatric history and subthreshold symptoms as predictors of the occurrence of depressive or anxiety disorder within 2 years. 2011 , 198, 206-12		91
678	Extraversion is linked to volume of the orbitofrontal cortex and amygdala. 2011 , 6, e28421		100
677	The effects of neuroticism, extraversion, and positive and negative life events on a one-year course of depressive symptoms in euthymic previously depressed patients versus healthy controls. 2011 , 199, 684-9		12
676	Symptom dimensions of depression and anxiety and the metabolic syndrome. 2011 , 73, 257-64		39
675	Comparative linkage meta-analysis reveals regionally-distinct, disparate genetic architectures: application to bipolar disorder and schizophrenia. 2011 , 6, e19073		10
674	Correlates of (inappropriate) benzodiazepine use: the Netherlands Study of Depression and Anxiety (NESDA). 2011 , 71, 263-72		59
673	The costs of guideline-concordant care and of care according to patients' needs in anxiety and depression. 2011 , 17, 537-46		8
672	The 7-year course of depression and anxiety in the general population. 2011 , 123, 297-306		87
671	Functional MRI correlates of visuospatial planning in out-patient depression and anxiety. 2011 , 124, 273-84		33

670	Positive and negative life events and personality traits in predicting course of depression and anxiety. 2011 , 124, 462-73		57
669	Meta-analysis of genome-wide association for migraine in six population-based European cohorts. 2011 , 19, 901-7		70
668	Meta-analysis of genome-wide association data of bipolar disorder and major depressive disorder. 2011 , 16, 2-4		130
667	Poor replication of candidate genes for major depressive disorder using genome-wide association data. 2011 , 16, 516-32		219
666	Genetic risk profiles for depression and anxiety in adult and elderly cohorts. 2011 , 16, 773-83		116
665	Serum levels of brain-derived neurotrophic factor in major depressive disorder: state-trait issues, clinical features and pharmacological treatment. 2011 , 16, 1088-95		313
664	Co-occurring manic symptomatology influences HPA axis alterations in depression. 2011 , 45, 1208-13		19
663	Determinants of serum brain-derived neurotrophic factor. 2011 , 36, 228-39		206
662	Psychological traits and the cortisol awakening response: results from the Netherlands Study of Depression and Anxiety. 2011 , 36, 240-8		73
661	Common functional mineralocorticoid receptor polymorphisms modulate the cortisol awakening response: Interaction with SSRIs. 2011 , 36, 484-94		40
660	Outcomes for depression and anxiety in primary care and details of treatment: a naturalistic longitudinal study. 2011 , 11, 180		21
659	Seasonality in depressive and anxiety symptoms among primary care patients and in patients with depressive and anxiety disorders; results from the Netherlands Study of Depression and Anxiety. 2011 , 11, 198		27
658	Randomised controlled trial of tailored interventions to improve the management of anxiety and depressive disorders in primary care. 2011 , 6, 75		15
657	The Netherlands study of depression in older persons (NESDO); a prospective cohort study. 2011 , 4, 524		113
656	Subthreshold anxiety better defined by symptom self-report than by diagnostic interview. <i>Journal of Affective Disorders</i> , 2011 , 129, 236-43	6.6	30
655	Objective physical functioning in patients with depressive and/or anxiety disorders. <i>Journal of Affective Disorders</i> , 2011 , 131, 193-9	6.6	44
654	Co-occurring manic symptomatology as a dimension which may help explaining heterogeneity of depression. <i>Journal of Affective Disorders</i> , 2011 , 131, 224-32	6.6	4
653	Comorbidity and risk indicators for alcohol use disorders among persons with anxiety and/or depressive disorders: findings from the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Affective Disorders</i> , 2011 , 131, 233-42	6.6	143

652	Explaining heterogeneity in disability with major depressive disorder: effects of personal and environmental characteristics. <i>Journal of Affective Disorders</i> , 2011 , 132, 71-81	6.6	22
651	Two-year course of depressive and anxiety disorders: results from the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Affective Disorders</i> , 2011 , 133, 76-85	6.6	223
650	Do GPs' medical records demonstrate a good recognition of depression? A new perspective on case extraction. <i>Journal of Affective Disorders</i> , 2011 , 133, 522-7	6.6	46
649	Perceived need for mental health care and barriers to care in the Netherlands and Australia. 2011 , 46, 1033-44		47
648	The impact of childhood abuse and recent stress on serum brain-derived neurotrophic factor and the moderating role of BDNF Val66Met. 2011 , 214, 319-28		92
647	Referral of patients with depression to mental health care by Dutch general practitioners: an observational study. 2011 , 12, 41		18
646	Is the Beck Anxiety Inventory a good tool to assess the severity of anxiety? A primary care study in the Netherlands Study of Depression and Anxiety (NESDA). 2011 , 12, 66		71
645	Personality, Life Events and the Course of Anxiety and Depression. 2011 , 25, 443-452		60
644	Determinants of initiated and continued benzodiazepine use in the Netherlands study of depression and anxiety. 2011 , 31, 774-9		18
643	Neural correlates of perception of emotional facial expressions in out-patients with mild-to-moderate depression and anxiety. A multicenter fMRI study. <i>Psychological Medicine</i> , 2011 , 41, 2253-64	6.9	56
642	Clinical and physiological correlates of irritability in depression: results from the Netherlands study of depression and anxiety. 2011 , 2011, 126895		14
641	A common and functional mineralocorticoid receptor haplotype enhances optimism and protects against depression in females. 2011 , 1, e62		100
640	The genetic association between personality and major depression or bipolar disorder. A polygenic score analysis using genome-wide association data. 2011 , 1, e50		83
639	Predictive validity of automatic self-associations for the onset of anxiety disorders. 2011 , 120, 607-16		19
638	Age at smoking onset and the onset of depression and anxiety disorders. 2011 , 13, 809-19		32
637	Carotid atherosclerosis in depression and anxiety: associations for age of depression onset. 2011 , 12, 549-58		25
636	Effects of antidepressants, but not psychopathology, on cardiac sympathetic control: a longitudinal study. 2012 , 37, 2487-95		47
635	Co-occurrence of social anxiety and depression symptoms in adolescence: differential links with implicit and explicit self-esteem?. <i>Psychological Medicine</i> , 2012 , 42, 475-84	6.9	70

634	Piccolo genotype modulates neural correlates of emotion processing but not executive functioning. 2012 , 2, e99		37
633	BDNF val66met affects hippocampal volume and emotion-related hippocampal memory activity. 2012 , 2, e74		55
632	Orbitofrontal gray matter relates to early morning awakening: a neural correlate of insomnia complaints?. 2012 , 3, 105		82
631	Stability and transitions of depressive subtypes over a 2-year follow-up. <i>Psychological Medicine</i> , 2012 , 42, 2083-93	6.9	54
630	Course trajectories of unipolar depressive disorders identified by latent class growth analysis. <i>Psychological Medicine</i> , 2012 , 42, 1383-96	6.9	62
629	Is alcohol consumption irrelevant to outcome in anxiety and depression?. 2012 , 201, 326; author reply 326-7		2
628	Alcohol use disorders and the course of depressive and anxiety disorders. 2012 , 200, 476-84		70
627	Moderators of the synchrony of change between decreasing depression severity and disability. 2012 , 126, 175-85		5
626	Impact of childhood life events and trauma on the course of depressive and anxiety disorders. 2012 , 126, 198-207		157
625	Correlates of benzodiazepine dependence in the Netherlands Study of Depression and Anxiety. 2012 , 107, 2173-82		30
624	General, Specific and Unique Cognitive Factors Involved in Anxiety and Depressive Disorders. 2012 , 36, 621-633		21
623	The Netherlands Obsessive Compulsive Disorder Association (NOCDA) study: design and rationale of a longitudinal naturalistic study of the course of OCD and clinical characteristics of the sample at baseline. <i>International Journal of Methods in Psychiatric Research</i> , 2012 , 21, 273-85	4.3	32
622	Dimensions of the inventory of depressive symptomatology as predictors of the course of depressive and anxiety disorders. 2012 , 46, 1655-61		9
621	Depressive and anxiety disorders on-the-job: the importance of job characteristics for good work functioning in persons with depressive and anxiety disorders. <i>Psychiatry Research</i> , 2012 , 200, 382-8	9.9	32
620	Determinants of receiving mental health care for depression in older adults. <i>Journal of Affective Disorders</i> , 2012 , 143, 69-74	6.6	12
619	Association of depressive disorders, depression characteristics and antidepressant medication with inflammation. 2012 , 2, e79		214
618	Personality traits and childhood trauma as correlates of metabolic risk factors: the Netherlands Study of Depression and Anxiety (NESDA). 2012 , 36, 85-91		42
617	Determinants of salivary evening α-amylase in a large sample free of psychopathology. 2012 , 84, 33-8		10

616	Salivary testosterone: associations with depression, anxiety disorders, and antidepressant use in a large cohort study. 2012 , 72, 205-13		88
615	Prognostic value of implicit and explicit self-associations for the course of depressive and anxiety disorders. 2012 , 50, 479-86		19
614	Sociodemographic and psychiatric determinants of attrition in the Netherlands Study of Depression and Anxiety (NESDA). 2012 , 53, 63-70		117
613	Functional magnetic resonance imaging correlates of emotional word encoding and recognition in depression and anxiety disorders. 2012 , 71, 593-602		69
612	Estimating the genetic variance of major depressive disorder due to all single nucleotide polymorphisms. 2012 , 72, 707-9		112
611	Association of smoking and nicotine dependence with severity and course of symptoms in patients with depressive or anxiety disorder. 2012 , 126, 138-46		65
610	Recognition of anxiety disorders by family physicians after rigorous medical record case extraction: results of the Netherlands Study of Depression and Anxiety. 2012 , 34, 460-7		19
609	Weinig overbehandeling met antidepressiva. 2012 , 55, 54-57		2
608	Common mental disorders associated with 2-year diabetes incidence: the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Affective Disorders</i> , 2012 , 142 Suppl, S30-5	6.6	30
607	Gender specific associations of serum levels of brain-derived neurotrophic factor in anxiety. 2012 , 13, 535-43		40
606	Preventing mood and anxiety disorders in youth: a multi-centre RCT in the high risk offspring of depressed and anxious patients. 2012 , 12, 31		11
605	Serum BDNF concentrations show strong seasonal variation and correlations with the amount of ambient sunlight. 2012 , 7, e48046		55
604	Different gene sets contribute to different symptom dimensions of depression and anxiety. 2012 , 159B, 519-28		13
603	Meta-analysis of genome-wide association studies for personality. 2012 , 17, 337-49		274
602	Staging methods for treatment resistant depression. A systematic review. <i>Journal of Affective Disorders</i> , 2012 , 137, 35-45	6.6	133
601	Physical function as predictor for the persistence of depressive and anxiety disorders. <i>Journal of Affective Disorders</i> , 2012 , 136, 828-32	6.6	17
600	Personality and perceived need for mental health care among primary care patients. <i>Journal of Affective Disorders</i> , 2012 , 136, 666-74	6.6	20
599	Symptom dimensions as predictors of the two-year course of depressive and anxiety disorders. <i>Journal of Affective Disorders</i> , 2012 , 136, 1198-203	6.6	36

598	Clinical relevance of comorbidity in anxiety disorders: a report from the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Affective Disorders</i> , 2012 , 137, 106-12	6.6	79
597	Determinants of (non-)recognition of depression by general practitioners: results of the Netherlands Study of Depression and Anxiety. <i>Journal of Affective Disorders</i> , 2012 , 138, 397-404	6.6	26
596	Early and late onset depression in young and middle aged adults: differential symptomatology, characteristics and risk factors?. <i>Journal of Affective Disorders</i> , 2012 , 138, 259-67	6.6	70
595	The relationships of working conditions, recent stressors and childhood trauma with salivary cortisol levels. 2012 , 37, 801-9		20
594	The state effect of depressive and anxiety disorders on big five personality traits. 2012 , 46, 644-50		100
593	Do depression and anxiety converge or diverge in their association with suicidality?. 2012 , 46, 608-15		21
592	Impact of pain on the course of depressive and anxiety disorders. 2012 , 153, 429-436		126
591	Predictors of the 2-year recurrence and persistence of alcohol dependence. 2012 , 107, 1639-40		53
590	Effect of running therapy on depression (EFFORT-D). Design of a randomised controlled trial in adult patients [ISRCTN 1894]. 2012 , 12, 50		18
589	Reference values for mental health assessment instruments: objectives and methods of the Leiden Routine Outcome Monitoring Study. 2013 , 19, 342-50		16
588	The associations between personality characteristics and absenteeism: a cross-sectional study in workers with and without depressive and anxiety disorders. 2013 , 23, 309-17		24
587	Recurrence of anxiety disorders and its predictors. <i>Journal of Affective Disorders</i> , 2013 , 147, 180-5	6.6	89
586	Long-term stability of the cortisol awakening response over adolescence. 2013 , 38, 271-80		34
585	Risk factors for onset of multiple or long major depressive episodes versus single and short episodes. 2013 , 48, 1067-75		11
584	HIV-infected mental health patients: characteristics and comparison with HIV-infected patients from the general population and non-infected mental health patients. 2013 , 13, 35		36
583	The EPDS-Lifetime: assessment of lifetime prevalence and risk factors for perinatal depression in a large cohort of depressed women. 2013 , 16, 465-73		64
582	Evening salivary alpha-amylase, major depressive disorder, and antidepressant use in the Netherlands Study of Depression and Anxiety (NESDA). <i>Psychiatry Research</i> , 2013 , 208, 41-6	9.9	13
581	Aberrant limbic and salience network resting-state functional connectivity in panic disorder without comorbidity. <i>Journal of Affective Disorders</i> , 2013 , 145, 29-35	6.6	71

580	Big Five personality and depression diagnosis, severity and age of onset in older adults. <i>Journal of Affective Disorders</i> , 2013 , 151, 178-85	6.6	59
579	The Mood Disorder Questionnaire (MDQ) for detecting (hypo)manic episodes: its validity and impact of recall bias. <i>Journal of Affective Disorders</i> , 2013 , 151, 203-8	6.6	19
578	The role of somatic health problems in the recognition of depressive and anxiety disorders by general practitioners. <i>Journal of Affective Disorders</i> , 2013 , 151, 1025-32	6.6	11
577	Prevalence of vitamin D deficiency and consequences for PTH reference values. 2013 , 426, 41-5		14
576	Association between autozygosity and major depression: stratification due to religious assortment. 2013 , 43, 455-67		20
575	Resilience to childhood maltreatment is associated with increased resting-state functional connectivity of the salience network with the lingual gyrus. 2013 , 37, 1021-9		40
574	ABC1 gene variants influence tolerance to selective serotonin reuptake inhibitors in a large sample of Dutch cases with major depressive disorder. 2013 , 13, 349-53		47
573	Measuring automatic associations: validation of algorithms for the Implicit Association Test (IAT) in a laboratory setting. 2013 , 44, 105-13		40
572	Are childhood and adult life adversities differentially associated with specific symptom dimensions of depression and anxiety? Testing the tripartite model. <i>Journal of Affective Disorders</i> , 2013 , 146, 238-45 ^{6.6}	6.6	49
571	Evidence for a differential role of HPA-axis function, inflammation and metabolic syndrome in melancholic versus atypical depression. 2013 , 18, 692-9		447
570	Childhood abuse in late-life depression. <i>Journal of Affective Disorders</i> , 2013 , 147, 241-6	6.6	64
569	Sensitivity to depression or anxiety and subclinical cardiovascular disease. <i>Journal of Affective Disorders</i> , 2013 , 146, 126-31	6.6	28
568	Examining determinants of early and late age at onset in panic disorder: an admixture analysis. 2013 , 47, 1870-5		16
567	Differential association of somatic and cognitive symptoms of depression and anxiety with inflammation: findings from the Netherlands Study of Depression and Anxiety (NESDA). 2013 , 38, 1573-85		167
566	Treatment inadequacy in primary and specialized care patients with depressive and/or anxiety disorders. <i>Psychiatry Research</i> , 2013 , 210, 594-600	9.9	22
565	The impact of stress systems and lifestyle on dyslipidemia and obesity in anxiety and depression. 2013 , 38, 209-18		81
564	Whole-brain functional connectivity during emotional word classification in medication-free Major Depressive Disorder: Abnormal salience circuitry and relations to positive emotionality. 2013 , 2, 790-6		24
563	Recurrence of major depressive disorder across different treatment settings: results from the NESDA study. <i>Journal of Affective Disorders</i> , 2013 , 147, 225-31	6.6	53

562	Salivary cortisol levels and the 2-year course of depressive and anxiety disorders. 2013 , 38, 1494-502		73
561	Two-year stability and change of neuroticism and extraversion in treated and untreated persons with depression: findings from the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Affective Disorders</i> , 2013 , 150, 201-8	6.6	15
560	Strong effects of environmental factors on prevalence and course of major depressive disorder are not moderated by 5-HTTLPR polymorphisms in a large Dutch sample. <i>Journal of Affective Disorders</i> , 2013 , 146, 91-9	6.6	23
559	Neutrophil gelatinase-associated lipocalin: a novel inflammatory marker associated with late-life depression. 2013 , 75, 444-50		53
558	Sleep disturbances and reduced work functioning in depressive or anxiety disorders. 2013 , 14, 1170-7		15
557	Exposure to secondhand smoke and depression and anxiety: a report from two studies in the Netherlands. 2013 , 75, 431-6		37
556	Cognitive vulnerability differentially predicts symptom dimensions of depression. <i>Journal of Affective Disorders</i> , 2013 , 151, 92-9	6.6	16
555	Side effects of antidepressants during long-term use in a naturalistic setting. <i>European Neuropsychopharmacology</i> , 2013 , 23, 1443-51	1.2	132
554	Amygdala activation and its functional connectivity during perception of emotional faces in social phobia and panic disorder. 2013 , 47, 1024-31		55
553	Population structure, migration, and diversifying selection in the Netherlands. 2013 , 21, 1277-85		107
552	Anxiety and depression are associated with migraine and pain in general: an investigation of the interrelationships. 2013 , 14, 363-70		66
551	Recurrent suicide attempts in patients with depressive and anxiety disorders: the role of borderline personality traits. <i>Journal of Affective Disorders</i> , 2013 , 151, 23-30	6.6	29
550	GWAS of 126,559 individuals identifies genetic variants associated with educational attainment. 2013 , 340, 1467-71		563
549	Resting-state functional connectivity abnormalities in limbic and salience networks in social anxiety disorder without comorbidity. <i>European Neuropsychopharmacology</i> , 2013 , 23, 186-95	1.2	98
548	Dysregulation of the autonomic nervous system predicts the development of the metabolic syndrome. 2013 , 98, 2484-93		92
547	Family history of alcohol dependence and gray matter abnormalities in non-alcoholic adults. 2013 , 14, 565-73		21
546	DeepSAGE reveals genetic variants associated with alternative polyadenylation and expression of coding and non-coding transcripts. 2013 , 9, e1003594		32
545	Longitudinal relationship of depressive and anxiety symptoms with dyslipidemia and abdominal obesity. 2013 , 75, 83-9		56

544	Enhanced amygdala reactivity to emotional faces in adults reporting childhood emotional maltreatment. 2013 , 8, 362-9		164
543	The impact of chronic somatic diseases on the course of depressive and anxiety disorders. 2013 , 82, 64-6		32
542	Family history of alcohol dependence modulates functional neurophysiology in mood/anxiety disorders. <i>Psychological Medicine</i> , 2013 , 43, 1487-97	6.9	3
541	Negative and positive life events are associated with small but lasting change in neuroticism. <i>Psychological Medicine</i> , 2013 , 43, 2403-15	6.9	97
540	The role of negative emotionality and impulsivity in depressive/anxiety disorders and alcohol dependence. <i>Psychological Medicine</i> , 2013 , 43, 1241-53	6.9	33
539	Two-year course of anxiety disorders: different across disorders or dimensions?. 2013 , 128, 212-21		38
538	Confounding of Big Five Personality Assessments in Emotional Disorders by Comorbidity and Current Disorder. 2013 , 27, 389-397		14
537	Course and risk factors of functional impairment in subthreshold depression and anxiety. <i>Depression and Anxiety</i> , 2013 , 30, 386-94	8.4	39
536	Challenges in drug target discovery in bipolar disorder. 2013 , 17, 565-77		5
535	The association between immune activation and manic symptoms in patients with a depressive disorder. 2013 , 3, e314		47
534	Anxiety disorders and inflammation in a large adult cohort. 2013 , 3, e249		269
533	Behavioral and neuroimaging evidence for overreliance on habit learning in alcohol-dependent patients. 2013 , 3, e337		200
532	Resting-state functional connectivity in adults with childhood emotional maltreatment. <i>Psychological Medicine</i> , 2013 , 43, 1825-36	6.9	90
531	Comparing cognitive and somatic symptoms of depression in myocardial infarction patients and depressed patients in primary and mental health care. 2013 , 8, e53859		11
530	Cognitive reactivity, implicit associations, and the incidence of depression: a two-year prospective study. 2013 , 8, e70245		34
529	Influence of COMT val158met genotype on the depressed brain during emotional processing and working memory. 2013 , 8, e73290		50
528	Cue reactivity is associated with duration and severity of alcohol dependence: an FMRI study. 2014 , 9, e84560		40
527	Maintenance use of antidepressants in Dutch general practice: non-guideline concordant. 2014 , 9, e97463		17

526	Role of nicotine dependence in the association between the dopamine receptor gene DRD3 and major depressive disorder. 2014 , 9, e98199		8
525	Predictors of the onset of manic symptoms and a (hypo)manic episode in patients with major depressive disorder. 2014 , 9, e106871		13
524	Identifying genetic variants for heart rate variability in the acetylcholine pathway. 2014 , 9, e112476		9
523	Antidepressants differentially related to 1,25-(OH) ₂ vitamin D ₃ and 25-(OH) vitamin D ₃ in late-life depression. 2014 , 4, e383		10
522	The effect of FTO rs9939609 on major depression differs across MDD subtypes. 2014 , 19, 960-2		53
521	Genome-wide analyses of borderline personality features. 2014 , 19, 923-9		42
520	Childhood Trauma Questionnaire: factor structure, measurement invariance, and validity across emotional disorders. 2014 , 26, 717-29		116
519	Applying polygenic risk scores to postpartum depression. 2014 , 17, 519-28		49
518	Hypoactive medial prefrontal cortex functioning in adults reporting childhood emotional maltreatment. 2014 , 9, 2026-33		71
517	Reporting suicide attempts: consistency and its determinants in a large mental health study. <i>International Journal of Methods in Psychiatric Research</i> , 2014 , 23, 257-66	4.3	18
516	Further confirmation of the association between anxiety and CTNND2: replication in humans. 2014 , 13, 195-201		32
515	Bipolar polygenic loading and bipolar spectrum features in major depressive disorder. 2014 , 16, 608-16		18
514	A comprehensive assessment protocol including patient reported outcomes, physical tests, and biological sampling in newly diagnosed patients with head and neck cancer: is it feasible?. 2014 , 22, 3321-30		9
513	Pain, not chronic disease, is associated with the recurrence of depressive and anxiety disorders. 2014 , 14, 187		59
512	The longitudinal prediction of costs due to health care uptake and productivity losses in a cohort of employees with and without depression or anxiety. 2014 , 56, 794-801		7
511	An examination of generalized anxiety disorder and dysthymic disorder by latent class analysis. <i>Psychological Medicine</i> , 2014 , 44, 1701-12	6.9	10
510	Reciprocal effects of stable and temporary components of neuroticism and affective disorders: results of a longitudinal cohort study. <i>Psychological Medicine</i> , 2014 , 44, 337-48	6.9	18
509	Trajectories of functioning after remission from anxiety disorders: 2-year course and outcome predictors. <i>Psychological Medicine</i> , 2014 , 44, 593-605	6.9	24

508	The effects of co-morbidity in defining major depression subtypes associated with long-term course and severity. <i>Psychological Medicine</i> , 2014 , 44, 3289-302	6.9	19
507	Interaction of neuropeptide Y genotype and childhood emotional maltreatment on brain activity during emotional processing. 2014 , 9, 601-9		10
506	Plasma cotinine levels in cigarette smokers: impact of mental health and other correlates. 2014 , 20, 183-91		2
505	The four-year course of major depressive disorder: the role of staging and risk factor determination. 2014 , 83, 279-88		33
504	Physical frailty: vulnerability of patients suffering from late-life depression. 2014 , 18, 570-8		61
503	Response inhibition in alcohol-dependent patients and patients with depression/anxiety: a functional magnetic resonance imaging study. <i>Psychological Medicine</i> , 2014 , 44, 1713-25	6.9	31
502	The impact of lifestyle factors on the 2-year course of depressive and/or anxiety disorders. <i>Journal of Affective Disorders</i> , 2014 , 159, 73-9	6.6	22
501	The use of symptom dimensions to investigate the longitudinal effects of life events on depressive and anxiety symptomatology. <i>Journal of Affective Disorders</i> , 2014 , 156, 126-33	6.6	10
500	Disability in anxiety disorders. <i>Journal of Affective Disorders</i> , 2014 , 166, 227-33	6.6	40
499	Does tryptophan degradation along the kynurenine pathway mediate the association between pro-inflammatory immune activity and depressive symptoms?. 2014 , 45, 202-10		65
498	Waist circumference and neutrophil gelatinase-associated lipocalin in late-life depression. <i>Brain, Behavior, and Immunity</i> , 2014 , 37, 231-9	16.6	12
497	Self-attributed seasonality of mood and behavior: a report from the Netherlands study of depression and anxiety. <i>Depression and Anxiety</i> , 2014 , 31, 517-23	8.4	27
496	Genetic risk score analysis indicates migraine with and without comorbid depression are genetically different disorders. 2014 , 133, 173-86		47
495	Neuroticism and extraversion are associated with amygdala resting-state functional connectivity. 2014 , 14, 836-48		71
494	Dysregulated physiological stress systems and accelerated cellular aging. 2014 , 35, 1422-30		78
493	Sex differences in the human peripheral blood transcriptome. 2014 , 15, 33		97
492	Heritability and genomics of gene expression in peripheral blood. 2014 , 46, 430-7		258
491	Major depressive disorder and accelerated cellular aging: results from a large psychiatric cohort study. 2014 , 19, 895-901		186

490	High dose benzodiazepines prolong reaction times in chronic users who have major depressive and/or anxiety disorders. 2014 , 77, 571-7		6
489	Methylenetetrahydrofolate reductase (MTHFR) genetic variation and major depressive disorder prognosis: A five-year prospective cohort study of primary care attendees. 2014 , 165B, 68-76		20
488	Stress exposure across the life span cumulatively increases depression risk and is moderated by neuroticism. <i>Depression and Anxiety</i> , 2014 , 31, 737-45	8.4	99
487	Inflammatory and metabolic dysregulation and the 2-year course of depressive disorders in antidepressant users. 2014 , 39, 1624-34		80
486	Major depressive disorder subtypes to predict long-term course. <i>Depression and Anxiety</i> , 2014 , 31, 765-78.4	78.4	47
485	Repetitive negative thinking as a transdiagnostic factor in depression and anxiety: A conceptual replication. 2014 , 63, 177-83		68
484	A longitudinal study of experiential avoidance in emotional disorders. 2014 , 45, 840-50		113
483	A longitudinal study of facets of extraversion in depression and social anxiety. 2014 , 71, 39-44		20
482	Reduced hypothalamic-pituitary-adrenal axis activity in chronic multi-site musculoskeletal pain: partly masked by depressive and anxiety disorders. 2014 , 15, 227		48
481	The contribution of the functional IL6R polymorphism rs2228145, eQTLs and other genome-wide SNPs to the heritability of plasma sIL-6R levels. 2014 , 44, 368-82		33
480	Disorder-specific cognitive profiles in major depressive disorder and generalized anxiety disorder. 2014 , 14, 96		21
479	Implicit associations in social anxiety disorder: the effects of comorbid depression. 2014 , 28, 537-46		7
478	Low serum BDNF levels in depressed patients cannot be attributed to individual depressive symptoms or symptom cluster. 2014 , 15, 561-9		13
477	Increased cortisol awakening response was associated with time to recurrence of major depressive disorder. 2014 , 50, 62-71		37
476	BDNF in late-life depression: effect of SSRI usage and interaction with childhood abuse. 2014 , 43, 81-9		13
475	Pain and the onset of depressive and anxiety disorders. 2014 , 155, 53-59		135
474	Association between serum brain-derived neurotrophic factor and plasma interleukin-6 in major depressive disorder with melancholic features. <i>Brain, Behavior, and Immunity</i> , 2014 , 36, 71-9	16.6	61
473	Comorbidity of PTSD in anxiety and depressive disorders: prevalence and shared risk factors. 2014 , 38, 1320-30		121

472	Gender differences in major depressive disorder: results from the Netherlands study of depression and anxiety. <i>Journal of Affective Disorders</i> , 2014 , 156, 156-63	6.6	152
471	Anxiety disorders and onset of cardiovascular disease: the differential impact of panic, phobias and worry. 2014 , 28, 252-8		28
470	Implicit and explicit self-associations in bipolar disorder: a comparison with healthy controls and unipolar depressive disorder. <i>Psychiatry Research</i> , 2014 , 215, 329-34	9.9	12
469	Basal inflammation and innate immune response in chronic multisite musculoskeletal pain. 2014 , 155, 1605-1612		39
468	Hemoglobin levels in persons with depressive and/or anxiety disorders. 2014 , 76, 317-21		20
467	Brugada syndrome ECG is highly prevalent in schizophrenia. 2014 , 7, 384-91		22
466	Effect of polygenic risk scores on depression in childhood trauma. 2014 , 205, 113-9		133
465	The metabolic syndrome and related characteristics in major depression: inpatients and outpatients compared: metabolic differences across treatment settings. 2014 , 36, 509-15		13
464	The association between low vitamin D and depressive disorders. 2014 , 19, 444-51		156
463	On the connection between level of education and the neural circuitry of emotion perception. 2014 , 8, 866		13
462	Psychiatric Perspective. 2014 , 1369-1381		
461	Childhood maltreatment modifies the relationship of depression with hippocampal volume. <i>Psychological Medicine</i> , 2015 , 45, 3517-26	6.9	12
460	Depression and anxiety in patients with and without same-sex attraction: differences in clinical expression, lifestyle factors, and vulnerability indicators. 2015 , 5, e00363		4
459	A new method for constructing networks from binary data. 2014 , 4, 5918		230
458	The genetics of alcohol dependence: Twin and SNP-based heritability, and genome-wide association study based on AUDIT scores. 2015 , 168, 739-48		49
457	Effectiveness of the implementation of guidelines for anxiety disorders in specialized mental health care. 2015 , 132, 69-80		11
456	IDENTIFYING PANIC DISORDER SUBTYPES USING FACTOR MIXTURE MODELING. <i>Depression and Anxiety</i> , 2015 , 32, 509-17	8.4	14
455	The longitudinal joint effect of obesity and major depression on work performance impairment. 2015 , 105, e80-6		11

454	Where You Live May Make You Old: The Association between Perceived Poor Neighborhood Quality and Leukocyte Telomere Length. 2015 , 10, e0128460	39
453	Anxious or Depressed and Still Happy?. 2015 , 10, e0139912	16
452	Comorbid anxiety disorders in late-life depression: results of a cohort study. 2015 , 27, 1157-65	25
451	The association between lower educational attainment and depression owing to shared genetic effects? Results in ~25,000 subjects. 2015 , 20, 735-43	39
450	In Silico Post Genome-Wide Association Studies Analysis of C-Reactive Protein Loci Suggests an Important Role for Interferons. 2015 , 8, 487-97	19
449	Neurophysiological effects of sleep deprivation in healthy adults, a pilot study. 2015 , 10, e0116906	28
448	The Association of Early and Recent Psychosocial Life Stress With Leukocyte Telomere Length. 2015 , 77, 882-91	60
447	Associations of financial strain and income with depressive and anxiety disorders. 2015 , 69, 660-5	76
446	Interactions between uncoupling protein 2 gene polymorphisms, obesity and alcohol intake on liver function: a large meta-analysed population-based study. 2015 , 173, 863-72	6
445	Pathophysiology of major depressive disorder: mechanisms involved in etiology are not associated with clinical progression. 2015 , 5, e649	59
444	DISC1 gene and affective psychopathology: a combined structural and functional MRI study. 2015 , 61, 150-7	8
443	Differential reporting of depressive symptoms across distinct clinical subpopulations: what DIFFerence does it make?. 2015 , 78, 130-6	9
442	Anxiety disorders and accelerated cellular ageing. 2015 , 206, 371-8	41
441	Mineralocorticoid receptor haplotypes sex-dependently moderate depression susceptibility following childhood maltreatment. 2015 , 54, 90-102	61
440	Effect of variation in BDNF Val(66)Met polymorphism, smoking, and nicotine dependence on symptom severity of depressive and anxiety disorders. 2015 , 148, 150-7	13
439	Heritability of liver enzyme levels estimated from genome-wide SNP data. 2015 , 23, 1223-8	9
438	Depression, anxiety and 6-year risk of cardiovascular disease. 2015 , 78, 123-9	82
437	Differential associations of specific depressive and anxiety disorders with somatic symptoms. 2015 , 78, 116-22	64

436	Increased prevalence of ECG markers for sudden cardiac arrest in refractory epilepsy. 2015 , 86, 309-13		39
435	Cognitive reactivity, self-depressed associations, and the recurrence of depression. <i>Journal of Affective Disorders</i> , 2015 , 183, 300-9	6.6	21
434	Determinants of hair cortisol and hair cortisone concentrations in adults. 2015 , 60, 182-94		88
433	The similarity of the structure of DSM-IV criteria for major depression in depressed women from China, the United States and Europe. <i>Psychological Medicine</i> , 2015 , 45, 1945-54	6.9	19
432	Connecting clinical and actuarial prediction with rule-based methods. 2015 , 27, 636-44		6
431	Common rather than unique aspects of repetitive negative thinking are related to depressive and anxiety disorders and symptoms. 2015 , 33, 45-52		53
430	The association between somatization and disability in primary care patients. 2015 , 79, 117-22		34
429	Long-lasting effects of affective disorders and childhood trauma on dispositional optimism. <i>Journal of Affective Disorders</i> , 2015 , 175, 351-8	6.6	17
428	Trait rumination predicts onset of Post-Traumatic Stress Disorder through trauma-related cognitive appraisals: A 4-year longitudinal study. 2015 , 71, 101-9		47
427	Depressive and anxiety disorders: Associated with losing or gaining weight over 2 years?. <i>Psychiatry Research</i> , 2015 , 227, 230-7	9.9	14
426	Data-driven atypical profiles of depressive symptoms: Identification and validation in a large cohort. <i>Journal of Affective Disorders</i> , 2015 , 180, 36-43	6.6	12
425	Salivary Testosterone Is Consistently and Positively Associated with Extraversion: Results from The Netherlands Study of Depression and Anxiety. 2015 , 71, 76-84		50
424	Why visually impaired older adults often do not receive mental health services: the patient's perspective. 2015 , 24, 969-78		27
423	Metabolic syndrome in patients with bipolar disorder: comparison with major depressive disorder and non-psychiatric controls. 2015 , 78, 391-8		27
422	An admixture analysis of age of onset in agoraphobia. <i>Journal of Affective Disorders</i> , 2015 , 180, 112-5	6.6	10
421	Glucocorticoid and mineralocorticoid receptor polymorphisms and recurrence of major depressive disorder. 2015 , 55, 154-63		23
420	Operating characteristics of depression and anxiety disorder phenotype dimensions and trait neuroticism: a theoretical examination of the fear and distress disorders from the Netherlands study of depression and anxiety. <i>Journal of Affective Disorders</i> , 2015 , 174, 611-8	6.6	3
419	Discovery of serum biomarkers predicting development of a subsequent depressive episode in social anxiety disorder. <i>Brain, Behavior, and Immunity</i> , 2015 , 48, 123-31	16.6	13

418	A lifetime approach to major depressive disorder: The contributions of psychological interventions in preventing relapse and recurrence. 2015 , 41, 16-26		149
417	Long-term work disability and absenteeism in anxiety and depressive disorders. <i>Journal of Affective Disorders</i> , 2015 , 178, 121-30	6.6	40
416	Associations between life stress and subclinical cardiovascular disease are partly mediated by depressive and anxiety symptoms. 2015 , 78, 332-9		51
415	Serum proteomic profiling of major depressive disorder. 2015 , 5, e599		74
414	Watchful waiting for subthreshold depression and anxiety in visually impaired older adults. 2015 , 24, 2885-93		17
413	Investigating distinct and common abnormalities of resting-state functional connectivity in depression, anxiety, and their comorbid states. <i>European Neuropsychopharmacology</i> , 2015 , 25, 1933-42	1.2	38
412	Somatisation as a risk factor for incident depression and anxiety. 2015 , 79, 614-9		11
411	Symptom dimensions of affective disorders in migraine patients. 2015 , 79, 458-63		20
410	The associations of depression and hypertension with brain volumes: Independent or interactive?. 2015 , 8, 79-86		15
409	Longitudinal association between pain, and depression and anxiety over four years. 2015 , 78, 64-70		92
408	The role of frailty in the association between depression and somatic comorbidity: results from baseline data of an ongoing prospective cohort study. 2015 , 52, 188-96		18
407	Cognitive vulnerability and implicit emotional processing: imbalance in frontolimbic brain areas?. 2015 , 15, 69-79		10
406	Sleep duration, insomnia, and markers of systemic inflammation: results from the Netherlands Study of Depression and Anxiety (NESDA). 2015 , 60, 95-102		68
405	Association between smoking, nicotine dependence, and BDNF Val66Met polymorphism with BDNF concentrations in serum. 2015 , 17, 323-9		47
404	Chronic depression is associated with a pronounced decrease in serum brain-derived neurotrophic factor over time. 2015 , 20, 602-8		81
403	Sociodemographic and Lifestyle Determinants of Plasma Oxidative Stress Markers 8-OHdG and F2-Isoprostanes and Associations with Metabolic Syndrome. 2016 , 2016, 7530820		41
402	Consistency of biological networks inferred from microarray and sequencing data. 2016 , 17, 254		3
401	Sex Differences in Serum Markers of Major Depressive Disorder in the Netherlands Study of Depression and Anxiety (NESDA). 2016 , 11, e0156624		41

400	Differential Autonomic Nervous System Reactivity in Depression and Anxiety During Stress Depending on Type of Stressor. 2016 , 78, 562-72		46
399	Psychiatric and social outcome after deep brain stimulation for advanced Parkinson's disease. 2016 , 31, 409-13		13
398	ADHD, circadian rhythms and seasonality. 2016 , 81, 87-94		16
397	Depressive and anxiety disorders and short leukocyte telomere length: mediating effects of metabolic stress and lifestyle factors. <i>Psychological Medicine</i> , 2016 , 46, 2337-49	6.9	29
396	The network structure of major depressive disorder, generalized anxiety disorder and somatic symptomatology. <i>Psychological Medicine</i> , 2016 , 46, 2989-2998	6.9	37
395	Borderline personality features in depressed or anxious patients. <i>Psychiatry Research</i> , 2016 , 241, 224-31	9.9	12
394	A Prospective Study on How Symptoms in a Network Predict the Onset of Depression. 2016 , 85, 183-4		110
393	Summaries of plenary, symposia, and oral sessions at the XXII World Congress of Psychiatric Genetics, Copenhagen, Denmark, 12-16 October 2014. 2016 , 26, 1-47		
392	Genetic variants associated with subjective well-being, depressive symptoms, and neuroticism identified through genome-wide analyses. 2016 , 48, 624-33		602
391	Diagnostic instability of recurrence and the impact on recurrence rates in depressive and anxiety disorders. <i>Journal of Affective Disorders</i> , 2016 , 195, 185-90	6.6	39
390	Is Experiential Avoidance a Mediating, Moderating, Independent, Overlapping, or Proxy Risk Factor in the Onset, Relapse and Maintenance of Depressive Disorders?. 2016 , 40, 150-163		40
389	Identification of Common Genetic Variants Influencing Spontaneous Dizygotic Twinning and Female Fertility. 2016 , 98, 898-908		66
388	Gene transcripts associated with muscle strength: a CHARGE meta-analysis of 7,781 persons. 2016 , 48, 1-11		8
387	Association of CRT1 polymorphisms with obesity markers in subjects from the general population with lifetime depression. <i>Journal of Affective Disorders</i> , 2016 , 198, 43-9	6.6	15
386	Apathy in Older Persons With Depression: Course and Predictors: The NESDO Study. 2016 , 29, 178-86		12
385	Attention-deficit hyperactivity disorder symptoms add risk to circadian rhythm sleep problems in depression and anxiety. <i>Journal of Affective Disorders</i> , 2016 , 200, 74-81	6.6	14
384	Effect of childhood maltreatment and brain-derived neurotrophic factor on brain morphology. 2016 , 11, 1841-1852		34
383	Blood-based immune-endocrine biomarkers of treatment response in depression. 2016 , 83, 249-259		18

382	Cognitive and psychiatric outcome 3 years after globus pallidus pars interna or subthalamic nucleus deep brain stimulation for Parkinson's disease. 2016 , 33, 90-95		28
381	BIDIRECTIONAL PROSPECTIVE ASSOCIATIONS OF METABOLIC SYNDROME COMPONENTS WITH DEPRESSION, ANXIETY, AND ANTIDEPRESSANT USE. <i>Depression and Anxiety</i> , 2016 , 33, 754-64	8.4	44
380	The association between personality traits, cognitive reactivity and body mass index is dependent on depressive and/or anxiety status. 2016 , 89, 26-31		11
379	The impact of somatic symptoms on the course of major depressive disorder. <i>Journal of Affective Disorders</i> , 2016 , 205, 112-118	6.6	33
378	Early Improvement in Work Productivity Predicts Future Clinical Course in Depressed Outpatients: Findings From the CO-MED Trial. 2016 , 173, 1196-1204		33
377	Long-term disability in anxiety disorders. 2016 , 16, 248		33
376	Serum proteomic profiles of depressive subtypes. 2016 , 6, e851		41
375	The genetics of blood pressure regulation and its target organs from association studies in 342,415 individuals. 2016 , 48, 1171-1184		251
374	A cluster analysis of early onset in common anxiety disorders. 2016 , 44, 1-8		3
373	Identification of an Immune-Neuroendocrine Biomarker Panel for Detection of Depression: A Joint Effects Statistical Approach. 2016 , 103, 693-710		10
372	Measuring depression over time . . . Or not? Lack of unidimensionality and longitudinal measurement invariance in four common rating scales of depression. 2016 , 28, 1354-1367		145
371	Prediction of 6-yr symptom course trajectories of anxiety disorders by diagnostic, clinical and psychological variables. 2016 , 44, 92-101		36
370	Variation in serum biomarkers with sex and female hormonal status: implications for clinical tests. 2016 , 6, 26947		22
369	Cytokine production capacity in depression and anxiety. 2016 , 6, e825		95
368	Basal autonomic activity, stress reactivity, and increases in metabolic syndrome components over time. 2016 , 71, 119-26		11
367	Medically unexplained physical symptoms and work functioning over 2½years: their association and the influence of depressive and anxiety disorders and job characteristics. 2016 , 17, 46		7
366	The association between medically unexplained physical symptoms and health care use over two years and the influence of depressive and anxiety disorders and personality traits: a longitudinal study. 2016 , 16, 100		24
365	The brain-derived neurotrophic factor pathway, life stress, and chronic multi-site musculoskeletal pain. 2016 , 12,		16

364	Prevalence of mild cognitive impairment and dementia in older non-western immigrants in the Netherlands: a cross-sectional study. 2016 , 31, 1040-9		41
363	A common polymorphism in the ABCB1 gene is associated with side effects of PGP-dependent antidepressants in a large naturalistic Dutch cohort. 2016 , 16, 202-8		7
362	Gene expression in major depressive disorder. 2016 , 21, 339-47		133
361	Biological stress systems, adverse life events and the onset of chronic multisite musculoskeletal pain: a 6-year cohort study. 2016 , 75, 847-54		28
360	Meta-analysis of genome-wide association studies of anxiety disorders. 2016 , 21, 1391-9		213
359	Determinants of attitudes towards professional mental health care, informal help and self-reliance in people with subclinical depression. 2016 , 62, 84-93		5
358	Low stability of diagnostic classifications of anxiety disorders over time: A six-year follow-up of the NESDA study. <i>Journal of Affective Disorders</i> , 2016 , 190, 310-315	6.6	25
357	Serum biomarkers predictive of depressive episodes in panic disorder. 2016 , 73, 53-62		9
356	Plasma insulin-like growth factor I levels are higher in depressive and anxiety disorders, but lower in antidepressant medication users. 2016 , 68, 148-55		24
355	CHRONOTYPE ASSOCIATIONS WITH DEPRESSION AND ANXIETY DISORDERS IN A LARGE COHORT STUDY. <i>Depression and Anxiety</i> , 2016 , 33, 75-83	8.4	133
354	CHILDHOOD MALTREATMENT AND THE COURSE OF DEPRESSIVE AND ANXIETY DISORDERS: THE CONTRIBUTION OF PERSONALITY CHARACTERISTICS. <i>Depression and Anxiety</i> , 2016 , 33, 27-34	8.4	44
353	CHANGES IN REGIONAL BRAIN ACTIVATION RELATED TO DEPRESSIVE STATE: A 2-YEAR LONGITUDINAL FUNCTIONAL MRI STUDY. <i>Depression and Anxiety</i> , 2016 , 33, 35-44	8.4	17
352	The role of obesity measures in the development and persistence of major depressive disorder. <i>Journal of Affective Disorders</i> , 2016 , 198, 222-9	6.6	22
351	Towards a blood-based diagnostic panel for bipolar disorder. <i>Brain, Behavior, and Immunity</i> , 2016 , 52, 49-57	16.6	43
350	Baseline biopsychosocial determinants of telomere length and 6-year attrition rate. 2016 , 67, 153-62		74
349	Prevalence of ADHD symptoms across clinical stages of major depressive disorder. <i>Journal of Affective Disorders</i> , 2016 , 197, 29-35	6.6	29
348	Childhood maltreatment, maladaptive personality types and level and course of psychological distress: A six-year longitudinal study. <i>Journal of Affective Disorders</i> , 2016 , 191, 100-8	6.6	42
347	Six-year longitudinal course and outcomes of subtypes of depression. 2016 , 208, 62-8		52

346	Longitudinal Associations Between Biopsychosocial Factors and Sustainable Return to Work of Sick-Listed Workers with a Depressive or Anxiety Disorder. 2016 , 26, 70-9		26
345	Personality and social support as predictors of first and recurrent episodes of depression. <i>Journal of Affective Disorders</i> , 2016 , 190, 156-161	6.6	33
344	Prevalence and incidence of mental health problems among Dutch medical students and the study-related and personal risk factors: a longitudinal study. 2016 , 28, 349-355		16
343	Polygenic dissection of major depression clinical heterogeneity. 2016 , 21, 516-22		121
342	Cerebrovascular involvement and clinical presentation of late-life depression, findings from the NESDO study. 2016 , 20, 1099-106		0
341	Leptin Dysregulation Is Specifically Associated With Major Depression With Atypical Features: Evidence for a Mechanism Connecting Obesity and Depression. 2017 , 81, 807-814		100
340	The MATCH cohort study in the Netherlands: rationale, objectives, methods and baseline characteristics of patients with (long-term) common mental disorders. <i>International Journal of Methods in Psychiatric Research</i> , 2017 , 26,	4.3	3
339	Loss of brain graph network efficiency in alcohol dependence. 2017 , 22, 523-534		36
338	Impact of Anxiety and/or Depressive Disorders and Chronic Somatic Diseases on disability and work impairment. 2017 , 94, 10-16		14
337	Sit, step, sweat: longitudinal associations between physical activity patterns, anxiety and depression. <i>Psychological Medicine</i> , 2017 , 47, 1466-1477	6.9	68
336	The impact of frailty on depressive disorder in later life: Findings from the Netherlands Study of depression in older persons. 2017 , 43, 66-72		30
335	Big Five personality characteristics are associated with depression subtypes and symptom dimensions of depression in older adults. 2017 , 32, e132-e140		10
334	Oxidative stress and brain morphology in individuals with depression, anxiety and healthy controls. 2017 , 76, 140-144		33
333	The association between three major physiological stress systems and oxidative DNA and lipid damage. 2017 , 80, 56-66		29
332	The MoodFOOD project: Prevention of depression through nutritional strategies. 2017 , 42, 94-103		8
331	Attention-deficit/hyperactivity disorder symptoms and stress-related biomarkers. 2017 , 79, 31-39		20
330	Correcting for cell-type effects in DNA methylation studies: reference-based method outperforms latent variable approaches in empirical studies. 2017 , 18, 24		16
329	Conditional eQTL analysis reveals allelic heterogeneity of gene expression. <i>Human Molecular Genetics</i> , 2017 , 26, 1444-1451	5.6	87

328	Risk Factors for Depression: Differential Across Age?. 2017 , 25, 966-977		49
327	Longitudinal associations of multiple physical symptoms with recurrence of depressive and anxiety disorders. 2017 , 97, 96-101		10
326	Admixture analysis of age of onset in generalized anxiety disorder. 2017 , 50, 47-51		18
325	Which biopsychosocial variables contribute to more weight gain in depressed persons?. <i>Psychiatry Research</i> , 2017 , 254, 96-103	9.9	6
324	Age-related variability in the presentation of symptoms of major depressive disorder. <i>Psychological Medicine</i> , 2017 , 47, 543-552	6.9	43
323	Genetic loci associated with heart rate variability and their effects on cardiac disease risk. 2017 , 8, 15805		50
322	Properties of Ideal Point Classification Models for Bivariate Binary Data. 2017 , 82, 308-328		1
321	Experiential Avoidance and Bordering Psychological Constructs as Predictors of the Onset, Relapse and Maintenance of Anxiety Disorders: One or Many?. 2017 , 41, 867-880		25
320	The impact of conscientiousness, mastery, and work circumstances on subsequent absenteeism in employees with and without affective disorders. 2017 , 5, 10		8
319	HPA Axis Genes, and Their Interaction with Childhood Maltreatment, are Related to Cortisol Levels and Stress-Related Phenotypes. 2017 , 42, 2446-2455		45
318	Impact of childhood trauma on course of panic disorder: contribution of clinical and personality characteristics. 2017 , 135, 554-563		10
317	The association of childhood maltreatment with depression and anxiety is not moderated by the oxytocin receptor gene. 2017 , 267, 517-526		24
316	The psychological features of patellofemoral pain: a systematic review. 2017 , 51, 732-742		91
315	Parent-Child Agreement on Parent-to-Child Maltreatment. 2017 , 32, 207-217		22
314	Genetic Variants Associated with Circulating Parathyroid Hormone. 2017 , 28, 1553-1565		37
313	Oxidative stress in major depressive and anxiety disorders, and the association with antidepressant use; results from a large adult cohort. <i>Psychological Medicine</i> , 2017 , 47, 936-948	6.9	38
312	Validity of LIDAS (Lifetime Depression Assessment Self-report): a self-report online assessment of lifetime major depressive disorder. <i>Psychological Medicine</i> , 2017 , 47, 279-289	6.9	18
311	Immunometabolic dysregulation is associated with reduced cortical thickness of the anterior cingulate cortex. <i>Brain, Behavior, and Immunity</i> , 2017 , 60, 361-368	16.6	14

310	Does obesity along with major depression or anxiety lead to higher use of health care and costs? A 6-year follow-up study. 2017 , 27, 965-971		8
309	Seasonal affective disorder and non-seasonal affective disorders: results from the NESDA study. 2017 , 3, 196-203		8
308	Apathy in early and late-life depression. <i>Journal of Affective Disorders</i> , 2017 , 223, 76-81	6.6	16
307	Associations between chronotypes and psychological vulnerability factors of depression. 2017 , 34, 1125-1135		56
306	Large normal-range TBP and ATXN7 CAG repeat lengths are associated with increased lifetime risk of depression. 2017 , 7, e1143		15
305	Social functioning in patients with depressive and anxiety disorders. 2017 , 136, 352-361		57
304	Temporal stability and drivers of change in cardiac autonomic nervous system activity. 2017 , 208, 117-125		6
303	The low single nucleotide polymorphism heritability of plasma and saliva cortisol levels. 2017 , 85, 88-95		13
302	The role of anxious distress in immune dysregulation in patients with major depressive disorder. 2017 , 7, 1268		31
301	Huntingtin gene repeat size variations affect risk of lifetime depression. 2017 , 7, 1277		28
300	A new perspective on PTSD symptoms after traumatic vs stressful life events and the role of gender. 2017 , 8, 1380470		11
299	Does the presence of multiple sclerosis impact on symptom profile in depressed patients?. 2017 , 103, 70-76		2
298	Voxel-based morphometry multi-center mega-analysis of brain structure in social anxiety disorder. 2017 , 16, 678-688		39
297	Interaction between the gene, body mass index and depression: meta-analysis of 13701 individuals. 2017 , 211, 70-76		33
296	The association between the hypothalamic pituitary adrenal axis and tryptophan metabolism in persons with recurrent major depressive disorder and healthy controls. <i>Journal of Affective Disorders</i> , 2017 , 222, 32-39	6.6	20
295	Approach and avoidance tendencies in depression and anxiety disorders. <i>Psychiatry Research</i> , 2017 , 256, 475-481	9.9	20
294	Comparison of self-reported scales and structured interviews for the assessment of depression in an urban male working population in Japan: a cross-sectional survey. 2017 , 1,		5
293	Six-year trajectory of objective physical function in persons with depressive and anxiety disorders. <i>Depression and Anxiety</i> , 2017 , 34, 188-197	8.4	19

292	Influences of lifestyle factors on cardiac autonomic nervous system activity over time. 2017 , 94, 12-19		17
291	Person misfit on the Inventory of Depressive Symptomatology: Low quality self-report or true atypical symptom profile?. <i>International Journal of Methods in Psychiatric Research</i> , 2017 , 26,	4.3	2
290	Biological Stress Systems, Adverse Life Events, and the Improvement of Chronic Multisite Musculoskeletal Pain Across a 6-Year Follow-Up. 2017 , 18, 155-165		8
289	Depression and cardiovascular disease: Epidemiological evidence on their linking mechanisms. 2017 , 74, 277-286		217
288	Insomnia heterogeneity: Characteristics to consider for data-driven multivariate subtyping. 2017 , 36, 71-81		79
287	Network Analysis: A Novel Approach to Understand Suicidal Behaviour. 2017 , 14, 219		75
286	Systematic Evaluation of Corticosteroid Use in Obese and Non-obese Individuals: A Multi-cohort Study. 2017 , 14, 615-621		11
285	Reconsidering the prognosis of major depressive disorder across diagnostic boundaries: full recovery is the exception rather than the rule. 2017 , 15, 215		45
284	The reciprocal relationship between physical activity and depression: Does age matter?. 2018 , 51, 9-15		5
283	The predictive value of Approach and Avoidance tendencies on the onset and course of depression and anxiety disorders. <i>Depression and Anxiety</i> , 2018 , 35, 551-559	8.4	22
282	Development and external validation of a prediction rule for an unfavorable course of late-life depression: A multicenter cohort study. <i>Journal of Affective Disorders</i> , 2018 , 235, 105-113	6.6	8
281	Epigenetic Aging in Major Depressive Disorder. 2018 , 175, 774-782		92
280	Recurrence and chronicity of major depressive disorder and their risk indicators in a population cohort. 2018 , 137, 503-515		42
279	Generative models for clinical applications in computational psychiatry. 2018 , 9, e1460		17
278	Childhood abuse and late-life depression: Mediating effects of psychosocial factors for early- and late-onset depression. 2018 , 33, 537-545		15
277	The past is present: The role of maltreatment history in perceptual, behavioral and autonomic responses to infant emotional signals. 2018 , 77, 23-34		16
276	A Multivariate Logistic Distance Model for the Analysis of Multiple Binary Responses. 2018 , 35, 124-146		1
275	The association of omega-3 fatty acid levels with personality and cognitive reactivity. 2018 , 108, 93-101		6

274	Passive imputation and parcel summaries are both valid to handle missing items in studies with many multi-item scales. 2018 , 27, 1128-1140		13
273	The Association Between Metabolic Syndrome, Obesity-Related Outcomes, and ADHD in Adults With Comorbid Affective Disorders. 2018 , 22, 460-471		9
272	The influence of childhood abuse on cortisol levels and the cortisol awakening response in depressed and nondepressed older adults. 2018 , 19, 440-449		12
271	Prognostic significance of social network, social support and loneliness for course of major depressive disorder in adulthood and old age. 2018 , 27, 266-277		38
270	Testosterone in human studies: Modest associations between plasma and salivary measurements. 2018 , 50, e12779		5
269	Presence and Predictive Value of Obsessive-Compulsive Symptoms in Anxiety and Depressive Disorders. 2018 , 63, 85-93		10
268	Omega-3 and omega-6 fatty acid levels in depressive and anxiety disorders. 2018 , 87, 53-62		55
267	Does Childhood Trauma Moderate Polygenic Risk for Depression? A Meta-analysis of 5765 Subjects From the Psychiatric Genomics Consortium. 2018 , 84, 138-147		48
266	Metabolic and inflammatory markers: associations with individual depressive symptoms. <i>Psychological Medicine</i> , 2018 , 48, 1102-1110	6.9	80
265	Uric acid in major depressive and anxiety disorders. <i>Journal of Affective Disorders</i> , 2018 , 225, 684-690	6.6	46
264	Leukocyte telomere length and personality: associations with the Big Five and Type D personality traits. <i>Psychological Medicine</i> , 2018 , 48, 1008-1019	6.9	5
263	Genome-wide gene-environment interaction in depression: A systematic evaluation of candidate genes: The childhood trauma working-group of PGC-MDD. 2018 , 177, 40-49		43
262	Person-fit feedback on inconsistent symptom reports in clinical depression care. <i>Psychological Medicine</i> , 2018 , 48, 1844-1852	6.9	2
261	Social jetlag and depression status: Results obtained from the Netherlands Study of Depression and Anxiety. 2018 , 35, 1-7		29
260	Offspring of depressed and anxious patients: Help-seeking after first onset of a mood and/or anxiety disorder. <i>Journal of Affective Disorders</i> , 2018 , 227, 618-626	6.6	2
259	Eating styles in major depressive disorder: Results from a large-scale study. 2018 , 97, 38-46		31
258	Associations of mindful eating domains with depressive symptoms and depression in three European countries. <i>Journal of Affective Disorders</i> , 2018 , 228, 26-32	6.6	10
257	Predicting the naturalistic course of depression from a wide range of clinical, psychological, and biological data: a machine learning approach. 2018 , 8, 241		52

256	Self-Esteem Instability in Current, Remitted, Recovered, and Comorbid Depression and Anxiety. 2018 , 42, 813-822		3
255	Attentional bias for negative, positive, and threat words in current and remitted depression. 2018 , 13, e0205154		14
254	Diet quality in persons with and without depressive and anxiety disorders. 2018 , 106, 1-7		46
253	Body mass index is negatively associated with telomere length: a collaborative cross-sectional meta-analysis of 87 observational studies. 2018 , 108, 453-475		69
252	Cohort profile: the Geoscience and Health Cohort Consortium (GECCO) in the Netherlands. 2018 , 8, e021597		18
251	Offspring of parents with mood disorders: time for more transgenerational research, screening and preventive intervention for this high-risk population. 2018 , 31, 349-357		23
250	Contributions of depression and body mass index to body image. 2018 , 103, 18-25		21
249	Symptomatic and functional recovery in depression in later life. 2018 , 53, 1071-1079		6
248	Circulating insulin-like growth factor I modulates mood and is a biomarker of vulnerability to stress: from mouse to man. 2018 , 8, 142		13
247	Six-year healthcare trajectories of adults with anxiety and depressive disorders: Determinants of transition to specialised mental healthcare. <i>Journal of Affective Disorders</i> , 2018 , 241, 226-234	6.6	3
246	Association Between Depression, Anxiety, and Antidepressant Use With T-Wave Amplitude and QT-Interval. 2018 , 12, 375		2
245	Omega-3 polyunsaturated fatty acid levels and dysregulations in biological stress systems. 2018 , 97, 206-215		21
244	Bidirectional Prospective Associations Between Cardiac Autonomic Activity and Inflammatory Markers. 2018 , 80, 475-482		5
243	The predictive specificity of psychological vulnerability markers for the course of affective disorders. 2018 , 103, 10-17		13
242	The Impact of Depressive Disorder Symptoms and Subtypes on 6-Year Incidence of Somatic Diseases. 2018 , 87, 308-310		11
241	Differential relations of suicidality in depression to brain activation during emotional and executive processing. 2018 , 105, 78-85		10
240	Functional genomic insights into the environmental determinants of mammalian fitness. 2018 , 53, 105-112		4
239	Repetitive negative thinking as a predictor of depression and anxiety: A longitudinal cohort study. <i>Journal of Affective Disorders</i> , 2018 , 241, 216-225	6.6	44

238	Reliability of retrospective reports on childhood abuse and its determinants in older adults during a 6-year follow-up. 2018 , 105, 9-16		7
237	Characterizing the Relation Between Expression QTLs and Complex Traits: Exploring the Role of Tissue Specificity. 2018 , 48, 374-385		8
236	Pass it on? The neural responses to rejection in the context of a family study on maltreatment. 2018 , 13, 616-627		5
235	Depression recurrence after recovery: Prognostic value of implicit and explicit self-depressed associations. 2018 , 107, 76-82		6
234	Associations between age and the course of major depressive disorder: a 2-year longitudinal cohort study. 2018 , 5, 581-590		56
233	Biomarker-based subtyping of depression and anxiety disorders using Latent Class Analysis. A NESDA study. <i>Psychological Medicine</i> , 2019 , 49, 617-627	6.9	12
232	A 6-year longitudinal study of predictors for suicide attempts in major depressive disorder. <i>Psychological Medicine</i> , 2019 , 49, 911-921	6.9	24
231	Can chronotype function as predictor of a persistent course of depressive and anxiety disorder?. <i>Journal of Affective Disorders</i> , 2019 , 242, 159-164	6.6	9
230	Involvement of inflammatory gene expression pathways in depressed patients with hyperphagia. 2019 , 9, 193		8
229	Longitudinal course of suicidal ideation and predictors of its persistence - A NESDA study. <i>Journal of Affective Disorders</i> , 2019 , 257, 365-375	6.6	15
228	Sleep, circadian rhythm, and physical activity patterns in depressive and anxiety disorders: A 2-week ambulatory assessment study. <i>Depression and Anxiety</i> , 2019 , 36, 975-986	8.4	53
227	Altered functional connectivity associated with time discounting in chronic pain. 2019 , 9, 8154		5
226	Delayed sleep-onset and biological age: late sleep-onset is associated with shorter telomere length. 2019 , 42,		6
225	Personality traits and the risk of incident (hypo)mania among subjects initially suffering from depressive and anxiety disorders in a 9-year cohort study. <i>Journal of Affective Disorders</i> , 2019 , 259, 451-457	6.6	2
224	Integrating proteomic, sociodemographic and clinical data to predict future depression diagnosis in subthreshold symptomatic individuals. 2019 , 9, 277		8
223	The association of depression and anxiety with cardiac autonomic activity: The role of confounding effects of antidepressants. <i>Depression and Anxiety</i> , 2019 , 36, 1163-1172	8.4	15
222	Trait anger and anger attacks in relation to depressive and anxiety disorders. <i>Journal of Affective Disorders</i> , 2019 , 259, 259-265	6.6	12
221	Major depression and enhanced molecular senescence abnormalities in young and middle-aged adults. 2019 , 9, 198		16

220	Neurobiology and Therapeutic Potential of Cyclooxygenase-2 (COX-2) Inhibitors for Inflammation in Neuropsychiatric Disorders. <i>Frontiers in Psychiatry</i> , 2019 , 10, 605	5	27
219	Predictive value of attentional bias for the recurrence of depression: A 4-year prospective study in remitted depressed individuals. 2019 , 114, 25-34		8
218	Quantifying between-cohort and between-sex genetic heterogeneity in major depressive disorder. 2019 , 180, 439-447		16
217	Measuring social support in psychiatric patients and controls: Validation and reliability of the shortened Close Persons Questionnaire. 2019 , 116, 118-125		3
216	Increased serum levels of leptin and insulin in both schizophrenia and major depressive disorder: A cross-disorder proteomics analysis. <i>European Neuropsychopharmacology</i> , 2019 , 29, 835-846	1.2	17
215	White matter architecture in major depression with anxious distress symptoms. 2019 , 94, 109664		3
214	Neuroticism and chronicity as predictors of 9-year course of individual depressive symptoms. <i>Journal of Affective Disorders</i> , 2019 , 252, 484-492	6.6	8
213	Anxiety sensitivity, its stability and longitudinal association with severity of anxiety symptoms. 2019 , 9, 4314		14
212	The GET READY relapse prevention programme for anxiety and depression: a mixed-methods study protocol. 2019 , 19, 64		5
211	Genome-wide Burden of Rare Short Deletions Is Enriched in Major Depressive Disorder in Four Cohorts. 2019 , 85, 1065-1073		14
210	Differential associations of locus of control with anxiety, depression and life-events: A five-wave, nine-year study to test stability and change. <i>Journal of Affective Disorders</i> , 2019 , 253, 26-34	6.6	26
209	Anxiety, depression and treatment adherence among HIV-infected migrants. 2019 , 31, 979-987		10
208	Prevalence of Carriers of Intermediate and Pathological Polyglutamine Disease-Associated Alleles Among Large Population-Based Cohorts. 2019 , 76, 650-656		21
207	Validation of the social functioning scale: Comparison and evaluation in early psychosis, autism spectrum disorder and social anxiety disorder. <i>Psychiatry Research</i> , 2019 , 276, 45-55	9.9	13
206	Evaluating the evidence for biotypes of depression: Methodological replication and extension of. 2019 , 22, 101796		132
205	Large-scale plasma metabolome analysis reveals alterations in HDL metabolism in migraine. 2019 , 92, e1899-e1911		26
204	An intergenerational family study on the impact of experienced and perpetrated child maltreatment on neural face processing. 2019 , 103, 266-275		3
203	Prognostic effect of serum BDNF levels in late-life depression: Moderated by childhood trauma and SSRI usage?. 2019 , 103, 276-283		4

202	Parents' experiences of childhood abuse and neglect are differentially associated with behavioral and autonomic responses to their offspring. 2019 , 61, 888-902		9
201	The genetic and environmental etiology of child maltreatment in a parent-based extended family design. 2019 , 31, 157-172		17
200	Performance of methods to conduct mediation analysis with time-to-event outcomes. 2019 , 74, 72		2
199	Decreased functional connectivity of the insula within the salience network as an indicator for prospective insufficient response to antidepressants. 2019 , 24, 102064		6
198	Depressive Symptom Clusters in Relation to Body Weight Status: Results From Two Large European Multicenter Studies. <i>Frontiers in Psychiatry</i> , 2019 , 10, 858	5	5
197	Depression and eating styles are independently associated with dietary intake. 2019 , 134, 103-110		24
196	Unraveling the association between depression and telomere length using genomics. 2019 , 102, 121-127		8
195	Differences between unipolar mania and bipolar-I disorder: Evidence from nine epidemiological studies. 2019 , 21, 437-448		11
194	Severity, course trajectory, and within-person variability of individual symptoms in patients with major depressive disorder. 2019 , 139, 194-205		19
193	Local fast-food environment, diet and blood pressure: the moderating role of mastery. 2019 , 58, 3129-3134		5
192	Long-term glucocorticoid levels measured in hair in patients with depressive and anxiety disorders. 2019 , 101, 246-252		26
191	A discrete-choice experiment to assess treatment modality preferences of patients with depression. 2019 , 22, 178-186		9
190	Longitudinal Association Between Depression and Inflammatory Markers: Results From the Netherlands Study of Depression and Anxiety. 2019 , 85, 829-837		72
189	Body mass index in obsessive-compulsive disorder. <i>Journal of Affective Disorders</i> , 2019 , 245, 145-151	6.6	8
188	Comparing factor structures of depressed patients with and without suicidal ideation, a measurement invariance analysis. <i>Journal of Affective Disorders</i> , 2019 , 245, 180-187	6.6	11
187	Repetitive negative thinking as a mediator in prospective cross-disorder associations between anxiety and depression disorders and their symptoms. 2019 , 63, 6-11		10
186	Not urbanization level but socioeconomic, physical and social neighbourhood characteristics are associated with presence and severity of depressive and anxiety disorders. <i>Psychological Medicine</i> , 2019 , 49, 149-161	6.9	47
185	Apathy Is Associated With Greater Decline in Subjective, but not in Objective Measures of Physical Functioning in Older People Without Dementia. 2019 , 74, 254-260		5

184	Satisficing in Mental Health Care Patients: The Effect of Cognitive Symptoms on Self-Report Data Quality. 2020 , 27, 178-193		9
183	Methylome-wide association findings for major depressive disorder overlap in blood and brain and replicate in independent brain samples. 2020 , 25, 1344-1354		28
182	Longitudinal brain changes in MDD during emotional encoding: effects of presence and persistence of symptomatology. <i>Psychological Medicine</i> , 2020 , 50, 1316-1326	6.9	6
181	Association of food groups with depression and anxiety disorders. 2020 , 59, 767-778		29
180	Association of dietary patterns with depressive symptoms: a harmonised meta-analysis of observational studies. <i>Psychological Medicine</i> , 2020 , 50, 1872-1883	6.9	24
179	Long-term disability in major depressive disorder: a 6-year follow-up study. <i>Psychological Medicine</i> , 2020 , 50, 1644-1652	6.9	12
178	A methylation study of long-term depression risk. 2020 , 25, 1334-1343		22
177	Temporal stability of symptoms of affective disorders, cognitive vulnerability and personality over time. <i>Journal of Affective Disorders</i> , 2020 , 260, 77-83	6.6	10
176	Cell Type-Specific Methylome-wide Association Studies Implicate Neurotrophin and Innate Immune Signaling in Major Depressive Disorder. 2020 , 87, 431-442		21
175	Using network analysis to examine links between individual depressive symptoms, inflammatory markers, and covariates. <i>Psychological Medicine</i> , 2020 , 50, 2682-2690	6.9	62
174	Cannabis use, depression and self-harm: phenotypic and genetic relationships. 2020 , 115, 482-492		16
173	A clinical staging approach to improving diagnostics in anxiety disorders: Is it the way to go?. 2020 , 54, 173-184		8
172	Fatty acids and recurrence of major depressive disorder: combined analysis of two Dutch clinical cohorts. 2020 , 141, 362-373		3
171	The predictive performance of the bipolarity index in a Dutch epidemiological sample manuscript. <i>Journal of Affective Disorders</i> , 2020 , 262, 373-380	6.6	2
170	Estimating the Heritability of Experiencing Child Maltreatment in an Extended Family Design. 2020 , 25, 289-299		4
169	Network outcome analysis identifies difficulty initiating sleep as a primary target for prevention of depression: a 6-year prospective study. 2020 , 43,		24
168	Comorbidity between depression and anxiety: assessing the role of bridge mental states in dynamic psychological networks. 2020 , 18, 308		30
167	Childhood trauma and dysregulation of multiple biological stress systems in adulthood: Results from the Netherlands Study of Depression and Anxiety (NESDA). 2020 , 121, 104835		18

166	The association of changes in repetitive negative thinking with changes in depression and anxiety. <i>Journal of Affective Disorders</i> , 2020 , 275, 157-164	6.6	6
165	Basal and LPS-stimulated inflammatory markers and the course of individual symptoms of depression. 2020 , 10, 235		21
164	The associations between childhood trauma and work functioning in adult workers with and without depressive and anxiety disorders. 2020 , 63, e76		3
163	ENIGMA-anxiety working group: Rationale for and organization of large-scale neuroimaging studies of anxiety disorders. 2020 ,		14
162	Reflecting on rumination: Consequences, causes, mechanisms and treatment of rumination. 2020 , 127, 103573		87
161	P.723 Contributing factors to advanced brain aging in depression and anxiety disorders. <i>European Neuropsychopharmacology</i> , 2020 , 40, S410-S411	1.2	
160	Novel neuronal surface autoantibodies in plasma of patients with depression and anxiety. 2020 , 10, 404		5
159	Level and timing of physical activity during normal daily life in depressed and non-depressed individuals. 2020 , 10, 259		8
158	Data mining algorithm predicts a range of adverse outcomes in major depression. <i>Journal of Affective Disorders</i> , 2020 , 276, 945-953	6.6	6
157	The role of borderline personality disorder symptoms on absenteeism & work performance in the Netherlands Study of Depression and Anxiety (NESDA). 2020 , 20, 414		2
156	Seasonality of mood and affect in a large general population sample. 2020 , 15, e0239033		9
155	Investigating data-driven biological subtypes of psychiatric disorders using specification-curve analysis. <i>Psychological Medicine</i> , 2020 , 1-12	6.9	2
154	It is a family affair: individual experiences and sibling exposure to emotional, physical and sexual abuse and the impact on adult depressive symptoms. <i>Psychological Medicine</i> , 2020 , 1-11	6.9	5
153	Predicting the naturalistic course in anxiety disorders using clinical and biological markers: a machine learning approach. <i>Psychological Medicine</i> , 2020 , 1-11	6.9	4
152	Getting under the skin: Does biology help predict chronicity of depression?. <i>Journal of Affective Disorders</i> , 2020 , 274, 1013-1021	6.6	2
151	Associations between depressive symptom profiles and immunometabolic characteristics in individuals with depression and their siblings. 2021 , 22, 128-138		2
150	Intergenerational transmission of child maltreatment using a multi-informant multi-generation family design. 2020 , 15, e0225839		13
149	Predicting individual clinical trajectories of depression with generative embedding. 2020 , 26, 102213		18

148	Familial risk for depressive and anxiety disorders: associations with genetic, clinical, and psychosocial vulnerabilities. <i>Psychological Medicine</i> , 2020 , 1-11	6.9	1
147	Measurement and genetic architecture of lifetime depression in the Netherlands as assessed by LIDAS (Lifetime Depression Assessment Self-report). <i>Psychological Medicine</i> , 2020 , 1-10	6.9	2
146	Stability of chronotype over a 7-year follow-up period and its association with severity of depressive and anxiety symptoms. <i>Depression and Anxiety</i> , 2020 , 37, 466-474	8.4	12
145	Bidirectional longitudinal associations of omega-3 polyunsaturated fatty acid plasma levels with depressive disorders. 2020 , 124, 1-8		4
144	Depression and disclosure behavior via social media: A study of university students in China. 2020 , 6, e03368		6
143	Integration of epidemiologic, pharmacologic, genetic and gut microbiome data in a drug-metabolite atlas. 2020 , 26, 110-117		19
142	Default Mode Network Connectivity and Social Dysfunction in Major Depressive Disorder. 2020 , 10, 194		9
141	Experienced Burden of and Adherence to Smartphone-Based Ecological Momentary Assessment in Persons with Affective Disorders. 2020 , 9,		14
140	Depression profilers and immuno-metabolic dysregulation: Longitudinal results from the NESDA study. <i>Brain, Behavior, and Immunity</i> , 2020 , 88, 174-183	16.6	41
139	Physiological stress markers, mental health and objective physical function. 2020 , 133, 109996		7
138	Predicting the course of anxiety disorders: The role of biological parameters. 2020 , 101, 109924		1
137	Affect fluctuations examined with ecological momentary assessment in patients with current or remitted depression and anxiety disorders. <i>Psychological Medicine</i> , 2021 , 51, 1906-1915	6.9	16
136	Suicidal ideation and suicide attempts: associations with sleep duration, insomnia, and inflammation. <i>Psychological Medicine</i> , 2020 , 1-10	6.9	14
135	Associations of plasma androgens with suicidality among men and women: A 9-year longitudinal cohort study. <i>Journal of Affective Disorders</i> , 2020 , 269, 78-84	6.6	2
134	The mental health impact of the COVID-19 pandemic on people with and without depressive, anxiety, or obsessive-compulsive disorders: a longitudinal study of three Dutch case-control cohorts. 2021 , 8, 121-129		187
133	Why some siblings thrive whereas others struggle: A within-family study on recollections of childhood parental bonding and current adult depressive and anxiety symptoms. <i>Journal of Affective Disorders</i> , 2021 , 281, 413-421	6.6	0
132	Digital phenotyping and the COVID-19 pandemic: Capturing behavioral change in patients with psychiatric disorders. <i>European Neuropsychopharmacology</i> , 2021 , 42, 115-120	1.2	16
131	Anxiety in Late-Life Depression: Determinants of the Course of Anxiety and Complete Remission. 2021 , 29, 336-347		0

130	A comparison of depressive symptom profiles between current major depressive disorder and schizophrenia spectrum disorder. 2021 , 135, 143-151		3
129	Suicide ideation versus suicide attempt: Examining overlapping and differential determinants in a large cohort of patients with depression and/or anxiety. 2021 , 55, 167-179		6
128	Association of Inflammation with Depression and Anxiety: Evidence for Symptom-Specificity and Potential Causality from UK Biobank and NESDA Cohorts.		4
127	The interrelationship between alcoholism, depression, and anxiety. 2021 , 111-133		1
126	Light therapy for mood disorders. 2021 , 182, 49-61		1
125	Associations of carotid intima media thickness with gene expression in whole blood and genetically predicted gene expression across 48 tissues. <i>Human Molecular Genetics</i> , 2021 ,	5.6	0
124	Genome-wide association study of circulating interleukin 6 levels identifies novel loci. <i>Human Molecular Genetics</i> , 2021 , 30, 393-409	5.6	6
123	Anger and cluster B personality traits and the conversion from unipolar depression to bipolar disorder. <i>Depression and Anxiety</i> , 2021 , 38, 671-681	8.4	2
122	An integrative study of five biological clocks in somatic and mental health. 2021 , 10,		11
121	Plasma androgens and the presence and course of depression in a large cohort of women. 2021 , 11, 124		4
120	Toxoplasma gondii seropositivity in patients with depressive and anxiety disorders. 2021 , 11, 100197		0
119	Obesity and atypical depression symptoms: findings from Mendelian randomization in two European cohorts. 2021 , 11, 96		6
118	Sociodemographic, Health and Lifestyle, Sampling, and Mental Health Determinants of 24-Hour Motor Activity Patterns: Observational Study. 2021 , 23, e20700		3
117	The day-to-day bidirectional longitudinal association between objective and self-reported sleep and affect: An ambulatory assessment study. <i>Journal of Affective Disorders</i> , 2021 , 283, 165-171	6.6	5
116	Deep learning paired with wearable passive sensing data predicts deterioration in anxiety disorder symptoms across 17-18 years. <i>Journal of Affective Disorders</i> , 2021 , 282, 104-111	6.6	12
115	Childhood Trauma in Adult Depressive and Anxiety Disorders: An Integrated Review on Psychological and Biological Mechanisms in the NESDA Cohort. <i>Journal of Affective Disorders</i> , 2021 , 283, 179-191	6.6	15
114	Prevalence, course, and determinants of suicide ideation and attempts in patients with a depressive and/or anxiety disorder: A review of NESDA findings. <i>Journal of Affective Disorders</i> , 2021 , 283, 267-277	6.6	9
113	An integrated approach to understand biological stress system dysregulation across depressive and anxiety disorders. <i>Journal of Affective Disorders</i> , 2021 , 283, 139-146	6.6	11

112	Investigating the relationships between unfavourable habitual sleep and metabolomic traits: evidence from multi-cohort multivariable regression and Mendelian randomization analyses. 2021 , 19, 69		1
111	The correlates of social phobia in OCD: Findings from a large clinical sample. 2021 , 60, 312-332		
110	Evaluating a dimensional approach to treatment resistance in anxiety disorders: A two-year follow-up study. 2021 , 4, 100139		
109	Multiple dimensions of stress vs. genetic effects on depression. 2021 , 11, 254		0
108	Childhood Maltreatment and Its Interaction with Hypothalamic-Pituitary-Adrenal Axis Activity and the Remission Status of Major Depression: Effects on Functionality and Quality of Life. 2021 , 11,		
107	Does Late-Life Depression Counteract the Beneficial Effect of Physical Activity on Cognitive Decline? Results From the NESDO Study. 2021 , 8919887211002658		
106	How childhood trauma and recent adverse events are related to hair cortisol levels in a large adult cohort. 2021 , 126, 105150		4
105	Depressive and anxiety disorders in concert-A synthesis of findings on comorbidity in the NESDA study. <i>Journal of Affective Disorders</i> , 2021 , 284, 85-97	6.6	12
104	Predicting the 9-year course of mood and anxiety disorders with automated machine learning: A comparison between auto-sklearn, naïve Bayes classifier, and traditional logistic regression. <i>Psychiatry Research</i> , 2021 , 299, 113823	9.9	3
103	Emotional processing in panic disorder and its subtypes: An fMRI study using emotional faces. <i>Journal of Affective Disorders</i> , 2021 , 287, 427-432	6.6	0
102	Metabolomic profiles discriminating anxiety from depression. 2021 , 144, 178-193		4
101	Associations between depression, lifestyle and brain structure: A longitudinal MRI study. 2021 , 231, 117834		4
100	Cohort profile of the longitudinal Netherlands Study of Depression and Anxiety (NESDA) on etiology, course and consequences of depressive and anxiety disorders. <i>Journal of Affective Disorders</i> , 2021 , 287, 69-77	6.6	9
99	Fifteen years of NESDA Neuroimaging: An overview of results related to clinical profile and bio-social risk factors of major depressive disorder and common anxiety disorders. <i>Journal of Affective Disorders</i> , 2021 , 289, 31-45	6.6	2
98	Association of inflammation with depression and anxiety: evidence for symptom-specificity and potential causality from UK Biobank and NESDA cohorts. 2021 ,		28
97	Expanding the environmental scope: an environment-wide association study for mental well-being. 2021 ,		0
96	Metabolomics dissection of depression heterogeneity and related cardiometabolic risk. <i>Psychological Medicine</i> , 2021 , 1-10	6.9	1
95	Patterns of discordance of physical functioning in older persons; different associations for apathy and depression? Results from the NESDO-study. 2021 , 1-9		0

94	Temporal relationships between happiness and psychiatric disorders and their symptom severity in a large cohort study: the Netherlands Study of Depression and Anxiety (NESDA). 2021 , 21, 344		
93	Functional network topology of the right insula affects emotion dysregulation in hyperactive-impulsive attention-deficit/hyperactivity disorder. 2021 , 11, 15045		0
92	Plasma androgens and the presence and course of depression in a large cohort of men. 2021 , 130, 105278		2
91	Education and Income Show Heterogeneous Relationships to Lifespan Brain and Cognitive Differences Across European and US Cohorts. 2021 ,		5
90	Genetic association of primary nonresponse to anti-TNF α therapy in patients with inflammatory bowel disease. 2022 , 32, 1-9		0
89	Psychological risk factors and the course of depression and anxiety disorders: A review of 15 years NESDA research. <i>Journal of Affective Disorders</i> , 2021 , 295, 1347-1359	6.6	6
88	Psychosocial factors and cancer incidence (PSY-CA): Protocol for individual participant data meta-analyses. 2021 , 11, e2340		2
87	Hair cortisol, obesity and the immune system: Results from a 3 year longitudinal study. 2021 , 134, 105422		1
86	Identifying mismatch and match between clinical needs and mental healthcare use trajectories in people with anxiety and depression: Results of a longitudinal study. <i>Journal of Affective Disorders</i> , 2022 , 297, 657-670	6.6	1
85	Network Analysis of Depressive Symptoms Among Residents of Wuhan in the Later Stage of the COVID-19 Pandemic. <i>Frontiers in Psychiatry</i> , 2021 , 12, 735973	5	1
84	Common and specific determinants of 9-year depression and anxiety course-trajectories: A machine-learning investigation in the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Affective Disorders</i> , 2021 , 293, 295-304	6.6	3
83	Putting mindfulness-based cognitive therapy to the test in routine clinical practice: A transdiagnostic panacea or a disorder specific intervention?. 2021 , 142, 144-152		4
82	Incident Major Depressive Disorder Predicted by Three Measures of Insulin Resistance: A Dutch Cohort Study. 2021 , 178, 914-920		3
81	The association between plasma tryptophan catabolites and depression: The role of symptom profiles and inflammation. <i>Brain, Behavior, and Immunity</i> , 2021 , 97, 167-175	16.6	8
80	Familial resemblance in mental health symptoms, social and cognitive vulnerability, and personality: A study of patients with depressive and anxiety disorders and their siblings. <i>Journal of Affective Disorders</i> , 2021 , 294, 420-429	6.6	4
79	Basal and LPS-stimulated inflammatory markers and the course of anxiety symptoms. <i>Brain, Behavior, and Immunity</i> , 2021 , 98, 378-387	16.6	1
78	A tangled start: The link between childhood maltreatment, psychopathology, and relationships in adulthood. 2021 , 121, 105228		0
77	The 9-year clinical course of depressive and anxiety disorders: New NESDA findings. <i>Journal of Affective Disorders</i> , 2021 , 295, 1269-1279	6.6	3

76	Chronotype changes with age; seven-year follow-up from the Netherlands study of depression and anxiety cohort. <i>Journal of Affective Disorders</i> , 2021 , 295, 1118-1121	6.6	1
75	The role of depressive symptoms and symptom dimensions in actigraphy-assessed sleep, circadian rhythm, and physical activity. <i>Psychological Medicine</i> , 2021 , 1-7	6.9	3
74	Longitudinal bidirectional associations between internalizing mental disorders and cardiometabolic disorders in the general adult population. 2021 , 56, 1611-1621		0
73	The mental health impacts of climate change: Findings from a Pacific Island atoll nation. 2020 , 73, 102237		35
72	Perceived need for care and health care utilization among depressed and anxious patients with and without suicidal ideation. 2013 , 34, 192-9		6
71	Stratified Linkage Disequilibrium Score Regression reveals enrichment of eQTL effects on complex traits is not tissue specific.		3
70	An integrative study of five biological clocks in somatic and mental health.		0
69	Genetic and environmental perturbations lead to regulatory decoherence.		1
68	Evaluating the evidence for biotypes of depression: attempted replication of Drysdale et.al. 2017.		4
67	Most antidepressant use in primary care is justified; results of the Netherlands Study of Depression and Anxiety. 2011 , 6, e14784		23
66	Modulatory effects of the piccolo genotype on emotional memory in health and depression. 2013 , 8, e61494		37
65	Resequencing three candidate genes for major depressive disorder in a Dutch cohort. 2013 , 8, e79921		12
64	The association of depression and anxiety with pain: a study from NESDA. 2014 , 9, e106907		164
63	Educational attainment influences levels of homozygosity through migration and assortative mating. 2015 , 10, e0118935		28
62	Disturbances in Hypothalamic-Pituitary-Adrenal Axis and Immunological Activity Differentiating between Unipolar and Bipolar Depressive Episodes. 2015 , 10, e0133898		22
61	Implicit and Explicit Self-Esteem in Current, Remitted, Recovered, and Comorbid Depression and Anxiety Disorders: The NESDA Study. 2016 , 11, e0166116		14
60	Screening for Depression in Daily Life: Development and External Validation of a Prediction Model Based on Actigraphy and Experience Sampling Method. 2020 , 22, e22634		5
59	Detection and assessment of late-life anxiety. 2009 , 35, 9-15		2

- 58 Review of Cohort Studies for Mood Disorders. **2016**, 13, 265-76 7
- 57 Genetic and environmental perturbations lead to regulatory decoherence. **2019**, 8, 18
- 56 Factors of Specialized Mental Health Care Use in the Netherlands: A Scoping Review Applying Andersen-Newman's Care Utilization Model. **2021**, 14, 11786329211048134
- 55 The Effect of Rapport on Data Quality in Face-to-Face Interviews: Beneficial or Detrimental?. **2021**, 18,
- 54 Neandertal introgression dissects the genetic landscape of neuropsychiatric disorders and associated behavioral phenotypes.
- 53 Chinese Color Nest Project : An accelerated longitudinal brain-mind cohort. **2021**, 52, 101020 8
- 52 Cell-type-specific methylome-wide association studies implicate neurodegenerative processes and neuroimmune communication in major depressive disorder.
- 51 Cannabis use, depression and self-harm: phenotypic and genetic relationships. 2
- 50 Predicting individual clinical trajectories of depression with generative embedding.
- 49 Sociodemographic, Health and Lifestyle, Sampling, and Mental Health Determinants of 24-Hour Motor Activity Patterns: Observational Study (Preprint).
- 48 Genetic association of primary non-response to Anti-TNF α therapy in patients with Inflammatory Bowel Disease.
- 47 Metabolomics dissection of depression heterogeneity and related cardiometabolic risk.
- 46 DNA methylation of the KLK8 gene in depression symptomatology. **2021**, 13, 200 1
- 45 The Australian Genetics of Depression Study: New Risk Loci and Dissecting Heterogeneity Between Subtypes.. **2021**, 2
- 44 Higher thyrotropin leads to unfavorable lipid profile and somewhat higher cardiovascular disease risk: evidence from multi-cohort Mendelian randomization and metabolomic profiling. **2021**, 19, 266 3
- 43 Designing Interactive Clothing to Raise Awareness of and Comfort the Wearer Suffering from Anxiety. **2020**,
- 42 Education and income show heterogeneous relationships to lifespan brain and cognitive differences across European and US cohorts. 1
- 41 Investigating the relationships between unfavorable sleep and metabolomic traits: evidence from multi-cohort multivariable regression and Mendelian randomization analyses.

40	Taking Personalized Medicine Seriously: Biomarker Approaches in Phase IIb/III Studies in Major Depression and Schizophrenia. <i>Innovations in Clinical Neuroscience</i> , 2015 , 12, 26S-40S	1	13
39	Fifteen years of the Netherlands study of depression and anxiety: An introduction to the special issue. <i>Journal of Affective Disorders</i> , 2022 , 298, 355-356	6.6	1
38	Potential Genetic Overlap Between Insomnia and Sleep Symptoms in Major Depressive Disorder: A Polygenic Risk Score Analysis.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 734077	5	0
37	Fat metabolism is associated with telomere length in six population-based studies. <i>Human Molecular Genetics</i> , 2021 ,	5.6	1
36	Application of Logistic Regression on Passenger Survival Data of the Titanic Liner. <i>Journal of Accounting and Finance in Emerging Economies</i> , 2021 , 7,	1	
35	Dissection of depression heterogeneity using proteomic clusters.. <i>Psychological Medicine</i> , 2022 , 1-9	6.9	0
34	Chronotype, daily affect and social contact: An ecological momentary assessment study.. <i>Psychiatry Research</i> , 2022 , 309, 114386	9.9	0
33	Usage Intensity of a Relapse Prevention Program and Its Relation to Symptom Severity in Remitted Patients With Anxiety and Depression: Pre-Post Study.. <i>JMIR Mental Health</i> , 2022 , 9, e25441	6	
32	Mental health and perceived impact during the first Covid-19 pandemic year: A longitudinal study in Dutch case-control cohorts of persons with and without depressive, anxiety, and obsessive-compulsive disorders.. <i>Journal of Affective Disorders</i> , 2022 , 305, 85-93	6.6	5
31	Associations of three major physiological stress systems with suicidal ideation and suicide attempts in patients with a depressive and/or anxiety disorder.. <i>Brain, Behavior, and Immunity</i> , 2022 , 102, 195-205	16.6	0
30	P.0087 Using proteomics and lipidomics data to improve individual prediction of chronicity in depression. <i>European Neuropsychopharmacology</i> , 2021 , 53, S61	1.2	
29	Usage Intensity of a Relapse Prevention Program and Its Relation to Symptom Severity in Remitted Patients With Anxiety and Depression: Pre-Post Study (Preprint).		
28	DataSheet_1.docx. 2019 ,		
27	Image_1.pdf. 2019 ,		
26	Table_1.pdf. 2019 ,		
25	Neural correlates of anxious distress in depression: A neuroimaging study of reactivity to emotional faces and resting-state functional connectivity.. <i>Depression and Anxiety</i> , 2022 ,	8.4	0
24	Childhood trauma and its impact on depressive and anxiety symptomatology in adulthood: A 6-year longitudinal study. <i>Journal of Affective Disorders</i> , 2022 ,	6.6	1
23	Rivastigmine for ECT-induced cognitive adverse effects in late life depression (RECALL study): A multicenter, randomized, double blind, placebo-controlled, cross-over trial in patients with depression aged 55 years or older: Rationale, objectives and methods. <i>Frontiers in Psychiatry</i> , 13,	5	

22	Childhood trauma and LPS-stimulated inflammation in adulthood: Results from the Netherlands Study of Depression and Anxiety. <i>Brain, Behavior, and Immunity</i> , 2022 ,	16.6	○
21	The association between adiposity and atypical energy-related symptoms of depression: a role for metabolic dysregulations.		
20	Investigating people's lifetime history of suicide attempts: a roadmap for studying interviewer-related error.		
19	Impact of long-term exposure to PM2.5 on peripheral blood gene expression pathways involved in cell signaling and immune response. 2022 , 168, 107491		1
18	Associations of depression and regional brain structure across the adult lifespan: Pooled analyses of six population-based and two clinical cohort studies in the European Lifebrain consortium. 2022 , 36, 103180		○
17	Personalized Diagnosis and Treatment for Neuroimaging in Depressive Disorders. 2022 , 12, 1403		○
16	Predictors of mental health deterioration from pre- to post-COVID-19 outbreak. 2022 , 8,		○
15	Dataset of Psychological Scales and Physiological Signals Collected for Anxiety Assessment Using a Portable Device. 2022 , 7, 132		2
14	Neandertal introgression partitions the genetic landscape of neuropsychiatric disorders and associated behavioral phenotypes. 2022 , 12,		1
13	Within-day bidirectional associations between physical activity and affect: A real-time ambulatory study in persons with and without depressive and anxiety disorders.		○
12	Weighing psychosocial factors in relatives for the risk of depressive and anxious psychopathology: A sibling-pair comparison study.		○
11	The association between adiposity and atypical energy-related symptoms of depression: A role for metabolic dysregulations. 2023 , 108, 197-203		○
10	HADD: High-Accuracy Detection of Depressed Mood. 2022 , 10, 123		○
9	Multimodal Data Integration Advances Longitudinal Prediction of the Naturalistic Course of Depression and Reveals a Multimodal Signature of Disease Chronicity.		○
8	A prospective cohort study of depression (PROUD) in China: rationale and design. 2023 , 2,		○
7	Normal range CAG repeat size variations in the HTT gene are associated with an adverse lipoprotein profile partially mediated by body mass index.		○
6	Unhealthy lifestyle impacts on biological systems involved in stress response: hypothalamic-pituitary-adrenal axis, inflammation and autonomous nervous system. 2023 , 38, 127-135		○
5	Linking internalizing and externalizing problems to warmth and negativity in observed dyadic parent-offspring communication.		○

- 4 Cardiovascular risk indicators among depressed persons: A special case?. **2023**, 329, 335-342 ○
- 3 Depression, cardiometabolic disease, and their co-occurrence after childhood maltreatment: an individual participant data meta-analysis including over 200,000 participants. **2023**, 21, ○
- 2 Depression detection from Twitter posts using NLP and Machine learning techniques. **2022**, ○
- 1 Increased affective reactivity among depressed individuals can be explained by floor effects: An experience sampling study. **2023**, 334, 370-381 ○