

CITATION REPORT

List of articles citing

The performance of the Japanese version of the K6 and K10 in the World Mental Health Survey Japan

DOI: 10.1002/mpr.257

International Journal of Methods in Psychiatric Research, 2008, 17, 152-8.

Source: <https://exaly.com/paper-pdf/43381456/citation-report.pdf>

Version: 2024-04-29

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
905	Green tea consumption is associated with lower psychological distress in a general population: the Ohsaki Cohort 2006 Study. 2009 , 90, 1390-6		43
904	Intragroup and intergroup conflict at work, psychological distress, and work engagement in a sample of employees in Japan. 2009 , 47, 640-8		12
903	Factors associated with psychological distress in a community-dwelling Japanese population: the Ohsaki Cohort 2006 Study. 2009 , 19, 294-302		56
902	Association of occupation, employment contract, and company size with mental health in a national representative sample of employees in Japan. 2010 , 52, 227-40		54
901	Development and validity of the Japanese version of the organizational justice scale. 2010 , 48, 66-73		21
900	The Ohsaki Cohort 2006 Study: design of study and profile of participants at baseline. 2010 , 20, 253-8		57
899	Work-family spillover among Japanese dual-earner couples: a large community-based study. 2010 , 52, 335-43		22
898	Organizational justice, psychological distress, and work engagement in Japanese workers. 2010 , 83, 29-38		66
897	Toward a cancer-specific model of psychological distress: population data from the 2003-2005 National Health Interview Surveys. 2010 , 4, 291-302		59
896	Mental health among young adult survivors of childhood cancer and their siblings including posttraumatic growth. 2010 , 4, 303-12		72
895	The impact of subjective and objective social status on psychological distress among men and women in Japan. 2010 , 70, 1832-9		74
894	Screening for serious mental illness in the general population with the K6 screening scale: results from the WHO World Mental Health (WMH) survey initiative. <i>International Journal of Methods in Psychiatric Research</i> , 2010 , 19 Suppl 1, 4-22	4.3	686
893	Assessment of mood: guides for clinicians. 2010 , 68, 581-9		101
892	The validity of the Dutch K10 and extended K10 screening scales for depressive and anxiety disorders. 2010 , 176, 45-50		115
891	Do they actually work across borders? Evaluation of two measures of psychological distress as screening instruments in a non Anglo-Saxon country. 2011 , 26, 122-7		47
890	Organizational justice, willingness to work, and psychological distress: results from a private Japanese company. 2011 , 53, 174-81		17
889	Screening performance of K6/K10 and other screening instruments for mood and anxiety disorders in Japan. 2011 , 65, 434-41		315

888	Workaholism and well-being among Japanese dual-earner couples: a spillover-crossover perspective. 2011 , 73, 399-409		117
887	Association of serious psychological distress with health services expenditures and utilization in a national sample of US adults. 2011 , 33, 311-7		35
886	Triple jeopardy: impact of partner violence perpetration, mental health and substance use on perceived unmet need for mental health care among men. 2011 , 46, 843-52		38
885	Pre-post changes in psychosocial functioning among relatives of patients with depressive disorders after Brief Multifamily Psychoeducation: a pilot study. 2011 , 11, 56		23
884	Validation of the Japanese version of the Pediatric Quality of Life Inventory (PedsQL) Cancer Module. 2011 , 9, 22		32
883	The psychometric properties of the K10 and K6 scales in screening for mood and anxiety disorders in the South African Stress and Health study. <i>International Journal of Methods in Psychiatric Research</i> , 2011 , 20, 215-23	4.3	89
882	Estimating the prevalence of DSM-IV mental illness in the Australian general population using the Kessler Psychological Distress Scale. 2011 , 45, 880-9		26
881	Kessler Psychological Distress Scale: normative data from the 2007 Australian National Survey of Mental Health and Wellbeing. 2011 , 45, 308-16		218
880	Health benefits of reduced patient cost sharing in Japan. 2012 , 90, 426-435A		18
879	Private health insurance, mental health and service use in Australia. 2012 , 46, 468-75		9
878	Effects of Dohsa-hou relaxation on body awareness and psychological distress ¹ . 2012 , 54, 388-399		14
877	Performance of the 6-item Kessler scale for measuring serious mental illness in Hong Kong. 2012 , 53, 584-92		36
876	Association between psychological distress and a sense of contribution to society in the workplace. 2012 , 12, 253		7
875	Socio-demographic factors and psychological distress in Indigenous and non-Indigenous Australian adults aged 18-64 years: analysis of national survey data. 2012 , 12, 95		39
874	Risky sexual behaviors, mental health, and history of childhood abuse among adolescents. 2012 , 5, 48-52		10
873	Folate intake and depressive symptoms in Japanese workers considering SES and job stress factors: J-HOPE study. 2012 , 12, 33		23
872	Effects of sleep hygiene education and behavioral therapy on sleep quality of white-collar workers: a randomized controlled trial. 2012 , 50, 123-31		35
871	Precarious employment and health: analysis of the Comprehensive National Survey in Japan. 2012 , 50, 223-35		28

870	Epidemiology of Psychological Distress. 2012 ,	90
869	Investigating the Factor Structure of the Kessler Psychological Distress Scale in Community and Clinical Samples of the Australian Population. 2012 , 34, 253-259	35
868	Social network disruption as a major factor associated with psychological distress 3 years after the 2004 Niigata-Chuetsu earthquake in Japan. 2012 , 17, 118-23	40
867	Scale development of health status for secondary data analysis using a nationally representative survey. 2012 , 17, 252-7	7
866	Stressor Scale for Clinical Research Coordinators: development and psychometric testing. 2012 , 68, 1636-45	4
865	Career satisfaction level, mental distress, and gender differences in working conditions among Japanese obstetricians and gynecologists. 2012 , 38, 550-8	12
864	Influences of income and employment on psychological distress and depression treatment in Japanese adults. 2012 , 17, 10-7	33
863	The performance of the K10, K6 and GHQ-12 to screen for present state DSM-IV disorders among disability claimants. 2013 , 13, 128	79
862	Organizational justice and psychological distress among permanent and non-permanent employees in Japan: a prospective cohort study. 2013 , 20, 265-76	33
861	Japanese dietary pattern consistently relates to low depressive symptoms and it is modified by job strain and worksite supports. 2013 , 150, 490-8	41
860	Interest in dietary pattern, social capital, and psychological distress: a cross-sectional study in a rural Japanese community. 2013 , 13, 933	9
859	A population-based study investigating the association between sexual and relationship satisfaction and psychological distress among heterosexuals. 2013 , 39, 56-70	5
858	Factors influencing self- and parent-reporting health-related quality of life in children with brain tumors. 2013 , 22, 185-201	14
857	The 10-item Kessler psychological distress scale (K10) as a screening instrument in older individuals. 2013 , 21, 596-606	46
856	Out-of-pocket expenditure burdens in patients with cardiovascular conditions and psychological distress: a nationwide cross-sectional study. 2013 , 35, 233-8	9
855	Tooth loss and mortality in elderly Japanese adults: effect of oral care. 2013 , 61, 815-20	48
854	Work-self balance: A longitudinal study on the effects of job demands and resources on personal functioning in Japanese working parents. 2013 , 27, 223-243	23
853	One-year follow up after admission to an emergency department for drug overdose in Japan. 2013 , 67, 441-50	8

852	Mental illness and a high-risk, elderly Japanese population: characteristic differences related to gender and residential location. 2013 , 13, 229-36	4
851	Possible improvement of depression after systematic examination and explanation of live birth rates among women with recurrent miscarriage. 2013 , 33, 171-4	13
850	Personality and resilience associated with perceived fatigue of local government employees responding to disasters. 2013 , 55, 1-5	14
849	Work-to-family conflict and family-to-work conflict among Japanese dual-earner couples with preschool children: a spillover-crossover perspective. 2013 , 55, 234-43	25
848	Do social interactions explain ethnic differences in psychological distress and the protective effect of local ethnic density? A cross-sectional study of 226 487 adults in Australia. 2013 , 3,	15
847	Optimum cut-off point of the Japanese short version of the effort-reward imbalance questionnaire. 2014 , 55, 340-8	25
846	Cognitive behavior therapy for psychological distress in patients with recurrent miscarriage. 2013 , 6, 37-43	21
845	Temporal Changes in Environmental Health Risks and Socio-Psychological Status in Areas Affected by the 2011 Tsunami in Ishinomaki, Japan. 2013 , 3,	1
844	The mediating and moderating effects of workplace social capital on the associations between adverse work characteristics and psychological distress among Japanese workers. 2014 , 52, 313-23	19
843	The bright side and dark side of workplace social capital: opposing effects of gender on overweight among Japanese employees. 2014 , 9, e88084	16
842	The impact of suicidality-related internet use: a prospective large cohort study with young and middle-aged internet users. 2014 , 9, e94841	29
841	Effects of an Internet-based cognitive behavioral therapy (iCBT) program in Manga format on improving subthreshold depressive symptoms among healthy workers: a randomized controlled trial. 2014 , 9, e97167	55
840	Mental health and related factors after the Great East Japan earthquake and tsunami. 2014 , 9, e102497	89
839	Family-related opinions and stressful situations associated with psychological distress in women undergoing infertility treatment. 2014 , 11, 9068-81	14
838	Sense of coherence and personality traits related to depressive state. 2014 , 2014, 738923	23
837	Reliability, validity, and significance of assessment of sense of contribution in the workplace. 2014 , 11, 1594-604	2
836	Relationship between depressive state, job stress, and sense of coherence among female nurses. 2014 , 18, 32-5	16
835	How perceived social support relates to suicidal ideation: a Japanese social resident survey. 2014 , 60, 290-8	16

834	Psychological effects of disaster relief activities on Japan ground self-defense force personnel following the 2011 great east Japan earthquake. 2014 , 77, 190-8	13
833	Distinct associations of different sedentary behaviors with health-related attributes among older adults. 2014 , 67, 335-9	61
832	Altered DNA methylation status of human brain derived neurotrophis factor gene could be useful as biomarker of depression. 2014 , 165B, 357-64	42
831	Psychological distress and emergency department utilization in the United States: evidence from the Medical Expenditure Panel Survey. 2014 , 21, 510-9	14
830	Association between quality of end-of-life care and possible complicated grief among bereaved family members. 2014 , 17, 1025-31	36
829	A cross-sectional survey of the mental health needs of refugees and asylum seekers attending a refugee health clinic: a study protocol for using research to inform local service delivery. 2014 , 14, 356	9
828	Cross-cultural measurement equivalence of the Japanese version of Revised Conflict Tactics Scales Short Form among Japanese men and women. 2014 , 68, 804-11	11
827	Psychological distress in an earthquake-devastated area with pre-existing high rate of suicide. 2014 , 219, 336-40	7
826	Comprehensive comparison of self-administered questionnaires for measuring quantitative autistic traits in adults. 2014 , 44, 993-1007	41
825	Evaluation of physical activity and its relationship to health-related quality of life in patients on chronic hemodialysis. 2014 , 19, 220-5	16
824	Clinical use of the Kessler psychological distress scales with culturally diverse groups. <i>International Journal of Methods in Psychiatric Research</i> , 2014 , 23, 161-83	4-3 38
823	Typology of driving-under-the-influence (DUI) offenders revisited: Inclusion of DUI-specific attitudes. 2014 , 39, 1779-83	5
822	Multifamily psychoeducation for improvement of mental health among relatives of patients with major depressive disorder lasting more than one year: study protocol for a randomized controlled trial. 2014 , 15, 320	4
821	Gender differences in association between psychological distress and detailed living arrangements among Japanese older adults, aged 65-74 years. 2014 , 49, 823-30	9
820	Smoking status, service use and associated factors among Japanese cancer survivors--a web-based survey. 2014 , 22, 3125-34	10
819	The psychological impact of a dual-disaster caused by earthquakes and radioactive contamination in Ichinoseki after the Great East Japan Earthquake. 2014 , 7, 307	18
818	Work-related Stress, Caregiver Role, and Depressive Symptoms among Japanese Workers. 2014 , 5, 7-12	23
817	Validation of short screening tools for common mental disorders in Nigerian general practices. 2014 , 36, 325-9	11

816	Developing and Selecting Mental Health Measures. 2014 , 143-169	2
815	Mental health distress and related factors among prefectural public servants seven months after the great East Japan Earthquake. 2014 , 24, 287-94	46
814	Social support improves mental health among the victims relocated to temporary housing following the Great East Japan Earthquake and Tsunami. 2014 , 234, 241-7	55
813	How Much Distress Is Too Much on Deployed Operations? Validation of the Kessler Psychological Distress Scale (K10) for Application in Military Operational Settings. 2014 , 26, 88-100	13
812	Effect modification by coping strategies on the association of organizational justice with psychological distress in Japanese workers. 2014 , 56, 111-23	2
811	Effort-reward imbalance and low back pain among eldercare workers in nursing homes: a cross-sectional study in Kagawa Prefecture, Japan. 2014 , 56, 197-204	11
810	Non-specific psychological distress in women undergoing noninvasive prenatal testing because of advanced maternal age. 2014 , 34, 1055-60	19
809	Sources of perceived social support associated with reduced psychological distress at 1 year after the Great East Japan Earthquake: Nationwide cross-sectional survey in 2012. 2015 , 69, 580-6	15
808	The translation and validation of the Mini-K scale in Japanese. 2015 , 57, 254-267	10
807	The Japan Environment and Children's Study (JECS): A Preliminary Report on Selected Characteristics of Approximately 10 000 Pregnant Women Recruited During the First Year of the Study. 2015 , 25, 452-8	69
806	An assessment of the overlap between morale and work engagement in a nonoperational military sample. 2015 , 20, 338-47	18
805	Periodontal Disease Is Associated with Insomnia among Victims of the Great East Japan Earthquake: A Panel Study Initiated Three Months after the Disaster. 2015 , 237, 83-90	14
804	Association between Coffee Consumption and Incident Risk of Disabling Dementia in Elderly Japanese: The Ohsaki Cohort 2006 Study. 2016 , 50, 491-500	22
803	Effects of an internet-based cognitive behavioural therapy intervention on preventing major depressive episodes among workers: a protocol for a randomised controlled trial. 2015 , 5, e007590	5
802	Enthusiasm for homework and improvement of psychological distress in subthreshold depression during behavior therapy: secondary analysis of data from a randomized controlled trial. 2015 , 15, 302	4
801	Oral health-related quality of life and related factors among residents in a disaster area of the Great East Japan Earthquake and giant tsunami. 2015 , 13, 143	15
800	Adding smartphone-based cognitive-behavior therapy to pharmacotherapy for major depression (FLATT project): study protocol for a randomized controlled trial. 2015 , 16, 293	16
799	Follow-up study of the general and mental health of people living in temporary housing at 10 and 20 months after the Great East Japan Earthquake. 2015 , 12, 162-5	21

798	Impact of loss of removable dentures on oral health after the great East Japan earthquake: a retrospective cohort study. 2015 , 24, 32-6	14
797	Chronic Pain in the Japanese Community--Prevalence, Characteristics and Impact on Quality of Life. 2015 , 10, e0129262	77
796	Community-Level Social Capital and Psychological Distress among the Elderly in Japan: A Population-Based Study. 2015 , 10, e0142629	11
795	Mental Health of Parents as Caregivers of Children with Disabilities: Based on Japanese Nationwide Survey. 2015 , 10, e0145200	17
794	Assessing depression related severity and functional impairment: the Overall Depression Severity and Impairment Scale (ODSIS). 2015 , 10, e0122969	18
793	Factors in Mental Health Problems among Japanese Dialysis Patients Living in Heavily Damaged Prefectures Two Years after the Great East Japan Earthquake. 2015 , 2015, 1-8	3
792	Property damage and long-term psychological distress after the 2004 Niigata-Chuetsu earthquake in Ojiya, Japan: a community-based study. 2015 , 37, 398-405	4
791	Does Internet-based cognitive behavioral therapy (iCBT) prevent major depressive episode for workers? A 12-month follow-up of a randomized controlled trial. 2015 , 45, 1907-17	30
790	Change in psychological distress following change in workplace social capital: results from the panel surveys of the J-HOPE study. 2015 , 72, 188-94	27
789	Cross-sectional study of social support and psychological distress among displaced earthquake survivors in Japan. 2015 , 12, 320-9	14
788	Validation of the K6/K10 Scales of Psychological Distress and Their Optimal Cutoff Scores for Older Koreans. 2015 , 80, 264-82	32
787	The Impact of Multiple Roles on Psychological Distress among Japanese Workers. 2015 , 6, 114-9	8
786	Does an advantageous occupational position make women happier in contemporary Japan? Findings from the Japanese Study of Health, Occupation, and Psychosocial Factors Related Equity (J-HOPE). 2015 , 1, 8-15	7
785	Do time-invariant confounders explain away the association between job stress and workers' mental health? Evidence from Japanese occupational panel data. 2015 , 126, 138-44	12
784	Buffering effects of job resources on the association of overtime work hours with psychological distress in Japanese white-collar workers. 2015 , 88, 631-40	14
783	Prevalence, associated factors and source of support concerning supportive care needs among Japanese cancer survivors. 2015 , 24, 635-42	21
782	How is an informal caregiver's psychological distress associated with prolonged caregiving? Evidence from a six-wave panel survey in Japan. 2015 , 24, 2907-15	16
781	Relationship between sickness presenteeism (WHO-HPQ) with depression and sickness absence due to mental disease in a cohort of Japanese workers. 2015 , 180, 14-20	38

780	Evaluation of psychological distress using the K6 in patients on chronic hemodialysis. 2015 , 20, 102-7	3
779	Mediating Role of Psychological Resources on the Association Between Childhood Socioeconomic Status and Current Health in the Community Adult Population of Japan. 2015 , 22, 764-74	6
778	Post-traumatic stress disorder and depression prevalence and associated risk factors among local disaster relief and reconstruction workers fourteen months after the Great East Japan Earthquake: a cross-sectional study. 2015 , 15, 58	75
777	Female family caregivers face a higher risk of hypertension and lowered estimated glomerular filtration rates: a cross-sectional, comparative study. 2015 , 15, 177	14
776	Associations between psychological distress and the most concerning present personal problems among working-age men in Japan. 2015 , 15, 305	6
775	Screening instruments for a population of older adults: The 10-item Kessler Psychological Distress Scale (K10) and the 7-item Generalized Anxiety Disorder Scale (GAD-7). 2015 , 228, 89-94	46
774	Organizational Justice and Physiological Coronary Heart Disease Risk Factors in Japanese Employees: a Cross-Sectional Study. 2015 , 22, 775-85	7
773	Mental health impacts of racial discrimination in Australian culturally and linguistically diverse communities: a cross-sectional survey. 2015 , 15, 401	32
772	The 6-item Kessler psychological distress scale to survey serious mental illness among Chinese undergraduates: Psychometric properties and prevalence estimate. 2015 , 63, 105-12	42
771	Relationships between mental health distress and work-related factors among prefectural public servants two months after the Great East Japan Earthquake. 2015 , 22, 1-10	15
770	Validity and clinical interpretability of Overall Anxiety Severity And Impairment Scale (OASIS). 2015 , 170, 217-24	21
769	The association of suicide-related Twitter use with suicidal behaviour: a cross-sectional study of young internet users in Japan. 2015 , 170, 155-60	60
768	The Relationship between Attitudes toward Suicide and Family History of Suicide in Nagano Prefecture, Japan. 2016 , 13,	4
767	Confirmation of Maslow's Hypothesis of Synergy: Developing an Acceptance of Selfishness at the Workplace Scale. 2016 , 13,	
766	Communication, support and psychosocial work environment affecting psychological distress among working women aged 20 to 39 years in Japan. 2016 , 54, 5-13	5
765	Fermented Food Consumption and Psychological Distress in Pregnant Women: A Nationwide Birth Cohort Study of the Japan Environment and Children's Study. 2016 , 240, 309-321	8
764	Work Engagement as a Predictor of Onset of Major Depressive Episode (MDE) among Workers, Independent of Psychological Distress: A 3-Year Prospective Cohort Study. 2016 , 11, e0148157	23
763	The Impact of Leisure and Social Activities on Activities of Daily Living of Middle-Aged Adults: Evidence From a National Longitudinal Survey in Japan. 2016 , 11, e0165106	6

762	Mental Health Screening in North Sulawesi, Indonesia: Kessler 6 pilot data and needs assessment results from the LearnToLive Indonesian Health Initiative. 2016 , 8, 118-26	3
761	Psychological Transformation by an Intervention to Facilitate Benefit Finding Among People With Chronic Mental Illness in Japan. 2016 , 52, 139-44	4
760	Age and sex differences of risk factors of activity limitations in Japanese older adults. 2016 , 16, 670-8	10
759	Three-year trend survey of psychological distress, post-traumatic stress, and problem drinking among residents in the evacuation zone after the Fukushima Daiichi Nuclear Power Plant accident [The Fukushima Health Management Survey]. 2016 , 70, 245-52	48
758	Source-specific workplace social support and high-sensitivity C-reactive protein levels among Japanese workers: A 1-year prospective cohort study. 2016 , 59, 676-84	7
757	The longitudinal mental health impact of Fukushima nuclear disaster exposures and public criticism among power plant workers: the Fukushima NEWS Project study. 2016 , 46, 3117-3125	14
756	Psychological Distress and Violence Towards Parents of Patients with Schizophrenia. 2016 , 30, 614-9	17
755	Leisure-time activities and psychological distress in a suburban community in Japan. 2016 , 4, 1-5	10
754	Modifying effect of cigarette smoking on the association of organizational justice with serious psychological distress in Japanese employees: a cross-sectional study. 2016 , 89, 901-10	2
753	Relationships between suicidal ideation and psychosocial factors among residents living in Nagano Prefecture of Japan. 2016 , 21, 164-72	2
752	Association of serum n-3 polyunsaturated fatty acids with psychological distress in the second and third trimesters of pregnancy: Adjunct Study of Japan Environment and Children's Study. 2016 , 114, 21-27	1
751	Effects of web-based stress and depression literacy intervention on improving symptoms and knowledge of depression among workers: A randomized controlled trial. 2016 , 203, 30-37	14
750	Validity and reliability of the Family Empowerment Scale for caregivers of adults with mental health issues. 2016 , 23, 521-531	6
749	Drinking Behavior and Mental Illness Among Evacuees in Fukushima Following the Great East Japan Earthquake: The Fukushima Health Management Survey. 2016 , 40, 623-30	23
748	The relationship between raising a child with a disability and the mental health of mothers compared to raising a child without disability in Japan. 2016 , 2, 542-548	25
747	Buffering effect of workplace social capital on the association of job insecurity with psychological distress in Japanese employees: a cross-sectional study. 2016 , 58, 460-469	11
746	Screening of mental disorders in workplace. 2016 , 43, 313-319	
745	Predictors of severe psychological distress trajectory after nuclear disaster: evidence from the Fukushima Health Management Survey. 2016 , 6, e013400	33

744	The effects of living environment on disaster workers: a one-year longitudinal study. 2016 , 16, 358	12
743	Residence-related factors and psychological distress among evacuees after the Fukushima Daiichi nuclear power plant accident: a cross-sectional study. 2016 , 16, 420	11
742	The effect of a behavioral activation program on improving mental and physical health complaints associated with radiation stress among mothers in Fukushima: a randomized controlled trial. 2016 , 16, 1144	9
741	Web-based cognitive behavioral relapse prevention program with tailored feedback for people with methamphetamine and other drug use problems: protocol for a multicenter randomized controlled trial in Japan. 2016 , 16, 87	5
740	Association Between Parental Social Interaction and Behavior Problems in Offspring: a Population-Based Study in Japan. 2016 , 23, 447-57	3
739	Stress Underestimation and Mental Health Outcomes in Male Japanese Workers: a 1-Year Prospective Study. 2016 , 23, 664-669	1
738	Efficacy of sleep education program based on principles of cognitive behavioral therapy to alleviate workers' distress. 2016 , 14, 211-219	6
737	Social Support and the Mental Health of Family Caregivers: Sons and Daughters Caring for Aging Parents in Japan. 2016 , 25, 131-149	9
736	Measurement Equivalence of the K6 Scale: The Effects of Race/Ethnicity and Language. 2016 , 23, 758-768	23
735	Serum n-3 polyunsaturated fatty acids and psychological distress in early pregnancy: Adjunct Study of Japan Environment and Children's Study. 2016 , 6, e737	8
734	Cross-sectional observation of the relationship of depressive symptoms with lifestyles and parents' status among Japanese junior high school students. 2016 , 21, 265-73	13
733	Psychological distress during pregnancy in Miyagi after the Great East Japan Earthquake: The Japan Environment and Children's Study. 2016 , 190, 341-348	39
732	A Comparison of Self-Rated and Female Partner-Rated Scales in the Assessment of Paternal Prenatal Depression. 2016 , 52, 983-988	7
731	Differences in caregivers' psychological distress and associated factors by care recipients' gender and kinship. 2016 , 20, 1277-1285	8
730	Marital Adjustment and Psychological Distress in Japan. 2016 , 33, 855-866	3
729	The prevalence and impact of chronic neuropathic pain on daily and social life: A nationwide study in a Japanese population. 2017 , 21, 727-737	40
728	Mental health in university students in Japan: Differences according to major, grade, and nationality. 2017 , 25, 218	
727	Does work-to-family conflict really matter for health? Cross-sectional, prospective cohort and fixed-effects analyses. 2017 , 175, 36-42	10

726	Relation between social network and psychological distress among middle-aged adults in Japan: Evidence from a national longitudinal survey. 2017 , 175, 58-65	17
725	Fear-avoidance beliefs are independently associated with the prevalence of chronic pain in Japanese workers. 2017 , 31, 255-262	10
724	Quality of life among the family caregivers of patients with terminal cancer at home in Japan. 2017 , 14, 341-352	9
723	Psychological distress and the incident risk of functional disability in elderly survivors after the Great East Japan Earthquake. 2017 , 221, 145-150	19
722	Effects of Brief Communication Skills Training for Workers Based on the Principles of Cognitive Behavioral Therapy: A Randomized Controlled Trial. 2017 , 59, 61-66	4
721	Association of Job Stressors With Panic Attack and Panic Disorder in a Working Population in Japan: A Cross-Sectional Study. 2017 , 59, 516-521	1
720	The dynamic impact of retirement on health: Evidence from a nationwide ten-year panel survey in Japan. 2017 , 100, 287-293	24
719	Standardization of Brief Inventory of Social Support Exchange Network (BISSEN) in Japan. 2017 , 253, 364-372	4
718	Suicide risk among young children after the Great East Japan Earthquake: A follow-up study. 2017 , 253, 318-324	12
717	The relationship between work engagement and psychological distress of hospital nurses and the perceived communication behaviors of their nurse managers: A cross-sectional survey. 2017 , 71, 115-124	30
716	Mental distress and health care use among survivors of adolescent and young adult cancer: A cross-sectional analysis of the National Health Interview Survey. 2017 , 123, 869-878	46
715	Psychological effects of Helicobacter pylori-associated atrophic gastritis in patients under 50 years: A cross-sectional study. 2017 , 22, e12445	9
714	The Japanese version of the Family Accommodation Scale for Obsessive-Compulsive Disorder: Psychometric properties and clinical correlates. 2017 , 15, 27-33	4
713	Impact of oral self-care on incident functional disability in elderly Japanese: the Ohsaki Cohort 2006 study. 2017 , 7, e017946	9
712	Psychological distress and quality of life: rationale and protocol of a prospective cohort study in a rural district in Bangladesh. 2017 , 7, e016745	12
711	Earthquake Preparedness Among Japanese Hemodialysis Patients in Prefectures Heavily Damaged by the 2011 Great East Japan Earthquake. 2017 , 21, 334-344	2
710	Social capital as a shield against anxiety among displaced residents from Fukushima. 2017 , 89, 405-421	15
709	Examining the mediating effect of work-to-family conflict on the associations between job stressors and employee psychological distress: a prospective cohort study. 2017 , 7, e015608	8

708	Environmental radiation level, radiation anxiety, and psychological distress of non-evacuee residents in Fukushima five years after the Great East Japan Earthquake: Multilevel analyses. 2017 , 3, 740-748	27
707	Development of Japanese version of King's Stigma Scale and its short version: Psychometric properties of a self-stigma measure. 2017 , 71, 189-197	
706	Psychological impact of positive cervical cancer screening results among Japanese women. 2017 , 22, 102-106	5
705	Socioeconomic disparities in psychological distress in a nationally representative sample of Japanese adolescents: A time trend study. 2017 , 51, 278-286	7
704	Evacuation after the Great East Japan Earthquake was associated with poor dietary intake: The Fukushima Health Management Survey. 2017 , 27, 14-23	26
703	A pilot study evaluating the factors associated with psychological distress of clinical psychologists in Kagawa Prefecture, Japan. 2017 , 29, 53-59	
702	Influence of interaction among the elderly through amusement on their physiological function: One-month introduction at a day care service center for the elderly. 2017 , 13, 23-30	1
701	The reciprocal relationship between sickness presenteeism and psychological distress in response to job stressors: evidence from a three-wave cohort study. 2017 , 59, 552-561	9
700	How accurately does the Brief Job Stress Questionnaire identify workers with or without potential psychological distress?. 2017 , 59, 356-360	15
699	Social networks, leisure activities and maximum tongue pressure: cross-sectional associations in the Nagasaki Islands Study. 2017 , 7, e014878	13
698	Social Capital as a Shield against Anxiety among Displaced Residents from Fukushima. 2017 ,	
697	Psychological Distress among Individuals Whose Partners Have Cancer. 2017 , 243, 27-33	2
696	The Relationship between Starting to Drink and Psychological Distress, Sleep Disturbance after the Great East Japan Earthquake and Nuclear Disaster: The Fukushima Health Management Survey. 2017 , 14,	16
695	Trust and Population Health. 2017 ,	6
694	Patterns of electronic cigarette use and level of psychological distress. 2017 , 12, e0173625	39
693	Types of social participation and psychological distress in Japanese older adults: A five-year cohort study. 2017 , 12, e0175392	50
692	Prognostic psychosocial factors for disabling low back pain in Japanese hospital workers. 2017 , 12, e0177908	13
691	Psychometric assessment of a scale to measure bonding workplace social capital. 2017 , 12, e0179461	5

690	Changes in social capital and depressive states of middle-aged adults in Japan. 2017 , 12, e0189112	5
689	Perceived effectiveness rating scales applied to insomnia help-seeking messages for middle-aged Japanese people: a validity and reliability study. 2017 , 22, 69	4
688	Workplace incivility in Japan: Reliability and validity of the Japanese version of the modified Work Incivility Scale. 2017 , 59, 237-246	10
687	[The stress symptoms and posttraumatic growth of dispatched firefighters following the Great East Japan Earthquake]. 2017 , 87, 644-50	3
686	Prevalence, characteristics, and burden of failed back surgery syndrome: the influence of various residual symptoms on patient satisfaction and quality of life as assessed by a nationwide Internet survey in Japan. 2017 , 10, 811-823	20
685	The characteristics of non-respondents and respondents of a mental health survey among evacuees in a disaster: The Fukushima Health Management Survey. 2017 , 63, 152-159	20
684	Social Factors Associated With Psychological Distress and Health Problems Among Elderly Members of a Disaster-Affected Population: Subgroup Analysis of a 1-Year Post-disaster Survey in Ishinomaki Area, Japan. 2017 , 11, 64-71	7
683	Hydrogen-rich water for improvements of mood, anxiety, and autonomic nerve function in daily life. 2017 , 7, 247-255	22
682	Cross-sectional associations between daily rest periods during weekdays and psychological distress, non-restorative sleep, fatigue, and work performance among information technology workers. 2017 , 55, 173-179	11
681	Association of depression with body mass index classification, metabolic disease, and lifestyle: A web-based survey involving 11,876 Japanese people. 2018 , 102, 23-28	27
680	Factors that influence planning for physical activity among workers in small- and medium-sized enterprises. 2018 , 10, 150-156	2
679	The effect of quality of overtime work on nurses' mental health and work engagement. 2018 , 26, 679-688	17
678	The Psychological Impact of the Great East Japan Earthquake on Japan Ground Self-Defense Force Personnel: A Three-Wave, One-Year Longitudinal Study. 2018 , 81, 288-296	10
677	Effects of Disaster Damage and Working Conditions on Mental Health Among Public Servants 16 Months After the Great East Japan Earthquake. 2018 , 12, 622-630	
676	Incremental predictive value of screening for anxiety and depression beyond current type 2 diabetes risk models: a prospective cohort study. 2018 , 8, e018255	1
675	Association of sleep habits with behavior problems and resilience of 6- to 7-year-old children: results from the A-CHILD study. 2018 , 45, 62-68	23
674	The Meaning and Predictive Value of Self-rated Mental Health among Persons with a Mental Health Problem. 2018 , 59, 200-214	23
673	Interaction effect of job insecurity and role ambiguity on psychological distress in Japanese employees: a cross-sectional study. 2018 , 91, 391-402	9

672	Lack of association between receiving ART treatment and parental psychological distress during pregnancy: Preliminary findings of the Japan Environment and Children's Study. 2018 , 5, 5-16	5
671	Stress underestimation and mental health literacy of depression in Japanese workers: A cross-sectional study. 2018 , 262, 221-228	6
670	How does informal caregiving affect daughters' employment and mental health in Japan?. 2018 , 49, 1-7	3
669	Associations among job demands and resources, work engagement, and psychological distress: fixed-effects model analysis in Japan. 2018 , 60, 254-262	19
668	Social Support, Negative Interactions, and Mental Health: Evidence of Cross-Domain Buffering Effects Among Older Adults in Japan. 2018 , 40, 388-405	8
667	The relationship between stressors and mental health among Japanese middle-aged women in urban areas. 2018 , 58, 534-547	3
666	Psychological distress in post-partum women after non-invasive prenatal testing (NIPT) in Japan. 2018 , 44, 35-42	6
665	Association between serious psychological distress and nonparticipation in cancer screening and the modifying effect of socioeconomic status: Analysis of anonymized data from a national cross-sectional survey in Japan. 2018 , 124, 555-562	9
664	Factors Associated With Worsened or Improved Mental Health in the Great East Japan Earthquake Survivors. 2018 , 32, 103-111	3
663	Lifestyle factors and social ties associated with the frequency of laughter after the Great East Japan Earthquake: Fukushima Health Management Survey. 2018 , 27, 639-650	16
662	Sleep disorder risk factors among student athletes. 2018 , 44, 76-81	22
661	Predictive factors associated with psychological distress of caregivers of people with dementia in Japan: a cross-sectional study. 2018 , 30, 1089-1098	11
660	Nurse Counseling for Physical Activity in Patients Undergoing Esophagectomy. 2018 , 41, 233-239	6
659	Interpreting health-related quality of life using latent rank theory. 2018 , 89, 251-261	2
658	Period of residence in prefabricated temporary housing and psychological distress after the Great East Japan Earthquake: a longitudinal study. 2018 , 8, e018211	14
657	Association of workplace social capital with psychological distress: results from a longitudinal multilevel analysis of the J-HOPE Study. 2018 , 8, e022569	5
656	Characteristics of Parents With High Expressed Emotion and Related Factors: A Study of Parents of Adults With Schizophrenia. 2018 , 206, 955-961	4
655	Associations of disaster-related and psychosocial factors with changes in smoking status after a disaster: a cross-sectional survey after the Great East Japan Earthquake. 2018 , 8, e018943	9

654	Falls and Physical Inactivity in Patients with Gastrointestinal Cancer and Hand-Foot Syndrome. 2018 , 5, 307-313	3
653	Workplace Bullying and Psychological Distress: A Longitudinal Multilevel Analysis Among Japanese Employees. 2018 , 60, 1067-1072	13
652	The prevalence of mental distress before the Great East Japan Earthquake and the associated impact of an aged society: An ecological study. 2018 , 13, e0203985	3
651	Socioeconomic Inequalities in Oral Health Among Unmarried and Married Women: Evidence From a Population-Based Study in Japan. 2018 , 28, 341-346	6
650	Mental Health Recovery of Evacuees and Residents from the Fukushima Daiichi Nuclear Power Plant Accident after Seven Years-Contribution of Social Network and a Desirable Lifestyle. 2018 , 15,	10
649	The Impact of Psychological Distress on Incident Functional Disability in Elderly Japanese: The Ohsaki Cohort 2006 Study. 2018 , 15,	9
648	Construct validity and reliability of the Tachikawa Resilience Scale in the Japan Ground Self-Defense Force personnel. 2018 , 14, 2505-2510	2
647	Effects of lifestyle on hepatobiliary enzyme abnormalities following the Fukushima Daiichi nuclear power plant accident: The Fukushima health management survey. 2018 , 97, e12890	5
646	The relationship between dispositional empathy, psychological distress, and posttraumatic stress responses among Japanese uniformed disaster workers: a cross-sectional study. 2018 , 18, 328	12
645	Factors related to the fatigue of relief workers in areas affected by the Great East Japan Earthquake: survey results 2.5 years after the disaster. 2018 , 12, 14	4
644	The Japan Environment and Children's Study (JECS) in Fukushima Prefecture: Pregnancy Outcome after the Great East Japan Earthquake. 2018 , 246, 27-33	26
643	Association between family members and risk of postpartum depression in Japan: Does "who they live with" matter? -The Japan environment and Children's study. 2018 , 217, 65-72	16
642	Mental health of working-age populations in Japan who provide nursing care for a person at home: A cross-sectional analysis. 2018 , 60, 458-466	3
641	Factorial Validity and Invariance of the 7-Item Generalized Anxiety Disorder Scale (GAD-7) Among Populations With and Without Self-Reported Psychiatric Diagnostic Status. 2018 , 9, 1741	22
640	The Japanese Workplace PERMA-Profiler: A validation study among Japanese workers. 2018 , 60, 383-393	18
639	Psychological distress and completed suicide in Japan: A comparison of the impact of moderate and severe psychological distress. 2018 , 116, 99-103	17
638	Reliability and validity of the Japanese version of the Prioritizing Positivity Scale. 2018 , 31, 79-86	
637	Psychometric evaluation of an interview-administered version of the Kessler 10-item questionnaire (K10) for measuring psychological distress in rural Bangladesh. 2018 , 8, e022967	15

636	The importance of manager support for the mental health and well-being of ambulance personnel. 2018 , 13, e0197802	19
635	Brief multifamily Psychoeducation for family members of patients with chronic major depression: a randomized controlled trial. 2018 , 18, 207	4
634	Relationship Between Leaving Children at Home Alone and Their Mental Health: Results From the A-CHILD Study in Japan. 2018 , 9, 192	9
633	Gender differences in the effects of job insecurity on psychological distress in Japanese workers: a population-based panel study. 2018 , 91, 991-999	6
632	Factorial validity and invariance of the Patient Health Questionnaire (PHQ)-9 among clinical and non-clinical populations. 2018 , 13, e0199235	29
631	Effect of a Positive Photo Appreciation Program on Depressive Mood in Older Adults: A Pilot Randomized Controlled Trial. 2018 , 15,	4
630	Smoking among adults with serious psychological distress: Analysis of anonymized data from a national cross-sectional survey in Japan. 2018 , 239, 131-137	10
629	Factors Associated with Maintaining the Mental Health of Employees after the Fukushima Nuclear Disaster: Findings from Companies Located in the Evacuation Area. 2017 , 15,	4
628	Trends in the prevalence of psychological distress and the use of mental health services from 2007 to 2016 in Japan. 2018 , 239, 208-213	26
627	Mediating effects of parental psychological distress and individual-level social capital on the association between child poverty and maltreatment in Japan. 2018 , 83, 142-150	10
626	Self-reported domain-specific and accelerometer-based physical activity and sedentary behaviour in relation to psychological distress among an urban Asian population. 2018 , 15, 36	20
625	Impact of parents' need for care on middle-aged women's lifestyle and psychological distress: evidence from a nationwide longitudinal survey in Japan. 2018 , 16, 63	0
624	Positive Emotion and its Changes during Pregnancy: Adjunct Study of Japan Environment and Children's Study in Miyagi Prefecture. 2018 , 245, 223-230	3
623	Disciplinary slapping is associated with bullying involvement regardless of warm parenting in early adolescence. 2018 , 68, 207-216	6
622	Family resilience elements alleviate the relationship between maternal psychological distress and the severity of children's developmental disorders. 2018 , 83, 91-98	17
621	The impact of being bullied at school on psychological distress and work engagement in a community sample of adult workers in Japan. 2018 , 13, e0197168	3
620	A Measure and Model of Psychological Health and Safety in the Workplace that Reflects Canada's National Standard. 2018 , 35, 509-522	2
619	Part-Time Jobs, Mental Health, and Earning University Credit. 2018 , 66, 14-27	4

618	Community-level social capital, parental psychological distress, and child physical abuse: a multilevel mediation analysis. 2018 , 53, 1221-1229	16
617	A Preliminary Study of Work-Focused Cognitive Behavioural Group Therapy for Japanese Workers. 2019 , 47, 251-256	4
616	An Integrative Review of Parenting Stress in Mothers of Children with Autism in Japan. 2019 , 66, 249-272	11
615	Validity and Reliability of the Dying Care Process and Outcome Scales Before and After Death From the Bereaved Family Members' Perspective. 2019 , 36, 130-137	2
614	The Effect of Maternal Age at the First Childbirth on Gestational Age and Birth Weight: The Japan Environment and Children's Study (JECS). 2019 , 29, 187-191	23
613	Reliability and validity of the Japanese version of the Survey WorkBHome Interaction [NijmeGen, the SWING (SWING-J)]. 2019 , 22, 267-283	11
612	Psychological distress as a risk factor for dementia after the 2004 Niigata-Chuetsu earthquake in Japan. 2019 , 259, 121-127	7
611	State of damage to and support for victims of motor vehicle accidents in Japan. 2019 , 43, 97-107	2
610	Effects of an internet-based cognitive behavioral therapy (iCBT) intervention on improving depressive symptoms and work-related outcomes among nurses in Japan: a protocol for a randomized controlled trial. 2019 , 19, 245	3
609	Adiponectin levels among individuals with varied employment status in Japan: a cross-sectional analysis of the J-SHINE study. 2019 , 9, 10936	2
608	The association between effective workplace communication with superiors and lower psychological distress among workers in the evacuation area after the Fukushima Daiichi Nuclear Power Plant accident. 2019 , 61, 471-480	3
607	Relationships between Physical Activity, Sleeping Time, and Psychological Distress in Community-Dwelling Elderly Japanese. 2019 , 55,	4
606	The relationship between prenatal psychological stress and placental abruption in Japan, The Japan Environment and Children's Study (JECS). 2019 , 14, e0219379	2
605	A prospective study of knee pain, low back pain, and risk of dementia: the JAGES project. 2019 , 9, 10690	10
604	Associations of social relationships with curative and preventive dental care use among young and middle-aged adults: Evidence from a population-based study in Japan. 2019 , 47, 389-397	2
603	End-of-Life Activities Among Community-Dwelling Older Adults in Japan. 2021 , 83, 601-610	4
602	Relationship between Psychological Distress and Continuous Sedentary Behavior in Healthy Older Adults. 2019 , 55,	3
601	Smoking is associated with greater pain intensity and pain-related occupational disability in Japanese workers. 2019 , 33, 523-530	1

600	Risk Factors for Problem Drinking among Evacuees in Fukushima following the Great East Japan Earthquake: The Fukushima Health Management Survey. 2019 , 248, 239-252	7
599	Evaluation and Interpretation of 9 Body Constitution Scores of CCMQ-J by Seven Independent Questionnaires. 2019 , 16, 79-93	1
598	The Use of Public Health Indicators to Assess Individual Happiness in Post-Disaster Recovery. 2019 , 16,	3
597	Effectiveness of the Japanese standard family psychoeducation on the mental health of caregivers of young adults with schizophrenia: a randomised controlled trial. 2019 , 19, 263	5
596	Higher prevalence of hypertensive disorders of pregnancy in women who smoke: the Japan environment and children's study. 2019 , 42, 558-566	4
595	Investigating the factor structure of the K10 and identifying cutoff scores denoting nonspecific psychological distress and need for treatment. 2019 , 13, 100-106	6
594	The Association between Paternal Job Stress and Maternal Child Corporal Punishment: Evidence from a Population-Based Survey in Metropolitan Japan. 2019 , 34, 119-126	2
593	Socioeconomic and lifestyle factors associated with depressive tendencies in general Japanese men and women: NIPPON DATA2010. 2019 , 24, 37	9
592	Which is riskier for mental health, living alone or not participating in any social activity? Evidence from a population-based eleven-year survey in Japan. 2019 , 233, 57-63	5
591	Does the Type of Temporary Housing Make a Difference in Social Participation and Health for Evacuees of the Great East Japan Earthquake and Tsunami? A Cross-Sectional Study. 2019 , 29, 391-398	9
590	Prediction of Chronic Lower Back Pain Using the Hierarchical Neural Network: Comparison with Logistic Regression-A Pilot Study. 2019 , 55,	3
589	Relationship between Community or Home Gardening and Health of the Elderly: A Web-Based Cross-Sectional Survey in Japan. 2019 , 16,	16
588	Preventive Effect of Oral Self-Care on Pneumonia Death among the Elderly with Tooth Loss: The Ohsaki Cohort 2006 Study. 2019 , 247, 251-257	9
587	Pathway of the Association Between Child Poverty and Low Self-Esteem: Results From a Population-Based Study of Adolescents in Japan. 2019 , 10, 937	10
586	Effect Modification by Attention Deficit Hyperactivity Disorder (ADHD) Symptoms on the Association of Psychosocial Work Environments With Psychological Distress and Work Engagement. 2019 , 10, 166	2
585	Low Zinc, Copper, and Manganese Intake is Associated with Depression and Anxiety Symptoms in the Japanese Working Population: Findings from the Eating Habit and Well-Being Study. 2019 , 11,	27
584	Associations of education and income with heavy drinking and problem drinking among men: evidence from a population-based study in Japan. 2019 , 19, 420	19
583	Effect of work-related behaviors during off-job time on workers' mental health in the context of improving the workplace environment: Longitudinal research over a year. 2019 , 12, 51-59	

582	Reliability and Factor Structure of the 10-item Kessler Psychological Distress Scale (K10) among Portuguese adults. 2019 , 24, 729-736	15
581	Lower Psychological Distress Levels among Returnees Compared with Evacuees after the Fukushima Nuclear Accident. 2019 , 247, 13-17	20
580	Association Between Deviation of Fairness Perceptions from Group Average and Serious Psychological Distress in Japanese Worksites: a Cross-Sectional Study. 2019 , 26, 306-315	2
579	Does social participation accelerate psychological adaptation to health shocks? Evidence from a national longitudinal survey in Japan. 2019 , 28, 2125-2133	3
578	Subtypes of overtime work and nurses' fatigue, mental status, and work engagement: A latent class analysis of Japanese hospital nurses. 2019 , 75, 2122-2132	9
577	Relationships between Internet addiction and clinicodemographic and behavioral factors. 2019 , 15, 739-752	11
576	Validation of the Japanese Version of the Yale Food Addiction Scale 2.0 (J-YFAS 2.0). 2019 , 11,	19
575	Cigarette Smoking and Quitting-Related Factors Among US Adult Health Center Patients with Serious Mental Illness. 2019 , 34, 986-991	13
574	Verbal abuse during pregnancy increases frequency of newborn hearing screening referral: The Japan Environment and Children's Study. 2019 , 90, 193-201	5
573	How do supervisors' male roles expectations impact men's emotions and mental health in the workplace?. 2019 , 90, 126-136	2
572	Organizational justice, psychological distress, and stress-related behaviors by occupational class in female Japanese employees. 2019 , 14, e0214393	16
571	Association of sleep sufficiency and duration with chronic pain prevalence: A population-based cross-sectional study. 2019 , 120, 74-80	4
570	Social Capital and Dietary Intakes Following the 2011 Great East Japan Earthquake and Tsunami. 2019 , 29, 92-96	7
569	Paternal height has an impact on birth weight of their offspring in a Japanese population: the Japan Environment and Children's Study. 2019 , 10, 542-554	7
568	[Readiness factors to improve the work environment using an employee participatory approach: Development and validation of readiness state checklist]. 2019 , 61, 43-58	
567	Analysis of non-respondent pregnant women who were registered in the Japan Environment and Children's Study: a longitudinal cohort study. 2019 , 9, e025562	2
566	Factors of non-responsive or lost-to-follow-up Japanese mothers during the first year post partum following the Japan Environment and Children's Study: a longitudinal cohort study. 2019 , 9, e031222	11
565	Non-Regular Employment Status Is Associated with Psychological Distress among Young Researchers: A Cross-Sectional Study in Tsukuba, Japan. 2019 , 249, 57-64	6

564	Relationship between Dynamics of Physiological Signals and Subjective Quality of Life and Its Lifestyle Dependency. 2019 , 2019, 546-549	1
563	Exposure to organisational injustice and serious psychological distress: longitudinal analysis of details of exposure from a private Japanese company. 2019 , 9, e029556	
562	Factors associated with disabling low back pain among nursing personnel at a medical centre in Japan: a comparative cross-sectional survey. 2019 , 9, e032297	6
561	Personal values in adolescence and psychological distress in adults: A cross-sectional study based on a retrospective recall. 2019 , 14, e0225454	7
560	Association between high fear-avoidance beliefs about physical activity and chronic disabling low back pain in nurses in Japan. 2019 , 20, 572	8
559	Effects of a Newly Developed Gratitude Intervention Program on Work Engagement Among Japanese Workers: A Pre- and Posttest Study. 2019 , 61, e378-e383	8
558	Blood pressure changes during twin pregnancies: the Japan Environment and Children's Study. 2019 , 37, 206-215	5
557	Validation of the Japanese Version of the Multidimensional Measure of Family Supportive Supervisor Behaviors (FSSB-J). 2019 , 10, 2628	2
556	Social Support During Emergency Work and Subsequent Serious Psychological Distress: A Cross-Sectional Study Among Emergency Workers who Responded to the Fukushima Daiichi Nuclear Power Plant Accident. 2019 , 61, e240-e246	3
555	Screening for depressive and anxiety disorders among adolescents in Indonesia: Formal validation of the centre for epidemiologic studies depression scale - revised and the Kessler psychological distress scale. 2019 , 246, 189-194	20
554	Preconception dysmenorrhea as a risk factor for psychological distress in pregnancy: The Japan Environment and Children's Study. 2019 , 245, 475-483	4
553	Mental Health Service Use and Perceived Unmet Needs for Mental Health Care in Asian Americans. 2019 , 55, 241-248	13
552	High prevalence of toothache among Great East Japan Earthquake survivors living in temporary housing. 2019 , 47, 119-126	3
551	Bereavement risk assessment of family caregivers of patients with cancer: Japanese version of the Bereavement Risk Assessment Tool. 2019 , 17, 448-452	1
550	Preventive impact of social participation on the onset of non-communicable diseases among middle-aged adults: A 10-wave hazards-model analysis in Japan. 2019 , 118, 272-278	4
549	Population-neuroscience study of the Tokyo TEEN Cohort (pn-TTC): Cohort longitudinal study to explore the neurobiological substrates of adolescent psychological and behavioral development. 2019 , 73, 231-242	17
548	Post-flood social support networks and morbidity in JETC City, Japan. 2019 , 271, 708-714	2
547	School mental healthcare services using internet-based cognitive behaviour therapy for young male athletes in Japan. 2019 , 13, 79-85	7

546	Parental Grief After Offspring Suicide and Adaptation to the Loss in Japan. 2019 , 79, 34-51	2
545	Impact of intention and feeling toward being pregnant on postpartum depression: the Japan Environment and Children's Study (JECS). 2020 , 23, 131-137	7
544	The reliability and validity of the 18-item long form and two short forms of the Problematic Internet Use Questionnaire in three Japanese samples. 2020 , 101, 105961	5
543	Changes in the mental health status of adolescents following the Fukushima Daiichi nuclear accident and related factors: Fukushima Health Management Survey. 2020 , 260, 432-439	9
542	Dietary intake of fish and n-3 polyunsaturated fatty acids and risk of postpartum depression: a nationwide longitudinal study - the Japan Environment and Children's Study (JECS). 2020 , 50, 2416-2424	5
541	Effects of a structured group intervention on obesity among breast cancer survivors. 2020 , 27, 236-242	2
540	Measuring eudemonic well-being at work: a validation study for the 24-item the University of Tokyo Occupational Mental Health (TOMH) well-being scale among Japanese workers. 2020 , 58, 107-131	5
539	Health indicators as moderators of occupational commitment and nurses' intention to leave. 2020 , 17, e12277	5
538	Help-Seeking Behavior and Psychological Distress by Age in a Nationally Representative Sample of Japanese Employees. 2020 , 30, 237-243	0
537	Parental Motivational Perseverance Predicts Adolescents' Depressive Symptoms: An Intergenerational Analysis with Actor-Partner Interdependence Model. 2020 , 49, 212-227	3
536	The Impact of Ghana's National Health Insurance on Psychological Distress. 2020 , 18, 249-259	3
535	Student Loans and Psychological Distress: A Cross-sectional Study of Young Adults in Japan. 2020 , 30, 436-441	2
534	Psychological distress with and without a history of depression: Results from the World Mental Health Japan 2nd Survey (WMHJ2). 2020 , 265, 545-551	6
533	Effects of long working hours and shift work during pregnancy on obstetric and perinatal outcomes: A large prospective cohort study-Japan Environment and Children's Study. 2020 , 47, 67-79	12
532	Pain medications during pregnancy: data from the Japan environment and children's study. 2020 , 34, 202-210	0
531	Longitudinal associations of radiation risk perceptions and mental health among non-evacuee residents of Fukushima prefecture seven years after the nuclear power plant disaster. 2020 , 10, 100523	7
530	Cat and Dog Ownership in Early Life and Infant Development: A Prospective Birth Cohort Study of Japan Environment and Children's Study. 2019 , 17,	4
529	Relationship of workplace exercise with work engagement and psychological distress in employees: A cross-sectional study from the MYLS study. 2020 , 17, 101030	13

528	Prenatal tobacco smoking is associated with postpartum depression in Japanese pregnant women: The Japan environment and children's study. 2020 , 264, 76-81	8
527	Relationship between maternal communicative/critical health literacy and child's asthma symptoms: Results from a population-based survey in metropolitan Japan. 2020 , 103, 999-1004	1
526	Psychological distress among a population-representative sample of residents of four slum neighborhoods in Port-au-Prince, Haiti. 2020 , 263, 241-245	1
525	Is Higher Work Engagement Associated With Healthy Behaviors? A Longitudinal Study. 2020 , 62, e87-e93	2
524	Prevalence and associated factors of perceived cancer-related stigma in Japanese cancer survivors. 2020 , 50, 1325-1329	4
523	Mediators and Moderators of the Influences of Living Alone on Psychological Distress Among Japanese Older Adults. 2020 , 43, 313-322	1
522	Psychometric evaluation of the modified Kessler seven-item version (K7) for measuring psychological distress using Rasch analysis: a cross-sectional study in a rural district of Bangladesh. 2020 , 10, e034523	4
521	Implementation and effectiveness of the Stress Check Program, a national program to monitor and control workplace psychosocial factors in Japan: a systematic review. Translated secondary publication. 2020 , 13, 649-670	0
520	A Foundational Assessment of the Effects of the Spread of COVID-19 Virus Infection and Related Activity Restrictions on Mental and Physical Health, Psychological Distress, and Suicidal Ideation in Japan. 2020 , 32, 463-466	1
519	COVID-19 outbreak-related psychological distress among healthcare trainees: a cross-sectional study in China. 2020 , 10, e041671	13
518	Trends in smoking rates among individuals with serious psychological distress: Analysis of data from a Japanese national survey, 2007-2016. 2020 , 291, 113225	1
517	Mental health of university freshmen in Japan during the COVID-19 pandemic: Screening with Kessler psychological distress scale (K6). 2020 , 54, 102407	3
516	A randomised test of the effect of medical . lay idiom on assessment of perceived mental health condition in the USA. 2020 , 29, e172	
515	Degree of influence in class modifies the association between social network diversity and well-being: Results from a large population-based study in Japan. 2020 , 260, 113170	0
514	Impact of the Great East Japan Earthquake on the Employment Status and Mental Health Conditions of Affected Coastal Communities. 2020 , 17,	2
513	Compositional data analysis of 24-hour movement behaviors and mental health in workers. 2020 , 20, 101213	4
512	The Influence of the COVID-19 Pandemic on Mental Well-Being and Psychological Distress: Impact Upon a Single Country. 2020 , 11, 594115	30
511	Prevalence of perinatal depression among Japanese men: a meta-analysis. 2020 , 19, 65	4

510	Relationship among psychological distress, food dependence, and the time discount rate: a pilot mediation analysis. 2021 , 26, 1005-1012	
509	Sarcopenia is associated with insomnia in Japanese older adults: a cross-sectional study of data from the Nagasaki Islands study. 2020 , 20, 256	4
508	Is work engagement associated with healthier dietary patterns? A cross-sectional study. 2020 , 62, e12149	3
507	Psychological and physical condition of Japan maritime self-defense force personnel who performed disaster-relief missions after the 2011 great east Japan earthquake. 2020 , 130, 104-111	2
506	Is Japan's child allowance effective for the well-being of children? A statistical evaluation using data from K-CHILD study. 2020 , 20, 1503	1
505	The Usefulness of Brief Telephonic Intervention After a Nuclear Crisis: Long-Term Community-Based Support for Fukushima Evacuees. 2020 , 1-9	5
504	Development of the parental self-efficacy scale for preventing challenging behaviors in children with autism spectrum disorder. 2020 , 15, e0238652	1
503	The Association between Parental Involvement Behavior and Self-Esteem among Adolescents Living in Poverty: Results from the K-CHILD Study. 2020 , 17,	1
502	Developing a Japanese Version of the Baron Depression Screener for Athletes among Male Professional Rugby Players. 2020 , 17,	7
501	Non-reassuring foetal status and sleep problems in 1-year-old infants in the Japan Environment and Children's Study: a cohort study. 2020 , 10, 11432	2
500	Parental psychological distress in the postnatal period in Japan: a population-based analysis of a national cross-sectional survey. 2020 , 10, 13770	4
499	Perceived social support moderates the association between emotion regulation and psychological distress: a cross-sectional study among Japanese adults. 2021 , 26, 1195-1205	3
498	Servant Leadership in Japan: A Validation Study of the Japanese Version of the Servant Leadership Survey (SLS-J). 2020 , 11, 1711	0
497	Presenteeism and Associated Factors Among Nursing Personnel with Low Back Pain: A Cross-Sectional Study. 2020 , 13, 2979-2986	0
496	Association between high psychological distress and poor oral health-related quality of life (OHQoL) in Japanese community-dwelling people: the Nagasaki Islands Study. 2020 , 25, 82	1
495	Current Psychological Distress, Post-traumatic Stress, and Radiation Health Anxiety Remain High for Those Who Have Rebuilt Permanent Homes Following the Fukushima Nuclear Disaster. 2020 , 17,	4
494	Hikikomori from the Perspective of Overuse, Underuse, and Optimal Use of Character Strengths: Case Reports. 2020 , 6, 219	2
493	Toothbrushing and School Refusal in Elementary School: A Longitudinal Study. 2020 , 17,	0

492	Motivation for and Effect of Cooking Class Participation: A Cross-Sectional Study Following the 2011 Great East Japan Earthquake and Tsunami. 2020 , 17,	
491	Consistency index of daily activity pattern and its correlations with subjective ratings of QOL. 2020 , 18, 297-304	1
490	Association between maternal adverse childhood experiences and mental health problems in offspring: An intergenerational study. 2021 , 33, 1041-1058	10
489	Lifestyle factors associated with prevalent and exacerbated musculoskeletal pain after the Great East Japan Earthquake: a cross-sectional study from the Fukushima Health Management Survey. 2020 , 20, 677	2
488	Working status of caregivers for people with dementia: Analysis data from a Japanese Nationwide Survey. 2020 , 15, e0232787	1
487	Neighbourhood relationships moderate the positive association between family caregiver burden and psychological distress in Japanese adults: a cross-sectional study. 2020 , 185, 80-86	1
486	Long-lasting effects of distrust in government and science on mental health eight years after the Fukushima nuclear power plant disaster. 2020 , 258, 113108	8
485	Ubiquinol-10 Intake Is Effective in Relieving Mild Fatigue in Healthy Individuals. 2020 , 12,	3
484	Construct validity and test-retest reliability of the World Mental Health Japan version of the World Health Organization Health and Work Performance Questionnaire Short Version: a preliminary study. 2020 , 58, 375-387	6
483	The Association Between Unit-Level Workplace Social Capital and Intention to Leave Among Employees in Health Care Settings: A Cross-Sectional Multilevel Study. 2020 , 62, e186-e191	2
482	Oxytocin Response Following Playful Mother-Child Interaction in Survivors of the Great East Japan Earthquake. 2020 , 11, 477	3
481	Does the Use of Childcare Services Reduce the Impact of Intimate Partner Violence on the Quality of Life of Children?: Multiple-Group Structural Equation Modeling. 2020 , 1	0
480	Relationship between Beck Hopelessness Scale and suicidal ideation: A short-term longitudinal study. 2020 , 1-6	5
479	Association between social mutual aid and psychological stress (K6) of residents in rural district. 2020 , 15, 29-37	0
478	Cyber bullying victimization and adolescent mental health: The differential moderating effects of intrapersonal and interpersonal emotional competence. 2020 , 80, 182-191	14
477	Relationship between the prevalence of polycythemia and factors observed in the mental health and lifestyle survey after the Great East Japan Earthquake. 2020 , 99, e18486	3
476	Relationship between household composition and intergenerational post-disaster mental health in two-parent families: Evidence from Japan. 2020 , 270, 22-29	
475	Mental Health Services and Personal Recovery in California: A Population-Based Analysis. 2020 , 71, 580-587	3

474	Effects of a Transdiagnostic Preventive Intervention on Anxiety and Depression Among Workers in Japan: A Pre- and Posttest Study. 2020 , 62, e52-e58	1
473	Relationships between radiation risk perception and health anxiety, and contribution of mindfulness to alleviating psychological distress after the Fukushima accident: Cross-sectional study using a path model. 2020 , 15, e0235517	9
472	California's paid family leave law improves maternal psychological health. 2020 , 256, 113003	8
471	Attitudes toward preimplantation genetic testing for aneuploidy among patients with recurrent pregnancy loss in Japan. 2020 , 46, 567-574	1
470	Association between personal values in adolescence and mental health and well-being in adulthood: a cross-cultural study of working populations in Japan and the United States. 2020 , 19, 7	6
469	Self-reported cognitive decline in Japanese patients with breast cancer treated with endocrine therapy. 2020 , 27, 670-682	2
468	An Evaluation of Family-Based Treatment for OCD in Japan: A Pilot Randomized Controlled Trial. 2019 , 10, 932	3
467	Association Between Second-hand Smoke Exposure and Depressive Symptoms Among Japanese Adults: A Cross-sectional Study. 2020 , 30, 566-573	3
466	Assisted reproductive technologies are slightly associated with maternal lack of affection toward the newborn: The Japan Environment and Children's Study. 2020 , 46, 434-444	4
465	Study protocol for a pilot randomized controlled trial on a smartphone application-based intervention for subthreshold depression: Study protocol clinical trial (SPIRIT Compliant). 2020 , 99, e18934	4
464	Severe psychological distress among patients with epilepsy during the COVID-19 outbreak in southwest China. 2020 , 61, 1166-1173	88
463	Association between maternal adverse childhood experiences and child's self-rated academic performance: Results from the K-CHILD study. 2020 , 104, 104478	3
462	Workplace Violence and Its Effects on Burnout and Secondary Traumatic Stress among Mental Healthcare Nurses in Japan. 2020 , 17,	12
461	Association of prenatal psychological distress and postpartum depression with varying physical activity intensity: Japan Environment and Children's Study (JECS). 2020 , 10, 6390	3
460	What character strengths are protective factors for suicidal ideation?: A cross-sectional study in Japan. 2021 , 26, 745-754	1
459	The association of community and individual parental social capital with behavior problems among children in Japan: results from A-CHILD longitudinal study. 2021 , 56, 119-127	2
458	Population Attributable Fractions of Modifiable Risk Factors for Nonsyndromic Orofacial Clefts: A Prospective Cohort Study From the Japan Environment and Children's Study. 2021 , 31, 272-279	6
457	Association Between Loneliness and the Frequency of Using Online Peer Support Groups Among Cancer Patients With Minor Children: A Cross-Sectional Web-Based Study. 2021 , 61, 955-962	1

456	Trajectories of the Psychological Status of Mothers of Infants With Nonsyndromic Orofacial Clefts: A Prospective Cohort Study From the Japan Environment and Children's Study. 2021 , 58, 369-377	1
455	Individual psychotherapy using psychological first aid for frontline nurses at high risk of psychological distress during the COVID-19 pandemic. 2021 , 75, 25-27	1
454	Risk of postpartum depression and very early child mistreatment among mothers reporting higher autistic traits: Evidence from the Japan Environment and Children's Study. 2021 , 280, 11-16	0
453	Social support, social cohesion and pain during pregnancy: The Japan Environment and Children's Study. 2021 , 25, 872-885	2
452	Higher psychological distress experienced by evacuees relocating outside Fukushima after the nuclear accident: The Fukushima Health Management Survey. 2021 , 52, 101962	3
451	Antenatal and postnatal association of maternal bonding and mental health in Fukushima after the Great East Japan Earthquake of 2011: The Japan Environment and Children's Study (JECS). 2021 , 278, 244-251	3
450	Smoking and drinking among patients with mental disorders: Evidence from a nationally representative Japanese survey. 2021 , 279, 443-450	1
449	Mothers' nonstandard work schedules and adolescent obesity: a population-based cross-sectional study in the Tokyo metropolitan area. 2021 , 21, 237	2
448	Unmet supportive care needs and associated factors among young adult cancer patients in Japan. 2021 , 21, 17	2
447	A cross-sectional study of socioeconomic status and treatment interruption among Japanese workers during the COVID-19 pandemic. 2021 , 63, e12232	0
446	Sustained mood improvement by the positive photo appreciation program in older adults. 2021 , 36, 970-971	0
445	Study on the Impact of League Season Suspension and Cancellation Caused by the Novel Coronavirus Pandemic on Professional Basketball Players. 2021 , 31, 3_307-3_316	0
444	Sitting for long periods is associated with impaired work performance during the COVID-19 pandemic. 2021 , 63, e12258	2
443	The delivery of a placenta/fetus with high gonadal steroid production contributes to postpartum depressive symptoms. 2021 , 38, 422-430	3
442	Association between mode of delivery and postpartum depression: The Japan Environment and Children's Study (JECS): a prospective cohort study. 2021 ,	2
441	Kessler Psychological Distress Scale: Internal Structure and Relation to Other Variables. 2021 , 26, 91-101	2
440	Kessler Psychological Distress (K6) Questionnaire Scores Can Predict Autistic Traits and the Current and Prospective Suicidal Ideation in Medical University Students: A Prospective Study. 2021 , 11, 215824402199459	0
439	Development and validation of the Japanese version of the team job crafting scale for nurses. 2021 , 44, 329-343	2

438	Will working longer enhance the health of older adults? A pooled analysis of repeated cross-sectional data in Japan. 2021 ,	
437	Association between interpregnancy interval and risk of preterm birth and its modification by folate intake: the Japan Environment and Children's Study. 2021 ,	
436	Analysis of severe psychological stressors in women during fertility treatment: Japan-Female Employment and Mental health in Assisted reproductive technology (J-FEMA) study. 2021 , 304, 253-261	2
435	Is caring for grandchildren good for grandparents' health? Evidence from a fourteen-wave nationwide survey in Japan. 2021 ,	1
434	Association between maternal employment status during pregnancy and risk of depressive symptomatology 1 month after childbirth: the Japan Environment and Children's Study. 2021 ,	0
433	The association between resilience and academic performance among nursing students: a cross-sectional study in Japan. 2021 , 16, 206-213	0
432	Paternal childcare at 6 months and risk of maternal psychological distress at 1 year after delivery: The Japan Environment and Children's Study (JECS). 2021 , 64, e38	1
431	A cross-sectional study of infection control measures against COVID-19 and psychological distress among Japanese workers. 2021 , 63, e12259	1
430	Association between the social support for mothers of patients with eating disorders, maternal mental health, and patient symptomatic severity: A cross-sectional study. 2021 , 9, 8	2
429	How Can We Understand and Describe Non-Narrative Narratives? A Qualitative Study of Workers with Recurring Sick Leave. 2021 , 63, 297	0
428	Characteristics of taste alterations in people receiving taxane-based chemotherapy and their association with appetite, weight, and quality of life. 2021 , 29, 5103-5114	3
427	Confirming validity of The Fear of COVID-19 Scale in Japanese with a nationwide large-scale sample. 2021 , 16, e0246840	24
426	Association between the serum insulin-like growth factor-1 concentration in the first trimester of pregnancy and postpartum depression. 2021 , 75, 159-165	1
425	Protocol for a nationwide Internet-based health survey in workers during the COVID-19 pandemic in 2020.	6
424	Testing the Construct Validity and Responsiveness of the Single-Item Presenteeism Question. 2021 , 63, e187-e196	0
423	Development of severe psychological distress among low-income individuals during the COVID-19 pandemic: longitudinal study. 2021 , 7, e50	6
422	Relationships between changes due to COVID-19 pandemic and the depressive and anxiety symptoms among mothers of infants and/or preschoolers: a prospective follow-up study from pre-COVID-19 Japan. 2021 , 11, e044826	5
421	A cross-sectional study of socioeconomic status and treatment interruption among Japanese workers during the COVID-19 pandemic.	1

420	The prevalence of psychological distress during pregnancy in Miyagi Prefecture for 3 years after the Great East Japan Earthquake. 2021 , 26, 27	2
419	A longitudinal study of psychological distress in the United States before and during the COVID-19 pandemic. 2021 , 143, 106362	58
418	Worries about COVID-19 infection and psychological distress at work and while commuting.	1
417	Effects of a gratitude intervention program on work engagement among Japanese workers: a protocol for a cluster randomized controlled trial. 2021 , 9, 35	2
416	Association Between Parenting and School Refusal Among Elementary School Children in Japan: Results From A-CHILD Longitudinal Study. 2021 , 9, 640780	
415	Association between heaviness of cigarette smoking and serious psychological distress is stronger in women than in men: a nationally representative cross-sectional survey in Japan. 2021 , 18, 27	3
414	Spouse Factors Related to the Leave Period of Employees on Temporary Leave for Depression. 2021 , 43, 41-50	
413	Work-Family Spillover, Job Demand, Job Control, and Workplace Social Support Affect the Mental Health of Home-Visit Nursing Staff. 2021 , 43, 51-60	3
412	Maternal personality and postnatal bonding disorder in Japan: the Tohoku Medical Megabank Project Birth and Three-Generation Cohort Study. 2021 , 282, 580-586	3
411	Unpredictable Changes: Different Effects of Derailment on Well-Being Between North American and East Asian Samples. 2021 , 1-22	
410	Who is mentally healthy? Mental health profiles of Japanese social networking service users with a focus on LINE, Facebook, Twitter, and Instagram. 2021 , 16, e0246090	6
409	Gestational weight gain and risk factors for postpartum depression symptoms from the Japan Environment and Children's Study: a prospective cohort study. 2021 , 283, 223-228	2
408	Empirical study of the 30-s chair-stand test as an indicator for musculoskeletal disorder risk of sedentary behaviour in Japanese office workers: a cross-sectional empirical study. 2021 , 4, 158-165	1
407	Association of home cooking with caregiver-child interaction and child mental health: results from the Adachi Child Health Impact of Living Difficulty (A-CHILD) study. 2021 , 24, 4257-4267	0
406	Factors Associated with Serious Psychological Distress during the COVID-19 Pandemic in Japan. 2021 ,	1
405	Prevalence and risk factors of sleep disorders in visually impaired athletes. 2021 , 79, 175-182	0
404	Effects of video viewing smartphone application intervention involving positive word stimulation in people with subthreshold depression: A pilot randomized controlled trial. 2021 , 282, 74-81	6
403	Improved Sleep Quality and Work Performance Among Shift Workers Consuming a "Foods with Function Claims" Containing Asparagus Extract. 2021 , 43, 15-23	

402	Association of habitual exercise with adults' mental health following the Fukushima Daiichi nuclear power plant accident: the Fukushima Health Management Survey. 2021 , 20, 100388	
401	Evacuation after the Great East Japan Earthquake is an independent factor associated with hyperuricemia: The Fukushima Health Management Survey. 2021 , 31, 1177-1188	3
400	Examining the Relationship between Depression and the Progression of Burnout Among Japanese Athletes.	0
399	Association between Social Integration and Face Mask Use Behavior during the SARS-CoV-2 Pandemic in Japan: Results from U-CORONA Study. 2021 , 18,	0
398	Factors Hindering Social Participation among Older Residents from Evacuation Zones after the Nuclear Power Plant Accident in Fukushima: The Fukushima Health Management Survey. 2021 , 18,	1
397	Influence of physical activity before and during pregnancy on infant's sleep and neurodevelopment at 1-year-old. 2021 , 11, 8099	1
396	Stability and Change in Psychological Distress and Early Adverse Environments in Japanese Adults. 1	
395	A cross-sectional study of infection control measures against COVID-19 and psychological distress among Japanese workers.	
394	The association between loneliness during the COVID-19 pandemic and psychological distress.	
393	Mathematical pattern of Kessler psychological distress distribution in the general population of the U.S. and Japan. 2021 , 21, 188	0
392	House Dust Avoidance during Pregnancy and Subsequent Infant Development: The Japan Environment and Children's Study. 2021 , 18,	0
391	Association of Birth Order With Mental Health Problems, Self-Esteem, Resilience, and Happiness Among Children: Results From A-CHILD Study. 2021 , 12, 638088	6
390	Effectiveness of an Internet-Based Machine-Guided Stress Management Program Based on Cognitive Behavioral Therapy for Improving Depression Among Workers: Protocol for a Randomized Controlled Trial (Preprint).	
389	Psychological distress and living conditions among Japanese single-mothers with preschool-age children: An analysis of 2016 Comprehensive Survey of Living Conditions. 2021 , 286, 142-148	0
388	Interplay between social isolation and loneliness and chronic systemic inflammation during the COVID-19 pandemic in Japan: Results from U-CORONA study. 2021 , 94, 51-59	8
387	Urbanization level and neighborhood deprivation, not COVID-19 case numbers by residence area, are associated with severe psychological distress and new-onset suicidal ideation during the COVID-19 pandemic. 2021 , 287, 89-95	15
386	Organizational Justice and Cognitive Failures in Japanese Employees: A Cross-Sectional Study. 2021 , 63, 901-906	
385	Types of coastlines and the evacuees' mental health: A repeated cross-sectional study in Northeast Japan. 2021 , 196, 110372	3

384	A cross-sectional study of the mismatch between telecommuting preference and frequency associated with psychological distress among Japanese workers in the COVID-19 pandemic.	
383	What Factors Affect the Evolution of the Wife's Mental Health After the Husband's Retirement? Evidence From a Population-Based Nationwide Survey in Japan. 2021 , 31, 308-314	
382	Construct Validity of the 29-Item Sense of Coherence Scale: Exploratory Analysis of a Compatible Three-Factor Model Using a Rasch Measurement Model1.	
381	Association between Occupational Dysfunction and Social Isolation in Japanese Older Adults: A Cross-Sectional Study. 2021 , 18,	1
380	Psychological stress among pregnant and puerperal women in Japan during the coronavirus disease 2019 pandemic. 2021 , 47, 2990-3000	5
379	Adverse obstetric outcomes in early-diagnosed gestational diabetes mellitus: The Japan Environment and Children's Study. 2021 , 12, 2071-2079	1
378	Association between Psychosocial Factors and Oral Symptoms among Residents in Fukushima after the Great East Japan Earthquake: A Cross-Sectional Study from the Fukushima Health Management Survey. 2021 , 18,	
377	COVID-19 Vaccine Hesitancy and Its Associated Factors in Japan. 2021 , 9,	30
376	Omega-3 fatty acid intake during pregnancy and risk of infant maltreatment: a nationwide birth cohort - the Japan Environment and Children's Study. 2021 , 1-10	5
375	Protocol for a Nationwide Internet-based Health Survey of Workers During the COVID-19 Pandemic in 2020. 2021 , 43, 217-225	31
374	Better maternal quality of life in pregnancy yields better offspring respiratory outcomes: A birth cohort. 2021 , 126, 713-721.e1	4
373	Assessing recurrence of depression using a zero-inflated negative binomial model: A secondary analysis of lifelog data. 2021 , 300, 113919	1
372	Worries About COVID-19 Infection and Psychological Distress at Work and While Commuting. 2021 , 63, e631-e635	0
371	Patients' perceptions of orthodontic treatment experiences during COVID-19: a cross-sectional study. 2021 , 22, 17	2
370	The association between mobile devices use and behavior problems among fourth grade children in Japan. 2021 , 75, 286-293	1
369	The Association of Mental Health Problems With Preventive Behavior and Caregivers' Anxiety About COVID-19 in Children With Neurodevelopmental Disorders. 2021 , 12, 713834	1
368	Perceived Need for Mental Health Treatment and the Mental Health Response to the COVID-19 Pandemic in the United States. 2021 , 1-12	1
367	Cross-cultural adaptation and psychometric properties of the Kessler Distress Scale (K10): an application of the rating scale model. 2021 , 34, 21	1

366	Relationship between delivery with anesthesia and postpartum depression: The Japan Environment and Children's Study (JECS). 2021 , 21, 522	1
365	Investigating the relationships between the burden of multiple sensory hypersensitivity symptoms and headache-related disability in patents with migraine. 2021 , 22, 77	1
364	Factors associated with serious psychological distress during the COVID-19 pandemic in Japan: a nationwide cross-sectional internet-based study. 2021 , 11, e051115	9
363	A cross-sectional study of psychosocial factors and sickness presenteeism in Japanese workers during the COVID-19 pandemic.	
362	Factors associated with psychological distress in family caregivers: Findings from nationwide data in Japan. 2021 , 21, 855-864	0
361	The mental health problems of public health center staff during the COVID-19 pandemic in Japan. 2021 , 61, 102676	3
360	Effect of emergency declaration on mental health during the COVID-19 pandemic in Japan: A social network service-based difference-in-differences approach. 2021 , 104, 368504211029793	0
359	Prevalence of depressive symptoms and psychological distress in Japanese university-enrolled students before and during the coronavirus disease 2019 pandemic. 2021 , 75, 294-295	
358	Traditional Gender Differences Create Gaps in the Effect of COVID-19 on Psychological Distress of Japanese Workers. 2021 , 18,	3
357	Coastal exposure and residents' mental health in the affected areas by the 2011 Great East Japan Earthquake and Tsunami. 2021 , 11, 16751	
356	Determination of specific life changes on psychological distress during the COVID-19 pandemic. 2021 , 16, e0256481	2
355	Maternal psychological distress, education, household income, and congenital heart defects: a prospective cohort study from the Japan environment and children's study. 2021 , 21, 544	
354	Five-Year Psychosocial Impact of Living in Postdisaster Prefabricated Temporary Housing. 2021 , 1-9	
353	Increase in Social Isolation during the COVID-19 Pandemic and Its Association with Mental Health: Findings from the JACSIS 2020 Study. 2021 , 18,	12
352	Association between weight loss since the age of 20 years and the risk of suicide death: A population-based cohort study. 2021 , 292, 746-750	0
351	Vulnerability of Evacuees Having No One to Consult after the Fukushima Nuclear Disaster: The Fukushima Health Management Survey. 2021 , 18,	1
350	Effectiveness of an Internet-Based Machine-Guided Stress Management Program Based on Cognitive Behavioral Therapy for Improving Depression Among Workers: Protocol for a Randomized Controlled Trial. 2021 , 10, e30305	1
349	Job dissatisfaction as a predictor of poor health among middle-aged workers: a 14-wave mixed model analysis in Japan. 2021 , 47, 591-599	1

348	A Cross-Sectional Study of the Mismatch Between Telecommuting Preference and Frequency Associated With Psychological Distress Among Japanese Workers in the COVID-19 Pandemic. 2021 , 63, e636-e640	3
347	Children with special health care needs and mothers' anxiety/depression: Findings from the Tokyo Teen Cohort study. 2021 , 75, 394-400	
346	Synergistic Effect of History of Cardiovascular Disease and Mental Distress on Post-Traumatic Stress Disorder after the Great East Japan Earthquake: The Fukushima Health Management Survey. 2021 , 18,	
345	Effect of Psychological Distress on the Association of Workplace Social Capital with Presenteeism and Sickness Absence. 2021 , 43, 293-303	
344	Effect of psychoeducation website named "macoco-care" on improving psychological distress among workers under COVID-19 pandemic: a randomized controlled trial (Preprint).	
343	Prevalence of Psychological Distress and Associated Factors in Nursing Students during the COVID-19 Pandemic: A Cross-Sectional Study. 2021 , 18,	1
342	May risk communication with non-experts contribute to post-disaster restoration of normalcy? A survey on the disaster-struck prefectures after the Great East Japan Earthquake. 2021 , 65, 102564	1
341	Associations between prenatal exposure to volatile organic compounds and neurodevelopment in 12-month-old children: The Japan Environment and Children's Study (JECS). 2021 , 794, 148643	2
340	The psychometric characteristics of the Kessler Psychological Distress Scale (K6) in help-seeking youth: What do you miss when using it as an outcome measure?. 2021 , 305, 114182	2
339	The association between psychological distress and risk of incident functional disability in elderly survivors after the Great East Japan Earthquake: The mediating effect of lifestyle and bodily pain. 2021 , 295, 552-558	1
338	One-year trajectories of postpartum depressive symptoms and associated psychosocial factors: findings from the Tohoku Medical Megabank Project Birth and Three-Generation Cohort Study. 2021 , 295, 632-638	2
337	Effectiveness of Screening and Brief Alcohol Intervention at the Workplace: A Study Protocol for a Randomized Controlled Trial at Five Japan-Based Companies. 2021 , 64, 330-338	0
336	Association between post-traumatic stress disorder symptoms and bone fractures after the Great East Japan Earthquake in older adults: a prospective cohort study from the Fukushima Health Management Survey. 2021 , 21, 18	3
335	Anxiety and Depression Symptoms and Suicidal Ideation in Japan Rugby Top League Players. 2021 , 18,	8
334	Effect of Emotion Regulation on Mental Health of Couples in Long-Term Marriages: One-Year Follow-up Study.	0
333	Relationship between neighborhood food environment and diet variety in Japanese rural community-dwelling elderly: a cross-sectional study. 2021 ,	2
332	The Effects of Downloading a Government-Issued COVID-19 Contact Tracing App on Psychological Distress During the Pandemic Among Employed Adults: Prospective Study. 2021 , 8, e23699	12
331	The effect of suicide-related Internet use on users' mental health. 2013 , 34, 348-53	26

330	Appropriate Targets for Search Advertising as Part of Online Gatekeeping for Suicide Prevention. 2018 , 39, 197-204	2
329	Is Suicide Beautiful?. 2020 , 41, 114-120	8
328	Trajectories of psychological stress among public servants after the Great East Japan Earthquake. 2019 , 5,	2
327	Antenatal pain, intimate partner violence, and maternal bonding disorder: data from the Japan Environment and Children's Study. 2021 , 162, 749-759	1
326	Exercising Alone or Exercising With Others and Mental Health Among Middle-Aged and Older Adults: Longitudinal Analysis of Cross-Lagged and Simultaneous Effects. 2019 , 16, 556-564	12
325	Internet-based cognitive-behavioural therapy for prevention of depression during pregnancy and in the post partum (iPDP): a protocol for a large-scale randomised controlled trial. 2020 , 10, e036482	6
324	Brief measure for screening complicated grief: reliability and discriminant validity. 2012 , 7, e31209	82
323	Telephone cognitive-behavioral therapy for subthreshold depression and presenteeism in workplace: a randomized controlled trial. 2012 , 7, e35330	45
322	Optimal cutoff values of WHO-HPQ presenteeism scores by ROC analysis for preventing mental sickness absence in Japanese prospective cohort. 2014 , 9, e111191	22
321	Work Content and Serious Mental Illness among Middle-Aged Men: Results from a 6-Year Longitudinal Study in Japan. 2015 , 10, e0131203	5
320	How Possibly Do Leisure and Social Activities Impact Mental Health of Middle-Aged Adults in Japan?: An Evidence from a National Longitudinal Survey. 2015 , 10, e0139777	37
319	Severe Psychological Distress of Evacuees in Evacuation Zone Caused by the Fukushima Daiichi Nuclear Power Plant Accident: The Fukushima Health Management Survey. 2016 , 11, e0158821	53
318	Internal consistency reliability, construct validity, and item response characteristics of the Kessler 6 scale among hospital nurses in Vietnam. 2020 , 15, e0233119	5
317	Development of the life change adaptation scale for family caregivers of individuals with acquired brain injury. 2020 , 15, e0241386	1
316	Caregivers' mental distress and child health during the COVID-19 outbreak in Japan. 2020 , 15, e0243702	20
315	Changes in Psychological Distress During the COVID-19 Pandemic in Japan: A Longitudinal Study. 2020 , 30, 522-528	41
314	Differences in the Effect of Internet-Based Cognitive Behavioral Therapy for Improving Nonclinical Depressive Symptoms Among Workers by Time Preference: Randomized Controlled Trial. 2018 , 20, e10231	2
313	An Embodied Conversational Agent for Unguided Internet-Based Cognitive Behavior Therapy in Preventative Mental Health: Feasibility and Acceptability Pilot Trial. 2018 , 5, e10454	37

312	Standalone Effects of a Cognitive Behavioral Intervention Using a Mobile Phone App on Psychological Distress and Alcohol Consumption Among Japanese Workers: Pilot Nonrandomized Controlled Trial. 2018 , 5, e24	10
311	A web-based training program using cognitive behavioral therapy to alleviate psychological distress among employees: randomized controlled pilot trial. 2014 , 3, e70	12
310	Psychosocial mechanisms of psychological health disparity in Japanese workers. 2013 , 51, 472-81	2
309	The direct and indirect effects of initial job status on midlife psychological distress in Japan: evidence from a mediation analysis. 2015 , 53, 311-21	3
308	Cancer Survivors' Experiences of Changes in Employment and Income, and the Factors Affecting Their Experience, Quality of Life and Mental Health. 2018 , 13, 209-218	2
307	Association of Existence of Third Places and Role Model on Suicide Risk Among Adolescent in Japan: Results From A-CHILD Study. 2020 , 11, 529818	3
306	Resilience Factors Contributing to Mental Health Among People Affected by the Fukushima Disaster: Development of Fukushima Resilience Scale. 2020 , 8, 159	3
305	Efficacy of significant event analysis for stress management among disaster relief operation doctors: a non-blinded randomized control study. 2013 , 24, 321-328	1
304	Factors associated with psychological distress of medical doctor in Kagawa prefecture, Japan: a pilot study. 2011 , 03, 748-751	3
303	A pilot study evaluating the factors associated with psychological distress of school teachers in Kagawa Prefecture, Japan. 2013 , 05, 985-988	3
302	Factors associated with psychological distress of Public Health Nurse in Kagawa prefecture, Japan: A pilot study. 2012 , 02, 23-26	5
301	Parents' Perceived Provision of Information Regarding Diagnosis to Children with Brain Tumors. 2015 , 05, 451-464	1
300	Self-Efficacy as a Suicidal Ideation Predictor: A Population Cohort Study in Rural Japan. 2015 , 05, 61-71	8
299	Effects of Psychological and Lifestyle Factors on Metabolic Syndrome Following the Fukushima Daiichi Nuclear Power Plant Accident: The Fukushima Health Management Survey. 2020 , 27, 1010-1018	5
298	Relationship of Simultaneous Cognition of Worthwhileness and Burden with Mental Health or Work Motivation among Senior Clinical Nurses. 2015 , 35, 247-256	1
297	Prevalence of and associated factors for psychological distress among single fathers in Japan. 2021 , ,	0
296	Demographics Associated With Stress, Severe Mental Distress, and Anxiety Symptoms During the COVID-19 Pandemic in Japan: Nationwide Cross-sectional Web-Based Survey. 2021 , 7, e29970	0
295	Effective coping strategies employed by university students in three sensitivity groups: a quantitative text analysis. 2021 , 8,	0

- 294 Association between loneliness and psychological distress: A cross-sectional study among Japanese workers during the COVID-19 pandemic. **2021**, 24, 101621 1
- 293 Health effects of immediate telework introduction during the COVID-19 era in Japan: A cross-sectional study. **2021**, 16, e0256530 8
- 292 Elective cesarean delivery at term and its effects on respiratory distress at birth in Japan: The Japan Environment and Children's Study. **2021**, 4, e421
- 291 Testing the relationship between patient-related stressor, psychological distress, work engagement, job satisfaction and recovery attitude among psychiatric nurses in Japan. **2021**, 0
- 290 Association between Having Cancer and Psychological Distress among Family Caregivers Using Three Years of a Nationwide Survey Data in Japan. **2021**, 18,
- 289 Effect of Anxiety About COVID-19 Infection in the Workplace on the Association Between Job Demands and Psychological Distress. **2021**, 9, 722071 6
- 288 Sensitivity and concurrent validity of the Japanese version of the Euthymia scale: a clinimetric analysis. **2021**, 21, 482 1
- 287 Effect of workplace infection control practices on workers' psychological distress: a large-scale cohort study during the COVID-19 second state of emergency in Japan.
- 286 Prevalence of and factors related to homebound and semi-homebound older adults in a rural area in Japan. **2021**, 21, 1033-1039 0
- 285 A Cross-Sectional Study of Psychosocial Factors and Sickness Presenteeism in Japanese Workers During the COVID-19 Pandemic. **2021**, 1
- 284 Social Participation as a Moderator for Caregivers' Psychological Distress: a Dynamic Panel Data Model Analysis in Japan. 1
- 283 Association of child's disability status with father's health outcomes in Japan. **2021**, 16, 100951 0
- 282 Job stress and organizational justice. **2010**, 25, 7-13
- 281 Association of festival observance with psychological distress in a rural Japanese community. **2013**, 03, 368-373 0
- 280 Experience of Struggle Against Cancer in Japanese Childhood Cancer Survivors. **2014**, 6, 138-148
- 279 The Effect of Loneliness on Health Status in Older Adults : An Examination of the Mediating Role of Depression. **2014**, 66, 207-232 1
- 278 Brief Screening Tools for Long-Term Sickness Absence Due to Mental Disorders in Public Servants. **2016**, 08, 1453-1464 1
- 277 Sociodemographic, biological, psychological, and behavioral correlates of cycling in community-dwelling Japanese older adults: A cross-sectional study. **2017**, 6, 175-182

- 276 Standalone Effects of a Cognitive Behavioral Intervention Using a Mobile Phone App on Psychological Distress and Alcohol Consumption Among Japanese Workers: Pilot Nonrandomized Controlled Trial (Preprint).
- 275 Influence of a Program Combining Amusement and Exercise on Subjective Well-Being: Six-Month Intervention Study with a Complex-Type Program for Community-Dwelling Elderly Subjects. **2018**, 08, 266-281 ○
- 274 Factors affecting workers' mental health based on gender differences. **2018**, 8, 87-101
- 273 Internet-Based Cognitive Behavioral Therapy Effect for Improving Nonclinical Depressive Symptoms Among Workers Differs by Time Preference: A Randomized Controlled Trial (Preprint).
- 272 An Embodied Conversational Agent for Unguided Internet-Based Cognitive Behavior Therapy in Preventative Mental Health: Feasibility and Acceptability Pilot Trial (Preprint). 1
- 271 A Factor Analysis of Psychological Distress of Long-Term Evacuees to Kyoto Prefecture by the 2011 Great Tohoku Earthquake. **2019**, 19, 6_225-6_231
- 270 Physical and Psychological Effects on Elderly Instructors Participating in Short-term Preventive Care Activities for the Community-dwelling Elderly. **2019**, 34, 653-659
- 269 Mental Health Status and Related Factors Among Visually Impaired Athletes. **2019**, 11, 729-739 1
- 268 Developing core-concepts and materials for mental health care literacy to facilitating adaptive illness behaviors. **2019**, 90, 63-71 ○
- 267 Attachment needs toward ex-partner delay transition to the stage of romantic dissolution. **2019**, 90, 231-241 1
- 266 Return-to-work self-efficacy program for employees with psychological disorders. **2019**, 31, 233-243
- 265 Acute effect of non-specific low back pain relief with quick combined simple exercise: preliminary examination for a male worker in manufacturing industry. **2019**, 10, 55-60
- 264 Quality of life and associated factors in patients with Parkinson's disease. **2019**, 85, 97-107
- 263 Assessment of Anxiety and Mood Disorder in Veterinary Students and its Related Factors via a Bayesian Statistics. **2019**, 23, 47-52 ○
- 262 What Impedes General Practitioners' Identification of Mental Disorders at Outpatient Departments? A Qualitative Study in Shanghai, China. **2019**, 85, 134 ○
- 261 How Serious Was It? The Impact of Preschool Closure on Mothers' Psychological Distress: Evidence from the First COVID-19 Outbreak. 1
- 260 Pilot Study of a Video-Based Educational Program to Reduce Family Violence for Parents of Adult Children with Schizophrenia. **2020**, 91, 547-560 1
- 259 The Impact of Health Consciousness on the Association Between Walking Durations and Mental Health Conditions After a Disaster: a Cross-Sectional Study. **2020**, 6, 30 ○

- 258 The Effects of Downloading a Government-Issued COVID-19 Contact Tracing App on Psychological Distress During the Pandemic Among Employed Adults: Prospective Study (Preprint).
- 257 Age at menarche and risk of adverse obstetric outcomes during the first childbirth in Japan: The Japan Environment and Children's Study. **2021**, 0
- 256 Effectiveness of the Online Daily Diary (ONDIARY) program on family caregivers of advanced cancer patients: A home-based palliative care trial. **2021**, 46, 101508
- 255 Effects of internet-based cognitive behavioral therapy on depressive symptoms among new graduate nurses: a pilot study. **2020**, 2, n/a
- 254 Development of a scale measuring barriers to going out among community-dwelling older adults. **2021**, 21, 238-244 1
- 253 Five-year post-disaster mental changes: Mothers and children living in low-dose contaminated Fukushima regions. **2020**, 15, e0243367 3
- 252 Factors Associated with Time Spent Performing Housework/Childcare by Fathers of Children Aged Under 12 Years: A Cross-Sectional Study in Japan. **2020**, 5, 153-164 1
- 251 Social frailty and depressive symptoms during the COVID-19 pandemic among older adults in Japan: Role of home exercise habits. **2022**, 98, 104555 3
- 250 Psychological distress and associated factors among Japanese nursery school and kindergarten teachers: a cross-sectional study. **2020**, 58, 530-538 2
- 249 Which autistic traits are related to depressive symptoms in Japanese workers?. **2020**, 58, 414-422 0
- 248 Reliability and validity of the Japanese Version of the Perceived Self-Esteem Instability Measure. **2020**, 91, 173-182 1
- 247 The Relationship among Job Stress, Workplace Adaptation and Sense of Coherence of Nurses who were Relocated to Operating Room within 5 years. **2020**, 40, 636-644
- 246 Impact of type of reconstructed residence on social participation and mental health of population displaced by disasters. **2021**, 11, 21465 0
- 245 Association between long working hours and psychological distress: The effect of sick leave criteria in the workplace during the COVID-19 pandemic.
- 244 Trends in cancer screening rates among individuals with serious psychological distress: an analysis of data from 2007 to 2016 Japanese national surveys. **2020**, 2, e025 0
- 243 The effects of short-term mindfulness-based group intervention utilising a school setting for Japanese adolescents with trauma. 1-6
- 242 Behavioral Activation Contributed to the Total Reduction of Depression Symptoms in the Smartphone-based Cognitive Behavioral Therapy: A Secondary Analysis of a Randomized, Controlled Trial. **2020**, 17, 21-25 1
- 241 Differences in psychological distress between managers and non-managers in female workers: a cross-sectional study in Tsukuba Science City, Japan. **2021**, 83, 63-74

- 240 Interaction Effects of Job Stressors and Job Crafting on Health Outcomes in Nurses. **2021**, 41, 458-466
- 239 Demographics Associated With Stress, Severe Mental Distress, and Anxiety Symptoms During the COVID-19 Pandemic in Japan: Nationwide Cross-sectional Web-Based Survey (Preprint).
- 238 Exogenous oxytocin used to induce labor has no long-term adverse effect on maternal-infant bonding: Findings from the Japan Environment and Children's Study. **2021**, 299, 37-44 1
- 237 Psychological Distress in Caregivers for People with Dementia: A Population-Based Analysis of a National Cross-Sectional Study. **2021**,
- 236 Those Who Have Continuing Radiation Anxiety Show High Psychological Distress in Cases of High Post-Traumatic Stress: The Fukushima Nuclear Disaster. **2021**, 18, 0
- 235 Child Maltreatment and Mental Health in Middle Childhood: A Longitudinal Study in Japan. **2021**, 1
- 234 Effects of compassion-related brief cognitive behavioral therapy on difficulties in returning to work and social adaptation among employees on administrative leave. **2021**,
- 233 Core belief disruption amid the COVID-19 pandemic in Japanese adults. **2021**, 8,
- 232 Association Between Serious Psychological Distress and Loneliness During the COVID-19 Pandemic: A Cross-Sectional Study with Pregnant Japanese Women. **2021**, 13, 1087-1093 0
- 231 Association between Maternal Exposure to Chemicals during Pregnancy and the Risk of Foetal Death: The Japan Environment and Children's Study. **2021**, 18, 0
- 230 Risk factors for workplace bullying, severe psychological distress, and suicidal ideation during the COVID-19 pandemic: a nationwide internet survey for the general working population in Japan. 1
- 229 Longitudinal Bidirectional Relationships Between Maternal Depressive/Anxious Symptoms and Children's Tic Frequency in Early Adolescence.. **2021**, 12, 767571
- 228 Mental Health During the COVID-19 Pandemic in Japan: Applying Topic Modeling in Daily Life Descriptions. **2021**, 1-20
- 227 Relationships among High School Student-Athletes' Mental Health, Stressors, and Social Support during the COVID-19 Pandemic in Japan. 0
- 226 Prenatal folic acid supplementation and autism spectrum disorder in 3-year-old offspring: the Japan environment and children's study. **2021**, 1-10 0
- 225 Psychometric Properties of the Problematic Pornography Use Scale in a Japanese Sample. **2021**, 1 0
- 224 A cross-sectional study of the association between effort-reward imbalance and psychological distress among Japanese dietitians. **2021**, 63, e12285 1
- 223 Role ambiguity as an amplifier of the association between job stressors and workers' psychological ill-being: Evidence from an occupational survey in Japan.. **2021**, 63, e12310 0

- 222 First year students enrolled in university during the COVID-19 disaster and online classes.. **2021**, 92, 374-383 ○
- 221 The association between problematic internet use and neck pain among Japanese schoolteachers. **2021**, 63, e12298
- 220 The relationship between online class environments and economic burden and mental health among university students during the COVID-19 pandemic. **2021**, 92, 367-373 ○
- 219 A pilot randomized controlled trial of the shogi-assisted cognitive behavioral therapy (S-CBT) preventive stress management program.. **2022**, 16, 1
- 218 Mental health status among university students during COVID-19 pandemic in Japan: A longitudinal study with one year interval.. **2021**, 68, 102973 1
- 217 Psychological and traumatic stress and the risk of developing diabetes and psychiatric disorders after a disaster-relief mission: An eight-year longitudinal study of Japan Maritime Self-Defense Force personnel dispatched for the 2011 Great East Japan Earthquake disaster-relief mission.. **2021**, 116, 118-124
- 216 Causal model of the association of social support during pregnancy with a perinatal and postpartum depressive state: A nationwide birth cohort - the Japan Environment and Children's Study.. **2022**, 300, 540-550 1
- 215 Receiving assistance in emotion regulation: A preliminary investigation. **2022**, 188, 111445
- 214 Development of a Scale to Assess Obsessive-Compulsive Tendencies Among Japanese University Students.
- 213 Effect of the Imacoco Care psychoeducation website on improving psychological distress among workers under COVID-19 pandemic: a randomized controlled trial.. **2022**, ○
- 212 Anxiety and Depressive Symptoms in the New Life With COVID-19: A Comparative Cross-Sectional Study in Japan Rugby Top League Players.. **2021**, 66, 1604380
- 211 Low back pain and telecommuting in Japan: influence of work environment quality.
- 210 Associations Between the 2011 Great East Japan Earthquake and Tsunami and the Sleep and Mental Health of Japanese People: A 3-Wave Repeated Survey.. **2022**, 14, 61-73 ○
- 209 Association Between Screen Time Exposure in Children at 1 Year of Age and Autism Spectrum Disorder at 3 Years of Age: The Japan Environment and Children's Study.. **2022**, 4
- 208 Life stressors, social capital, and mental distress in older Asian Americans. 1-12
- 207 The relationship between work-related outcomes and symptoms in early breast cancer survivors receiving adjuvant endocrine therapy.. **2022**, 9, 174-178 ○
- 206 Understanding the types of racism and its effect on mental health among Muslim women in Victoria.. **2022**, 1-17
- 205 Morning preference is associated with subjective happiness among Japanese female workers: A moderation analysis by sleep characteristics from the SLEPT study.. **2022**, 1-14

204	Feasibility study of an intervention program to enhance self-confidence of kindergarten teachers who deal with radiation-related health concerns from parents with young children.. 2022 , 8, 25	
203	Reliability and validity of the Japanese version of the Mental Health Literacy Scale (MHLS) among undergraduate and graduate students in the medical field.	
202	Relationship between the combination of polyunsaturated fatty acids intake and psychological distress during pregnancy: The Tohoku medical megabank project birth and three-generation cohort study.. 2022 , 177, 102400	0
201	Association of parental dissatisfaction and perceived inequality of post-disaster recovery process with child mental health.. 2022 , 296, 114723	
200	Effects of maternal exposure to lead on secondary sex ratio in Japan: The Japan Environment and Children's Study.. 2022 , 152726	
199	Maternal folic acid supplement use/dietary folate intake from preconception to early pregnancy and neurodevelopment in 2-year-old offspring: The Japan Environment and Children's Study.. 2022 , 1-24	
198	Changes in sleep behavior, sleep problems, and psychological distress/health-related quality of life of young Japanese individuals before and during the COVID-19 pandemic.. 2022 , 1-11	0
197	Restrictions on healthcare utilization and psychological distress among patients with diseases potentially vulnerable to COVID-19; the JACSIS 2020 study.. 2022 , 10, 229-240	1
196	Low back pain and telecommuting in Japan: Influence of work environment quality.. 2022 , 64, e12329	1
195	Exploring the contributing factors to multiple chemical sensitivity in patients with migraine.. 2022 , 64, e12328	1
194	Influences of Financial Strains Over the Life Course Before Initiating Hemodialysis on Health Outcomes Among Older Japanese Patients: A Retrospective Study in Japan.. 2022 , 15, 63-75	0
193	Association of preconception dysmenorrhea with obstetric complications: the Japan Environment and Children's Study.. 2022 , 22, 125	
192	Prevalence and associated factors of psychological distress among young adult cancer patients in Japan.. 2022 , 1-7	0
191	Does Residing in a Neighborhood of High Social Participation Postpone Deterioration in Health among Middle-Aged Adults? A Multilevel Survival Analysis in Japan.. 2022 , 1	
190	Association between Long Working Hours and Psychological Distress: The Effect Modification by Request to Stay Home When Sick in the Workplace during the COVID-19 Pandemic.. 2022 , 19,	1
189	Cumulative exposure to maternal psychological distress in the prenatal and postnatal periods and atopic dermatitis in children: findings from the TMM BirThree Cohort Study.. 2022 , 22, 242	0
188	Effect of working from home on the association between job demands and psychological distress.	0
187	Association of maternal heavy metal exposure during pregnancy with isolated cleft lip and palate in offspring: Japan Environment and Children's Study (JECS) cohort study.. 2022 , 17, e0265648	0

186	Exploring associations between positive and negative valanced parental comments about adolescents' bodies and eating and eating problems: a community study.. 2022 , 10, 43	2
185	Mental Health in Australia: Psychological Distress Reported in Six Consecutive Cross-Sectional National Surveys From 2001 to 2018.. 2022 , 13, 815904	1
184	Depression, Insomnia, and Probable Post-Traumatic Stress Disorder among Survivors of the 2016 Kumamoto Earthquake and Related Factors during the Recovery Period Amidst the COVID-19 Pandemic.. 2022 , 19,	2
183	Perceived Supervisor Support for Health Affects Presenteeism: A Cross-Sectional Study.. 2022 , 19,	0
182	Association between maternal adverse childhood experiences and child resilience and self-esteem: Results from the K-CHILD study.. 2022 , 127, 105590	1
181	The impact of COVID-19 on the psychological distress of youths in Japan: A latent growth curve analysis.. 2022 ,	1
180	An assessment of the impact of occupational health workers' activities on the workers' health: Preliminary results and protocol of a nationwide Internet-based longitudinal survey (Preprint).	0
179	Reliability and Validity of the Japanese Version of the 12-Item Psychosocial Safety Climate Scale (PSC-12J).. 2021 , 18,	
178	Validating a Japanese Version of the Athlete Psychological Strain Questionnaire. 2021 , 7, 90	1
177	Who Got Vaccinated for COVID-19? Evidence from Japan.. 2021 , 9,	1
176	Relationship between Maternal Mood Disorders and Dietary Intake of 3-Year-Olds.. 2021 , 2021, 5597836	
175	Factors of parental COVID-19 vaccine hesitancy: A cross sectional study in Japan.. 2021 , 16, e0261121	12
174	Examination of the Japanese version of the Fear of COVID -19 Scale among Adults Using Classical Test Theory and Item Response Theory 1 2.	
173	Association between Laughter and Lifestyle Diseases after the Great East Japan Earthquake: The Fukushima Health Management Survey. 2021 , 18,	
172	Effects of maternal adverse child experiences on parental maltreatment of children: An empirical study of mediating factors among Japanese mothers.	0
171	Assessing workplace civility: Validity and 1-year test-retest reliability of a Japanese version of the CREW Civility Scale.. 2022 , 64, e12332	
170	Persistence of mental health deterioration among people living alone during the COVID-19 pandemic: a periodically-repeated longitudinal study.. 2022 ,	0
169	Discordance between hemodialysis patients' reports and their physicians' estimates of adherence to dietary restrictions in Japan.. 2022 ,	

- 168 Feasibility of the Remote Physical Activity Follow-Up Intervention after the Face-to-Face Program for Healthy Middle-Aged Adults: A Randomized Trial Using ICT and Mobile Technology.. **2022**, 19,
- 167 Maternal personality and postpartum mental disorders in Japan: the Tohoku Medical Megabank Project Birth and Three-Generation Cohort Study.. **2022**, 12, 6400 1
- 166 Accumulated unhealthy behaviours and insomnia in Japanese dwellers with and without cardiovascular risk factors: a cross-sectional study.. **2022**, 12, e052787 0
- 165 Effects of workplace measures against COVID-19 and employees' worry about them on the onset of major depressive episodes: A 13-month prospective study of full-time employees.. **2022**,
- 164 Table_1.docx. **2020**,
- 163 Data_Sheet_1.PDF. **2020**,
- 162 Table_1.pdf. **2020**,
- 161 Effectiveness of an Online Peer Gatekeeper Training Program for Postsecondary Students on Suicide Prevention in Japan: Protocol for a Randomized Controlled Trial.. **2022**, 11, e34832
- 160 The Mental Health of Long-Term Evacuees outside Fukushima Prefecture after the Great East Japan Earthquake.. **2022**, 0
- 159 Conversation time and mental health during the COVID-19 pandemic: A web-based cross-sectional survey of Japanese employees.. **2022**, 64, e12334 1
- 158 Revision and validation of the Japanese-version cognitive emotion regulation questionnaire: psychometric properties and measurement invariance across gender. **2022**, 9,
- 157 Maternal Iodine Intake and Neurodevelopment of Offspring: The Japan Environment and Children's Study.. **2022**, 14, 2
- 156 Prevalence and Factors Associated With the Risk of Delayed Sleep-Wake Phase Disorder in Japanese Youth. **2022**, 13,
- 155 How does social support modify the association between psychological distress and risk of suicide death?. **2022**, 0
- 154 Impact of fitness in college on mental health and social success in later life: UTokyo Fitness Study. **2022**, 11, 183-187
- 153 Effectiveness of an Online Peer Gatekeeper Training Program for Postsecondary Students on Suicide Prevention in Japan: Protocol for a Randomized Controlled Trial (Preprint).
- 152 Sleep disturbance is associated with neck pain: a 3-year longitudinal study after the Great East Japan Earthquake.. **2022**, 23, 459
- 151 Telephone support. **2022**, 331-346

- 150 Effect of Working from Home on the Association between Job Demands and Psychological Distress. **2022**, 19, 6287 ○
- 149 Relationship between Female Sexual Function and Depression or Anxiety in Japan. **2022**, 12, 376-398
- 148 Prevalence, characteristics, and psychological outcomes of workplace cyberbullying during the COVID-19 pandemic in Japan: a cross-sectional online survey. **2022**, 22, 1
- 147 Impact of sleep debt, social jetlag, and insomnia symptoms on presenteeism and psychological distress of workers in Japan: a cross-sectional study. **2022**, 16, 1
- 146 The impact of coronavirus disease 2019 (COVID-19) in Japanese companion animal clinics. **2022**,
- 145 The status of nursing students' infection prevention behavior and mental health and their relationships with psychosocial factors during the COVID-19 pandemic. **2022**, 88, 98-108
- 144 Association between increased caregiver burden and severe psychological distress for informal caregivers during the COVID-19 pandemic in Japan: A cross-sectional study. **2022**, 104756 ○
- 143 Development of a scale to assess obsessive-compulsive tendencies among Japanese university students. **2022**, 8, e09646
- 142 Spillover effect of psychological distress from distressed to non-distressed spouse: A cohort study for midlife married couples in Japan. **2022**,
- 141 Effect of determining location and time of remote work on mental health through work-life balance. **2022**,
- 140 Association Between Residential Environment and Psychological Status Among Young Adults Living Alone During the COVID-19 Pandemic in Tokyo, Japan. 101053952211085 ○
- 139 Impact of lifestyle and psychosocial factors on the onset of hypertension after the Great East Japan earthquake: a 7-year follow-up of the Fukushima Health Management Survey. ○
- 138 The relationship between family variables and family social problems during the COVID-19 pandemic. **2022**, 17, e0270210 ○
- 137 School- and community-level protective factors for resilience among chronically maltreated children in Japan.
- 136 Factors associated with short and long sleep duration in older adults: Analysis of a national survey in Japan.
- 135 Maternal parenting stress from birth to 36 months, maternal depressive symptoms, and physical punishment to 10-year-old children: a population-based birth cohort study.
- 134 Association between maternal prenatal psychological distress and autism spectrum disorder among 3-year-old children: The Japan Environment and Children's Study. 1-7 ○
- 133 The Effects of Bereavement Time on the Relationship Between Coping Strategies and Psychological Distress. 1-17

- 132 Pet ownership during pregnancy and mothers' mental health conditions up to 1 year postpartum: A nationwide birth cohortThe Japan environment and Children's study. **2022**, 115216 0
- 131 Role of Values and Resilience in Well-Being among Individuals Affected by the Fukushima Disaster.
- 130 A Study on the Reliability and Validity of an Employee Agility and Resiliency Scale. **2022**, 31, 69-71
- 129 A Cross-Sectional Study of the Impact of Pain Severity on Absenteeism and Presenteeism Among Japanese Full-Time Workers. 1
- 128 Predictors of non-response to successive waves of surveys in the Japan Environment and Children's Study during the 3-year postpartum period: a longitudinal cohort study. **2022**, 12, e050087
- 127 Association Between Smartphone Applications for Pregnant Women and Psychological Distress in Japan. 1-7
- 126 Associations between Workers'Health and Working Conditions: Would the Physical and Mental Health of Nonregular Employees Improve If Their Income Was Adjusted?. **2022**, 9, 40 0
- 125 Depression symptoms during pregnancy and postpartum in patients with recurrent pregnancy loss and infertility: The Japan environment and children's study. **2022**, 152, 103659
- 124 How university students changed their habits and developed mental disorders in the context of the coronavirus disease 2019 (COVID-19) pandemic in Japan: Three case reports. **2022**, 1,
- 123 Association between Social Engagements and Stigmatization of COVID-19 Infection among Community Population in Japan. **2022**, 19, 9050 1
- 122 Feasibility of brief online gatekeeper training for Japanese university students: A randomized controlled trial. 1-10
- 121 Disaster Resilience Reduces Radiation-Related Anxiety Among Affected People 10 Years After the Fukushima Daiichi Nuclear Power Plant Accident. 10, 0
- 120 Study Protocol and Preliminary Results of the Impact of Occupational Health Workers' Activities on Their Health: Nationwide Prospective Internet-Based Survey. **2022**, 6, e35290
- 119 The Impact of Gender and Age Differences and Infectious Disease Symptoms on Psychological Distress in Quarantined Asymptomatic or Mildly Ill COVID-19 Patients in Japan. **2022**, 19, 9083
- 118 Effects of goal orientation and unlearning on individual exploration activities.
- 117 Impact of health literacy on anxiety and depressive symptoms in pregnant women in Japan during the COVID-19 pandemic. **2022**, 12, 0
- 116 The association between experience of COVID-19-related discrimination and psychological distress among healthcare workers for six national medical research centers in Japan.
- 115 The preventive effect of internet-based cognitive behavioral therapy for prevention of depression during pregnancy and in the postpartum period (iPDP): a large scale randomized controlled trial. 1

- 114 Effects of Sports Workcation on Workers' Health and Psychosocial Outcomes. **2022**, 58, 174-185 1
- 113 Workplace Social Support and Reduced Psychological Distress: A 1-Year Occupational Cohort Study. Publish Ahead of Print, 0
- 112 Association between low back pain, workaholism, and work engagement in Japanese hospital workers: A quantitative cross-sectional study. Publish Ahead of Print, 0
- 111 A Cross-Sectional Study of Mental Health, Lifestyle, and Anxiety in Japanese Nursing Students by Year of College. **2022**, 10, 1870 0
- 110 Associations of exercising with others with stress response and mental distress among workers. **2022**, 71, 417-429 0
- 109 Associations of testosterone and cortisol concentrations with sleep quality in Japanese male workers. **2022**, 12, 100158 0
- 108 The impacts of school closures and restriction of sport activities on high school student-athletes' mental health during COVID-19 pandemic. **2022**, 0
- 107 Validation of the Japanese version of the Dutch Boredom Scale. **2022**, 64, 0
- 106 Development of the Inability to Switch off from Work Scale. **2022**, 0
- 105 Impact of COVID-19 Pandemic on Breast Cancer Patients Based on the Results of the Web Questionnaire Survey. **2022**, 83, 1-11 1
- 104 Association between Hope for the Future and Academic Performance in Adolescents: Results from the K-CHILD Study. **2022**, 19, 11890 1
- 103 Multimorbidity patterns and the relation to self-rated health among older Japanese people: a nationwide cross-sectional study. **2022**, 12, e063729 0
- 102 Effect of working place infection control practices on workers' psychological distress: A large-scale cohort study during the COVID-19 pandemic in Japan. 13, 0
- 101 Null Association Between Isolated Orofacial Clefts and Sleep Duration: A Cohort Study From the Japan Environment and Children's Study. 105566562211284 0
- 100 Structural equation modeling of the effects of psychological distress and a fear of coronavirus disease 2019 on diabetes care in Japan: a cross-sectional study. **2022**, 12, 0
- 99 Association between mental health and academic performance among university undergraduates: The interacting role of lifestyle behaviors. 0
- 98 The Joint Association of Daily Rest Periods and Sleep Duration with Worker Health and Productivity: A Cross-Sectional Web Survey of Japanese Daytime Workers. **2022**, 19, 11143 0
- 97 Factors associated with the work-life balance of nurses in an advanced medical center. **2022**, 1, 0

- 96 COVID-19-related stigma and its relationship with mental wellbeing: A cross-sectional analysis of a cohort study in Japan. 10, ○
- 95 A Japanese Nationwide Survey of Nutritional Counseling for Cancer Patients and Risk Factors of Burnout among Registered Dietitians. **2022**, 3, 211-219 ○
- 94 Married women's decision to delay childbearing, and loneliness, severe psychological distress, and suicidal ideation under crisis: Online survey data analysis from 2020 and 2021. ○
- 93 Social isolation and postnatal bonding disorder in Japan: the Tohoku Medical Megabank Project Birth and Three-Generation Cohort Study. ○
- 92 COVID -19-related discrimination, PTSD symptoms, and psychological distress in healthcare workers. ○
- 91 Predictors of the intentions to leave among nurses in an academic medical center. **2022**, 1, ○
- 90 A Comparison of Mental Health among Earthquake, Tsunami, and Nuclear Power Plant Accident Survivors in the Long Term after the Great East Japan Earthquake. **2022**, 19, 14072 ○
- 89 Relationship between evacuation after the Great East Japan Earthquake and new-onset hyperuricemia: A 7-year prospective longitudinal study of the Fukushima Health Management Survey. ○
- 88 Social isolation and insomnia among pregnant women in Japan: The Tohoku Medical Megabank Project Birth and Three-Generation Cohort Study. **2022**, ○
- 87 Changes in Suicide Ideation Among Users of Online Gatekeeping Using Search-Based Advertising. 1-12 ○
- 86 Association between Epstein-Barr virus serological reactivation and psychological distress: a cross-sectional study of Japanese community-dwelling older adults. ○
- 85 Associations among Alcohol Drinking, Smoking, and Nonrestorative Sleep: A Population-Based Study in Japan. **2022**, 4, 595-606 ○
- 84 Mental health over the life course: Evidence for a U-shape?. ○
- 83 Risk factors for workplace bullying, severe psychological distress and suicidal ideation during the COVID-19 pandemic among the general working population in Japan: a large-scale cross-sectional study. **2022**, 12, e059860 ○
- 82 Emotional valence of self-defining memories in older adults: A longitudinal study. **2022**, 106, 103431 ○
- 81 Impact of residing in neighborhoods of high social participation on health of retired workers: A multilevel analysis using nationwide longitudinal data in Japan. **2022**, 20, 101281 ○
- 80 Relationship between ADHD tendencies toward injury experience and psychological distress among University athletes. **2022**, ○
- 79 Association of maternal psychological distress and the use of childcare facilities with children's behavioral problems: the Tohoku Medical Megabank Project Birth and Three-Generation Cohort Study. **2022**, 22, ○

- 78 The Mental Health of Young Return Migrants with Ancestral Roots in Their Destination Country: A Cross-Sectional Study Focusing on the Ethnic Identities of JapaneseBrazilian High School Students Living in Japan. **2022**, 12, 1858 ○
- 77 Relationship between turnover intention and workplace personal relations among care workers employed by elder care facilities. ○
- 76 Health and social relationships of mothers of children in special education schools. **2022**, 131, 104374 ○
- 75 Dietary Patterns and New-Onset Type 2 Diabetes Mellitus in Evacuees after the Great East Japan Earthquake: A 7-Year Longitudinal Analysis in the Fukushima Health Management Survey. **2022**, 14, 4872 ○
- 74 Predictors of psychological distress and sleep deprivation in caregivers of stroke survivors. **2023**, 32, 106899 ○
- 73 Relationship between Psychological Distress and Poverty among Japanese Workers during the COVID-19 Pandemic: A Prospective Cohort Study. Publish Ahead of Print, ○
- 72 Modifiable Risk Factors of Non-Syndromic Orofacial Clefts: A Systematic Review. **2022**, 9, 1846 ○
- 71 Association between meal frequency with others and psychological distress during the COVID-19 pandemic: A cross-sectional study. **2022**, 1, ○
- 70 The Passive Monitoring of Depression and Anxiety Among Workers Using Digital Biomarkers Based on Their Physical Activity and Working Conditions: 2-Week Longitudinal Study. **2022**, 6, e40339 ○
- 69 Gambling Disorder: Simultaneous Measurement of Screening Scales in Multiple Regions of Japan. ○
- 68 Strong chūhai , a Japanese ready-to-drink high-alcohol-content beverage, and hazardous alcohol use: A nationwide cross-sectional study. ○
- 67 Maternal Metals Exposure and Infant Weight Trajectory: The Japan Environment and Children's Study (JECS). **2022**, 130, ○
- 66 Possible contribution of COVID-19 vaccination to the subsequent mental well-being in Japan. **2022**, 12, ○
- 65 Exploring an Applied Ecological Model of the Effects of Household, School, and Community Environments on Adolescent Mental Health in Japan. **2022**, 19, 16820 ○
- 64 The role of discrimination in the relation between COVID-19 sequelae, psychological distress, and work impairment in COVID-19 survivors. **2022**, 12, ○
- 63 Predictors of chronic loneliness during adolescence: a population-based cohort study. **2022**, 16, ○
- 62 Occupational stress, psychological distress, physical symptoms, and their interrelationships among frontline nurses caring for COVID-19 patients in Japan. **2022**, 101, e31687 ○
- 61 Plasma metabolic disturbances during pregnancy and postpartum in women with depression. **2022**, 25, 105666 ○

60	Psychological distress during the coronavirus disease 2019 pandemic and associated factors among undergraduate students in Japan. 1-23	○
59	The differential association between social capital and benevolent sexism belief by gender in Japan.	○
58	Do personal resilience, coping styles, and social support prevent future psychological distress when experiencing workplace bullying? Evidence from a 1-year prospective study. 2022 , 10,	1
57	Associations between media exposure and mental health among children and parents after the Great East Japan Earthquake. 2023 , 14,	○
56	Age Group Differences in Daily Life Changes among Community Residents during the COVID-19 Pandemic: A Pilot Study on Intergenerational Comparison. 2022 ,	○
55	Impact of mindfulness tendency and physical activity on brain-gut interactions.	○
54	Relationship between potential advisors on work-related health and psychological distress among Japanese workers: A cross-sectional internet-based study. 2023 ,	○
53	Maternal postnatal bonding disorder and emotional/behavioral problems in preschool children: The Tohoku Medical Megabank Project Birth and Three-Generation Cohort Study. 2023 ,	○
52	Maternal prenatal psychological distress and motor/cognitive development in two-year-old offspring: The Japan Environment and Children's Study. 1-13	○
51	Prevalence and risk factors of poor subjective sleep quality in elite judo athletes.	○
50	Associations of parent-child exercise with family relations and parental mental health during the COVID-19 pandemic. 2023 , 324, 551-558	○
49	Regional Difference in the Impact of COVID-19 Pandemic on Domain-Specific Physical Activity, Sedentary Behavior, Sleeping Time, and Step Count: An Online Cross-sectional Nationwide Survey and an Accelerometer-based Observational Study (Preprint).	○
48	Prediction of Mental Health Problem Using Annual Student Health Survey: A Machine Learning Approach (Preprint).	○
47	The Impact of Negative and Positive Affectivity on the Relationship Between Work-Related Psychological Factors and Work Engagement in Japanese Workers: A Comparison of Psychological Distress.	○
46	A Six-Year Prospective Study on Problem Drinking among Evacuees of the Great East Japan Earthquake: The Fukushima Health Management Survey. 2023 , 20, 319	○
45	Proposed Cut-Off Score for the Japanese Version of the Fear of Coronavirus Disease 2019 Scale (FCV-19S): Evidence from a Large-Scale National Survey in Japan. 2023 , 20, 429	○
44	Association of preexisting psychiatric disorders with post-COVID-19 prevalence: a cross-sectional study. 2023 , 13,	○
43	Effect of Online Home-Based Resistance Exercise Training on Physical Fitness, Depression, Stress, and Well-Being in Middle-Aged Persons: A Pilot Study. 2023 , 20, 1769	○

- 42 Cesarean section and parenting stress: results from the Japan Environment and Children's Study. 1-24 ○
- 41 Dietary Intake of Vitamin D during Pregnancy and the Risk of Postpartum Depressive Symptoms: The Japan Environment and Children's Study. **2023**, 69, 14-20 ○
- 40 The effect of internet-based acceptance and commitment therapy (iACT) on psychological well-being among working women with a pre-school child: A randomized controlled trial. **2023**, 28, 33-47 ○
- 39 Analyzing the relationship between feelings about pregnancy and mother-infant bonding with the onset of maternal psychological distress after childbirth: The Japan Environment and Children's Study. **2023**, 329, 531-538 ○
- 38 Psychological Distress, Japanese Teleworkers, and Supervisor Support During COVID-19. **2023**, 65, e68-e73 2
- 37 Secondhand smoke exposure is associated with the risk of hypertensive disorders of pregnancy: the Japan Environment and Children's Study. **2023**, 46, 834-844 1
- 36 Relationship between mental health and stressors among fathers of children with chronic illnesses and cognitive structure of fathers' stress experiences. ○
- 35 Association between maternal psychological distress and children's neurodevelopment in offspring aged 4 years in Japan: The Tohoku Medical Megabank Project Birth and Three-Generation Cohort Study. **2023**, 59, 548-554 ○
- 34 Maternal lifestyle and nutrient intakes during pregnancy and exclusive breastfeeding in relation to risk factors for breast cancer: The Japan Environment and Children's Study. **2023**, 168, 107446 ○
- 33 Association of sense of coherence and resilience with distress and infection prevention behaviors during the coronavirus disease pandemic. ○
- 32 Development of A Japanese Version of the Family Poly-Victimization Screen (FPS-J). **2023**, 20, 3142 ○
- 31 Association between social support for mothers of patients with eating disorders and mothers' active listening attitude: a cohort study. **2023**, 17, ○
- 30 Association between the extent of house collapse and urine sodium-to-potassium ratio of victims affected by the 2011 Great East Japan Earthquake and Tsunami: a cross-sectional study. ○
- 29 Food Categories for Breakfast and Mental Health among Children in Japan: Results from the A-CHILD Study. **2023**, 15, 1091 ○
- 28 Offering on-site mammography in workplaces improved screening rates: Cluster randomized controlled trial. **2023**, 65, ○
- 27 The effects of telecommuting and family cohabiting situation on psychological distress in Japanese workers during the COVID-19 pandemic: A cross-sectional study. **2023**, 65, ○
- 26 Participation in the Global Corporate Challenge[®], a Four-Month Workplace Pedometer Program, Reduces Psychological Distress. **2023**, 20, 4514 ○
- 25 Factors Related to Nutritional Status of Single Older Residents in Semi-Mountainous Rural Regions of Japan: A Cross-Sectional Study. **2023**, 8, 34 ○

- 24 Decline in Partner-Accompanied Births during the COVID-19 Pandemic in Japan: A Nationwide Cross-Sectional Internet-Based Study. **2023**, 20, 4546 ○
- 23 The relationship of stress coping styles on substance use, depressive symptoms, and personality traits of nurses in higher education institution. ○
- 22 Genome wide association study based on clustering by obesity-related variables shed light on a genetic architecture of obesity in Japanese and UK population. ○
- 21 Differences in Center for Epidemiologic Studies Depression Scale, Generalized Anxiety Disorder-7 and Kessler Screening Scale for Psychological Distress Scores between Smartphone Version versus Paper Version Administration: Evidence of Equivalence. **2023**, 20, 4773 ○
- 20 Factors Related to Psychological Distress in Suicide Prevention Supporters during the COVID-19 Pandemic. **2023**, 20, 4991 ○
- 19 Effect of Diversity Education on Young Adolescents in Japan: Toward the Do No Harm Principle. **2023**, 20, 4900 ○
- 18 Protocol of a Study to Benchmark Occupational Health and Safety in Japan: W2S-Ohpm Study. ○
- 17 Changes in work/sleep patterns due to the COVID-19 pandemic are associated with psychological distress among Japanese workers. 14, ○
- 16 Posttraumatic negative cognitions and nurses' mental health: One year after the Great East Japan earthquake and nuclear accident in Fukushima. **2023**, 89, 103635 ○
- 15 The association between experience of COVID-19-related discrimination and psychological distress among healthcare workers for six national medical research centers in Japan. ○
- 14 K10 and K6 Scales. **2023**, 1-30 ○
- 13 The Potential of Heart Rate Variability Monitoring for Mental Health Assessment in Top Wheel Gymnastics Athletes: A Single Case Design. ○
- 12 A cross-sectional study of the association between COVID-19 infection and psychological distress in Japanese workers. ○
- 11 The association between team job crafting and work engagement among nurses: a prospective cohort study. ○
- 10 The relationship between having a usual source of primary care and COVID -19 parental vaccine hesitancy: A nationwide survey among Japanese mothers. ○
- 9 Mental Health and Psychosocial Status in Mothers of Children with Attention Deficit Hyperactivity Disorder (ADHD): Differences by Maternal ADHD Tendencies. ○
- 8 Maternal autistic traits and antenatal pain by cross-sectional analysis of the Japan Environment and Children's Study. **2023**, 13, ○
- 7 Influence of dialysis-related stigma on health-related indicators in Japanese patients undergoing hemodialysis. ○

- 6 Decreased Interoceptive Awareness as a Risk Factor for Moderate to Severe Pain in Japanese Full-Time Workers: A Longitudinal Cohort Study. **2023**, 12, 2896 ○
- 5 Twelve years on: An evaluation of mental health status in Tomioka Town, located within 20 km of the Fukushima Daiichi Nuclear Power Station. ○
- 4 General population normative data from seven European countries for the K10 and K6 scales for psychological distress. ○
- 3 Oncofertility-related psycho-educational therapy for young adult patients with breast cancer and their partners: randomized controlled trial. ○
- 2 Association Between Loneliness, Premenstrual Symptoms, and Other Factors During the COVID-19 Pandemic: A Cross-Sectional Study with Japanese High School Students. Volume 15, 655-664 ○
- 1 Effects of disaster-related traumatic events on worry about radiation and COVID-19: A decade after the Fukushima nuclear power plant accident. **2023**, 163, 135-141 ○