

CITATION REPORT

List of articles citing

Cooperative self-construction and enhanced optical absorption of nanoplates-assembled hierarchical Bi₂WO₆ flowers

DOI: 10.1016/j.jssc.2008.01.049

Journal of Solid State Chemistry, 2008, 181, 1048-1055.

Source: <https://exaly.com/paper-pdf/43467974/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
129	Effect of PSS on morphology and optical properties of ZnO. 2008 , 326, 433-8		88
128	Monoclinic BiVO ₄ with regular morphologies: Hydrothermal synthesis, characterization and photocatalytic properties. 2009 , 115, 9-13		112
127	Controllable preparation of SnO ₂ nanoplates and nanoparticles via hydrothermal oxidation of SnS ₂ nanoplates. 2009 , 63, 1221-1223		23
126	Studies on Nanostructured Bi ₂ WO ₆ : Convenient Hydrothermal and TiO ₂ -Coating Pathways 2009 , 635, 1848-1855		31
125	Template-free fabrication of hierarchically flower-like tungsten trioxide assemblies with enhanced visible-light-driven photocatalytic activity. 2009 , 169, 221-7		128
124	Visible light-driven photocatalytic degradation of rhodamine B over NaBiO ₃ : pathways and mechanism. 2009 , 113, 10024-32		403
123	Visible Light-Responsive Bismuth Tungstate Photocatalysts: Effects of Hierarchical Architecture on Photocatalytic Activity. 2009 , 113, 1536-1542		114
122	Porous photocatalysts for advanced water purifications. 2010 , 20, 4512		289
121	Bi ₂ WO ₆ with significantly enhanced photocatalytic activities by nitrogen doping. 2010 , 120, 155-159		76
120	Effect of poly(sodium 4-styrene-sulfonate) on the crystal growth of hydroxyapatite prepared by hydrothermal method. 2010 , 120, 603-607		12
119	Self-assembly and enhanced optical absorption of Bi ₂ WO ₆ nests via ionic liquid-assisted hydrothermal method. 2010 , 121, 6-9		34
118	Solid state studies on cobalt and copper tungstates nano materials. <i>Solid State Sciences</i> , 2010 , 12, 2065-2072		47
117	Mesocrystals--ordered nanoparticle superstructures. 2010 , 22, 1301-30		499
116	Processing-structure-property relationships of Bi ₂ WO ₆ nanostructures as visible-light-driven photocatalyst. 2010 , 183, 211-7		51
115	Facile Hydrothermal Synthesis of Hierarchical Boehmite: Sulfate-Mediated Transformation from Nanoflakes to Hollow Microspheres. 2010 , 10, 3977-3982		126
114	In situ X-ray diffraction study of the hydrothermal crystallization of hierarchical Bi ₂ WO ₆ nanostructures. 2010 , 2, 2412-7		40
113	Template-free synthesis of hierarchical spindle-like γ-Al ₂ O ₃ materials and their adsorption affinity towards organic and inorganic pollutants in water. 2010 , 20, 4587		215

112	Multichannel TiO ₂ hollow fibers with enhanced photocatalytic activity. 2010 , 20, 5095		135
111	Novel synthesis of bismuth tungstate hollow nanospheres in water-ethanol mixed solvent. 2010 , 46, 7250-2		45
110	Biomolecule-assisted hydrothermal approach towards synthesis of ultra-thin nanoporous BiCo(OH) ₂ mesocrystal nanosheets for electrochemical capacitors. 2011 , 13, 6130		25
109	Dielectric resonator antennas based in Bi ₂ WO ₆ and operating at 3.3 GHz: Electrical properties study. 2011 ,		
108	Hierarchical Lamellar Superstructures of Rhombic Priceite (Ca ₄ B ₁₀ O ₁₉ ·7H ₂ O): Facile Hydrothermal Synthesis, Shape Evolution, Optical, and Thermal Decomposition Properties. 2011 , 11, 2935-2941		19
107	Bi ₂ O ₃ , BiVO ₄ , and Bi ₂ WO ₆ : Impact of Surface Properties on Photocatalytic Activity under Visible Light. 2011 , 115, 5657-5666		261
106	Improved visible-light photocatalytic activity of porous carbon self-doped ZnO nanosheet-assembled flowers. 2011 , 13, 2533		300
105	Enhanced photocatalytic activity of Bi ₂ WO ₆ doped with upconversion luminescence agent. 2011 , 13, 31-34		43
104	Preparation of thermally stable anatase TiO ₂ photocatalyst from TiOF ₂ precursor and its photocatalytic activity. <i>Journal of Alloys and Compounds</i> , 2011 , 509, 4557-4562	5:7	82
103	Construction of TiO ₂ hierarchical nanostructures from nanocrystals and their photocatalytic properties. 2011 , 3, 3448-53		90
102	Novel visible light-induced g-C ₃ N ₄ /Bi ₂ WO ₆ composite photocatalysts for efficient degradation of methyl orange. 2011 , 108-109, 100-107		607
101	Synthesis, photocatalytic activities and degradation mechanism of Bi ₂ WO ₆ toward crystal violet dye. 2011 , 174, 148-159		79
100	Bi ₂ WO ₆ micro/nano-structures: Synthesis, modifications and visible-light-driven photocatalytic applications. 2011 , 106, 1-1		88
99	Influence of surfactants on the morphology and photocatalytic activity of Bi ₂ WO ₆ by hydrothermal synthesis. 2011 , 54, 211-216		13
98	Oxidische Nanomaterialien: Von der Synthese über den Mechanismus zur technologischen Innovation. 2011 , 123, 852-889		25
97	Oxide nanomaterials: synthetic developments, mechanistic studies, and technological innovations. 2011 , 50, 826-59		301
96	TiO ₂ -Modified Flower-Like Bi ₂ WO ₆ Nanostructures with Enhanced UV-Vis Photocatalytic Activity. 2011 , 34, 1630-1634		24
95	Efficient visible light-induced photocatalytic degradation of methyl orange by QDs sensitized CdS-Bi ₂ WO ₆ . 2011 , 105, 289-297		180

94	Effect of calcination temperature on morphology and photocatalytic activity of anatase TiO ₂ nanosheets with exposed {001} facets. 2011 , 104, 275-281		183
93	Preparation and visible light photocatalytic activity of Bi ₂ O ₃ /Bi ₂ WO ₆ heterojunction photocatalysts. <i>Journal of Solid State Chemistry</i> , 2011 , 184, 1977-1982	3-3	117
92	Surfactant-Assisted Hydrothermal Synthesis of Multilayered Flower-Like BiOBr with Enhanced Visible Light Photocatalytic Activity. 2012 , 476-478, 1541-1546		4
91	Sol-Gel-Hydrothermal Synthesis of the Heterostructured TiO ₂ /N-Bi ₂ WO ₆ Composite with High-Visible-Light- and Ultraviolet-Light-Induced Photocatalytic Performances. 2012 , 2012, 1-12		7
90	Hydrothermal Synthesis of Iodine-Doped Nanoplates with Enhanced Visible and Ultraviolet-Induced Photocatalytic Activities. 2012 , 2012, 1-12		7
89	Nest-Like Bi ₂ WO ₆ Self Assembled Microspheres Synthesized via One Step Template-Free Hydrothermal Process. 2012 , 17, 1-12		5
88	Hydrothermal synthesis of ultrathin Bi ₂ MO ₆ (M=W, Mo) nanoplates as new host substances for red-emitting europium ion. 2012 , 22, 334-340		14
87	Synthesis, characterization and photocatalytic activity of neodymium, nitrogen and neodymium/nitrogen doped TiO ₂ . 2012 , 47, 2165-2177		29
86	A templated method to Bi ₂ WO ₆ hollow microspheres and their conversion to double-shell Bi ₂ O ₃ /Bi ₂ WO ₆ hollow microspheres with improved photocatalytic performance. 2012 , 51, 6245-50		172
85	ZnO plates synthesized from the ammonium zinc nitrate hydroxide precursor. 2012 , 14, 154-159		29
84	Photocatalysis Coupled with Thermal Effect Induced by SPR on Ag-Loaded Bi ₂ WO ₆ with Enhanced Photocatalytic Activity. 2012 , 116, 25898-25903		107
83	Enhancement of visible-light photocatalysis by coupling with narrow-band-gap semiconductor: a case study on Bi ₂ S ₃ /Bi ₂ WO ₆ . 2012 , 4, 593-7		362
82	Synthesis, characterization and visible light photocatalytic properties of Bi ₂ WO ₆ /rectorite composites. 2012 , 369, 323-9		41
81	Photocatalytic degradation of the herbicide iodosulfuron by neodymium or nitrogen doped TiO ₂ . 2012 , 133, 1116-1126		17
80	Facile fabrication of flower-shaped Bi ₂ WO ₆ superstructures and visible-light-driven photocatalytic performance. 2012 , 47, 1919-1924		33
79	Infrared-light-induced photocatalysis on BiErWO ₆ . 2013 , 42, 12072-4		46
78	Hydrothermal synthesis and characterization of novel PbWO ₄ microspheres with hierarchical nanostructures and enhanced photocatalytic performance in dye degradation. 2013 , 219, 86-95		60
77	Diatom-templated TiO ₂ with enhanced photocatalytic activity: biomimetics of photonic crystals. 2013 , 113, 327-332		16

76	Preparation and characterization of Ag ₃ PO ₄ /BiOI composites with enhanced visible light driven photocatalytic performance. 2013 , 42, 121-124		45
75	Rapid sonochemical synthesis of irregular nanolaminar-like Bi ₂ WO ₆ as efficient visible-light-active photocatalysts. 2013 , 20, 209-15		41
74	Large improvement of photo-response of CuPc sensitized Bi(2)WO(6) with enhanced photocatalytic activity. 2013 , 42, 4579-85		31
73	Inorganic-Salt-Assisted Morphological Evolution and Visible-Light-Driven Photocatalytic Performance of Bi ₂ WO ₆ Nanostructures. 2013 , 117, 20017-20028		51
72	Effect of Poly Sodium-p-Styrenesulfonate on the Phase Formation and Morphology of the Hydrothermally Synthesized Bismuth Ferrite Powders. 2013 , 745-746, 393-397		
71	A carbon modified NaTaO ₃ mesocrystal nanoparticle with excellent efficiency of visible light induced photocatalysis. 2014 , 2, 20832-20840		34
70	Enhanced visible-light-response photocatalytic degradation of methylene blue on Fe-loaded BiVO ₄ photocatalyst. <i>Journal of Alloys and Compounds</i> , 2014 , 597, 129-135	5-7	82
69	Self-assembly synthesis of ZnO with adjustable morphologies and their photocatalytic performance. 2014 , 40, 2973-2978		7
68	Solvents mediated-synthesis of BiOI photocatalysts with tunable morphologies and their visible-light driven photocatalytic performances in removing of arsenic from water. 2014 , 264, 293-302		160
67	Enhanced visible-light photocatalytic activity of plasmonic Ag and graphene co-modified Bi ₂ WO ₆ nanosheets. 2014 , 16, 1111-20		232
66	Synthesis of parallel squared nanosheet-assembled Bi ₂ WO ₆ microstructures under alkaline hydrothermal treatment. 2014 , 40, 5831-5835		12
65	Effect of iron loading on the photocatalytic performance of Bi ₂ WO ₆ photocatalyst. 2014 , 76, 362-375		29
64	Green synthesis of flower-like Bi ₂ WO ₆ microspheres as a visible-light-driven photocatalyst. <i>New Journal of Chemistry</i> , 2014 , 38, 1973-1979	3.6	27
63	Large-scale synthesis of TiO ₂ microspheres with hierarchical nanostructure for highly efficient photodriven reduction of CO ₂ to CH ₄ . 2014 , 6, 15488-98		126
62	AgBr quantum dots decorated mesoporous Bi ₂ WO ₆ architectures with enhanced photocatalytic activities for methylene blue. 2014 , 2, 11716-11727		192
61	Advanced chemical compositions and nanoarchitectures of bismuth based complex oxides for solar photocatalytic application. <i>RSC Advances</i> , 2014 , 4, 47136-47152	3-7	103
60	Photocatalytic activity of PbS quantum dots sensitized flower-like Bi ₂ WO ₆ for degradation of Rhodamine B under visible light irradiation. 2014 , 394, 309-315		26
59	Photo-Fenton degradation of rhodamine B using Fe ₂ O ₃ -Kaolin as heterogeneous catalyst: characterization, process optimization and mechanism. 2014 , 433, 1-8		150

58	Photocatalytic activities of Fe ₃ O ₄ /TiO ₂ on the mineralization of oxalic acid and formic acid under visible light irradiation. 2014 , 266, 447-455		15
57	Non-classical crystal growth of inorganic and organic materials. 2014 , 30, 611-626		30
56	Preparation of Y-H ₃ PW ₁₂ O ₄₀ /TiO ₂ and La-H ₃ PW ₁₂ O ₄₀ /TiO ₂ by hydrothermal method and its photocatalytic activity for dinitrotoluene decomposition. 2014 , 32, 17-22		11
55	Photocatalysis of dinitrotoluene decomposition by H ₃ PW ₁₂ O ₄₀ /TiO ₂ and H ₄ SiW ₁₂ O ₄₀ /TiO ₂ prepared by a modified sol-gel synthesis and solvothermal treatment method. <i>Chinese Journal of Catalysis</i> , 2014 , 35, 168-174	11.3	18
54	Synthesis of dumbbell-like Bi ₂ WO ₆ @CaWO ₄ composite photocatalyst and application in water treatment. <i>Applied Surface Science</i> , 2014 , 292, 948-953	6.7	29
53	Facile room-temperature precipitation strategy for Ag ₂ O/Bi ₂ WO ₆ heterojunction with high simulated sunlight photocatalytic performance via bi-directed electron migration mechanism. <i>RSC Advances</i> , 2015 , 5, 32333-32342	3.7	26
52	A novel CeO ₂ /Bi ₂ WO ₆ composite with highly enhanced photocatalytic activity. 2015 , 156, 28-31		40
51	Highly efficient visible light-induced photocatalytic degradation of methylene blue over InVO ₄ /BiVO ₄ composite photocatalyst. 2015 , 50, 5788-5798		30
50	Fabrication of novel heterostructured few layered WS ₂ -Bi ₂ WO ₆ /Bi _{3.84} W _{0.16} O _{6.24} composites with enhanced photocatalytic performance. 2015 , 179, 220-228		66
49	Facile in-situ photocatalysis of Ag/Bi ₂ WO ₆ heterostructure with obviously enhanced performance. 2015 , 142, 168-175		42
48	Template-free synthesis of hierarchical γ-Al ₂ O ₃ nanostructures and their adsorption affinity toward phenol and CO ₂ . <i>RSC Advances</i> , 2015 , 5, 7066-7073	3.7	25
47	Facile synthesis of porous Bi ₂ WO ₆ nanosheets with high photocatalytic performance. 2015 , 44, 14532-9		44
46	Study of photocatalytic activities of Bi ₂ WO ₆ nanoparticles synthesized by fast microwave-assisted method. <i>Journal of Alloys and Compounds</i> , 2015 , 647, 123-128	5.7	38
45	Synthesis and photocatalytic activity of ring-like anatase TiO ₂ with {001} facets exposed. 2015 , 41, 8717-8722		6
44	Novel approach for synthesis of boehmite nanostructures and their conversion to aluminum oxide nanostructures for remove Congo red. 2015 , 452, 116-125		47
43	Facile one-pot preparation of Bi ₆ O ₆ (OH) ₃ (NO ₃) ₃ ·5H ₂ O-Bi ₂ WO ₆ heterostructure with superior photocatalytic activity. 2015 , 59, 83-87		14
42	Preparation and characterization of p-n heterojunction CuBi ₂ O ₄ /CeO ₂ and its photocatalytic activities under UVA light irradiation. 2015 , 27, 120-135		48
41	Advanced nanostructured photocatalysts based on reduced graphene oxide-flower-like Bi ₂ WO ₆ composites for an augmented simulated solar photoactivity activity. 2016 , 210, 29-36		31

40	Preparation and Characterization of Bismuth Tungstate Polycrystalline Flake-Ball Particles for Photocatalytic Reactions. 2016 , 391-404		
39	Photodegradation of organic dyes by CeO ₂ /Bi ₂ WO ₆ nanocomposite and its physicochemical properties investigation. 2016 , 42, 16007-16016		28
38	Enhanced ultrasound-assisted degradation of methyl orange and metronidazole by rectorite-supported nanoscale zero-valent iron. 2016 , 28, 62-68		89
37	Controllable synthesis of Bi ₂ WO ₆ nanoplate self-assembled hierarchical erythrocyte microspheres via a one-pot hydrothermal reaction with enhanced visible light photocatalytic activity. <i>Applied Surface Science</i> , 2017 , 403, 326-334	6.7	33
36	Tuning the photocatalytic activity of bismuth wolframate: towards selective oxidations for the biorefinery driven by solar-light. 2017 , 53, 7521-7524		15
35	Self-assembly and enhanced visible-light-driven photocatalytic activity of reduced graphene oxide-Bi ₂ WO ₆ photocatalysts. 2017 , 6, 505-516		10
34	Photoactivity under visible light of metal loaded TiO ₂ catalysts prepared by low frequency ultrasound treatment. 2017 , 284, 92-99		26
33	In-situ transformation of Bi ₂ WO ₆ to highly photoreactive Bi ₂ WO ₆ @Bi ₂ S ₃ nanoplate via ion exchange. <i>Chinese Journal of Catalysis</i> , 2018 , 39, 718-727	11.3	39
32	Hidden geometries in networks arising from cooperative self-assembly. 2018 , 8, 1987		24
31	Vertically-heterostructured TiO ₂ -Ag-rGO ternary nanocomposite constructed with {001} faceted TiO ₂ nanosheets for enhanced Pt-free hydrogen production. 2018 , 43, 1508-1515		23
30	A three-dimensional (3D) structured Bi ₂ WO ₆ -palygorskite composite and their enhanced visible light photocatalytic property. 2018 , 205, 130-139		23
29	Synergetic tuning charge dynamics and potentials of Ag ₃ PO ₄ photocatalysts with boosting activity and stability by facile in-situ fluorination. <i>Applied Surface Science</i> , 2018 , 455, 1137-1149	6.7	31
28	Spectral properties of hyperbolic nanonetworks with tunable aggregation of simplexes. <i>Physical Review E</i> , 2019 , 100, 012309	2.4	12
27	Structure regulation and photocatalytic activity enhancement of Bi ₂ WO ₆ by double-effect modification mode. <i>International Journal of Energy Research</i> , 2019 , 43, 7364	4.5	2
26	SPR effect of bismuth enhanced visible photoreactivity of Bi ₂ WO ₆ for NO abatement. <i>Chinese Journal of Catalysis</i> , 2019 , 40, 755-764	11.3	56
25	Influence of cobalt substitution on the crystal structure, band edges and photocatalytic properties of hierarchical Bi ₂ WO ₆ microspheres. <i>New Journal of Chemistry</i> , 2019 , 43, 9170-9182	3.6	15
24	Facet-dependent evolution of surface defects in anatase TiO ₂ by thermal treatment: implications for environmental applications of photocatalysis. <i>Environmental Science: Nano</i> , 2019 , 6, 1740-1753	7.1	21
23	Photocatalytic degradation of gaseous benzene with Bi ₂ WO ₆ /Palygorskite composite catalyst. <i>Solid State Sciences</i> , 2019 , 90, 76-85	3.4	8

22	High-efficiency and environment-friendly sterilization PEVE coatings modified with Bi ₂ WO ₆ /TiO ₂ composites. <i>Chemical Physics Letters</i> , 2019 , 715, 173-180	2.5	9
21	Preparation and optical characterization of PbWO ₄ nanocrystals from mechanical alloying process. <i>Journal of Materials Science: Materials in Electronics</i> , 2019 , 30, 359-364	2.1	3
20	Influence of Fe dopant concentrations on physicochemical and photocatalytic properties of Bi ₂ WO ₆ /CeO ₂ nanocomposites for rhodamine B degradation. <i>International Journal of Industrial Chemistry</i> , 2020 , 11, 161-175	3.1	1
19	Synthesis of one-pot pyrazolo[4 <i>?</i> ,3 <i>?</i> :5,6]pyrano[2,3- <i>c</i>]phenazin-15-yl) methanone derivatives via a multi-component using Fe ₃ O ₄ @TiO ₂ -SO ₃ H as a recoverable magnetic catalyst under microwave irradiation. <i>Green Chemistry Letters and Reviews</i> , 2020 , 13, 165-178	4.7	3
18	Multi-component reaction synthesis of novel 3-phenyl-3,4-dihydro-2H-benzo[<i>a</i>][1,3]oxazino[5,6- <i>c</i>]phenazine derivatives catalyzed by reusable ZnO-PTA@Fe ₃ O ₄ /EN-MIL-101(Cr) nanopowder at room temperature. <i>Green Chemistry Letters and Reviews</i> , 2020 , 13, 179-191	4.7	4
17	Large-scale influence of defect bonds in geometrically constrained self-assembly. <i>Physical Review E</i> , 2020 , 102, 032307	2.4	4
16	Enhancement of photo-Fenton catalytic activity with the assistance of oxalic acid on the kaolin-FeOOH system for the degradation of organic dyes.. <i>RSC Advances</i> , 2020 , 10, 18704-18714	3.7	10
15	Controlled vertical growing of Bi ₂ O ₃ nano sheets on diatomite disks and its high visible-light photocatalytic performance. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2020 , 392, 112367	4.7	7
14	Synthesis and characterization of TiO ₂ -based nanostructures via fluorine-free solvothermal method for enhancing visible light photocatalytic activity: Experimental and theoretical approach. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2021 , 404, 112834	4.7	7
13	Study on photocatalytic degradation of phenol by BiOI/Bi ₂ WO ₆ layered heterojunction synthesized by hydrothermal method. <i>Journal of Molecular Liquids</i> , 2021 , 322, 114965	6	17
12	An Efficient, Green, Microwave-assisted Synthesis of Benzo[<i>a</i>]furo[2, 3- <i>c</i>]phenazine Derivatives with TiO-SOH as Cost-effective and Recyclable Catalyst under Solventfree Conditions. <i>Current Organic Synthesis</i> , 2021 , 18, 301-309	1.9	1
11	DNA-assisted synthesis of flower-like ZnO mesocrystal. <i>Chemical Physics Letters</i> , 2021 , 778, 138807	2.5	
10	Efficient degradation of tetracycline hydrochloride by photocatalytic ozonation over BiWO ₆ . <i>Chemosphere</i> , 2021 , 283, 131256	8.4	18
9	Carbon quantum dots sensitized 2D/2D carbon nitride nanosheets/bismuth tungstate for visible light photocatalytic degradation norfloxacin. <i>Chemosphere</i> , 2022 , 287, 132126	8.4	0
8	Preparation and performance of highly active and long-life mesopore Ti/SnO ₂ /Bb electrodes for electrochemical degradation of phenol. <i>Journal of Alloys and Compounds</i> , 2022 , 889, 161657	5.7	1
7	Fenton-Like Oxidation of Acid Yellow 23 in the Presence of Iron Rich Soil. <i>Advances in Chemical Engineering and Science</i> , 2016 , 06, 553-569	0.4	8
6	The BiOBr/Bi/Bi ₂ WO ₆ photocatalyst with SPR effect and Z-scheme heterojunction synergistically degraded RhB under visible light. <i>Optical Materials</i> , 2021 , 122, 111641	3.3	5
5	An effective non-equivalent ion exchange method for building an advanced Z-scheme WO ₃ /Bi ₂ WO ₆ photocatalyst. <i>New Journal of Chemistry</i> ,	3.6	1

4	Biogenic Fabrication of Silver Nanoparticles: A Potent and Ideal Candidate for Wastewater Treatment and Water Disinfection. <i>ChemistrySelect</i> , 2022 , 7,	1.8	0
3	Tungsten Catalysts for Visible Light Driven Ofloxacin Photocatalytic Degradation and Hydrogen Production. <i>Catalysts</i> , 2022 , 12, 310	4	1
2	Controllable synthesis of WO ₃ /Co ¹⁺ -WO ₄ composite nanopowders for photocatalytic degradation of methylene blue (MB). <i>Journal of Nanoparticle Research</i> , 2022 , 24,	2.3	1
1	Bismuth tungstate photocatalytic hybrid membranes for the removal and electrochemical quantification of atrazine-fulvic acid in aqueous medium. 2022 , 137016		0