

CITATION REPORT

List of articles citing

Capacitive deionization (CDI) for desalination and water treatment past, present and future (a review)

DOI: 10.1016/j.desal.2007.08.005
Desalination, 2008, 228, 10-29.

Source: <https://exaly.com/paper-pdf/43496941/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
878	Electrodialysis-based separation technologies: A critical review. 2008 , 54, 3147-3159		280
877	Target of 95% Recovery in NEWater Production by using CDI based Process for RO Brine Treatment. 2009 , 2009, 5294-5301		2
876	Electrically Modulated Drug Delivery using Nanoporous Electrodes. 2009 , 1239, 1		
875	Several basic and practical aspects related to electrochemical deionization of water. 2009 , 56, NA-NA		7
874	A short review of activated carbon assisted electrosorption process: an overview, current stage and future prospects. 2009 , 170, 552-9		136
873	Removal of total dissolved solids, nitrates and ammonium ions from drinking water using charge-barrier capacitive deionisation. <i>Desalination</i> , 2009 , 249, 217-223	10.3	52
872	Extracting renewable energy from a salinity difference using a capacitor. 2009 , 103, 058501		292
871	Supercapacitive transport of pharmacologic agents using nanoporous gold electrodes. 2010 , 5, 192-200		23
870	Fabrication of a carbon electrode using activated carbon powder and application to the capacitive deionization process. <i>Separation and Purification Technology</i> , 2010 , 70, 362-366	8.3	129
869	Water purification using magnetic assistance: a review. 2010 , 180, 38-49		704
868	Optimization of power and energy densities in supercapacitors. 2010 , 195, 3748-3756		28
867	Desalination of brackish water containing oil compound by capacitive deionization process. <i>Desalination</i> , 2010 , 253, 119-123	10.3	48
866	Electrode reactions and adsorption/desorption performance related to the applied potential in a capacitive deionization process. <i>Desalination</i> , 2010 , 258, 159-163	10.3	161
865	Capacitive deionization as an electrochemical means of saving energy and delivering clean water. Comparison to present desalination practices: Will it compete?. 2010 , 55, 3845-3856		680
864	Modified Activated Carbon Electrodes for Electrosorption of NaCl from Aqueous Solution. 2010 , 113-116, 2134-2140		1
863	Effect of electrolyte and adsorbates on charging rates in mesoporous gold electrodes. 2010 , 26, 6797-803		16
862	Polypyrrole nanowire modified graphite (PPy/G) electrode used in capacitive deionization. 2010 , 160, 1392-1396		19

861	Improvement of desalination efficiency in capacitive deionization using a carbon electrode coated with an ion-exchange polymer. 2010 , 44, 990-6	200
860	Investigation on removal of hardness ions by capacitive deionization (CDI) for water softening applications. 2010 , 44, 2267-75	277
859	Effect of Salt Depletion on Charging Dynamics in Nanoporous Electrodes. 2010 , 157, A912	20
858	Capacitive Deionization of NaCl Solutions with Modified Activated Carbon Electrodes 2010 , 24, 3329-3333	80
857	Preparation of activated mesoporous carbons for electrosorption of ions from aqueous solutions. 2010 , 20, 4602	114
856	Hierarchical ordered mesoporous carbon from phloroglucinol-glyoxal and its application in capacitive deionization of brackish water. 2010 , 20, 8674	148
855	Electrospun ultrafine carbon fiber webs for electrochemical capacitive desalination. 2010 , 34, 1843	74
854	Phase transition in porous electrodes. 2011 , 134, 154710	38
853	Advanced carbon aerogels for energy applications. 2011 , 4, 656	510
852	Capacitive Deionization of NaCl Solutions at Non-Steady-State Conditions: Inversion Functionality of the Carbon Electrodes. 2011 , 115, 16567-16573	106
851	Electrosorption of different cations and anions with membrane capacitive deionization based on carbon nanotube/nanofiber electrodes and ion-exchange membranes. 2011 , 30, 266-271	18
850	Energy minimization strategies and renewable energy utilization for desalination: a review. 2011 , 45, 1907-20	212
849	Electrosorption-enhanced solid-phase microextraction of trace anions using a platinum plate coated with single-walled carbon nanotubes. 2011 , 85, 1148-53	42
848	Nanotechnology-enabled water treatment and reuse: emerging opportunities and challenges for developing countries. 2011 , 22, 618-624	103
847	Capacitive deionization of NaCl solutions using carbon nanotube sponge electrodes. 2011 , 21, 18295	192
846	Modeling and identification of electric double-layer supercapacitors. 2011 ,	7
845	Developing Nano-Structured Carbon Electrodes for Capacitive Brackish Water Desalination. 2011 ,	4
844	Capacitive deionization using a carbon electrode prepared with water-soluble poly(vinyl alcohol) binder. 2011 , 17, 717-722	52

843	Nanostructured materials for water desalination. 2011 , 22, 292001		465
842	Mesoporous carbon for capacitive deionization of saline water. 2011 , 45, 10243-9		302
841	The electrochemistry of activated carbonaceous materials: past, present, and future. 2011 , 15, 1563-1578		132
840	Carbon materials as electrodes for electrosorption of NaCl in aqueous solutions. 2011 , 17, 467-471		30
839	Stability of a carbon gel electrode when used for the electro-assisted removal of ions from brackish water. <i>Carbon</i> , 2011 , 49, 3723-3730	10.4	84
838	Techno-economic assessment and environmental impacts of desalination technologies. <i>Desalination</i> , 2011 , 266, 263-273	10.3	415
837	Kinetic and isotherm studies on the electrosorption of NaCl from aqueous solutions by activated carbon electrodes. <i>Desalination</i> , 2011 , 267, 239-243	10.3	125
836	Use of mesoporous conductive carbon black to enhance performance of activated carbon electrodes in capacitive deionization technology. <i>Desalination</i> , 2011 , 268, 182-188	10.3	97
835	Preparation and electrosorption desalination performance of activated carbon electrode with titania. <i>Desalination</i> , 2011 , 270, 285-290	10.3	62
834	Development of a two-dimensional coupled-implicit numerical tool for the optimal design of CDI electrodes. <i>Desalination</i> , 2011 , 274, 226-236	10.3	11
833	Ion-exchange membrane capacitive deionization: A new strategy for brackish water desalination. <i>Desalination</i> , 2011 , 275, 62-66	10.3	196
832	Development of novel MnO ₂ /nanoporous carbon composite electrodes in capacitive deionization technology. <i>Desalination</i> , 2011 , 276, 199-206	10.3	128
831	Enhancement of electrosorption capacity of activated carbon fibers by grafting with carbon nanofibers. 2011 , 56, 3164-3169		27
830	The feasibility of boron removal from water by capacitive deionization. 2011 , 56, 6312-6317		53
829	A review of reverse osmosis membrane materials for desalination Development to date and future potential. 2011 , 370, 1-22		1450
828	A comparative study on electrosorptive behavior of carbon nanotubes and graphene for capacitive deionization. <i>Journal of Electroanalytical Chemistry</i> , 2011 , 653, 40-44	4.1	190
827	KOH catalysed preparation of activated carbon aerogels for dye adsorption. <i>Journal of Colloid and Interface Science</i> , 2011 , 357, 157-62	9.3	38
826	Electrical Removal Behavior of Carbon Nanotube and Carbon Nanofiber Film in CuCl ₂ Solution: Kinetics and Thermodynamics Study. 2011 , 2011, 1-8		3

825	Evaluation of Alternatives to Domestic Ion Exchange Water Softeners. 2011 , 2011, 4659-4671	2
824	Capacitance Improvement and Electrochemical Characteristics of Silica-Coated Carbon Electrodes for Capacitive Deionization Application. 2012 , 159, E198-E203	13
823	Diffusion-bonded CNT carpets for fundamental CDI studies. 2012 , 1407, 187	
822	Phase transition in porous electrodes. II. Effect of asymmetry in the ion size. 2012 , 136, 094701	21
821	Impact of Pore Size Characteristics on the Electrosorption Capacity of Carbon Xerogel Electrodes for Capacitive Deionization. 2012 , 159, A1861-A1866	46
820	Thermodynamic relation between voltage-concentration dependence and salt adsorption in electrochemical cells. 2012 , 109, 156103	73
819	Preparation of activated carbon sheet electrode assisted electrosorption process. 2012 , 43, 473-479	65
818	Exploiting the spontaneous potential of the electrodes used in the capacitive mixing technique for the extraction of energy from salinity difference. 2012 , 5, 9870	107
817	UpDown Converter for Energy Recovery in a CDI Desalination System. 2012 , 27, 3257-3265	26
816	Studies on the Desalination of NaCl Solution with Activated Carbon Coating Electrodes by Electrosorption and Kinetic Analysis. 2012 , 581-582, 743-746	
815	Relation between the charge efficiency of activated carbon fiber and its desalination performance. 2012 , 28, 5079-84	85
814	Effect of dopants on the adsorbing performance of polypyrrole/graphite electrodes for capacitive deionization process. 2012 , 162, 655-661	20
813	State of the art and review on the treatment technologies of water reverse osmosis concentrates. 2012 , 46, 267-83	519
812	Strategies for the removal of halides from drinking water sources, and their applicability in disinfection by-product minimisation: a critical review. 2012 , 110, 276-98	78
811	Graphene prepared via a novel pyridine thermal strategy for capacitive deionization. 2012 , 22, 23745	132
810	Energy consumption and constant current operation in membrane capacitive deionization. 2012 , 5, 9520	363
809	Capacitive desalination with flow-through electrodes. 2012 , 5, 9511	274
808	Removal of acetic acid and sulfuric acid from biomass hydrolyzate using a lime addition capacitive deionization (CDI) hybrid process. 2012 , 47, 2051-2057	11

807	Application of capacitive deionization (CDI) technology to insulin purification process. <i>Separation and Purification Technology</i> , 2012 , 98, 31-35	8.3	31
806	Sustainable desalination using a microbial capacitive desalination cell. 2012 , 5, 7161		104
805	Ions Transport and Adsorption Mechanisms in Porous Electrodes During Capacitive-Mixing Double Layer Expansion (CDLE). 2012 , 116, 16934-16938		63
804	Characterization of Ion Transport and -Sorption in a Carbon Based Porous Electrode for Desalination Purposes. 2012 ,		
803	Wettability and its influence on graphene nanosheets as electrode material for capacitive deionization. 2012 , 548, 23-28		91
802	Applications of Charged Membranes in Separation, Fuel Cells, and Emerging Processes. 2012 , 761-815		15
801	Study of carbon aerogel-activated carbon composite electrodes for capacitive deionization application. 2012 , 49, 130-135		15
800	Nanotechnology and Food Industry. 2012 ,		3
799	Carbon nanofibers prepared via electrospinning. 2012 , 24, 2547-66		568
798	Graphene nanosheets reduced by a multi-step process as high-performance electrode material for capacitive deionisation. <i>Carbon</i> , 2012 , 50, 2315-2321	10.4	125
797	Development of a two-dimensional coupled-implicit numerical tool for analysis of the CDI operation. <i>Desalination</i> , 2012 , 288, 66-71	10.3	6
796	Single-walled carbon nanotubes and polyaniline composites for capacitive deionization. <i>Desalination</i> , 2012 , 290, 125-129	10.3	88
795	Effect of electrode thickness variation on operation of capacitive deionization. 2012 , 75, 148-156		129
794	The production of ultrapure water by membrane capacitive deionization (MCDI) technology. 2012 , 409-410, 251-256		70
793	Electrochemical response of carbon aerogel electrodes in saline water. <i>Journal of Electroanalytical Chemistry</i> , 2012 , 671, 92-98	4.1	52
792	A study of the capacitive deionisation performance under various operational conditions. 2012 , 213-214, 491-7		143
791	Comparable mono and bipolar connection of capacitive deionization stack in NaCl treatment. 2012 , 18, 763-766		16
790	Ion-selective composite carbon electrode coated with TiO ₂ nanoparticles for the application of electrosorption process. 2013 , 51, 503-510		12

789	Application of carbon nano-materials in desalination processes. 2013 , 51, 627-636		20
788	Application of capacitive deionization technology to the removal of sodium chloride from aqueous solutions. 2013 , 10, 753-760		49
787	Direct growth of MWCNTs on 316 stainless steel by chemical vapor deposition: Effect of surface nano-features on CNT growth and structure. <i>Carbon</i> , 2013 , 63, 330-347	10.4	55
786	Impedance-based study of capacitive porous carbon electrodes with hierarchical and bimodal porosity. 2013 , 241, 266-273		67
785	Three-dimensional graphene/metal oxide nanoparticle hybrids for high-performance capacitive deionization of saline water. 2013 , 25, 6270-6		437
784	Selective removal of nitrate ions by controlling the applied current in membrane capacitive deionization (MCDI). 2013 , 429, 52-57		92
783	Preparing CNTs/Ca-Selective zeolite composite electrode to remove calcium ions by capacitive deionization. <i>Desalination</i> , 2013 , 326, 109-114	10.3	37
782	Influence of temperature on the electrosorption of ions from aqueous solutions using mesoporous carbon materials. <i>Separation and Purification Technology</i> , 2013 , 116, 206-213	8.3	21
781	Optimization of Capacitive Deionization for Salt Removal from Water with Response Surface Methodology. 2013 , 368-370, 257-260		
780	Enhanced Electrosorption Capacitance of Porous Carbon Particles Synthesized by Spray Pyrolysis. 2013 , 160, E84-E89		4
779	Modification of Carbon Xerogel Electrodes for More Efficient Asymmetric Capacitive Deionization. 2013 , 160, E106-E112		48
778	Three-dimensional macroporous graphene architectures as high performance electrodes for capacitive deionization. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 11778	13	223
777	Microwave-assisted ionothermal synthesis of nanostructured anatase titanium dioxide/activated carbon composite as electrode material for capacitive deionization. 2013 , 96, 173-179		70
776	A study of the long-term operation of capacitive deionisation in inland brackish water desalination. <i>Desalination</i> , 2013 , 320, 80-85	10.3	68
775	Performance comparison and energy consumption analysis of capacitive deionization and membrane capacitive deionization processes. <i>Desalination</i> , 2013 , 324, 127-133	10.3	93
774	Coupling ion-exchangers with inexpensive activated carbon fiber electrodes to enhance the performance of capacitive deionization cells for domestic wastewater desalination. 2013 , 47, 2523-30		112
773	Long term stability of capacitive de-ionization processes for water desalination: The challenge of positive electrodes corrosion. 2013 , 106, 91-100		171
772	Ion selection of charge-modified large nanopores in a graphene sheet. 2013 , 139, 114702		75

771	Using oxygen plasma treatment to improve the performance of electrodes for capacitive water deionization. 2013 , 106, 494-499		28
770	Relationship between capacitance of activated carbon composite electrodes measured at a low electrolyte concentration and their desalination performance in capacitive deionization. <i>Journal of Electroanalytical Chemistry</i> , 2013 , 704, 169-174	4.1	63
769	Neutron imaging of ion transport in mesoporous carbon materials. 2013 , 15, 11740-7		14
768	Direct synthesis of ordered mesoporous carbons. 2013 , 42, 3977-4003		457
767	Asymmetric Capacitive Deionization Utilizing Low Surface Area Carbon Electrodes Coated with Nanoporous Thin-Films of Al ₂ O ₃ and SiO ₂ . 2013 , 160, E71-E78		33
766	Enhancement of nitrate removal from a solution of mixed nitrate, chloride and sulfate ions using a nitrate-selective carbon electrode. <i>Desalination</i> , 2013 , 320, 10-16	10.3	69
765	Membrane processes for a sustainable industrial growth. 2013 , 3, 5694		148
764	Electro-diffusion of ions in porous electrodes for capacitive extraction of renewable energy from salinity differences. 2013 , 92, 304-314		69
763	A comparative study of electrosorption selectivity of ions by activated carbon electrodes in capacitive deionization. <i>Desalination</i> , 2013 , 314, 124-129	10.3	186
762	Study of fouling and scaling in capacitive deionisation by using dissolved organic and inorganic salts. 2013 , 244-245, 387-93		73
761	Small-angle neutron scattering for in situ probing of ion adsorption inside micropores. 2013 , 52, 4618-22		52
760	Ion-selective carbon nanotube electrodes in capacitive deionisation. 2013 , 91, 11-19		76
759	Large-scale water desalination methods: a review and new perspectives. 2013 , 51, 2836-2849		32
758	Surface conductivity measurements for porous carbon electrodes. 2013 , 49, 594-598		20
757	Evaluation of the salt removal efficiency of capacitive deionisation: Kinetics, isotherms and thermodynamics. <i>Chemical Engineering Journal</i> , 2013 , 223, 704-713	14.7	45
756	Carbon nanotube/graphene composite for enhanced capacitive deionization performance. <i>Carbon</i> , 2013 , 59, 464-471	10.4	189
755	Electrosorption behavior of copper ions with poly(m-phenylenediamine) paper electrode. 2013 , 26, 59-62		30
754	Review on the science and technology of water desalination by capacitive deionization. 2013 , 58, 1388-1442		1264

753	A microbial fuel cell driven capacitive deionization technology for removal of low level dissolved ions. 2013 , 91, 623-8		41
752	Electrochemically mediated seawater desalination. 2013 , 52, 8107-10		77
751	Unraveling the potential and pore-size dependent capacitance of slit-shaped graphitic carbon pores in aqueous electrolytes. 2013 , 15, 2309-20		64
750	Energy recovery in membrane capacitive deionization. 2013 , 47, 4904-10		240
749	Using capacitive deionisation for inland brackish groundwater desalination in a remote location. <i>Desalination</i> , 2013 , 308, 154-160	10.3	73
748	Development of Cd-doped Co Nanoparticles Encapsulated in Graphite Shell as Novel Electrode Material for the Capacitive Deionization Technology. 2013 , 5, 303-313		18
747	Energy consumption in membrane capacitive deionization for different water recoveries and flow rates, and comparison with reverse osmosis. <i>Desalination</i> , 2013 , 330, 35-41	10.3	235
746	DESALINATION BY CAPACITIVE DEIONIZATION WITH CARBON-BASED MATERIALS AS ELECTRODE: A REVIEW. 2013 , 20, 1330003		34
745	Characterization of Ion Transport and -Sorption in a Carbon Based Porous Electrode for Desalination Purposes. 2013 , 135,		4
744	Capacitive Mixing for Harvesting the Free Energy of Solutions at Different Concentrations. 2013 , 15, 1388-1407		92
743	Development of multi-channel carbon nanofibers as effective electrosorptive electrodes for a capacitive deionization process. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 11001	13	57
742	Small-Angle Neutron Scattering for In Situ Probing of Ion Adsorption Inside Micropores. 2013 , 125, 4716-4720		7
741	Effects of ageing and incorporation of ion-exchange membrane on the electrosorption performance of activated carbon based electrodes modules. 2013 , 51, 3489-3496		11
740	Phase transition in porous electrodes. III. For the case of a two component electrolyte. 2013 , 138, 234704		11
739	Investigation of HNO ₃ -Treated Carbon Xerogel Electrodes for Capacitive Deionization Applications. 2013 , 53, 219-233		2
738	Voltage induced pressure in porous electrodes. 2013 , 111, 297-308		7
737	Experimental investigation of inorganic nanofiltration membranes prepared by atomic layer deposition and sol-gel methods for saltless water softening. 2013 , 16, 21		
736	Electrochemically Mediated Seawater Desalination. 2013 , 125, 8265-8268		9

735	. 2014,		27
734	Optimization of lithium electrosorption from brine deposit. 2014 , 17, 157-162		4
733	Optimum Peak Current Hysteresis Control for Energy Recovering Converter in CDI Desalination. 2014 , 7, 3823-3839		5
732	Effect of Activated Carbon Fiber Properties on Ca ²⁺ Removal by Capacitive Deionization. 2014 , 700, 281-285		1
731	Comparative Study of the Growth of CNTs on Stainless Steel with and without the External Catalyst. 2014 , 58, 21-31		
730	Asymmetric Electrodes Constructed with PAN-Based Activated Carbon Fiber in Capacitive Deionization. 2014 , 2014, 1-6		8
729	Evaluation of operational parameters for a capacitive deionization reactor employing asymmetric electrodes. <i>Separation and Purification Technology</i> , 2014 , 133, 236-245	8.3	53
728	A TiO ₂ nanofiber/activated carbon composite as a novel effective electrode material for capacitive deionization of brackish water. 2014 , 4, 64634-64642		32
727	Fabrication of core-shell particles for a fluidized bed electrode in seawater desalination. 2014 , 260, 424-428		3
726	Effect of the resorcinol/catalyst ratio in the capacitive performance of carbon xerogels with potential use in sodium chloride removal from saline water. 2014 , 18, 2847-2856		11
725	TiO ₂ sol-gel spray method for carbon electrode fabrication to enhance desalination efficiency of capacitive deionization. <i>Desalination</i> , 2014 , 342, 70-74	10.3	88
724	Enhanced capacitive deionization of lead ions using air-plasma treated carbon nanotube electrode. 2014 , 251, 122-127		45
723	Capacitive deionization by ordered mesoporous carbon: electrosorption isotherm, kinetics, and the effect of modification. 2014 , 52, 1388-1395		15
722	Desalination at overlimiting currents: State-of-the-art and perspectives. <i>Desalination</i> , 2014 , 342, 85-106	10.3	240
721	Optimization of the operational parameters for desalination with response surface methodology during a capacitive deionization process. <i>Desalination</i> , 2014 , 336, 64-71	10.3	35
720	Electrochemical Desalination for a Sustainable Water Future. 2014 , 1, 850-857		29
719	Desalination by capacitive deionization process using nitric acid-modified activated carbon as the electrodes. <i>Desalination</i> , 2014 , 340, 67-72	10.3	63
718	Development of multi-walled carbon nanotube/poly(vinyl alcohol) composite as electrode for capacitive deionization. <i>Separation and Purification Technology</i> , 2014 , 130, 7-14	8.3	62

717	Enhanced desalination efficiency in modified membrane capacitive deionization by introducing ion-exchange polymers in carbon nanotubes electrodes. 2014 , 130, 619-624		94
716	New Control Strategy of an UpDown Converter for Energy Recovery in a CDI Desalination System. 2014 , 29, 3573-3581		13
715	Application of Capacitive Deionisation in water desalination: A review. <i>Desalination</i> , 2014 , 342, 3-15	10.3	309
714	Graphene oxide-embedded porous carbon nanofiber webs by electrospinning for capacitive deionization. 2014 , 444, 153-158		59
713	Enhancement of electrosorption rates using low-amplitude, high-frequency, pulsed electrical potential. <i>Separation and Purification Technology</i> , 2014 , 129, 18-24	8.3	8
712	Carbon Nanofibers Via Electrospinning. 2014 , 165-188		2
711	Carbon Materials for Adsorption of Molecules and Ions. 2014 , 335-361		5
710	Capacitive deionization (CDI) for removal of phosphate from aqueous solution. 2014 , 52, 759-765		29
709	Electrosorption on activated biochar: effect of thermo-chemical activation treatment on the electric double layer capacitance. 2014 , 44, 141-157		56
708	Carbon nanorods derived from natural based nanocrystalline cellulose for highly efficient capacitive deionization. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 20966-20972	13	19
707	Filtration of sodium chloride from seawater using carbon hollow tube composed of carbon nanotubes. 2014 , 5, 194-206		2
706	Performance of a mixing entropy battery alternately flushed with wastewater effluent and seawater for recovery of salinity-gradient energy. 2014 , 7, 2295-2300		47
705	A high charge efficiency electrode by self-assembling sulphonated reduced graphene oxide onto carbon fibre: towards enhanced capacitive deionization. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 3484	13	65
704	Electrokinetic desalination using honeycomb carbon nanotubes (HC-CNTs): a conceptual study by molecular simulation. 2014 , 16, 18941-8		6
703	Current and Emerging Practices for Managing Coalbed Methane Produced Water in the United States. 2014 , 219-240		
702	Insight into the pore tuning of triazine-based nitrogen-rich organoalkoxysilane membranes for use in water desalination. 2014 , 4, 23759-23769		25
701	Determination of the electrode potential causing Faradaic reactions in membrane capacitive deionization. <i>Desalination</i> , 2014 , 347, 224-229	10.3	56
700	Dependence of the Capacitive Deionization Performance on Potential of Zero Charge Shifting of Carbon Xerogel Electrodes during Long-Term Operation. 2014 , 161, E159-E166		81

699	Polypyrrole/carbon nanotube composites as cathode material for performance enhancing of capacitive deionization technology. <i>Desalination</i> , 2014 , 354, 62-67	10.3	39
698	Comparison of salt adsorption capacity and energy consumption between constant current and constant voltage operation in capacitive deionization. <i>Desalination</i> , 2014 , 352, 52-57	10.3	90
697	WITHDRAWN: Fabrication of core-shell particles for a fluidized bed electrode in seawater desalination. 2014 ,		
696	Improved electro-assisted removal of phosphates and nitrates using mesoporous carbon aerogels with controlled porosity. 2014 , 44, 963-976		21
695	Electrosorption of Heavy Metals with Capacitive Deionization: Water Reuse, Desalination and Resources Recovery. 2014 , 521-548		1
694	Hollow carbon nanofibers as an effective electrode for brackish water desalination using the capacitive deionization process. 2014 , 38, 198-205		95
693	Evaluating capacitive deionization for water desalination by direct determination of chloride ions. <i>Desalination</i> , 2014 , 344, 396-401	10.3	7
692	Graphene wrapped MnO ₂ -nanostructures as effective and stable electrode materials for capacitive deionization desalination technology. <i>Desalination</i> , 2014 , 344, 289-298	10.3	125
691	Electrospun Composites Made of Reduced Graphene Oxide and Activated Carbon Nanofibers for Capacitive Deionization. 2014 , 137, 388-394		92
690	Capacitive deionization of seawater effected by nano Ag and Ag@C on graphene. 2014 , 85, 733-7		19
689	Batch mode and continuous desalination of water using flowing carbon deionization (FCDI) technology. 2014 , 46, 152-156		113
688	Recycle of calcium waste into mesoporous carbons as sustainable electrode materials for capacitive deionization. 2014 , 183, 91-98		26
687	Efficient Desalination by Reverse Osmosis: A guide to RO practice. 2015 , 14,		0
686	Moderately nonlinear diffuse-charge dynamics under an ac voltage. 2015 , 92, 032305		17
685	Optimum ANN empirical model of capacitive deionisation desalination unit. 2015 , 2, 116		
684	Toward anti-fouling capacitive deionization by using visible-light reduced TiO ₂ /graphene nanocomposites. 2015 , 5, 613-617		19
683	Mild desalination of various raw water streams. 2015 , 72, 371-6		15
682	Sulfonated Graphene as Cation-Selective Coating: A New Strategy for High-Performance Membrane Capacitive Deionization. 2015 , 2, 1500372		58

681	Capacitive Deionization using Biomass-based Microporous Salt-Templated Heteroatom-Doped Carbons. 2015 , 8, 1867-74		88
680	'Soft' amplifier circuits based on field-effect ionic transistors. 2015 , 11, 4793-8		10
679	Rational design and fabrication of graphene/carbon nanotubes hybrid sponge for high-performance capacitive deionization. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 13418-13425	13	74
678	Synthesized of macroporous composite electrode by activated carbon fiber and MgAl(OH) ₂ (NO ₃) hydroxalcite-like compounds to remove bromate. 2015 , 481, 393-399		6
677	Capacitive charging and desalination dynamics of a packed-bed reactor. 2015 , 17, 7181-95		7
676	Membrane configuration influences microbial capacitive desalination performance. <i>Environmental Science: Water Research and Technology</i> , 2015 , 1, 348-354	4.2	8
675	Estimates of Arab world research productivity associated with desalination: a bibliometric analysis. 2015 , 7, 3-16		13
674	Transport of ions in mesoporous carbon electrodes during capacitive deionization of high-salinity solutions. 2015 , 31, 1038-47		49
673	Facile fabrication of graphene/polypyrrole/Mn composites as high-performance electrodes for capacitive deionization. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 5866-5874	13	59
672	Activated carbon electrodes: electrochemical oxidation coupled with desalination for wastewater treatment. 2015 , 125, 205-11		57
671	Facile synthesis of novel graphene sponge for high performance capacitive deionization. 2015 , 5, 8458		154
670	Nonfaradaic nanoporous electrochemistry for conductometry at high electrolyte concentration. 2015 , 87, 2443-51		5
669	Nitrogen-doped porous carbon spheres for highly efficient capacitive deionization. 2015 , 158, 403-409		110
668	Surface charge enhanced carbon electrodes for stable and efficient capacitive deionization using inverted adsorption-desorption behavior. 2015 , 8, 897-909		275
667	Microbial capacitive desalination for integrated organic matter and salt removal and energy production from unconventional natural gas produced water. <i>Environmental Science: Water Research and Technology</i> , 2015 , 1, 47-55	4.2	44
666	Effects of activated carbon characteristics on the electrosorption capacity of titanium dioxide/activated carbon composite electrode materials prepared by a microwave-assisted ionothermal synthesis method. <i>Journal of Colloid and Interface Science</i> , 2015 , 446, 352-8	9.3	21
665	Enhancing capacitive deionization performance of electrospun activated carbon nanofibers by coupling with carbon nanotubes. <i>Journal of Colloid and Interface Science</i> , 2015 , 446, 373-8	9.3	63
664	TiO ₂ nanorod-intercalated reduced graphene oxide as high performance electrode material for membrane capacitive deionization. <i>Desalination</i> , 2015 , 361, 53-64	10.3	103

663	Polypyrrole/polyaniline composites with enhanced performance for capacitive deionization. 2015 , 54, 3248-3256		9
662	Surface design and engineering of hierarchical hybrid nanostructures for asymmetric supercapacitors with improved electrochemical performance. <i>Journal of Colloid and Interface Science</i> , 2015 , 447, 282-301	9.3	36
661	Novel nitrogen doped graphene sponge with ultrahigh capacitive deionization performance. 2015 , 5, 11225		149
660	Stable and effective super-hydrophilic polysulfone nanofiber mats for oil/water separation. 2015 , 72, 125-133		29
659	Single module flow-electrode capacitive deionization for continuous water desalination. 2015 , 60, 34-37		93
658	Highly porous activated carbons from resource-recovered <i>Leucaena leucocephala</i> wood as capacitive deionization electrodes. 2015 , 141, 71-9		42
657	Substrate Modification and Magnetic Water Treatment on the Maintenance of Tunnel Drainage Systems. I: Feasibility Tests. 2015 , 29, 04014076		7
656	Asymmetric capacitive deionization utilizing nitric acid treated activated carbon fiber as the cathode. 2015 , 176, 426-433		104
655	Nitrogen-doped carbon nanorods with excellent capacitive deionization ability. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 17304-17311	13	59
654	Facile fabrication of porous carbon nanofibers by electrospun PAN/dimethyl sulfone for capacitive deionization. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 13827-13834	13	69
653	The study of capacitive deionization behavior of a carbon nanotube electrode from the perspective of charge efficiency. 2015 , 71, 83-8		16
652	Reversible Multivalent (Monovalent, Divalent, Trivalent) Ion Insertion in Open Framework Materials. 2015 , 5, 1401869		142
651	On the use of carbon black loaded nitrogen-doped carbon aerogel for the electrosorption of sodium chloride from saline water. 2015 , 170, 154-163		26
650	Inline coagulation-ultrafiltration as the pretreatment for reverse osmosis brine treatment and recovery. <i>Desalination</i> , 2015 , 365, 242-249	10.3	39
649	Ultra-thin carbon nanofiber networks derived from bacterial cellulose for capacitive deionization. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 8693-8700	13	78
648	A study of electrosorption selectivity of anions by activated carbon electrodes in capacitive deionization. <i>Desalination</i> , 2015 , 369, 46-50	10.3	87
647	Recent advances in utilization of graphene for filtration and desalination of water: A review. <i>Desalination</i> , 2015 , 365, 389-397	10.3	164
646	Environmental applications of graphene-based nanomaterials. 2015 , 44, 5861-96		1022

645	Fabrication of Graphene-Based Xerogels for Removal of Heavy Metal Ions and Capacitive Deionization. 2015 , 3, 1056-1065		90
644	Enhancement of capacitive deionization capacity of hierarchical porous carbon. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 12730-12737	13	62
643	Parameter optimization based on capacitive deionization for highly efficient desalination of domestic wastewater biotreated effluent and the fouled electrode regeneration. <i>Desalination</i> , 2015 , 365, 407-415	10.3	66
642	High-Performance Capacitive Deionization Disinfection of Water with Graphene Oxide-graft-Quaternized Chitosan Nanohybrid Electrode Coating. 2015 , 9, 10142-57		74
641	Two-Dimensional Porous Electrode Model for Capacitive Deionization. 2015 , 119, 24681-24694		95
640	Electric Double-Layer Effects Induce Separation of Aqueous Metal Ions. 2015 , 9, 10922-30		33
639	Fluoride and nitrate removal from brackish groundwaters by batch-mode capacitive deionization. 2015 , 84, 342-9		149
638	Preparation optimization on the coating-type polypyrrole/carbon nanotube composite electrode for capacitive deionization. 2015 , 182, 81-88		24
637	Enhanced Salt Removal in an Inverted Capacitive Deionization Cell Using Amine Modified Microporous Carbon Cathodes. 2015 , 49, 10920-6		134
636	A molecular theory for optimal blue energy extraction by electrical double layer expansion. 2015 , 17, 23970-6		14
635	Application of chemically synthesized polypyrrole with hydro-sponge characteristic as electrode in water desalination. 2015 , 5, 71593-71600		8
634	Cellulose Derived Graphenic Fibers for Capacitive Desalination of Brackish Water. 2015 , 7, 20156-63		36
633	Continuous cycling of an asymmetric capacitive deionization system: An evaluation of the electrode performance and stability. 2015 , 3, 2358-2367		27
632	Fabrication of mesoporous graphene electrodes with enhanced capacitive deionization. 2015 , 182, 183-191		47
631	CDI ragone plot as a functional tool to evaluate desalination performance in capacitive deionization. 2015 , 5, 1456-1461		166
630	Thermodynamics and kinetics of adsorption of ammonium ions by graphene laminate electrodes in capacitive deionization. <i>Desalination</i> , 2015 , 357, 178-188	10.3	65
629	The effect of the flow-regime, reversal of polarization, and oxygen on the long term stability in capacitive de-ionization processes. 2015 , 153, 106-114		107
628	Porous carbon spheres via microwave-assisted synthesis for capacitive deionization. 2015 , 151, 489-496		117

627	Graphene-based nanomaterial: The state-of-the-art material for cutting edge desalination technology. <i>Desalination</i> , 2015 , 356, 115-128	10.3	136
626	Capacitive desalination of ZnO/activated carbon asymmetric capacitor and mechanism analysis. 2015 , 151, 312-318		50
625	Functional graphene nanosheets: The next generation membranes for water desalination. <i>Desalination</i> , 2015 , 356, 208-225	10.3	264
624	Enhanced salt-adsorption capacity of ambient pressure dried carbon aerogel activated by CO ₂ for capacitive deionization application. 2015 , 54, 2825-2831		13
623	Comparison of constant voltage (CV) and constant current (CC) operation in the membrane capacitive deionisation process. 2015 , 56, 921-928		23
622	Salinity gradient energy. 2016 , 1-17		6
621	Capacitive mixing and mixing entropy battery. 2016 , 181-218		4
620	Enhanced Salt Removal by Unipolar Ion Conduction in Ion Concentration Polarization Desalination. 2016 , 6, 25349		46
619	Electrosorption. 2016 , 1-11		5
618	Arsenic removal from groundwater using low-cost carbon composite electrodes for capacitive deionization. 2016 , 73, 3064-71		9
617	Capacitive deionization of ground water using carbon aerogel based electrodes. 2016 , 57, 26871-26879		5
616	New Operational Modes to Increase Energy Efficiency in Capacitive Deionization Systems. 2016 , 50, 6053-60		54
615	Flow-Electrode Capacitive Deionization Using an Aqueous Electrolyte with a High Salt Concentration. 2016 , 50, 5892-9		110
614	Mn-Containing N-Doped Monolithic Carbon Aerogels with Enhanced Macroporosity as Electrodes for Capacitive Deionization. 2016 , 4, 2487-2494		29
613	Optimization on electrode assemblies based on ion-doped polypyrrole/carbon nanotube composite in capacitive deionization process. <i>Journal of Electroanalytical Chemistry</i> , 2016 , 768, 72-80	4.1	27
612	In situ creating interconnected pores across 3D graphene architectures and their application as high performance electrodes for flow-through deionization capacitors. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 4908-4919	13	84
611	Electrochemical softening using capacitive deionization (CDI) with zeolite modified carbon electrode (ZMCE). 2016 , 57, 24682-24687		4
610	A capacitive deionization system with high energy recovery and effective re-use. 2016 , 103, 605-617		25

609	Na ₂ FeP ₂ O ₇ as a Novel Material for Hybrid Capacitive Deionization. 2016 , 203, 265-271		161
608	Mesoporous generation-inspired ultrahigh capacitive deionization performance by sono-assembled activated carbon/inter-connected graphene network architecture. 2016 , 205, 161-169		18
607	Capacitive deionization with Ca-alginate coated-carbon electrode for hardness control. <i>Desalination</i> , 2016 , 392, 46-53	10.3	65
606	Electrosorption of fluoride on TiO ₂ -loaded activated carbon in water. 2016 , 502, 66-73		33
605	A novel process for NH ₃ -based CO ₂ capture by integrating flow-by capacitive ion separation. 2016 , 54, 50-58		7
604	Selective Molecularly Mediated Pseudocapacitive Separation of Ionic Species in Solution. 2016 , 8, 32743-32753		32
603	Influence of Metal Oxide Coatings on the Microstructural and Electrochemical Properties of Different Carbon Materials. 2016 , 163, A2733-A2744		13
602	Carbon spheres with hierarchical micro/mesopores for water desalination by capacitive deionization. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 16094-16100	13	40
601	An asymmetrical activated carbon electrode configuration for increased pore utilization in a membrane-assisted capacitive deionization system. 2016 , 31, 378-385		4
600	From metal-organic frameworks to porous carbons: A promising strategy to prepare high-performance electrode materials for capacitive deionization. <i>Carbon</i> , 2016 , 108, 433-439	10.4	83
599	Surface-modified spherical activated carbon for high carbon loading and its desalting performance in flow-electrode capacitive deionization. 2016 , 6, 69720-69727		59
598	Life cycle assessment of environmental impacts and energy demand for capacitive deionization technology. <i>Desalination</i> , 2016 , 399, 53-60	10.3	52
597	Review on carbon-based electrode materials for application in capacitive deionization process. 2016 , 13, 2961-2976		49
596	Porous MnO _x -Covered Electrospun Carbon Nanofiber for Capacitive Deionization. 2016 , 163, A2515-A2523		26
595	Electrodeposited Manganese Dioxide/Activated Carbon Composite As a High-Performance Electrode Material for Capacitive Deionization. 2016 , 4, 4762-4770		85
594	Functional Three-Dimensional Graphene/Polymer Composites. 2016 , 10, 7231-47		245
593	. 2016 ,		2
592	The Origins of Low Efficiency in Electrochemical De-Ionization Systems. 2016 , 163, E363-E371		21

591	Particulate-free porous silicon networks for efficient capacitive deionization water desalination. 2016 , 6, 24680		14
590	Water Treatment by Electromembrane Processes. 2016 , 181-214		2
589	Study of sugar cane bagasse fly ash as electrode material for capacitive deionization. 2016 , 120, 389-398		34
588	Moderately oxidized graphene-carbon nanotubes hybrid for high performance capacitive deionization. 2016 , 6, 58907-58915		29
587	An in Situ Potential-Enhanced Ion Transport System Based on FeHCFBP/Py/PSS Membrane for the Removal of Ca ²⁺ and Mg ²⁺ from Dilute Aqueous Solution. <i>Industrial & Engineering Chemistry Research</i> , 2016 , 55, 6194-6203	3.9	26
586	In Situ Enhancement of Flow-through Porous Electrodes with Carbon Nanotubes via Flowing Deposition. 2016 , 206, 36-44		15
585	The Carbon-Water Interface: Modeling Challenges and Opportunities for the Water-Energy Nexus. 2016 , 7, 533-56		60
584	Capacitive Deionization for Desalination Using Nanostructured Electrodes. 2016 , 49, 1641-1655		20
583	Performance Characterization of a Capacitive Deionization Water Desalination System With an Intermediate Solution and Low Salinity Water. 2016 , 138,		6
582	A flexible cotton-derived carbon sponge for high-performance capacitive deionization. <i>Carbon</i> , 2016 , 101, 1-8	10.4	71
581	Effect of electrode properties and operational parameters on capacitive deionization using low-cost commercial carbons. <i>Separation and Purification Technology</i> , 2016 , 158, 39-52	8.3	35
580	Effect of activated biochar porous structure on the capacitive deionization of NaCl and ZnCl ₂ solutions. 2016 , 224, 217-228		57
579	Solar light reduced Graphene as high energy density supercapacitor and capacitive deionization electrode. 2016 , 209, 719-729		48
578	Electro-removal of arsenic(III) and arsenic(V) from aqueous solutions by capacitive deionization. 2016 , 312, 208-215		102
577	Enhanced capacitive deionization performance with carbon electrodes prepared with a modified evaporation casting method. <i>Desalination</i> , 2016 , 386, 32-38	10.3	16
576	Strategies for the management and treatment of coal seam gas associated water. 2016 , 57, 669-691		65
575	Preparation and Application of Electrodes in Capacitive Deionization (CDI): a State-of-Art Review. 2016 , 11, 64		96
574	. 2016 , 63, 1586-1597		9

573	Capacitive mixing with electrodes of the same kind for energy production from salinity differences. 2016 , 28, 114004		17
572	A novel method to tailor the porous structure of KOH-activated biochar and its application in capacitive deionization and energy storage. 2016 , 87, 107-121		121
571	Li-ion doped graphene/carbon nanofiber porous architectures for electrochemical capacitive desalination. <i>Desalination</i> , 2016 , 379, 118-125	10.3	15
570	Individual Liquids and Liquid Solutions Under Confinement. 2016 , 205-249		
569	Comparative insight into the capacitive deionization behavior of the activated carbon electrodes by two electrochemical techniques. <i>Desalination</i> , 2016 , 379, 34-41	10.3	35
568	Enhanced removal of 8-quinolinecarboxylic acid in an activated carbon cloth by electroadsorption in aqueous solution. 2016 , 144, 982-8		17
567	Carbon electrode modified by KOH solution to improve performance of capacitive desalination. 2016 , 57, 17731-17737		6
566	Individual and competitive removal of heavy metals using capacitive deionization. 2016 , 302, 323-331		130
565	A protic salt-derived porous carbon for efficient capacitive deionization: Balance between porous structure and chemical composition. <i>Carbon</i> , 2017 , 116, 21-32	10.4	57
564	Study the effect of active carbon modified using HNO ₃ for carbon electrodes in capacitive deionization system. 2017 ,		2
563	Electrostatic Processes and Products. 2017 , 185-201		
562	Capacitive Deionization Using Alternating Polarization: Effect of Surface Charge on Salt Removal. 2017 , 233, 249-255		42
561	Structured and Surface-Modified Carbon Xerogel Electrodes for Capacitive Deionization. 2017 , 1-23		
560	Fabrication of graphene/activated carbon nanofiber composites for high performance capacitive deionization. 2017 , 72, 213-219		30
559	Pure water and energy production through an integrated electrochemical process. 2017 , 47, 315-325		2
558	Removal of nitrate by asymmetric capacitive deionization. <i>Separation and Purification Technology</i> , 2017 , 183, 145-152	8.3	41
557	Performance Improvement of Capacitive Deionization for Water Desalination Using a Multistep Buffered Approach. 2017 , 139,		9
556	Use of Soft Electrodes in Capacitive Deionization of Solutions. 2017 , 51, 5326-5333		35

555	Performance optimization of integrated electrochemical capacitive deionization and reverse electrodialysis model through a series pass desorption process. <i>Journal of Electroanalytical Chemistry</i> , 2017 , 795, 41-50	4.1	11
554	Electrochemical Activation of Graphene at Low Temperature: The Synthesis of Three-Dimensional Nanoarchitectures for High Performance Supercapacitors and Capacitive Deionization. 2017 , 5, 4573-4581		4 ⁰
553	Quasi-Steady-State Polarization Reveals the Interplay of Capacitive and Faradaic Processes in Capacitive Deionization. 2017 , 4, 2404-2413		35
552	A novel three-dimensional desalination system utilizing honeycomb-shaped lattice structures for flow-electrode capacitive deionization. 2017 , 10, 1746-1750		83
551	Review Article: Flow battery systems with solid electroactive materials. 2017 , 35, 040801		26
55 ⁰	Electrosorption of Pb(II) in water using graphene oxide-bearing nickel foam as the electrodes. 2017 , 7, 23543-23549		17
549	Effect of increasing electrical conductivity and hydrophilicity on the electrosorption capacity of activated carbon electrodes for capacitive deionization. <i>Desalination</i> , 2017 , 415, 14-19	10.3	50
548	Fabrication of titanium carburizing electrodes for capacitive deionization. 2017 , 76, 754-760		2
547	Enhanced capacitive deionization desalination provided by chemical activation of sugar cane bagasse fly ash electrodes. 2017 , 126, 143-153		27
546	Combined Electrosorption and Chemisorption of As(V) in Water by Using Electrode. 2017 , 5, 6532-6538		31
545	Improvement of MCDI operation and design through experiment and modelling: Regeneration with brine and optimum residence time. <i>Desalination</i> , 2017 , 417, 36-51	10.3	26
544	Preparation of polyethylene membranes filled with crosslinked sulfonated polystyrene for cation exchange and transport in membrane capacitive deionization process. <i>Desalination</i> , 2017 , 417, 87-93	10.3	25
543	A dual-ion electrochemistry deionization system based on AgCl-NaMnO electrodes. 2017 , 9, 10101-10108		96
542	Functionalization of biomass carbonaceous aerogels and their application as electrode materials for electro-enhanced recovery of metal ions. 2017 , 4, 1114-1123		46
541	Enhancing capacitive deionization technology as an effective method for water treatment using commercially available graphene. 2017 , 75, 643-649		5
54 ⁰	Nafion-AC-based asymmetric capacitive deionization. 2017 , 225, 407-415		44
539	Chemically exfoliated MoS ₂ for capacitive deionization of saline water. 2017 , 31, 590-595		121
538	Enhanced performance stability of carbon/titania hybrid electrodes during capacitive deionization of oxygen saturated saline water. 2017 , 224, 314-328		73

537	Fabrication of Anion-Exchange Polymer Layered Graphene/Melamine Electrodes for Membrane Capacitive Deionization. 2017 , 5, 325-333		32
536	Feasibility study of an electrodialysis system for in-home water desalination in urban India. 2017 , 2, 38-46		34
535	Supercapacitive microbial desalination cells: New class of power generating devices for reduction of salinity content. 2017 , 208, 25-36		37
534	Emerging Scientific and Engineering Opportunities within the Water-Energy Nexus. 2017 , 1, 665-688		64
533	Optimization of the voltage window for long-term capacitive deionization stability. <i>Desalination</i> , 2017 , 424, 53-61	10.3	47
532	A Combined Heat- and Power-Driven Membrane Capacitive Deionization System. 2017 , 4, 470-474		28
531	A Prussian blue anode for high performance electrochemical deionization promoted by the faradaic mechanism. 2017 , 9, 13305-13312		114
530	Polydopamine Modified Activated Carbon for Capacitive Desalination. 2017 , 164, A2636-A2643		15
529	Integrating cost-effective microbial fuel cells and energy-efficient capacitive deionization for advanced domestic wastewater treatment. <i>Chemical Engineering Journal</i> , 2017 , 330, 1-10	14.7	51
528	Electrochemical selective ion separation in capacitive deionization with sodium manganese oxide. <i>Journal of Colloid and Interface Science</i> , 2017 , 506, 644-648	9.3	74
527	Electrosorption at functional interfaces: from molecular-level interactions to electrochemical cell design. 2017 , 19, 23570-23584		58
526	Pseudocapacitive Desalination of Brackish Water and Seawater with Vanadium-Pentoxide-Decorated Multiwalled Carbon Nanotubes. 2017 , 10, 3611-3623		56
525	Retracted Article: One-pot synthesis of O-doped BN nanosheets as a capacitive deionization electrode for efficient removal of heavy metal ions from water. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 17029-17039	13	25
524	High-performance activated carbon from polyaniline for capacitive deionization. <i>Carbon</i> , 2017 , 123, 318-333		72
523	Influence of Electric Fields on Biofouling of Carbonaceous Electrodes. 2017 , 51, 10022-10030		28
522	Ultrahigh performance of a novel electrochemical deionization system based on a NaTi ₂ (PO ₄) ₃ /rGO nanocomposite. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 18157-18165	13	76
521	Organic-inorganic hybrid binder enhances capacitive deionization performance of activated-carbon electrode. <i>Carbon</i> , 2017 , 123, 574-582	10.4	27
520	Controlled electrochemical doping of graphene-based 3D nanoarchitecture electrodes for supercapacitors and capacitive deionisation. 2017 , 9, 14548-14557		44

519	Rapid construction of 3D foam-like carbon nanoarchitectures via a simple photochemical strategy for capacitive deionization. 2017 , 7, 39372-39382		15
518	Manganese Oxide Nanoparticles Decorated Ordered Mesoporous Carbon Electrode for Capacitive Deionization of Brackish Water. 2017 , 164, E505-E511		23
517	Faradaic deionization of brackish and sea water via pseudocapacitive cation and anion intercalation into few-layered molybdenum disulfide. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 15640-15649	13	117
516	Dual-ions electrochemical deionization: a desalination generator. 2017 , 10, 2081-2089		176
515	Optimized desalination performance of high voltage flow-electrode capacitive deionization by adding carbon black in flow-electrode. <i>Desalination</i> , 2017 , 420, 63-69	10.3	98
514	Graphene-based materials for capacitive deionization. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 13907-13943	13	189
513	Nitrogen-Doped Hollow Mesoporous Carbon Spheres for Efficient Water Desalination by Capacitive Deionization. 2017 , 5, 6635-6644		111
512	Template-free synthesis of nitrogen-doped hierarchical porous carbons for CO adsorption and supercapacitor electrodes. <i>Journal of Colloid and Interface Science</i> , 2017 , 488, 207-217	9.3	52
511	Carbon electrodes for capacitive deionization. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 470-496	13	204
510	Microbial fuel cell fed by Barnett Shale produced water: Power production by hypersaline autochthonous bacteria and coupling to a desalination unit. 2017 , 117, 87-91		46
509	Feasibility study of energy storage by concentrating/desalinating water: Concentrated Water Energy Storage. 2017 , 185, 872-884		11
508	The Effect of Electrochemical Modification of Activated Carbons by Polypyrrole on Their Structure Characteristics, Composition of Surface Compounds, and Adsorption Properties. 2017 , 53, 1334-1344		6
507	1.16 Electrospinning for Membrane Fabrication: Strategies and Applications. 2017 , 418-444		16
506	Construction of a Novel Three-Dimensional PEDOT/RVC Electrode Structure for Capacitive Deionization: Testing and Performance. 2017 , 10,		6
505	Application of nanotechnology in drinking water purification. 2017 , 119-167		6
504	Emerging and Combined Electrochemical Methods. 2017 , 131-225		4
503	Enhanced Salt-removal Percentage in Capacitive Deionization of NaCl Solutions with Modified Activated Carbon Electrodes by HNO ₃ . 2017 , 214, 012024		0
502	Improved capacitive deionization by using 3D intercalated graphene sheet-sphere nanocomposite architectures. 2018 , 5, 980-991		105

501	Heterostructured graphene@Na ₄ Ti ₉ O ₂₀ nanotubes for asymmetrical capacitive deionization with ultrahigh desalination capacity. <i>Chemical Engineering Journal</i> , 2018 , 343, 8-15	14.7	88
500	Improved capacitive deionization of sulfonated carbon/titania hybrid electrode. 2018 , 270, 543-551		27
499	NaTi ₂ (PO ₄) ₃ -Ag electrodes based desalination battery and energy recovery. 2018 , 8, 9-16		39
498	Exergy analysis of membrane capacitive deionization (MCDI). <i>Desalination</i> , 2018 , 444, 162-168	10.3	12
497	Design of nitrogen-doped cluster-like porous carbons with hierarchical hollow nanoarchitecture and their enhanced performance in capacitive deionization. <i>Desalination</i> , 2018 , 430, 45-55	10.3	69
496	A study of the effect of carbon characteristics on capacitive deionization (CDI) performance. <i>Desalination</i> , 2018 , 433, 68-74	10.3	45
495	Electrodialysis for water desalination: A critical assessment of recent developments on process fundamentals, models and applications. <i>Desalination</i> , 2018 , 434, 121-160	10.3	226
494	Ion-selective asymmetric carbon electrodes for enhanced capacitive deionization.. 2018 , 8, 2490-2497		24
493	Incorporating Manganese Dioxide in Carbon Nanotube/Chitosan as a Pseudocapacitive Composite Electrode for High-Performance Desalination. 2018 , 6, 3196-3205		30
492	Electrochemical Desalination of Seawater and Hypersaline Brines with Coupled Electricity Storage. 2018 , 3, 375-379		65
491	Hybrid Electrochemical Desalination System Combined with an Oxidation Process. 2018 , 6, 1620-1626		27
490	Pseudocapacitive Coating for Effective Capacitive Deionization. 2018 , 10, 2442-2450		45
489	Three-dimensional honeycomb-like porous carbon derived from corncob for the removal of heavy metals from water by capacitive deionization.. 2018 , 8, 1159-1167		23
488	Facile synthesis of TiO ₂ /ZrO ₂ nanofibers/nitrogen co-doped activated carbon to enhance the desalination and bacterial inactivation via capacitive deionization. 2018 , 8, 541		43
487	Self similarities in desalination dynamics and performance using capacitive deionization. 2018 , 140, 323-334		22
486	Charge and Potential Balancing for Optimized Capacitive Deionization Using Lignin-Derived, Low-Cost Activated Carbon Electrodes. 2018 , 11, 2101-2113		47
485	A parametric study of multiscale transport phenomena and performance characteristics of capacitive deionization systems. <i>Desalination</i> , 2018 , 438, 24-36	10.3	16
484	Calcined MgAl-Layered Double Hydroxide/Graphene Hybrids for Capacitive Deionization. <i>Industrial & Engineering Chemistry Research</i> , 2018 , 57, 6417-6425	3.9	43

483	Designed fabrication of hierarchical porous carbon nanotubes/graphene/carbon nanofibers composites with enhanced capacitive desalination properties. 2018 , 53, 9521-9532		8
482	Salt rejection in flow-between capacitive deionization devices. <i>Desalination</i> , 2018 , 437, 154-163	10.3	20
481	Influence of Metal Oxide Coatings, Carbon Materials and Potentials on Ion Removal in Capacitive Deionization. 2018 , 165, E148-E161		19
480	Influence of thermal treatment conditions on capacitive deionization performance and charge efficiency of carbon electrodes. <i>Separation and Purification Technology</i> , 2018 , 202, 67-75	8.3	15
479	Reversible thermodynamic cycle analysis for capacitive deionization with modified Donnan model. <i>Journal of Colloid and Interface Science</i> , 2018 , 512, 522-528	9.3	44
478	Capacitive deionization for nutrient recovery from wastewater with disinfection capability. <i>Environmental Science: Water Research and Technology</i> , 2018 , 4, 33-39	4.2	27
477	Fabrication and properties of graphene oxide-embedded cellulose triacetate RO composite membrane via melting method. <i>Desalination</i> , 2018 , 425, 175-184	10.3	23
476	Capacitive deionization of water using mosaic membrane. <i>Desalination</i> , 2018 , 426, 1-10	10.3	10
475	Nitrate removal from water using electrostatic regeneration of functionalized adsorbent. <i>Chemical Engineering Journal</i> , 2018 , 334, 1289-1296	14.7	43
474	Electrochemical deposition for the separation and recovery of metals using carbon nanotube-enabled filters. <i>Environmental Science: Water Research and Technology</i> , 2018 , 4, 58-66	4.2	9
473	Membrane-spacer assembly for flow-electrode capacitive deionization. 2018 , 433, 437-442		19
472	Simultaneous analysis of electrosorption capacity and kinetics for CDI desalination using different electrode configurations. <i>Chemical Engineering Journal</i> , 2018 , 332, 33-41	14.7	53
471	Intrinsic tradeoff between kinetic and energetic efficiencies in membrane capacitive deionization. 2018 , 129, 394-401		66
470	Palladium Recovery through Membrane Capacitive Deionization from Metal Plating Wastewater. 2018 , 6, 1692-1701		30
469	Hierarchical hole-enhanced 3D graphene assembly for highly efficient capacitive deionization. <i>Carbon</i> , 2018 , 129, 95-103	10.4	84
468	Mathematical modeling of solution deionization by sorption on aerogel electrodes. 2018 , 56, 700-712		3
467	Design of novel electrode for capacitive deionization using electrospun composite titania/zirconia nanofibers doped-activated carbon. 2018 , 213, 62-66		22
466	Adsorption and capacitive regeneration of nitrate using inverted capacitive deionization with surfactant functionalized carbon electrodes. <i>Separation and Purification Technology</i> , 2018 , 194, 410-415	8.3	43

465	Electro-spun graphene-enriched carbon fibres with high nitrogen-contents for electrochemical water desalination. <i>Desalination</i> , 2018 , 428, 40-49	10.3	28
464	Improvement of capacitive deionization performance via using a Tiron-grafted TiO ₂ nanoparticle layer on porous carbon electrode. 2018 , 35, 272-282		15
463	Quantifying the flow efficiency in constant-current capacitive deionization. 2018 , 129, 327-336		50
462	Membrane-based technologies for post-treatment of anaerobic effluents. <i>Npj Clean Water</i> , 2018 , 1,	11.2	17
461	Ultrathin porous Bi ₅ O ₇ X (X = Cl, Br, I) nanotubes for effective solar desalination. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 20037-20043	13	17
460	Energy Recovery in Capacitive Deionization Technology. 2018 ,		1
459	Facile preparation of porous carbon from coffee bean waste using low temperature solvothermal method. 2018 , 985, 012030		
458	Synthesis of Reduced Graphene Oxide/Titanium Dioxide Nanotubes (rGO/TNT) Composites as an Electrical Double Layer Capacitor. 2018 , 8,		20
457	Ion selectivity in capacitive deionization with functionalized electrode: Theory and experimental validation. 2018 , 1, 100008		43
456	Emerging Membrane Technologies for Water and Energy Sustainability: Future Prospects, Constrains and Challenges. 2018 , 11, 2997		52
455	Amorphous Carbon Chips Li-Ion Battery Anodes Produced through Polyethylene Waste Upcycling. 2018 , 3, 17520-17527		20
454	Principles and Theoretical Models of CDI: Experimental Approaches. 2018 , 24, 169-192		9
453	Future and Perspectives of the Capacitive Techniques. 2018 , 24, 195-202		
452	Selection of Carbon Electrode Materials. 2018 , 65-83		6
451	Capacitive Energy Extraction From Double Layer Expansion (CDLE). Fundamentals of the Method. 2018 , 87-117		4
450	High-Performance Capacitive Deionization via Manganese Oxide-Coated, Vertically Aligned Carbon Nanotubes. 2018 , 5, 692-700		52
449	Free-Standing Electrodes Derived from Metal-Organic Frameworks/ Nanofibers Hybrids for Membrane Capacitive Deionization. 2018 , 3, 1800135		22
448	Activated Carbon Cloth for Desalination of Brackish Water Using Capacitive Deionization. 2018 ,		4

447	Integration of photovoltaic energy supply with membrane capacitive deionization (MCDI) for salt removal from brackish waters. 2018 , 147, 276-286		56
446	Electrochemical Desalination Using Bi/BiOCl Electrolysis Cells. 2018 , 6, 15455-15462		24
445	Current to Clean Water [Electrochemical Solutions for Groundwater, Water, and Wastewater Treatment. 2018 , 90, 1832-1854		14
444	Three-Dimensional N-doped Porous Carbon Derived from Monosodium Glutamate for Capacitive Deionization and the Oxygen Reduction Reaction. 2018 , 5, 3873-3880		9
443	Ultrahigh-Desalination-Capacity Dual-Ion Electrochemical Deionization Device Based on NaV(PO) ₄ @C-AgCl Electrodes. 2018 , 10, 40540-40548		53
442	Efficiency of Carnot and Conventional Capacitive Deionization Cycles. 2018 , 122, 22480-22486		12
441	Biomass-derived porous carbon anode for high-performance capacitive deionization. 2018 , 290, 666-675		78
440	Interconnected metal oxide CNT fibre hybrid networks for current collector-free asymmetric capacitive deionization. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 10898-10908	13	43
439	Half-Cell Ion Concentration Polarization on Nafion-Coated Electrode. 2018 , 9, 2991-2999		9
438	Investigation on the effect of organic dye molecules on capacitive deionization of sodium sulfate salt solution using activated carbon cloth electrodes. 2018 , 279, 24-33		12
437	Maximizing Volumetric Removal Capacity in Capacitive Deionization by Adjusting Electrode Thickness and Charging Mode. 2018 , 165, E294-E302		16
436	Layered graphene/mesoporous carbon heterostructures with improved mesopore accessibility for high performance capacitive deionization. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 14272-14280	13	60
435	Decolorization of synthetic dye wastewater using packed bed electro-adsorption column. 2018 , 130, 160-168		14
434	Electrodes Based on Carbon Nanomaterials: Structure, Properties, and Application to Capacitive Deionization in Static Cells. 2018 , 127-146		7
433	Application of anion exchange membrane and the effect of its properties on asymmetric membrane capacitive deionization. <i>Separation and Purification Technology</i> , 2018 , 207, 387-395	8.3	23
432	A comprehensive review on recently developed carbon based nanocomposites for capacitive deionization: From theory to practice. <i>Separation and Purification Technology</i> , 2018 , 207, 291-320	8.3	98
431	Role of metastable-adsorbed charges in the stability degradation of carbon-based electrodes for capacitive deionization. <i>Environmental Science: Water Research and Technology</i> , 2018 , 4, 1172-1180	4.2	1
430	Frequency analysis and resonant operation for efficient capacitive deionization. 2018 , 144, 581-591		13

429	Surface modification and grafting of carbon fibers: A route to better interface. 2018 , 64, 75-101		28
428	Improvement in Electrode Performance of Novel SWCNT Loaded Three-Dimensional Porous RVC Composite Electrodes by Electrochemical Deposition Method. 2018 , 8,		12
427	Saltwater transport through pristine and positively charged graphene membranes. 2018 , 149, 024704		11
426	Tailored porous electrode resistance for controlling electrolyte depletion and improving charging response in electrochemical systems. 2018 , 397, 252-261		3
425	Battery Electrode Materials with Omnivalent Cation Storage for Fast and Charge-Efficient Ion Removal of Asymmetric Capacitive Deionization. 2018 , 28, 1802665		75
424	Water and ion sorption in a series of cross-linked AMPS/PEGDA hydrogel membranes. 2018 , 146, 196-208		23
423	Bromide Ions Specific Removal and Recovery by Electrochemical Desalination. 2018 , 52, 6275-6281		24
422	A review on electrochemically modified carbon nanotubes (CNTs) membrane for desalination and purification of water. 2018 , 5, 102001		20
421	Electrochemically active carbon nanotube (CNT) membrane filter for desalination and water purification. 2018 , 333-363		2
420	Coupling desalination and energy storage with redox flow electrodes. 2018 , 10, 12308-12314		42
419	Nanotechnology-based water quality management for wastewater treatment. 2019 , 17, 65-121		70
418	Desalination characteristics in a membrane capacitive deionization stack with carbon electrodes connected in series. <i>Separation and Purification Technology</i> , 2019 , 209, 152-158	8.3	5
417	A Facile Microwave-Assisted Method to Prepare Highly Electrosorptive Reduced Graphene Oxide/Activated Carbon Composite Electrode for Capacitive Deionization. 2019 , 4, 1900213		6
416	Exploration of a photo-redox desalination generator. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 20169-20175		15
415	A Redox-Shuttled Electrochemical Method for Energy-Efficient Separation of Salt from Water. 2019 , 7, 13411-13417		22
414	Study on boron and nitrogen co-doped graphene xerogel for high-performance electrosorption application. 2019 , 23, 2377-2390		14
413	Three-dimensional graphene materials for UO ₂ ²⁺ electrosorption. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2019 , 321, 977-984	1.5	17
412	Modification strategies to enhance electrosorption performance of activated carbon electrodes for capacitive deionization applications. <i>Journal of Electroanalytical Chemistry</i> , 2019 , 848, 113328	4.1	25

411	Membrane-based technologies for lithium recovery from water lithium resources: A review. 2019 , 591, 117317		139
410	Fabrication of polyvinylidene fluoride-derived porous carbon heterostructure with inserted carbon nanotube via phase-inversion coupled with annealing for capacitive deionization application. <i>Journal of Colloid and Interface Science</i> , 2019 , 554, 353-361	9.3	8
409	Electrical double layers as ion reservoirs: applications to the deionization of solutions. 2019 , 44, 72-84		4
408	Integrated Flow-Electrode Capacitive Deionization and Microfiltration System for Continuous and Energy-Efficient Brackish Water Desalination. 2019 , 53, 13364-13373		32
407	Polypyrrole as a Novel Chloride-Storage Electrode for Seawater Desalination. 2019 , 7, 1900835		20
406	Electro-enhanced removal of cobalt ions from aqueous solution by capacitive deionization. 2019 , 697, 134144		22
405	High-Desalination Performance via Redox Couple Reaction in the Multichannel Capacitive Deionization System. 2019 , 7, 16182-16189		38
404	Additive Manufacturing of Electrodes for Desalination. 2019 , 34, 252-259		4
403	Nitrogen-doped graphene-TiO ₂ N nanocomposite electrode for highly efficient capacitive deionization.. 2019 , 9, 28186-28193		7
402	Sustainable Desalination by 3:1 Reduced Graphene Oxide/Titanium Dioxide Nanotubes (rGO/TiONTs) Composite via Capacitive Deionization at Different Sodium Chloride Concentrations. 2019 , 9,		7
401	Simulation of capacitive deionization accounting the change of Stern layer thickness. 2019 , 57, 2169-2181		2
400	Unraveling charge transport in carbon flow-electrodes: Performance prediction for desalination applications. <i>Carbon</i> , 2019 , 145, 507-520	10.4	32
399	High-Performance Capacitive Deionization of Copper Ions at Nanoporous ZnS-Decorated Carbon Felt. 2019 , 166, E29-E34		8
398	Effect of CF bonds introduced by fluorination on the desalination properties of activated carbon as the cathode for capacitive deionization. <i>Desalination</i> , 2019 , 457, 1-7	10.3	13
397	Dual-Ion Electrochemical Deionization System with Binder-Free Aerogel Electrodes. 2019 , 15, e1805505		48
396	Comparison of energy consumption in desalination by capacitive deionization and reverse osmosis. <i>Desalination</i> , 2019 , 455, 100-114	10.3	149
395	Controlling hierarchical porous structures of rice-husk-derived carbons for improved capacitive deionization performance. 2019 , 6, 916-924		20
394	Life Cycle Comparison of Membrane Capacitive Deionization and Reverse Osmosis Membrane for Textile Wastewater Treatment. 2019 , 230, 1		14

393	Comparative study on the electrosorption properties of carbon fabric, functionalized multiwall carbon nanotubes and solar-reduced graphene oxide for flow through electrode based desalination studies. <i>Carbon</i> , 2019 , 152, 837-850	10.4	18
392	Effect of Ion Volume on the Asymmetry of Two-Dimensional Planar Capacitive Deionization System: Determination and Manipulation. 2019 , 123, 13434-13443		6
391	Boron-nitride-carbon nanosheets with different pore structure and surface properties for capacitive deionization. <i>Journal of Colloid and Interface Science</i> , 2019 , 552, 604-612	9.3	18
390	Preparation of Carbon Aerogel Electrode for Electrosorption of Copper Ions in Aqueous Solution. 2019 , 12,		11
389	Water treatment and environmental remediation applications of two-dimensional metal carbides (MXenes). 2019 , 30, 80-102		203
388	Energy generation and storage by salinity gradient power: A model-based assessment. 2019 , 24, 100755		15
387	Activated derived biowaste carbon for enhanced desalination performance in brackish water.. 2019 , 9, 14884-14892		10
386	Osmosis, from molecular insights to large-scale applications. 2019 , 48, 3102-3144		98
385	Removal of calcium ions from water by selective electrosorption using target-ion specific nanocomposite electrode. 2019 , 160, 445-453		39
384	Potential limits of capacitive deionization and membrane capacitive deionization for water electrolysis. 2019 , 54, 2112-2125		6
383	Facile Synthesis of In Situ Graphitic-N Doped Porous Carbon Derived from Ginkgo Leaf for Fast Capacitive Deionization. 2019 , 166, E240-E247		20
382	Removal of heat stable salts from aqueous MDEA solution via electrosorption using carbon-based electrodes. 2019 , 85, 166-173		7
381	Electroadsorptive Removal of Gaseous Pollutants. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 1162	2.6	1
380	Electrically regenerated ion-exchange technology for desalination of low-salinity water sources. <i>Desalination</i> , 2019 , 465, 38-43	10.3	13
379	Electrosorption of Heavy Metals with Capacitive Deionization: Water Reuse, Desalination and Resources Recovery. 2019 , 497-523		
378	Mold-casting prepared free-standing activated carbon electrodes for capacitive deionization. <i>Carbon</i> , 2019 , 149, 627-636	10.4	17
377	Characterization of the mass transfer fluxes in a capacitive desalination cell by using Fe ^{III} (CN) ₆ ³⁻ /Fe ^{II} (CN) ₆ ⁴⁻ redox couple as an electrochemical probe. <i>Journal of Electroanalytical Chemistry</i> , 2019 , 842, 127-132	4.1	2
376	The efficient faradaic Li ₄ Ti ₅ O ₁₂ @C electrode exceeds the membrane capacitive desalination performance. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 8912-8921	13	19

375	Electrospun Nanomaterials for Energy Applications: Recent Advances. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 1049	2.6	36
374	A core-shell heterostructured CuFe@NiFe Prussian blue analogue as a novel electrode material for high-capacity and stable capacitive deionization. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 10464-10474	13	50
373	Soft electrodes in water desalination: application to multi-valent ions. <i>Environmental Science: Water Research and Technology</i> , 2019 , 5, 873-883	4.2	2
372	Mechanical-to-Electrical Energy Conversion with Variable Electric Double Layers. 2019 , 7, 1801007		5
371	Free-standing flexible film as a binder-free electrode for an efficient hybrid deionization system. 2019 , 11, 5896-5908		18
370	Theoretical insight into the structure-property relationship of mixed transition metal oxides nanofibers doped in activated carbon and 3D graphene for capacitive deionization. <i>Chemical Engineering Journal</i> , 2019 , 371, 166-181	14.7	47
369	Activated carbon fiber for adsorption/electrodeposition of Cu (II) and the recovery of Cu (0) by controlling the applied voltage during membrane capacitive deionization. <i>Journal of Colloid and Interface Science</i> , 2019 , 548, 160-169	9.3	20
368	Electron beam-based fabrication of crosslinked hydrophilic carbon electrodes and their application for capacitive deionization.. 2019 , 9, 9684-9691		2
367	Evaluation of the electrochemical performance of electrospun transition metal oxide-based electrode nanomaterials for water CDI applications. 2019 , 309, 125-139		10
366	Metal-organic-frameworks-derived NaTi ₂ (PO ₄) ₃ /carbon composites for efficient hybrid capacitive deionization. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 12126-12133	13	72
365	Polyelectrolyte-activated carbon composite electrodes for inverted membrane capacitive deionization (iMCDI). <i>Separation and Purification Technology</i> , 2019 , 220, 145-151	8.3	16
364	Comments on "Comparison of energy consumption in desalination by capacitive deionization and reverse osmosis" <i>Desalination</i> , 2019 , 461, 30-36	10.3	25
363	The Ratio between the Surface Charge and Electrode's Capacitance as a Fast Tool for Assessing the Charge Efficiency in Capacitive Deionization Processes. 2019 , 166, H119-H125		5
362	Tunable Pseudocapacitive Behavior in Metal-Organic Framework-Derived TiO ₂ @Porous Carbon Enabling High-Performance Membrane Capacitive Deionization. <i>ACS Applied Energy Materials</i> , 2019 , 2, 1812-1822	6.1	32
361	Capacitive deionization using symmetric carbon electrode pairs. <i>Environmental Science: Water Research and Technology</i> , 2019 , 5, 660-671	4.2	14
360	Nonlinear dynamics of ion concentration polarization in capacitive deionization. <i>Desalination</i> , 2019 , 458, 14-24	10.3	3
359	High water recovery and improved thermodynamic efficiency for capacitive deionization using variable flowrate operation. 2019 , 155, 76-85		35
358	Water Desalination: Electrostatic and Electrochemical Separation Processes. 2019 , 1-25		

357	. 2019,		11
356	Modeling the Operation of a Microseparator Taking into Account the Changes in the Thickness of the Stern Layer on the Surfaces of Electrode Pores. 2019 , 93, 2528-2533		1
355	Novel hybrid capacitive deionization constructed by a redox-active covalent organic framework and its derived porous carbon for highly efficient desalination. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 25303-25314		11
354	Role of Near-Electrode Solution Chemistry on Bacteria Attachment and Poration at Low Applied Potentials. 2020 , 54, 446-455		5
353	Capacitive deionization of saline water using graphene nanosphere decorated N-doped layered mesoporous carbon frameworks. 2019 , 6, 3442-3453		40
352	Incorporating zirconia nanoparticles into activated carbon as electrode material for capacitive deionization. 2019 , 772, 1079-1087		26
351	Review of concepts and applications of electrochemical ion separation (EIONS) process. <i>Separation and Purification Technology</i> , 2019 , 215, 190-207	8.3	45
350	Selective adsorption of fluoride from drinking water using NiAl-layered metal oxide film electrode. <i>Journal of Colloid and Interface Science</i> , 2019 , 539, 146-151	9.3	34
349	Capacitive deionization using commercial activated carbon fiber decorated with polyaniline. <i>Journal of Colloid and Interface Science</i> , 2019 , 537, 247-255	9.3	37
348	Hybrid seawater desalination-carbon capture using modified seawater battery system. 2019 , 410-411, 99-105		18
347	Nanofibers for Water and Wastewater Treatment: Recent Advances and Developments. 2019 , 431-468		5
346	Investigation of adsorption/desorption behavior of Cr(VI) at the presence of inorganic and organic substance in membrane capacitive deionization (MCDI). 2019 , 78, 303-314		9
345	Electric field assisted ion adsorption with nanoporous SWCNT electrodes. 2019 , 25, 1035-1041		2
344	Capacitive deionization using nitrogen-doped mesostructured carbons for highly efficient brackish water desalination. <i>Chemical Engineering Journal</i> , 2019 , 362, 887-896	14.7	176
343	The feasibility of energy extraction by carbon xerogel electrodes [A question of ionizable or redox active surface groups?]. 2019 , 299, 582-591		0
342	Performance evaluation of asymmetric capacitive deionization with carbon aerogel based fiber-paper electrodes: Effect of gold deposition vs acid treatment. <i>Journal of Electroanalytical Chemistry</i> , 2019 , 835, 30-39	4.1	4
341	Study on the electrochemical characteristics of porous ceramic spacers in a capacitive deionization cell using slurry electrodes. <i>Journal of Electroanalytical Chemistry</i> , 2019 , 835, 262-272	4.1	9
340	Studying the electrosorption performance of activated carbon electrodes in batch-mode and single-pass capacitive deionization. <i>Separation and Purification Technology</i> , 2019 , 215, 403-409	8.3	48

339	Fabrication of porous graphene electrodes via CO activation for the enhancement of capacitive deionization. <i>Journal of Colloid and Interface Science</i> , 2019 , 536, 252-260	9.3	35
338	Selective removal of lead ions through capacitive deionization: Role of ion-exchange membrane. <i>Chemical Engineering Journal</i> , 2019 , 361, 1535-1542	14.7	54
337	Economical approach to nitrate removal via membrane capacitive deionization. <i>Separation and Purification Technology</i> , 2019 , 209, 776-781	8.3	29
336	Low energy consumption dual-ion electrochemical deionization system using NaTi ₂ (PO ₄) ₃ -AgNPs electrodes. <i>Desalination</i> , 2019 , 451, 241-247	10.3	63
335	Effect of combined fouling on desalination performance of membrane capacitive deionization (MCDI) during long-term operation. 2020 , 41, 383-392		5
334	Temperature and desorption mode matter in capacitive deionization process for water desalination. 2020 , 41, 3456-3463		8
333	Preparation of electrodes for hybrid capacitive deionization and its influence on the adsorption behaviour. 2020 , 55, 2238-2249		5
332	Porous nitrogen-doped MXene-based electrodes for capacitive deionization. 2020 , 25, 731-739		67
331	Capacitive deionization for wastewater treatment: Opportunities and challenges. 2020 , 241, 125003		32
330	Titanium dioxide-decorated rGO as an effective electrode for ultrahigh-performance capacitive deionization. <i>Separation and Purification Technology</i> , 2020 , 235, 116178	8.3	27
329	Understanding the mechanism of carbonization and KOH activation of polyaniline leading to enhanced electrosorption performance. <i>Carbon</i> , 2020 , 156, 346-358	10.4	36
328	Biomass-based carbon electrode materials for capacitive deionization: a review. 2020 , 10, 1327-1356		14
327	Quantitative insight into the effect of ions size and electrodes pores on capacitive deionization performance. 2020 , 329, 135176		6
326	Characteristic and model of phosphate adsorption by activated carbon electrodes in capacitive deionization. <i>Separation and Purification Technology</i> , 2020 , 236, 116285	8.3	13
325	Morphology-dependent electrochemical performance of MnO ₂ nanostructures on graphene towards efficient capacitive deionization. 2020 , 330, 135202		30
324	Hydrophilic MoS ₂ /polydopamine (PDA) nanocomposites as the electrode for enhanced capacitive deionization. <i>Separation and Purification Technology</i> , 2020 , 236, 116298	8.3	21
323	Significance of the micropores electro-sorption resistance in capacitive deionization systems. 2020 , 169, 115286		9
322	Ag-doped hollow ZIFs-derived nanoporous carbon for efficient hybrid capacitive deionization. <i>Desalination</i> , 2020 , 473, 114173	10.3	21

321	Capacitive deionization and electrosorption for heavy metal removal. <i>Environmental Science: Water Research and Technology</i> , 2020 , 6, 258-282	4.2	53
320	Permselective ion electrosorption of subnanometer pores at high molar strength enables capacitive deionization of saline water. 2020 , 4, 1285-1295		23
319	An electrochemically switched ion exchange process with self-electrical-energy recuperation for desalination. <i>Separation and Purification Technology</i> , 2020 , 239, 116521	8.3	16
318	Inversion phenomenon and effective charging quantity in capacitive deionization device. <i>Ionics</i> , 2020 , 26, 3523-3529	2.7	1
317	Performance Recovery in Degraded Carbon-Based Electrodes for Capacitive Deionization. 2020 , 54, 1848-1856	10	
316	Decoration of Advanced Carbon Materials with Metal Oxides for Photoelectrochemical Applications. 2020 , 323-355		
315	Enhanced desalination of electrospun activated carbon fibers with controlled pore structures in the electrosorption process. <i>Environmental Science: Water Research and Technology</i> , 2020 , 6, 312-320	4.2	4
314	MoC nanoparticle-embedded carbon nanofiber aerogels as flow-through electrodes for highly efficient pseudocapacitive deionization. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 1443-1450	13	25
313	Boosting supercapacitor and capacitive deionization performance of hierarchically porous carbon by polar surface and structural engineering. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 2505-2517	13	58
312	Enhanced Electrosorption Ability of Carbon Nanocages as an Advanced Electrode Material for Capacitive Deionization. 2020 , 12, 2180-2190		13
311	Understanding capacitive deionization performance by comparing its electrical response with an electrochemical supercapacitor: Strategies to boost round-trip efficiency. 2020 , 330, 135216		6
310	Environmental Nanotechnology Volume 3. 2020 ,		1
309	Capacitive deionization for simultaneous removal of salt and uncharged organic contaminants from water. <i>Separation and Purification Technology</i> , 2020 , 237, 116388	8.3	6
308	Influence of operating conditions on the desalination performance of a symmetric pre-conditioned Ti3C2Tx-MXene membrane capacitive deionization system. <i>Desalination</i> , 2020 , 477, 114267	10.3	35
307	Carbon electrodes with ionic functional groups for enhanced capacitive deionization performance. 2020 , 83, 136-144		10
306	Energy transfer for storage or recovery in capacitive deionization using a DC-DC converter. 2020 , 448, 227409		10
305	A quantitative prediction model for the phosphate adsorption capacity of carbon materials based on pore size distribution. 2020 , 331, 135377		5
304	References and Bibliography. 2020 , 303-323		

303	Membrane and Electrochemical Processes for Water Desalination: A Short Perspective and the Role of Nanotechnology. <i>Membranes</i> , 2020 , 10,	3.8	3
302	Sulfonated nickel phthalocyanine redox flow cell for high-performance electrochemical water desalination. <i>Desalination</i> , 2020 , 496, 114762	10.3	5
301	. 2020 ,		1
300	The global status of desalination: An assessment of current desalination technologies, plants and capacity. <i>Desalination</i> , 2020 , 495, 114633	10.3	79
299	Advances in capacitive deionization as an effective technique for reverse osmosis reject stream treatment. 2020 , 8, 104413		10
298	Capacitive deionization using carbon derived from an array of zeolitic-imidazolate frameworks. 2020 , 77, 105304		19
297	Effect of Hofmeister Anions on Interfacial Properties of Mica Surface in Concentrated Aqueous Solution. 2020 , 10, 872		
296	Process model for high salinity flow-electrode capacitive deionization processes with ion-exchange membranes. 2020 , 616, 118614		6
295	Faradaic Electrodes Open a New Era for Capacitive Deionization. 2020 , 7, 2002213		28
294	Nanocomposite pervaporation membrane for desalination. 2020 , 164, 147-161		14
293	N-Doping Carbon-Nanotube Membrane Electrodes Derived from Covalent Organic Frameworks for Efficient Capacitive Deionization. 2020 , 36, 12030-12037		8
292	Cobalt and nickel ferrites based capacitive deionization electrode materials for water desalination applications. 2020 , 363, 137083		10
291	Nitrogen-doped nanostructured carbons: A new material horizon for water desalination by capacitive deionization. 2020 , 2, 100043		37
290	Selectivity of nitrate and chloride ions in microporous carbons: the role of anisotropic hydration and applied potentials. 2020 , 12, 20292-20299		5
289	Bacterial-cellulose-derived carbonaceous electrode materials for water desalination via capacitive method: The crucial role of defect sites. <i>Desalination</i> , 2020 , 492, 114596	10.3	7
288	Phase- and Crystallinity-Tailorable MnO ₂ as an Electrode for Highly Efficient Hybrid Capacitive Deionization (HCDI). 2020 , 8, 11424-11434		9
287	Mass-producible polyhedral macrotube carbon arrays with multi-hole cross-section profiles: superb 3D tertiary porous electrode materials for supercapacitors and capacitive deionization cells. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 16312-16322	13	13
286	Development of Shale Gas in China and Treatment Options for Wastewater Produced from the Exploitation: Sustainability Lessons from the United States. 2020 , 146, 04020103		7

285	Electrodialysis Applications in Wastewater Treatment for Environmental Protection and Resources Recovery: A Systematic Review on Progress and Perspectives. <i>Membranes</i> , 2020 , 10,	3.8	90
284	Performance Loss of Activated Carbon Electrodes in Capacitive Deionization: Mechanisms and Material Property Predictors. 2020 , 54, 15516-15526		8
283	Modification of Metal-Organic Framework-Derived Nanocarbons for Enhanced Capacitive Deionization Performance: A Mini-Review. 2020 , 8, 575350		3
282	Optimization of a nanofiltration and membrane capacitive deionization (NF-MCDI) hybrid system: Experimental and modeling studies. <i>Desalination</i> , 2020 , 493, 114658	10.3	11
281	New Approach for Investigating Diffusion Kinetics Within Capacitive Deionization Electrodes Using Electrochemical Impedance Spectroscopy. 2020 , 7,		5
280	Thermally reduced graphene oxide as an electrode for CDI processes: A compromise between performance and scalability?. <i>Desalination</i> , 2020 , 492, 114599	10.3	3
279	Advanced Characterization in Clean Water Technologies. 2020 , 4, 1637-1659		13
278	Assessing technology portfolios of clean energy-driven desalination-irrigation systems with interval-valued intuitionistic fuzzy sets. 2020 , 132, 109950		19
277	Insights on the role of interparticle porosity and electrode thickness on capacitive deionization performance for desalination. <i>Desalination</i> , 2020 , 492, 114594	10.3	7
276	Cation Selectivity in Capacitive Deionization: Elucidating the Role of Pore Size, Electrode Potential, and Ion Dehydration. 2020 , 12, 42644-42652		17
275	Mn ₂ O ₃ nanoflower decorated electrospun carbon nanofibers for efficient hybrid capacitive deionization. <i>Desalination</i> , 2020 , 494, 114665	10.3	20
274	Compartmentalized desalination and salination by high energy density desalination seawater battery. <i>Desalination</i> , 2020 , 495, 114666	10.3	15
273	Electrospun Nanofibers for Water Purification. 2020 , 217-257		0
272	Activated Carbons as Nanoporous Electron-Ion-Exchangers. 2020 , 56, 869-882		2
271	Capacitive deionization utilizing Activated Biochar [Manganese Dioxide (AB - MD) nanocomposites for desalination applications. 2020 , 778, 012161		4
270	Removal of Na ⁺ and Ca ²⁺ with Prussian blue analogue electrodes for brackish water desalination. <i>Desalination</i> , 2020 , 487, 114479	10.3	17
269	PTFE/rGO Aerogels with Both Superhydrophobic and Superhydrophilic Properties for Electroreduction of Molecular Oxygen. 2020 , 34, 7573-7581		5
268	Towards Electrochemical Water Desalination Techniques: A Review on Capacitive Deionization, Membrane Capacitive Deionization and Flow Capacitive Deionization. <i>Membranes</i> , 2020 , 10,	3.8	23

267	Coconut shell-derived activated carbon and carbon nanotubes composite: a promising candidate for capacitive deionization electrode. 2020 , 265, 116415		14
266	Understanding resistances in capacitive deionization devices. <i>Environmental Science: Water Research and Technology</i> , 2020 , 6, 1842-1854	4.2	3
265	One-step turning leather wastes into heteroatom doped carbon aerogel for performance enhanced capacitive deionization. 2020 , 303, 110303		20
264	Progress in Capacitive Deionization for Desalination of Brackish Water: A Materials Perspective. 2020 , 91-113		
263	Composite Graphene-Containing Porous Materials from Carbon for Capacitive Deionization of Water. 2020 , 25,		4
262	Highly efficient water softening by mordenite modified cathode in asymmetric capacitive deionization. <i>Separation and Purification Technology</i> , 2020 , 250, 117240	8.3	9
261	Treatment of acidic wastewater via fluoride ions removal by SiO ₂ particles followed by phosphate ions recovery using flow-electrode capacitive deionization. <i>Chemical Engineering Journal</i> , 2020 , 400, 125892	14.7	10
260	Langmuir adsorption processes and ion transport under bias potential in capacitive deionisation cells. 2020 , 348, 136288		4
259	Process design tools and techno-economic analysis for capacitive deionization. 2020 , 183, 116034		9
258	Flow-electrode capacitive deionization enables continuous and energy-efficient brine concentration. <i>Desalination</i> , 2020 , 490, 114453	10.3	19
257	Membrane desalination and water re-use for agriculture: State of the art and future outlook. <i>Desalination</i> , 2020 , 491, 114559	10.3	39
256	Treatment of industrial brine using capacitive deionization (CDI) towards zero liquid discharge - challenges and optimization. 2020 , 183, 116059		19
255	Electric field distribution and diffuse layer thickness study due to salt ion movement in water desalination. <i>Desalination</i> , 2020 , 490, 114549	10.3	2
254	Activated Carbon Derived from Phoenix dactylifera (Palm Tree) and Decorated with MnO ₂ Nanoparticles for Enhanced Hybrid Capacitive Deionization Electrodes. 2020 , 5, 3248-3256		14
253	Ordered Mesoporous Carbon with Chitosan for Disinfection of Water via Capacitive Deionization. 2020 , 10,		0
252	Chemical properties and applications. 2020 , 251-371		
251	Chemical modification of carbon particles to enhance the electrosorption of capacitive deionization process. 2020 , 10, 57-69		1
250	Promoting water-splitting in Janus bipolar ion-exchange resin wafers for electrodeionization. 2020 , 5, 922-935		8

249	Synthesis and characterization of CeO ₂ /rGO nanoflakes as electrode material for capacitive deionization technology. 2020 , 46, 15034-15043		15
248	Selective removal of Cl and F from complex solution via electrochemistry deionization with bismuth/reduced graphene oxide composite electrode. 2020 , 251, 126319		21
247	Capacitive Deionization of Water (A Review). 2020 , 56, 18-51		19
246	The relative insignificance of advanced materials in enhancing the energy efficiency of desalination technologies. 2020 , 13, 1694-1710		105
245	Electro-enhanced removal of perchlorate ions from aqueous solution using capacitive deionization process. 2020 , 89, 351-360		5
244	Electrode materials for capacitive deionization: A review. <i>Journal of Electroanalytical Chemistry</i> , 2020 , 873, 114416	4.1	33
243	Hierarchically yolk-shell porous carbon sphere as an electrode material for high-performance capacitive deionization. 2020 , 354, 136590		18
242	Hydrophilic nano-porous carbon derived from egg whites for highly efficient capacitive deionization. 2020 , 512, 145740		15
241	Electrochemical Desalination Using Intercalating Electrode Materials: A Comparison of Energy Demands. 2020 , 54, 3653-3662		27
240	Three-dimensional cubic ordered mesoporous carbon with chitosan for capacitive deionization disinfection of water. 2020 , 27, 15001-15010		0
239	Energy Efficiency of Electro-Driven Brackish Water Desalination: Electrodialysis Significantly Outperforms Membrane Capacitive Deionization. 2020 , 54, 3663-3677		70
238	Nitrogen and sulfur co-doped NaTi ₂ (PO ₄) ₃ /hole graphene composite as high-performance electrosorption electrodes for hybrid capacitive deionization. 2020 , 55, 6017-6029		12
237	Staged voltage mode in membrane capacitive deionization: Comparison with constant voltage and constant current modes. <i>Desalination</i> , 2020 , 479, 114327	10.3	0
236	Continuous electrochemical deionization by utilizing the catalytic redox effect of environmentally friendly riboflavin-5'-phosphate sodium. 2020 , 23, 100921		8
235	Adsorber Particles with Magnetically-Supported Improved Electrochemical Conversion Behavior for Waste Water Treatment Processes. 2020 , 37, 1900487		4
234	Performance analysis of the multi-channel membrane capacitive deionization with porous carbon electrode stacks. <i>Desalination</i> , 2020 , 479, 114315	10.3	13
233	A novel asymmetric activated carbon electrode doped with metal-organic frameworks for high desalination performance. 2020 , 24, 687-697		8
232	Efficiency of capacitive deionization using carbon materials based electrodes for water desalination. <i>Journal of Electroanalytical Chemistry</i> , 2020 , 859, 113840	4.1	23

231	MoS ₂ @sponge with double layer structure for high-efficiency solar desalination. <i>Desalination</i> , 2020 , 481, 114359	10.3	27
230	Enhancing understandability and performance of flow electrode capacitive deionisation by optimizing configurational and operational parameters: A review on recent progress. <i>Separation and Purification Technology</i> , 2020 , 240, 116660	8.3	21
229	Evaluation of the optimal activation parameters for almond shell bio-char production for capacitive deionization. 2020 , 11, 100435		6
228	Object-Oriented Modeling of a Capacitive Deionization Process. 2020 , 2,		2
227	. 2020 ,		2
226	Efficient recovery of nitrate from municipal wastewater via MCDI using anion-exchange polymer coated electrode embedded with nitrate selective resin. <i>Desalination</i> , 2020 , 484, 114425	10.3	14
225	Membrane-electrode assemblies for flow-electrode capacitive deionization. 2020 , 605, 118095		13
224	Techno-economic analysis of capacitive and intercalative water deionization. 2020 , 13, 1544-1560		36
223	Opportunities and challenges of electrochemical water treatment integrated with renewable energy at the water-energy nexus. 2020 , 3, 110-116		8
222	Produced water management. 2020 , 349-369		
221	Thermodynamic reversible cycles of electrochemical desalination with intercalation materials in symmetric and asymmetric configurations. <i>Journal of Colloid and Interface Science</i> , 2020 , 574, 152-161	9.3	10
220	Bacteria poration on modified boron-doped diamond electrode surfaces induced by divalent cation chelation. <i>Environmental Science: Water Research and Technology</i> , 2020 , 6, 1576-1587	4.2	1
219	Concentration effect on electric potential of a microporous carbon electrode in dilute sodium chloride solution. 2020 , 53, 305501		1
218	Synthesis of cation exchange membranes for capacitive deionization based on crosslinked polyvinyl alcohol with citric acid. 2020 , 81, 491-498		2
217	Steady and controlled desalination via capacitive deionization: performance assessment and optimization of hybrid CV-CC process. 2021 , 56, 1272-1289		
216	A review on electrochemical treatment of arsenic from aqueous medium. 2021 , 208, 389-410		18
215	A Brief Review on High-Performance Capacitive Deionization Enabled by Intercalation Electrodes. 2021 , 5, 2000054		10
214	Controlled synthesis of bismuth oxychloride-carbon nanofiber hybrid materials as highly efficient electrodes for rocking-chair capacitive deionization. <i>Chemical Engineering Journal</i> , 2021 , 403, 126326	14.7	50

213	2D Ti3C2Tx MXene nanosheets coated cellulose fibers based 3D nanostructures for efficient water desalination. <i>Chemical Engineering Journal</i> , 2021 , 406, 126827	14.7	28
212	Electrode degradation mechanisms in capacitive deionisation. <i>Desalination</i> , 2021 , 497, 114622	10.3	4
211	Enhanced electrochemical and capacitive deionization performance of metal organic framework/holey graphene composite electrodes. <i>Journal of Colloid and Interface Science</i> , 2021 , 582, 447-458	9.3	14
210	Recent advances in magnesium/lithium separation and lithium extraction technologies from salt lake brine. <i>Separation and Purification Technology</i> , 2021 , 256, 117807	8.3	47
209	Influence of natural organic matter on membrane capacitive deionization performance. 2021 , 264, 128519		7
208	Cost Comparison of Capacitive Deionization and Reverse Osmosis for Brackish Water Desalination. 2021 , 1, 261-273		18
207	Enhanced electro-adsorption desalination performance of graphene by TiC. <i>Separation and Purification Technology</i> , 2021 , 254, 117602	8.3	6
206	Highly flexible, self-healable and conductive poly(vinyl alcohol)/Ti3C2Tx MXene film and its application in capacitive deionization. <i>Chemical Engineering Journal</i> , 2021 , 408, 127256	14.7	28
205	Designed assembly of Ni/MAX (TiAlC) and porous graphene-based asymmetric electrodes for capacitive deionization of multivalent ions. 2021 , 266, 129048		10
204	Selective adsorption mechanism of resin-activated carbon composite electrode for capacitive deionization. 2021 , 610, 125935		3
203	Rational design of Lithium-Sulfur battery cathodes based on differential Atom Electronegativity. 2021 , 35, 577-585		8
202	A review on lithium recovery using electrochemical capturing systems. <i>Desalination</i> , 2021 , 500, 114883	10.3	27
201	A review of membrane crystallization, forward osmosis and membrane capacitive deionization for liquid mining. 2021 , 168, 105273		21
200	Exploring the electrosorption selectivity and recovery of indium ions with capacitive deionization in acidic solution. <i>Journal of Colloid and Interface Science</i> , 2021 , 586, 819-829	9.3	8
199	Pushing microbial desalination cells towards field application: Prevailing challenges, potential mitigation strategies, and future prospects. 2021 , 759, 143485		12
198	Synergistic effects of ionic and nonionic surfactants treatment on activated carbon electrodes for inverted capacitive deionization. <i>Separation and Purification Technology</i> , 2021 , 258, 117987	8.3	5
197	Controllable synthesis of a hollow core-shell Co-Fe layered double hydroxide derived from Co-MOF and its application in capacitive deionization. <i>Journal of Colloid and Interface Science</i> , 2021 , 585, 85-94	9.3	21
196	Pretreatment for capacitive deionization: Feasibility tests using activated filter media and granule activated carbon filtration. 2021 , 93, 253-258		2

195	Inland desalination: techniques, brine management, and environmental concerns. 2021 , 871-918		1
194	A systematic investigation on synergistic electroplating and capacitive removal of Pb from artificial industrial waste water.. 2021 , 11, 12877-12884		0
193	Selective removal of specific anions using composite carbon electrodes coated with an anion-exchange resin powder. 2022 , 27, 200650-0		0
192	Comment on "Techno-economic analysis of capacitive and intercalative water deionization" by M. Metzger, M. Besli, S. Kuppan, S. Hellstrom, S. Kim, E. Sebti, C. Subban and J. Christensen, <i>Energy Environ. Sci.</i> , 2020, 13, 1544. 2021 , 14, 2494-2498		1
191	Tuning the Electrochemical Properties of Novel Asymmetric Integral Sulfonated Polysulfone Cation Exchange Membranes. 2021 , 26,		4
190	Capacitive Deionization of Water with Electrodes Based on Nanoporous Activated Carbon and a Mosaic Cation/Anion Exchange Membrane. 2021 , 57, 68-79		1
189	A Covalently Integrated Reduced Graphene Oxide/An-Exchange Resin Electrode for Efficient Capacitive Deionization. 2021 , 8, 2001998		4
188	Desalination Using Electrodialysis. 2021 , 15-38		0
187	Reply to the "Comment on "Techno-economic analysis of capacitive and intercalative water deionization" by S. K. Patel, L. Wang and M. Elimelech, <i>Energy Environ. Sci.</i> , 2021, 10.1039/D0EE03321A. 2021 , 14, 2499-2503		1
186	Sustainable development of ultrathin porous carbon nanosheets with highly accessible defects from biomass waste for high-performance capacitive desalination.		4
185	Partial Desalination of Saline Groundwater: Comparison of Nanofiltration, Reverse Osmosis and Membrane Capacitive Deionisation. <i>Membranes</i> , 2021 , 11,	3.8	3
184	Solar Driven Interfacial Steam Generation Derived from Biodegradable Luffa Sponge. 2021 , 5, 2000291		10
183	Modeling the process of capacitive deionization of solutions at supposing complex structure of the pores of the electrodes. 2021 , 59, 1054-1067		0
182	A review of metal-organic framework-derived carbon electrode materials for capacitive deionization. 2021 , 36, 117-132		11
181	Energy consumption and environmental impact assessment of desalination plants and brine disposal strategies. 2021 , 147, 589-608		25
180	Electro-adsorption characteristics and mechanism of Sr ²⁺ ions by capacitive deionization and CFD analysis study. 2021 , 133, 103628		10
179	Carbon-Based Capacitive Deionization Electrodes: Development Techniques and its Influence on Electrode Properties. 2021 , 21, 820-840		6
178	Understanding the Enhanced Capacitive Desalination Performance of Spherical ZnCo ₂ O ₄ Electrode. 2021 , 8, 2100125		0

177	Improving the feasibility and applicability of flow-electrode capacitive deionization (FCDI): Review of process optimization and energy efficiency. <i>Desalination</i> , 2021 , 502, 114930	10.3	22
176	Water softening during natural flow using electric double layer adsorption. 2021 , 2021, 65-69		
175	Cornhusk mesoporous activated carbon electrodes and seawater electrolyte: The sustainable sources for assembling retainable supercapacitor module. 2021 , 490, 229518		26
174	Electrochemical Supercapacitors (a Review). 2021 , 57, 311-347		13
173	A new hybrid desalination method based on the CO ₂ gas hydrate and capacitive deionization processes. <i>Desalination</i> , 2021 , 502, 114932	10.3	8
172	Theory of Faradaically Modulated Redox Active Electrodes for Electrochemically Mediated Selective Adsorption Processes. 2021 , 168, 053501		0
171	Synthesis of lithium vanadate/reduced graphene oxide with strong coupling for enhanced capacitive extraction of lithium ions. <i>Separation and Purification Technology</i> , 2021 , 262, 118294	8.3	2
170	Comparative desalination performance of activated carbon from coconut shell waste/carbon nanotubes composite in batch mode and single-pass mode. 2021 , 51, 1313-1322		2
169	Experimental Determination of Electrochemical Sorption/Desorption Properties of Gold(III) Ions. 2021 , 62, 257-264		1
168	Three-dimensional reduced graphene oxide decorated with iron oxide nanoparticles as efficient active material for high performance capacitive deionization electrodes. 2021 , 6, 100094		6
167	Recent progress and prospect of flow-electrode electrochemical desalination system. <i>Desalination</i> , 2021 , 504, 114964	10.3	13
166	MnO ₂ decorated porous carbon derived from <i>Enteromorpha prolifera</i> as flow-through electrode for dual-mode capacitive deionization. <i>Desalination</i> , 2021 , 504, 114977	10.3	12
165	Sustainable Desalination and Water Reuse. 2021 , 2, 1-204		1
164	Enhanced capacitive deionization performance of activated carbon derived from coconut shell electrodes with low content carbon nanotubes/graphene synergistic hybrid additive. 2021 , 292, 129652		6
163	Carbon electrode with cross-linked and charged chitosan binder for enhanced capacitive deionization performance. <i>Desalination</i> , 2021 , 505, 114979	10.3	9
162	Non-conventional water reuse in agriculture: A circular water economy. 2021 , 199, 117193		17
161	Electrochemical recovery and high value-added reutilization of heavy metal ions from wastewater: Recent advances and future trends. 2021 , 152, 106512		18
160	The effect of redox potential on the removal characteristic of divalent cations during activated carbon-based capacitive deionization. 2021 , 274, 129762		5

159	A critical review of point-of-use drinking water treatment in the United States. <i>Npj Clean Water</i> , 2021 , 4,	11.2	9
158	One-pot synthesis of activated carbon decorated with ZnO nanoparticles for capacitive deionization application. 2021 , 870, 159422		8
157	The optimized flow-electrode capacitive deionization (FCDI) performance by ZIF-8 derived nanoporous carbon polyhedron. <i>Separation and Purification Technology</i> , 2021 , 281, 119345	8.3	3
156	Investigation of carbonaceous materials electrosorption attributes and its performance for capacitive deionization process within the presence of humic acid. 2021 , 1		1
155	Efficient and stable operation of capacitive deionization assessed by electrode and membrane asymmetry. 2021 , 388, 138631		1
154	Time Evolution Study of the Electric Field Distribution and Charge Density Due to Ion Movement in Salty Water. 2021 , 13, 2185		2
153	Predicting the potential of capacitive deionization for the separation of pH-dependent organic molecules. 2021 , 21, 589-606		2
152	Numerical Analysis of Capacitive Deionization Process Using Activated Carbon Electrodes. 2021 , 232, 1		1
151	Desalination: From Ancient to Present and Future. 2021 , 13, 2222		7
150	Capacitive deionization: a promising technology for water defluoridation: a review.		0
149	Efficient PEDOT Electrode Architecture for Continuous Redox-Flow Desalination. 2021 , 9, 12779-12787		3
148	Nanoarchitectonics of Metal-Organic Frameworks for Capacitive Deionization via Controlled Pyrolyzed Approaches. 2021 , e2102477		7
147	Catalytic Capacitive Deionization for Adsorption and Reduction of Aqueous Nitrate.		2
146	Binder-free 3D graphene nanostructures on Ni foam substrate for application in capacitive deionization. 2021 , 120, 108612		3
145	Novel Inorganic Integrated Membrane Electrodes for Membrane Capacitive Deionization. 2021 , 13, 46537-46548		
144	Strategies to boost capacitive deionization performance of 3D electrodes. <i>Separation and Purification Technology</i> , 2021 , 273, 118977	8.3	2
143	Construction and evaluation of a novel three-electrode capacitive deionization system with high desalination performance. <i>Separation and Purification Technology</i> , 2021 , 273, 118976	8.3	10
142	Functionalized biochar electrodes for asymmetrical capacitive deionization. <i>Desalination</i> , 2021 , 516, 115240		6

141	Deep learning for pH prediction in water desalination using membrane capacitive deionization. <i>Desalination</i> , 2021 , 516, 115233	10.3	5
140	Hierarchical N-doped holey three-dimensional reduced graphene oxide with high performance capacitive deionization. 2021 , 15, 1996-2006		1
139	Synergistically enhanced nitrate removal by capacitive deionization with activated carbon/PVDF/polyaniline/ZrO ₂ composite electrode. <i>Separation and Purification Technology</i> , 2021 , 274, 119108	8.3	3
138	Efficient recovery of carboxylates from the effluents treated by advanced oxidation processes using flow-electrode capacitive deionization in short-circuited closed-cycle operation. <i>Separation and Purification Technology</i> , 2021 , 275, 119151	8.3	3
137	Block copolymer coated carbon nanotube membrane anodes for enhanced and multipurpose hybrid capacitive deionization. <i>Desalination</i> , 2021 , 520, 115368	10.3	5
136	Self-supporting porous carbon nanofibers with opposite surface charges for high-performance inverted capacitive deionization. <i>Desalination</i> , 2021 , 520, 115340	10.3	9
135	A novel Butter-sandwich Ti ₃ C ₂ T _x /PANI/PPY electrode with enhanced adsorption capacity and recyclability toward asymmetric capacitive deionization. <i>Separation and Purification Technology</i> , 2021 , 276, 119379	8.3	3
134	Effects of different Ca behavior patterns in the electric field on membrane fouling formation and removal of trace organic compounds.. 2022 , 111, 292-300		2
133	Stepwise hollow Prussian blue/carbon nanotubes composite as a novel electrode material for high-performance desalination. <i>Journal of Colloid and Interface Science</i> , 2022 , 605, 432-440	9.3	5
132	Morphological and structural evolution of activated carbons from almond shells. 2021 ,		
131	Electrochemically mediated deionization: a review. 2021 , 6, 25-51		2
130	Making wastewater obsolete: Selective separations to enable circular water treatment. 2021 , 5, 100078		10
129	Electrodialysis for wastewater treatment Part II: Industrial effluents. 2020 , 195-241		2
128	Ammonia recovery from concentrated solution by designing novel stacked FCDI cell. <i>Separation and Purification Technology</i> , 2020 , 250, 117066	8.3	10
127	Selective adsorption of organic anions in a flow cell with asymmetric redox active electrodes. 2020 , 182, 115963		10
126	Scale Formation by Electrode Reactions in Capacitive Deionization and its Effects on Desalination Performance. 2016 , 27, 74-79		9
125	Effect of Chemically Treated / Untreated Carbon Cloth: Potential Use as Electrode Materials in the Capacitive Deionization Process of Desalination of Aqueous Salt Solution. 2015 , 6, 139-145		5
124	Effect of Chemically Treated / Untreated Carbon Cloth: Potential Use as Electrode Materials in the Capacitive Deionization Process of Desalination of Aqueous Salt Solution. 2015 , 6, 139-145		3

123	Application of Capacitive Deionization for Desalination of Mining Water. 2014 , 17, 37-43	4
122	Application of Capacitive Deionization Packed Ion Exchange Resins in Two Flow Channels. 2015 , 18, 24-30	1
121	Preparation and application of reduced graphene oxide as the conductive material for capacitive deionization. 2014 , 15, 38-44	17
120	Sustainable Water Technology and Water-energy Nexus.	1
119	Application and influence factors of capacitive deionization method for removing inorganic contaminated ions. 2021 , 33, 365-376	1
118	The Effect of Electropolymerization Conditions on the Physicochemical and Biological Properties of Polypyrrole-Modified Activated Carbon. 2021 , 57, 954-964	
117	Insights on the role of supporting electrospun carbon nanofibers with binary metallic carbides for enhancing their capacitive deionization performance. 2021 , 15, 3795-3806	0
116	MoS ₂ nanoflakes-coated electrospun carbon nanofibers for Bocking-chair Γ capacitive deionization. <i>Desalination</i> , 2021 , 520, 115376	10.3 5
115	Influence of surface charge and textural properties of carbon electrodes on nitrate ion removal by electroadsorption. 2011 , 2011, 122-126	
114	Study on operation parameters of capacitive deionization to reclaimed water treatment. 2012 , 775-779	
113	Mesoporous Carbon Electrodes for Capacitive Deionization. 2014 , 17, 57-64	2
112	The removal characteristics of dissolved solid in wastewater during a capacitive deionization process. 2014 , 28, 151-160	2
111	Feasibility Study on Double Path Capacitive Deionization Process for Advanced Wastewater Treatment. 2014 , 36, 295-302	
110	Comparison of Selective Removal of Nitrate Ion in Constant Voltage and Constant Current Operation in Capacitive Deionization. 2015 , 53, 269-275	
109	Comparison of CDI and MCDI applied with sulfonated and aminated polysulfone polymers. 2016 , 7, 39-53	1
108	C-Based Materials on a Nanoscale: Synthesis, Properties, Applications, and Economical Aspects. 2016 , 15-18	
107	Preparation and Characteristics of Fluorinated Carbon Nanotube Applied Capacitive Desalination Electrode with Low Energy Consumption. 2016 , 27, 386-390	
106	UTILIZA��O DA FULIGEM DO BAGA��O DE CANA-DE-A��CAR ATIVADO COM CO ₂ COMO ELETRODO EM DEIONIZA��O CAPACITIVA.	

105	Fabrication and Properties of Modified Aluminum Plate Current Collector for Capacitive Deionization Electrodes. 2018 , 08, 358-366		
104	Membran Kapasitif Deiyonizasyon Prosesi ile Sertlik Giderimi. 341-346		0
103	The Capacitive Deionization Module Design and Its Analysis by Computational Flow Dynamics. 2019 , 29, 284-291		
102	Improvement of The Desalination Performance through The Split Electrodes in The Capacitive Deionization Process. 2019 , 29, 292-298		
101	Overview of Nanomaterial-Assisted Technologies for Denitrification Processes. 2020 , 165-201		
100	Freestanding N-doped graphene membrane electrode with interconnected porous architecture for efficient capacitive deionization. <i>Carbon</i> , 2022 , 187, 86-96	10.4	4
99	Electrochemical heavy metal removal from water using PVC waste-derived N, S co-doped carbon materials.. 2020 , 10, 4064-4070		5
98	Fabrication of an antimony doped tin oxide-graphene nanocomposite for highly effective capacitive deionization of saline water.. 2020 , 10, 39130-39136		1
97	Improving water desalination performance of electrospun carbon nanofibers by supporting with binary metallic carbide nanoparticles. 2021 ,		1
96	Electrochemical deposition of uranium oxide with an electrocatalytically active electrode using double potential step technique. 2021 ,		0
95	Semi-Continuous Desalination and Concentration of Small-Volume Samples. 2021 , 22,		
94	Highly Efficient Capacitive Deionization Enabled by NiCoMnO Electrodes.. 2022 , 6, 2100095		
93	Applications of bio-derived/bio-inspired materials in the field of interfacial solar steam generation. 1		3
92	Removal of manganese (II) from aqueous solution by ionic liquid impregnated polymeric sorbent and electrodeionization (EDI) techniques. 2021 , 158, 189-189		1
91	Ammonia removal from municipal wastewater via membrane capacitive deionization (MCDI) in pilot-scale. <i>Separation and Purification Technology</i> , 2022 , 286, 120469	8.3	2
90	Perfect divalent cation selectivity with capacitive deionization.. 2021 , 210, 117959		5
89	Electrochemical separation of organic acids and proteins for food and biomanufacturing. 2022 , 178, 267-288		5
88	Desalination metamodels and a framework for cross-comparative performance simulations. <i>Desalination</i> , 2022 , 525, 115474	10.3	0

87	Mapping the desalination journal: A systematic bibliometric study over 54 years. <i>Desalination</i> , 2022 , 526, 115535	10.3	3
86	Numerical modeling of ion transport and adsorption in porous media: A pore-scale study for capacitive deionization desalination. <i>Desalination</i> , 2022 , 526, 115520	10.3	0
85	Enhanced capacitive removal of hardness ions by hierarchical porous carbon cathode with high mesoporosity and negative surface charges.. <i>Journal of Colloid and Interface Science</i> , 2021 , 612, 277-286	9.3	0
84	Estado del arte. Métodos de desalinización de agua. 2021 , 28, 212-226		0
83	Porous carbons for environment remediation. 2022 , 541-802		
82	A Study of 3D flake MnO ₂ nanoflower decorated hollow carbon spheres as cathode material for pseudo-capacitive deionization. 2022 , 10, 107266		1
81	Visualizing the landscape and evolution of capacitive deionization by scientometric analysis. <i>Desalination</i> , 2022 , 527, 115562	10.3	1
80	Mxene pseudocapacitive electrode material for capacitive deionization. <i>Chemical Engineering Journal</i> , 2022 , 435, 134959	14.7	5
79	Ni-doping Cu-Prussian blue analogue/carbon nanotubes composite (Ni-CuPBA/CNTs) with 3D electronic channel-rich network structure for capacitive deionization. <i>Desalination</i> , 2022 , 528, 115622	10.3	0
78	Enhanced capacitive deionization using a biochar-integrated novel flow-electrode. <i>Desalination</i> , 2022 , 528, 115636	10.3	0
77	Electrospun YFeO ₃ and Activated Carbon Nanofibers as Electrodes for Photoelectrochemical Degradation of Orange II and Sulfamethazine. <i>SSRN Electronic Journal</i> ,		1
76	Improvement in the Desalination Performance of Membrane Capacitive Deionization with a Bipolar Electrode Via an Energy Recovery Process. <i>SSRN Electronic Journal</i> ,		1
75	An ion-accumulating effect in a hollow carbon bowl electrode: understanding the structure-enhanced volumetric desalination capacity and ion transport kinetics in capacitive deionization. <i>Journal of Materials Chemistry A</i> ,	13	5
74	Polymer-based nano-enhanced reverse osmosis membranes. 2022 , 335-379		0
73	Dimensional optimization enables high-performance capacitive deionization. <i>Journal of Materials Chemistry A</i> , 2022 , 10, 6414-6441	13	6
72	Emerging investigator series: a comparison of strong and weak-acid functionalized carbon electrodes in capacitive deionization. <i>Environmental Science: Water Research and Technology</i> ,	4.2	0
71	Graphene-Assisted Ti ₃ C ₂ MXene-Derived Ultrathin Sodium Titanate for Capacitive Deionization with Excellent Rate Performance and Long Cycling Stability. <i>Journal of Materials Chemistry A</i> ,	13	0
70	Synthesis and electrochemical behavior of monolayer-Ti ₃ C ₂ T _x for capacitive deionization. <i>Journal of Central South University</i> , 2022 , 29, 359-372	2.1	2

69	Physical similarity and parametric sensitivity analysis of the capacitive deionization process. <i>International Journal of Green Energy</i> , 1-13	3	1
68	Enhanced Electrodesorption Performance via Cathode Potential Extension during Capacitive Deionization. <i>Applied Sciences (Switzerland)</i> , 2022 , 12, 2874	2.6	
67	MnO ₂ -Coated Graphene/Polypyrrole Hybrids for Enhanced Capacitive Deionization Performance of Cu ²⁺ Removal. <i>Industrial & Engineering Chemistry Research</i> , 2022 , 61, 3582-3590	3.9	0
66	Expeditious and effectual capacitive deionization performance by chitosan-based carbon with hierarchical porosity. <i>Desalination</i> , 2022 , 531, 115703	10.3	1
65	High-Performance Carbon Electrodes Modified with Polyaniline for Stable and Selective Anion Separation. <i>Separation and Purification Technology</i> , 2022 , 290, 120807	8.3	2
64	Improvement in the desalination performance of membrane capacitive deionization with a bipolar electrode via an energy recovery process. <i>Chemical Engineering Journal</i> , 2022 , 439, 135603	14.7	0
63	The effect of the conductance enhancement system based on capacitance deionization on the electromagnetic efficiency of the superconducting MHD thruster. <i>AIP Advances</i> , 2021 , 11, 125203	1.5	1
62	Three-Dimensional Graphene/MWCNT-MnO ₂ Nanocomposites for High-Performance Capacitive Deionization (CDI) Application. <i>Journal of Electroanalytical Chemistry</i> , 2022 , 116318	4.1	2
61	Principles and Materials of Mixing Entropy Battery and Capacitor for Future Harvesting Salinity Gradient Energy. <i>ACS Applied Energy Materials</i> ,	6.1	0
60	Highly efficient capacitive removal of Cd ²⁺ over MoS ₂ -Carbon framework composite material in desulphurisation wastewater from coal-fired power plants. <i>Journal of Cleaner Production</i> , 2022 , 355, 131814	10.3	0
59	Titanium disulfide decorated hollow carbon spheres towards capacitive deionization. <i>Desalination</i> , 2022 , 533, 115766	10.3	1
58	Table_1.DOCX. 2020 ,		
57	Table_2.DOCX. 2020 ,		
56	Table_1.DOCX. 2020 ,		
55	Knowledge and Technology Used in Capacitive Deionization of Water. <i>Membranes</i> , 2022 , 12, 459	3.8	3
54	Efficient transport system of cultivated mushroom mycelium enables its derived carbon with high performance electrochemical desalination capability. <i>Carbon</i> , 2022 ,	10.4	1
53	Porous phytic acid-doped sodium alginate aerogels as the electrode material for the electrosorption of uranium from acidic solution. <i>Journal of Radioanalytical and Nuclear Chemistry</i> ,	1.5	1
52	Comparing Energy Demands and Longevities of Membrane-based Capacitive Deionization Architectures. <i>Environmental Science: Water Research and Technology</i> ,	4.2	1

51	Electrically regenerated ion-exchange technology: Leveraging faradaic reactions and assessing the effect of co-ion sorption. <i>Journal of Colloid and Interface Science</i> , 2022 ,	9.3	0
50	Selective Ion Removal by Capacitive Deionization (CDI)-Based Technologies. <i>Processes</i> , 2022 , 10, 1075	2.9	2
49	The performance of MCDI: the effect of sulfosuccinic acid ratio in the PVA-based cation exchange membrane. <i>Ionics</i> ,	2.7	
48	Removal and recovery of ammonia from simulated wastewater using Ti3C2Tx MXene in flow electrode capacitive deionization. <i>Npj Clean Water</i> , 2022 , 5,	11.2	0
47	Recent Progresses in Adsorption Mechanism, Architectures, Electrode Materials and Applications for Advanced Electrosorption System: A Review. <i>Polymers</i> , 2022 , 14, 2985	4.5	
46	Surfactant-assisted self-assembly of flower-like ultrathin vanadium disulfide nanosheets for enhanced hybrid capacitive deionization. <i>Journal of Colloid and Interface Science</i> , 2022 , 627, 1011-1020	9.3	1
45	Electrochemical Methods for Water Purification, Ion Separations, and Energy Conversion. 2022 , 122, 13547-13635		8
44	Hybrid AlkaliSaltAcid Electrochemical Device for Electricity-Efficient Desalination and H2 Generation. 2022 , 10, 10781-10788		0
43	Effects of Artificial River Water on PEM Water Electrolysis Performance. 2022 , 12, 934		
42	Preparation, modification and environmental application of carbon monoliths assisted by the electric field: A review. 2022 , 369, 133464		
41	Polystyrene sulfonate coated activated graphene aerogel for boosting desalination performance using capacitive deionization. 2022 , 299, 121760		0
40	Selective fluoride removal on LaHAP/3D-rGO composite electrode by capacitive deionization. 2022 , 429, 141029		0
39	A review of recent advances in electrode materials and applications for flow-electrode desalination systems. 2022 , 541, 116037		0
38	HCl-activated porous nitrogen-doped carbon nanopolyhedras with abundant hierarchical pores for ultrafast desalination. 2022 , 628, 236-246		1
37	Waste to wealth: A critical analysis of resource recovery from desalination brine. 2022 , 543, 116093		1
36	Two-dimensional materials in enhancement of membrane-based lithium recovery from metallic-ions-rich wastewaters: A review. 2022 , 543, 116096		1
35	Study on the functionalization of activated carbon and the effect of binder toward capacitive deionization application. 2022 , 11, 830-841		0
34	Electro-Adsorption of Cs(I) Ions From Aqueous Solution by Capacitive Deionization Using Acc/Moo3 Composite Electrode.		0

- 33 An open-source deep learning model for predicting effluent concentration in capacitive deionization. **2023**, 856, 159158 ○
- 32 Research Progress of Carbon Materials Derived from the Zn-Based Metal-Organic Frameworks in Capacitive Deionization. ○
- 31 Highly mesoporous carbon nanofiber electrodes with ultrahigh specific surface area for efficient capacitive deionization. **2022**, 1 ○
- 30 Binder-Free Wood Converted Carbon for Enhanced Water Desalination Performance. 2208040 ○
- 29 Ion Exchange Conversion of Na-Birnessite to Mg-Buserite for Enhanced and Preferential Cu²⁺ Removal via Hybrid Capacitive Deionization. **2022**, 14, 46646-46656 ○
- 28 Preparation of stacked CoxNiyOz/TiO2 thin film structure on carbon cloth for flow-through capacitive deionization device. ○
- 27 Electrosorption of Cu(II) and Zn(II) in Capacitive Deionization by KOH Activation Coconut-Shell Activated Carbon. ○
- 26 Towards attaining SDG 6: The opportunities available for capacitive deionization technology to provide clean water to the African population. **2023**, 216, 114671 ○
- 25 Environmental threat and change detection in saline lakes from 1960 to 2021: background, present, and future. ○
- 24 Lignin-derived carbon nanofibers with the micro-cracking structure for high-performance capacitive deionization. **2022**, 10, 108952 ○
- 23 Electro-deionization (EDI) technology for enhanced water treatment and desalination: A review. **2023**, 548, 116254 ○
- 22 The multi-functional system of electrochemical desalination, RhB degradation and Cr (VI) removal. 1-28 ○
- 21 Layered Metal Oxide Nanosheets with Enhanced Interlayer Space for Electrochemical Deionization. 2210871 ○
- 20 Modeling Salt Adsorption in Electrical Double Layer for Capacitive Deionization. ○
- 19 Evaluation of the Specific Capacitance of High-Entropy Oxide-Based Electrode Materials in View of Their Use for Water Desalination via Capacitive Method. **2023**, 13, 721 ○
- 18 New operation method of a membrane capacitive deionization system with a dual-solution mode for improving the desorption rate. **2023**, 549, 116364 ○
- 17 Electro-adsorption of Cs(I) ions from aqueous solution by capacitive deionization using ACC/MoO3 composite electrode. **2023**, 865, 161110 ○
- 16 Experimental study of gold (III) ion electrochemical sorption/desorption regularities. **2021**, 27, 4-13 ○

- 15 Voltage control for membrane capacitive de-ionization cell for higher energy efficiency in salt removal. **2023**, 4, 100061
- 14 Surface-treated carbon black for durable, efficient, continuous flow electrode capacitive deionization. **2023**, 313, 123444
- 13 Outflow geometry for electrochemical desalination cells. **2023**, 449, 142180
- 12 Biowaste materials derived activated carbon (BMDAC) electrodes for removal of pollutant ions using capacitive deionization: A mini review. **2023**, 340, 134165
- 11 Diagnostics of supercapacitors using cyclic voltammetry: Modeling and experimental applications. **2023**, 935, 117322
- 10 Electrocapacitive Deionization: Mechanisms, Electrodes, and Cell Designs. 2213578
- 9 Enhanced desalination performance in flow electrode capacitive deionization with nitrogen doped porous carbon.
- 8 Electropolymerized Poly(3,4-ethylenedioxythiophene) Coatings on Porous Carbon Electrodes for Electrochemical Separation of Metals. **2023**, 10, 2202497
- 7 Electrosorption Integrated with Bipolar Membrane Water Dissociation: A Coupled Approach to Chemical-free Boron Removal. **2023**, 57, 4578-4590
- 6 Optimization and Evaluation for the Capacitive Deionization Process of Wastewater Reuse in Combined Cycle Power Plants. **2023**, 13, 316
- 5 Technologies for Halide Removal in Water Treatment [A State-of-the-Art Review. 9, 60-102
- 4 Ion Separation Together with Water Purification via a New Type of Nanotube: A Molecular Dynamics Study. **2023**, 24, 6677
- 3 Industrial wastewater treatment technologies for reuse, recycle, and recovery: advantages, disadvantages, and gaps. **2023**, 12, 205-250
- 2 Self-Discharge of Supercapacitors: A Review. **2023**, 59, 24-36
- 1 Nanoarchitectonics of heteroatom-doped hierarchical porous carbon derived from carboxymethyl cellulose carbon aerogel and metal-organic framework for capacitive deionization. **2023**, 241, 124596