

CITATION REPORT

List of articles citing

Antioxidant activities of different fractions of polysaccharide conjugates from green tea (*Camellia Sinensis*)

DOI: 10.1016/j.foodchem.2007.06.040
Food Chemistry, 2008, 106, 559-563.

Source: <https://exaly.com/paper-pdf/43516784/citation-report.pdf>

Version: 2024-04-17

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 247 | Isolation and chemical characterisation of a polysaccharide from green tea (<i>Camellia sinensis</i> L.). 2008 , 88, 2523-2528 | | 38 |
| 246 | Physicochemical characterization and antioxidant activity of a polysaccharide isolated from oolong tea. <i>European Food Research and Technology</i> , 2009 , 229, 629-635 | 3.4 | 44 |
| 245 | Physicochemical properties and antioxidant capacity of 3 polysaccharides from green tea, oolong tea, and black tea. <i>Journal of Food Science</i> , 2009 , 74, C469-74 | 3.4 | 114 |
| 244 | Chemical structural and chain conformational characterization of some bioactive polysaccharides isolated from natural sources. <i>Carbohydrate Polymers</i> , 2009 , 76, 349-361 | 10.3 | 461 |
| 243 | Chemical characteristics and antioxidant activity of exopolysaccharide fractions from <i>Microbacterium terregens</i> . <i>Carbohydrate Polymers</i> , 2009 , 77, 563-567 | 10.3 | 28 |
| 242 | Antioxidant properties of polysaccharide fractions with different molecular mass extracted with hot-water from rice bran. <i>Carbohydrate Polymers</i> , 2009 , 78, 570-575 | 10.3 | 95 |
| 241 | Antioxidative activity of polysaccharide fractions isolated from <i>Lycium barbarum</i> Linnaeus. <i>International Journal of Biological Macromolecules</i> , 2009 , 45, 146-51 | 7.9 | 139 |
| 240 | A comparison study on microwave-assisted extraction of <i>Artemisia sphaerocephala</i> polysaccharides with conventional method: Molecule structure and antioxidant activities evaluation. <i>International Journal of Biological Macromolecules</i> , 2009 , 45, 483-92 | 7.9 | 79 |
| 239 | A sensitive analytical method for the component monosaccharides of the polysaccharides from a Tibetan herb <i>Potentilla anserina</i> L. by capillary zone electrophoresis with UV detector. <i>European Food Research and Technology</i> , 2010 , 230, 715-722 | 3.4 | 9 |
| 238 | Structural characterization and antioxidant activity of an extracellular polysaccharide isolated from <i>Brevibacterium oitidis</i> BTS 44. <i>Food Chemistry</i> , 2010 , 123, 315-320 | 8.5 | 51 |
| 237 | Antioxidant activities of different fractions of polysaccharide purified from pulp tissue of litchi (<i>Litchi chinensis</i> Sonn.). <i>Carbohydrate Polymers</i> , 2010 , 81, 612-616 | 10.3 | 41 |
| 236 | A comparison study on microwave-assisted extraction of <i>Potentilla anserina</i> L. polysaccharides with conventional method: Molecule weight and antioxidant activities evaluation. <i>Carbohydrate Polymers</i> , 2010 , 80, 84-93 | 10.3 | 131 |
| 235 | Antitumor activities of different fractions of polysaccharide purified from <i>Ornithogalum caudatum</i> Ait. <i>Carbohydrate Polymers</i> , 2010 , 80, 845-851 | 10.3 | 52 |
| 234 | Sulfated modification, characterization and structure-antioxidant relationships of <i>Artemisia sphaerocephala</i> polysaccharides. <i>Carbohydrate Polymers</i> , 2010 , 81, 897-905 | 10.3 | 133 |
| 233 | Structural features and hypoglycaemic effects of <i>Cynomorium songaricum</i> polysaccharides on STZ-induced rats. <i>Food Chemistry</i> , 2010 , 120, 443-451 | 8.5 | 31 |
| 232 | Chemical composition and free radical scavenging activities of a sulphated polysaccharide extracted from abalone gonad (<i>Haliotis Discus Hannai</i> Ino). <i>Food Chemistry</i> , 2010 , 121, 712-718 | 8.5 | 48 |
| 231 | Determination of tea polysaccharides in <i>Camellia sinensis</i> by a modified phenol-sulfuric acid method. 2010 , 62, 669-676 | | 51 |

| | | | |
|-----|---|------|-----|
| 230 | Structure-antioxidant relationships of sulfated galactomannan from guar gum. <i>International Journal of Biological Macromolecules</i> , 2010 , 46, 59-66 | 7.9 | 58 |
| 229 | Structure elucidation and antioxidant activity of a novel alpha-(1-->3),(1-->4)-D-glucan from <i>Aconitum kusnezoffii</i> Reichb. <i>International Journal of Biological Macromolecules</i> , 2010 , 46, 85-90 | 7.9 | 24 |
| 228 | Optimization of ultrasonic/microwave assisted extraction (UMAE) of polysaccharides from <i>Inonotus obliquus</i> and evaluation of its anti-tumor activities. <i>International Journal of Biological Macromolecules</i> , 2010 , 46, 429-35 | 7.9 | 125 |
| 227 | Study on molecular structural characteristics of tea polysaccharide. <i>International Journal of Biological Macromolecules</i> , 2010 , 47, 244-9 | 7.9 | 21 |
| 226 | Structural characterization of polysaccharides from <i>Zizyphus jujuba</i> and evaluation of antioxidant activity. <i>International Journal of Biological Macromolecules</i> , 2010 , 47, 445-53 | 7.9 | 120 |
| 225 | Alfalfa polysaccharides improve the growth performance and antioxidant status of heat-stressed rabbits. 2010 , 131, 88-93 | | 20 |
| 224 | Hyperbranched acidic polysaccharide from green tea. 2010 , 11, 3395-405 | | 50 |
| 223 | Synthesis and Antioxidant Activity of Resin of Chitosan Cerium Encapsulated Green Tea Extract Microspheres. 2011 , 194-196, 734-741 | | |
| 222 | Black cumin seeds, <i>Artemisia</i> leaves (<i>Artemisia sieberi</i>), and <i>Camellia</i> L. plant extract as phytogetic products in broiler diets and their effects on performance, blood constituents, immunity, and cecal microbial population. 2011 , 90, 2500-10 | | 66 |
| 221 | Isolation, characterization and immunological activity of a polysaccharide from the fruit bodies of an edible mushroom, <i>Sarcodon aspratus</i> (Berk.) S. Ito.. 2011 , 44, 489-493 | | 42 |
| 220 | Phenolics and polysaccharides in major tropical fruits: chemical compositions, analytical methods and bioactivities. 2011 , 3, 2212 | | 11 |
| 219 | Green tea polysaccharide-conjugates protect human umbilical vein endothelial cells against impairments triggered by high glucose. <i>International Journal of Biological Macromolecules</i> , 2011 , 49, 50-4 | 7.9 | 21 |
| 218 | Safety evaluation of tea (<i>Camellia sinensis</i> (L.) O. Kuntze) flower extract: assessment of mutagenicity, and acute and subchronic toxicity in rats. 2011 , 133, 583-90 | | 20 |
| 217 | Physicochemical properties, in vitro antioxidant activities and inhibitory potential against α -glucosidase of polysaccharides from <i>Ampelopsis grossedentata</i> leaves and stems. <i>Molecules</i> , 2011 , 16, 7762-72 | 4.8 | 16 |
| 216 | Evaluation of cytotoxicity and biological activities in extracellular polysaccharides released by cyanobacterium <i>Arthrospira platensis</i> . 2011 , 54, 831-838 | | 58 |
| 215 | Structural characterization and antioxidant activities of 2 water-soluble polysaccharide fractions purified from tea (<i>Camellia sinensis</i>) flower. <i>Journal of Food Science</i> , 2011 , 76, C462-71 | 3.4 | 71 |
| 214 | In vitro and in vivo antioxidant activity of exopolysaccharide fractions from <i>Bifidobacterium animalis</i> RH. 2011 , 17, 226-31 | | 79 |
| 213 | A review on the isolation and structure of tea polysaccharides and their bioactivities. <i>Food Hydrocolloids</i> , 2011 , 25, 144-149 | 10.6 | 173 |

| | | | |
|-----|---|------|-----|
| 212 | Effects of molecular characteristics of tea polysaccharide in green tea on glass transitions of potato amylose, amylopectin and their mixtures. <i>Food Hydrocolloids</i> , 2011 , 25, 486-494 | 10.6 | 15 |
| 211 | Chemical characterization and antioxidant activity of an exopolysaccharide fraction isolated from <i>Bifidobacterium animalis</i> RH. <i>European Food Research and Technology</i> , 2011 , 232, 231-240 | 3.4 | 68 |
| 210 | Investigation of morphological change of green tea polysaccharides by SEM and AFM. 2011 , 33, 450-4 | | 5 |
| 209 | Comparative antioxidative characteristics of polysaccharide-enriched extracts from natural sclerotia and cultured mycelia in submerged fermentation of <i>Inonotus obliquus</i> . <i>Food Chemistry</i> , 2011 , 127, 74-79 | 8.5 | 51 |
| 208 | Lotus (<i>Nelumbo nucifera</i> Gaertn) plumule polysaccharide protects the spleen and liver from spontaneous inflammation in non-obese diabetic mice by modulating pro-/anti-inflammatory cytokine gene expression. <i>Food Chemistry</i> , 2011 , 129, 245-252 | 8.5 | 25 |
| 207 | Preparation and characterization of radical and pH-responsive chitosan-gallic acid conjugate drug carriers. <i>Carbohydrate Polymers</i> , 2011 , 84, 794-802 | 10.3 | 64 |
| 206 | Ultrasonic-assisted extraction optimized by response surface methodology, chemical composition and antioxidant activity of polysaccharides from <i>Tremella mesenterica</i> . <i>Carbohydrate Polymers</i> , 2011 , 83, 217-224 | 10.3 | 111 |
| 205 | Extraction optimization, characterization and bioactivity of crude polysaccharides from <i>Herba Moslae</i> . <i>Carbohydrate Polymers</i> , 2011 , 83, 1201-1206 | 10.3 | 15 |
| 204 | Antioxidant activities of polysaccharides from the fruiting bodies of <i>Zizyphus Jujuba</i> cv. <i>Jinsixiaozao</i> . <i>Carbohydrate Polymers</i> , 2011 , 84, 390-394 | 10.3 | 114 |
| 203 | Antioxidant and immunoregulatory activity of different polysaccharide fractions from tuber of <i>Ophiopogon japonicus</i> . <i>Carbohydrate Polymers</i> , 2011 , 86, 1273-1280 | 10.3 | 99 |
| 202 | Antioxidant effects of a water-soluble proteoglycan isolated from the fruiting bodies of <i>Pleurotus ostreatus</i> . 2011 , 42, 402-407 | | 27 |
| 201 | A novel method for quantitative determination of tea polysaccharide by resonance light scattering. 2011 , 79, 928-33 | | 10 |
| 200 | Influence of Different Extraction Methods of Tea Polyphenols on Proportions of Catechins. 2011 , 311-313, 2114-2120 | | 3 |
| 199 | Protective effects of polysaccharides from soybean meal against X-ray radiation induced damage in mouse spleen lymphocytes. 2011 , 12, 8096-104 | | 14 |
| 198 | Hypolipidemic and antioxidative effects of dika nut (<i>Irvingia gabonensis</i>) seeds and nkui (<i>Trimphetta cordifolia</i>) stem bark mucilages in triton WR-1339 induced hyperlipidemic rats. 2012 , 21, 1715-1721 | | 3 |
| 197 | Antioxidant activities potential of tea polysaccharide fractions obtained by ultra filtration. <i>International Journal of Biological Macromolecules</i> , 2012 , 50, 558-64 | 7.9 | 72 |
| 196 | Purification and antioxidant activity of a polysaccharide from bulbs of <i>Fritillaria ussuriensis</i> Maxim. <i>International Journal of Biological Macromolecules</i> , 2012 , 50, 1075-80 | 7.9 | 30 |
| 195 | Structure and antioxidant activities of sulfated guar gum: homogeneous reaction using DMAP/DCC catalyst. <i>International Journal of Biological Macromolecules</i> , 2012 , 50, 1201-6 | 7.9 | 32 |

| | | | |
|-----|--|------|-----|
| 194 | Antioxidant activities of five polysaccharides from <i>Inonotus obliquus</i> . <i>International Journal of Biological Macromolecules</i> , 2012 , 50, 1183-7 | 7.9 | 70 |
| 193 | Characterization and in vitro antioxidant activities of polysaccharides from <i>Pleurotus ostreatus</i> . <i>International Journal of Biological Macromolecules</i> , 2012 , 51, 259-65 | 7.9 | 48 |
| 192 | Preparation, preliminary characterization, antioxidant, hepatoprotective and antitumor activities of polysaccharides from the flower of tea plant (<i>Camellia sinensis</i>). 2012 , 50, 2473-80 | | 106 |
| 191 | Fermentation process enhanced production and bioactivities of oolong tea polysaccharides. 2012 , 46, 158-166 | | 50 |
| 190 | Antioxidant and antitumor activities of the polysaccharide from seed cake of <i>Camellia oleifera</i> Abel. <i>International Journal of Biological Macromolecules</i> , 2012 , 51, 364-8 | 7.9 | 42 |
| 189 | Dynamic high pressure microfluidization-assisted extraction and antioxidant activities of lentinan. <i>International Journal of Biological Macromolecules</i> , 2012 , 51, 926-32 | 7.9 | 39 |
| 188 | Green Tea as an Agricultural Based Health Promoting Food: The Past Five to Ten Years. 2012 , 2, 393-413 | | 12 |
| 187 | Quality Characteristics and Content of Polysaccharides in Green Tea Fermented by <i>Monascus pilosus</i> . 2012 , 17, 293-8 | | 4 |
| 186 | Botanicals: an alternative approach for the control of avian coccidiosis. 2012 , 68, 203-215 | | 63 |
| 185 | Isolation and physicochemical characterization of polysaccharide fractions isolated from <i>Schisandra chinensis</i> . 2012 , 47, 969-970 | | 8 |
| 184 | Extraction optimisation and antioxidant activities in vitro of polysaccharides from <i>Allium macrostemon</i> Bunge. 2012 , 47, 723-730 | | 11 |
| 183 | Effects of drying methods on the antioxidant activities of polysaccharides extracted from <i>Ganoderma lucidum</i> . <i>Carbohydrate Polymers</i> , 2012 , 87, 1849-1854 | 10.3 | 147 |
| 182 | Bioactivities of water-soluble polysaccharides from fruit shell of <i>Camellia oleifera</i> Abel: Antitumor and antioxidant activities. <i>Carbohydrate Polymers</i> , 2012 , 87, 2198-2201 | 10.3 | 54 |
| 181 | Optimisation of exopolysaccharide production by <i>Gomphidius rutilus</i> and its antioxidant activities in vitro. <i>Carbohydrate Polymers</i> , 2012 , 87, 2299-2305 | 10.3 | 21 |
| 180 | Characterization of antioxidant polysaccharides from <i>Auricularia auricular</i> using microwave-assisted extraction. <i>Carbohydrate Polymers</i> , 2012 , 89, 694-700 | 10.3 | 144 |
| 179 | Chemical properties and antioxidant activity of exopolysaccharides fractions from mycelial culture of <i>Inonotus obliquus</i> in a ground corn stover medium. <i>Food Chemistry</i> , 2012 , 134, 1899-905 | 8.5 | 49 |
| 178 | Exploration of the antioxidant and antimicrobial capacity of two sunflower protein concentrate films with naturally present phenolic compounds. <i>Food Hydrocolloids</i> , 2012 , 29, 374-381 | 10.6 | 39 |
| 177 | Polysaccharides from the Styrian oil-pumpkin with antioxidant and complement-fixing activity. <i>Industrial Crops and Products</i> , 2013 , 41, 127-133 | 5.9 | 29 |

| | | | |
|-----|---|------|-----|
| 176 | Variation in antioxidant activities of polysaccharides from Fructus Jujubae in South Xinjiang area. <i>International Journal of Biological Macromolecules</i> , 2013 , 57, 278-84 | 7.9 | 12 |
| 175 | Extrusion treatment for improved physicochemical and antioxidant properties of high-molecular weight polysaccharides isolated from coarse tea. 2013 , 53, 726-731 | | 24 |
| 174 | Characterization of Lycium barbarum polysaccharide and its effect on human hepatoma cells. <i>International Journal of Biological Macromolecules</i> , 2013 , 61, 270-5 | 7.9 | 56 |
| 173 | Chemical modification, antioxidant and α-amylase inhibitory activities of corn silk polysaccharides. <i>Carbohydrate Polymers</i> , 2013 , 98, 428-37 | 10.3 | 98 |
| 172 | In vitro antioxidant activities of different sulfated polysaccharides from chlorophyten seaweeds <i>Ulva fasciata</i> . <i>International Journal of Biological Macromolecules</i> , 2013 , 59, 295-300 | 7.9 | 66 |
| 171 | Purification, characterization and anticoagulant activity of the polysaccharides from green tea. <i>Carbohydrate Polymers</i> , 2013 , 92, 1086-90 | 10.3 | 97 |
| 170 | Compatibility studies on tea polysaccharide/amylose/water and tea polysaccharide/amylopectin/water. <i>Carbohydrate Polymers</i> , 2013 , 92, 441-7 | 10.3 | 4 |
| 169 | Physical modifications of polysaccharide from <i>Inonotus obliquus</i> and the antioxidant properties. <i>International Journal of Biological Macromolecules</i> , 2013 , 54, 209-15 | 7.9 | 51 |
| 168 | Effect of different drying methods on physicochemical properties and antioxidant activities of polysaccharides extracted from mushroom <i>Inonotus obliquus</i> . 2013 , 50, 633-640 | | 125 |
| 167 | Structure and Bioactivities of Polysaccharides in Tea. 2013 , 225-235 | | 1 |
| 166 | Inhibitory effects and molecular mechanisms of selenium-containing tea polysaccharides on human breast cancer MCF-7 cells. 2013 , 61, 579-88 | | 70 |
| 165 | Antioxidant activity and potential hepatoprotective effect of polysaccharides from <i>Cyclina sinensis</i> . <i>Carbohydrate Polymers</i> , 2013 , 91, 262-8 | 10.3 | 81 |
| 164 | Antioxidant activity and physicochemical properties of an acidic polysaccharide from <i>Morinda officinalis</i> . <i>International Journal of Biological Macromolecules</i> , 2013 , 58, 7-12 | 7.9 | 33 |
| 163 | Tea polysaccharides as food antioxidants: an old woman's tale?. <i>Food Chemistry</i> , 2013 , 138, 1923-7 | 8.5 | 40 |
| 162 | Homogalacturonans from preinfused green tea: structural characterization and anticomplementary activity of their sulfated derivatives. 2013 , 61, 10971-80 | | 17 |
| 161 | Production, preliminary characterization, and bioactivities of exopolysaccharides from <i>Pleurotus geesteranus</i> 5(#). 2013 , 43, 108-22 | | 4 |
| 160 | Antioxidant properties of methanol extract of a new commercial gelatinous mushrooms (white variety of <i>Auricularia fuscusuccinea</i>) of Taiwan. 2013 , 12, 6210-6221 | | 11 |
| 159 | Chemical Analysis and Antioxidant Activity in vitro of Polysaccharides Extracted from Lower Grade Green Tea. 2013 , 5, 1355-1360 | | 3 |

| | | | |
|-----|--|------|----|
| 158 | Antioxidant Activity Relationships of Pachymaran Derivatives. 2014 , 38, 307-315 | | 2 |
| 157 | Temperature resistance and salt tolerance of starch derivatives containing sulfonate groups. 2014 , 66, 369-375 | | 4 |
| 156 | The capability of <i>Inonotus obliquus</i> for lignocellulosic biomass degradation in peanut shell and for simultaneous production of bioactive polysaccharides and polyphenols in submerged fermentation. 2014 , 45, 2851-2858 | | 7 |
| 155 | Isolation and partial characterization of a neutral polysaccharide from <i>Mosla chinensis</i> Maxim. cv. Jiangxiangru and its antioxidant and immunomodulatory activities. 2014 , 6, 410-418 | | 65 |
| 154 | Effects of superfine grinding on physicochemical and antioxidant properties of <i>Lycium barbarum</i> polysaccharides. <i>LWT - Food Science and Technology</i> , 2014 , 58, 594-601 | 5.4 | 68 |
| 153 | Pectic polysaccharides of the fresh plum <i>Prunus domestica</i> L. isolated with a simulated gastric fluid and their anti-inflammatory and antioxidant activities. <i>Food Chemistry</i> , 2014 , 143, 106-13 | 8.5 | 60 |
| 152 | Inhibition of the Cu65/Zn35 brass corrosion by natural extract of <i>Camellia sinensis</i> . 2014 , 307, 209-216 | | 31 |
| 151 | In vitro antioxidant activity and potential inhibitory action against α -glucosidase of polysaccharides from fruit peel of tea (<i>Camellia sinensis</i> L.). 2014 , 15, 173-80 | | 15 |
| 150 | Ultrasonic-assisted extraction and antioxidant activities of polysaccharides from <i>Camellia oleifera</i> leaves. <i>International Journal of Biological Macromolecules</i> , 2014 , 68, 7-12 | 7.9 | 41 |
| 149 | Enzymolysis-ultrasonic assisted extraction, chemical characteristics and bioactivities of polysaccharides from corn silk. <i>Carbohydrate Polymers</i> , 2014 , 101, 332-41 | 10.3 | 59 |
| 148 | Extraction, purification and characterization of polysaccharides from Hawk tea. <i>Carbohydrate Polymers</i> , 2014 , 99, 319-24 | 10.3 | 74 |
| 147 | Production of bioactive polysaccharides by <i>Inonotus obliquus</i> under submerged fermentation supplemented with lignocellulosic biomass and their antioxidant activity. 2014 , 37, 2483-92 | | 17 |
| 146 | Physicochemical characterization of puerh tea polysaccharides and their antioxidant and α -glucosidase inhibition. 2014 , 6, 545-554 | | 74 |
| 145 | Water-soluble polysaccharides from agro-industrial by-products: functional and biological properties. <i>International Journal of Biological Macromolecules</i> , 2014 , 69, 236-43 | 7.9 | 75 |
| 144 | Screening and comparison of antioxidant activities of polysaccharides from <i>Coriolus versicolor</i> . <i>International Journal of Biological Macromolecules</i> , 2014 , 69, 12-9 | 7.9 | 21 |
| 143 | Alkali extraction and in vitro antioxidant activity of <i>Monascus mycelium</i> polysaccharides. 2014 , 51, 1251-9 | | 11 |
| 142 | Changes in the Content of Pectic Substances in Tea Leaves (<i>Camellia sinensis</i> L.) during Steam Processing of Green Tea. <i>Food Science and Technology Research</i> , 2014 , 20, 859-865 | 0.8 | 4 |
| 141 | Antioxidant and immunomodulatory properties of polysaccharides from <i>Allanblackia floribunda</i> Oliv stem bark and <i>Chromolaena odorata</i> (L.) King and H.E. Robins leaves. 2015 , 8, 759 | | 21 |

| | | | |
|-----|---|------|-----|
| 140 | Production and Characterization of Exopolysaccharide from Novel <i>Bacillus</i> sp. M3 and Evaluation on Development Sub-Chronic Aluminum Toxicity Induced Alzheimer's Disease in Male Rats. 2015 , 11, 92-103 | | 6 |
| 139 | Chemical compositions and antioxidant activities of polysaccharides from the sporophores and cultured products of <i>Armillaria mellea</i> . <i>Molecules</i> , 2015 , 20, 5680-97 | 4.8 | 23 |
| 138 | Optimization of extraction and antioxidant activity of polysaccharides from <i>Salvia miltiorrhiza</i> Bunge residue. <i>International Journal of Biological Macromolecules</i> , 2015 , 79, 533-41 | 7.9 | 32 |
| 137 | The chemical composition, antioxidant activity and α-glucosidase inhibitory activity of water-extractable polysaccharide conjugates from northern Manitoba lingonberry. 2015 , 1, 1109781 | | 8 |
| 136 | Structural, functional, and ACE inhibitory properties of water-soluble polysaccharides from chickpea flours. <i>International Journal of Biological Macromolecules</i> , 2015 , 75, 276-82 | 7.9 | 109 |
| 135 | Ultrasonic extraction of polysaccharides from <i>Laminaria japonica</i> and their antioxidative and glycosidase inhibitory activities. 2015 , 14, 651-662 | | 17 |
| 134 | Structural Characterization and Biological Activities of Polysaccharides from Olive Mill Wastewater. 2015 , 177, 431-45 | | 18 |
| 133 | Extraction optimization, characterization and antioxidant activity in vitro of polysaccharides from mulberry (<i>Morus alba</i> L.) leaves. <i>Carbohydrate Polymers</i> , 2015 , 128, 52-62 | 10.3 | 128 |
| 132 | Characterization of Water Extractable Crude Polysaccharides from Cherry, Raspberry, and Ginseng Berry Fruits: Chemical Composition and Bioactivity. 2015 , 18, 670-689 | | 9 |
| 131 | Studies on functional and antioxidant property of dietary fibre extracted from defatted sesame husk, rice bran and flaxseed. <i>Bioactive Carbohydrates and Dietary Fibre</i> , 2015 , 5, 129-136 | 3.4 | 41 |
| 130 | Antidiabetic mechanism of <i>Coptis chinensis</i> polysaccharide through its antioxidant property involving the JNK pathway. 2015 , 53, 1022-9 | | 22 |
| 129 | Water-soluble polysaccharides from <i>Opuntia stricta</i> Haw. fruit peels: recovery, identification and evaluation of their antioxidant activities. 2015 , 29, 299-306 | | 22 |
| 128 | Physicochemical and Bioactive Properties of Soluble Dietary Fibers from Blasting Extrusion Processing (BEP)-Extruded Carrot Residues. 2015 , 8, 2036-2046 | | 27 |
| 127 | Influence of variety, storage, and simulated gastrointestinal digestion on chemical composition and bioactivity of polysaccharides from sweet cherry and apple tree fruits. 2015 , 1, 1062597 | | 3 |
| 126 | Response surface optimization and physicochemical properties of polysaccharides from <i>Nelumbo nucifera</i> leaves. <i>International Journal of Biological Macromolecules</i> , 2015 , 74, 103-10 | 7.9 | 43 |
| 125 | Purification, structural data and biological properties of polysaccharide from <i>Prunus amygdalus</i> gum. 2015 , 50, 578-584 | | 45 |
| 124 | A review on the structure-function relationship aspect of polysaccharides from tea materials. 2015 , 55, 930-8 | | 52 |
| 123 | Antioxidant and functional properties of tea protein as affected by the different tea processing methods. 2015 , 52, 742-52 | | 27 |

| | | | |
|-----|--|------|-----|
| 122 | Antioxidant activity of polysaccharides produced by <i>Hirsutella</i> sp. and relation with their chemical characteristics. <i>Carbohydrate Polymers</i> , 2015 , 117, 452-457 | 10.3 | 75 |
| 121 | Extraction optimization of polysaccharide from <i>Zanthoxylum bungeanum</i> using RSM and its antioxidant activity. <i>International Journal of Biological Macromolecules</i> , 2015 , 72, 19-27 | 7.9 | 39 |
| 120 | The major factors influencing the formation of sediments in reconstituted green tea infusion. <i>Food Chemistry</i> , 2015 , 172, 831-5 | 8.5 | 16 |
| 119 | Reviews on Mechanisms of In Vitro Antioxidant Activity of Polysaccharides. 2016 , 2016, 5692852 | | 241 |
| 118 | Tea Polysaccharides and Their Bioactivities. <i>Molecules</i> , 2016 , 21, | 4.8 | 47 |
| 117 | Physico-chemical properties, antioxidant activities and antihypertensive effects of walnut protein and its hydrolysate. 2016 , 96, 2579-87 | | 14 |
| 116 | Optimization of cellulase-assisted extraction process and antioxidant activities of polysaccharides from <i>Tricholoma mongolicum</i> Imai. 2016 , 96, 4484-91 | | 22 |
| 115 | Ultrasonic-assisted enzymatic extraction and antioxidant activity of polysaccharides from <i>Setaria viridis</i> . 2016 , 51, 1798-1805 | | 7 |
| 114 | Effects of abalone (<i>Haliotis discus hannai</i> Ino) gonad polysaccharides on cholecystokinin release in STC-1 cells and its signaling mechanism. <i>Carbohydrate Polymers</i> , 2016 , 151, 268-273 | 10.3 | 12 |
| 113 | Purification, structural characterization and in vitro antioxidant activity of a novel polysaccharide from Boshuzhi. <i>Carbohydrate Polymers</i> , 2016 , 147, 365-371 | 10.3 | 79 |
| 112 | In vitro evaluation of the antioxidant activities of carbohydrates. <i>Bioactive Carbohydrates and Dietary Fibre</i> , 2016 , 7, 19-27 | 3.4 | 27 |
| 111 | Recent advances in tea polysaccharides: Extraction, purification, physicochemical characterization and bioactivities. <i>Carbohydrate Polymers</i> , 2016 , 153, 663-678 | 10.3 | 89 |
| 110 | Microwave-assisted extraction of polysaccharides from <i>Cyphomandra betacea</i> and its biological activities. <i>International Journal of Biological Macromolecules</i> , 2016 , 92, 682-693 | 7.9 | 48 |
| 109 | Fractionation, physicochemical characteristics and biological activities of polysaccharides from <i>Pueraria lobata</i> roots. 2016 , 67, 54-60 | | 31 |
| 108 | Pharmacological importance of sulphated polysaccharide carrageenan from red seaweed <i>Kappaphycus alvarezii</i> in comparison with commercial carrageenan. <i>Biomedicine and Pharmacotherapy</i> , 2016 , 84, 1300-1312 | 7.5 | 40 |
| 107 | Polysaccharides in Chinese jujube fruit of different cultivars, development stages and organs. 2016 , 119-124 | | |
| 106 | Characterization and storage properties of a new microencapsulation of tea polyphenols. <i>Industrial Crops and Products</i> , 2016 , 89, 152-156 | 5.9 | 22 |
| 105 | Extraction, characterization and antioxidant activity of water-soluble polysaccharides from <i>Tuber huidongense</i> . <i>International Journal of Biological Macromolecules</i> , 2016 , 91, 431-42 | 7.9 | 37 |

| | | | |
|-----|---|------|-----|
| 104 | Sulfated modification, characterization and antioxidant activities of polysaccharide from <i>Cyclocarya paliurus</i> . <i>Food Hydrocolloids</i> , 2016 , 53, 7-15 | 10.6 | 180 |
| 103 | Separation, characterization and anticancer activities of a sulfated polysaccharide from <i>Undaria pinnatifida</i> . <i>International Journal of Biological Macromolecules</i> , 2016 , 83, 42-9 | 7.9 | 33 |
| 102 | Synthesis, Antioxidant, and Anti-Inflammatory Evaluation of Novel Thiophene-Fused Quinoline Based β -Diketones and Derivatives. 2017 , 54, 1415-1422 | | 21 |
| 101 | Sulfated <i>Cyclocarya paliurus</i> polysaccharides markedly attenuates inflammation and oxidative damage in lipopolysaccharide-treated macrophage cells and mice. 2017 , 7, 40402 | | 62 |
| 100 | Harnessing food-based bioactive compounds to reduce the effects of ultraviolet radiation: a review exploring the link between food and human health. 2017 , 52, 595-607 | | 13 |
| 99 | The antioxidant activities of six (1 \rightarrow 3)- β -D-glucan derivatives prepared from yeast cell wall. <i>International Journal of Biological Macromolecules</i> , 2017 , 98, 216-221 | 7.9 | 61 |
| 98 | Korean Chungtaejeon tea extract attenuates body weight gain in C57BL/6J-Lep ob/ob mice and regulates adipogenesis and lipolysis in 3T3-L1 adipocytes. 2017 , 15, 56-63 | | 7 |
| 97 | Protective effect of a polysaccharide from <i>Anoectochilus roxburghii</i> against carbon tetrachloride-induced acute liver injury in mice. 2017 , 200, 124-135 | | 56 |
| 96 | Effect of steeping temperature on antioxidant and inhibitory activities of green tea extracts against α -amylase, β -glucosidase and intestinal glucose uptake. <i>Food Chemistry</i> , 2017 , 234, 168-173 | 8.5 | 47 |
| 95 | Important medicinal herbs in Parkinson's disease pharmacotherapy. <i>Biomedicine and Pharmacotherapy</i> , 2017 , 92, 856-863 | 7.5 | 34 |
| 94 | Sulfated modification, characterization, and antioxidant and moisture absorption/retention activities of a soluble neutral polysaccharide from <i>Enteromorpha prolifera</i> . <i>International Journal of Biological Macromolecules</i> , 2017 , 105, 1544-1553 | 7.9 | 53 |
| 93 | Structural characterization and evaluation of the antioxidant activities of polysaccharides extracted from Qingzhuang brick tea. <i>International Journal of Biological Macromolecules</i> , 2017 , 101, 768-775 | 7.9 | 63 |
| 92 | Comparison of structural features and antioxidant activity of polysaccharides from natural and cultured. 2017 , 26, 55-62 | | 26 |
| 91 | Polysaccharide from <i>Mesona chinensis</i> : Extraction optimization, physicochemical characterizations and antioxidant activities. <i>International Journal of Biological Macromolecules</i> , 2017 , 99, 665-673 | 7.9 | 75 |
| 90 | Production and Identification of a Tetraploid Germplasm of Edible <i>Lilium davidii</i> var. unicolor Salisb via Chromosome Doubling. 2017 , 52, 946-951 | | 4 |
| 89 | Pharmacological properties of agarwood tea derived from <i>Aquilaria</i> (Thymelaeaceae) leaves: An emerging contemporary herbal drink. 2017 , 10, 37-44 | | 18 |
| 88 | Investigation of the Maillard Reaction between Polysaccharides and Proteins from Longan Pulp and the Improvement in Activities. <i>Molecules</i> , 2017 , 22, | 4.8 | 28 |
| 87 | Purification, Preliminary Characterization and Hepatoprotective Effects of Polysaccharides from Dandelion Root. <i>Molecules</i> , 2017 , 22, | 4.8 | 35 |

| | | | |
|----|---|------|-----|
| 86 | Cellulase-Assisted Extraction of Polysaccharides from White Hyacinth Bean: Characterization of Antioxidant Activity and Promotion for Probiotics Proliferation. <i>Molecules</i> , 2017 , 22, | 4.8 | 12 |
| 85 | Postbiotics: An evolving term within the functional foods field. 2018 , 75, 105-114 | | 321 |
| 84 | Extraction condition optimization and effects of drying methods on physicochemical properties and antioxidant activities of polysaccharides from Astragalus cicer L. 2018 , 8, 3359 | | 15 |
| 83 | Isolation and Structural Characterization of a Second Polysaccharide from Bulbs of Lanzhou Lily. 2018 , 186, 535-546 | | 10 |
| 82 | Extraction condition optimization and effects of drying methods on physicochemical properties and antioxidant activities of polysaccharides from comfrey (<i>Symphytum officinale</i> L.) root. <i>International Journal of Biological Macromolecules</i> , 2018 , 112, 889-899 | 7.9 | 44 |
| 81 | Introduction. 2018 , 1-50 | | 3 |
| 80 | Tea Polysaccharide. 2018 , 349-394 | | 3 |
| 79 | Effects of different extraction techniques on physicochemical properties and activities of polysaccharides from comfrey (<i>Symphytum officinale</i> L.) root. <i>Industrial Crops and Products</i> , 2018 , 121, 18-25 | 5.9 | 63 |
| 78 | Physicochemical properties and activities of comfrey polysaccharides extracted by different techniques. <i>International Journal of Biological Macromolecules</i> , 2018 , 115, 876-882 | 7.9 | 29 |
| 77 | Volatiles, polysaccharides and total polyphenols in Chinese rose tea infusions and their antioxidant activities. 2018 , 42, e13323 | | 7 |
| 76 | Activity diversity structure-activity relationship of polysaccharides from lotus root varieties. <i>Carbohydrate Polymers</i> , 2018 , 190, 67-76 | 10.3 | 27 |
| 75 | Effects of simulated gastrointestinal digestion in vitro on the chemical properties, antioxidant activity, α-amylase and α-glucosidase inhibitory activity of polysaccharides from <i>Inonotus obliquus</i> . 2018 , 103, 280-288 | | 80 |
| 74 | Purification, structural characterization, and hypolipidemic effects of a neutral polysaccharide from <i>Ziziphus Jujuba</i> cv. Muzao. <i>Food Chemistry</i> , 2018 , 245, 1124-1130 | 8.5 | 76 |
| 73 | Comparative effect of <i>Melissa officinalis</i> aqueous extract, sulfadimidine, and vitamin E&Belenium on antioxidant parameters in rabbit experimental coccidiosis. 2018 , 27, 371-378 | | |
| 72 | Antioxidant Activities and Repair Effects on Oxidatively Damaged HK-2 Cells of Tea Polysaccharides with Different Molecular Weights. 2018 , 2018, 5297539 | | 14 |
| 71 | Antioxidant Activity and Structural Characterization of a New Polysaccharide Isolated from Stem of Flue-cured Tobacco. 2018 , 8, 344-351 | | 0 |
| 70 | Hydrothermal degradation of seaweed polysaccharide: Characterization and biological activities. <i>Food Chemistry</i> , 2018 , 268, 179-187 | 8.5 | 39 |
| 69 | Influences of extraction methods on physicochemical characteristics and activities of <i>Astragalus cicer</i> L. polysaccharides. 2018 , 73, 220-227 | | 36 |

| | | | |
|----|---|------|----|
| 68 | Microwave extraction optimization using the response surface methodology of Fructus Meliae Toosendan polysaccharides and its antioxidant activity. <i>International Journal of Biological Macromolecules</i> , 2018 , 118, 1501-1510 | 7.9 | 18 |
| 67 | Characterization, antioxidant and immunomodulatory potential on exopolysaccharide produced by wild type and mutant strains. 2018 , 19, e00271 | | 27 |
| 66 | An Improved Weighted Partial Least Squares Method Coupled with Near Infrared Spectroscopy for Rapid Determination of Multiple Components and Anti-Oxidant Activity of Pu-Erh Tea. <i>Molecules</i> , 2018 , 23, | 4.8 | 13 |
| 65 | Preparation, characterization of polysaccharides fractions from Inonotus obliquus and their effects on α -amylase, α -glucosidase activity and H ₂ O ₂ -induced oxidative damage in hepatic L02 cells. 2018 , 48, 179-189 | | 17 |
| 64 | Isolation, purification, and antioxidant activities of polysaccharides from Ziziphus Jujuba cv. Muzao. 2018 , 21, 1-11 | | 3 |
| 63 | Geographic variation in water-soluble polysaccharide content and antioxidant activities of Cyclocarya paliurus leaves. <i>Industrial Crops and Products</i> , 2018 , 121, 180-186 | 5.9 | 25 |
| 62 | Inhibition of lipopolysaccharide (LPS)-induced neuroinflammatory response by polysaccharide fractions of Khaya grandifoliola (C.D.C.) stem bark, Cryptolepis sanguinolenta (Lindl.) Schltr and Cymbopogon citratus Stapf leaves in raw 264.7 macrophages and U87 glioblastoma cells. 2018 , 18, 86 | | 7 |
| 61 | Structural characteristics, rheological properties, and biological activities of polysaccharides from different cultivars of okra (Abelmoschus esculentus) collected in China. <i>International Journal of Biological Macromolecules</i> , 2019 , 139, 459-467 | 7.9 | 48 |
| 60 | Antioxidant and anti-aging activities and structural elucidation of polysaccharides from Panax notoginseng root. 2019 , 78, 189-199 | | 21 |
| 59 | Chemical characterization and bioactivity of phenolics from Tieguanyin oolong tea. 2019 , 43, e12894 | | 4 |
| 58 | Chemical analysis, moisture-preserving, and antioxidant activities of polysaccharides from Pholiota nameko by fractional precipitation. <i>International Journal of Biological Macromolecules</i> , 2019 , 131, 1021-1031 | 7.9 | 22 |
| 57 | The Growth Performance, Meat Quality, and Gut Bacteria of Broilers Raised with or without Antibiotics and Green Tea Powder. 2019 , 28, 712-721 | | 7 |
| 56 | Structural elucidation and antioxidant activity of a novel heteroglycan from Tricholoma Lobayense. 2019 , 38, 192-211 | | 3 |
| 55 | Structural characterization of water-soluble polysaccharides from Nitraria retusa fruits and their antioxidant and hypolipidemic activities. <i>International Journal of Biological Macromolecules</i> , 2019 , 129, 422-432 | 7.9 | 23 |
| 54 | Simultaneous Recognition of Species, Quality Grades, and Multivariate Calibration of Antioxidant Activities for 12 Famous Green Teas Using Mid- and Near-Infrared Spectroscopy Coupled with Chemometrics. 2019 , 2019, 4372395 | | 7 |
| 53 | Effects of in vitro saliva, gastric and intestinal digestion on the chemical properties, antioxidant activity of polysaccharide from Artocarpus heterophyllus Lam. (Jackfruit) Pulp. <i>Food Hydrocolloids</i> , 2019 , 87, 952-959 | 10.6 | 45 |
| 52 | Characterizations and hepatoprotective effect of polysaccharides from Mesona blumes against tetrachloride-induced acute liver injury in mice. <i>International Journal of Biological Macromolecules</i> , 2019 , 124, 788-795 | 7.9 | 34 |
| 51 | Analyses of active antioxidant polysaccharides from four edible mushrooms. <i>International Journal of Biological Macromolecules</i> , 2019 , 123, 945-956 | 7.9 | 60 |

| | | | |
|----|--|------|----|
| 50 | Tea Polysaccharides as Potential Therapeutic Options for Metabolic Diseases. 2019 , 67, 5350-5360 | | 25 |
| 49 | Chemical composition, antioxidant activities of polysaccharide from Pine needle (<i>Pinus massoniana</i>) and hypolipidemic effect in high-fat diet-induced mice. <i>International Journal of Biological Macromolecules</i> , 2019 , 125, 445-452 | 7.9 | 16 |
| 48 | Two water-soluble polysaccharides from mung bean skin: Physicochemical characterization, antioxidant and antibacterial activities. <i>Food Hydrocolloids</i> , 2020 , 100, 105412 | 10.6 | 50 |
| 47 | Antioxidant and antihyperlipidemic activities of high sulfate content purified polysaccharide from <i>Ulva pertusa</i> . <i>International Journal of Biological Macromolecules</i> , 2020 , 146, 756-762 | 7.9 | 24 |
| 46 | Structural, physical characteristics and biological activities assessment of scleroglucan from a local strain <i>Athelia rolfsii</i> TEMG. <i>International Journal of Biological Macromolecules</i> , 2020 , 163, 1196-1207 | 7.9 | 6 |
| 45 | Preparation and antioxidant activities of polysaccharides obtained from abalone viscera by combination of enzymolysis and multiple separation methods. <i>Journal of Food Science</i> , 2020 , 85, 4260-4270 | 7.7 | 5 |
| 44 | Efficient extraction, antioxidant activities and anti-inflammation of polysaccharides from <i>Notopterygium franchetii</i> Boiss. <i>Carbohydrate Polymers</i> , 2020 , 248, 116783 | 10.3 | 16 |
| 43 | Characterization and bioactivities of exopolysaccharide produced from probiotic <i>Lactobacillus plantarum</i> 47FE and <i>Lactobacillus pentosus</i> 68FE.. <i>Bioactive Carbohydrates and Dietary Fibre</i> , 2020 , 24, 100231 | 3.4 | 12 |
| 42 | Structural characterization and antioxidant activity of oligosaccharides from <i>Panax ginseng</i> C. A. Meyer. <i>International Journal of Biological Macromolecules</i> , 2020 , 150, 737-745 | 7.9 | 24 |
| 41 | Preparation, physicochemical characterization and identification of two novel mixed ACE-inhibiting peptides from two distinct tea alkali-soluble protein. <i>European Food Research and Technology</i> , 2020 , 246, 1483-1494 | 3.4 | 5 |
| 40 | Effects of polysaccharides from Yingshan Yunwu tea on meat quality, immune status and intestinal microflora in chickens. <i>International Journal of Biological Macromolecules</i> , 2020 , 155, 61-70 | 7.9 | 10 |
| 39 | Polysaccharides from <i>Polygonatum kingianum</i> improve glucose and lipid metabolism in rats fed a high fat diet. <i>Biomedicine and Pharmacotherapy</i> , 2020 , 125, 109910 | 7.5 | 35 |
| 38 | Effect of <i>Auricularia auricula</i> fermentation broth on the liver and stomach of mice with acute alcoholism. <i>Food and Function</i> , 2021 , 12, 191-202 | 6.1 | 4 |
| 37 | Bioconversion Rice Bran and Cassava Peel into Yeasts Cell Walls Mannoprotein as Environmental Friendly Antioxidant. <i>E3S Web of Conferences</i> , 2021 , 249, 03004 | 0.5 | 0 |
| 36 | Characterization and antioxidant activity of wheat bran polysaccharides modified by <i>Saccharomyces cerevisiae</i> and <i>Bacillus subtilis</i> fermentation. <i>Journal of Cereal Science</i> , 2021 , 97, 103157 | 3.8 | 10 |
| 35 | Olive Tree in Circular Economy as a Source of Secondary Metabolites Active for Human and Animal Health Beyond Oxidative Stress and Inflammation. <i>Molecules</i> , 2021 , 26, | 4.8 | 9 |
| 34 | Purification, characterization and biological activities of exopolysaccharides from <i>Lactobacillus rhamnosus</i> ZFM231 isolated from milk. <i>LWT - Food Science and Technology</i> , 2021 , 147, 111561 | 5.4 | 8 |
| 33 | Reviews on mechanisms of in vitro antioxidant, antibacterial and anticancer activities of water-soluble plant polysaccharides. <i>International Journal of Biological Macromolecules</i> , 2021 , 183, 2262-2271 | 7.9 | 39 |

| | | | |
|----|--|------|----|
| 32 | Digestive properties and effects of Chimonanthus nitens Oliv polysaccharides on antioxidant effects in vitro and in immunocompromised mice. <i>International Journal of Biological Macromolecules</i> , 2021 , 185, 306-316 | 7.9 | 3 |
| 31 | Effects of dehydration and extraction techniques on the physicochemical properties and antioxidant activities of Oudemansiella radicata polysaccharides. <i>Journal of Food Measurement and Characterization</i> , 1 | 2.8 | 0 |
| 30 | Bioactivity and Applications of Polysaccharides from Marine Microalgae. 2014 , 1-38 | | 11 |
| 29 | Bioactivity and Applications of Polysaccharides from Marine Microalgae. 2015 , 1683-1727 | | 10 |
| 28 | Resource, chemical structure and activity of natural polysaccharides against alcoholic liver damages. <i>Carbohydrate Polymers</i> , 2020 , 241, 116355 | 10.3 | 16 |
| 27 | Quantitative Structure Activity Relationship Models for the Antioxidant Activity of Polysaccharides. <i>PLoS ONE</i> , 2016 , 11, e0163536 | 3.7 | 21 |
| 26 | Extraction optimization and influences of drying methods on antioxidant activities of polysaccharide from cup plant (<i>Silphium perfoliatum</i> L.). <i>PLoS ONE</i> , 2017 , 12, e0183001 | 3.7 | 27 |
| 25 | Tea nanoparticle, a safe and biocompatible nanocarrier, greatly potentiates the anticancer activity of doxorubicin. <i>Oncotarget</i> , 2016 , 7, 5877-91 | 3.3 | 21 |
| 24 | Polysaccharide Fractions from <i>Sarcodia ceylonensis</i> and their Antioxidant Properties In vitro and In vivo. <i>Pharmacologia</i> , 2014 , 5, 235-240 | | 1 |
| 23 | Purification, Characterization and Bioactivities of Polysaccharides from the Stalk of <i>Abelmoschus manihot</i> (L.) Medic. <i>Food Science and Technology Research</i> , 2020 , 26, 611-621 | 0.8 | 0 |
| 22 | Ultrasonic extraction, structural characterization, and antioxidant activity of oligosaccharides from red yeast rice.. <i>Food Science and Nutrition</i> , 2022 , 10, 204-217 | 3.2 | 0 |
| 21 | Antioxidant potential of herbal polysaccharides: An overview on recent researches. <i>Sensors International</i> , 2022 , 3, 100158 | 6.1 | 6 |
| 20 | Structure-activity relationship of antioxidant polysaccharides from Huangshui based on the HPLC fingerprint combined with chemometrics methods. <i>LWT - Food Science and Technology</i> , 2022 , 159, 113201 | 5.4 | 0 |
| 19 | Structure variety and its potential effects on biological activity of tea polysaccharides. <i>Food Science and Human Wellness</i> , 2022 , 11, 587-597 | 8.3 | 0 |
| 18 | Comparative analysis on the quality of Wuyi Rougui (<i>Camellia sinensis</i>) tea with different grades. <i>Food Science and Technology</i> , 42, | 2 | 1 |
| 17 | Inhibition on α -Glucosidase Activity and Non-Enzymatic Glycation by an Anti-Oxidative Proteoglycan from .. <i>Molecules</i> , 2022 , 27, | 4.8 | 0 |
| 16 | Characterization of Acidic Tea Polysaccharides from Yellow Leaves of Wuyi Rock Tea and Their Hypoglycemic Activity via Intestinal Flora Regulation in Rats.. <i>Foods</i> , 2022 , 11, | 4.9 | 0 |
| 15 | Microfluidization: A promising food processing technology and its challenges in industrial application. <i>Food Control</i> , 2022 , 137, 108794 | 6.2 | 3 |

| | | | |
|----|--|------|---|
| 14 | Purification, characterization, and emulsification stability of high- and low-molecular-weight fractions of polysaccharide conjugates extracted from green tea. <i>Food Hydrocolloids</i> , 2022 , 129, 107667 | 10.6 | 1 |
| 13 | Regulatory Effects of Damaged Renal Epithelial Cells After Repair by Polysaccharides with Different Sulfation Degree on the Calcium Oxalate Crystal-Cell Interaction.. <i>International Journal of Nanomedicine</i> , 2021 , 16, 8087-8102 | 7.3 | 0 |
| 12 | Evaluation of inherent Fructose, Glucose and Sucrose concentrations in tea leaves (<i>Camellia sinensis</i> L.) and in black tea. <i>Applied Food Research</i> , 2022 , 100100 | | 0 |
| 11 | Efficient extraction of polysaccharides from <i>Lycium barbarum</i> L. by aqueous two-phase system combined with tissue-smashing extraction. <i>Industrial Crops and Products</i> , 2022 , 184, 115036 | 5.9 | 0 |
| 10 | Effects of oxidation-based tea processing on the characteristics of the derived polysaccharide conjugates and their regulation of intestinal homeostasis in DSS-induced colitis mice. <i>International Journal of Biological Macromolecules</i> , 2022 , 214, 402-413 | 7.9 | 0 |
| 9 | Effects of polysaccharides from Yingshan Yunwu tea on free amino acids, flavor nucleotides and antioxidant abilities in chickens. <i>Research in Veterinary Science</i> , 2022 , 149, 11-20 | 2.5 | |
| 8 | Two Novel Polysaccharides From <i>Clitocybe squamulosa</i> : Their Isolation, Structures, and Bioactivities. <i>Frontiers in Nutrition</i> , 9, | 6.2 | 0 |
| 7 | Advances in the Utilization of Tea Polysaccharides: Preparation, Physicochemical Properties, and Health Benefits. <i>Polymers</i> , 2022 , 14, 2775 | 4.5 | 0 |
| 6 | Elucidation of Bioactive compounds in flower extracts of <i>Camellia sinensis</i> by HPLC-DAD-MS/MS and their inhibitory effects on replicative bacterial DNA polymerases. 2022 , 188, 115528 | | 0 |
| 5 | Differences in the analysis of the quality indexes and characteristic amino acids of the different grades of Wuyi Shuixian (<i>Camellia sinensis</i>) tea. 42, | | 0 |
| 4 | The effects of green tea in the diet of broilers challenged with coccidiosis on their performance, carcass characteristics, intestinal mucosal morphology, blood constituents and ceca microflora. | | 0 |
| 3 | Effect of drying methods on physico-chemical and bioactive compounds of mandarin (<i>Citrus reticulata</i>) peel. 2022 , | | 0 |
| 2 | Fermentation Process Effect to Enhance Antioxidant and Antibacterial Activity of Phenolic Compounds and Its Possible Application to Galactomannan Polysaccharides: A Review. 2022 , 1097, 012027 | | 0 |
| 1 | Influence of extraction methods on navel orange peel pectin: structural characteristics, antioxidant activity and cytoprotective capacity. | | 0 |