

CITATION REPORT

List of articles citing

Sample preparation

DOI: 10.1016/j.chroma.2007.10.026
Journal of Chromatography A, 2008, 1184, 191-219.

Source: <https://exaly.com/paper-pdf/43525125/citation-report.pdf>

Version: 2024-04-17

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
271	Advanced CE for chiral analysis of drugs, metabolites, and biomarkers in biological samples. <i>Electrophoresis</i> , 2009 , 30, 2773-802	3.6	76
270	Sample preparation and separation techniques for bioanalysis of morphine and related substances. <i>Journal of Separation Science</i> , 2009 , 32, 825-34	3.4	8
269	A review of current trends and advances in modern bio-analytical methods: chromatography and sample preparation. <i>Analytica Chimica Acta</i> , 2009 , 656, 8-35	6.6	433
268	Ionic liquids in sample preparation. <i>Analytical and Bioanalytical Chemistry</i> , 2009 , 393, 871-83	4.4	153
267	Current trends in sample preparation for growth promoter and veterinary drug residue analysis. <i>Journal of Chromatography A</i> , 2009 , 1216, 7977-8015	4.5	145
266	Room temperature ionic liquid-based microextraction for vanadium species separation and determination in water samples by electrothermal atomic absorption spectrometry. <i>Analytica Chimica Acta</i> , 2009 , 640, 40-6	6.6	87
265	Developments and applications of capillary microextraction techniques: a review. <i>Analytica Chimica Acta</i> , 2009 , 655, 8-29	6.6	147
264	Environmental and food sample handling challenges for developing countries. 2009 , 91, 819-835		3
263	Fundamentals of Light and Optics. 2009 , 27-42		
262	Sample Preparation, Manipulation, and Micrometry. 2009 , 67-76		
261	Development and evaluation of a dispersive liquid-liquid microextraction based test method for quantitation of total anionic surfactants: advantages against reference methods. 2010 , 8, 702-708		15
260	Application of SPE Using Multi-Walled Carbon Nanotubes as Adsorbent and Rapid Resolution LC-MS-MS for the Simultaneous Determination of 11 Triazine Herbicides Residues in River Water. 2010 , 72, 1073-1081		34
259	Dispersive liquid-liquid microextraction coupled with dispersive micro-solid-phase extraction for the fast determination of polycyclic aromatic hydrocarbons in environmental water samples. <i>Analytical Chemistry</i> , 2010 , 82, 1540-5	7.8	211
258	Recent developments and applications of microextraction techniques in drug analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2010 , 396, 339-64	4.4	170
257	Determination of 11 priority pollutant phenols in wastewater using dispersive liquid-liquid microextraction followed by high-performance liquid chromatography-diode-array detection. <i>Analytical and Bioanalytical Chemistry</i> , 2010 , 396, 2685-93	4.4	64
256	Exploiting automatic on-line renewable molecularly imprinted solid-phase extraction in lab-on-valve format as front end to liquid chromatography: application to the determination of riboflavin in foodstuffs. <i>Analytical and Bioanalytical Chemistry</i> , 2010 , 397, 77-86	4.4	35
255	Dispersive liquid-liquid microextraction using a surfactant as disperser agent. <i>Analytical and Bioanalytical Chemistry</i> , 2010 , 397, 3107-15	4.4	70

254	Preparation and application of solid-phase microextraction fiber based on molecularly imprinted polymer for determination of anabolic steroids in complicated samples. <i>Journal of Chromatography A</i> , 2010 , 1217, 7461-70	4.5	56
253	Analysis of Flavonoids in <i>Portulaca oleracea</i> L. by UV-Vis Spectrophotometry with Comparative Study on Different Extraction Technologies. 2010 , 3, 90-97		131
252	Evaluation of Different Sample Preparation Procedures Using Chemometrics: Comparison Among Photo-Fenton Reaction, Microwave Irradiation, and Direct Determination of Minerals in Fruit Juices. 2010 , 3, 98-103		4
251	Ultrasonically Assisted Extraction of Rutin from <i>Artemisia selengensis</i> Turcz: Comparison with Conventional Extraction Techniques. 2010 , 3, 261-268		17
250	Model for the partition of neutral compounds between n-heptane and formamide. <i>Journal of Separation Science</i> , 2010 , 33, 1167-73	3.4	21
249	Molecular-imprinted polymer extraction combined with dispersive liquid-liquid micro-extraction for ultra-preconcentration of mononitrotoluene. <i>Journal of Separation Science</i> , 2010 , 33, 3759-66	3.4	30
248	Tropane alkaloid analysis by chromatographic and electrophoretic techniques: an update. 2010 , 878, 1391-406		45
247	Adsorptive micro-extraction techniques--novel analytical tools for trace levels of polar solutes in aqueous media. <i>Journal of Chromatography A</i> , 2010 , 1217, 7303-10	4.5	85
246	Combinatory and hyphenated sample preparation for the determination of bioactive compounds in foods. 2010 , 29, 553-561		51
245	Highly selective ionic liquid-based microextraction method for sensitive trace cobalt determination in environmental and biological samples. <i>Analytica Chimica Acta</i> , 2010 , 662, 155-62	6.6	79
244	Liquid chromatography method to determine polyamines in thermosetting polymers. <i>Analytica Chimica Acta</i> , 2010 , 667, 123-9	6.6	7
243	Extraction of organic compounds with room temperature ionic liquids. <i>Journal of Chromatography A</i> , 2010 , 1217, 2268-86	4.5	392
242	Use of hollow fibre-based liquid-liquid-liquid microextraction and high-performance liquid chromatography-diode array detection for the determination of phenolic acids in fruit juices. 2010 , 123, 1310-1317		41
241	A review of the analysis of tobacco-specific nitrosamines in biological matrices. 2010 , 40, 305-27		27
240	Chiral Capillary Electrophoresis with On-Line Sample Preparation. <i>Current Pharmaceutical Analysis</i> , 2010 , 6, 76-100	0.6	16
239	New Trends in Sample Preparation for Analysis of Plant-Derived Medicines. 2010 , 14, 1698-1713		19
238	An Overview of Modern Extraction Techniques for the Determination of Organic Pollutants in Environmental Matrices: A Review. 2010 , 14, 2247-2267		6
237	The More and Less Common Approaches to Enhancing Sensitivity in Capillary Electrophoresis. 2010 , 6, 126-143		28

236	Online hyphenation of multimodal microsolid phase extraction involving renewable molecularly imprinted and reversed-phase sorbents to liquid chromatography for automatic multiresidue assays. <i>Analytical Chemistry</i> , 2010 , 82, 3052-60	7.8	40
235	A column-switching method for quantification of the enantiomers of omeprazole in native matrices of waste and estuarine water samples. <i>Talanta</i> , 2010 , 82, 384-91	6.2	39
234	Quantitative detection of trace systemins in Solanaceous plants by immunoaffinity purification combined with liquid chromatography/electrospray quadrupole time-of-flight mass spectrometry. <i>Analytical Chemistry</i> , 2010 , 82, 9374-83	7.8	26
233	Methods of sample preparation for determination of veterinary residues in food matrices by porous monolith microextraction-based techniques. 2011 , 3, 1246		22
232	Analytics of surfactants in the environment: problems and challenges. 2011 , 111, 5667-700		98
231	Models for liquid-liquid partition in the system formamide-organic solvent and their use for estimating descriptors for organic compounds. <i>Talanta</i> , 2011 , 83, 1118-25	6.2	20
230	Automatic heating and cooling system in a gas purge microsyringe extraction. <i>Talanta</i> , 2011 , 86, 142-7	6.2	23
229	Sampling and analytical framework for routine environmental monitoring of organic pollutants. 2011 , 30, 1549-1559		10
228	Sample preparation strategies for bioinorganic analysis by inductively coupled plasma mass spectrometry. 2011 , 307, 123-136		33
227	Protein biomarker enrichment by biomarker antibody complex elution for immunoassay biosensing. 2011 , 29, 18-22		3
226	SAMPLE PREPARATION FOR HIGH PERFORMANCE LIQUID CHROMATOGRAPHY: RECENT PROGRESS. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2011 , 34, 1157-1267	1.3	13
225	Analysis of narcotic drugs in biological samples using hollow fiber liquid-liquid microextraction and gas chromatography with nitrogen phosphorus detection. <i>Mikrochimica Acta</i> , 2011 , 174, 159-166	5.8	14
224	Porous monoliths: sorbents for miniaturized extraction in biological analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2011 , 399, 3345-57	4.4	66
223	Fast liquid chromatography combined with mass spectrometry for the analysis of metabolites and proteins in human body fluids. <i>Analytical and Bioanalytical Chemistry</i> , 2011 , 399, 2635-44	4.4	38
222	Comparison of dispersive liquid-liquid microextraction and hollow fiber liquid-liquid-liquid microextraction for the determination of fentanyl, alfentanil, and sufentanil in water and biological fluids by high-performance liquid chromatography. <i>Analytical and Bioanalytical Chemistry</i> , 2011 , 400, 2149-58	4.4	56
221	A simplified spectrophotometric method for the determination of inulin in Jerusalem artichoke (<i>Helianthus tuberosus</i> L.) tubers. 2011 , 233, 609-616		56
220	Direct sampling and analysis from solid-phase extraction cards using an automated liquid extraction surface analysis nanoelectrospray mass spectrometry system. 2011 , 25, 2389-96		27
219	Quantitation of antioxidants in water samples using ionic liquid dispersive liquid-liquid microextraction followed by high-performance liquid chromatography-ultraviolet detection. <i>Journal of Separation Science</i> , 2011 , 34, 77-82	3.4	19

218	Surfactant Enhance DLLME/FO-LADS: Assay of Malachite Green Level in Aquatic Environment of Trout Fish. 2011 , 39, 83-87		17
217	LC-MS in analytical toxicology: some practical considerations. <i>Biomedical Chromatography</i> , 2011 , 25, 100-23		45
216	An extraction technique for analytical sample preparation in aqueous solution based on controlling dispersion of ionic surfactant assemblies in isotachophoretic migration. <i>Journal of Chromatography A</i> , 2011 , 1218, 185-9	4.5	4
215	A new method to determine biological sample volume by short end multiple injection capillary electrophoresis: application in determination of nitrate and thiocyanate in human saliva. <i>Journal of Chromatography A</i> , 2011 , 1218, 2327-33	4.5	21
214	Supported liquid membrane-protected molecularly imprinted fibre for solid-phase microextraction of thiabendazole. <i>Analytica Chimica Acta</i> , 2011 , 694, 83-9	6.6	59
213	Novel liquid-liquid-solid microextraction method with molecularly imprinted polymer-coated stainless steel fiber for aqueous sample pretreatment. <i>Journal of Chromatography A</i> , 2011 , 1218, 3935-9	4.5	24
212	Liquid-phase and dispersive liquid-liquid microextraction techniques with derivatization: recent applications in bioanalysis. 2011 , 879, 1180-8		79
211	Analytical potential of mesofluidic lab-on-a-valve as a front end to column-separation systems. 2011 , 30, 153-164		35
210	Ionic liquid-based microextraction: A sample pretreatment technique for chromatographic analysis. 2011 , 2, 282-288		12
209	A two-step pH-dependent liquid-liquid extraction combined with HPLC-fluorescence method for the determination of 10-hydroxycamptothecin in mouse liver tissue. 2012 , 50, 954-61		8
208	Application of supercritical fluid carbon dioxide to the extraction and analysis of lipids. 2012 , 4, 2413-22		20
207	Recent Advances in Sample Preparation for Pesticide Analysis. 2012 , 569-590		5
206	An improved method for simultaneous analysis of steroid and phenolic endocrine disrupting chemicals in biological samples. 2012 , 92, 1135-1149		13
205	Membrane-Based Extraction Techniques in Food Analysis. 2012 , 521-534		
204	Solid-Phase Extraction and Clean-Up Procedures in Pharmaceutical Analysis Update based on the original article by P. Campaño-Falcón, A. Sevillano-Cabeza, R. Herrero-Hernández, and C. Molins-Lagua, <i>Encyclopedia of Analytical Chemistry</i> , © 2000, John Wiley & Sons, Ltd.. 2012 ,		3
203	Ionic liquids in solid-phase extraction. 2012 , 41, 15-26		80
202	Recent advances in liquid microextraction techniques coupled with MS for determination of small-molecule drugs in biological samples. 2012 , 4, 725-39		10
201	Analytical methods for tracing plant hormones. <i>Analytical and Bioanalytical Chemistry</i> , 2012 , 403, 55-74	4.4	78

200	Recent advances in enrichment techniques for trace analysis in capillary electrophoresis. <i>Electrophoresis</i> , 2012 , 33, 2933-52	3.6	86
199	Hybrid field-assisted solid-liquid-solid dispersive extraction for the determination of organochlorine pesticides in tobacco with gas chromatography. <i>Analytical Chemistry</i> , 2012 , 84, 420-7	7.8	35
198	Dispersive liquid-liquid microextraction and preconcentration of thallium species in water samples by two ionic liquids applied as ion-pairing reagent and extractant phase. <i>Talanta</i> , 2012 , 88, 277-83	6.2	48
197	Analytical procedures for the determination of surfactants in environmental samples. <i>Talanta</i> , 2012 , 88, 1-13	6.2	64
196	Relation factor: a new strategy for quality control in the determination of pesticides in environmental aqueous matrices. <i>Talanta</i> , 2012 , 93, 212-8	6.2	19
195	Microwave accelerated selective Soxhlet extraction for the determination of organophosphorus and carbamate pesticides in ginseng with gas chromatography/mass spectrometry. <i>Analytical Chemistry</i> , 2012 , 84, 5816-22	7.8	67
194	Fast, selective, and sensitive analysis of low-abundance peptides in human plasma by electromembrane extraction. <i>Analytica Chimica Acta</i> , 2012 , 716, 16-23	6.6	45
193	Development of a new dispersive liquid-liquid microextraction method in a narrow-bore tube for preconcentration of triazole pesticides from aqueous samples. <i>Analytica Chimica Acta</i> , 2012 , 713, 70-8	6.6	73
192	Homogeneous ionic liquid microextraction of the active constituents from fruits of <i>Schisandra chinensis</i> and <i>Schisandra sphenanthera</i> . <i>Analytica Chimica Acta</i> , 2012 , 712, 78-84	6.6	31
191	Evaluation of low-cost disposable polymeric materials for sorptive extraction of organic pollutants in water samples. <i>Analytica Chimica Acta</i> , 2012 , 716, 119-27	6.6	26
190	Molecularly imprinted polymer coated solid-phase microextraction fiber prepared by surface reversible addition-fragmentation chain transfer polymerization for monitoring of Sudan dyes in chilli tomato sauce and chilli pepper samples. <i>Analytica Chimica Acta</i> , 2012 , 731, 40-8	6.6	84
189	Hypercrosslinked strong anion-exchange resin for extraction of acidic pharmaceuticals from environmental water. <i>Journal of Separation Science</i> , 2012 , 35, 2621-8	3.4	30
188	Analysis and Antioxidant Capacity of Anthocyanin Pigments. Part III: An Introduction to Sample Preparation and Extraction. 2012 , 42, 284-312		13
187	Phase transfer hollow fiber liquid phase microextraction combined with electrothermal vaporization inductively coupled plasma mass spectrometry for the determination of trace heavy metals in environmental and biological samples. <i>Talanta</i> , 2012 , 101, 516-23	6.2	27
186	Dispersive Liquid-Liquid Microextraction. 2012 , 181-212		13
185	Extraction and isolation of phenolic compounds. 2012 , 864, 427-64		47
184	Analytical measurement of PEGylated molecules. 2012 , 23, 881-99		89
183	Analysis of Salvianin A in plants, water, and urine using solid-phase microextraction-comprehensive two-dimensional gas chromatography-time of flight mass spectrometry. <i>Journal of Chromatography A</i> , 2012 , 1226, 110-5	4.5	18

182	Critical overview of selected contemporary sample preparation techniques. <i>Journal of Chromatography A</i> , 2012 , 1221, 84-98	4.5	211
181	Rapid analysis of organochlorine and pyrethroid pesticides in tea samples by directly suspended droplet microextraction using a gas chromatography-electron capture detector. <i>Journal of Chromatography A</i> , 2012 , 1235, 166-73	4.5	62
180	Liquid chromatography coupled to on-line post column derivatization for the determination of organic compounds: a review on instrumentation and chemistries. <i>Analytica Chimica Acta</i> , 2013 , 798, 1-24	6.6	52
179	Green chromatography. <i>Journal of Chromatography A</i> , 2013 , 1307, 1-20	4.5	160
178	Infrared-assisted non-ionic surfactant extraction as a green analytical preparatory technique for the rapid extraction and pre-concentration of picroside I and picroside II from <i>Picrorhiza scophulariiflora</i> Pennell. 2013 , 5, 3747		11
177	Determination of four pesticides in soil by homogeneous ionic liquid-based microextraction coupled with high-performance liquid chromatography. 2013 , 29, 218-222		11
176	Quantitative mass spectrometry-based assay development and validation: from small molecules to proteins. 2013 , 46, 444-55		22
175	An Aptasensor Based on Polymer-Gold Nanoparticle Composite Microspheres for the Detection of Malathion Using Surface-Enhanced Raman Spectroscopy. 2013 , 9, 42-50		59
174	Effect of carbon nanotubes on properties of soft materials based on carbon nanotubes-ionic liquid combinations. <i>Talanta</i> , 2013 , 110, 160-3	6.2	10
173	Comparison of matrix-solid phase dispersion and liquid-solid extraction connected with solid-phase extraction in the quantification of selected furanocoumarins from fruits of <i>Heracleum leskowitzii</i> by high performance liquid chromatography. 2013 , 50, 131-136		18
172	Highly selective and sensitive analysis of dopamine by molecularly imprinted stir bar sorptive extraction technique coupled with complementary molecularly imprinted polymer sensor. 2013 , 396, 234-41		24
171	Simultaneous determination of 76 micropollutants in water samples by headspace solid phase microextraction and gas chromatography-mass spectrometry. <i>Talanta</i> , 2013 , 116, 937-45	6.2	43
170	Effect of quality characteristics of single sample preparation steps in the precision and coverage of proteomic studies--a review. <i>Analytica Chimica Acta</i> , 2013 , 776, 1-10	6.6	19
169	Greening sample preparation in inorganic analysis. 2013 , 45, 79-92		58
168	Determination of N,N-dimethyltryptamine in beverages consumed in religious practices by headspace solid-phase microextraction followed by gas chromatography ion trap mass spectrometry. <i>Talanta</i> , 2013 , 106, 394-8	6.2	22
167	Parallel artificial liquid membrane extraction: micro-scale liquid-liquid-liquid extraction in the 96-well format. 2013 , 5, 1377-85		42
166	Determination of Surfactants in Environmental Samples. Part III. Non-Ionic Compounds. 2013 , 20, 449-461		8
165	Research on Multifunctional Gas Chromatography Sample Pretreatment Apparatus. 2013 , 347-350, 3440-3445		

164	An on-line sample pretreatment technique for the HPLC analysis of plant samples. <i>Journal of Separation Science</i> , 2013 , 36, 3599-607	3-4	1
163	Analysis of PhACs in Solid Environmental Samples (Soil, Sediment, and Sludge). 2013 , 129-167		4
162	Analysis of Biologic Fluids. 2013 , 87-96		
161	Microextraction Techniques Coupled to Advanced GCMS Techniques for Analysis of Environmental Samples. 2013 , 23-54		1
160	The Benefits and Limitations of Methods Development in Solid Phase Extraction: Mini Review. 2014 , 69,		0
159	Introduction: Basic Principles of Assays to be Covered, Sample Handling, and Sample Processing. 2014 , 1-14		
158	Production, Upgrading and Analysis of Bio-oils Derived from Lignocellulosic Biomass. 2014 , 1-26		2
157	Microextraction sample preparation techniques in biomedical analysis. <i>Journal of Separation Science</i> , 2014 , 37, 3094-105	3-4	41
156	Occurrence of surface active agents in the environment. 2014 , 2014, 769708		58
155	Rapid determination of tricaine mesylate residues in fish samples using modified QuEChERS and high-performance liquid chromatography-tandem mass spectrometry. 2014 , 6, 9124-9128		14
154	Screening of volatile compounds in honey using a new sampling strategy combining multiple extraction temperatures in a single assay by HS-SPME-GC-MS. 2014 , 145, 1061-5		33
153	Determination of homocysteine thiolactone in urine by field amplified sample injection and sweeping MEKC method with UV detection. 2014 , 961, 36-41		20
152	Review of SBSE Technique for the Analysis of Pesticide Residues in Fruits and Vegetables. 2014 , 77, 15-24		22
151	Molecular imprinting science and technology: a survey of the literature for the years 2004-2011. 2014 , 27, 297-401		324
150	Vortex-assisted ionic liquid based liquid-liquid microextraction of selected pesticides from a manufacturing wastewater sample. 2014 , 12, 98-106		4
149	Enrichment and desalting of tryptic protein digests and the protein depletion using boron nitride. <i>Analytica Chimica Acta</i> , 2014 , 823, 40-50	6.6	8
148	Purification of nucleic acids using isotachopheresis. <i>Journal of Chromatography A</i> , 2014 , 1335, 105-20	4-5	65
147	New coatings for stir-bar sorptive extraction of polar emerging organic contaminants. 2014 , 54, 11-23		101

146	Review of analytical strategies in the production and upgrading of bio-oils derived from lignocellulosic biomass. 2014 , 105, 55-74		151
145	Determination of vitamin C in foods: current state of method validation. <i>Journal of Chromatography A</i> , 2014 , 1369, 2-17	4.5	46
144	Recent developments of liquid-phase microextraction techniques directly combined with ESI- and MALDI-mass spectrometric techniques for organic and biomolecule assays. 2014 , 4, 16188		30
143	Two-phase electrodriven membrane extraction combined with liquid chromatography for the determination of tricyclic antidepressants in aqueous matrices. 2014 , 6, 8802-8809		13
142	Determination of cysteine and glutathione in cucumber leaves by HPLC with UV detection. 2014 , 6, 8039-8044		42
141	Preconcentration by solid-phase microextraction. 2014 , 69, 715-727		17
140	Disk-based solid-phase extraction analysis of organic substances in water. 2014 , 61, 74-82		48
139	Extraction methods for the determination of phenolic compounds from <i>Equisetum arvense</i> L. herb. 2014 , 61, 377-381		32
138	Semi-automated cloud point extraction with cold column trapping of surfactant-rich phase for phenazopyridine determination in human serum. 2014 , 11, 733-739		10
137	Anionic surfactant coacervation extraction-magnetic solid phase microextraction for determination of malachite green. 2014 , 6, 7703-7709		6
136	Determination of penicillins in milk of animal origin by capillary electrophoresis: is sample treatment the bottleneck for routine laboratories?. <i>Talanta</i> , 2014 , 119, 75-82	6.2	27
135	Combined microextraction by packed sorbent and high-performance liquid chromatography-ultraviolet detection for rapid analysis of ractopamine in porcine muscle and urine samples. 2014 , 145, 789-95		50
134	Dispersive solid-phase extraction based on magnetic dummy molecularly imprinted microspheres for selective screening of phthalates in plastic bottled beverages. 2014 , 62, 2782-9		53
133	Enantioseparation of chiral pharmaceuticals in biomedical and environmental analyses by liquid chromatography: an overview. 2014 , 968, 8-21		77
132	Applications of liquid-phase microextraction in the sample preparation of environmental solid samples. <i>Molecules</i> , 2014 , 19, 6776-808	4.8	38
131	Determination and comparison of volatile aroma compounds in fresh and dried leaves samples of citronella grass, lemongrass, and citronella incense products by micro-hydrodistillation. 2014 , 26, 177-190		2
130	Perceptual Processes in Food Evaluation. 2015 , 105-116		1
129	Antibacterials. 2015 , 895-928		

128	Comparison of Matrix Solid-Phase Dispersion and Liquid-Solid Extraction Methods Followed by Solid-Phase Extraction in the Analysis of Selected Furanocoumarins from Pimpinella Roots by HPLC-DAD. 2015 , 27, 687-696		6
127	Recent advances and developments in matrix solid-phase dispersion. 2015 , 71, 186-193		80
126	Study of vortex-assisted MSPD and LC-MS/MS using alternative solid supports for pharmaceutical extraction from marketed fish. <i>Analytical and Bioanalytical Chemistry</i> , 2015 , 407, 4793-803	4.4	25
125	Comments on Sample Preparation in Chromatography for Different Types of Materials. 2015 , 411-446		4
124	Recent advances in aptamer-functionalized materials in sample preparation. 2015 , 67, 134-146		67
123	Application of Preconcentration and Separation Techniques in Atomic Fluorescence Spectrometry. 2015 , 50, 678-705		14
122	Advances in miniaturization and increasing sensitivity in analysis of organic contaminants in marine biota samples. <i>Trends in Environmental Analytical Chemistry</i> , 2015 , 6-7, 39-47	12	7
121	Sensitive and selective determination of polycyclic aromatic hydrocarbons in mainstream cigarette smoke using a graphene-coated solid-phase microextraction fiber prior to GC/MS. <i>Talanta</i> , 2015 , 140, 102-108	6.2	31
120	Diamond porous membranes: A material toward analytical chemistry. 2015 , 55, 123-130		36
119	Green sample preparation for liquid chromatography and capillary electrophoresis of anionic and cationic analytes. <i>Analytical Chemistry</i> , 2015 , 87, 4117-23	7.8	14
118	Characterization of organic fouling in reverse osmosis membranes by headspace solid phase microextraction and gas chromatography-mass spectrometry. 2015 , 71, 117-25		3
117	Synthesis and characterization of a magnetic molecularly imprinted polymer for the selective extraction of nicotine and cotinine from urine samples followed by GC-MS analysis. 2015 , 7, 9237-9244		13
116	Application of Nylon6/Polypyrrole core-shell nanofibres mat as solid-phase extraction adsorbent for the determination of atrazine in environmental water samples. 2015 , 95, 1112-1123		8
115	Synthesis, characterization, and adsorption properties of ionic liquid-modified hypercrosslinked polystyrene resins. 2015 , 5, 72601-72609		9
114	Optimization of solid-phase-extraction cleanup and validation of quantitative determination of eugenol in fish samples by gas chromatography-tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2015 , 407, 6563-8	4.4	18
113	Determination of rocket kerosene in soil by static headspace analysis coupled with gas chromatography-mass spectrometry. 2015 , 70, 168-174		1
112	Analytical challenges for conducting rapid metabolism characterization for QIVIVE. 2015 , 332, 20-9		16
111	Applications of Graphene-Based Materials in Solid-Phase Extraction and Solid-Phase Microextraction. <i>Separation and Purification Reviews</i> , 2015 , 44, 183-198	7.3	47

110	Assay for Opium Alkaloids. 2016 , 1051-1060		0
109	Mycotoxin Analytical Methods. 2016 , 363-386		
108	Novel mode of liquid-phase microextraction: A magnetic stirrer as the extractant phase holder. <i>Journal of Separation Science</i> , 2016 , 39, 399-404	3.4	11
107	Gold-functionalized stainless-steel wire and tube for fiber-in-tube solid-phase microextraction coupled to high-performance liquid chromatography for the determination of polycyclic aromatic hydrocarbons. <i>Journal of Separation Science</i> , 2016 , 39, 932-8	3.4	14
106	Magnetite nanoparticles coated with covalently immobilized ionic liquids as a sorbent for extraction of non-steroidal anti-inflammatory drugs from biological fluids. <i>Mikrochimica Acta</i> , 2016 , 183, 2297-2305	5.8	27
105	Multistacking from Two Sample Streams in Nonaqueous Microchip Electrophoresis. <i>Analytical Chemistry</i> , 2016 , 88, 9915-9919	7.8	17
104	Determination of eugenol in fish and shrimp muscle tissue by stable isotope dilution assay and solid-phase extraction coupled gas chromatography-triple quadrupole mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 6537-44	4.4	12
103	Fed-state gastric media and drug analysis techniques: Current status and points to consider. 2016 , 107, 234-48		14
102	Flotation-assisted dispersive liquid-liquid microextraction method for preconcentration and determination of trace amounts of cobalt: Orthogonal array design. 2016 , 71, 535-541		10
101	Headspace-solid phase microextraction: useful technique to characterize volatile and semi-volatile organic compounds in water reuse applications. 2016 , 57, 23176-23184		1
100	A fully automated effervescence assisted dispersive liquid-liquid microextraction based on a stepwise injection system. Determination of antipyrine in saliva samples. <i>Analytica Chimica Acta</i> , 2016 , 902, 129-134	6.6	31
99	Progress in field-assisted extraction and its application to solid sample analysis. <i>Journal of Separation Science</i> , 2016 , 39, 177-87	3.4	11
98	Combining high-throughput MALDI-TOF mass spectrometry and isoelectric focusing gel electrophoresis for virtual 2D gel-based proteomics. 2016 , 104, 163-9		12
97	Metal oxides in sample pretreatment. 2016 , 80, 41-56		51
96	Current analytical methods for plant auxin quantification--A review. <i>Analytica Chimica Acta</i> , 2016 , 902, 8-21	6.6	36
95	Extraction Methods in Trace Analysis. 2016 , 123-152		1
94	A comparative study of primary secondary amino (PSA) and multi-walled carbon nanotubes (MWCNTs) as QuEChERS absorbents for the rapid determination of diazepam and its major metabolites in fish samples by high-performance liquid chromatography-electrospray ionisation-tandem mass spectrometry. 2016 , 96, 555-60		13
93	Vortex-assisted matrix solid-liquid dispersive microextraction for the analysis of triazole fungicides in cotton seed and honeysuckle by gas chromatography. 2016 , 196, 867-76		19

92	Simple and sensitive determination of atrazine and its toxic metabolites in environmental water by carboxyl modified polyacrylonitrile nanofibers mat-based solid-phase extraction coupled with liquid chromatography-diode array detection. <i>Journal of Chromatography A</i> , 2017 , 1491, 16-26	4.5	16
91	Poly(ethylene glycol) functionalization of monolithic poly(divinyl benzene) for improved miniaturized solid phase extraction of protein-rich samples. <i>Analytical and Bioanalytical Chemistry</i> , 2017 , 409, 2189-2199	4.4	13
90	Quantitative determination of trace concentrations of quercetin from prickly pear skin complex sample extracts by application of molecularly imprinted polymers. 2017 , 5, 1186-1195		11
89	Poly (indole-co-thiophene)@Fe ₃ O ₄ as novel adsorbents for the extraction of aniline derivatives from water samples. <i>Microchemical Journal</i> , 2017 , 131, 174-181	4.8	15
88	On-line clean-up and LC-MS analysis of primary metabolites in cell culture supernatants. 2017 , 9, 5703-5710		1
87	Bioanalytical methods for the detection of antidiabetic drugs: a review. 2017 , 9, 2015-2025		2
86	Graphene solid phase extraction (SPE) of synthetic antioxidants in complex food matrices. 2017 , 62, 223-230		24
85	An amino-functionalized grooved nanofiber mat for solid-phase extraction of phenolic pollutants. <i>Mikrochimica Acta</i> , 2017 , 184, 2861-2870	5.8	8
84	Synthesis of nano-hydroxyapatite sorbent for microextraction in packed syringe of phthalate esters in water samples. <i>Analytica Chimica Acta</i> , 2017 , 950, 64-70	6.6	38
83	Recent Advances in Membrane-Aided Extraction and Separation for Analytical Purposes. <i>Separation and Purification Reviews</i> , 2017 , 46, 179-194	7.3	34
82	Quantitative analysis of plant hormones based on LC-MS/MS. 2017 , 471-537		8
81	Sample preparation for liquid chromatography. 2017 , 1-37		5
80	Overview of Green Sample Preparation Techniques in Food Analysis. 2017 ,		6
79	Automated Sampling Procedures. 2017 , 431-464		
78	Development of new extraction method based on liquid-liquid-liquid extraction followed by dispersive liquid-liquid microextraction for extraction of three tricyclic antidepressants in plasma samples. <i>Biomedical Chromatography</i> , 2018 , 32, e4251	1.7	10
77	Stable isotope labeling-assisted GC/MS/MS method for determination of methyleugenol in food samples. 2018 , 98, 3485-3491		7
76	Pre-concentration and determination of fluorescence quenching of CdS quantum dots of Pb ions by dispersive liquid-liquid microextraction in the presence of the ionic liquids. 2018 , 47, 127-132		1
75	Environmentally friendly procedure based on VA-MSPD for the determination of booster biocides in fish tissue. 2018 , 242, 475-480		16

74	Magnetic mesoporous polymelamine-formaldehyde resin as an adsorbent for endocrine disrupting chemicals. <i>Mikrochimica Acta</i> , 2017 , 185, 19	5.8	26
73	Sample preparation for large-scale bioanalytical studies based on liquid chromatographic techniques. <i>Biomedical Chromatography</i> , 2018 , 32, e4137	1.7	23
72	A Review on the Recent Progress in Matrix Solid Phase Dispersion. <i>Molecules</i> , 2018 , 23,	4.8	30
71	GLC/HPLC Methods for Saffron (<i>Crocus sativus</i> L.). <i>Reference Series in Phytochemistry</i> , 2018 , 1-49	0.7	1
70	Development of an in-house mixed-mode solid-phase extraction for the determination of 16 basic drugs in urine by High Performance Liquid Chromatography-Ion Trap Mass Spectrometry. <i>Journal of Chromatography A</i> , 2018 , 1560, 10-18	4.5	12
69	Pharmaceutical Analysis Sample Preparation. 2018 , 231-231		2
68	Extraction of chlorothalonil, dichlofluanid, DCOIT, and TCMTB from fish tissues employing the vortex assisted matrix solid-phase dispersion. <i>Microchemical Journal</i> , 2018 , 143, 92-98	4.8	6
67	Deep eutectic solvent as a novel disperser in dispersive liquid-liquid microextraction based on solidification of floating organic droplet (DLLME-SFOD) for preconcentration of steroids in water samples: Assessment of the method deleterious impact on the environment using Analytical Eco-Scale and Green Analytical Procedure Index. <i>Microchemical Journal</i> , 2019 , 143, 103988	4.8	33
66	Polypyrrole nanotubes for electrochemically controlled extraction of atrazine, caffeine and progesterone. <i>Mikrochimica Acta</i> , 2019 , 186, 398	5.8	4
65	Field-amplified sample injection combined with capillary electrophoresis for the simultaneous determination of five chlorophenols in water samples. <i>Electrophoresis</i> , 2019 , 40, 1771-1778	3.6	9
64	Stable isotope dilution assay for the accurate determination of tricaine in fish samples by HPLC-MS-MS. <i>Biomedical Chromatography</i> , 2019 , 33, e4512	1.7	1
63	Liquid chromatographic methods for the determination of direct oral anticoagulant drugs in biological samples: A critical review. <i>Analytica Chimica Acta</i> , 2019 , 1076, 18-31	6.6	14
62	GLC/HPLC Methods for Saffron (<i>Crocus sativus</i> L.). <i>Reference Series in Phytochemistry</i> , 2019 , 1987-2035	0.7	3
61	Application of D-Limonene as a Bio-based Solvent in Low Density-Dispersive Liquid-Liquid Microextraction of Acidic Drugs from Aqueous Samples. <i>Analytical Sciences</i> , 2019 , 35, 1385-1391	1.7	11
60	Analytical approach on surface active agents in the environment and challenges. <i>Trends in Environmental Analytical Chemistry</i> , 2019 , 21, e00061	12	19
59	Tolerance intervals modeling for design space of a salt assisted liquid-liquid microextraction of trimethoprim and six common sulfonamide antibiotics in environmental water samples. <i>Journal of Chromatography A</i> , 2019 , 1586, 18-29	4.5	10
58	Extraction methods, LC-ESI-MS/MS analysis of phenolic compounds and antiradical properties of functional food enriched with elderberry flowers or fruits. <i>Arabian Journal of Chemistry</i> , 2019 , 12, 4719-4730	5.9	30
57	Membrane-based Separation in Flow Analysis for Environmental and Food Applications. <i>Separation and Purification Reviews</i> , 2020 , 49, 37-54	7.3	2

56	Amino bearing core-shell structured magnetic covalent organic framework nanospheres: Preparation, postsynthetic modification with phenylboronic acid and enrichment of monoamine neurotransmitters in human urine. <i>Analytica Chimica Acta</i> , 2020 , 1093, 61-74	6.6	25
55	A comprehensive look at solid-phase microextraction technique: A review of reviews. <i>Microchemical Journal</i> , 2020 , 152, 104319	4.8	86
54	Recent advances in sample preparation techniques in China. <i>Journal of Separation Science</i> , 2020 , 43, 189-201	3.4	6
53	Environmental Applications. 2020 , 591-641		2
52	Spin-column micro-solid phase extraction of chlorophenols using MFU-4l metal-organic framework. <i>Mikrochimica Acta</i> , 2019 , 187, 39	5.8	6
51	Development of dispersive solid phase extraction utilizing folic acid as an efficient and green sorbent followed by dispersive liquid-liquid microextraction for the extraction of some plasticizers from aqueous samples. <i>Journal of Separation Science</i> , 2020 , 43, 4314-4321	3.4	0
50	Pharmacokinetics study of 16 active ingredients from Tabson-2 decoction in normal and d-galactose induced osteoporosis rats by liquid chromatography-tandem mass spectrometry. <i>Journal of Separation Science</i> , 2020 , 43, 3702-3713	3.4	1
49	LC-DAD/ESI-MS/MS characterization of phenolic constituents in Rosa canina L. and its protective effect in cells. <i>Biomedical Chromatography</i> , 2020 , 34, e4961	1.7	4
48	Synthesis and characterization of a molecularly imprinted polymer (MIP) for solid-phase extraction of the antidiabetic gliclazide from human plasma. <i>Materials Science and Engineering C</i> , 2020 , 116, 111191	8.3	13
47	Solvent holder-assisted liquid-phase microextraction using nano-structure biomass-derived carbonaceous aerogel combined with ion mobility spectrometry for simultaneous determination of ethion and chlorpyrifos. <i>Mikrochimica Acta</i> , 2020 , 187, 232	5.8	3
46	Miniaturization of Hydrocyclones by High-Resolution 3D Printing for Rapid Microparticle Separation. <i>Advanced Materials Technologies</i> , 2020 , 5, 1901105	6.8	6
45	High Density Supercritical Carbon Dioxide for the Extraction of Pesticide Residues in Onion with Multivariate Response Surface Methodology. <i>Molecules</i> , 2020 , 25,	4.8	6
44	Analysis of mobile chemicals in the aquatic environment-current capabilities, limitations and future perspectives. <i>Analytical and Bioanalytical Chemistry</i> , 2020 , 412, 4763-4784	4.4	14
43	Saffron (<i>Crocus sativus</i> L.): Its Aroma and Key Odorants. 2020 , 69-82		1
42	An analytical method for the simultaneous quantification of 30 bioactive compounds in spent coffee ground by HPLC-MS/MS. <i>Journal of Mass Spectrometry</i> , 2020 , 55, e4519	2.2	10
41	Analytical methods to monitor dopamine metabolism in plasma: Moving forward with improved diagnosis and treatment of neurological disorders. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020 , 187, 113323	3.5	6
40	β-Cyclodextrin-/AuNPs-functionalized covalent organic framework-based magnetic sorbent for solid phase extraction and determination of sulfonamides. <i>Mikrochimica Acta</i> , 2020 , 187, 278	5.8	24
39	A Tailored High-Efficiency Sample Pretreatment Method for Simultaneous Quantification of 10 Classes of Known Endogenous Phytohormones. <i>Plant Communications</i> , 2020 , 1, 100047	9	12

38	Extraction Procedures and Chromatography of Pesticides Residues in Strawberries. <i>Sustainable Agriculture Reviews</i> , 2021 , 167-201	1.3	
37	Sustainable Agriculture Reviews 47. <i>Sustainable Agriculture Reviews</i> , 2021 ,	1.3	0
36	Comments on sample preparation in chromatography for different types of materials. 2021 , 615-663		
35	The role of sample preparation. 2021 , 51-77		1
34	Application of Flat Electromembrane and Low-Density Solvent Extractions for the Assessment of Polar and Non-Polar Heterocyclic Aromatic Amines in Heated Red Meats. <i>Iranian Journal of Nutrition Sciences and Food Technology</i> , 2021 , 16, 75-84		
33	Oilfield produced water treatment by liquid-liquid extraction: A review. <i>Journal of Petroleum Science and Engineering</i> , 2021 , 199, 108282	4.4	11
32	Metabolomics Studies in Psoriatic Disease: A Review. <i>Metabolites</i> , 2021 , 11,	5.6	3
31	Sugaring-out induced homogeneous liquid-liquid microextraction as an alternative mode for biological sample preparation: A comparative study. <i>Journal of Separation Science</i> , 2021 , 44, 3117-3125	3.4	7
30	4D-Printed Temperature-Controlled Flow-Actuated Solid-Phase Extraction Devices. <i>Analytical Chemistry</i> , 2021 , 93, 11497-11505	7.8	1
29	Polypyrrole monolithic extraction phase: From conventional to miniaturized sample preparation techniques. <i>Journal of Chromatography A</i> , 2021 , 1651, 462260	4.5	3
28	Sample Preparation and Diagnostic Methods for a Variety of Settings: A Comprehensive Review. <i>Molecules</i> , 2021 , 26,	4.8	0
27	Recent developments in sample preparation techniques combined with high-performance liquid chromatography: A critical review. <i>Journal of Chromatography A</i> , 2021 , 1654, 462444	4.5	13
26	Homogeneous liquid-liquid extraction as an alternative sample preparation technique for biomedical analysis. <i>Journal of Separation Science</i> , 2021 ,	3.4	4
25	Electrocolorimetric gel-based sensing approach for simultaneous extraction, preconcentration, and detection of iodide and chromium (VI) ions. <i>Talanta</i> , 2021 , 235, 122715	6.2	2
24	New insight on occurrence of liquid crystal monomers: A class of emerging e-waste pollutants in municipal landfill leachate. <i>Journal of Hazardous Materials</i> , 2022 , 423, 127146	12.8	3
23	Salting-out induced liquid-liquid microextraction for alogliptin benzoate determination in human plasma by HPLC/UV. <i>BMC Chemistry</i> , 2021 , 15, 2	3.7	5
22	Production, Upgrading and Analysis of Bio-oils Derived from Lignocellulosic Biomass. 2015 , 1219-1250		1
21	βCyclodextrin Derivative Grafted on Silica Gel Represents a New Polymeric Sorbent for Extracting Nitisinone from Model Physiological Fluids. <i>Molecules</i> , 2021 , 26,	4.8	

20	CHROMATOGRAPHY: RECENT PROGRESS. <i>Journal of Liquid Chromatography and Related Technologies</i> , 150527103729000	1.3	
19	Recent Research Progress in Stir Bar Sorptive Extraction. <i>Chinese Journal of Analytical Chemistry</i> , 2012 , 39, 1766-1773	1.6	
18	Endocrine-Disrupting Chemicals, Pharmaceuticals and Personal Care Products. 2013 , 871-915		
17	Determinaci3n del Carcin3geno Espec3fico del Tabaco 4-(metilnitrosamino)-1-(3-piridil)-1-butanol en Orina: 20 a3s de Evoluci3n en los M3todos de Preparaci3n de Muestra. <i>Qu3mica Hoy Chemistry Sciences \$b</i> , 2014 , 4, 13	0	
16	Sensitivity Increase in Headspace Analysis of Hydrocarbons in Water by Using Online Selective Elimination of Gas Extractant. <i>Separations</i> , 2022 , 9, 15	3.1	
15	Microextraction techniques for sampling and determination of polychlorinated biphenyls: A comprehensive review. <i>Microchemical Journal</i> , 2022 , 179, 107442	4.8	0
14	Deep Eutectic Solvents as Promising Green Solvents in Dispersive Liquid-Liquid Microextraction Based on Solidification of Floating Organic Droplet: Recent Applications, Challenges and Future Perspectives. <i>Molecules</i> , 2021 , 26,	4.8	1
13	X-Ray Fluorescence Studies of Tea and Coffee. 2022 , 37-60		0
12	A Review: Recent Analytical Applications on Anti-Epileptic Agents. <i>Current Pharmaceutical Analysis</i> , 2022 , 18,	0.6	
11	Determination of selected pesticide residues in non-fatty fruits using GC/MS in combination with QuEChERS method. <i>Monatshefte F3r Chemie</i> ,	1.4	
10	Review of Clay-Based Nanocomposites as Adsorbents for the Removal of Heavy Metals. <i>Journal of Chemistry</i> , 2022 , 2022, 1-25	2.3	1
9	Quantitative analysis of specific androgens in serum and urine samples from male, pre, and postmenopausal subjects using LC-MRM-MS. <i>Steroids</i> , 2022 , 185, 109060	2.8	
8	Solid-Phase Extraction (SPE) Technique to Quantify Cefdinir in Human Plasma Using Liquid Chromatography Tandem Mass Spectrometry (LC/MS/MS). <i>Journal of Chromatographic Science</i> ,	1.4	
7	Synthesis of Phenylboronic Acid-Functionalized Magnetic Nanoparticles for Sensitive Soil Enzyme Assays. 2022 , 27, 6883		1
6	Miniaturized ternary deep eutectic solvent-based matrix solid-phase dispersion: A green sample preparation method for the determination of chlorophenols in river sediment.		0
5	Response surface methodology (RSM)-based statistical modeling and optimization of the ultrasound-assisted extraction of saffron bioactives.		0
4	Molecularly imprinted polymers as highly selective sorbents in sample preparation techniques and their applications in environmental water analysis. 2022 , e00193		1
3	Direct observation of oxygen vacancy formation and migration over ceria surface by in situ environmental transmission electron microscopy. 2023 ,		0

- 2 Synthesis and Characterization of Electrospun Sorbent for the Solid-Phase Extraction of Fluoroquinolones in Human Plasma and Their UHPLC-PDA Determination. **2023**, 10, 104 ○
- 1 An Overview of Recent Advances and Applications of Matrix Solid-Phase Dispersion. 1-18 ○