

# Investigating the Temporal Effects of Respiratory-Gated Radiotherapy Treatment Delivery on In Vitro Survival: Study

International Journal of Radiation Oncology Biology Physics  
71, 1547-1552

DOI: [10.1016/j.ijrobp.2008.03.047](https://doi.org/10.1016/j.ijrobp.2008.03.047)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Delivery of four-dimensional radiotherapy with TrackBeam for moving target using a dual-layer MLC: dynamic phantoms study. Journal of Applied Clinical Medical Physics, 2009, 10, 21-33.	1.9	20
2	Validation of Temporal Optimization Effects for a Single Fraction of Radiation In Vitro. International Journal of Radiation Oncology Biology Physics, 2009, 75, 1240-1246.	0.8	12
3	From clinical observations of intensity-modulated radiotherapy to dedicated in vitro designs. Mutation Research - Reviews in Mutation Research, 2010, 704, 200-205.	5.5	8
4	Effect of high dose per pulse flattening filter-free beams on cancer cell survival. Radiotherapy and Oncology, 2011, 101, 226-232.	0.6	76
5	Stereotactic Body Radiation Therapy in Non-Small-Cell Lung Cancer. American Journal of Clinical Oncology: Cancer Clinical Trials, 2011, 34, 432-441.	1.3	13
6	Applications of IMAT in cervical esophageal cancer radiotherapy: a comparison with fixed-field IMRT in dosimetry and implementation. Journal of Applied Clinical Medical Physics, 2011, 12, 48-57.	1.9	18
7	Radiation Therapy for Nasopharyngeal Carcinoma Using Simultaneously Integrated Boost (SIB) Protocol: A Comparison Planning Study between Intensity Modulated Arc Radiotherapy vs. Intensity Modulated Radiotherapy. Technology in Cancer Research and Treatment, 2012, 11, 415-420.	1.9	8
8	Quality assurance for nonradiographic radiotherapy localization and positioning systems: Report of Task Group 147. Medical Physics, 2012, 39, 1728-1747.	3.0	100
9	Optimization of temporal dose modulation: Comparison of theory and experiment. Medical Physics, 2012, 39, 3181-3188.	3.0	7
10	Development of a novel experimental model to investigate radiobiological implications of respiratory motion in advanced radiotherapy. Physics in Medicine and Biology, 2012, 57, N411-N420.	3.0	3
11	In-vitro investigation of out-of-field cell survival following the delivery of conformal, intensity-modulated radiation therapy (IMRT) and volumetric modulated arc therapy (VMAT) plans. Physics in Medicine and Biology, 2012, 57, 6635-6645.	3.0	24
12	Optimisation of exposure conditions for in vitro radiobiology experiments. Australasian Physical and Engineering Sciences in Medicine, 2012, 35, 151-157.	1.3	17
13	Investigating the influence of respiratory motion on the radiation induced bystander effect in modulated radiotherapy. Physics in Medicine and Biology, 2013, 58, 8311-8322.	3.0	4
14	Performance evaluation of respiratory motion-synchronized dynamic IMRT delivery. Journal of Applied Clinical Medical Physics, 2013, 14, 39-51.	1.9	12
15	Estimation of cell response in fractionation radiotherapy using different methods derived from linear quadratic model. Radiology and Oncology, 2015, 49, 347-356.	1.7	2
16	Stereotactic Body Radiation Therapy for Liver Cancer: A Review of the Technology. Journal of Medical Imaging and Radiation Sciences, 2015, 46, 343-350.	0.3	2
17	Can high dose rates used in cancer radiotherapy change therapeutic effectiveness?. Wspolczesna Onkologia, 2016, 6, 449-452.	1.4	8
18	The application of the linear quadratic model to compensate the effects of prolonged fraction delivery time on a Balb/C breast adenocarcinoma tumor: An in vivo study. International Journal of Radiation Biology, 2016, 92, 80-86.	1.8	4

#	ARTICLE	IF	CITATIONS
19	Performance assessment of a programmable five degrees-of-freedom motion platform for quality assurance of motion management techniques in radiotherapy. Australasian Physical and Engineering Sciences in Medicine, 2017, 40, 643-649.	1.3	8
20	Correlation between intrafractional motion and dosimetric changes for prostate <scp>IMRT</scp>: Comparison of different adaptive strategies. Journal of Applied Clinical Medical Physics, 2018, 19, 87-97.	1.9	5
21	Breath-hold MR-HIFU hyperthermia: phantom and <i>in vivo</i> feasibility. International Journal of Hyperthermia, 2019, 36, 1083-1096.	2.5	8
22	Delivery of Radiation at the Lowest Dose Rate by a Modern Linear Accelerator is Most Effective in Inhibiting Prostate Cancer Growth. Technology in Cancer Research and Treatment, 2020, 19, 153303382093552.	1.9	2
23	Effectiveness of Flattening-Filter-Free versus Flattened Beams in V79 and Glioblastoma Patient-Derived Stem-like Cells. International Journal of Molecular Sciences, 2023, 24, 1107.	4.1	1