

CITATION REPORT

List of articles citing

Enhancement of thermoelectric efficiency in PbTe by distortion of the electronic density of states

DOI: 10.1126/science.1159725
Science, 2008, 321, 554-7.

Source: <https://exaly.com/paper-pdf/43569612/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2297	Significant Enhancement in Thermoelectric Power Factor of Bulk Nanostructured Calcium Cobalt Oxide Ceramics.		
2296	Manipulation of Solubility and Interstitial Defects for Improving Thermoelectric SnTe Alloys.		
2295	Large enhancements in the thermoelectric power factor of bulk PbTe at high temperature by synergistic nanostructuring. 2008 , 47, 8618-22		203
2294	Large Enhancements in the Thermoelectric Power Factor of Bulk PbTe at High Temperature by Synergistic Nanostructuring. 2008 , 120, 8746-8750		35
2293	Cooling, heating, generating power, and recovering waste heat with thermoelectric systems. <i>Science</i> , 2008 , 321, 1457-61	33.3	3808
2292	High Temperature Thermoelectric Auxiliary Power Unit for Automotive Applications. 2008 ,		1
2291	Electronic structure and thermoelectric properties of layered PbSe-WSe ₂ materials. 2009 , 80,		52
2290	Improving thermoelectric performance of caged compounds through light-element filling. 2009 , 95, 042101		152
2289	Antimony as an amphoteric dopant in lead telluride. 2009 , 80,		51
2288	Thermoelectric properties of nanoporous Ge. 2009 , 95, 013106		29
2287	Thermoelectromechanical effects in quantum dots. 2009 , 20, 125402		26
2286	The Promise of Nanocomposite Thermoelectric Materials. 2009 , 1166, 1		1
2285	The LDA+DMFT Route to Identify Good Thermoelectrics. 2009 , 141-157		6
2284	Seebeck effect in PbTe films and EuTe/PbTe superlattices. 2009 , 106, 023718		32
2283	The Effect on Thermoelectric Properties of Cd Substitution in PbTe. 2009 , 1166, 9		
2282	Improved Thermoelectric Properties of Cu-Doped Quaternary Chalcogenides of Cu ₂ CdSnSe ₄ . 2009 , 21, 3808-3812		275
2281	Alte und neue Konzepte für thermoelektrische Materialien. 2009 , 121, 8768-8792		88

2280	New and old concepts in thermoelectric materials. 2009 , 48, 8616-39	1634
2279	Transport properties of undoped and Br-doped PbTe sintered at high-temperature and pressure 8.0GPa. 2009 , 182, 2602-2607	21
2278	Thermoelectric power generation materials: Technology and application opportunities. 2009 , 61, 79-85	82
2277	New composite thermoelectric materials for energy harvesting applications. 2009 , 61, 86-90	36
2276	Thermoelectric Properties of TlCu ₃ Te ₂ and TlCu ₂ Te ₂ . 2009 , 38, 1350-1353	4
2275	Modeling the Building Blocks of a 10% Efficient Segmented Thermoelectric Power Generator. 2009 , 38, 1382-1386	37
2274	Performance Results of a High-Power-Density Thermoelectric Generator: Beyond the Couple. 2009 , 38, 1375-1381	26
2273	X-Ray Characterization of Low-Thermal-Conductivity Thin-Film Materials. 2009 , 38, 1402-1406	6
2272	Solid-State Self-Assembly of Nanostructured Oxide as a Candidate High-Performance Thermoelectric Material. 2009 , 38, 1303-1308	2
2271	Synthesis and thermoelectric properties of PbTe nanorods and microcubes. 2009 , 163, 57-61	38
2270	Local structure of the high-temperature thermoelectric material PbTe using the maximum entropy method (MEM) and pair distribution function (PDF). 2009 , 70, 159-163	4
2269	Interfaces in bulk thermoelectric materials. 2009 , 14, 226-235	320
2268	Effect of periodicity of the two-dimensional vacancy planes on the thermal conductivity of bulk Ga ₂ Te ₃ . 2009 , 3, 221-223	12
2267	Bulk nanostructured thermoelectric materials: current research and future prospects. 2009 , 2, 466	1448
2266	Structure, Heat Capacity, and High-Temperature Thermal Properties of Yb ₁₄ Mn _{1-x} Al _x Sb ₁₁ . 2009 , 21, 1354-1360	84
2265	Thermoelectric Properties and Nanostructuring in the p-Type Materials NaPb _{18-x} Sn _x MTe ₂₀ (M = Sb, Bi). 2009 , 21, 1683-1694	50
2264	Improvement in the Thermoelectric Figure of Merit by La/Ag Cosubstitution in PbTe. 2009 , 21, 1361-1367	66
2263	Effect of Nb substitution for V on the thermoelectric properties of Fe ₂ VAl. 2009 , 486, 507-510	16

2262	Nanoengineered Materials for Thermoelectric Energy Conversion. 2009 , 225-299	28
2261	Enhancement of thermoelectric efficiency in oxygen-deficient Sr _{1-x} La _x TiO ₃ ceramics. 2009 , 95, 162110	78
2260	Thermoelectric Properties of the Thallium-Tellurium Binary Compounds. 2009 , 50, 1582-1585	7
2259	Influence of dimensionality on thermoelectric device performance. 2009 , 105, 034506	162
2258	Influence of band structure on the large thermoelectric performance of lanthanum telluride. 2009 , 79,	117
2257	Enhanced thermoelectric performance in barium and indium double-filled skutterudite bulk materials via orbital hybridization induced by indium filler. 2009 , 131, 3713-20	192
2256	Nanoscale design to enable the revolution in renewable energy. 2009 , 2, 559	311
2255	Resonant level formed by tin in Bi ₂ Te ₃ and the enhancement of room-temperature thermoelectric power. 2009 , 80,	157
2254	Thermoelectric properties of p-type LiZnSb: Assessment of ab initio calculations. 2009 , 105, 063701	53
2253	The optimal Seebeck coefficient for obtaining the maximum power factor in thermoelectrics. 2009 , 94, 223108	47
2252	Thermodynamic properties of PbTe, PbSe, and PbS: First-principles study. 2009 , 80,	196
2251	Cheating the diffraction limit: electrodeposited nanowires patterned by photolithography. 2009 , 859-73	63
2250	Thermoelectric effect across the metal-insulator domain walls in VO ₂ microbeams. 2009 , 9, 4001-6	71
2249	Thermal Conductivity of the Ternary Compounds: AgMTe ₂ and AgM ₅ Te ₈ (M = Ga or In). 2009 , 50, 1603-1606	20
2248	Seebeck Coefficient of Ultrathin Silicon-on-Insulator Layers. 2009 , 2, 071203	31
2247	High Temperature Multi-Fuel Combustion-Powered Thermoelectric Auxiliary Power Unit. 2009 ,	
2246	Thermoelectric power generation for hybrid-electric vehicle auxiliary power. 2009 ,	
2245	Effect of Rh Substitution for Co on the Thermoelectric Properties of CoSb ₃ . 2010 , 51, 882-886	4

2244	Recent Progress in the Development of Thermoelectric Materials with Complex Crystal Structures. 2010 , 365-384	1
2243	Anomalous enhancement of the thermoelectric power in gallium-doped p-(Bi _{1-x} Sb _x) ₂ Te ₃ single crystals. 2010 , 110, 618-621	3
2242	Anomalous increase of the thermopower and thermoelectric figure of merit in Ga-doped p-(Bi _{0.5} Sb _{0.5}) ₂ Te ₃ single crystals. 2010 , 52, 1830-1835	14
2241	Thermoelectric properties of polycrystalline In ₄ Se ₃ and In ₄ Te ₃ . 2010 , 96, 162108	52
2240	Effect of Ca Doping on the Thermoelectric Performance of Yb ₁₄ MnSb ₁₁ . 2010 , 39, 1373-1375	35
2239	Thermoelectric Properties of Nanocrystalline PbTe Synthesized by Mechanical Alloying. 2010 , 39, 1665-1668	12
2238	Ba-Cu-Si Clathrates: Phase Equilibria and Crystal Chemistry. 2010 , 39, 1634-1639	28
2237	Design of a Concentration Solar Thermoelectric Generator. 2010 , 39, 1522-1530	120
2236	Functional materials for sustainable energy technologies: four case studies. 2010 , 3, 44-58	30
2235	Flowerlike PbS Microcrystals: Citric Acid Assisted Synthesis, Shape Evolution, and Electrical Conductivities. 2010 , 2010, 5700-5708	18
2234	Enhancement of Thermoelectric Figure-of-Merit by a Bulk Nanostructuring Approach. 2010 , 20, 357-376	706
2233	On the Design of High-Efficiency Thermoelectric Clathrates through a Systematic Cross-Substitution of Framework Elements. 2010 , 20, 755-763	181
2232	p-type semiconducting GeSe combs by a vaporization-condensation-recrystallization (VCR) process. 2010 , 22, 2164-7	83
2231	Nanostructured thermoelectrics: big efficiency gains from small features. 2010 , 22, 3970-80	1085
2230	Modeling, experimental study and optimization on low-temperature waste heat thermoelectric generator system. 2010 , 87, 3131-3136	331
2229	Three-dimensional Bi ₂ Se ₃ nanopattern films self-assembled with ultrathin nanosheets on the surface of Se nanotubes. 2010 , 312, 3455-3460	2
2228	Thermoelectric properties of HPHT sintered In-doped Pb _{0.5} Sn _{0.5} Te. 2010 , 183, 1817-1822	7
2227	Annealing temperature influence on electrical properties of ion beam sputtered Bi ₂ Te ₃ thin films. 2010 , 71, 1713-1716	31

2226	Nanostructured thermoelectrics. 2010 , 67, 19-63	433
2225	Fundamentals of energy transport, energy conversion, and thermal properties in organic/inorganic heterojunctions. 2010 , 491, 109-122	139
2224	Effect of substrate on the spatial resolution of Seebeck coefficient measured on thermoelectric films. 2010 , 49, 2299-2308	8
2223	Transport properties of Zintl phase $\text{Yb}_{1-x}\text{Ca}_x\text{Cd}_2\text{Sb}_2$ at low temperature. 2010 , 28, 403-406	3
2222	Thermoelectric Properties of Ternary Alloy $\text{Ag}_{0.405}\text{Sb}_{0.532}\text{Te}$ Prepared by Spark Plasma Sintering. 2010 , 39, 570-573	1
2221	Thermoelectric properties of rapid hot pressed polycrystalline $\text{Ag}_{1-x}\text{Pb}_x\text{SbTe}_{20}$ synthesized from doping PbTe nanocrystals. 2010 , 207, 163-169	5
2220	Electronic and thermal transport properties of Mg_2Sn crystals containing finely dispersed eutectic structures. 2010 , 207, 2523-2531	36
2219	Extreme working temperature differences for thermoelectric refrigerating and heat pumping devices driven by thermoelectric generator. 2010 , 83, 108-113	16
2218	THERMOPOWER OF SnTe FROM BOLTZMANN TRANSPORT CALCULATIONS. 2010 , 03, 223-226	41
2217	Thermoelectric Properties of CoSb ₃ -based Skutterudite Compounds. 2010 , 1267, 1	
2216	Electrodeposition of Group III Doped PbTe Nanowires. 2010 , 1258, 1	
2215	Investigation of the thermoelectric properties of the PbTe-SrTe system. 2010 , 1267, 1	2
2214	Impact of Dopants on the PbTe Thermoelectric Efficiency. 2010 , 1267, 1	
2213	Composition-Dependent Characterization of Sb ₂ Te ₃ Thin Films Prepared by Ion Beam Sputtering Deposition. 2010 , 27, 087201	9
2212	Current trends in the physics of thermoelectric materials. 2010 , 180, 821	21
2211	High thermoelectric efficiency in co-doped degenerate p-type PbTe. 2010 , 1267, 1	1
2210	Nitrogen composition dependence of electron effective mass in $\text{GaAs}_{1-x}\text{Nx}$. 2010 , 82,	18
2209	Order, miscibility, and electronic structure of $\text{Ag}(\text{Bi,Sb})\text{Te}_2$ alloys and $(\text{Ag,Bi,Sb})\text{Te}$ precipitates in rocksalt matrix: A first-principles study. 2010 , 81,	15

2208	Electronic structure and thermoelectric properties: PbBi_2Te_4 and related intergrowth compounds. 2010 , 81,	45
2207	High thermoelectric power factor in Fe-substituted Mo_3Sb_7 . 2010 , 96, 262103	13
2206	High efficiency semimetal/semiconductor nanocomposite thermoelectric materials. 2010 , 108, 123702	70
2205	Doping-dependent thermopower of PbTe from Boltzmann transport calculations. 2010 , 81,	230
2204	Thermophotonic heat pump theoretical model and numerical simulations. 2010 , 107, 093106	37
2203	Dimensional crossover of polaron dynamics in $\text{Nb:SrTiO}_3/\text{SrTiO}_3$ superlattices: Possible mechanism of thermopower enhancement. 2010 , 82,	29
2202	Thermoelectric enhancement in PbTe with K or Na codoping from tuning the interaction of the light- and heavy-hole valence bands. 2010 , 82,	122
2201	Enhancement of the Na_xCoO_2 thermopower due to electronic correlations. 2010 , 82,	23
2200	Rare-earth surface alloying: a new phase for GdAu_2 . 2010 , 105, 016101	12
2199	Pulsed thermoelectricity. 2010 , 108, 023702	5
2198	Enhanced thermoelectricity in composites by electronic structure modifications and nanostructuring. 2010 , 97, 052102	35
2197	Effect of growth base pressure on the thermoelectric properties of indium antimonide nanowires. 2010 , 43, 025406	44
2196	Thermoelectric property studies on thallium-doped lead telluride prepared by ball milling and hot pressing. 2010 , 108, 016104	45
2195	Contact superconductivity in InPbTe junctions. 2010 , 108, 053714	12
2194	Giant scattering parameter and enhanced thermoelectric properties originating from synergetic scattering of electrons in semiconductors with metal nanoinclusions. 2010 , 97, 192101	23
2193	Enhancement of thermoelectric figure of merit in bismuth nanotubes. 2010 , 97, 023112	17
2192	Novel metal/semiconductor nanocomposite and superlattice materials and devices for thermoelectrics. 2010 ,	1
2191	Thermoelectricity at the Organic-Inorganic Interface. 2010 ,	1

2190	Thermal and electrical transport properties of VA-element doped $\text{Pb}_{9.6}\text{M}_{0.2}\text{Te}_{10}\text{S}_{\text{ex}}$ (M= Sb, Bi) thermoelectric materials. 2010 , 43, 035405	4
2189	Enhancement of thermoelectric efficiency in $(\text{Ca},\text{Dy})\text{MnO}_3[(\text{Ca},\text{Yb})\text{MnO}_3]$ solid solutions. 2010 , 97, 052109	17
2188	On Landauer versus Boltzmann and full band versus effective mass evaluation of thermoelectric transport coefficients. 2010 , 107, 023707	114
2187	Zintl Chemistry for Designing High Efficiency Thermoelectric Materials 2010 , 22, 624-634	482
2186	Thermoelectric properties of Bi_2Te_3 atomic quintuple thin films. 2010 , 97, 212102	85
2185	Water-processable polymer-nanocrystal hybrids for thermoelectrics. 2010 , 10, 4664-7	407
2184	Impurity clustering and impurity-induced bands in PbTe -, SnTe -, and GeTe -based bulk thermoelectrics. 2010 , 81,	77
2183	Influence of heavy doping on Seebeck coefficient in silicon-on-insulator. 2010 , 96, 012106	30
2182	Behaviour of group IIIA impurities in PbTe : implications to improve thermoelectric efficiency. 2010 , 43, 405403	26
2181	Thermoelectric Properties of the Compounds $\text{AgPb}_m\text{LaTe}_{m+2}$ 2010 , 22, 876-882	21
2180	High Figure of Merit in Nanostructured n-Type $\text{KPb}_m\text{SbTe}_{m+2}$ Thermoelectric Materials 2010 , 22, 1046-1053	84
2179	High-Throughput Measurement of the Seebeck Coefficient and the Electrical Conductivity of Lithographically Patterned Polycrystalline PbTe Nanowires. 2010 , 1, 3004-3011	20
2178	Enhancing the thermoelectric power factor with highly mismatched isoelectronic doping. 2010 , 104, 016602	87
2177	High-Temperature Transport Properties of the Zintl Phases $\text{Yb}_{11}\text{GaSb}_9$ and $\text{Yb}_{11}\text{InSb}_9$ 2010 , 22, 935-941	29
2176	Semiclassical model for thermoelectric transport in nanocomposites. 2010 , 82,	82
2175	Comparison of thermal conductivity in nanodot nanocomposites and nanogained nanocomposites. 2010 , 96, 213114	11
2174	Enhanced thermoelectric performance of $(\text{Sb}_{0.75}\text{Bi}_{0.25})_2\text{Te}_3$ compound from first-principles calculations. 2010 , 96, 142101	43
2173	Minimum length scales for enhancement of the power factor in thermoelectric nanostructures. 2010 , 107, 074304	20

2172	Biomolecule-assisted hydrothermal synthesis and self-assembly of Bi ₂ Te ₃ nanostring-cluster hierarchical structure. 2010 , 4, 2523-30	86
2171	Nanostructured Thermoelectrics: The New Paradigm? 2010 , 22, 648-659	878
2170	Coherent Nanointerfaces in Thermoelectric Materials. 2010 , 114, 21003-21012	18
2169	Synthesis and thermoelectric properties of silicon- and manganese-doped Ru _{1-x} Fe _x Al ₂ . 2010 , 493, 17-21	23
2168	Thermoelectric properties of gold telluride: AuTe ₂ . 2010 , 496, 53-55	9
2167	Thermoelectric properties of rare earths filled CoSb ₃ based nanostructure skutterudite. 2010 , 505, 255-258	34
2166	Thermoelectric characterization of ion beam sputtered Sb ₂ Te ₃ thin films. 2010 , 505, 278-280	35
2165	Fabrication of Ag ₃ Sn ₃ Te based thermoelectric materials by MA-PAS and their properties. 2010 , 507, 167-171	14
2164	New bulk Materials for Thermoelectric Power Generation: Clathrates and Complex Antimonides 2010 , 22, 604-611	252
2163	Semiconductor nanowires for energy conversion. 2010 , 110, 527-46	1220
2162	Exploring resonance levels and nanostructuring in the PbTe-CdTe system and enhancement of the thermoelectric figure of merit. 2010 , 132, 5227-35	153
2161	Thermoelectric efficiency at maximum power in low-dimensional systems. 2010 , 82,	170
2160	Review of Thermoelectric Materials. 2010 , 139-166	4
2159	High-temperature thermoelectric performance of heavily doped PbSe. 2010 , 82,	216
2158	Quasiparticle self-consistent GW calculations for PbS, PbSe, and PbTe: Band structure and pressure coefficients. 2010 , 81,	122
2157	Tuning the shape and thermoelectric property of PbTe nanocrystals by bismuth doping. 2010 , 2, 1256-9	40
2156	Effect of Ag or Sb addition on the thermoelectric properties of PbTe. 2010 , 108, 113709	68
2155	Embedded Ag-rich nanodots in PbTe: Enhancement of thermoelectric properties through energy filtering of the carriers. 2010 , 108, 064322	91

2154	Nanocrystalline Structure and Thermoelectric Properties of Electrospun NaCo ₂ O ₄ Nanofibers. 2010 , 114, 22038-22043	36
2153	Optimizing Thermoelectric Efficiency in La ₃ Te ₄ via Yb Substitution. 2010 , 22, 2995-2999	43
2152	High-performance nanostructured thermoelectric materials. 2010 , 2, 152-158	679
2151	High-Pressure Routes in the Thermoelectricity or How One Can Improve a Performance of Thermoelectrics 2010 , 22, 635-647	109
2150	Atomistic modeling of the thermoelectric power factor in ultra-scaled Silicon nanowires. 2010 ,	
2149	Zintl-phase compounds with SnSb ₄ tetrahedral anions: Electronic structure and thermoelectric properties. 2010 , 81,	62
2148	Universal and Solution-Processable Precursor to Bismuth Chalcogenide Thermoelectrics. 2010 , 22, 1943-1945	47
2147	Effect of antisite defects on band structure and thermoelectric performance of ZrNiSn half-Heusler alloys. 2010 , 96, 152105	86
2146	Electronic reconstruction and transport properties in SrTiO ₃ /Sr _{1-x} LaxTiO ₃ superlattice. 2010 ,	
2145	Recent advances in thermoelectrics. 2011 ,	2
2144	Exploring the doping effects of Ag in p-type PbSe compounds with enhanced thermoelectric performance. 2011 , 44, 475304	42
2143	Electrodeposition of Pb-Te-Tl Thermoelectric Materials. 2011 , 159-164	
2142	Electronic structure and transport properties of doped PbSe. 2011 , 84,	50
2141	Epitaxial Zinc-Blende CdTe Antidots in Rock-Salt PbTe Semiconductor Thermoelectric Matrix. 2011 , 11, 4794-4801	19
2140	Correction to High-Throughput Measurement of the Seebeck Coefficient and the Electrical Conductivity of Lithographically Patterned Polycrystalline PbTe Nanowires 2011 , 2, 944-944	1
2139	High thermoelectric figure-of-merit in kondo insulator nanowires at low temperatures. 2011 , 11, 1166-70	29
2138	Thermoelectric Properties of Molecular Nanowires. 2011 , 115, 24418-24428	54
2137	Real Structure and Thermoelectric Properties of GeTe-Rich Germanium Antimony Tellurides. 2011 , 23, 4349-4356	130

2136	Effects of vacancy defects on thermal conductivity in crystalline silicon: A nonequilibrium molecular dynamics study. 2011 , 83,	49
2135	New stannite-like p-type thermoelectric material Cu ₃ SbSe ₄ . 2011 , 44, 295404	69
2134	Low-temperature thermoelectric power factor enhancement by controlling nanoparticle size distribution. 2011 , 11, 225-30	48
2133	Multiple-filled skutterudites: high thermoelectric figure of merit through separately optimizing electrical and thermal transports. 2011 , 133, 7837-46	1071
2132	The Evolution of Nanothermoelectricity. 2011 , 1329, 1	1
2131	Dramatic enhancement of thermoelectric power factor in PbTe:Cr co-doped with iodine. 2011 , 98, 262101	47
2130	Effects of nano-domains on thermoelectric properties in telluride system. 2011 ,	
2129	Half-Heusler phases and nanocomposites as emerging high-ZT thermoelectric materials. 2011 , 26, 2795-2802	113
2128	Realization of high thermoelectric performance in n-type partially filled skutterudites. 2011 , 26, 1745-1754	95
2127	Full dispersion versus Debye model evaluation of lattice thermal conductivity with a Landauer approach. 2011 , 109, 073718	75
2126	Hydrogen-incorporation stabilization of metallic VO ₂ (R) phase to room temperature, displaying promising low-temperature thermoelectric effect. 2011 , 133, 13798-801	124
2125	Nanostructures boost the thermoelectric performance of PbS. 2011 , 133, 3460-70	254
2124	Thermoelectrics from abundant chemical elements: high-performance nanostructured PbSe-PbS. 2011 , 133, 10920-7	146
2123	Combination of large nanostructures and complex band structure for high performance thermoelectric lead telluride. 2011 , 4, 3640	137
2122	Combining alloy scattering of phonons and resonant electronic levels to reach a high thermoelectric figure of merit in PbTeSe and PbTeS alloys. 2011 , 4, 4155	107
2121	Thermoelectric properties of chlorine doped compounds of In ₄ Se _{2.7} Cl _x . 2011 , 110, 083706	13
2120	Colloidal synthesis of Cu ₂ CdSnSe ₄ nanocrystals and hot-pressing to enhance the thermoelectric figure-of-merit. 2011 , 133, 15910-3	132
2119	Synthesis of PbSeTe single ternary alloy and core/shell heterostructured nanocubes. 2011 , 133, 17590-3	38

2118	Nanotechnology for Sustainability: Energy Conversion, Storage, and Conservation. 2011 , 261-303	12
2117	Simultaneous large enhancements in thermopower and electrical conductivity of bulk nanostructured half-Heusler alloys. 2011 , 133, 18843-52	205
2116	Introduction of resonant states and enhancement of thermoelectric properties in half-Heusler alloys. 2011 , 83,	41
2115	Thermoelectric properties of Ga-added CoSb ₃ based skutterudites. 2011 , 110, 013521	33
2114	Enhancement of Seebeck Coefficient in Bi _{0.5} Sb _{1.5} Te ₃ with High-Density Tellurium Nanoinclusions. 2011 , 4, 091801	33
2113	Nanotechnology Research Directions for Societal Needs in 2020. 2011 ,	151
2112	Reduction of thermal conductivity in PbTe:Tl by alloying with TlSbTe ₂ . 2011 , 83,	24
2111	Atomic-level control of the thermoelectric properties in polytypoid nanowires. 2011 , 2, 706	65
2110	Effects of confinement and orientation on the thermoelectric power factor of silicon nanowires. 2011 , 83,	62
2109	Anomalous electronic transport in dual-nanostructured lead telluride. 2011 , 133, 8786-9	43
2108	High performance thermoelectrics from earth-abundant materials: enhanced figure of merit in PbS by second phase nanostructures. 2011 , 133, 20476-87	377
2107	Thermoelectric Phenomena, Materials, and Applications. 2011 , 41, 433-448	434
2106	Nanostructure-based thermoelectric conversion: an insight into the feasibility and sustainability for large-scale deployment. 2011 , 3, 3555-62	57
2105	Quantum and classical thermoelectric transport in quantum dot nanocomposites. 2011 , 110, 084317	17
2104	Enhancement of the thermoelectric properties in nanoscale and nanostructured materials. 2011 , 21, 4037-4055	275
2103	Effects of Tl-filling into the voids and Rh substitution for Co on the thermoelectric properties of CoSb ₃ . 2011 , 509, 1084-1089	8
2102	Synthesis and high-temperature thermoelectric properties of Ni ₃ GaSb and Ni ₃ InSb. 2011 , 509, 4014-4017	5
2101	Phase range and physical properties of the thallium tin tellurides Tl ₁₀ Sn _x Te ₆ (x=2). 2011 , 509, 6768-6772	18

2100	High thermoelectric figure of merit in nanostructured p-type PbTe _{1-x} Te _x (M = Ca, Ba). 2011 , 4, 4675	153
2099	Potential Thermoelectric Performance from Optimization of Hole-Doped Bi ₂ Se ₃ . 2011 , 1,	33
2098	Quantum confinement and spin-orbit interactions in PbSe and PbTe nanowires: First-principles calculation. 2011 , 84,	9
2097	Recent Developments in Semiconductor Thermoelectric Physics and Materials. 2011 , 41, 399-431	529
2096	First-principles analysis of ZrN/ScN metal/semiconductor superlattices for thermoelectric energy conversion. 2011 , 109, 083717	19
2095	Thermoelectric energy conversion using nanostructured materials. 2011 ,	2
2094	Electron-beam activated thermal sputtering of thermoelectric materials. 2011 , 110, 044325	1
2093	Searching for the best thermoelectrics through the optimization of transport distribution function. 2011 , 109, 073713	29
2092	Thermoelectric Properties of Fine-Grained PbTe Bulk Materials Fabricated by Cryomilling and Spark Plasma Sintering. 2011 , 52, 795-801	20
2091	Strained endotaxial nanostructures with high thermoelectric figure of merit. 2011 , 3, 160-6	794
2090	High-performance flat-panel solar thermoelectric generators with high thermal concentration. 2011 , 10, 532-8	790
2089	Convergence of electronic bands for high performance bulk thermoelectrics. 2011 , 473, 66-9	2611
2088	Thermoelectric properties of conducting polyaniline/graphite composites. 2011 , 65, 1086-1088	75
2087	Lead telluride alloy thermoelectrics. 2011 , 14, 526-532	358
2086	Thermoelectric properties of LaFe ₃ CoSb ₁₂ skutterudite materials with different nanostructures. 2011 , 29, 954-957	3
2085	Analytical model of parallel thermoelectric generator. 2011 , 88, 5193-5199	83
2084	Thermoelectric properties of the Bi-doped Mg ₂ Si system. 2011 , 11, S388-S391	45
2083	High thermoelectric figure of merit in heavy hole dominated PbTe. 2011 , 4, 2085	528

2082	High performance Na-doped PbTe-PbS thermoelectric materials: electronic density of states modification and shape-controlled nanostructures. 2011 , 133, 16588-97	289
2081	Power factor enhancement by modulation doping in bulk nanocomposites. 2011 , 11, 2225-30	386
2080	Optimal bandwidth for high efficiency thermoelectrics. 2011 , 107, 226601	63
2079	Effect of cationic substitution on the thermoelectric properties of $\text{In}_{4-x}\text{M}_x\text{Se}_{2.95}$ compounds (M = Na, Ca, Zn, Ga, Sn, Pb; x = 0.1). 2011 , 99, 102110	31
2078	Giant anharmonic phonon scattering in PbTe. 2011 , 10, 614-9	442
2077	The texture related anisotropy of thermoelectric properties in bismuth telluride based polycrystalline alloys. 2011 , 99, 124102	98
2076	Probing the Fermi energy level and the density of states distribution in PbTe nanocrystal (quantum dot) solids by temperature-dependent thermopower measurements. 2011 , 5, 4810-7	45
2075	Crystal structures and thermoelectric properties of the series $\text{Tl}_{(10-x)}\text{La}_x\text{Te}_6$ with $0.2 \leq x \leq 1.15$. 2011 , 40, 862-7	20
2074	Thermoelectric Properties of $x\text{PbTe}/\text{Yb}_{0.2}\text{Co}_4\text{Sb}_{12}$ Hot-Pressed Samples. 2011 , 21, 858-861	1
2073	High Power Factor of HPHT-Sintered GeTe-AgSbTe ₂ Alloys. 2011 , 40, 17-24	5
2072	Seebeck Coefficient of Heavily P-Doped Si Calculated from an Alteration in Electronic Density of States. 2011 , 40, 903-906	6
2071	Thermoelectric Properties of the $\text{Ca}_{1-x}\text{R}_x\text{MnO}_3$ Perovskite System (R: Pr, Nd, Sm) for High-Temperature Applications. 2011 , 40, 551-556	31
2070	Thermoelectric Properties of an Al-Doped In-Sn-Te-Based Alloy. 2011 , 40, 937-941	6
2069	Thermomagnetic Effects in High-Mobility PbTe Films. 2011 , 40, 687-690	3
2068	On Electronic Structure Engineering and Thermoelectric Performance. 2011 , 40, 738-743	7
2067	Thermoelectric Properties of Scaled Silicon Nanowires Using the $sp^3d^5s^*$ -SO Atomistic Tight-Binding Model and Boltzmann Transport. 2011 , 40, 753-758	4
2066	Structural and Electronic Properties of Type I Clathrates $\text{M}_8\text{Ga}_{16}\text{Ge}_{30}$ (M = Ba, Sr, Yb) from First-Principles Calculations. 2011 , 40, 1298-1303	8
2065	Developments in semiconductor thermoelectric materials. 2011 , 5, 125-136	16

2064	Crystal and electronic structure of PbTe/CdTe nanostructures. 2011 , 6, 126	11
2063	Solvothermal synthesis and thermoelectric properties of indium telluride nanostring-cluster hierarchical structures. 2011 , 6, 329	17
2062	Thermoelectric properties of Ca _{0.8} Dy _{0.2} MnO ₃ synthesized by solution combustion process. 2011 , 6, 548	16
2061	C60-doping of nanostructured Bi ₂ Te ₃ thermoelectrics. 2011 , 208, 2783-2789	40
2060	Calculations of quasi-particle spectra of semiconductors under pressure. 2011 , 248, 1096-1101	1
2059	High Thermoelectric Performance in PbTe Due to Large Nanoscale Ag ₂ Te Precipitates and La Doping. 2011 , 21, 241-249	424
2058	Analysis of Ce- and Yb-Doped TAGS-85 Materials with Enhanced Thermoelectric Figure of Merit. 2011 , 21, 441-447	72
2057	Heavily doped p-type PbSe with high thermoelectric performance: an alternative for PbTe. 2011 , 23, 1366-70	392
2056	Stabilizing the optimal carrier concentration for high thermoelectric efficiency. 2011 , 23, 5674-8	323
2055	Self-Tuning the Carrier Concentration of PbTe/Ag ₂ Te Composites with Excess Ag for High Thermoelectric Performance. 2011 , 1, 291-296	192
2054	Enhancement in Thermoelectric Figure-Of-Merit of an N-Type Half-Heusler Compound by the Nanocomposite Approach. 2011 , 1, 643-647	256
2053	Thermoelectric Nanostructures: From Physical Model Systems towards Nanograined Composites. 2011 , 1, 713-731	193
2052	Basic principles for rational design of high-performance nanostructured silicon-based thermoelectric materials. 2011 , 12, 3614-8	11
2051	Large-Scale Synthesis and Characterization of the Size-Dependent Thermoelectric Properties of Uniformly Sized Bismuth Nanocrystals. 2011 , 123, 1399-1402	18
2050	Large-scale synthesis and characterization of the size-dependent thermoelectric properties of uniformly sized bismuth nanocrystals. 2011 , 50, 1363-6	61
2049	A numerical model and comparative investigation of a thermoelectric generator with multi-irreversibilities. 2011 , 36, 3513-3522	127
2048	Experimental study of a plat-flame micro combustor burning DME for thermoelectric power generation. 2011 , 52, 596-602	65
2047	Thermoelectric properties of ZnO nanowires: A first principle research. 2011 , 375, 2878-2881	13

2046	Seebeck Effects and Electronic Thermal Conductivity of IV-VI Materials. 2011 , 50, 031302	4
2045	Enhanced energy filtering and thermopower from synergetic scatterings of electrons at interface potential barriers (or wells) in semiconductor-based nanocomposites dispersed with metallic particles. 2011 , 110, 124308	9
2044	Titanium forms a resonant level in the conduction band of PbTe. 2011 , 84,	50
2043	Tunable two-dimensional or three-dimensional electron gases by submonolayer La doping of SrTiO ₃ . 2011 , 83,	20
2042	The influence of dopant type and carrier concentration on the effective mass and Seebeck coefficient of GaN _x As _{1-x} thin films. 2011 , 99, 072114	9
2041	Thermoelectric power factor enhancement by ionized nanoparticle scattering. 2011 , 99, 072118	24
2040	High-temperature thermoelectric properties of n-type PbSe doped with Ga, In, and Pb. 2011 , 83,	90
2039	Effects of electronic correlations and disorder on the thermopower of Na _x CoO ₂ . 2011 , 84,	17
2038	The effect of chromium impurity on the thermoelectric properties of PbTe in the temperature range 100-300 K. 2011 , 109, 103710	24
2037	On the solubility of yttrium in RuO ₂ . 2011 , 110, 054317	5
2036	Thermoelectric properties of p-type CuInSe ₂ chalcopyrites enhanced by introduction of manganese. 2011 , 84,	48
2035	Increase in the thermoelectric power produced by mechanically alloyed Pb _{1-x} Sn _x Te due to the presence of 15 nm SnO ₂ inclusions. 2011 , 110, 083715	6
2034	Calculated electronic structure of Pb _{1-x} Mn _x Te (0 ≤ x ≤ 1). 2011 , 83,	29
2033	Field emission cooling of thermoelectric semiconductor PbTe. 2011 , 98, 243502	9
2032	Enhanced thermoelectric power factor with impurity-induced resonant level. 2011 , 99, 062112	10
2031	Thermoelectric figure of merit calculations for semiconducting nanowires. 2011 , 98, 182104	49
2030	Influence of Sputtering Power of Te and Annealing on Sb-Te Thin Films Fabricated by RF and DC Co-Sputtering. 2011 , 194-196, 2400-2403	3
2029	First principles study of electronic structures of dopants in Mg ₂ Si. 2011 , 1329, 1	2

2028	Transmission electron microscopy study of Pb-depleted disks in PbTe-based alloys. 2011 , 26, 912-916	22
2027	Thermoelectric power factor enhancement in metal/semiconductor nanocomposites by ionized nanoparticle scattering. 2011 , 1329, 1	
2026	Miscibility gap and thermoelectric properties of ecofriendly Mg ₂ Si _{1-x} Sn _x (0.1 ≤ x ≤ 0.8) solid solutions by flux method. 2011 , 26, 3038-3043	36
2025	Improvement in the Thermoelectric Figure-of-Merit of TAGS-85 by Rare Earth Additions. 2011 , 1325, 15	2
2024	Effect of Sn Substitution on the Thermoelectric Properties of Nanostructured Bulk Bi _{2-x} Sb _x Te ₃ Alloy.. 2011 , 1329, 1	
2023	Fabrication of porous nanostructured lead chalcogenide semiconductors for modern thermoelectric and optoelectronic applications. 2011 , 291, 012023	4
2022	Largely Enhanced Figure of Merit for CoSb ₃ Thermoelectric Material by Introducing Disordered Structure. 2012 , 189, 87-91	
2021	In-Plane Thermoelectric Generator of Carbon Nanotube Membrane Driven by Thermal Gas Flow. 2012 , 217-219, 226-229	1
2020	Crystallization Properties of Ge-Se-Bi Thermoelectric Glasses. 2012 , 509, 235-239	1
2019	Figure-of-merit enhancement in nanostructured FeSb _(2-x) Ag _(x) with Ag _(1-y) Sb _(y) nanoinclusions. 2012 , 23, 505402	12
2018	Thermoelectric properties of polythiophene/MWNT composites prepared by ball-milling. 2012 ,	
2017	Thermoelectric properties of Zn-doped GaSb. 2012 , 111, 043704	16
2016	Determination of the Thermoelectric Properties in Filled-Skutterudite Systems by Controlling the Process Variables. 2012 , 51, 09ML02	1
2015	Frequency dependent electron damping in n-type PbSe. 2012 ,	
2014	Enhanced room temperature electronic and thermoelectric properties of the dilute bismuthide InGaBiAs. 2012 , 112, 093710	30
2013	Morphological effects on the electronic transport properties of three-phase thermoelectric materials. 2012 , 112, 113721	8
2012	Effect of the energy dependence of the carrier scattering time on the thermoelectric power factor of quantum wells and nanowires. 2012 , 100, 242106	9
2011	Thermoelectric properties of AgGaTe ₂ and related chalcopyrite structure materials. 2012 , 85,	104

2010	Thermoelectric transport properties of the n-type impurity Al in PbTe. 2012 , 85,	24
2009	High thermoelectric performance of solid solutions $\text{CuGa}_{1-x}\text{In}_x\text{Te}_2$ ($x = 0\bar{1}.0$). 2012 , 100, 231903	59
2008	Enhancement of the effective disorder potential and thermopower in Na_xCoO_2 through electron-phonon coupling. 2012 , 86,	6
2007	Performance analysis of an interacting quantum dot thermoelectric setup. 2012 , 85,	67
2006	On the best bandstructure for thermoelectric performance: A Landauer perspective. 2012 , 111, 113707	39
2005	Electronic-structure origin of the anisotropic thermopower of nanolaminated Ti_3SiC_2 determined by polarized x-ray spectroscopy and Seebeck measurements. 2012 , 85,	29
2004	Validity of the rigid band approximation in the study of the thermopower of narrow band gap semiconductors. 2012 , 85,	75
2003	Finite element analysis of scaling of silicon micro-thermoelectric generators to nanowire dimensions. 2012 , 4, 043110	2
2002	Ferromagnetic quantum singularities and small pseudogap formation in Heusler type $\text{Fe}_{2+x}\text{V}_{1-x}\text{Al}$. 2012 , 85,	11
2001	Synthesis and thermoelectric properties of Mn-doped AgSbTe_2 compounds. 2012 , 21, 106101	10
2000	THERMOELECTRIC EFFECT OF SILICON FILMS WITH SHALLOW- AND DEEP-LEVEL ACCEPTORS. 2012 , 26, 1250187	5
1999	PERFORMANCE CHARACTERISTICS OF A QUANTUM DOT THERMOELECTRIC REFRIGERATOR. 2012 , 26, 1250134	4
1998	Improvement in the Thermoelectric Properties by Ag/Sb Co-Substitution in PbSe. 2012 , 519, 179-183	2
1997	Anderson Localization of Phonons in Random Multilayer Thin Films. 2012 , 1404, 96	
1996	Structure and thermoelectric properties of double-perovskite oxides: $\text{Sr}_{2-x}\text{K}_x\text{FeMoO}_6$. 2012 , 120, 211-216	17
1995	Thermoelectric Properties of Full-Heusler Type Fe_2VAl Thin Films. 2012 , 76, 541-545	7
1994	Electronic Transports for Thermoelectric Applications on IV‐VI Semiconductors. 2012 , 53, 1226-1233	3
1993	Effects of disordered structure on thermoelectric properties of $\text{LaCeFe}_3\text{CoSb}_{12}$ nanocomposites. 2012 , 27, 1518-1521	2

1992	Microscopic mechanism of low thermal conductivity in lead telluride. 2012 , 85,	101
1991	Effect of Te doping on the thermopower of PbSe _{1-x} Tex. 2012 , 1, 306-311	4
1990	Sign changes of seebeck coefficients due to extrinsic-to-intrinsic transition for PbTe nanocrystals. 2012 , 9, 391-398	2
1989	Nanostructured Thermoelectric Materials. 2012 , 1-50	4
1988	Effect of point defects on the electronic density of states of ScN studied by first-principles calculations and implications for thermoelectric properties. 2012 , 86,	54
1987	Semiconductor nanowires for thermoelectrics. 2012 , 22, 22821	43
1986	Thermal and Thermoelectric Transport in Nanostructures and Low-Dimensional Systems. 2012 , 16, 79-116	108
1985	New Opportunities on Phase Transitions of Correlated Electron Nanostructures. 2012 , 3-22	1
1984	Enhancement of thermoelectric properties of CoSb ₃ -based skutterudites by double filling of Tl and In. 2012 , 112, 043509	17
1983	Encyclopedia of Nanotechnology. 2012 , 1644-1644	
1982	Dopants effect on the band structure of PbTe thermoelectric material. 2012 , 101, 092102	64
1981	Coherent and incoherent phase stabilities of thermoelectric rocksalt IV-VI semiconductor alloys. 2012 , 86,	38
1980	First principles study of Seebeck coefficients of doped semiconductors ZnTe _{1-x} Fx and ZnTe _{1-x} Ny. 2012 , 111, 033701	6
1979	Encyclopedia of Nanotechnology. 2012 , 2741-2741	
1978	Economical FeSi ₂ -SiGe Composites for Thermoelectric Power Generation. 2012 ,	
1977	Nanostructured thermoelectric materials: Current research and future challenge. 2012 , 22, 535-549	485
1976	Observation of local electron states linked to the quasi-Fermi level. 2012 , 100, 17008	8
1975	Band engineering of thermoelectric materials. 2012 , 24, 6125-35	998

1974	Effect of chemical treatment on the thermoelectric properties of single walled carbon nanotube networks. 2012 , 249, 2353-2356	34
1973	Microstructure modulation responsible for the improvement in thermoelectric property of a wide-gap AgIn ₅ Se ₈ semiconductor. 2012 , 31, 217-224	12
1972	Improvement of thermoelectric properties through controlling the carrier concentration of AgPb ₁₈ SbTe ₂₀ alloys by Sb addition. 2012 , 8, 659-663	10
1971	Progress in nanogenerators for portable electronics. 2012 , 15, 532-543	351
1970	The realization of a high thermoelectric figure of merit in Ge-substituted $\text{Pb}_{1-x}\text{Zn}_x\text{Sb}_3$ through band structure modification. 2012 , 22, 13977	49
1969	Electrical resistivity properties of liquid PbTe alloy. 2012 , 50, 39-45	
1968	Very high thermopower of Bi nanowires with embedded quantum point contacts. 2012 , 12, 808-12	21
1967	The role of Ga in Ba _{0.30} Ga _x Co ₄ Sb _{12+x} filled skutterudites. 2012 , 22, 15628	25
1966	Copper ion liquid-like thermoelectrics. 2012 , 11, 422-5	1339
1965	Thermoelectric properties of HfN/ScN metal/semiconductor superlattices: a first-principles study. 2012 , 24, 415303	18
1964	Thermoelectric Properties of a Wide-Gap Chalcopyrite Compound AgInSe ₂ . 2012 , 519, 188-192	13
1963	Roles of interstitial Mg in improving thermoelectric properties of Sb-doped Mg ₂ Si _{0.4} Sn _{0.6} solid solutions. 2012 , 22, 6838	95
1962	Power-efficiency trade-off in nanoscale thermoelectric energy conversion. 2012 ,	0
1961	Effect of thermal disorder on high figure of merit in PbTe. 2012 , 86,	34
1960	Quasicrystals and the Quest for Next Generation Thermoelectric Materials. 2012 , 37, 215-242	6
1959	Mechanism of thermal conductivity suppression in doped silicon studied with nonequilibrium molecular dynamics. 2012 , 86,	19
1958	Preparation and thermoelectric properties of sulfur doped Ag ₂ Te nanoparticles via solvothermal methods. 2012 , 4, 3926-31	35
1957	Chromium as resonant donor impurity in PbTe. 2012 , 85,	49

1956	Simultaneous increase in conductivity and Seebeck coefficient in a polyaniline/graphene nanosheets thermoelectric nanocomposite. 2012 , 161, 2688-2692	135
1955	Preparation and characterization of multiwalled carbon nanotube/poly(3-hexylthiophene) thermoelectric composite materials. 2012 , 162, 375-380	51
1954	Structural and electronic properties of $Pb_{1-x}Cd_xTe$ and $Pb_{1-x}Mn_xTe$ ternary alloys. 2012 , 86,	17
1953	Feasibility of enhancing the thermoelectric power factor in GaN_xAs_{1-x} . 2012 , 86,	8
1952	Seebeck and figure of merit enhancement in nanostructured antimony telluride by antisite defect suppression through sulfur doping. 2012 , 12, 4523-9	68
1951	High-performance bulk thermoelectrics with all-scale hierarchical architectures. 2012 , 489, 414-8	3069
1950	Cloaking core-shell nanoparticles from conducting electrons in solids. 2012 , 109, 126806	46
1949	Resonant carrier scattering by core-shell nanoparticles for thermoelectric power factor enhancement. 2012 , 100, 012102	26
1948	Synthesis, processing, and thermoelectric properties of bulk nanostructured bismuth telluride (Bi_2Te_3). 2012 , 22, 725-730	140
1947	Computational study of energy filtering effects in one-dimensional composite nano-structures. 2012 , 111, 024508	39
1946	Flexible carbon nanotube papers with improved thermoelectric properties. 2012 , 5, 5364-5369	143
1945	Experimental evidence of enhancement of thermoelectric properties in tellurium nanoparticle-embedded bismuth antimony telluride. 2012 , 27, 2449-2456	18
1944	Largely enhanced thermoelectric properties of the binary-phased $PbTe/Bi_2Te_3$ nanocomposites. 2012 , 27, 734-739	7
1943	Enhanced thermoelectric properties of tungsten disulfide-multiwalled carbon nanotube composites. 2012 , 22, 21376	31
1942	The influence of Zn vacancy on thermal conductivity of Zn_4Sb_3 : A molecular dynamics study. 2012 , 193, 76-82	11
1941	Recent advances in thermoelectric nanocomposites. 2012 , 1, 42-56	536
1940	Thermoelectric properties of copper selenide with ordered selenium layer and disordered copper layer. 2012 , 1, 472-478	217
1939	Electrical and thermal transport properties of Pb-based chalcogenides: $PbTe$, $PbSe$, and PbS . 2012 , 514, 40-44	173

1938	Cd12 structure type as potential thermoelectric materials: Synthesis and high temperature thermoelectric properties of the solid solution TiS_xSe_{2-x} . 2012 , 521, 121-125	28
1937	Thermoelectric properties of type-VIII clathrate $Ba_8Ga_{16}Sn_{30}$ doped with Cu. 2012 , 537, 303-307	71
1936	Molecular dynamics simulations of lattice thermal conductivity and spectral phonon mean free path of PbTe: Bulk and nanostructures. 2012 , 53, 278-285	133
1935	Lattice dynamics of PbTe polymorphs from first principles. 2012 , 56, 18-24	9
1934	Large-scale colloidal synthesis of non-stoichiometric $Cu_{(2)}ZnSnSe_{(4)}$ nanocrystals for thermoelectric applications. 2012 , 24, 6158-63	119
1933	Enhanced thermoelectric performance in three-dimensional superlattice of topological insulator thin films. 2012 , 7, 570	24
1932	Low effective mass leading to high thermoelectric performance. 2012 , 5, 7963	413
1931	Encyclopedia of Nanotechnology. 2012 ,	55
1930	Encyclopedia of Nanotechnology. 2012 , 1790-1803	
1929	Theoretical analysis of field emission cooling of N-type PbTe. 2012 , 60, 1565-1569	1
1928	Solid-solutioned homojunction nanoplates with disordered lattice: a promising approach toward "phonon glass electron crystal" thermoelectric materials. 2012 , 134, 7971-7	65
1927	Resonant levels in bulk thermoelectric semiconductors. 2012 , 5, 5510-5530	624
1926	Validity of the Wiedemann-Franz law in small molecular wires. 2012 , 86,	23
1925	Energy harvesting: an integrated view of materials, devices and applications. 2012 , 23, 502001	110
1924	Phase separation and thermoelectric properties of Ag_2Te -doped $PbTe_{0.95}S_{0.1}$. 2012 , 60, 7241-7248	14
1923	Large thermoelectric effect in graphene superlattices. 2012 , 46, 189-192	17
1922	Study of interatomic potential and thermal structural properties of $Pb_{1-x}Zn_xSb_3$. 2012 , 47, 3558-3567	9
1921	Thermopower enhancement in $Pb_{1-x}Mn_xTe$ alloys and its effect on thermoelectric efficiency. 2012 , 4, e28-e28	195

1920	Encyclopedia of Nanotechnology. 2012 , 2680-2697	1
1919	Comparison of the structural and thermoelectric properties of ball-milled and co-reduced Bi _{1-x} Sb _x nanoalloys. 2012 ,	3
1918	Study of the thermoelectric properties of lead selenide doped with boron, gallium, indium, or thallium. 2012 , 134, 17731-8	89
1917	Giant Seebeck coefficient thermoelectric device of MnO ₂ powder. 2012 , 23, 085401	33
1916	Seeing is believing: weak phonon scattering from nanostructures in alkali metal-doped lead telluride. 2012 , 12, 343-7	83
1915	Enhancement of thermoelectric figure-of-merit by resonant states of aluminium doping in lead selenide. 2012 , 5, 5246-5251	299
1914	Stronger phonon scattering by larger differences in atomic mass and size in p-type half-Heuslers Hf _{1-x} Ti _x CoSb _{0.8} Sn _{0.2} . 2012 , 5, 7543	205
1913	Encyclopedia of Nanotechnology. 2012 , 2667-2667	
1912	A hybridized graphene carrier highway for enhanced thermoelectric power generation. 2012 , 14, 13527-31	21
1911	A high thermoelectric figure of merit ZT > 1 in Ba heavily doped BiCuSeO oxyselenides. 2012 , 5, 8543	292
1910	Encyclopedia of Nanotechnology. 2012 , 1543-1543	
1909	Convergence of conduction bands as a means of enhancing thermoelectric performance of n-type Mg ₂ Si _(1-x) Sn _(x) solid solutions. 2012 , 108, 166601	854
1908	Recent Advances in Nanostructured Thermoelectric Half-Heusler Compounds. 2012 , 2, 379-412	237
1907	Enhancement in thermoelectric power factor of polycrystalline Bi _{0.5} Sb _{1.5} Te ₃ by crystallite alignment. 2012 , 209, 2131-2134	17
1906	Nernst coefficient and scattering parameter in PbTe films. 2012 , 249, 1546-1549	1
1905	Evaluation of the thermoelectric potential of the type-I clathrate Ba ₈ NiyZnxGe ₄₆ . 2012 , 45, 215308	8
1904	Weak electron-phonon coupling contributing to high thermoelectric performance in n-type PbSe. 2012 , 109, 9705-9	303
1903	Optical properties of PbTe and PbSe. 2012 , 85,	62

1902	Phonon conduction in PbSe, PbTe, and PbTe _{1-x} Sex from first-principles calculations. 2012 , 85,	368
1901	First-principles quantum transport modeling of thermoelectricity in single-molecule nanojunctions with graphene nanoribbon electrodes. 2012 , 11, 78-92	50
1900	Effect of silicon and sodium on thermoelectric properties of thallium-doped lead telluride-based materials. 2012 , 12, 2324-30	56
1899	Thermoelectrics with earth abundant elements: high performance p-type PbS nanostructured with SrS and CaS. 2012 , 134, 7902-12	197
1898	Perspectives on thermoelectrics: from fundamentals to device applications. 2012 , 5, 5147-5162	925
1897	Superionic phase transition in silver chalcogenide nanocrystals realizing optimized thermoelectric performance. 2012 , 134, 4287-93	154
1896	Enhancement of Thermopower of TAGS-85 High-Performance Thermoelectric Material by Doping with the Rare Earth Dy. 2012 , 22, 2766-2774	71
1895	Phonon Scattering and Thermal Conductivity in p-Type Nanostructured PbTe-BaTe Bulk Thermoelectric Materials. 2012 , 22, 5175-5184	95
1894	Chalcopyrite CuGaTe(2): a high-efficiency bulk thermoelectric material. 2012 , 24, 3622-6	245
1893	Strong phonon scattering by layer structured PbSnS(2) in PbTe based thermoelectric materials. 2012 , 24, 4440-4	111
1892	Anisotropic photoresponse properties of single micrometer-sized GeSe nanosheet. 2012 , 24, 4528-33	196
1891	Enhancement of Thermoelectric Figure of Merit by the Insertion of MgTe Nanostructures in p-type PbTe Doped with Na ₂ Te. 2012 , 2, 1117-1123	104
1890	Tellurium-Free Thermoelectric: The Anisotropic n-Type Semiconductor Bi ₂ S ₃ . 2012 , 2, 634-638	157
1889	Increase in the Figure of Merit by Cd-Substitution in Sn _{1-x} PbxTe and Effect of Pb/Sn Ratio on Thermoelectric Properties. 2012 , 2, 1218-1225	19
1888	Synthesis of PbTe-SnTe particles by thermal decomposition of salts to create nano-structured thermoelectric materials. 2012 , 47, 561-566	8
1887	Preparation and Thermoelectric Properties of Polycrystalline In ₄ Sn ₃ by Mechanical Alloying and Hot Pressing. 2012 , 41, 1077-1080	16
1886	A new class of doped nanobulk high-figure-of-merit thermoelectrics by scalable bottom-up assembly. 2012 , 11, 233-40	418
1885	Heavy doping and band engineering by potassium to improve the thermoelectric figure of merit in p-type PbTe, PbSe, and PbTe(1-y)Se(y). 2012 , 134, 10031-8	297

- 1884 Improvement in the thermoelectric performance of the crystals of halogen-substituted $\text{In}_4\text{Se}_3\text{H}_{0.03}$ (H = F, Cl, Br, I): Effect of halogen-substitution on the thermoelectric properties in In_4Se_3 . **2012**, 22, 5730 26
- 1883 Invited paper: Composition-dependent electrical properties of ternary $\text{Ag}_x\text{Sb}_{1-x}\text{Te}_y$ thin films synthesized by cationic exchange reaction. **2012**, 8, 219-224 1
- 1882 An efficient algorithm to calculate intrinsic thermoelectric parameters based on Landauer approach. **2012**, 11, 56-66 5
- 1881 Thermoelectric Properties of Pulsed Electric Current Sintered Samples of $\text{AgPb}_{1-m}\text{SbSe}_3$ ($m = 16$ or 17). **2012**, 41, 1579-1582
- 1880 Development of a Measurement Method for the Thermal Conductivity of a Thick Film Prepared by a Screen-Printing Technique. **2012**, 41, 1170-1176 2
- 1879 Thermoelectric Properties of $\text{Co}_{1-x}\text{Rh}_x\text{Si}_{0.98}\text{B}_{0.02}$ Alloys. **2012**, 41, 1125-1129 4
- 1878 Effect of GaSb Addition on the Thermoelectric Properties of $\text{Mg}_2\text{Si}_{0.5}\text{Sn}_{0.5}$ Solid Solutions. **2012**, 41, 1222-1226 7
- 1877 On the Interplay Between Electrical Conductivity and Seebeck Coefficient in Ultra-Narrow Silicon Nanowires. **2012**, 41, 1305-1311 11
- 1876 Thermoelectric Properties of Sn-Substituted $\text{AgPb}_{1-m}\text{SbTe}_{m+2}$ via the Route of Mechanical Alloying and Plasma-Activated Sintering. **2012**, 41, 1100-1104 7
- 1875 Thermoelectric and Mechanical Properties of Novel Hot-Extruded PbTe n-Type Material. **2012**, 41, 1057-1061 17
- 1874 Electrical Resistance and Seebeck Coefficient in PbTe Nanowires. **2012**, 41, 1421-1428
- 1873 Dopant Distributions in PbTe-Based Thermoelectric Materials. **2012**, 41, 1583-1588 28
- 1872 Impurity Band Effects in Thermoelectric Materials. **2012**, 41, 2126-2129 25
- 1871 The structural and electronic properties of type-I clathrates $\text{Ba}_8\text{Cu}_x\text{Ga}_{16-x}\text{Sn}_{30}$ from first-principle calculations. **2012**, 86, 447-453 3
- 1870 Enhanced thermoelectric performance via randomly arranged nanopores: Excellent transport properties of YbZn_2Sb_2 nanoporous materials. **2012**, 60, 1741-1746 22
- 1869 Thermoelectric properties of p-type skutterudites $\text{Yb}_x\text{Fe}_{3.5}\text{Ni}_{0.5}\text{Sb}_{12}$ ($0.8 \leq x \leq 1$). **2012**, 60, 2104-2110 35
- 1868 Cu addition and its role in thermoelectric properties and nanostructuring in the series compounds $(\text{InSb})_n\text{Cu}_m$. **2012**, 12, 69-74 3
- 1867 One-step microwave-solvothermal rapid synthesis of Sb doped PbTe/Ag₂Te core/shell composite nanocubes. **2012**, 193-194, 227-233 22

1866	Doping and temperature dependence of thermoelectric properties of AgGaTe ₂ : First principles investigations. 2012 , 537, 62-64	23
1865	Solvothermal synthesis and growth mechanism of Ag and Sb co-doped PbTe heterogeneous thermoelectric nanorods and nanocubes. 2012 , 133, 33-37	8
1864	Effects of surface structure and AgSb nanodots on electronic properties of PbTe (100) facets from first-principles calculations. 2012 , 67, 17-20	2
1863	Optimization in fabricating bismuth telluride thin films by ion beam sputtering deposition. 2012 , 520, 5245-5248	33
1862	Research progress on polymer/organic thermoelectric nanocomposite materials. 2012 , 37, 820-841	414
1861	Far infrared study of local impurity modes of Boron-doped PbTe. 2012 , 47, 2384-2389	3
1860	Performance characteristics and optimal analysis of an interacting quantum dot thermoelectric refrigerator. 2013 , 88, 035002	8
1859	Electropulsing-induced microstructure evolution and its effect on electrical conductivity of (Bi _{0.25} Sb _{0.75}) ₂ Te ₃ thin films. 2013 , 69, 219-222	11
1858	Thermoelectric properties of PbTe with encapsulated bismuth secondary phase. 2013 , 113, 123707	18
1857	Ca(1-x)RE(x)Ag(1-y)Sb (RE = La, Ce, Pr, Nd, Sm; 0 ≤ x ≤ 1; 0 ≤ y ≤ 1): interesting structural transformation and enhanced high-temperature thermoelectric performance. 2013 , 135, 11840-8	37
1856	Electron energy filtering by a nonplanar potential to enhance the thermoelectric power factor in bulk materials. 2013 , 87,	130
1855	Thermoelectric Nanomaterials. 2013 ,	95
1854	Impurity-band induced transport phenomenon and thermoelectric properties in Yb doped PbTe(1-x)I(x). 2013 , 15, 16686-92	13
1853	BiSbTe-Based Nanocomposites with High ZT: The Effect of SiC Nanodispersion on Thermoelectric Properties. 2013 , 23, 4317-4323	325
1852	Microstructure and transport properties of copper-doped p-type BiSbTe alloy prepared by mechanical alloying and subsequent spark plasma sintering. 2013 , 576, 369-374	35
1851	Rapid synthesis of Ag ₂ Se dendrites with enhanced electrical performance by microwave-assisted solution method. 2013 , 37, 323-328	19
1850	Effect of annealing on thermoelectric properties of eutectic PbTeSb ₂ Te ₃ composite with self-assembled lamellar structure. 2013 , 41, 63-69	12
1849	Thermoelectric properties of CuInTe ₂ /graphene composites. 2013 , 15, 6648	51

1848	High thermoelectric performance in tellurium free p-type AgSbSe ₂ . 2013 , 6, 2603	185
1847	High thermoelectric performance in n-type BiAgSeS due to intrinsically low thermal conductivity. 2013 , 6, 1750	59
1846	Periodic heating amplifies the efficiency of thermoelectric energy conversion. 2013 , 6, 1267	47
1845	Low-temperature transport properties of Tl-doped Bi ₂ Te ₃ single crystals. 2013 , 88,	38
1844	Lattice dynamics and structure of GeTe, SnTe and PbTe. 2013 , 250, 1300-1307	102
1843	A theoretical investigation on thermoelectric performance of ternary (Bi _{1-x} Sb _x) ₂ Te ₃ compound. 2013 , 48, 4999-5004	3
1842	High performance bulk thermoelectrics via a panoscopic approach. 2013 , 16, 166-176	344
1841	Hydrothermal synthesis and thermoelectric transport properties of Sb ₂ Te ₃ Te heterogeneous nanostructures. 2013 , 15, 2978	16
1840	In situ synthesis and thermoelectric properties of PbTe/graphene nanocomposites by utilizing a facile and novel wet chemical method. 2013 , 1, 12503	101
1839	Using crystallographic shear to reduce lattice thermal conductivity: high temperature thermoelectric characterization of the spark plasma sintered Magn π phases WO _{2.90} and WO _{2.722} . 2013 , 15, 15399-403	17
1838	On the resonant level of chromium in the rhombohedral and cubic phases of Pb _{1-x} Ge _x Cr _y Te alloys. 2013 , 47, 729-735	11
1837	Giant thermovoltage in single InAs nanowire field-effect transistors. 2013 , 13, 3638-42	48
1836	Nanostructured Inorganic/Organic Hybrid Semiconductor Materials. 2013 , 375-415	2
1835	Lead is not off center in PbTe: the importance of r-space phase information in extended x-ray absorption fine structure spectroscopy. 2013 , 111, 095504	52
1834	Microstructure evolution of nanoprecipitates in half-Heusler TiNiSn alloys. 2013 , 61, 6684-6697	51
1833	Sound velocities of PbTe to 14 GPa: evidence for coupling between acoustic and optic phonons. 2013 , 25, 365402	5
1832	Principle for Detecting Resonant States in Thermoelectric Materials Using a Superconductor Tunneling Junction. 2013 , 42, 1555-1557	
1831	Zintl phase compounds AM ₂ Sb ₂ (A=Ca, Sr, Ba, Eu, Yb; M=Zn, Cd) and their substitution variants: a class of potential thermoelectric materials. 2013 , 31, 1029-1038	39

1830	High temperature thermoelectric properties of Nb-doped ZnO ceramics. 2013 , 74, 1811-1815	9
1829	Enhanced thermoelectric performance of a BiCuSeO system via band gap tuning. 2013 , 49, 8075-7	98
1828	Direct Evidence of Cation Disorder in Thermoelectric Lead Chalcogenides PbTe and PbS. 2013 , 23, 5477-5483	83
1827	Reflections on thermoelectrics. 2013 , 8, 469	2
1826	High thermoelectric performance of oxyselenides: intrinsically low thermal conductivity of Ca-doped BiCuSeO. 2013 , 5, e47-e47	286
1825	Ultrahigh thermoelectric performance by electron and phonon critical scattering in Cu ₂ Se _{1-x} I _x . 2013 , 25, 6607-12	319
1824	Thermoelectricity in semiconductor nanowires. 2013 , 7, 767-780	24
1823	Enhanced Thermoelectric Properties and Superlattice Structure of a Bi ₂ Te ₃ /ZrB ₂ Film Prepared by Ion-Beam-Assisted Deposition. 2013 , 117, 20415-20420	17
1822	Theoretical investigation on the electronic and thermoelectric properties of RuSb ₂ Te compound. 2013 , 86, 1	1
1821	Improved performance of thermoelectric micro-device by integrating a layered Bi ₂ Te ₃ film. 2013 , 548, 526-532	8
1820	Large enhancement in the thermoelectric properties of Pb _{0.98} Na _{0.02} Te by optimizing the synthesis conditions. 2013 , 1, 11269	35
1819	Electronic structure and thermoelectric properties of Bi ₂ (Te _{1-x} Sex) ₃ compound. 2013 , 155, 34-39	2
1818	First-principles investigation of dual substitutional impurity-induced electronic structural modulation of PbTe on cationic and anionic sites. 2013 , 61, 6428-6442	2
1817	Recent progress of half-Heusler for moderate temperature thermoelectric applications. 2013 , 16, 387-395	375
1816	Theoretical analysis of a thermoelectric generator using exhaust gas of vehicles as heat source. 2013 , 112, 1171-1180	165
1815	Hot-injection synthesis and characterization of monodispersed ternary Cu ₂ SnSe ₃ nanocrystals for thermoelectric applications. 2013 , 581, 646-652	32
1814	Complex role for thallium in PbTe:Tl from local probe studies. 2013 , 87,	10
1813	Thermoelectric response of carbon nanotube films to Au-nanoparticle incorporation. 2013 , 48, 2950-2954	3

1812	Stabilities and Reconstructions of PbTe Crystal Surfaces from Density-Functional Theory. 2013 , 117, 24455-24464	12
1811	Thermoelectric performance of p-type skutterudites $\text{YbxFe}_4\text{PtySb}_{12}$ ($0.8 \leq x \leq 1$, $y = 1$ and 0.5). 2013 , 113, 143708	12
1810	Strain Effects To Optimize Thermoelectric Properties of Doped $\text{Bi}_2\text{O}_2\text{Se}$ via TranBlaha Modified BeckeJohnson Density Functional Theory. 2013 , 117, 21597-21602	71
1809	Thermoelectric properties of Mg doped p-type BiCuSeO oxyselenides. 2013 , 551, 649-653	131
1808	Stress-induced growth of single-crystalline lead telluride nanowires and their thermoelectric transport properties. 2013 , 103, 023115	16
1807	Heat Transfer in Thermoelectric Materials and Devices. 2013 , 135,	101
1806	Enhancing thermopower and hole mobility in bulk p-type half-Heuslers using full-Heusler nanostructures. 2013 , 5, 9419-27	39
1805	All-scale hierarchical thermoelectrics: MgTe in PbTe facilitates valence band convergence and suppresses bipolar thermal transport for high performance. 2013 , 6, 3346	532
1804	A promising mid-temperature thermoelectric material candidate: Pb/Sn-codoped InPbxSnySe 2013 , 25, 4800-6	49
1803	Effects of Cation Site Substitutions on the Thermoelectric Performance of Layered SnBi_2Te_4 utilizing the Triel Elements Ga, In, and Tl. 2013 , 639, 2411-2420	9
1802	Phase separation as a key to a thermoelectric high efficiency. 2013 , 15, 1868-72	130
1801	New insights into the growth mechanism of hierarchical architectures of PbTe synthesized through a triethanolamine-assisted solvothermal method and their shape-dependent electrical transport properties. 2013 , 1, 15355	23
1800	Thermoelectric properties of Sb-doped $\text{Mg}_2\text{Si}_{0.59}\text{Sn}_{0.41}$ solid solutions. 2013 , 210, 2359-2363	4
1799	Rational design of p-type thermoelectric PbTe: temperature dependent sodium solubility. 2013 , 1, 8725	54
1798	$\text{Co}_3\text{M}_2\text{S}_2$ ($\text{M} = \text{Sn, In}$) shandites as tellurium-free thermoelectrics. 2013 , 1, 6553	24
1797	First-Principles Study of The Electronic Structure and Thermoelectric Properties of IrN_2 . 2013 , 82, 104706	7
1796	Improved accuracy of Seebeck coefficient measurement for inhomogeneous thermoelectric film deposited on a substrate. 2013 , 64, 121-128	3
1795	Improving p-type thermoelectric performance of $\text{Mg}_2(\text{Ge,Sn})$ compounds via solid solution and Ag doping. 2013 , 32, 312-317	28

1794	Enhanced thermoelectric properties of (PbTe) _{0.88} (PbS) _{0.12} composites by Bi doping. 2013 , 547, 86-90	19
1793	Comparison of thermoelectric performance of AgPbxSbTe ₂₀ (x = 20-2.5) polycrystals fabricated by different methods. 2013 , 549, 319-323	19
1792	The Criteria for Beneficial Disorder in Thermoelectric Solid Solutions. 2013 , 23, 1586-1596	252
1791	Composite thermoelectric materials with embedded nanoparticles. 2013 , 48, 2767-2778	38
1790	Valence-band structure of highly efficient p-type thermoelectric PbTe-PbS alloys. 2013 , 87,	69
1789	Large and tunable photothermoelectric effect in single-layer MoS ₂ . 2013 , 13, 358-63	480
1788	Electric-field thermopower modulation in SrTiO ₃ -based field-effect transistors. 2013 , 48, 2797-2805	14
1787	Low-thermal-conductivity group 13 chalcogenides as high-efficiency thermoelectric materials. 2013 , 210, 82-88	34
1786	Enhanced thermopower and energy filtering effect from synergetic scattering at heterojunction potentials in the thermoelectric composites with semiconducting nano-inclusions. 2013 , 558, 203-211	51
1785	Dependence of thermoelectric behaviour on severe plastic deformation parameters: A case study on p-type skutterudite DD0.60Fe ₃ CoSb ₁₂ . 2013 , 61, 6778-6789	51
1784	Fermi surface and electron dispersion of PbTe doped with resonant Tl impurity from KKR-CPA calculations. 2013 , 88,	32
1783	Thermoelectric properties of Ag-doped Cu ₂ Se and Cu ₂ Te. 2013 , 1, 12478	210
1782	Effects of Li and Na intercalation on electronic, bonding and thermoelectric transport properties of MX ₂ (M = Ta; X = S or Se) dichalcogenides [Ab initio investigation]. 2013 , 581, 731-740	18
1781	Enhancing the thermoelectric power factor by using invisible dopants. 2013 , 25, 1577-82	46
1780	A review on the enhancement of figure of merit from bulk to nano-thermoelectric materials. 2013 , 2, 190-212	445
1779	Nano-Heterogeneous Structuring Effects on Thermal Power Factor and Thermal Conductivity. 2013 , 223-233	
1778	Design of vanadium oxide structures with controllable electrical properties for energy applications. 2013 , 42, 5157-83	335
1777	Enhanced Thermoelectric Properties of (PbTe) _{0.88} (PbS) _{0.12} Composites by Sb Doping. 2013 , 42, 366-371	9

1776	Improving the Power Factor and the Role of Impurity Bands. 2013 , 42, 1482-1489	11
1775	Towards high-performance polymer-based thermoelectric materials. 2013 , 6, 1352	368
1774	Theoretical and experimental investigation on a thermoelectric cooling and heating system driven by solar. 2013 , 107, 89-97	96
1773	Observation of the spin Seebeck effect in epitaxial Fe ₃ O ₄ thin films. 2013 , 102, 072413	144
1772	Nanoengineering thermoelectrics for 21st century: Energy harvesting and other trends in the field. 2013 , 24, 288-305	208
1771	Synthesis, characterization, and thermoelectric properties of nanostructured bulk p-type MnSi _{1.73} , MnSi _{1.75} , and MnSi _{1.77} . 2013 , 39, 2353-2358	46
1770	Extremely high electron mobility in a phonon-glass semimetal. 2013 , 12, 512-7	139
1769	Computational study of transverse Peltier coolers for low temperature applications. 2013 , 62, 373-381	19
1768	Enhancement of thermopower and thermoelectric performance through resonant distortion of electronic density of states of Zn_4Sb_3 doped with Sm. 2013 , 102, 154101	23
1767	Thermoelectric Properties of Nanocrystalline Silicon from a Scaled-Up Synthesis Plant. 2013 , 15, 379-385	48
1766	Low Electron Scattering Potentials in High Performance Mg ₂ Si _{0.45} Sn _{0.55} Based Thermoelectric Solid Solutions with Band Convergence. 2013 , 3, 1238-1244	186
1765	Beneficial Contribution of Alloy Disorder to Electron and Phonon Transport in Half-Heusler Thermoelectric Materials. 2013 , 23, 5123-5130	290
1764	Nb-doped grain boundary induced thermoelectric power factor enhancement in La-doped SrTiO ₃ nanoceramics. 2013 , 241, 255-258	26
1763	Thermal to Electrical Energy Conversion of Skutterudite-Based Thermoelectric Modules. 2013 , 42, 1389-1399	59
1762	Influence of excess SrO on the thermoelectric properties of heavily doped SrTiO ₃ ceramics. 2013 , 102, 183905	16
1761	Magnetic Heusler Compounds. 2013 , 1-75	17
1760	Validity of rigid band approximation of PbTe thermoelectric materials. 2013 , 1, 011101	38
1759	High Thermoelectric Efficiency of n-type PbS. 2013 , 3, 488-495	149

1758 Skew-Scattering-Induced Anomalous Hall Effect in Impurity-Doped Fe. **2013**, 47-63

1757 High-performance tellurium-free thermoelectrics: all-scale hierarchical structuring of p-type PbSe-MSe systems (M = Ca, Sr, Ba). **2013**, 135, 5152-60 123

1756 Electrical and thermal transport properties of AgIn₅Te₈. **2013**, 566, 50-53 9

1755 Data-Driven Review of Thermoelectric Materials: Performance and Resource Considerations. **2013**, 25, 2911-2920 285

1754 High thermoelectric performance via hierarchical compositionally alloyed nanostructures. **2013**, 135, 7364-70 281

1753 Influence of electrical current variance and thermal resistances on optimum working conditions and geometry for thermoelectric energy harvesting. **2013**, 113, 174908 51

1752 Quantum cloaking based on scattering cancellation. **2013**, 87, 41

1751 Thermoelectric properties of PbSe_{1-x}Te_x (PbTe) with endotaxial nanostructures: a promising n-type thermoelectric material. **2013**, 24, 215401 23

1750 Metal nanoparticle decorated n-type BiTe₃-based materials with enhanced thermoelectric performances. **2013**, 24, 285702 91

1749 Thermoelectric property enhancement by Cu nanoparticles in nanostructured FeSb₂. **2013**, 102, 213111 28

1748 When thermoelectrics reached the nanoscale. **2013**, 8, 471-3 450

1747 Large enhancements of thermopower and carrier mobility in quantum dot engineered bulk semiconductors. **2013**, 135, 7486-95 93

1746 Rational Design of Advanced Thermoelectric Materials. **2013**, 3, 549-565 225

1745 The influence of CNTs on the thermoelectric properties of a CNT/Bi₂Te₃ composite. **2013**, 52, 541-549 126

1744 Promising defect thermoelectric semiconductors Cu_{1-x}GaSb_xTe₂ (x = 0.1) with the chalcopyrite structure. **2013**, 1, 677-683 61

1743 Characteristics of lattice thermal conductivity and carrier mobility of undoped PbSe-PbS solid solutions. **2013**, 46, 405301 14

1742 First-principles study of group III impurity doped PbSe: Bulk and nanowire. **2013**, 87, 6

1741 Enhanced Thermoelectric Properties of Antimony Telluride Thin Films with Preferred Orientation Prepared by Sputtering a Fan-Shaped Binary Composite Target. **2013**, 42, 3421-3425 9

1740	Electronic inhomogeneity in n- and p-type PbTe detected by ^{125}Te NMR. 2013 , 88,	16
1739	High thermoelectric performance by resonant dopant indium in nanostructured SnTe. 2013 , 110, 13261-6	503
1738	Enhanced Seebeck coefficient of bismuth telluride compounds with graded doping profiles. 2013 , 103, 163903	6
1737	High Thermoelectric Power Factor in a Carrier-Doped Magnetic Semiconductor CuFeS_2 . 2013 , 6, 043001	137
1736	Cation Disorder and Bond Anharmonicity Optimize the Thermoelectric Properties in Kinetically Stabilized Rocksalt AgBiS_2 Nanocrystals. 2013 , 25, 3225-3231	89
1735	High performance Bi_2Te_3 nanocomposites prepared by single-element-melt-spinning spark-plasma sintering. 2013 , 48, 2745-2760	81
1734	Research of in-plane thermoelectric generator driven by thermal gas flow. 2013 ,	
1733	Thermoelectric Properties of Transition Metal Deposited MWCNT Buckypaper. 2013 , 479-480, 110-114	
1732	An Optimization of Composition Ratio among Triple-Filled Atoms $\text{InIn}_{0.3-x}\text{yBa}_x\text{Ce}_y\text{Co}_4\text{Sb}_{12}$ System. 2013 , 2013, 1-7	2
1731	Resonant distortion of electronic density of states and enhancement of thermoelectric properties of PbZn_4Sb_3 by Pr doping. 2013 , 113, 124901	24
1730	Fabrication and characterization of nanostructured III-V thermoelectric materials. 2013 ,	
1729	Effect of aluminum on the thermoelectric properties of nanostructured PbTe. 2013 , 24, 345705	29
1728	Fabrication and Thermoelectric Properties of Bi_2Te_3 Prepared by Combining Chemical Bath Method and Hot Pressing. 2013 , 743-744, 65-69	1
1727	Preparation and evaluation of the n-type PbTe based material properties for thermoelectric generators. 2013 , 1490, 179-184	
1726	Thermoelectric Properties of Undoped and Si-doped Bulk GaN. 2013 , 1558, 1	2
1725	An apparatus for concurrent measurement of thermoelectric material parameters. 2013 , 84, 013907	20
1724	Thermoelektrik. 2013 , 47, 92-101	15
1723	Electron and phonon transport in Co-doped $\text{FeV}_{0.6}\text{Nb}_{0.4}\text{Sb}$ half-Heusler thermoelectric materials. 2013 , 114, 134905	42

1722	Performance characteristics and optimal analysis of a nanosized quantum dot photoelectric refrigerator. 2013 , 88, 062120	8
1721	Investigation of skutterudite $\text{MgyCo}_4\text{Sb}_{12}$: High pressure synthesis and thermoelectric properties. 2013 , 113, 113703	32
1720	A computational study of the thermoelectric performance of ultrathin Bi_2Te_3 films. 2013 , 102, 093103	61
1719	Correlated evolution of colossal thermoelectric effect and Kondo insulating behavior. 2013 , 1, 062102	10
1718	Thermoelectric generator device based on carbon nanotube membrane. 2013 ,	
1717	An innovative design of a tri-segmented parabolic trough solar thermoelectric receiver tube for multi-component energy conversion. 2013 ,	1
1716	Reduced thermal conductivity in Er-doped epitaxial $\text{In}_x\text{Ga}_{1-x}\text{Sb}$ alloys. 2013 , 103, 103102	9
1715	Enhancement in thermoelectric properties using a P-type and N-type thin-film device structure. 2013 , 34, 1728-1734	17
1714	Enhanced thermoelectric figure of merit in nanostructured ZnO by nanojunction effect. 2013 , 103, 243901	14
1713	Electronic, elastic, vibrational, and thermodynamic properties of type-VIII clathrates $\text{Ba}_8\text{Ga}_{16}\text{Sn}_{30}$ and $\text{Ba}_8\text{Al}_{16}\text{Sn}_{30}$ by first principles. 2013 , 114, 163509	12
1712	Enhanced thermoelectric properties of Pb-doped BiCuSeO ceramics. 2013 , 25, 5086-90	200
1711	Sensitivity analysis and optimization of thin-film thermoelectric coolers. 2013 , 113, 214906	29
1710	Potential thermoelectric performance of hole-doped Cu_2O . 2013 , 15, 043029	43
1709	Hot deformation induced defects and performance enhancement in FeSb_2 thermoelectric materials. 2013 , 114, 184904	6
1708	Report on the Seventh U.S.-Japan Joint Seminar on Nanoscale Transport Phenomena Science and Engineering. 2013 , 17, 25-49	1
1707	Unusual distortions about Tl and Pb in PbTe:Tl . 2013 , 10, 236-241	7
1706	Preparation and study of the structural and electronic properties of the type-I clathrate phase $\text{Ba}_8\text{Ga}_{16}\text{Mg}_x\text{Ge}_{30-x}$. 2013 , 64, 30101	2
1705	Effects of Transition Metal (TM: Co, Rh, Ni and Pd) Substitution for Ru on Thermoelectric Properties for Intermetallic Compound RuGa_2 . 2013 , 54, 953-957	10

1704	Synthesis and thermoelectric properties of $\text{Re}_3\text{As}_6.6\text{In}_{0.4}$ with Ir_3Ge_7 crystal structure. 2013 , 4, 446-52	
1703	Understanding the Global Energy Crisis. 2014 ,	37
1702	Ultrahigh thermoelectricity of atomically thick Bi_2Se_3 single layers: A computational study. 2014 , 321, 525-530	10
1701	Solar thermoelectric generators fabricated on a silicon-on-insulator substrate. 2014 , 24, 085011	7
1700	Peltier Effect in Semiconductors. 2014 , 1-21	9
1699	Effects of impurity-band conduction on thermoelectric properties of lightly doped p-type CoSb_3 . 2014 , 116, 153710	7
1698	Compositional disorder and its effect on the thermoelectric performance of ZnO nanowire-copper nanoparticle composites. 2014 , 25, 125402	6
1697	Introduction of F 4 -TCNQ/ MoO_3 layers for thermoelectric devices based on pentacene. 2014 , 23, 098502	4
1696	Laser Synthesis of Nanometric Iron Oxide Films with High Seebeck Coefficient and High Thermoelectric Figure of Merit. 2014 , 1, 21-35	4
1695	Properties of p- and n-Type PbTe Microwires for Thermoelectric Devices. 2014 , 43, 4056-4063	5
1694	Electron interaction effects on the thermoelectric power of a quantum dot at $T > T_K$. 2014 , 87, 1	7
1693	A Theoretical study of the Thermoelectric Transport Coefficients of n-type PbTe . 2014 , 1661, 7	
1692	Surface-state enhancement of tunneling thermopower on the $\text{Ag}(111)$ surface. 2014 , 8, 12110-9	9
1691	Band structure engineering through orbital interaction for enhanced thermoelectric power factor. 2014 , 104, 082107	55
1690	Ab initio study of point defects in PbSe and PbTe : Bulk and nanowire. 2014 , 116, 183703	10
1689	Terahertz photoconductivity and nontrivial local electronic states in doped lead telluride-based semiconductors. 2014 , 57, 959-969	19
1688	A NANOTHERMOELECTRIC HEAT ENGINE WORKING WITH TWO-LEVEL QUANTUM SYSTEM. 2014 , 28, 1450018	1
1687	Variations of thermoelectric properties of $\text{Mg}_{2.2}\text{Si}_{1-x}\text{Sn}_x\text{Sb}_{0.013}$ materials with different Si/Sn ratios. 2014 , 220, 157-162	5

1686	Effect of GaSb Addition and Sb Doping on the Thermoelectric Properties of Mg ₂ Si _{0.5} Sn _{0.5} Solid Solutions. 2014 , 43, 2623-2626	1
1685	Transport properties and valence band feature of high-performance (GeTe) ₈₅ (AgSbTe ₂) ₁₅ thermoelectric materials. 2014 , 16, 013057	32
1684	Bismuth Telluride and Its Alloys as Materials for Thermoelectric Generation. 2014 , 7, 2577-2592	336
1683	Thermoelectric properties of Sn- and Pb-doped Tl ₉ BiTe ₆ and Tl ₉ SbTe ₆ . 2014 , 116, 183702	6
1682	Microstructure and thermoelectric properties of Ga-DOPED SiGe alloys prepared by mechanical alloying and induction hot pressing. 2014 , 07, 1450008	4
1681	Temperature effects on the energy bandgap and conductivity effective masses of charge carriers in lead telluride from first-principles calculations. 2014 , 116, 013708	4
1680	The elastic and thermoelectric properties of the Zintl compound Ca ₅ Al ₂ Sb ₆ under high pressure. 2014 , 116, 223709	7
1679	Waste Energy Harvesting. 2014 ,	35
1678	Electronic structure and thermoelectric properties of p-type Ag-doped Mg ₂ Sn and Mg ₂ Sn _{1-x} Si _x (x = 0.05, 0.1). 2014 , 116, 153706	25
1677	Enhanced thermoelectric performance of (Ba,In) double-filled skutterudites via randomly arranged micropores. 2014 , 104, 142104	22
1676	Thermoelectric transport in indium and aluminum-doped lead selenide. 2014 , 115, 053704	13
1675	Direct evidence of strong local ferroelectric ordering in a thermoelectric semiconductor. 2014 , 105, 113903	10
1674	How much improvement in thermoelectric performance can come from reducing thermal conductivity?. 2014 , 104, 113906	19
1673	Enhanced thermoelectric performance of In-substituted GeSb ₆ Te ₁₀ with homologous structure. 2014 , 2, 086102	9
1672	Quantitative Temperature Dependence of Longitudinal Spin Seebeck Effect at High Temperatures. 2014 , 4,	59
1671	Enhanced thermoelectric performance in p-type AgSbSe ₂ by Cd-doping. 2014 , 4, 11811	35
1670	Chalcopyrite nanocomposite material for sustainable thermoelectrics. 2014 , 53, 120301	8
1669	Significant lattice thermal conductivity reduction following phase separation of the highly efficient Ge _x Pb _{1-x} Te thermoelectric alloys. 2014 , 251, 1431-1437	70

1668	Phonon transport on two-dimensional graphene/boron nitride superlattices. 2014 , 90,	140
1667	Thermoelektrisches Zinnselenid: die Schönheit des Einfachen. 2014 , 126, 9276-9278	
1666	Thermoelectric tin selenide: the beauty of simplicity. 2014 , 53, 9126-7	38
1665	Thermoelectric properties of indium doped PbTe _{1-y} Se _y alloys. 2014 , 116, 033707	25
1664	Anharmonic effects in the thermoelectric properties of PbTe. 2014 , 116, 043702	9
1663	Thermoelectric properties of Cu ₂ Ga ₄ Te ₇ based compounds with Zn substitution for Cu and Ga. 2014 , 211, 618-624	7
1662	Camel-back band-induced power factor enhancement of thermoelectric lead-tellurium from Boltzmann transport calculations. 2014 , 104, 132106	9
1661	Simultaneous enhancement in thermoelectric power factor and phonon blocking in hierarchical nanostructured $\text{Pb}_{1-x}\text{Sn}_x\text{Te}$ alloys. 2014 , 104, 013904	39
1660	Enhancement of the power factor of $\text{Pb}_{1-x}\text{Sn}_x\text{Te}$ (0.00 \leq x \leq 0.08) alloys. 2014 , 94, 3183-3194	3
1659	Investigation on the electrical transport properties of highly (00l)-textured Sb ₂ Te ₃ films deposited by molecular beam epitaxy. 2014 , 115, 024307	20
1658	Reduction of thermal conductivity of bulk nanostructured bismuth telluride composites embedded with silicon nano-inclusions. 2014 , 115, 044304	19
1657	Significantly Enhanced Thermoelectric Performance in n-type Heterogeneous BiAgSeS Composites. 2014 , 24, 7763-7771	74
1656	$\text{SnTe}_{1-x}\text{Ag}_x\text{BiTe}_2$ as an efficient thermoelectric material with low thermal conductivity. 2014 , 2, 20849-20854	117
1655	Influence of germanium nano-inclusions on the thermoelectric power factor of bulk bismuth telluride alloy. 2014 , 115, 204308	6
1654	A simultaneous increase in the ZT and the corresponding critical temperature of p-type Bi _{0.4} Sb _{1.6} Te ₃ by a combined strategy of dual nano-inclusions and carrier engineering. 2014 , 2, 20288-20294	32
1653	Electron Microscopy for Characterization of Thermoelectric Nanomaterials. 2014 , 427-536	
1652	Waste Thermal Energy Harvesting (I): Thermoelectric Effect. 2014 , 263-403	2
1651	Mechanically reliable thermoelectric (TE) nanocomposites by dispersing and embedding TE-nanostructures inside a tetragonal ZrO matrix: the concept and experimental demonstration in graphene oxide-3YSZ system. 2014 , 15, 014201	14

1650	Preparation and thermoelectric properties of iodine-doped Bi ₂ Te ₃ -Bi ₂ Se ₃ solid solutions. 2014 , 65, 696-701	20
1649	Localization and magnetism of the resonant impurity states in Ti doped PbTe. 2014 , 105, 133901	16
1648	CHAPTER 6. Thermoelectric Materials and Devices. 2014 , 107-141	1
1647	Thermoelectric properties of Se-deficient and Pb-/Sn-codoped In ₄ Pb _{0.01} Sn _{0.03} Se ₃ polycrystalline compounds. 2014 , 615, 933-936	25
1646	Thermoelectric Effects: Semiclassical and Quantum Approaches from the Boltzmann Transport Equation. 2014 , 1-39	3
1645	Nano Bulk Thermoelectrics: Concepts, Techniques, and Modeling. 2014 , 141-183	15
1644	Effect of local atomic and electronic structures on thermoelectric properties of chemically substituted CoSi. 2014 , 106, 37007	2
1643	Electron Transport Engineering by Nanostructures for Efficient Thermoelectrics. 2014 , 41-92	3
1642	Experimental study of a domestic thermoelectric cogeneration system. 2014 , 62, 69-79	48
1641	Fine-Grained and Nanostructured AgPbmSbTem+2 Alloys with High Thermoelectric Figure of Merit at Medium Temperature. 2014 , 4, 1300937	34
1640	Laser synthesis of nanometric iron oxide films for thermo-sensing applications. 2014 , 50, 148-154	4
1639	Enhanced seebeck coefficient for a compressive n-type polysilicon film. 2014 , 91, 24-27	
1638	Electronic and transport properties of Mg ₂ Si under isotropic strains. 2014 , 50, 8-13	17
1637	High Temperature Thermoelectric Properties of Dy-doped CaMnO ₃ Ceramics. 2014 , 30, 821-825	33
1636	Enhanced thermoelectric performance of n-type PbTe bulk materials fabricated by semisolid powder processing. 2014 , 609, 201-205	17
1635	Effect of Excess Na on the Morphology and Thermoelectric Properties of Na _x Pb _{1-x} Te _{0.85} Se _{0.15} . 2014 , 43, 353-358	7
1634	Thermopower Enhancement of Bi ₂ Te ₃ Films by Doping I Ions. 2014 , 43, 2000-2005	9
1633	The Effect of Te Substitution for Sb on Thermoelectric Properties of Tetrahedrite. 2014 , 43, 1983-1987	64

1632	Electronic structure, optical and thermoelectric transport properties of layered polyanionic hydrosulfate LiFeSO ₄ OH: Electrode for Li-ion batteries. 2014 , 591, 362-369	9
1631	Thermodynamics at the nanoscale: A new approach to the investigation of unique physicochemical properties of nanomaterials. 2014 , 79, 1-40	105
1630	New device architecture of a thermoelectric energy conversion for recovering low-quality heat. 2014 , 114, 1201-1208	13
1629	Improvement in Thermoelectric Properties of Se-Free Cu ₃ SbS ₄ Compound. 2014 , 43, 2356-2361	43
1628	New promising bulk thermoelectrics: intermetallics, pnictides and chalcogenides. 2014 , 87, 1	52
1627	Oxide Thermoelectric Materials: A StructureProperty Relationship. 2014 , 43, 962-977	56
1626	Calculation of the Thermoelectric Properties of n- and p-Type Lead Telluride Using a Three-Band Model of the Electron Energy Spectrum. 2014 , 43, 1280-1288	10
1625	Cost-Efficient Preparation and Enhanced Thermoelectric Performance of Bi _{0.48} Sb _{1.52} Te ₃ Bulk Materials with Micro- and Nanostructures. 2014 , 43, 1768-1774	6
1624	High thermoelectric performance in non-toxic earth-abundant copper sulfide. 2014 , 26, 3974-8	501
1623	Shifting up the optimum figure of merit of p-type bismuth telluride-based thermoelectric materials for power generation by suppressing intrinsic conduction. 2014 , 6, e88-e88	234
1622	Influence of substituting Sn for Sb on the thermoelectric transport properties of CoSb ₃ -based skutterudites. 2014 , 115, 103704	18
1621	Improved thermoelectric performance of Nb-doped lead selenide. 2014 , 600, 91-95	17
1620	Progress of thermoelectric power generation systems: Prospect for small to medium scale power generation. 2014 , 33, 371-381	73
1619	Thermoelectric properties of bismuth antimony tellurium thin films through bilayer annealing prepared by ion beam sputtering deposition. 2014 , 562, 181-184	13
1618	Ultralow thermal conductivity and high thermoelectric figure of merit in SnSe crystals. 2014 , 508, 373-7	3074
1617	High-performance pseudocubic thermoelectric materials from non-cubic chalcopyrite compounds. 2014 , 26, 3848-53	211
1616	Elastic and mechanical properties of intrinsic and doped PbSe and PbTe studied by first-principles. 2014 , 146, 472-477	15
1615	Silicon nanostructures for thermoelectric devices: A review of the current state of the art. 2014 , 211, 1235-1249	71

1614	Crystal structure, chemical bond and enhanced performance of PbZn_4Sb_3 compounds with interstitial indium dopant. 2014 , 601, 50-56	19
1613	Contrasting role of antimony and bismuth dopants on the thermoelectric performance of lead selenide. 2014 , 5, 3640	76
1612	High thermoelectric performance of MgAgSb-based materials. 2014 , 7, 97-103	197
1611	Optimum Carrier Concentration in n-Type PbTe Thermoelectrics. 2014 , 4, 1400486	284
1610	Interface scattering in polycrystalline thermoelectrics. 2014 , 115, 123701	6
1609	Hot carrier filtering in solution processed heterostructures: a paradigm for improving thermoelectric efficiency. 2014 , 26, 2755-61, 2618	51
1608	Ba ₂ HgS ₅ --a molecular trisulfide salt with dumbbell-like (HgS ₂) ²⁻ ions. 2014 , 53, 4698-704	21
1607	Advanced thermoelectrics governed by a single parabolic band: Mg ₂ Si(0.3)Sn(0.7), a canonical example. 2014 , 16, 6893-7	93
1606	Approaching the Minimum Thermal Conductivity in Rhenium-Substituted Higher Manganese Silicides. 2014 , 4, 1400452	62
1605	BiCuSeO oxyselenides: new promising thermoelectric materials. 2014 , 7, 2900-2924	416
1604	Decoupling interrelated parameters for designing high performance thermoelectric materials. 2014 , 47, 1287-95	86
1603	Improved Bulk Materials with Thermoelectric Figure-of-Merit Greater than 1: Tl ₁₀ Sn _x Te ₆ and Tl ₁₀ Pb _x Te ₆ . 2014 , 4, 1400348	36
1602	Elemental tellurium as a chiral p-type thermoelectric material. 2014 , 89,	126
1601	25th anniversary article: semiconductor nanowires--synthesis, characterization, and applications. 2014 , 26, 2137-84	649
1600	Enhanced thermoelectric performance with participation of F-electrons in PbZn_4Sb_3 . 2014 , 584, 244-248	5
1599	Ordered structure and high thermoelectric properties of Bi ₂ (Te,Se) ₃ nanowire array. 2014 , 3, 144-151	46
1598	Finite-frequency thermoelectric response in strongly correlated quantum dots. 2014 , 89,	7
1597	Crooked Ag ₂ Te nanowires with rough surfaces: facile microwave-assisted solution synthesis, growth mechanism, and electrical performances. 2014 , 38, 59-62	17

1596	Transmission Electron Microscopy Characterization of Nanomaterials. 2014 ,	30
1595	Nanoscale Thermoelectrics. 2014 ,	15
1594	Thermoelectric Properties of Nanostructured Bismuth-Doped Lead Telluride $\text{Bi}_x(\text{PbTe})_{1-x}$ Prepared by Co-Ball-Milling. 2014 , 43, 1674-1680	13
1593	Phonon blocking by two dimensional electron gas in polar CdTe/PbTe heterojunctions. 2014 , 104, 161601	15
1592	Electronic structure and thermoelectric properties of orthorhombic SrLiAs. 2014 , 116, 033705	5
1591	Calculation of the thermoelectric characteristics of n-and p-type PbTe using a three-band electron spectrum. 2014 , 69, 243-250	8
1590	Low effective mass leading to an improved ZT value by 32% for n-type BiCuSeO: a first-principles study. 2014 , 2, 13923	36
1589	Gradual thickness-dependent enhancement of the thermoelectric properties of PEDOT:PSS nanofilms. 2014 , 4, 58924-58929	22
1588	Lead-free thermoelectrics: promising thermoelectric performance in p-type $\text{SnTe}_{1-x}\text{Sex}$ system. 2014 , 2, 9620	139
1587	Synergetic effect of Zn substitution on the electron and phonon transport in $\text{Mg}_2\text{Si}_{0.5}\text{Sn}_{0.5}$ -based thermoelectric materials. 2014 , 43, 14072-8	9
1586	Yb-doped SnTe semimetal thin films deposited by thermal evaporation: Structural, electrical, and thermoelectric properties. 2014 , 76, 36-45	7
1585	Scandium resonant impurity level in PbTe. 2014 , 115, 133702	19
1584	Size- effect induced high thermoelectric figure of merit in PbSe and PbTe nanowires. 2014 , 16, 8114-8	11
1583	The effect of microstructure and metal-oxide barriers on carrier transport in top-down processed, low density nanograined n-type PbTe. 2014 , 4, 29818	4
1582	Synthesis and Thermoelectric Properties of Yb-doped $\text{Ca}_{0.9-x}\text{Yb}_x\text{La}_{0.1}\text{MnO}_3$ Ceramics. 2014 , 43, 4048-4055	8
1581	Telluride nanowire and nanowire heterostructure-based thermoelectric energy harvesting. 2014 , 2, 6004-6014	22
1580	Origin of enhanced thermoelectric properties of doped CrSi ₂ . 2014 , 4, 3482-3486	6
1579	Influence of In doping on the thermoelectric properties of an AgSbTe ₂ compound with enhanced figure of merit. 2014 , 2, 2839	20

1578	Nanostructuring, carrier engineering and bond anharmonicity synergistically boost the thermoelectric performance of p-type AgSbSe ₂ /SnSe. 2014 , 2, 4324	62
1577	Low effective mass and carrier concentration optimization for high performance p-type Mg ₂ (1-x)Li _{2x} Si _{0.3} Sn _{0.7} solid solutions. 2014 , 16, 23576-83	59
1576	A study of Yb _{0.2} Co ₄ Sb ₁₂ /AgSbTe ₂ nanocomposites: simultaneous enhancement of all three thermoelectric properties. 2014 , 2, 73-79	40
1575	Recent advances in thermoelectric materials and solar thermoelectric generators – a critical review. 2014 , 4, 46860-46874	91
1574	Improved thermoelectric performance of CuGaTe ₂ with convergence of band valleys: a first-principles study. 2014 , 4, 28714	22
1573	Nanostructured YbAgCu ₄ for potentially cryogenic thermoelectric cooling. 2014 , 14, 5016-20	16
1572	Thermoelectric Energy Conversion and Materials. 2014 , 303-322	0
1571	First-principles approach to nonlinear lattice dynamics: anomalous spectra in PbTe. 2014 , 113, 105501	37
1570	Tunable spin Seebeck effect in a double Rashba molecule embedded in an Aharonov-Bohm interferometer. 2014 , 63, 311-316	6
1569	Facile preparation and thermoelectric properties of Bi ₂ Te ₃ -based alloy nanosheet/PEDOT:PSS composite films. 2014 , 6, 5735-43	190
1568	Investigations on structural, optical and thermoelectric parameters of spray deposited bismuth selenide thin films with different substrate temperature. 2014 , 148, 230-235	11
1567	Enhancement of thermoelectric properties by atomic-scale percolation in digenite Cu _x S. 2014 , 2, 9486-9489	39
1566	Thermoelectric Properties of Undoped High Purity Higher Manganese Silicides Grown by Chemical Vapor Transport. 2014 , 26, 5097-5104	40
1565	Atomic layer-by-layer thermoelectric conversion in topological insulator bismuth/antimony tellurides. 2014 , 14, 4030-5	39
1564	A Solar Thermoelectric Conversion Material Based on Bi ₂ Te ₃ and Carbon Nanotube Composites. 2014 , 118, 20826-20831	18
1563	Energy harvesting through gas dynamics in the free molecular flow regime between structured surfaces at different temperatures. 2014 , 89, 053003	3
1562	Site occupations of Zn in AgInSe ₂ -based chalcopyrites responsible for modified structures and significantly improved thermoelectric performance. 2014 , 4, 33897-33904	15
1561	Thermoelectric performance of tellurium-reduced quaternary p-type lead-chalcogenide composites. 2014 , 80, 365-372	26

1560	Low-temperature soft-chemical synthesis and thermoelectric properties of barium-filled p-type skutterudite nanocrystals. 2014 , 27, 593-598	2
1559	Origin of the high performance in GeTe-based thermoelectric materials upon Bi ₂ Te ₃ doping. 2014 , 136, 11412-9	259
1558	Right sizes of nano- and microstructures for high-performance and rigid bulk thermoelectrics. 2014 , 111, 10949-54	108
1557	Power and efficiency analysis of a realistic resonant tunneling diode thermoelectric. 2014 , 105, 013104	22
1556	The roles of Na doping in BiCuSeO oxyselenides as a thermoelectric material. 2014 , 2, 4903	116
1555	Theoretical investigation of the effects of doping on the electronic structure and thermoelectric properties of ZnO nanowires. 2014 , 16, 3771-6	23
1554	Thermoelectric performance of n-type (PbTe) _{0.75} (PbS) _{0.15} (PbSe) _{0.1} composites. 2014 , 6, 11476-83	58
1553	Broad temperature plateau for thermoelectric figure of merit ZT>2 in phase-separated PbTe _{0.7} S _{0.3} . 2014 , 5, 4515	373
1552	Chemical composition tuning in quaternary p-type Pb-chalcogenides--a promising strategy for enhanced thermoelectric performance. 2014 , 16, 1835-40	46
1551	Engineering efficient thermoelectrics from large-scale assemblies of doped ZnO nanowires: nanoscale effects and resonant-level scattering. 2014 , 6, 14923-30	21
1550	Thermal conductivity reduction of crystalline silicon by high-pressure torsion. 2014 , 9, 326	18
1549	Giant room-temperature spin caloritronics in spin-semiconducting graphene nanoribbons. 2014 , 90,	67
1548	n-Type carbon nanotubes/silver telluride nanohybrid buckypaper with a high-thermoelectric figure of merit. 2014 , 6, 4940-6	50
1547	High superionic conduction arising from aligned large lamellae and large figure of merit in bulk Cu _{1.94} Al _{0.02} Se. 2014 , 105, 123902	74
1546	Doping-dependent thermoelectric properties of BiSb ₃ Te ₆ from first-principle calculations. 2014 , 95, 563-567	6
1545	High thermoelectric performance realized in a BiCuSeO system by improving carrier mobility through 3D modulation doping. 2014 , 136, 13902-8	253
1544	Proceedings of the 11th European Conference on Thermoelectrics. 2014 ,	
1543	Enhanced thermoelectric performance via carrier energy filtering effect in Zn_4Sb_3 alloy bulk embedded with (Bi ₂ Te ₃) _{0.2} (Sb ₂ Te ₃) _{0.8} . 2014 , 115, 053710	33

1542	Exploration of Zn resonance levels and thermoelectric properties in I-doped PbTe with ZnTe nanostructures. 2014 , 6, 3995-4004	55
1541	Semiconducting large bandgap oxides as potential thermoelectric materials for high-temperature power generation?. 2014 , 116, 433-470	58
1540	Fs-pulsed laser deposition of PbTe and PbTe/Ag thermoelectric thin films. 2014 , 117, 401-407	10
1539	Anomalous transport and thermoelectric performances of CuAgSe compounds. 2014 , 261, 21-25	49
1538	Thermoelectric transport properties of p-type silver-doped PbS within situAg ₂ S nanoprecipitates. 2014 , 47, 115303	20
1537	Composition optimization of p-type Ag _m Sn _m SbTe _{m+2} thermoelectric materials synthesized by mechanical alloying and spark plasma sintering. 2014 , 615, 451-455	13
1536	Fermi level pinning in Fe-doped PbTe under pressure. 2014 , 105, 022101	26
1535	Recent progress in thermoelectric materials. 2014 , 59, 2073-2091	83
1534	Investigation of the Effect of Electrical Current Variance on Thermoelectric Energy Harvesting. 2014 , 43, 1744-1751	6
1533	Processing and Thermal Conductivity of Lead Telluride Microwires. 2014 , 43, 2731-2737	2
1532	Large thermal biasing of individual gated nanostructures. 2014 , 7, 579-587	10
1531	Enhanced thermoelectric properties of the n-type Magn $\bar{1}$ phase WO _{2.90} : reduced thermal conductivity through microstructure engineering. 2014 , 2, 13492-13497	13
1530	High-temperature thermoelectric performance of Ca _{0.96} Dy _{0.02} RE _{0.02} MnO ₃ ceramics (RE=Ho, Er, Tm). 2014 , 40, 15531-15536	14
1529	One-pot fabrication and thermoelectric properties of Ag nanoparticles β polyaniline hybrid nanocomposites. 2014 , 4, 26810-26816	36
1528	Enhancing thermoelectric properties of semiconductors by heavily doping isoelectronic elements with electronegativities distinct from the host atoms. 2014 , 594, 70-75	6
1527	The effects of elements doping on transport and thermoelectric properties of Sr ₃ Ti ₂ O ₇ . 2014 , 75, 629-637	13
1526	Enhanced thermoelectric properties of mixed zinc antimonide thin films via phase optimization. 2014 , 292, 823-827	15
1525	Enhanced thermoelectric performance of $\bar{1}$ Zn ₄ Sb ₃ based composites incorporated with large proportion of nanophase Cu ₃ SbSe ₄ . 2014 , 588, 568-572	16

1524	Zinc antimonide thin films prepared by ion beam sputtering deposition using ternary layers annealing method. 2014 , 594, 122-126	6
1523	Thermoelectric properties of nanocomposite heavy fermion CeCu ₆ . 2014 , 609, 228-232	3
1522	Enhanced thermoelectric performance of chloride doped bismuth sulfide prepared by mechanical alloying and spark plasma sintering. 2014 , 587, 6-9	31
1521	Thermoelectric figure of merit enhancement of intermetallic compound RuGa ₂ by ball-milling. 2014 , 585, 455-459	9
1520	The panoramic approach to high performance thermoelectrics. 2014 , 7, 251-268	718
1519	Good thermoelectric performance in strongly correlated system SnCCo ₃ with antiperovskite structure. 2014 , 53, 3709-15	19
1518	Thermal physics of the lead chalcogenides PbS, PbSe, and PbTe from first principles. 2014 , 89,	172
1517	Point Defect Engineering of High-Performance Bismuth-Telluride-Based Thermoelectric Materials. 2014 , 24, 5211-5218	469
1516	Uninterrupted thermoelectric energy harvesting using temperature-sensor-based maximum power point tracking system. 2014 , 86, 233-240	30
1515	High thermoelectric performance of p-type SnTe via a synergistic band engineering and nanostructuring approach. 2014 , 136, 7006-17	425
1514	Enhanced thermoelectric properties of (Pb _{1-x} Yb _x Te) _{0.15} (GeTe) _{0.85} composites due to phase separation and Yb doping. 2014 , 585, 173-177	19
1513	Solvothermal synthesis of PbTe/SnTe hybrid nanocrystals. 2014 , 25, 849-853	8
1512	Thermoelectric Properties of Al-Ga-Pd-Re Icosahedral Quasicrystals. 2014 , 55, 1226-1231	11
1511	Process, property and performance of chalcogenide-based thermoelectric materials. 2014 , 3, 68-81	7
1510	A Novel Thermoelectric Generation System with Thermal Switch. 2014 , 61, 1713-1717	4
1509	Semiconductors, IV-VI. 2014 , 1-16	4
1508	Influence on Cr and Ni doping on PbTe local structural properties. 2015 , 26, 10020-10026	2
1507	Band and scattering tuning for high performance thermoelectric Sn _{1-x} Mn _x Te alloys. 2015 , 1, 307-315	167

- 1506 First-principles studies of lattice dynamics and thermal properties of $\text{Mg}_2\text{Si}_{1-x}\text{Sn}_x$. **2015**, 30, 2578-2584 9
- 1505 Thermoelectric properties of spark plasma sintered lead telluride nanocubes. **2015**, 30, 2638-2648 8
- 1504 Bi_2Te_3 nanowire array preparation and surface polishing by electrochemical deposition. **2015**, 19, S5-76-S5-79
- 1503 Density-Functional Theory Study of Point Defects in Bi_2Te_3 . **2015**, 165-186
- 1502 Materials. **2015**, 151-199 1
- 1501 Organic Semiconductors and Polymers. **2015**, 295-330
- 1500 Exploring the origin of ultralow thermal conductivity in layered BiOCuSe . **2015**, 92, 56
- 1499 First-principles study of anisotropic thermoelectric transport properties of IV-VI semiconductor compounds SnSe and SnS . **2015**, 92, 278
- 1498 Diameter dependence of thermoelectric power of semiconducting carbon nanotubes. **2015**, 92, 82
- 1497 Resonant scattering induced thermopower in one-dimensional disordered systems. **2015**, 91,
- 1496 Electronic structure and thermoelectric properties of n- and p-type SnSe from first-principles calculations. **2015**, 91, 117
- 1495 Band Structure Engineering and Thermoelectric Properties of Charge-Compensated Filled Skutterudites. **2015**, 5, 14641 35
- 1494 Enhanced thermoelectric performance of Zn_4Sb_3 based nanocomposites through combined effects of density of states resonance and carrier energy filtering. **2015**, 5, 17803 48
- 1493 Ab Initio Description of Thermoelectric Properties Based on the Boltzmann Theory. **2015**, 187-221
- 1492 Ultra-low Thermal Conductivity in Si/Ge Hierarchical Superlattice Nanowire. **2015**, 5, 16697 48
- 1491 Pressure-induced phase transition and electrical properties of thermoelectric Al-doped Mg_2Si . **2015**, 118, 145902 11
- 1490 Crystal Structure and Thermoelectric Properties of Ge-Sb-Te Homologous Structure. **2015**, 79, 562-568
- 1489 Hierarchical Structures for High-Performance Chalcogenides: From Tellurides to Sulfides. **2015**, 79, 538-547

1488	A new wide band gap thermoelectric quaternary selenide $\text{Cu}_2\text{MgSnSe}_4$. 2015 , 118, 155101	17
1487	Tuning the carrier concentration to improve the thermoelectric performance of CuInTe_2 compound. 2015 , 5, 107230	12
1486	Electronic thermal conductivity, thermoelectric properties and supercapacitive behaviour of conjugated polymer nanocomposite (polyaniline- WO_3) thin film. 2015 , 69, 30901	7
1485	Phonon transport control by nanoarchitecture including epitaxial Ge nanodots for Si-based thermoelectric materials. 2015 , 5, 14490	58
1484	Galvanomagnetic properties and electronic structure of iron-doped PbTe . 2015 , 118, 195701	12
1483	Strain effect on electronic structure and thermoelectric properties of orthorhombic SnSe : A first principles study. 2015 , 5, 117147	28
1482	Thermoelectric conversion efficiency in IV-VI semiconductors with reduced thermal conductivity. 2015 , 5, 107135	7
1481	Origin of resistivity anomaly in p-type lead chalcogenide multiphase compounds. 2015 , 5, 053601	8
1480	Thermoelectric properties of p-type $\text{PbTe}/\text{Ag}_2\text{Te}$ bulk composites by extrinsic phase mixing. 2015 , 5, 127223	5
1479	Monoclinic Copper(I) Selenide Nanocrystals and Copper(I) Selenide/Palladium Heterostructures: Synthesis, Characterization, and Surface-Enhanced Raman Scattering Performance. 2015 , 2015, 2229-2236	11
1478	Exploring packaging strategies of nano-embedded thermoelectric generators. 2015 , 5, 107210	11
1477	Improved thermoelectric property of cation-substituted CaMnO_3 . 2015 , 24, 098101	4
1476	Recent Advancements in Nanogenerators for Energy Harvesting. 2015 , 11, 5611-28	62
1475	Tuning Multiscale Microstructures to Enhance Thermoelectric Performance of n-Type Bismuth-Telluride-Based Solid Solutions. 2015 , 5, 1500411	287
1474	Ultrahigh Thermoelectric Performance in Mosaic Crystals. 2015 , 27, 3639-44	163
1473	Effective Electronic Mechanisms for Optimizing the Thermoelectric Properties of GeTe -Rich Alloys. 2015 , 1, 1500228	71
1472	Heterogeneous Distribution of Sodium for High Thermoelectric Performance of p-type Multiphase Lead-Chalcogenides. 2015 , 5, 1501047	56
1471	Enhanced Thermoelectric Performance of CdO Ceramics Via Ba^{2+} Doping. 2015 , 98, 3285-3290	9

- 1470 Synthesis and high temperature thermoelectric properties of $\text{Yb}_{0.25}\text{Co}_4\text{Sb}_{12}(\text{Ag}_2\text{Te})_x(\text{Sb}_2\text{Te}_3)_{1-x}$ nanocomposites. **2015**, 3, 53 5
- 1469 Hydrothermal Synthesis Au-Bi₂Te₃ Nanocomposite Thermoelectric Film with a Hierarchical Sub-Micron Antireflection Quasi-Periodic Structure. **2015**, 16, 12547-59 3
- 1468 Chalcopyrite Nanoparticles as a Sustainable Thermoelectric Material. **2015**, 5, 1820-1830 5
- 1467 Enhanced Thermoelectric Performance in PbTe/PbS Nanocomposites. **2015**, 2, 1-10 2
- 1466 Recent Developments in Zn₄Sb₃Based Thermoelectric Compounds. **2015**, 2015, 1-15 8
- 1465 Enhancing Thermoelectric Properties of Si₈₀Ge₂₀ Alloys Utilizing the Decomposition of NaBH₄ in the Spark Plasma Sintering Process. **2015**, 8, 10958-10970 2
- 1464 Type VIII Si based clathrates: prospects for a giant thermoelectric power factor. **2015**, 17, 8850-9 16
- 1463 Low-cost flexible thin film thermoelectric generator on zinc based thermoelectric materials. **2015**, 106, 073901 75
- 1462 Enhancement of thermoelectric power of PbTe:Ag nanocomposite thin films. **2015**, 5, 25887-25895 19
- 1461 Thermoelectric Transport by Surface States in Bi₂Se₃-Based Topological Insulator Thin Films. **2015**, 32, 047304 4
- 1460 Superior thermoelectric performance in PbTe/PbS pseudo-binary: extremely low thermal conductivity and modulated carrier concentration. **2015**, 8, 2056-2068 157
- 1459 High carrier mobility of few-layer PbX (X = S, Se, Te). **2015**, 3, 6284-6290 29
- 1458 P-type doping of elemental bismuth with indium, gallium and tin: a novel doping mechanism in solids. **2015**, 8, 2027-2040 23
- 1457 Quasiparticle band structures and thermoelectric transport properties of p-type SnSe. **2015**, 117, 065103 111
- 1456 Evaluating Broader Impacts of Nanoscale Thermal Transport Research. **2015**, 19, 127-165 60
- 1455 Anomalous reduction of thermal conductivity in coherent nanocrystal architecture for silicon thermoelectric material. **2015**, 12, 845-851 120
- 1454 Melting and solidification of bismuth antimony telluride under a high magnetic field: A new route to high thermoelectric performance. **2015**, 15, 709-718 29
- 1453 Thermoelectric Properties of Heavily Doped n-type Pb_{1-x}Y_xTe Compounds. **2015**, 44, 3556-3562 6

1452	High thermoelectric performance of all-oxide heterostructures with carrier double-barrier filtering effect. 2015 , 7, e182-e182	29
1451	Optimizing the thermoelectric performance of low-temperature SnSe compounds by electronic structure design. 2015 , 3, 13365-13370	47
1450	Suppressing the bipolar contribution to the thermoelectric properties of Mg ₂ Si _{0.4} Sn _{0.6} by Ge substitution. 2015 , 117, 155103	42
1449	Thermoelectric properties of Ni-doped CuInTe ₂ . 2015 , 83, 18-23	20
1448	Enhancement of thermoelectric properties of CoSb ₃ skutterudite by addition of Ga and In. 2015 , 54, 111801	8
1447	Improvement of the thermoelectric performance of InSe-based alloys doped with Sn. 2015 , 5, 102856-102862	18
1446	Thermoelectric properties of homogeneously and non-homogeneously doped CdTe _{15/16} M _{1/16} (M=N, P, As, Sb) and Cd _{15/16} Te _{1/16} (M=Na, K, Rb, Cs). 2015 , 86, 74-81	3
1445	Facile hydrothermal synthesis and formation mechanisms of Bi ₂ Te ₃ , Sb ₂ Te ₃ and Bi ₂ Te ₃ /Sb ₂ Te ₃ nanowires. 2015 , 5, 100309-100315	14
1444	Thermoelectric properties of materials with nontrivial electronic topology. 2015 , 3, 12130-12139	54
1443	MoSi ₂ -type narrow band gap intermetallic compound Al ₆ Re ₅ Si ₄ as a thermoelectric material. 2015 , 3, 10422-10429	2
1442	Nanojunctions Contributing to High Performance Thermoelectric ZnO-Based Inorganic-Organic Hybrids. 2015 , 32, 117303	2
1441	Nanoparticle Building Blocks as a Foundation for Advanced Thermoelectric Energy Generators. 2015 , 41-54	1
1440	Enhanced room-temperature thermoelectric performance of In-doped ZnO:Al thin films through prefabricated layer doping method. 2015 , 11, 429-434	9
1439	Thermoelectric properties of Eu- and Na-substituted SnTe. 2015 , 33, 1175-1181	10
1438	Optimization of Synthesis Conditions of Na _{0.75} CoO ₂ for High Thermoelectric Performance. 2015 , 44, 1408-1412	3
1437	Enhancement of Thermoelectric Performance of n-Type PbSe by Cr Doping with Optimized Carrier Concentration. 2015 , 5, 1401977	76
1436	Impact of vacancy ordering on thermal transport in crystalline phase-change materials. 2015 , 78, 013001	76
1435	Thermoelectric effect in Aharonov-Bohm structures. 2015 , 27, 035301	1

1434	Thermoelectric performance of $\text{Si}_{80}\text{Ge}_{20}\text{Sb}_x$ based multiphase alloys with inhomogeneous dopant distribution. 2015 , 94, 331-336	7
1433	Note-pad-like triboelectric generator for efficiently harvesting low-velocity motion energy by interconversion between kinetic energy and elastic potential energy. 2015 , 7, 1275-83	19
1432	Current progress and future challenges in thermoelectric power generation: From materials to devices. 2015 , 87, 357-376	339
1431	Thermal conductivity of ordered-disordered material: a case study of superionic Ag_2Te . 2015 , 26, 025702	23
1430	An efficient thermoelectric material: preparation of reduced graphene oxide/polyaniline hybrid composites by cryogenic grinding. 2015 , 5, 8988-8995	40
1429	Enhancement of thermoelectric properties by Na doping in Te-free p-type AgSbSe_2 . 2015 , 44, 1046-51	25
1428	Mechanical properties of low-cost, earth-abundant chalcogenide thermoelectric materials, PbSe and PbS , with additions of 0-4 % CdS or ZnS . 2015 , 50, 1770-1782	22
1427	Thermoelectric performance of SnS and SnS_nSe solid solution. 2015 , 3, 4555-4559	126
1426	Improved thermoelectric efficiency in p-type ZnSb through Zn deficiency. 2015 , 08, 1550028	20
1425	Diameter dependent thermoelectric properties of individual SnTe nanowires. 2015 , 7, 2869-76	44
1424	Superior intrinsic thermoelectric performance with zT of 1.8 in single-crystal and melt-quenched highly dense Cu_{2-x}Se bulks. 2015 , 5, 7671	72
1423	High Performance Mg - AgSb Thermoelectric Materials for Low Temperature Power Generation. 2015 , 27, 909-913	98
1422	High Thermoelectric Performance of a Heterogeneous PbTe Nanocomposite. 2015 , 27, 944-949	90
1421	Mg Alloying in SnTe Facilitates Valence Band Convergence and Optimizes Thermoelectric Properties. 2015 , 27, 581-587	307
1420	Disentangling the magnetoelectric and thermoelectric transport in topological insulator thin films. 2015 , 91,	28
1419	Effect of deposition time on lead selenide thermoelectric thin films prepared by chemical bath deposition technique. 2015 , 34, 45-51	20
1418	Theoretical understanding on band engineering of Mn-doped lead chalcogenides PbX ($X = \text{Te}, \text{Se}, \text{S}$). 2015 , 27, 095501	19
1417	Multi-localization transport behaviour in bulk thermoelectric materials. 2015 , 6, 6197	90

1416	Multiformity and fluctuation of Cu ordering in Cu ₂ Se thermoelectric materials. 2015 , 3, 6901-6908	64
1415	Effects of one- and two-dimensional carbon hybridization of PEDOT:PSS on the power factor of polymer thermoelectric energy conversion devices. 2015 , 3, 6526-6533	119
1414	Enhanced thermoelectric performance of TiO ₂ -based hybrid materials by incorporating conducting polymer. 2015 , 24, 034402	5
1413	Enhanced thermoelectric performance of In ₂ O ₃ -based ceramics via Nanostructuring and Point Defect Engineering. 2015 , 5, 7783	53
1412	Electron doping in bottom-up engineered thermoelectric nanomaterials through HCl-mediated ligand displacement. 2015 , 137, 4046-9	87
1411	Enhancement of thermoelectric performance in n-type PbTe _{1-x} Be _x by doping Cr and tuning Te:Se ratio. 2015 , 13, 355-367	31
1410	Graphene boosts thermoelectric performance of a Zintl phase compound. 2015 , 5, 11058-11070	41
1409	Tunable Magnetism and Half-Metallicity in Hole-Doped Monolayer GaSe. 2015 , 114, 236602	257
1408	Reduced thermal conductivity by nanoscale intergrowths in perovskite like layered structure La ₂ Ti ₂ O ₇ . 2015 , 117, 075101	9
1407	Rare-earth free p-type filled skutterudites: Mechanisms for low thermal conductivity and effects of Fe/Co ratio on the band structure and charge transport. 2015 , 92, 152-162	27
1406	The influence of the transformation of electronic structure and micro-structure on improving the thermoelectric properties of zinc antimonide thin films. 2015 , 64, 18-22	7
1405	Optoelectronic properties of infrared rapid-thermal-annealed SnO _x thin films. 2015 , 41, 13502-13508	7
1404	Van der Waals epitaxial MOCVD-growth of (Bi _x Sb _{1-x}) ₂ Te ₃ . 2015 , 30, 085021	11
1403	High thermoelectric performance of a defect in β -In ₂ Se ₃ -based solid solution upon substitution of Zn for In. 2015 , 3, 9069-9075	23
1402	Low-dimensional transport and large thermoelectric power factors in bulk semiconductors by band engineering of highly directional electronic states. 2015 , 114, 136601	138
1401	Misfit Layer Compounds and Ferrocystals: Model Systems for Thermoelectric Nanocomposites. 2015 , 8, 2000-2029	43
1400	Enhanced thermoelectric power and electronic correlations in RuSe ₂ . 2015 , 3, 041513	10
1399	Synthesis and thermoelectric properties of half-Heusler alloy YNiBi. 2015 , 117, 205101	24

1398	Ultra-fast non-equilibrium synthesis and phase segregation in $\text{In}_x\text{Sn}_{1-x}\text{Te}$ thermoelectrics by SHS-PAS processing. 2015 , 3, 8550-8558	35
1397	Enhanced power factor in the promising thermoelectric material SnPb_xTe prepared via zone-melting. 2015 , 5, 59379-59383	13
1396	Enhanced thermoelectric performance of porous magnesium tin silicide prepared using pressure-less spark plasma sintering. 2015 , 3, 17426-17432	68
1395	Large Seebeck effect by charge-mobility engineering. 2015 , 6, 7475	66
1394	Electronic structures and thermoelectric properties of La or Ce-doped Bi_2Te_3 alloys from first principles calculations. 2015 , 85, 239-244	8
1393	Formation and thermoelectric properties of $\text{Si}/\text{CrSi}_2/\text{Si}(001)$ heterostructures with stressed chromium disilicide nanocrystallites. 2015 , 11, 424-428	5
1392	Transport Properties of Polycrystalline p-type SnSe . 2015 , 2, 690-698	16
1391	High-efficient thermoelectric materials: The case of orthorhombic IV-VI compounds. 2015 , 5, 9567	139
1390	Enhanced thermoelectric performance through carrier scattering at heterojunction potentials in BiSbTe based composites with Cu_3SbSe_4 nano-inclusions. 2015 , 3, 7045-7052	39
1389	Sb deficiencies control hole transport and boost the thermoelectric performance of p-type AgSbSe_2 . 2015 , 3, 10415-10421	18
1388	Crystalline-Amorphous Silicon Nanocomposites with Reduced Thermal Conductivity for Bulk Thermoelectrics. 2015 , 7, 13484-9	45
1387	The effect of nickel doping on electron and phonon transport in the n-type nanostructured thermoelectric material CoSbS . 2015 , 3, 10442-10450	40
1386	Sn doping in thermoelectric Bi_2Te_3 films by metal-organic chemical vapor deposition. 2015 , 353, 232-237	15
1385	Photocurrent generation with two-dimensional van der Waals semiconductors. 2015 , 44, 3691-718	608
1384	Maximizing thermoelectric properties by nano-inclusion of SbTe in Sb_2Te_3 film via solid-state phase transition from amorphous SbTe electrodeposits. 2015 , 13, 727-734	32
1383	A facile fabrication of n-type Bi_2Te_3 nanowire/graphene layer-by-layer hybrid structures and their improved thermoelectric performance. 2015 , 275, 102-112	46
1382	Thermoelectric properties of IV-VI-based heterostructures and superlattices. 2015 , 227, 123-131	7
1381	High-performance In filled CoSb_3 nano thin films fabricated by multi-step co-sputtering method. 2015 , 639, 74-78	14

1380	Enhanced thermoelectric performance of Bi ₂ S ₃ by synergistical action of bromine substitution and copper nanoparticles. 2015 , 13, 554-562	55
1379	Thermoelectric properties of SnSe compound. 2015 , 643, 116-120	44
1378	Thermoelectric materials: Energy conversion between heat and electricity. 2015 , 1, 92-105	583
1377	Thermoelectric properties of Sm _{1-x} LaxBaCuFeO ₅ ceramics. 2015 , 69, 46-50	6
1376	Enhanced adhesion and conductivity of Cu electrode on AlN substrate for thin film thermoelectric device. 2015 , 08, 1550032	5
1375	Seebeck effects in n-type and p-type polymers driven simultaneously by surface polarization and entropy differences based on conductor/polymer/conductor thin-film devices. 2015 , 9, 5208-13	16
1374	Studies on Thermoelectric Properties of n-type Polycrystalline SnSe _{1-x} S _x by Iodine Doping. 2015 , 5, 1500360	242
1373	Enhancement of Seebeck coefficient in Sb-rich Sb ₂ Te ₃ thin film. 2015 , 26, 1619-1624	8
1372	Thermoelectric Properties of Sn-Doped Bi _{0.4} Sb _{1.6} Te ₃ Thin Films. 2015 , 44, 1573-1578	2
1371	Electrical and Thermal Transport Behavior in Zn-Doped BiCuSeO Oxyselenides. 2015 , 44, 1627-1631	32
1370	Multiscale Design of Nanostructured Thermoelectric Coolers: Effects of Contact Resistances. 2015 , 44, 1697-1703	1
1369	Nanostructuring of Undoped ZnSb by Cryo-Milling. 2015 , 44, 2578-2584	14
1368	Enhancement of the thermoelectric efficiency of PbTe by selective site doping: Effect of group VA impurities. 2015 , 97, 159-164	5
1367	Higher mobility in bulk semiconductors by separating the dopants from the charge-conducting band – a case study of thermoelectric PbSe. 2015 , 2, 323-329	47
1366	Thermoelectric fabrics: toward power generating clothing. 2015 , 5, 6411	193
1365	Thermoelectric properties of Ge doped n-type TixZr1-xNiSn0.975Ge0.025 half-Heusler alloys. 2015 , 3, 12507-12514	23
1364	Construction of a 3D-rGO network-wrapping architecture in a YbyCo4Sb12/rGO composite for enhancing the thermoelectric performance. 2015 , 3, 8643-8649	53
1363	Enhanced thermoelectric performance of GeTe-rich germanium antimony tellurides through the control of composition and structure. 2015 , 17, 3440-3445	23

1362	Enhanced thermoelectric performance of n-type Bi ₂ S ₃ with added ZnO for power generation. 2015 , 5, 31004-31009	8
1361	Transport properties and enhanced thermoelectric performance of aluminum doped Cu ₃ SbSe ₄ . 2015 , 5, 31399-31403	36
1360	Boundary Engineering for the Thermoelectric Performance of Bulk Alloys Based on Bismuth Telluride. 2015 , 8, 2312-26	52
1359	Enhancement of thermoelectric performance of Zn ₄ Sb ₃ through resonant distortion of electronic density of states doped with Gd. 2015 , 3, 11768-11772	19
1358	Dual Vacancies: An Effective Strategy Realizing Synergistic Optimization of Thermoelectric Property in BiCuSeO. 2015 , 137, 6587-93	145
1357	Robust scalable synthesis of surfactant-free thermoelectric metal chalcogenide nanostructures. 2015 , 15, 193-204	40
1356	Thermoelectric Materials for Energy Harvesting. 2015 , 103-121	
1355	Band structure measurement and analysis of the Bi ₂ Te ₃ /CdTe (111)B heterojunction. 2015 , 33, 031602	6
1354	Effect of vehicle driving conditions on the performance of thermoelectric generator. 2015 , 96, 363-376	54
1353	High-efficiency thermoelectrics with functionalized graphene. 2015 , 15, 2830-5	56
1352	Epitaxial CrN thin films with high thermoelectric figure of merit. 2015 , 27, 3032-7	45
1351	Codoping in SnTe: Enhancement of Thermoelectric Performance through Synergy of Resonance Levels and Band Convergence. 2015 , 137, 5100-12	310
1350	Functional Graded Germanium-Lead Chalcogenide-Based Thermoelectric Module for Renewable Energy Applications. 2015 , 5, 1500272	85
1349	Advanced electron microscopy for thermoelectric materials. 2015 , 13, 626-650	67
1348	Doping effects on the thermoelectric properties of pristine poly(3,4-ethylenedioxythiophene). 2015 , 5, 33885-33891	14
1347	High thermoelectric power factor in Cu ₃ Ni alloy originate from potential barrier scattering of twin boundaries. 2015 , 17, 279-289	56
1346	Enhanced thermoelectric performance of n-type Cu _{0.008} Bi ₂ Te _{2.7} Se _{0.3} by band engineering. 2015 , 3, 10604-10609	33
1345	Thermoelectric power factor: Enhancement mechanisms and strategies for higher performance thermoelectric materials. 2015 , 97, 1-22	214

- 1344 Structure and composition effects on electrical and optical properties of sputtered PbSe thin films. **2015**, 592, 59-68 31
- 1343 Flexible n-type thermoelectric films based on Cu-doped Bi₂Se₃ nanoplate and Polyvinylidene Fluoride composite with decoupled Seebeck coefficient and electrical conductivity. **2015**, 18, 306-314 89
- 1342 Study of the enhanced electronic and thermoelectric (TE) properties of Zr_xHf_{1-x}Ta_yNiSn: a first principles study. **2015**, 5, 95353-95359 34
- 1341 Enhancement of the thermoelectric properties of MnSb₂Se₄ through Cu resonant doping. **2015**, 5, 99065-99073 3
- 1340 Bismuth nanowire thermoelectrics. **2015**, 3, 11999-12013 34
- 1339 Microscopic Origin of Thermal Conductivity Reduction in Disordered van der Waals Solids. **2015**, 27, 5511-5518 27
- 1338 Enhanced thermoelectric properties in Pb-doped BiCuSeO oxyselenides prepared by ultrafast synthesis. **2015**, 5, 69878-69885 54
- 1337 Thermoelectric properties of Tsai-type Au_{1-x}Al_xBE (RE: Yb, Tm, Gd) quasicrystals and approximants. **2015**, 652, 139-144 2
- 1336 Synthesis, crystal structure, and thermoelectric properties of two new barium antimony selenides: Ba₂Sb₂Se₅ and Ba₆Sb₇Se₁₆. **2015**, 3, 9811-9818 14
- 1335 Transverse thermoelectric effect in La_{0.67}Sr_{0.33}MnO₃|SrRuO₃ superlattices. **2015**, 106, 232403 25
- 1334 Thickness effects on optical and photoelectric properties of PbSeTeO quaternary thin films prepared by magnetron sputtering. **2015**, 26, 7873-7881 7
- 1333 Investigation of Mg₂(Si,Sn) thin films for integrated thermoelectric devices. **2015**, 649, 573-578 12
- 1332 Optically tunable Seebeck effect from intramolecular proton-transfer materials in organic vertical thin-film thermoelectric device. **2015**, 26, 117-120 6
- 1331 Towards a predictive route for selection of doping elements for the thermoelectric compound PbTe from first-principles. **2015**, 117, 175102 14
- 1330 The effect of Se doping on the growth of Te nanorods. **2015**, 17, 5734-5743 5
- 1329 Effect of bath temperature on PbSe thin films prepared by chemical synthesis. **2015**, 40, 910-916 16
- 1328 Thermoelectric transport properties of pristine and Na-doped SnSe_(1-x)Te_(x) polycrystals. **2015**, 17, 30102-9 127
- 1327 Atomic Disorders Induced by Silver and Magnesium Ion Migrations Favor High Thermoelectric Performance in δ -MgAgSb-Based Materials. **2015**, 25, 6478-6488 61

1326	A supercell approach to the doping effect on the thermoelectric properties of SnSe. 2015 , 17, 29647-54	25
1325	High Thermoelectric Performance and Enhanced Mechanical Stability of p-type Ge _{1-x} Sb _x Te. 2015 , 27, 7171-7178	213
1324	Panoscopically optimized thermoelectric performance of a half-Heusler/full-Heusler based in situ bulk composite Zr(0.7)Hf(0.3)Ni(1+x)Sn: an energy and time efficient way. 2015 , 17, 30090-101	29
1323	Contrasting the Role of Mg and Ba Doping on the Microstructure and Thermoelectric Properties of p-Type AgSbSe ₂ . 2015 , 7, 23047-55	20
1322	Optimal Performance Analysis of a Three-Terminal Thermoelectric Refrigerator with Ideal Tunneling Quantum Dots. 2015 , 32, 100501	10
1321	Harvesting Nanocatalytic Heat Localized in Nanoalloy Catalyst as a Heat Source in a Nanocomposite Thin Film Thermoelectric Device. 2015 , 31, 11158-63	1
1320	Thermoelectric properties of single-layered SnSe sheet. 2015 , 7, 15962-70	181
1319	Valence band engineering and thermoelectric performance optimization in SnTe by Mn-alloying via a zone-melting method. 2015 , 3, 19974-19979	120
1318	First-principles study on lattice thermal conductivity of thermoelectrics HgTe in different phases. 2015 , 117, 245101	13
1317	Fine-grained lead-free p-type AgSn ₄ SbTe ₆ thermoelectric materials synthesized by mechanical alloying and spark plasma sintering. 2015 , 26, 9747-9752	2
1316	High thermoelectric performance in copper telluride. 2015 , 7, e210-e210	131
1315	Electronic and thermoelectric properties of van der Waals materials with ring-shaped valence bands. 2015 , 118, 075101	79
1314	Valence Band Modification and High Thermoelectric Performance in SnTe Heavily Alloyed with MnTe. 2015 , 137, 11507-16	289
1313	Defects responsible for abnormal n-type conductivity in Ag-excess doped PbTe thermoelectrics. 2015 , 118, 015705	10
1312	Thermal Cycling Behavior of Zinc Antimonide Thin Films for High Temperature Thermoelectric Power Generation Applications. 2015 , 7, 17866-73	3
1311	Synergistically optimized electrical and thermal transport properties of SnTe via alloying high-solubility MnTe. 2015 , 8, 3298-3312	209
1310	Computational Exploration of the Binary A1B1 Chemical Space for Thermoelectric Performance. 2015 , 27, 6213-6221	32
1309	Realizing high figure of merit in heavy-band p-type half-Heusler thermoelectric materials. 2015 , 6, 8144	658

1308	On the True Indium Content of In-Filled Skutterudites. 2015 , 54, 7818-27	32
1307	Enhanced average thermoelectric figure of merit of n-type $\text{PbTe}_{1-x}\text{MgTe}_x$. 2015 , 3, 10401-10408	57
1306	Tetrahedrites as thermoelectric materials: an overview. 2015 , 3, 12364-12378	122
1305	High thermoelectric performance and low thermal conductivity of densified LaOBi_2S_2 . 2015 , 8, 111801	36
1304	Band structure engineering of multiple band degeneracy for enhanced thermoelectric power factors in MTe and MSe ($\text{M} = \text{Pb}, \text{Sn}, \text{Ge}$). 2015 , 5, 91974-91978	15
1303	Significant band engineering effect of YbTe for high performance thermoelectric PbTe . 2015 , 3, 12410-12417	57
1302	High Thermoelectric Performance $\text{SnTe}_{1-x}\text{Te}_x$ Solid Solutions Enabled by Resonant Levels and Strong Vacancy Phonon Scattering. 2015 , 27, 7801-7811	155
1301	Promising thermoelectric performance in n-type AgBiSe_2 : effect of aliovalent anion doping. 2015 , 3, 648-655	93
1300	Material descriptors for predicting thermoelectric performance. 2015 , 8, 983-994	195
1299	Enhanced figure of merit in antimony telluride thermoelectric materials by InAg co-alloying for mid-temperature power generation. 2015 , 85, 270-278	59
1298	Doping induced high temperature transport properties of $\text{Ca}_{1-x}\text{Gd}_x\text{Mn}_{1-x}\text{Nb}_x\text{O}_3$ ($0 \leq x \leq 1$). 2015 , 151, 119-125	11
1297	High Performance Oxides-Based Thermoelectric Materials. 2015 , 67, 211-221	55
1296	Thickness effect on the band gap of magnetron sputtered $\text{Pb}_{45}\text{Se}_{45}\text{O}_{10}$ thin films on Si. 2015 , 67, 152-158	10
1295	A novel thermoelectric generation system with thermal switch. 2015 , 160, 843-852	19
1294	Enhanced power factor of $\text{Mg}_{2-x}\text{Si}_{0.3}\text{Sn}_{0.7}$ synthesized by a non-equilibrium rapid solidification method. 2015 , 96, 1-4	45
1293	Influence of rapid-thermal-annealing temperature on properties of rf-sputtered SnO_x thin films. 2015 , 327, 358-363	22
1292	Extraordinary role of Hg in enhancing the thermoelectric performance of p-type SnTe . 2015 , 8, 267-277	279
1291	Hydrothermal synthesis and thermoelectric transport properties of PbTe nanocubes. 2015 , 61, 404-408	11

1290	Band engineering of high performance p-type FeNbSb based half-Heusler thermoelectric materials for figure of merit $zT > 1$. 2015 , 8, 216-220	368
1289	Enhancement of thermoelectric properties of Yb-filled skutterudites by an Ni-Induced $\text{BiFe}_2\text{Sb}_{10}$ structure. 2015 , 3, 1010-1016	50
1288	Multiple heteroatom induced carrier engineering and hierarchical nanostructures for high thermoelectric performance of polycrystalline $\text{In}_4\text{Se}_{2.5}$. 2015 , 3, 1251-1257	37
1287	Theoretical study of defects Cu_3SbSe_4 : Search for optimum dopants for enhancing thermoelectric properties. 2015 , 625, 346-354	38
1286	The intrinsic disorder related alloy scattering in ZrNiSn half-Heusler thermoelectric materials. 2014 , 4, 6888	161
1285	Surface-dominated transport and enhanced thermoelectric figure of merit in topological insulator $\text{Bi}_{1.5}\text{Sb}_{0.5}\text{Te}_{1.7}\text{Se}_{1.3}$. 2015 , 7, 518-23	28
1284	Study of 5f electron based filled skutterudite compound $\text{EuFe}_4\text{Sb}_{12}$, a thermoelectric (TE) material: FP-LAPW method. 2015 , 619, 621-626	17
1283	Influence of deposition temperature on the microstructure and thermoelectric properties of antimonide cobalt thin films prepared by ion beam sputtering deposition. 2015 , 619, 676-680	8
1282	Crystal cluster growth and physical properties of the EuSbSe_3 and EuBiSe_3 phases. 2015 , 54, 815-20	5
1281	Thermoelectric figure of merit of bulk FeSi_2 $\text{Bi}_{0.8}\text{Ge}_{0.2}$ nanocomposite and a comparison with BiFeSi_2 . 2015 , 74, 940-947	23
1280	Influence of Sb doping on thermoelectric properties of Mg_2Ge materials. 2015 , 56, 33-36	14
1279	Main Group and Transition Metal Silicides for the Thermoelectric Energy Conversion. 2016 ,	
1278	Exact Optimum Design of Segmented Thermoelectric Generators. 2016 , 2016, 1-11	5
1277	Thermoelectric and Topological Insulator Bismuth Chalcogenide Thin Films Grown Using Pulsed Laser Deposition. 2016 ,	2
1276	Synergistic Optimization of Thermoelectric Performance in P-Type $\text{Bi}_{0.48}\text{Sb}_{1.52}\text{Te}_3$ /Graphene Composite. 2016 , 9, 236	24
1275	Investigation into the extremely low thermal conductivity in Ba heavily doped BiCuSeO . 2016 , 27, 167-174	29
1274	Recent advances in thermoelectric materials. 2016 , 83, 330-382	394
1273	Distinct Impact of Alkali-Ion Doping on Electrical Transport Properties of Thermoelectric p-Type Polycrystalline SnSe . 2016 , 138, 8875-82	243

1272	The Role of Ionized Impurity Scattering on the Thermoelectric Performances of Rock Salt AgPbmSnSe _{2+m} . 2016 , 26, 5149-5157	47
1271	Harnessing Topological Band Effects in Bismuth Telluride Selenide for Large Enhancements in Thermoelectric Properties through Isovalent Doping. 2016 , 28, 6436-41	28
1270	Significant Roles of Intrinsic Point Defects in Mg ₂ X (X = Si, Ge, Sn) Thermoelectric Materials. 2016 , 2, 1500284	58
1269	Thermoelectric Enhancement of Different Kinds of Metal Chalcogenides. 2016 , 6, 1600498	95
1268	Progressive Regulation of Electrical and Thermal Transport Properties to High-Performance CuInTe ₂ Thermoelectric Materials. 2016 , 6, 1600007	96
1267	Improvement of thermoelectric performance of β -In ₂ Se ₃ upon S incorporation. 2016 , 213, 986-993	9
1266	High temperature thermoelectric properties of skutterudite-Bi ₂ Te ₃ nanocomposites. 2016 , 76, 33-40	6
1265	Thermoelectric performance enhancement of Mg ₂ Sn based solid solutions by band convergence and phonon scattering via Pb and Si/Ge substitution for Sn. 2016 , 18, 20726-37	26
1264	Spinodally Decomposed PbSe-PbTe Nanoparticles for High-Performance Thermoelectrics: Enhanced Phonon Scattering and Unusual Transport Behavior. 2016 , 10, 7197-207	33
1263	Thermoelectric enhancement in the two-dimensional electron gas of AlGa _N /Ga _N heterostructures. 2016 , 213, 1088-1092	6
1262	Growth of c-Axis-Oriented BiCuSeO Thin Films Directly on Si Wafers. 2016 , 99, 3367-3370	10
1261	Element-selective resonant state in M-doped SnTe (M = Ga, In, and Tl). 2016 , 18, 20635-9	32
1260	Pressure induced thermoelectric enhancement in SnSe crystals. 2016 , 4, 12073-12079	65
1259	Investigation of thermoelectric properties of ZnV ₂ O ₄ compound at high temperatures. 2016 , 49, 425601	14
1258	On the tuning of electrical and thermal transport in thermoelectrics: an integrated theory&experiment perspective. 2016 , 2,	290
1257	Designing high-performance layered thermoelectric materials through orbital engineering. 2016 , 7, 10892	165
1256	Thermoelectric properties of in-situ plasma spray synthesized sub-stoichiometry TiO. 2016 , 6, 36581	21
1255	Appealing Perspectives of Hybrid Lead&idide Perovskites as Thermoelectric Materials. 2016 , 120, 28472-28479&9	

1254	Synthesis of BiTe and (BiSb)Te nanoparticles using the novel IL [Cmim][Bil]. 2016 , 45, 15326-15335	22
1253	Optimizing the Dopant and Carrier Concentration of Ca ₅ Al ₂ Sb ₆ for High Thermoelectric Efficiency. 2016 , 6, 29550	9
1252	Growth and Transport Properties of Tetradymite Thin Films. 2016 , 109-138	
1251	Clathrate-Based Thermoelectrics. 2016 , 233-250	1
1250	Boron-Based Materials. 2016 , 455-472	1
1249	Chapter 3 Growth and Transport Properties of Tetradymite Thin Films. 2016 , 95-124	2
1248	Chapter 4 All-Scale Hierarchical PbTe. 2016 , 125-158	4
1247	Microstructural analysis and thermoelectric properties of Sn-Al co-doped ZnO ceramics. 2016 ,	4
1246	High thermoelectric potential of Bi ₂ Te ₃ alloyed GeTe-rich phases. 2016 , 120, 035102	69
1245	Electronic structure of some complex thermoelectrics ¶ole of dimensional confinement and nanostructuring. 2016 ,	
1244	Pressure-induced semimetal-semiconductor transition and enhancement of thermoelectric performance in ¶-MgAgSb. 2016 , 108, 213902	19
1243	Band alignment at the interface of PbTe/SnTe heterojunction determined by X-ray photoelectron spectroscopy. 2016 , 116, 37006	4
1242	Experimental and theoretical investigation of Cr _{1-x} Sc _x N solid solutions for thermoelectrics. 2016 , 120, 215103	25
1241	Thermoelectric performance of co-doped SnTe with resonant levels. 2016 , 109, 042102	31
1240	Boost in room temperature thermoelectric performance of PbSe:Al _x through band modification and low densification. 2016 , 120, 155106	12
1239	Full-scale computation for all the thermoelectric property parameters of half-Heusler compounds. 2016 , 6, 22778	67
1238	Hydrothermal synthesis and thermoelectric properties of PbS. 2016 , 34, 754-759	6
1237	Review of Recent Developments in Thermoelectric Materials. 2016 ,	0

1236	A low-temperature study of manganese-induced ferromagnetism and valence band convergence in tin telluride. 2016 , 108, 182101	11
1235	High thermoelectric potential of n-type $\text{Pb}_{1-x}\text{Ti}_x\text{Te}$ alloys. 2016 , 120, 055104	64
1234	Tunable thermoelectric transport properties of $\text{Cu}_{0.008}\text{Bi}_2\text{Te}_{2.7}\text{Se}_{0.3}$ via control of the spark plasma sintering conditions. 2016 , 69, 811-815	2
1233	Thermoelectric properties of In and I doped PbTe. 2016 , 120, 175101	29
1232	Enhanced thermoelectric performance of SnSe based composites with carbon black nano-inclusions. 2016 , 109, 173902	25
1231	Achieving $ZT=2.2$ with Bi-doped n-type SnSe single crystals. 2016 , 7, 13713	273
1230	The effects of Ge doping on the thermoelectric performance of p-type polycrystalline SnSe. 2016 , 6, 114825-114829	16
1229	Reduced thermal conductivity of a nanoparticle decorated nanowire: A non-equilibrium molecular dynamics study. 2016 ,	
1228	Size effect in thermoelectric materials. 2016 , 1,	154
1227	Ball milling effects for induced carriers and reduced grain size on thermoelectric properties in $\text{Bi}_{1-x}\text{Sr}_x\text{CuSeO}$ ($x = 0, 0.1$). 2016 , 55, 115801	3
1226	Carrier concentration dependence of structural disorder in thermoelectric Sn Te. 2016 , 3, 377-388	17
1225	Contribution of point defects and nano-grains to thermal transport behaviours of oxide-based thermoelectrics. 2016 , 2,	31
1224	Soft phonon modes driven reduced thermal conductivity in self-compensated $\text{Sn}_{1.03}\text{Te}$ with Mn doping. 2016 , 109, 133904	49
1223	Potential thermoelectric material $\text{Cs}_2[\text{PdCl}_4]_2$: a first-principles study. 2016 , 3, 085903	1
1222	Boltzmann transport calculation of thermoelectric properties in $\text{Ag}_2\text{Se}_{1-x}\text{Te}_x$ ($x = 0.0$ and 0.5). 2016 , 119, 165101	4
1221	A Rapid Response Thin-Film Plasmonic-Thermoelectric Light Detector. 2016 , 6, 37564	26
1220	Thermoelectric Materials: A New Rapid Synthesis Process for Nontoxic and High-Performance Tetrahedrite Compounds. 2016 , 99, 51-56	57
1219	Electronic structure and high thermoelectric properties of a new material $\text{Ba}_3\text{Cu}_{20}\text{Te}_{13}$. 2016 , 678, 12-17	6

1218	Thermoelectric properties of Tl-doped PbTeSe crystals grown by directional solidification. 2016 , 439, 80-86	10
1217	Understanding thermoelectric properties from high-throughput calculations: trends, insights, and comparisons with experiment. 2016 , 4, 4414-4426	139
1216	Large Thermopower, Crystalline Cd ₃ As ₂ by Low-Temperature Vapor Deposition for Room Temperature Heat Waste Recovery. 2016 , 2, 1500319	5
1215	Thermoelectric properties of Ni-doped BaSi ₂ . 2016 , 09, 1650017	5
1214	Nanophase oxalate precursors of thermoelectric CoSb ₃ by controlled coprecipitation predicted by thermodynamic modeling. 2016 , 27, 773-778	4
1213	First-principles study on band structures and electrical transports of doped-SnTe. 2016 , 2, 158-164	20
1212	Doping in controlling the type of conductivity in bulk and nanostructured thermoelectric materials. 2016 , 240, 91-100	7
1211	First-principles simulation on Seebeck coefficient in silicon and silicon carbide nanosheets. 2016 , 55, 06GJ07	3
1210	Thermoelectric Nanocomposites for Thermal Energy Conversion. 2016 , 371-443	5
1209	High thermoelectric performance of superionic argyrodite compound Ag ₈ SnSe ₆ . 2016 , 4, 5806-5813	60
1208	BiSb and spin-related thermoelectric phenomena. 2016 ,	5
1207	Enhanced thermoelectric performance in Mg and Ca substituted CdO ceramics. 2016 , 6, 42249-42254	2
1206	Enhanced thermoelectric properties of topological crystalline insulator PbSnTe nanowires grown by vapor transport. 2016 , 9, 820-830	18
1205	Thermoelectric properties of Nb-doped (Nd _{0.55} Li _{0.36})TiO ₃ bulk ceramics with superlattice structure. 2016 , 664, 487-491	1
1204	Vertical gradient solution growth of N-type Si _{0.73} Ge _{0.27} bulk crystals with homogeneous composition and its thermoelectric properties. 2016 , 442, 102-109	2
1203	n-Type Bi ₂ Te _{3-x} Sex Nanoplates with Enhanced Thermoelectric Efficiency Driven by Wide-Frequency Phonon Scatterings and Synergistic Carrier Scatterings. 2016 , 10, 4719-27	235
1202	Role of Dopants in Defining Carrier Densities, Energetics, and Transport in Semiconducting Polymers. 2016 , 131-146	
1201	Development of Bi ₂ Te _{2.4} Se _{0.6} alloy for thermoelectric power generation applications. 2016 , 679, 196-201	62

1200 Introduction. **2016**, 1-34

1199 Toward Phonon Glass Electron Crystal in Solid-Solutioned Homojunction Nanoplates with Disordered Lattice. **2016**, 65-78

1198 Magnetic Ions Fully Substituted Wide Band-Gap Semiconductor Nanocrystals for Decoupled Optimization of Thermoelectric Properties. **2016**, 91-102

1197 Thermoelectric properties of the ceramic oxide $\text{Sr}_{1-x}\text{La}_x\text{TiO}_3$. **2016**, 68, 35-40

11

1196 The origin of low thermal conductivity in $\text{Sn}_{1-x}\text{Sb}_x\text{Te}$: phonon scattering via layered intergrowth nanostructures. **2016**, 9, 2011-2019

177

1195 Lead-free SnTe-based thermoelectrics: enhancement of thermoelectric performance by doping with Gd/Ag. **2016**, 4, 7936-7942

66

1194 Carrier Scattering at Alloy Nanointerfaces Enhances Power Factor in PEDOT:PSS Hybrid Thermoelectrics. **2016**, 16, 3352-9

73

1193 Fabrication of Carrier-Doped Si Nanoarchitecture for Thermoelectric Material by Ultrathin SiO_2 Film Technique. **2016**, 45, 1914-1920

13

1192 Indium substitution effect on thermoelectric and optical properties of $\text{Sn}_{1-x}\text{In}_x\text{Se}$ compounds. **2016**, 682, 785-790

32

1191 Enhanced thermoelectric performance by self-assembled layered morphology of polypyrrole nanowire/single-walled carbon nanotube composites. **2016**, 129, 130-136

92

1190 Planar Vacancies in $\text{Sn}_{1-x}\text{Bi}_x\text{Te}$ Nanoribbons. **2016**, 10, 5507-15

15

1189 Enhanced thermoelectric performance of MnTe via Cu doping with optimized carrier concentration. **2016**, 2, 172-178

18

1188 On the relevance between fine structure and enhanced performance of skutterudite thermoelectric materials: X-ray spectroscopy studies. **2016**, 2, 280-289

8

1187 SnSe: a remarkable new thermoelectric material. **2016**, 9, 3044-3060

297

1186 Vanadium-free colusites $\text{Cu}_{26}\text{A}_2\text{Sn}_6\text{S}_{32}$ (A = Nb, Ta) for environmentally friendly thermoelectrics. **2016**, 4, 15207-15214

46

1185 Attaining high mid-temperature performance in $(\text{Bi,Sb})_2\text{Te}_3$ thermoelectric materials via synergistic optimization. **2016**, 8, e302-e302

96

1184 Noise thermometry applied to thermoelectric measurements in InAs nanowires. **2016**, 31, 104001

10

1183 High Power Factor and Enhanced Thermoelectric Performance of SnTe-AgInTe: Synergistic Effect of Resonance Level and Valence Band Convergence. **2016**, 138, 13068-13075

170

1182	Synthesis and Thermoelectric Properties of Noble Metal Ternary Chalcogenide Systems of Ag _{1-x} Au _x Se in the Forms of Alloyed Nanoparticles and Colloidal Nanoheterostructures. 2016 , 28, 7017-7028	18
1181	Synergistic effects of Lanthanum substitution on enhancing the thermoelectric properties of $\text{Pb}_{1-x}\text{Zn}_x\text{Sb}_3$. 2016 , 2, 273-279	2
1180	Tunable Conductivity and Half Metallic Ferromagnetism in Monolayer Platinum Diselenide: A First-Principles Study. 2016 , 120, 25030-25036	32
1179	AXXTe (A = Rb, Cs; X = Mn, Zn, Cd; X = Ga, In): quaternary semiconducting tellurides with very low thermal conductivities. 2016 , 45, 17606-17609	15
1178	Enhanced thermoelectric performance in PbSe-SrSe solid solution by Mn substitution. 2016 , 687, 765-772	13
1177	Phases and thermoelectric properties in stoichiometric $\text{Sn}_{1-x}\text{Mn}_x\text{Te}$ and non-stoichiometric $\text{Sn}_{1-y}\text{Mn}_{1.1y}\text{Te}$ alloys. 2016 , 108, 51-59	9
1176	Conversion efficiency of spin power to charge power in a normal metal with spin-orbit coupling. 2016 , 502, 166-169	
1175	Realizing High Figure of Merit in Phase-Separated Polycrystalline SnPbSe. 2016 , 138, 13647-13654	162
1174	Solution-processed organic thermoelectric materials exhibiting doping-concentration-dependent polarity. 2016 , 18, 29199-29207	35
1173	High thermoelectric performance in Te-free $(\text{Bi,Sb})_2\text{Se}_3$ via structural transition induced band convergence and chemical bond softening. 2016 , 9, 3436-3447	123
1172	Thermoelectric properties of polycrystalline SnSe_{1-x} prepared by mechanical alloying and spark plasma sintering. 2016 , 6, 92335-92340	9
1171	Large scale production of high efficient and robust p-type Bi-Sb-Te based thermoelectric materials by powder metallurgy. 2016 , 112, 485-494	32
1170	Grain-size-dependent thermal conductivity of nanocrystalline materials. 2016 , 18, 1	12
1169	Clathrate thermoelectrics. 2016 , 108, 1-46	114
1168	Solid solution $\text{Pb}_{1-x}\text{Eu}_x\text{Te}$: constitution and thermoelectric behavior. 2016 , 3, 1152-1159	12
1167	Lead-free tin chalcogenide thermoelectric materials. 2016 , 3, 1449-1463	30
1166	Efficient thermoelectric materials using nonmagnetic double perovskites with d_0/d_6 band filling. 2016 , 94,	13
1165	Phase diagram of ternary Cu-Ga-Te system and thermoelectric properties of chalcopyrite CuGaTe_2 materials. 2016 , 118, 331-341	13

1164	Understanding of the Extremely Low Thermal Conductivity in High-Performance Polycrystalline SnSe through Potassium Doping. 2016 , 26, 6836-6845	166
1163	Concerted Rattling in CsAg ₅ Te ₃ Leading to Ultralow Thermal Conductivity and High Thermoelectric Performance. 2016 , 55, 11431-6	105
1162	Lattice thermal conductivity in layered BiCuSeO. 2016 , 18, 19158-64	23
1161	Concerted Rattling in CsAg ₅ Te ₃ Leading to Ultralow Thermal Conductivity and High Thermoelectric Performance. 2016 , 128, 11603-11608	15
1160	Enhancing the Figure of Merit of Heavy-Band Thermoelectric Materials Through Hierarchical Phonon Scattering. 2016 , 3, 1600035	106
1159	Smart Materials for Controlled Droplet Motion. 2016 , 204-237	
1158	New Insights into Intrinsic Point Defects in VVI Thermoelectric Materials. 2016 , 3, 1600004	218
1157	Hybrid semiconductor/metal nanomembrane superlattices for thermoelectric application. 2016 , 213, 620-625	6
1156	Simultaneous enhancement in the power factor and thermoelectric performance of copper sulfide by In ₂ S ₃ doping. 2016 , 4, 12624-12629	25
1155	Electronic Structure and Transport Properties of Doped Lead Chalcogenides from First Principles. 2016 , 1, 4003-4010	1
1154	Rationally Designing High-Performance Bulk Thermoelectric Materials. 2016 , 116, 12123-12149	1155
1153	Prospects of creating efficient thermoelectric materials based on the achievements of nanotechnology. 2016 , 11, 387-400	12
1152	Revisiting AgCrSe ₂ as a promising thermoelectric material. 2016 , 18, 23872-8	32
1151	Enhanced thermoelectric performance of highly oriented polycrystalline SnSe based composites incorporated with SnTe nano-inclusions. 2016 , 689, 87-93	46
1150	Extremely Low Thermal Conductivity in Thermoelectric Ge _{0.55} Pb _{0.45} Te Solid Solutions via Se Substitution. 2016 , 28, 6367-6373	39
1149	Chapter 2 Tetradymites. 2016 , 39-94	8
1148	Inhibition of minority transport for elevating the thermoelectric figure of merit of CuO/BiSbTe nanocomposites at high temperatures. 2016 , 6, 112050-112056	16
1147	Metal-organic frameworks for thermoelectric energy-conversion applications. 2016 , 41, 877-882	20

1146	Are Solid Solutions Better in FeNbSb-Based Thermoelectrics?. 2016 , 2, 1600394	22
1145	Nonmagnetic In Substituted CuFe _{1-x} In _x S ₂ Solid Solution Thermoelectric. 2016 , 120, 27895-27902	27
1144	Fermi surface evolution of Na-doped PbTe studied through density functional theory calculations and Shubnikov-de Haas measurements. 2016 , 94,	11
1143	Achieving high power factor and output power density in p-type half-Heuslers Nb _{1-x} Ti _x FeSb. 2016 , 113, 13576-13581	164
1142	Mg ₂ Si-Based Materials for the Thermoelectric Energy Conversion. 2016 , 68, 2680-2687	16
1141	Optimization of the Thermoelectric Power Factor: Coupling between Chemical Order and Transport Properties. 2016 , 28, 6877-6885	15
1140	Origin of low thermal conductivity in SnSe. 2016 , 94,	176
1139	The Role of Electron-Phonon Interaction in Heavily Doped Fine-Grained Bulk Silicons as Thermoelectric Materials. 2016 , 2, 1600171	28
1138	Design and development of a porous heterogeneous combustor for efficient heat production by combustion of liquid and gaseous fuels. 2016 , 179, 228-236	16
1137	Broadband phonon scattering in PbTe-based materials driven near ferroelectric phase transition by strain or alloying. 2016 , 93,	22
1136	Minority carrier blocking to enhance the thermoelectric figure of merit in narrow-band-gap semiconductors. 2016 , 93,	68
1135	Local and nonlocal thermopower in three-terminal nanostructures. 2016 , 93,	10
1134	Optimal performance of periodically driven, stochastic heat engines under limited control. 2016 , 93, 042112	47
1133	Thermodynamics and Thermoelectricity. 2016 , 1-74	5
1132	Role of chemical doping on the enhancement of thermoelectric performance in metal-based thermoelectric system SnCCo ₃ . 2016 , 688, 565-570	2
1131	A review on nanostructures of high-temperature thermoelectric materials for waste heat recovery. 2016 , 64, 635-659	168
1130	Structural, characterization and electrical properties of AgPbmSbTem+2 compounds synthesized through a solid-state microwave technique. 2016 , 41, 5048-5056	4
1129	High performance thermoelectric materials and devices based on GeTe. 2016 , 4, 7520-7536	144

1128	Impact of electron doping on thermoelectric properties in filled skutterudite IrSb ₃ . 2016 , 93,	1
1127	Enhanced thermoelectric performance in SnSe based composites with PbTe nano-inclusions. 2016 , 116, 861-866	32
1126	Semiconductor Nanowires for Energy Harvesting. 2016 , 94, 297-368	4
1125	Non-equilibrium processing leads to record high thermoelectric figure of merit in PbTe-SrTe. 2016 , 7, 12167	377
1124	Enhanced thermoelectric properties of SnSe polycrystals via texture control. 2016 , 18, 31821-31827	43
1123	- Switching Mechanisms in Molecular Switches. 2016 , 278-313	
1122	Concentrating solar thermoelectric generators with a peak efficiency of 7.4%. 2016 , 1,	190
1121	Thermoelectric study of dissipative quantum-dot heat engines. 2016 , 94,	26
1120	Defect Chemistry for Thermoelectric Materials. 2016 , 138, 14810-14819	109
1119	High-performance thermoelectric nanocomposites from nanocrystal building blocks. 2016 , 7, 10766	184
1118	Extraordinary Off-Stoichiometric Bismuth Telluride for Enhanced n-Type Thermoelectric Power Factor. 2016 , 138, 14458-14468	63
1117	Enhanced thermoelectric properties of the Dirac semimetal Cd ₃ As ₂ . 2016 , 3, 1637-1643	22
1116	Electronic properties of GeTe and Ag- or Sb-substituted GeTe studied by low-temperature Te ¹²⁵ NMR. 2016 , 94,	4
1115	Improvement in thermoelectric performance of In ₆ Se ₇ by substitution of Sn for In. 2016 , 213, 2176-2182	8
1114	Engineering Thermal Conductivity for Balancing Between Reliability and Performance of Bulk Thermoelectric Generators. 2016 , 26, 3678-3686	17
1113	Minimum Thermal Conductivity in Weak Topological Insulators with Bismuth-Based Stack Structure. 2016 , 26, 5360-5367	21
1112	Interstitial Point Defect Scattering Contributing to High Thermoelectric Performance in SnTe. 2016 , 2, 1600019	186
1111	Electronic structure and thermoelectric properties of (Mg ₂ X) ₂ / (Mg ₂ Y) ₂ (X, Y = Si, Ge, Sn) superlattices from first-principle calculations. 2016 , 89, 1	4

1110	Enhancement of thermoelectric performance of phase pure Zintl compounds $\text{Ca}_{1-x}\text{Bi}_x\text{Zn}_2\text{Sb}_2$, $\text{Ca}_{1-x}\text{Eu}_x\text{Zn}_2\text{Sb}_2$, and $\text{Eu}_{1-x}\text{Bi}_x\text{Zn}_2\text{Sb}_2$ by mechanical alloying and hot pressing. 2016 , 25, 136-144	54
1109	Resonant Levels, Vacancies, and Doping in Bi_2Te_3 , $\text{Bi}_2\text{Te}_2\text{Se}$, and Bi_2Se_3 Tetradymites. 2016 , 45, 3515-3531	30
1108	Thermoelectric high-entropy alloys with low lattice thermal conductivity. 2016 , 6, 52164-52170	61
1107	The surface-to-volume ratio: a key parameter in the thermoelectric transport of topological insulator Bi_2Se_3 nanowires. 2016 , 8, 13552-7	21
1106	Dynamic disorder, phonon lifetimes, and the assignment of modes to the vibrational spectra of methylammonium lead halide perovskites. 2016 , 18, 27051-27066	243
1105	ZnO flower/PEDOT:PSS thermoelectric composite films. 2016 , 27, 10289-10293	8
1104	Band engineering and rational design of high-performance thermoelectric materials by first-principles. 2016 , 2, 114-130	23
1103	Thermoelectric properties of p-type $\text{Ag}_{1-x}(\text{Pb}_{1-x}\text{Bi}_x)\text{Sb}_{1-x}\text{Te}_{2+x}$. 2016 , 242, 34-42	5
1102	Structural disorder, anisotropic micro-strain and cation vacancies in thermo-electric lead chalcogenides. 2016 , 18, 15874-83	25
1101	The low and high temperature thermoelectric properties of Sb doped Cu_2SnSe_3 . 2016 , 83, 160-166	15
1100	Recent advances in high-performance bulk thermoelectric materials. 2016 , 61, 379-415	302
1099	Eutectic microstructures and thermoelectric properties of MnTe-rich precipitates hardened PbTe. 2016 , 111, 202-209	26
1098	Effect of SiC ceramics on thermoelectric properties of SiC/SnSe composites for solid-state thermoelectric applications. 2016 , 42, 9550-9556	27
1097	Influence of powder size on thermoelectric properties of p-type $25\%\text{Bi}_2\text{Te}_3$ $75\%\text{Sb}_2\text{Te}_3$ alloys fabricated using gas-atomization and spark-plasma sintering. 2016 , 686, 1-8	32
1096	Exploring phase stability, electronic and mechanical properties of CePb intermetallic compounds using first-principles calculations. 2016 , 237, 385-393	2
1095	Spin thermoelectric efficiency across a normal-metal/ferromagnetic-insulator interface. 2016 , 494, 59-62	1
1094	Effect of Na and Ba co-doping on the structure and thermoelectric performance of $\text{PbTe}_{0.5}\text{Se}_{0.5}$. 2016 , 120, 9-13	9
1093	High thermoelectric performance of the distorted bismuth(110) layer. 2016 , 18, 17373-9	14

1092	Innovative Thermoelectric Materials. 2016 , 1-37	6
1091	Efficient and Robust Thermoelectric Power Generation Device Using Hot-Pressed Metal Contacts on Nanostructured Half-Heusler Alloys. 2016 , 45, 6047-6051	30
1090	Synthesis and Thermoelectric Properties of the YbTe-YbSb System. 2016 , 45, 779-785	3
1089	Effects of Thallium Doping on the Transport Properties of Bi ₂ Te ₃ Alloy. 2016 , 45, 3053-3058	9
1088	Electronic, optical and thermoelectric properties of PrMO ₃ (M = Al, Ga, In) from first-principles calculations. 2016 , 6, 59988-59997	11
1087	Reduction of lattice thermal conductivity of pseudogap intermetallic compound Al ₃ V. 2016 , 253, 469-472	5
1086	Enhancement of thermoelectric properties by effective K-doping and nano precipitation in quaternary compounds of (Pb _{1-x} K _x Te) _{0.70} (PbSe) _{0.25} (PbS) _{0.05} . 2016 , 6, 62958-62967	10
1085	Data mining our way to the next generation of thermoelectrics. 2016 , 111, 10-15	89
1084	Effect of high pressure on thermoelectric performance and electronic structure of SnSe via HPHT. 2016 , 667, 123-129	32
1083	Thermodynamic analyses and optimization for thermoelectric devices: The state of the arts. 2016 , 59, 442-455	107
1082	Pressure-driven semiconducting-semimetallic transition in SnSe. 2016 , 18, 5012-8	43
1081	Tuning thermoelectricity in a Bi ₂ Se ₃ topological insulator via varied film thickness. 2016 , 18, 015008	33
1080	Synthesis, Crystal Structure, and Thermoelectric Properties of Na _{2+x} Al _{2+x} Sn _{4-x} (x = 0.38, 0.24). 2016 , 28, 601-607	6
1079	Combustion synthesis of Cu ₂ SnSe ₃ thermoelectric materials. 2016 , 36, 1407-1415	22
1078	The thermoelectric performance of anisotropic SnSe doped with Na. 2016 , 6, 9112-9116	81
1077	Phonon scattering beyond perturbation theory. 2016 , 59, 1	6
1076	TE Design Lab: A virtual laboratory for thermoelectric material design. 2016 , 112, 368-376	79
1075	New insight into the material parameter B to understand the enhanced thermoelectric performance of Mg ₂ Sn _{1-x} GexSb _y . 2016 , 9, 530-539	68

- 1074 Preparation of graphene sheets into one-dimensionally nanostructured bulk bismuth telluride for enhancing thermoelectric power factor. **2016**, 27, 3427-3434 10
- 1073 An algorithm to reduce combinatorial search in design of invisible dopants. **2016**, 113, 171-177
- 1072 Heterovalent substitution in anionic and cationic positions of PbS thin-films grown by SILAR method vis-à-vis Fermi energy measured through scanning tunneling spectroscopy. **2016**, 4, 551-558 8
- 1071 Broad temperature plateau for high ZTs in heavily doped p-type SnSe single crystals. **2016**, 9, 454-460 331
- 1070 Unraveling the origins of conduction band valley degeneracies in Mg₂Si(1-x)Sn(x) thermoelectrics. **2016**, 18, 939-46 6
- 1069 The influence of heat treatments on the thermoelectric properties of copper selenide thin films prepared by ion beam sputtering deposition. **2016**, 658, 880-884 17
- 1068 Formation of nanodots and enhancement of thermoelectric power induced by ion irradiation in PbTe:Ag composite thin films. **2016**, 379, 36-41 4
- 1067 Thermoelectric properties of Bi-based Zintl compounds Ca_{1-x}YbxMg₂Bi₂. **2016**, 4, 4312-4320 69
- 1066 Thermoelectric Properties of Mg₂(Ge,Sn): Model and Optimization of ZT. **2016**, 5, 38
- 1065 Large-Scale Colloidal Synthesis of Co-doped Cu₂SnSe₃ Nanocrystals for Thermoelectric Applications. **2016**, 45, 1935-1941 13
- 1064 Enhanced Thermoelectric Properties in the Counter-Doped SnTe System with Strained Endotaxial SrTe. **2016**, 138, 2366-73 213
- 1063 Prediction of the band structures of Bi₂Te₃-related binary and Sb/Se-doped ternary thermoelectric materials. **2016**, 68, 115-120 25
- 1062 Effects of doping on the positional uniformity of the thermoelectric properties of n-type Bi₂Te_{2.7}Se_{0.3} polycrystalline bulks. **2016**, 68, 17-21 4
- 1061 Enhanced thermoelectric properties of Cu doped ZnSb based thin films. **2016**, 668, 8-12 16
- 1060 Superlattice-based thin-film thermoelectric modules with high cooling fluxes. **2016**, 7, 10302 110
- 1059 High thermoelectric performance of fullerene doped Bi_{0.5}Sb_{1.5}Te₃ alloys. **2016**, 205, 36-39 9
- 1058 Cavity-Photon Controlled Thermoelectric Transport through a Quantum Wire. **2016**, 3, 249-254 18
- 1057 Band engineering and improved thermoelectric performance in M-doped SnTe (M = Mg, Mn, Cd, and Hg). **2016**, 18, 7141-7 69

1056	The effect of doping on thermoelectric performance of p-type SnSe: Promising thermoelectric material. 2016 , 668, 152-158	100
1055	Thermoelectric and spin-caloritronic coolers: from basics to recent developments. 2016 ,	4
1054	Tuning of the microstructure and thermoelectric properties of CdO ceramics by Mg substituting. 2016 , 174, 172-178	2
1053	First principles thermodynamical modeling of the binodal and spinodal curves in lead chalcogenides. 2016 , 18, 5005-11	11
1052	Optimisation and Selection of Semiconductor Thermoelements. 2016 , 45-66	3
1051	The Improvement of a Specific Material Bismuth Telluride. 2016 , 85-107	3
1050	Review of Thermoelectric Materials. 2016 , 153-195	4
1049	Superionic Phase Transition Optimizing Thermoelectric Performance in Silver Chalcogenide Nanocrystals. 2016 , 35-49	
1048	Enhancement of Thermoelectric Properties of Molybdenum Diselenide Through Combined Mg Intercalation and Nb Doping. 2016 , 45, 2926-2934	12
1047	Thermoelectric performance and humidity sensing characteristics of La ₂ CuO ₄ nanofibers. 2016 , 231, 102-109	11
1046	Cr ₂ Ge ₂ Te ₆ : High Thermoelectric Performance from Layered Structure with High Symmetry. 2016 , 28, 1611-1615	64
1045	Thermoelectric properties and extremely low lattice thermal conductivity in p-type Bismuth Tellurides by Pb-doping and PbTe precipitation. 2016 , 671, 538-544	28
1044	High thermoelectric performance of n-type PbTe _{1-x} S _x due to deep lying states induced by indium doping and spinodal decomposition. 2016 , 22, 572-582	49
1043	Thermoelectric Properties of Tl-Doped SnSe: A Hint of Phononic Structure. 2016 , 45, 2943-2949	29
1042	Synthesis and Optimization of Chalcogenides Quantum Dots Thermoelectric Materials. 2016 ,	5
1041	Copper Sulfide/Zinc Sulfide Janus Nanoparticles and Their Seebeck Characteristics for Sustainable Thermoelectric Materials. 2016 , 120, 5869-5875	18
1040	ZnSb Polymorphs with Improved Thermoelectric Properties. 2016 , 28, 2912-2920	13
1039	Suppressing adverse intrinsic conduction of Bi ₂ Te ₃ thermoelectric bulks by Sb and Cu co-substitutions via HPHT synthesis. 2016 , 6, 7378-7383	23

1038	Studies on thermoelectric figure of merit of Na-doped p-type polycrystalline SnSe. 2016 , 4, 1848-1854	174
1037	Thermoelectric Properties of Fe ₂ VAl and Fe ₂ V _{0.75} M _{0.25} Al (M = Mo, Nb, Ta) Alloys: First-Principles Calculations. 2016 , 45, 1101-1114	16
1036	Thermoelectric transport properties of PbTe-based composites incorporated with Cu ₂ Se nano-inclusions. 2016 , 49, 065302	6
1035	High thermoelectric performance from optimization of hole-doped CuInTe ₂ . 2016 , 18, 5925-31	27
1034	In ₂ O ₃ -based multicomponent metal oxide films and their prospects for thermoelectric applications. 2016 , 52, 141-148	15
1033	Band Degeneracy, Low Thermal Conductivity, and High Thermoelectric Figure of Merit in SnTe/CaTe Alloys. 2016 , 28, 376-384	180
1032	Simultaneous increase in conductivity and phonon scattering in a graphene nanosheets/(Bi ₂ Te ₃) _{0.2} (Sb ₂ Te ₃) _{0.8} thermoelectric nanocomposite. 2016 , 661, 389-395	55
1031	High performance thermoelectrics from earth-abundant materials: Enhanced figure of merit in PbS through nanostructuring grain size. 2016 , 664, 411-416	25
1030	Micro/nanostructured surfaces for self-powered and multifunctional electronic skins. 2016 , 4, 2999-3018	90
1029	Thermoelectric transport properties of Ag _m Pb _{100-2m} Bi _m Se _{100+2m} system. 2016 , 27, 2712-2717	8
1028	Reduction of thermal conductivity through nanostructuring enhances the thermoelectric figure of merit in Ge _{1-x} Bi _x Te. 2016 , 3, 125-132	95
1027	Thermoelectric properties of materials near the band crossing line in Mg ₂ Sn/Mg ₂ Ge/Mg ₂ Si system. 2016 , 103, 633-642	85
1026	Coexisting transport behaviors in quasibinary Cd _(3-2m) Ga _{2m} Te ₃ (m = 0.75-0.98) system with structural vacancy and cationic interdiffusion. 2016 , 113, 194-197	
1025	Thin single-crystalline Bi ₂ (Te _{1-x} Se _x) ₃ ternary nanosheets synthesized by a solvothermal technique. 2016 , 434, 1-6	6
1024	Single parabolic band behavior of thermoelectric p-type CuGaTe ₂ . 2016 , 4, 209-214	75
1023	Ultrahigh power factor and thermoelectric performance in hole-doped single-crystal SnSe. <i>Science</i> , 2016 , 351, 141-4	33-3 1237
1022	Recent progress in half-Heusler thermoelectric materials. 2016 , 76, 107-112	104
1021	Power generation from nanostructured PbTe-based thermoelectrics: comprehensive development from materials to modules. 2016 , 9, 517-529	215

1020	Recent advances in CNT/graphene based thermoelectric polymer nanocomposite: A proficient move towards waste energy harvesting. 2016 , 53, 653-671	109
1019	Optimization of Thermoelectric Performance of Anisotropic Ag x Sn1-x Se Compounds. 2016 , 45, 527-534	47
1018	Low-cost, abundant binary sulfides as promising thermoelectric materials. 2016 , 19, 227-239	196
1017	High temperature transport properties of co-substituted Ca1-xLnxMn1-xNbxO3 (Ln=Yb, Lu; 0.02≤x≤0.08). 2016 , 74, 41-49	6
1016	Spin-dependent thermoelectric figure of merit in a quantum dot. 2016 , 380, 277-281	5
1015	Hybrid effect to possibly overcome the trade-off between Seebeck coefficient and electrical conductivity. 2016 , 111, 44-48	49
1014	High thermoelectric properties of PbTeβm2Se3 composites. 2016 , 112, 144-147	12
1013	A First-Principles Theoretical Study on the Thermoelectric Properties of the Compound Cu5AlSn2S8. 2016 , 45, 1453-1458	6
1012	Recent progress in calculations of electronic and transport properties of disordered thermoelectric materials. 2016 , 111, 33-38	19
1011	Enhanced thermoelectric properties of PbBiS prepared with hydrothermal synthesis and microwave sintering. 2017 , 46, 2129-2136	11
1010	Scientific and Technical Challenges in Thermal Transport and Thermoelectric Materials and Devices. 2017 , 6, N3058-N3064	14
1009	Multi-Scale Microstructural Thermoelectric Materials: Transport Behavior, Non-Equilibrium Preparation, and Applications. 2017 , 29, 1602013	182
1008	Resonant level-induced high thermoelectric response in indium-doped GeTe. 2017 , 9, e343-e343	129
1007	Hybridization of electronic band structure and enhancement of thermoelectric properties of ZnSb thin film by In doping. 2017 , 103, 82-86	5
1006	Bottom-up design of de novo thermoelectric hybrid materials using chalcogenide resurfacing. 2017 , 5, 3346-3357	37
1005	Discovery of high-performance low-cost n-type MgSb-based thermoelectric materials with multi-valley conduction bands. 2017 , 8, 13901	297
1004	Enhanced thermoelectric performance of a chalcopyrite compound CuInSeTe (x = 0~0.5) through crystal structure engineering. 2017 , 7, 40224	14
1003	Strategy to optimize the overall thermoelectric properties of SnTe via compositing with its property-counter CuInTe2. 2017 , 125, 542-549	41

1002	Effect of spark plasma sintering (SPS) on the thermoelectric properties of magnesium ferrite. 2017 , 6, 1	11
1001	Effects of Ni doping induced band modification and Ni ₃ Se ₂ nano-inclusion on thermoelectric properties of PbSe. 2017 , 699, 679-689	25
1000	Valleytronics of IIIIV solid solutions for thermoelectric application. 2017 , 7, 7310-7314	5
999	Interstitial Defects Improving Thermoelectric SnTe in Addition to Band Convergence. 2017 , 2, 563-568	106
998	Simultaneous improvement of power factor and thermal conductivity via Ag doping in p-type Mg ₃ Sb ₂ thermoelectric materials. 2017 , 5, 4932-4939	79
997	Transport properties and lattice variation behavior as a function of temperature in Sb ₂ Te ₃ nanorod array. 2017 , 623, 116-120	1
996	Ultrahigh Thermoelectric Figure of Merit and Enhanced Mechanical Stability of p-type AgSb _{1-x} Zn _x Te ₂ . 2017 , 2, 349-356	49
995	Nanocomposites from Solution-Synthesized PbTe-BiSbTe Nanoheterostructure with Unity Figure of Merit at Low-Medium Temperatures (500-600 K). 2017 , 29, 1605140	53
994	Large change in thermopower with temperature driven p-n type conduction switching in environment friendly BaSrTiFeNbO double perovskites. 2017 , 19, 5818-5829	20
993	Thermoelectric and thermal transport properties of complex oxide thin films, heterostructures and superlattices. 2017 , 32, 183-203	16
992	Enhanced thermoelectric properties of Ge ₂ Sb ₂ Te ₅ thin films through the control of crystal structure. 2017 , 17, 744-750	5
991	Two impurity energy level regulation leads to enhanced thermoelectric performance of Ag _{1-x} Cd _x In ₅ Se ₈ . 2017 , 7, 12719-12725	7
990	Thermoelectric properties of the yttrium-doped ceramic oxide SrTiO ₃ . 2017 , 70, 93-97	4
989	Thermoelectric properties of high power factor sulfide NiSbS and Co substitution system Ni _{1-x} Co _x SbS. 2017 , 56, 021801	2
988	Nanostructured Cost-Effective and Energy-Efficient Thermoelectric Materials. 2017 , 547-568	2
987	Mg vacancy and dislocation strains as strong phonon scatterers in Mg ₂ Si _{1-x} Sb _x thermoelectric materials. 2017 , 34, 428-436	85
986	Synergistic Strategy to Enhance the Thermoelectric Properties of CoSbSSe Compounds via Solid Solution. 2017 , 9, 10595-10601	32
985	Rock-salt-type nanoprecipitates lead to high thermoelectric performance in undoped polycrystalline SnSe. 2017 , 7, 8258-8263	33

984	High thermopower and potential thermoelectric properties of crystalline LiH and NaH. 2017 , 95,	15
983	Promoting SnTe as an Eco-Friendly Solution for p-PbTe Thermoelectric via Band Convergence and Interstitial Defects. 2017 , 29, 1605887	250
982	Natural off-stoichiometry causes carrier doping in half-Heusler filled tetrahedral structures. 2017 , 95,	45
981	An enhanced Seebeck coefficient and high thermoelectric performance in p-type In and Mg co-doped Sn _{1-x} Pb _x Te via the co-adjuvant effect of the resonance level and heavy hole valence band. 2017 , 5, 5737-5748	45
980	Heavy hole effect on the thermoelectric properties of highly doped p-type lead telluride. 2017 , 121, 025704	4
979	Enhanced Average Thermoelectric Figure of Merit of the PbTe-SrTe-MnTe Alloy. 2017 , 9, 8729-8736	32
978	High thermoelectric power factor in two-dimensional crystals of MoS ₂ . 2017 , 95,	133
977	Thermoelectric silicides: A review. 2017 , 56, 05DA04	88
976	Enhanced thermoelectric property in superionic conductor Bi-doped Cu _{1.8} S. 2017 , 708, 169-174	20
975	Compromise and Synergy in High-Efficiency Thermoelectric Materials. 2017 , 29, 1605884	742
974	Enhanced electrical properties of stoichiometric Bi _{0.5} Sb _{1.5} Te ₃ film with high-crystallinity via layer-by-layer in-situ Growth. 2017 , 33, 55-64	48
973	Origin of the enhancement in transport properties on polycrystalline SnSe with compositing two-dimensional material MoSe. 2017 , 28, 105708	18
972	Fluorene-Based Two-Dimensional Covalent Organic Framework with Thermoelectric Properties through Doping. 2017 , 9, 7108-7114	36
971	Tuning the carrier scattering mechanism to effectively improve the thermoelectric properties. 2017 , 10, 799-807	227
970	Structural optimization for thermoelectric properties in Cu-Bi-S pavonite compounds. 2017 , 704, 282-288	6
969	Compound Copper Chalcogenide Nanocrystals. 2017 , 117, 5865-6109	493
968	Recent advances in oxide thermoelectric materials and modules. 2017 , 146, 356-374	94
967	Emerging tellurium nanostructures: controllable synthesis and their applications. 2017 , 46, 2732-2753	121

- 966 Properties of heavily impurity-doped PbSnTe liquid-phase epitaxial layers grown by the temperature difference method under controlled Te vapor pressure. **2017**, 470, 37-41
- 965 Ultrahigh Average Thermoelectric Figure of Merit, Low Lattice Thermal Conductivity and Enhanced Microhardness in Nanostructured (GeTe) (AgSbSe). **2017**, 23, 7438-7443 48
- 964 Temperature independent Seebeck coefficient through quantum confinement modulation in amorphous Nb-O/Ni-Ta-O multilayers. **2017**, 258, 33-37 3
- 963 Simultaneously improved electrical properties of crystalline YbAl₃ thin films prepared by co-sputtering technique. **2017**, 7, 17271-17278 0
- 962 Electronic, optical, and thermoelectric properties of Fe_{2+x}V_{1-x}Al. **2017**, 7, 045118 22
- 961 High Thermoelectric Performance in Electron-Doped AgBiS with Ultralow Thermal Conductivity. **2017**, 139, 6467-6473 115
- 960 Investigation of the thermoelectric properties of Nb and oxygen vacancy co-doped SrTiO₃ ceramics. **2017**, 4, 055504 1
- 959 Improvement of thermoelectric properties of Bi₂Te₃ and Sb₂Te₃ films grown on graphene substrate. **2017**, 11, 1700029 14
- 958 Insights into the thermoelectric properties of SnSe from ab initio calculations. **2017**, 19, 12804-12815 32
- 957 Simultaneous optimization of electrical and thermal transport properties of Bi_{0.5}Sb_{1.5}Te₃ thermoelectric alloy by twin boundary engineering. **2017**, 37, 203-213 115
- 956 Simultaneous enhanced performance of electrical conductivity and Seebeck coefficient in Bi₂SnS₃ by solvothermal and microwave sintering. **2017**, 717, 177-182 9
- 955 High-pressure synthesis and thermoelectric performance of tellurium doped with bismuth. **2017**, 52, 10526-10532 19
- 954 Synergistic effect by Na doping and S substitution for high thermoelectric performance of p-type MnTe. **2017**, 5, 5076-5082 27
- 953 Thermoelectric performance of graphene composited BiSbTe bulks by high pressure synthesis. **2017**, 715, 344-348 19
- 952 Manipulating Band Convergence and Resonant State in Thermoelectric Material SnTe by Mn^{II} Codoping. **2017**, 2, 1203-1207 65
- 951 Parametric selection criteria of thermal electron-tunneling amplifiers operating at optimum states. **2017**, 143, 391-398 9
- 950 Effect of antimony-doping and germanium on the highly efficient thermoelectric Si-rich-Mg₂(Si,Sn,Ge) materials. **2017**, 714, 502-513 11
- 949 Understanding the electronic and phonon transport properties of a thermoelectric material BiCuSeO: a first-principles study. **2017**, 19, 12913-12920 29

948	Enhancing the thermoelectric performance of SnSe _{1-x} Te _x nanoplates through band engineering. 2017 , 5, 10713-10721	68
947	Effect of chromium and tellurium impurities on the thermoelectric parameters of galena. 2017 , 81, 265-268	1
946	Sb induces both doping and precipitation for improving the thermoelectric performance of elemental Te. 2017 , 4, 1066-1072	35
945	Ground state opto-electronic and thermoelectric response of cubic XSnO ₃ (X = Ba, Sr) compounds. 2017 , 17, 1079-1086	9
944	Micro-structure and Room-Temperature Thermoelectric Properties of Bi-Doped Antimony Zinc Thin Films Fabricated by Co-sputtering Method. 2017 , 46, 3057-3061	3
943	n-type Bi-doped PbTe Nanocubes with Enhanced Thermoelectric Performance. 2017 , 31, 105-112	84
942	Compound Defects and Thermoelectric Properties of Self-Charge Compensated Skutterudites SeCoSbSe. 2017 , 9, 22713-22724	13
941	Low Thermal Conductivity and High Thermoelectric Performance in (GeTe)(GeSe)(GeS): Competition between Solid Solution and Phase Separation. 2017 , 139, 9382-9391	146
940	Partial indium solubility induces chemical stability and colossal thermoelectric figure of merit in Cu ₂ Se. 2017 , 10, 1668-1676	207
939	Facile rapid synthesis of a nanocrystalline Cu ₂ Te multi-phase transition material and its thermoelectric performance. 2017 , 7, 22558-22566	22
938	Improving Thermoelectric Performance of β -MgAgSb by Theoretical Band Engineering Design. 2017 , 7, 1700076	32
937	Subtle Roles of Sb and S in Regulating the Thermoelectric Properties of N-Type PbTe to High Performance. 2017 , 7, 1700099	88
936	Carrier density control and enhanced thermoelectric performance of Bi and Cu co-doped GeTe. 2017 , 5, 056103	29
935	Boosting the Thermoelectric Performance of (Na,K)-Codoped Polycrystalline SnSe by Synergistic Tailoring of the Band Structure and Atomic-Scale Defect Phonon Scattering. 2017 , 139, 9714-9720	135
934	Synthesis, crystal structures, and electronic properties of one dimensional Ba ₉ Sn ₃ (Te _{1-x} Sex) ₁₅ (x = 0.1). 2017 , 4, 1337-1343	6
933	Thermoelectric Materials. 2017 , 1-35	8
932	Energy Harvesting from the Animal/Human Body for Self-Powered Electronics. 2017 , 19, 85-108	227
931	A new semiconductor Al ₂ Fe ₃ Si ₃ with complex crystal structure. 2017 , 89, 51-56	14

930	Enhancement of the thermoelectric performance of bulk SnTe alloys via the synergistic effect of band structure modification and chemical bond softening. 2017 , 5, 14165-14173	48
929	Enhanced thermoelectric performance of reduced graphene oxide incorporated bismuth-antimony-telluride by lattice thermal conductivity reduction. 2017 , 718, 342-348	38
928	Exotic thermoelectric behavior in nitrogenated holey graphene. 2017 , 7, 25803-25810	19
927	Sol-gel synthesis and thermoelectric properties of AZO films with pyrolytic carbon inclusions. 2017 , 109, 161-169	4
926	Syntheses, structures, and thermoelectric properties of ternary tellurides: RECuTe ₂ (RE = TbEr). 2017 , 4, 1273-1280	16
925	FeNbSb p-type half-Heusler compound: beneficial thermomechanical properties and high-temperature stability for thermoelectrics. 2017 , 5, 6677-6681	30
924	. 2017 , 29, 5344-5352	60
923	Synergistically tuning the electrical and thermal transport properties of CdO:Cu thermoelectric ceramics. 2017 , 4, 075502	3
922	Enhanced thermoelectric performance of BiCuSeO by increasing Seebeck coefficient through magnetic ion incorporation. 2017 , 5, 13392-13399	28
921	Grain size optimization for high-performance polycrystalline SnSe thermoelectrics. 2017 , 5, 14053-14060	45
920	Enhancement of thermoelectric power of PbTe thin films by Ag ion implantation. 2017 , 121, 215301	16
919	Low-temperature thermoelectric properties of Pb doped Cu ₂ SnSe ₃ . 2017 , 520, 7-12	10
918	Unraveling the effect of uniaxial strain on thermoelectric properties of Mg ₂ Si: A density functional theory study. 2017 , 26, 066401	
917	High temperature thermoelectric properties evolution of Pb _{1-x} Sn _x Te based alloys. 2017 , 722, 33-38	65
916	Enhanced thermoelectric properties of SnSe thin films grown by pulsed laser glancing-angle deposition. 2017 , 3, 293-298	26
915	Enhanced thermoelectric performance in copper-deficient Cu ₂ GeSe ₃ . 2017 , 723, 708-713	12
914	Crystal structure across the $\sqrt{2} \times \sqrt{2}$ phase transition in thermoelectric Cu ₂ Se. 2017 , 4, 476-485	44
913	Recent progress in thermoelectric nanocomposites based on solution-synthesized nanoheterostructures. 2017 , 10, 1498-1509	6

912	High thermoelectric performance in pseudo quaternary compounds of $(\text{PbTe})_{0.95}\text{x}(\text{PbSe})\text{x}(\text{PbS})_{0.05}$ by simultaneous band convergence and nano precipitation. 2017 , 131, 98-109	27
911	Thermoelectric properties of isoelectronically substituted bismuth compounds: a computational study. 2017 , 4, 035703	4
910	Eu-Eu valence transition in double, Eu-, and Na-doped PbSe from transport, magnetic, and electronic structure studies. 2017 , 19, 9606-9616	3
909	Effective dopants in p-type elementary Te thermoelectrics. 2017 , 7, 17682-17688	20
908	Eco-friendly high-performance silicide thermoelectric materials. 2017 , 4, 611-626	49
907	The influence of hydrochloric acid doping on the microstructure and thermoelectric properties of poly(p-phenylenediamine) nanoparticles. 2017 , 227, 71-77	5
906	Enhancing thermoelectric performance in hierarchically structured BiCuSeO by increasing bond covalency and weakening carrier-phonon coupling. 2017 , 10, 1590-1599	94
905	Thermoelectric enhancement in silver tantalate via strain-induced band modification and chemical bond softening. 2017 , 7, 8460-8466	4
904	Thermoelectric properties of $\text{CuGa}_{1-x}\text{MnxTe}_2$: power factor enhancement by incorporation of magnetic ions. 2017 , 5, 7545-7554	101
903	Temperature and pressure coefficients of iron resonant impurity level in PbTe. 2017 , 121, 045702	7
902	Minority Carrier Blocking to Enhance the Thermoelectric Performance of Solution-Processed BiSbTe Nanocomposites via a Liquid-Phase Sintering Process. 2017 , 9, 12501-12510	36
901	Earth-Abundant and Non-Toxic SiX (X = S, Se) Monolayers as Highly Efficient Thermoelectric Materials. 2017 , 121, 123-128	28
900	A review on heat sink for thermo-electric power generation: Classifications and parameters affecting performance. 2017 , 134, 260-277	88
899	Enhanced thermoelectric properties of SiC nanoparticle dispersed $\text{Cu}_{1.8}\text{S}$ bulk materials. 2017 , 696, 782-787	31
898	Electronic structure, vibrational and thermoelectric properties of AgTaO_3 : A first-principles study. 2017 , 696, 1168-1173	8
897	Dramatically enhanced thermoelectric performance of MoS_2 by introducing MoO_2 nano-inclusions. 2017 , 5, 2004-2011	48
896	Large-scale colloidal synthesis of Cu_5FeS_4 compounds and their application in thermoelectrics. 2017 , 5, 301-308	24
895	ZnTe Alloying Effect on Enhanced Thermoelectric Properties of p-Type PbTe. 2017 , 9, 3766-3773	21

894	Electronic, optical and thermoelectric properties of bulk and surface (001) CuInTe ₂ : A first principles study. 2017 , 699, 1003-1011	10
893	The crucial role of selenium for sulphur substitution in the structural transitions and thermoelectric properties of CuFeS bornite. 2017 , 46, 2174-2183	39
892	Thermoelectric Properties of Cl-Doped BiCuSeO Oxyselenides. 2017 , 46, 2593-2598	10
891	Cu ₈ GeSe ₆ -based thermoelectric materials with an argyrodite structure. 2017 , 5, 943-952	60
890	Predicted Thermoelectric Properties of the Layered XBi ₄ S ₇ (X = Mn, Fe) Based Materials: First Principles Calculations. 2017 , 46, 23-29	7
889	Defect chemistry and enhancement of thermoelectric performance in Ag-doped Sn _{1-x} Ag _x Te. 2017 , 5, 2235-2242	43
888	Simultaneously enhancing the power factor and reducing the thermal conductivity of SnTe via introducing its analogues. 2017 , 10, 2420-2431	89
887	Co-doping for significantly improved thermoelectric figure of merit in p-type Bi ₁₋₂ Mg ₁ Pb ₁ CuSeO oxyselenides. 2017 , 43, 17186-17193	8
886	Enhanced thermoelectric performance in ternary spinel CuMnTe via the synergistic effect of tellurium deficiency and chlorine doping. 2017 , 46, 14752-14756	6
885	High potential thermoelectric figure of merit in ternary LaCuX (X = P, As, Sb and Bi) compounds. 2017 , 7, 14270	3
884	High temperature electrical resistivity and Seebeck coefficient of Ge ₂ Sb ₂ Te ₅ thin films. 2017 , 122, 125104	26
883	Promising Thermoelectric Ag ₅ Te ₃ with Intrinsic Low Lattice Thermal Conductivity. 2017 , 2, 2470-2477	38
882	Eco-Friendly SnTe Thermoelectric Materials: Progress and Future Challenges. 2017 , 27, 1703278	220
881	High Thermoelectric Performance of New Rhombohedral Phase of GeSe stabilized through Alloying with AgSbSe ₂ . 2017 , 129, 14301-14306	15
880	Advances in thermoelectric materials research: Looking back and moving forward. <i>Science</i> , 2017 , 357,	333 964
879	More than half reduction in price per watt of thermoelectric device without increasing the thermoelectric figure of merit of materials. 2017 , 205, 1459-1466	14
878	Electronic thermal Hall effect in silicene. 2017 , 90, 1	
877	Utilizing Phase Separation Reactions for Enhancement of the Thermoelectric Efficiency in IV-VI Alloys. 2017 , 1-13	

- 876 Attaining ultrahigh thermoelectric performance of direction-solidified bulk n-type Bi₂Te_{2.4}Se_{0.6} via its liquid state treatment. **2017**, 42, 8-16 48
- 875 Texturing degree boosts thermoelectric performance of silver-doped polycrystalline SnSe. **2017**, 9, e426-e426 38
- 874 Computationally guided discovery of thermoelectric materials. **2017**, 2, 117
- 873 Sodium doped polycrystalline SnSe: High pressure synthesis and thermoelectric properties. **2017**, 727, 1014-1019 31
- 872 Thermoelectric power factor of Bi-Sb-Te and Bi-Te-Se alloys and doping strategy: First-principles study. **2017**, 727, 1067-1075 16
- 871 Evolution of nanostructured single-phase CoSb thin films by low-energy ion beam induced mixing and their thermoelectric performance. **2017**, 19, 24886-24895 8
- 870 Evaluation of the f-electron rare-earth copper telluride GdCu_{1+x}Te₂ as a thermoelectric material. **2017**, 255, 193-199 2
- 869 Extraordinary Thermoelectric Performance Realized in n-Type PbTe through Multiphase Nanostructure Engineering. **2017**, 29, 1703148 150
- 868 Enhancement of power factor in zinc antimonide thermoelectric thin film doped with titanium. **2017**, 209, 455-458 7
- 867 Tuning Thermal Transport in Chain-Oriented Conducting Polymers for Enhanced Thermoelectric Efficiency: A Computational Study. **2017**, 27, 1702847 41
- 866 Effects of topological edge states on the thermoelectric properties of Bi nanoribbons. **2017**, 381, 3167-3172 3
- 865 Manipulation of ionized impurity scattering for achieving high thermoelectric performance in n-type MgSb-based materials. **2017**, 114, 10548-10553 183
- 864 High Thermoelectric Performance of New Rhombohedral Phase of GeSe stabilized through Alloying with AgSbSe. **2017**, 56, 14113-14118 46
- 863 Enhancing thermoelectric performance of CuSe by doping Te. **2017**, 19, 27664-27669 21
- 862 Optimum electronic structures for high thermoelectric figure of merit within several isotropic elastic scattering models. **2017**, 7, 10104 6
- 861 Iron Intercalation in Covalent Organic Frameworks: A Promising Approach for Semiconductors. **2017**, 121, 21160-21170 30
- 860 Hydrothermal synthesis of SnQ (Q = Te, Se, S) and their thermoelectric properties. **2017**, 28, 455707 17
- 859 Bottom Up Chalcogenide Thermoelectric Materials from Solution-Processed Nanostructures. **2017**, 4, 1700517 10

858	Topological insulators for thermoelectrics. 2017 , 2,	90
857	Enhancement in thermoelectric performance of n-type Pb-deficit Pb-Sb-Te alloys. 2017 , 729, 198-202	20
856	Superparamagnetic enhancement of thermoelectric performance. 2017 , 549, 247-251	314
855	Giant Pressure-Induced Enhancement of Seebeck Coefficient and Thermoelectric Efficiency in SnTe. 2017 , 18, 3315-3319	7
854	High thermoelectric performances of monolayer SnSe allotropes. 2017 , 9, 16093-16100	80
853	Flexible thermoelectric power generation system based on rigid inorganic bulk materials. 2017 , 206, 649-656	63
852	Incoherent scattering can favorably influence energy filtering in nanostructured thermoelectrics. 2017 , 7, 7879	16
851	Large Voltage Generation of Flexible Thermoelectric Nanocrystal Thin Films by Finger Contact. 2017 , 7, 1700972	26
850	Strain engineering on thermoelectric performance of Mg ₂ Si. 2017 , 4, 075509	10
849	High-temperature electrical and thermal transport behaviors in layered structure WSe ₂ . 2017 , 100, 5528-5535	5
848	Morphology-Function Relationship of Thermoelectric Nanocomposite Films from PEDOT:PSS with Silicon Nanoparticles. 2017 , 3, 1700181	33
847	Ultrahigh thermoelectric performance in Cu ₂ Se _{0.5} S _{0.5} liquid-like materials. 2017 , 1, 14-23	99
846	New trends, strategies and opportunities in thermoelectric materials: A perspective. 2017 , 1, 50-60	220
845	Effect of high fluence neutron irradiation on transport properties of thermoelectrics. 2017 , 111, 043901	1
844	Enhancing Thermoelectric Performance of TiNiSn Half-Heusler Compounds via Modulation Doping. 2017 , 29, 7042-7048	50
843	Ag-Mg antisite defect induced high thermoelectric performance of β -MgAgSb. 2017 , 7, 2572	20
842	Influence of Sodium Chloride Doping on Thermoelectric Properties of p-type SnSe. 2017 , 46, 6662-6668	14
841	Defect-Associated Thermoelectric Transport Properties of Dual-Substituted CaMn _{1-x} Nb _{x/2} M _{x/2} O ₃ (M = Mo, W; 0.02 \leq x \leq 0.06). 2017 , 46, 6653-6661	2

840	Synthesis and Thermoelectric Properties of ZnO/Cu ₂ SnSe ₃ Composites. 2017 , 898, 1661-1668	6
839	Stability and Elastic, Electronic, and Thermodynamic Properties of Fe ₂ TiSi _{1-x} Sn _x Compounds. 2017 , 46, 6038-6044	8
838	Temperature- and doping-dependent roles of valleys in the thermoelectric performance of SnSe: A first-principles study. 2017 , 96,	29
837	Significant Enhancement of the Thermoelectric Performance of Higher Manganese Silicide by Incorporating MnTe Nanophase Derived from Te Nanowire. 2017 , 29, 7378-7389	25
836	Processing of advanced thermoelectric materials. 2017 , 60, 1347-1364	55
835	Improved thermoelectric properties of TiNiSn through enhancing strain field fluctuation. 2017 , 50, 425502	3
834	Thermoelectric properties of Lu-doped n-type Lu Bi ₂ -Te _{2.7} Se _{0.3} alloys. 2017 , 727, 326-331	17
833	Designing hybrid architectures for advanced thermoelectric materials. 2017 , 1, 2457-2473	30
832	Potential thermoelectric material open framework Si ₂₄ from a first-principles study. 2017 , 50, 425501	11
831	First-principles study of thermoelectric transport properties of monolayer gallium chalcogenides. 2017 , 50, 405301	14
830	Large enhancement of thermoelectric properties in n-type PbTe via dual-site point defects. 2017 , 10, 2030-2040	131
829	Enhancing the thermoelectric performance of Cu ₃ SnS ₄ -based solid solutions through coordination of the Seebeck coefficient and carrier concentration. 2017 , 5, 18808-18815	28
828	Significantly Enhanced Thermoelectric Performance of n ₂ Se ₃ through Lithiation via Chemical Diffusion. 2017 , 29, 7467-7474	12
827	Boosting the power factor with resonant states: A model study. 2017 , 96,	10
826	Thermoelectric properties of a magnetic semiconductor CuFeS ₂ . 2017 , 3, 85-92	51
825	Optimization of segmented thermoelectric generator using Taguchi and ANOVA techniques. 2017 , 7, 16746	27
824	Remarkable Roles of Cu To Synergistically Optimize Phonon and Carrier Transport in n-Type PbTe-CuTe. 2017 , 139, 18732-18738	179
823	Low Thermal Conductivity and High Thermoelectric Performance in Sb and Bi Codoped GeTe: Complementary Effect of Band Convergence and Nanostructuring. 2017 , 29, 10426-10435	83

- 822 Designing Diameter-Modulated Heterostructure Nanowires of PbTe/Te by Controlled Dewetting. **2017**, 17, 7226-7233 6
- 821 A Polyselenide with a Novel Se₇₈ Unit: the Structure of Sr₁₉□PbxGe₁₁Se₄₄ with x = 5.0 and 6.4. **2017**, 2017, 5515-5520 3
- 820 Metal/Ion Interactions Induced p-i-n Junction in Methylammonium Lead Triiodide Perovskite Single Crystals. **2017**, 139, 17285-17288 25
- 819 Thermoelectric properties and thermal stability of layered chalcogenides, TlScQ, Q = Se, Te. **2017**, 46, 17053-17060 7
- 818 Enhancing the thermoelectric performance of CexBi₂S₃ by optimizing the carrier concentration combined with band engineering. **2017**, 5, 12492-12499 21
- 817 Low thermal conductivity of thermoelectric Fe₂VAl films. **2017**, 10, 115802 7
- 816 Enhancement of thermoelectrical performance in Au-ion implanted V₂O₅ thin films. **2017**, 7, 50648-50656 8
- 815 Band structure modification of the thermoelectric Heusler-phase TiFeSn via Mn substitution. **2017**, 19, 18273-18278 7
- 814 Optimizing the thermoelectric performance of In₂S₃ codoped SnTe by introducing Sn vacancies. **2017**, 5, 7504-7509 29
- 813 Photo-thermoelectric properties of SnS nanocrystals with orthorhombic layered structure. **2017**, 111, 013104 3
- 812 Thermal conductivities in NaSnAs, NaSnP, and NaSn₂As₂: Effect of double lone-pair electrons. **2017**, 95, 21
- 811 Evaporation-condensation effects on the thermoelectric performance of PbTe-based couples. **2017**, 19, 19326-19333 3
- 810 Decouple electronic and phononic transport in nanotwinned structures: a new strategy for enhancing the figure-of-merit of thermoelectrics. **2017**, 9, 9987-9996 23
- 809 Enhancing p-Type Thermoelectric Performances of Polycrystalline SnSe via Tuning Phase Transition Temperature. **2017**, 139, 10887-10896 79
- 808 Electronic band structure of epitaxial PbTe (111) thin films observed by angle-resolved photoemission spectroscopy. **2017**, 95, 4
- 807 Temperature effect on redox voltage in Li_xCo[Fe(CN)₆]_y. **2017**, 7, 045002 8
- 806 High thermoelectric performance of Bi_{1-x}K_xCuSeO prepared by combustion synthesis. **2017**, 52, 11569-115796
- 805 Structural and Thermoelectric Properties of Nanostructured Nominally Stoichiometric Pb_{1-x}Bi_xTe Prepared by Mechanical Alloying. **2017**, 46, 5781-5791 7

804	Investigations on the Electrochemical Reduction Behaviors of Cu-Se Compound in Sulfuric Acid Solutions. 2017 , 46, 3187-3199	
803	Synergistically optimizing thermoelectric transport properties of n-type PbTe via Se and Sn co-alloying. 2017 , 724, 208-221	41
802	Improved thermoelectric power factor and conversion efficiency of perovskite barium stannate. 2017 , 7, 32703-32709	19
801	High thermoelectric figure of merit by resonant dopant in half-Heusler alloys. 2017 , 7, 065208	33
800	Origin of p-type characteristics in a SnSe single crystal. 2017 , 110, 262106	58
799	Supramolecular self-assembly on the B-Si(111)-(BxB) R30° surface: From single molecules to multicomponent networks. 2017 , 72, 316-349	19
798	High-Performance Low-Cost n-Type Se-Doped Mg ₃ Sb ₂ -Based Zintl Compounds for Thermoelectric Application. 2017 , 29, 5371-5383	108
797	Band flattening and phonon-defect scattering in cubic SnSeAgSbTe ₂ alloy for thermoelectric enhancement. 2021 , 16, 100298	8
796	Thermoelectric, Magnetic, and Mechanical Characteristics of Antiferromagnetic Manganese Telluride Reinforced with Graphene Nanoplates. 2021 , 23, 2000816	4
795	A Review of the Mg ₂ (Si,Sn) Alloy System as Emerging Thermoelectric Material: Experimental and Modeling Aspects. 2021 , 50, 25-51	4
794	Enhanced thermoelectric performance of AgSbSe ₂ via manganese doping. 2021 , 859, 157844	2
793	Pavonite homologues as potential n-type thermoelectric materials: crystal structure and performance. 2021 , 5, 1283-1294	6
792	State of the art in composition, fabrication, characterization, and modeling methods of cement-based thermoelectric materials for low-temperature applications. 2021 , 137, 110361	11
791	Efficient self-powered wearable electronic systems enabled by microwave processed thermoelectric materials. 2021 , 283, 116211	12
790	High-performance eco-friendly MnTe thermoelectrics through introducing SnTe nanocrystals and manipulating band structure. 2021 , 81, 105649	13
789	Low thermal conductivity and good thermoelectric performance in mercury chalcogenides. 2021 , 188, 110192	
788	Thermoelectric Properties of Novel Semimetals: A Case Study of YbMnSb. 2021 , 33, e2003168	15
787	Realizing widespread resonance effects to enhance thermoelectric performance of SnTe. 2021 , 852, 156989	2

786	The Effect of Crystal Mismatch on the Thermoelectric Performance Enhancement of Nano Cu ₂ Se. 2021 , 7,	2
785	Enhanced thermoelectric performance of hot-press Bi-doped n-type polycrystalline PbS. 2021 , 121, 105393	6
784	Compositional Fluctuations Locked by Athermal Transformation Yielding High Thermoelectric Performance in GeTe. 2021 , 33, e2005612	22
783	Strategies to optimize thermoelectric performance. 2021 , 19-50	1
782	The reduction of thermal conductivity in Cd and Sn co-doped Cu ₃ SbSe ₄ -based composites with a secondary-phase CdSe. 2021 , 56, 4727-4740	4
781	Highly anisotropic electronic and mechanical properties of monolayer and bilayer As ₂ S ₃ . 2021 , 542, 148665	4
780	Gate-Tunable Polar Optical Phonon to Piezoelectric Scattering in Few-Layer Bi O Se for High-Performance Thermoelectrics. 2021 , 33, e2004786	23
779	Spin Seebeck coefficients of Fe, Co, Ni, and Ni ₈₀ Fe ₂₀ 3d-metallic thin films. 2021 , 136, 111153	1
778	High thermoelectric performance by chemical potential tuning and lattice anharmonicity in GeTe _{1-x} Ix compounds. 2021 , 8, 1205-1214	0
777	Boosting the thermoelectric performance of p-type polycrystalline SnSe with high doping efficiency via precipitation design. 2021 , 9, 2991-2998	3
776	Particle size dependent anisotropic thermoelectric properties of N-type Bi ₂ (Te,Se) ₃ alloys on hot deformation. 2021 , 858, 157727	3
775	High thermoelectric performance in ZnSb-SnTe pseudo-binary materials. 2021 , 194, 113670	3
774	Coherent Sb/CuTe Core/Shell Nanostructure with Large Strain Contrast Boosting the Thermoelectric Performance of n-Type PbTe. 2021 , 31, 2007340	17
773	Enhanced power factor and thermoelectric performance for n-type Bi ₂ Te _{2.7} Se _{0.3} based composites incorporated with 3D topological insulator nano-inclusions. 2021 , 80, 105512	15
772	Tailoring nanostructured NbCoSn-based thermoelectric materials via crystallization of an amorphous precursor. 2021 , 80, 105518	8
771	Integrated SnSSe bulk and monolayer as industrial waste heat thermoelectric materials. 2021 , 45, 2085-2099	5
770	Measurement techniques of thermoelectric devices and modules. 2021 , 521-537	
769	Synthesis and physical properties of single-crystalline InTe: towards high thermoelectric performance. 2021 , 9, 5250-5260	6

768	Improved thermoelectric properties of WS-WSe phononic crystals: insights from first-principles calculations. 2021 , 13, 7176-7192	7
767	Electronic transport descriptors for the rapid screening of thermoelectric materials. 2021 , 8, 2463-2474	2
766	Anomalous enhancement of thermoelectric power factor by thermal management with resonant level effect. 2021 , 9, 4851-4857	8
765	Ultralow lattice thermal conductivity and dramatically enhanced thermoelectric properties of monolayer InSe induced by an external electric field. 2021 , 23, 13633-13646	2
764	Modulation of the electronic structure and thermoelectric properties of orthorhombic and cubic SnSe by AgBiSe alloying. 2021 , 12, 13074-13082	7
763	First-principles study of strain effect on the thermoelectric properties of LaP and LaAs. 2021 , 23, 18189-18196	2
762	Achieving superior performance in thermoelectric Bi _{0.4} Sb _{1.6} Te _{3.72} by enhancing texture and inducing high-density line defects. 2021 , 64, 1507-1520	3
761	Advances in half-Heusler alloys for thermoelectric power generation.	16
760	SnSe, the rising star thermoelectric material: a new paradigm in atomic blocks, building intriguing physical properties. 2021 , 8, 1847-1865	9
759	Enhancement of thermoelectric performance in a non-toxic CuInTe ₂ /SnTe coated grain nanocomposite. 2021 , 9, 14851-14858	6
758	Nanostructured thermoelectric materials. 2021 , 261-311	
757	The impact of site selectivity and disorder on the thermoelectric properties of Yb ₂₁ Mn ₄ Sb ₁₈ solid solutions: Yb ₂₁ Mn ₄ C _x Sb ₁₈ and Yb ₂₁ C _y Mn ₄ Sb ₁₈ . 2021 , 2, 5764-5776	0
756	Controlling phase separation in thermoelectric Pb _{1-x} GexTe to minimize thermal conductivity. 2021 , 9, 12340-12349	1
755	Traditional thermoelectric materials and challenges. 2021 , 139-161	
754	Enhanced thermoelectric performance of band structure engineered GeSe _{1-x} Tex alloys. 2021 , 5, 1734-1746	10
753	Solution-Processed Metal Chalcogenide Thermoelectric Thin Films. 2021 , 59-77	
752	Stabilized cubic phase BiAgSe _{2-x} Sx with excellent thermoelectric properties via phase boundary engineering.	1
751	Ab-initio study of opto-electronic and thermoelectric properties of direct bandgap double perovskites Rb ₂ XGaBr ₆ (X=Na, K). 2021 , 45, 9241-9251	4

750	Significant improvement in thermoelectric performance of SnSe/SnS nano-heterostructures. 2021 , 23, 3794-3801	3
749	Thermal analysis in studying the phase problem. 2021 , 217-246	
748	Anion exchanged Cl doping achieving band sharpening and low lattice thermal conductivity for improving thermoelectric performance in SnTe.	0
747	Orbital chemistry of high valence band convergence and low-dimensional topology in PbTe. 2021 , 9, 12119-12139	7
746	Residual resistivity as an independent indicator of resonant levels in semiconductors. 2021 , 8, 1735-1743	3
745	Giant Nernst effect and field-enhanced transversal zNT in ZrTe5. 2021 , 103,	3
744	Advances in the applications of thermoelectric materials. 2021 , 313-337	
743	Boosting the thermoelectric performance of GeTe by manipulating the phase transition temperature via Sb doping. 2021 , 9, 6484-6490	6
742	Materials development and module fabrication in highly efficient lead tellurides. 2021 , 247-267	
741	In Situ Observation of Electron-Beam-Induced Formation of Nano-Structures in PbTe. 2021 , 11,	
740	Excited state dynamics in a sodium and iodine co-doped lead telluride nanowire. 2021 , 119, e1874557	
739	Thermodynamic criterions of the thermoelectric performance enhancement in Mg ₂ Sn through the self-compensation vacancy. 2021 , 16, 100327	13
738	Remarkable thermoelectric property enhancement in Cu ₂ SnS ₃ /CuCo ₂ S ₄ nanocomposites via 3D modulation doping. 2021 , 9, 16928-16935	5
737	Origins of low lattice thermal conductivity of PbSnTe alloys for thermoelectric applications. 2021 , 50, 4323-4334	10
736	Hydrostatic Pressure Tuning of Thermal Conductivity for PbTe and PbSe Considering Pressure-Induced Phase Transitions. 2021 , 6, 3980-3990	4
735	High efficiency GeTe-based materials and modules for thermoelectric power generation. 2021 , 14, 995-1003	33
734	Refined band structure plus enhanced phonon scattering realizes thermoelectric performance optimization in Cu _{1-x} Mn _x codoped SnTe. 2021 , 9, 13065-13070	10
733	Metal-organic framework. 2021 , 279-387	2

732	Quadruple-layer group-IV tellurides: low thermal conductivity and high performance two-dimensional thermoelectric materials. 2021 , 23, 6388-6396	6
731	Enhanced atomic ordering leads to high thermoelectric performance in AgSbTe. <i>Science</i> , 2021 , 371, 722-727	110
730	Thermal conductivity of Mg ₂ Si _{1-x} Sn _x nanowire assemblies synthesized using solid-state phase transformation of silicon nanowires. 2021 , 8, 025005	0
729	Effect of defect interactions with interstitial Ag in the lattice of Bi _{2-x} Sb _{2x} Te ₃ alloys and their thermoelectric properties. 2021 , 118, 052102	4
728	Enhanced thermoelectric performance of hydrothermally synthesized polycrystalline Te-doped SnSe. 2021 , 32, 811-815	2
727	Exploring a Superlattice of SnO-PbO: A New Material for Thermoelectric Applications. 2021 , 4, 2081-2090	2
726	Fabrication, micro-structure characteristics and transport properties of co-evaporated thin films of BiTe on AlN coated stainless steel foils. 2021 , 11, 4041	3
725	Oxychalcogenides as Thermoelectric Materials: An Overview. 2021 , 4, 2022-2040	9
724	Directional Design of Materials Based on Multi-Objective Optimization: A Case Study of Two-Dimensional Thermoelectric SnSe. 2021 , 38, 027301	5
723	Ultra-high Seebeck coefficient of nanostructured Sb-substituted PbTe and fabrication of a thermoelectric generator module. 2021 , 44, 1	0
722	Emerging Thermal Technology Enabled Augmented Reality. 2021 , 31, 2007952	13
721	PEDOT:PSS-polyethylene oxide composites for stretchable and 3D-Printed thermoelectric devices. 2021 , 23, 100599	11
720	Realizing zT Values of 2.0 in Cubic GeTe. 2021 , 7, 476-482	16
719	Multivalley Band Structure and Phonon-Glass Behavior of TlAgTe. 2021 , 4, 2174-2180	2
718	Thermally insulative thermoelectric argyrodites. 2021 , 48, 198-198	10
717	Boosting the thermoelectric performance of Fe ₂ VAl type Heusler compounds by band engineering. 2021 , 103,	10
716	Electronic structure and thermoelectric properties of half-Heusler alloys NiTZ. 2021 , 11, 025304	10
715	Observation of 2D transport in Sn- and In-doped Bi _{2-x} Sb _x Te ₃ /Sey topological insulator. 2021 , 129, 095702	1

714	Sulfide Perovskites for Thermoelectricity. 2021 , 13, 14189-14197	4
713	Composition-segmented BiSbTe thermoelectric generator fabricated by multimaterial 3D printing. 2021 , 81, 105638	15
712	Discordant Gd and Electronic Band Flattening Synergistically Induce High Thermoelectric Performance in n-type PbTe. 1625-1632	14
711	Scaling Relation between Electrochemical Seebeck Coefficient for Fe ²⁺ /Fe ³⁺ in Organic Solvent and Its Viscosity. 2021 , 90, 033602	3
710	Thermal conductivity and enhanced thermoelectric performance of SnTe bilayer. 2021 , 56, 10424-10437	6
709	Improved Thermoelectric Properties of BiSbTe-AgBiSe ₂ Alloys by Suppressing Bipolar Excitation. 2021 , 4, 2944-2950	9
708	Chemical Composition Engineering Leading to the Significant Improvement in the Thermoelectric Performance of AgBiSe ₂ -Based n-Type Solid Solutions. 2021 , 4, 2899-2907	2
707	Substitutions and dislocations enabled extraordinary n-type thermoelectric PbTe. 2021 , 17, 100355	23
706	Buckled hexagonal carbon selenium nanosheet for thermoelectric performance. 2021 , 127, 1	1
705	Anomalous Thermopower and High in GeMnTe Driven by Spin's Thermodynamic Entropy. 2021 , 2021, 1949070	0
704	Direct mapping of temperature-difference-induced potential variation under non-thermal equilibrium. 2021 , 118, 091605	0
703	Si and SiGe Nanowire for Micro-Thermoelectric Generator: A Review of the Current State of the Art. 2021 , 8,	6
702	Thermoelectric materials for space applications. 2021 , 13, 325-340	3
701	Semiconducting Chalcogenide Alloys Based on the (Ge, Sn, Pb) (S, Se, Te) Formula with Outstanding Properties: A First-Principles Calculation Study. 2021 , 6, 9433-9441	9
700	Atomic-scale chemical mapping of copper dopants in Bi ₂ Te _{2.7} Se _{0.3} thermoelectric alloy. 2021 , 17, 100347	9
699	Parallel Dislocation Networks and Cottrell Atmospheres Reduce Thermal Conductivity of PbTe Thermoelectrics. 2021 , 31, 2101214	15
698	Computationally Guided Synthesis of High Performance Thermoelectric Materials: Defect Engineering in AgGaTe ₂ . 2021 , 7, 2001262	3
697	Mechanical alloying boosted SnTe thermoelectrics. 2021 , 17, 100340	14

696	Ultra-high thermoelectric performance in SnTe by the integration of several optimization strategies. 2021 , 17, 100350	13
695	Group 11V5 Metal Chalcogenides. 2021 , 195-218	
694	Fracture toughness of thermoelectric materials. 2021 , 144, 100607	7
693	Enhanced Thermoelectric Performance in High Entropy Alloys SnPbMnGeTe. 2021 , 13, 18638-18647	10
692	Group 11V5 Metal Chalcogenides. 2021 , 218-260	
691	Carrier and phonon transport control by domain engineering for high-performance transparent thin film thermoelectric generator. 2021 , 118, 151601	9
690	Enhanced thermoelectric properties of n-type Cl doped PbS-based materials via Bi alloying. 2021 , 859, 157788	8
689	Acoustic-Pressure-Assisted Engineering of Aluminum Foams. 2021 , 23, 2100306	
688	Datos administrativos agregados y estimación a partir de muestras no probabilísticas. 2021 , 79, e180	
687	Insight into the transport properties and enhanced thermoelectric performance of n-type $Pb_{1-x}Sb_xTe$. 2021 , 860, 158355	11
686	Unraveling the effect of isotropic strain on the transport properties of half-Heusler alloy LiScGe. 2021 , 859, 158232	2
685	Highly Anisotropic Thermoelectric Properties of Two-Dimensional As_2Te_3 . 2021 , 3, 1610-1620	6
684	Versatile Vanadium Doping Induces High Thermoelectric Performance in GeTe via Band Alignment and Structural Modulation. 2021 , 11, 2100544	18
683	Rational Electronic and Structural Designs Advance BiCuSeO Thermoelectrics. 2021 , 31, 2101289	17
682	Ultralow Thermal Conductivity and High Thermopower in a New Family of Zintl Antimonides $Ca_{10}MSb_9$ (M = Ga, In, Mn, Zn) with Complex Structures and Heavy Disorder. 2021 , 33, 3172-3186	8
681	Enhancing thermoelectric properties of single-walled carbon nanotubes using halide compounds at room temperature and above. 2021 , 11, 8649	6
680	Group 11V5 Metal Chalcogenides. 2021 , 260-282	
679	Dopant-Assisted Matrix Stabilization Enables Thermoelectric Performance Enhancement in n-Type Quantum Dot Films. 2021 , 13, 18999-19007	0

678	Two-dimensional nanomaterials with engineered bandgap: Synthesis, properties, applications. 2021 , 37, 101059	24
677	Ab initio thermoelectric calculations of ring-shaped bands in two-dimensional Bi ₂ Te ₃ , Bi ₂ Se ₃ , and Sb ₂ Te ₃ : Comparison of scattering approximations. 2021 , 103,	1
676	Lattice Strain Leads to High Thermoelectric Performance in Polycrystalline SnSe. 2021 , 15, 8204-8215	21
675	Manipulation of Defects for High-Performance Thermoelectric PbTe-Based Alloys. 2021 , 2, 2100016	4
674	The multi-dimensional approach to synergistically improve the performance of inorganic thermoelectric materials: A critical review. 2021 , 14, 103103	2
673	Exceptional Performance Driven by Planar Honeycomb Structure in a New High Temperature Thermoelectric Material BaAgAs. 2021 , 31, 2100583	8
672	Low thermal conductivity of SrTiO ₃ □LaTiO ₃ and SrTiO ₃ □BrNbO ₃ thermoelectric oxide solid solutions. 2021 , 104, 4075-4085	1
671	Thermoelectric Performance Enhancement of the Cost-Effective Phosphide ZnCu ₂ P ₈ . 2021 , 4, 4861-4866	1
670	Soft anharmonic phonons and ultralow thermal conductivity in Mg(Sb, Bi) thermoelectrics. 2021 , 7,	9
669	n-Type thermoelectric metal chalcogenide (Ag,Pb,Bi)(S,Se,Te) designed by multi-site-type high-entropy alloying. 2021 , 9, 366-372	3
668	Synthesis and Properties of Thermoelectric Nanomaterial AgInSe ₂ with a Chalcopyrite Structure. 2021 , 16, 357-362	
667	Realizing high thermoelectric properties in p-type polycrystalline SnSe by inducing DOS distortion. 2021 , 40, 2819-2828	5
666	Enhanced Thermoelectric Performance in Ge Sb Te/FeGe Composites Enabled by Hierarchical Defects. 2021 , 17, e2100915	0
665	Medium Entropy-Enabled High Performance Cubic GeTe Thermoelectrics. 2021 , 8, 2100220	14
664	Improving thermoelectric properties of ZrPtSn-based half-Heusler compound by Sb doping. 2021 , 40, 2838-2846	5
663	Dimensionality effects in high-performance thermoelectric materials: Computational and experimental progress in energy harvesting applications. e1547	3
662	Bottom-Up Engineering Strategies for High-Performance Thermoelectric Materials. 2021 , 13, 119	15
661	Improved thermoelectric performance in n-type BiTe facilitated by defect engineering. 2021 , 40, 2829-2837	5

660	Entropy engineering promotes thermoelectric performance in p-type chalcogenides. 2021 , 12, 3234	24
659	Recent Progress in Designing Thermoelectric Metal-Organic Frameworks. 2021 , 17, e2100505	10
658	Surprisingly high in-plane thermoelectric performance in a-axis-oriented epitaxial SnSe thin films. 2021 , 18, 100399	6
657	Inorganic Thermoelectric Fibers: A Review of Materials, Fabrication Methods, and Applications. 2021 , 21,	4
656	Eliciting High-Performance Thermoelectric Materials via Phase Diagram Engineering: A Review. 2021 , 2, 2100054	1
655	Structural Evolution of High-Performance Mn-Alloyed Thermoelectric Materials: A Case Study of SnTe. 2021 , 17, e2100525	11
654	Enhanced Thermoelectric and Mechanical Performances in Sintered BiSbTe-AgSbSe Composite. 2021 , 13, 24937-24944	8
653	High Thermopower and Optical Properties of A ₂ MoS ₄ (A = K, Rb, Cs) and Cs ₂ MoSe ₄ . 2021 , 258, 2000587	
652	Magneto-enhanced electro-thermal conversion performance. 2021 , 64, 2835-2845	4
651	Realizing high thermoelectric performance in n-type SnSe polycrystals via (Pb, Br) co-doping and multi-nanoprecipitates synergy. 2021 , 864, 158401	8
650	High Entropy Semiconductor AgMnGeSbTe ₄ with Desirable Thermoelectric Performance. 2021 , 31, 2103197	16
649	Engineering Electronic Structure and Lattice Dynamics to Achieve Enhanced Thermoelectric Performance of MnBb Co-Doped GeTe. 2021 , 33, 3611-3620	12
648	Investigation of thermoelectric properties in binary Sb-Te and Sn-Te alloys during crystallization process. 2021 , 562, 120767	0
647	Synthesis and thermoelectric performance of Ni _{0.3} Co _{3.7} Sb ₁₂ skutterudite filled with electronegative guest Se. 2021 , 47, 17753-17759	1
646	Contrasting Thermoelectric Transport Properties of n-Type PbS Induced by Adding Ni and Zn. 2021 , 4, 6284-6289	0
645	Analysis of Direct Band Gap A ₂ ScInI ₆ (A=Rb, Cs) Double Perovskite Halides Using DFT Approach for Renewable Energy Devices. 2021 ,	7
644	Magnetic Ni doping induced high power factor of Cu ₂ GeSe ₃ -based bulk materials. 2021 , 41, 3473-3479	3
643	Enhanced thermoelectric performance of stibium and bismuth co-doped SnTe via melt spinning. 2021 , 14, 2150023	

642	High thermoelectric figure of merit of porous Si nanowires from 300 to 700 K. 2021 , 12, 3926	6
641	The strain-induced excellent thermoelectric performance of PbTe. 2021 , 130, 114685	8
640	Exceptionally high open circuit thermoelectric figure of merit in two-dimensional tin sulphide. 2021 , 33,	2
639	The thermoelectric performance of new structure SnSe studied by quotient graph and deep learning potential. 2021 , 20, 100665	4
638	Leveraging bipolar effect to enhance transverse thermoelectricity in semimetal MgPb for cryogenic heat pumping. 2021 , 12, 3837	6
637	Solubility limit and annealing effects on the microstructure & thermoelectric properties of Fe ₂ V _{1-x} TaxAl _{1-y} Si _y Heusler compounds. 2021 , 212, 116867	4
636	Laser synthesis of copper oxides 2D structures with high Seebeck coefficient and high thermoelectric figure of merit. 2021 , 32, 17123-17135	1
635	Controlled thermal expansion and thermoelectric properties of Mg ₂ Si/Si composites. 2021 , 130, 035105	
634	Anharmonic vibration of Ag atom in low lattice thermal conductivity chain structure phosphide Ag ₃ SnP ₇ . 2021 , 130, 035104	1
633	The Effect of Thermal Treatment on the Thermoelectric Figure of Merit of Silicon Doped Using Nuclear Transmutation. 2021 , 57, 425-430	0
632	Micromechanics-based theoretical prediction for thermoelectric properties of anisotropic composites and porous media. 2021 , 165, 106918	2
631	Influence of gallium doping on structural and thermoelectric properties of bismuth telluride. 2021 , 565, 126141	0
630	An Update Review on -Type Layered Oxyselenide Thermoelectric Materials. 2021 , 14,	4
629	Lead-free SnTe-based compounds as advanced thermoelectrics. 2021 , 19, 100405	17
628	Assessing the structural, electronic, elastic and thermoelectric properties of PtTiSn and PdLaBi transition metal alloys from the first-principles prospective. 2021 , 129, 105796	2
627	High Thermoelectric Performance of Sb ₂ Si ₂ Te ₆ Monolayers. 2021 , 125, 16413-16419	4
626	First principles investigation of intrinsic and Na defects in XTe (X=Ca, Sr, Ba) nanostructured PbTe. 2021 , 19, 100415	3
625	Power generation and thermoelectric cooling enabled by momentum and energy multiband alignments. <i>Science</i> , 2021 , 373, 556-561	33-3 79

- 624 Optimization of Thermoelectric Properties Based on Rashba Spin Splitting.
- 623 Interface effect and band engineering in Bi₂Te₃:C and Bi₂Te₃:Ni-Cu with enhanced thermopower for self-powered wearable thermoelectric generator. **2021**, 868, 158905 3
- 622 Effect of Br substitution on thermoelectric transport properties in layered SnSe₂. **2021**, 868, 159161 3
- 621 Soft-mode dynamics in the ferroelectric phase transition of GeTe. **2021**, 7, 1
- 620 Thermoelectric properties of Spark plasma sintered PbTe synthesized without any surfactant and organic solvent. **2021**, 8, 075004 0
- 619 Thermoelectric Transport Properties of TmAg_{1-x}Cu_x-Te₂ solid solutions. **2021**, 7, 886-893 0
- 618 Thermoelectric Properties of Strained HgCuSe. **2021**, 13, 34367-34373 2
- 617 Ultra-low lattice thermal conductivity and high thermoelectric efficiency of K₃AuO. **2021**, 130, 045101 1
- 616 The Verification of Thermoelectric Performance Obtained by High-Throughput Calculations: The Case of GeS₂ Monolayer From First-Principles Calculations. **2021**, 8, 2
- 615 Enhanced thermoelectric figure-of-merit of MoS₂/□-MoO₃ nanosheets via tuning of sulphur vacancies. **2021**, 416, 128484 8
- 614 Nano-precipitation and carrier optimization synergistically yielding high-performance n-type Bi₂Te₃ thermoelectrics. **2021**, 19, 100416 4
- 613 Predicting thermoelectric properties from chemical formula with explicitly identifying dopant effects. **2021**, 7, 6
- 612 Point defects control in non-stoichiometric CuInTe₂ compounds and its corresponding effects on the microstructure and thermoelectric properties. **2021**, 869, 159381 3
- 611 Magnetoresistance-enhanced electro-thermal conversion performance. **2021**, 19, 100409 7
- 610 Optoelectronic and thermoelectric properties of A₃AsN (A = Mg, Ca, Sr and Ba) in cubic and orthorhombic phase. **2021**, 13, 1485-1495 6
- 609 High-Performance Thermoelectric Energy Conversion: A Tale of Atomic Ordering in AgSbTe₂. **2021**, 6, 2825-2837 11
- 608 Synergistic phonon scattering in epitaxial silicon multilayers with germanium nanodot inclusions. **2021**, 104, 2
- 607 Nanostructuring Bi₂Te₃-Based Thermoelectric Thin-Films Grown Using Pulsed Laser Deposition.

606	Entropy-Induced Multivalley Band Structures Improve Thermoelectric Performance in $\text{-CuP(SSe) Argyrodites}$. 2021 , 13, 39606-39620	6
605	Thermoelectric power properties of Ge doped PbTe alloys. 2021 , 872, 159630	9
604	Efficacy of the Method of Four Coefficients to Determine Charge-Carrier Scattering. 2021 , 16,	0
603	Regulating Te Vacancies through Dopant Balancing via Excess Ag Enables Rebounding Power Factor and High Thermoelectric Performance in p-Type PbTe. 2021 , 8, e2100895	9
602	Research status and performance optimization of medium-temperature thermoelectric material SnTe.	0
601	High band degeneracy and weak chemical bonds leading to enhanced thermoelectric transport properties in 2HMoTe_2 . 2021 , 300, 122227	1
600	Achievement of Excellent Thermoelectric Properties in Cu-Se-S Compounds via In Situ Phase Separation. 2021 , 60, 13269-13277	1
599	Exploration of New Double Perovskites Cs_2YInX_6 (X = Cl, Br, I) for Opto-Electronic and Sustainable Energy Applications. 2021 , 10, 084007	1
598	A comparative study of thermoelectric $\text{Cu}_2\text{TrTi}_3\text{S}_8$ (Tr = Co and Sc) thiospinels: Enhanced Seebeck coefficient via electronic structure modification. 2021 , 871, 159548	1
597	Electronic structure modulation of $\text{Pb}_{0.6}\text{Sn}_{0.4}\text{Te}$ via zinc doping and its effect on the thermoelectric properties. 2021 , 872, 159681	10
596	Development of High-Performance Thermoelectric Materials by Microstructure Control of P-Type BiSbTe Based Alloys Fabricated by Water Atomization. 2021 , 14,	4
595	Electrical performance enhancement by resonant states in PbSe single-crystal growth via Bi-flux method. 2021 , 32, 24198-24208	0
594	Construction and characterization of a solar refrigeration system based on nano-graphene. 2021 , 1950, 012004	
593	Materials and Devices for On-Chip and Off-Chip Peltier Cooling: A Review. 2021 , 11, 1267-1281	2
592	Realize High Thermoelectric Properties in n-Type BiTeSe/YO Nanocomposites by Constructing Heterointerfaces. 2021 , 13, 38526-38533	5
591	Decoupling of the Electrical and Thermal Transports in Strongly Coupled Interlayer Materials. 2021 , 12, 7832-7839	1
590	Thermoelectric materials taking advantage of spin entropy: lessons from chalcogenides and oxides. 2021 , 22, 583-596	7
589	Magnetically enhanced thermoelectrics: a comprehensive review. 2021 , 84,	3

588	Local ferroelectric polarization switching driven by nanoscale distortions in thermoelectric [Formula: see text]. 2021 , 11, 17190	1
587	Current State-of-the-Art in the Interface/Surface Modification of Thermoelectric Materials. 2021 , 11, 2101877	11
586	Improved thermoelectric performance of Cu ₂ O-Cr/Sn composite powder. 2021 , 777, 138722	5
585	Rare Earth Element Doping Introduces Pores to Improve Thermoelectric Properties of p-Type Bi _{0.46} Sb _{1.54} Te ₃ . 2021 , 4, 9751-9757	2
584	Phase Composition Manipulation and Twin Boundary Engineering Lead to Enhanced Thermoelectric Performance of Cu ₂ SnS ₃ . 2021 , 4, 9240-9247	4
583	g-C ₃ N ₃ -graphene-g-C ₃ N ₃ : A useful spin thermoelectric material. 2021 , 156, 110186	0
582	Thermal Management Systems and Waste Heat Recycling by Thermoelectric Generators: An Overview. 2021 , 14, 5646	5
581	Realizing high doping efficiency and thermoelectric performance in n-type SnSe polycrystals via bandgap engineering and vacancy compensation. 2021 , 20, 100452	3
580	A Review on Fundamentals, Design and Optimization to High ZT of Thermoelectric Materials for Application to Thermoelectric Technology. 2021 , 50, 6037-6059	2
579	Stabilizing the Optimal Carrier Concentration in Al/Sb-Codoped GeTe for High Thermoelectric Performance. 2021 , 13, 45717-45725	6
578	Demonstration of valley anisotropy utilized to enhance the thermoelectric power factor. 2021 , 12, 5408	17
577	Manipulation of hole and band for thermoelectric enhancements in SrCd ₂ Sb ₂ Zintl compound. 2021 , 420, 130530	5
576	Band structure and microstructure modulations enable high quality factor to elevate thermoelectric performance in Ge _{0.9} Sb _{0.1} Te-x%FeTe ₂ . 2021 , 20, 100444	6
575	Superconductivity in HEA-Type Compounds.	4
574	Thermoelectric degrees of freedom determining thermoelectric efficiency. 2021 , 24, 102934	4
573	Two-dimensional Al ₂ I ₂ Se ₂ : A promising anisotropic thermoelectric material. 2021 , 876, 160191	7
572	Facile Fabrication of Cu ₂ O Thin Film with High Seebeck Coefficient. 1	0
571	Thermoelectric properties of (GeTe) _{1-x} [(Ag ₂ Te) _{0.4} (Sb ₂ Te ₃) _{0.6}] _x alloys. 1	1

570	First-principles study of lead-free double perovskites $K_2Pt(Cl/Br)_6$ for optoelectronic and renewable energy applications. 2021 , 301, 122294	4
569	Unraveling the structural and electronic properties of strained PbSe on GaAs. 2021 , 570, 126235	3
568	High performance wearable thermoelectric generators using Ag ₂ Se films with large carrier mobility. 2021 , 87, 106223	10
567	Phonon Transport and Thermoelectric Properties of Imidazole-Graphyne. 2021 , 14,	0
566	Recent Progress in Design of Conductive Polymers to Improve the Thermoelectric Performance.	1
565	Pencil painting like preparation for flexible thermoelectric material of high-performance p-type $Na_{1.4}Co_2O_4$ and novel n-type $NaxCo_2O_4$. 2021 , 7, 1153-1160	0
564	Mechanical Properties and Thermal Stability of the High-Thermoelectric-Performance CuSe Compound. 2021 , 13, 45736-45743	2
563	Thermoelectric Coolers as Thermal Management Systems for Medical Applications: Design, Optimization, and Advancement. 2021 , 106572	8
562	Thermostructural and Elastic Properties of PbTe and $Pb_{0.884}Cd_{0.116}Te$: A Combined Low-Temperature and High-Pressure X-ray Diffraction Study of Cd-Substitution Effects. 2021 , 11, 1063	0
561	Enhanced thermoelectric properties of $Cu_{2-x}Se$ by coordinating carrier concentration to reduce thermal conductivity. 2021 ,	0
560	Effect of exchange-correlation functional type and spin-orbit coupling on thermoelectric properties of ZrTe ₂ . 2021 , 302, 122414	1
559	Boosting thermoelectrics by alloying Cu ₂ Se in SnTe-CdTe compounds. 2021 , 89, 45-51	2
558	Electronic, optical and thermoelectric properties of two-dimensional pentagonal SiGeC ₄ nanosheet for photovoltaic applications: First-principles calculations. 2021 , 158, 107024	3
557	Top-down method to fabricate $TiNi_{1+Sn}$ half-Heusler alloy with high thermoelectric performance. 2021 , 87, 39-45	1
556	Achievement of extra-high thermoelectric performance in doped copper (I) sulfide. 2021 , 878, 160128	3
555	Optimized output electricity of thermoelectric generators by matching phase change material and thermoelectric material for intermittent heat sources. 2021 , 233, 121113	5
554	Improvement of thermoelectric properties of SnTe by Mn Bi codoping. 2021 , 421, 127795	9
553	A record high average ZT over a wide temperature range in a Single-layer $Sb_2Si_2Te_6$. 2021 , 567, 150873	0

552	Expand band gap and suppress bipolar excitation to optimize thermoelectric performance of Bi _{0.35} Sb _{1.65} Te ₃ sintered materials. 2021 , 21, 100544	5
551	High temperature SiTe alloy towards thermoelectric applications: A comprehensive review. 2021 , 21, 100468	12
550	Heavy-ion irradiation assisted modification of p-type transparent CuAlO ₂ films: Electrical, optical and thermoelectric properties. 2021 , 193, 110498	0
549	Ultralow and glass-like lattice thermal conductivity in crystalline BaAg ₂ Te ₂ : Strong fourth-order anharmonicity and crucial diffusive thermal transport. 2021 , 21, 100487	4
548	Formation of inhomogeneous micro-scale pores attributed ultralow κ_{lat} and concurrent enhancement of thermoelectric performance in p-type Bi _{0.5} Sb _{1.5} Te ₃ alloys. 2021 , 881, 160499	2
547	First principle study of optoelectronic and thermoelectric properties of magnesium based MgX ₂ O ₄ (X = Sb, Bi) spinels. 2021 , 303, 122480	7
546	Enhanced thermoelectric performance in GeTe-Sb ₂ Te ₃ pseudo-binary via lattice symmetry regulation and microstructure stabilization. 2021 , 21, 100507	5
545	Synthesis and characterization of G/TiO _{1.80} bulk composite thermoelectric material under high temperature and high pressure. 2021 , 47, 31852-31859	0
544	Magnetic constitution of topologically trivial thermoelectric PbTe:Cr. 2021 , 537, 168154	2
543	DFT investigation of mechanical and vibrational properties of CuTe. 2021 , 620, 413214	
542	Thermoelectric materials and transport physics. 2021 , 21, 100519	22
541	The thermoelectric and mechanical properties of Mg ₂ (Si _{0.3} Sn _{0.7}) _{0.99} Sb _{0.01} prepared by one-step solid state reaction combined with hot-pressing. 2021 , 881, 160546	1
540	Enhanced thermoelectric performance of low carbon cement-based composites by reduced graphene oxide. 2021 , 250, 111279	4
539	Enhanced thermoelectric power factor in in-situ high-vacuum annealed Bi _{1-x} Sb _x films with compact morphology by magnetron sputtering. 2021 , 737, 138948	0
538	Broadening the optimum thermoelectric power generation range of p-type sintered Bi _{0.4} Sb _{1.6} Te ₃ by suppressing bipolar effect. 2021 , 426, 131853	5
537	Appealing perspectives of structural, electronic, mechanical, and thermoelectric properties of Tl ₂ (Se, Te)Cl ₆ vacancy-ordered double perovskites. 2021 , 159, 110258	3
536	P-type doping of transition metal elements to optimize the thermoelectric properties of CuGaTe ₂ . 2022 , 427, 131807	1
535	Decoupling of thermoelectric transport performance of Ag doped and Se alloyed tellurium induced by carrier mobility compensation. 2022 , 101, 71-79	1

534	N-type amorphous silicon-germanium thin films with embedded nanocrystals as a novel thermoelectric material of elevated ZT. 2022 , 890, 161843	3
533	Improving the thermoelectric performances of polymer via synchronously realizing of chemical doping and side-chain cleavage. 2022 , 429, 132354	0
532	Mixed-phase effect of a high Seebeck coefficient and low electrical resistivity in Ag ₂ S. 2021 , 54, 115503	3
531	Synergistically Optimized Thermoelectric and Mechanical Properties in p-Type BiSbTe by a Microdroplet Deposition Technique. 2021 , 9, 2001024	1
530	High carrier mobility and ultralow thermal conductivity in the synthetic layered superlattice Sn ₄ Bi ₁₀ Se ₁₉ . 2021 , 2, 2382-2390	4
529	Localized vibration and avoided crossing in SrTi ₁₁ O ₂₀ for oxide thermoelectrics with intrinsically low thermal conductivity. 2021 , 9, 11674-11682	1
528	Improving the thermoelectric performance of CuSnSe regulating micro- and electronic structures. 2021 , 13, 4233-4240	5
527	Unveiling the Intrinsic Low Thermal Conductivity of BiAgSeS through Entropy Engineering in SHS Kinetic Process. 2021 , 36, 991	0
526	Dramatically enhanced Seebeck coefficient in GeMnTe-NaBiTe alloys by tuning the Spin's thermodynamic entropy. 2021 , 23, 17866-17872	0
525	Rationally optimized carrier effective mass and carrier density leads to high average ZT value in n-type PbSe.	5
524	Interfacial architecting with anion treatment for enhanced thermoelectric power of flexible ternary polymer nanocomposites. 2021 , 9, 20544-20552	4
523	Defect engineering in thermoelectric materials: what have we learned?. 2021 , 50, 9022-9054	45
522	Boosting Thermoelectric Properties of AgBi(SeS) Solid Solution via Entropy Engineering. 2021 , 13, 4185-4191	3
521	Introduction and brief history of thermoelectric materials. 2021 , 1-19	1
520	Synergistic Strategies to Boost Lead Telluride as Prospective Thermoelectrics. 2021 , 155-189	1
519	Recent Advances in Functional Thermoelectric Materials for Printed Electronics. 2021 , 79-122	
518	Overview of Thermoelectric Materials. 2021 , 319-319	1
517	Environmentally friendly thermoelectric sulphide Cu ₂ ZnSnS ₄ single crystals achieving a 1.6 dimensionless figure of merit ZT. 2021 , 9, 15595-15604	5

516	When thermoelectric materials come across with magnetism. 2021 , 40, 752-766	5
515	Giant thermoelectric performance of an n-type 2D GaSe _{0.5} Te _{0.5} alloy. 2021 , 9, 10497-10504	1
514	Next-generation self-powered nanosensors. 2021 , 487-515	0
513	Resonant impurity level of Ni in the valence band of Pb _{1-x} Sn _x Te alloys. 2021 , 47, 24-31	1
512	Effect of iodine doping on the electrical, thermal and mechanical properties of SnSe for thermoelectric applications. 2021 , 23, 4230-4239	4
511	Suppressing Ge-vacancies to achieve high single-leg efficiency in GeTe with an ultra-high room temperature power factor.	19
510	Enhanced thermoelectric performance of InTe through Pb doping.	1
509	Evidence for Itinerant Carriers in an Anisotropic Narrow-Gap Semiconductor by Angle-Resolved Photoemission Spectroscopy. 2018 , 30, 1704733	5
508	Thermodynamic Routes to Ultralow Thermal Conductivity and High Thermoelectric Performance. 2020 , 32, e1906457	40
507	Enhanced Thermoelectric Performance of Ba ₈ Ga ₁₆ Ge ₃₀ Clathrate by Modulation Doping and Improved Carrier Mobility. 2021 , 7, 2000782	6
506	Nanoscale Self-assembled Oxide Bulk Thermoelectrics. 2014 , 327-361	2
505	Thermoelectric Generator Power Converter System Configurations: A Review. 2014 , 151-166	2
504	Inorganic Clathrates for Thermoelectric Applications. 2014 , 169-191	7
503	Van der Waals epitaxy of ultrathin crystalline PbTe nanosheets with high near-infrared photoelectric response. 2021 , 14, 1955-1960	5
502	One-step rapid synthesis of Cu ₂ Se with enhanced thermoelectric properties. 2019 , 786, 557-564	22
501	The electronic-thermal transport properties and the exploration of magneto-thermoelectric properties and the Nernst thermopower of Ag ₂ (1+)Se. 2020 , 288, 121453	5
500	Phase structure, phase transition and thermoelectric properties of pristine and Br doped SnSe ₂ . 2020 , 289, 121468	6
499	Energetic optimization effects in single resonant tunneling GaAs-nanoconverters. 2020 , 124, 114231	2

498	Thermal expansion induced reduction of lattice thermal conductivity in light crystals. 2017 , 381, 3514-3518	7
497	Zintl Phase $\text{Yb}_{1-x}\text{Ba}_x\text{Mg}_2\text{Bi}_{1.98}$ Compounds with Enhanced Thermoelectric Performance Caused by Cation Substitution. 2020 , 3, 11036-11041	3
496	Discovery of ZrCoBi based half Heuslers with high thermoelectric conversion efficiency. 2018 , 9, 2497	154
495	Chapter 2:Chalcogenide Thermoelectric Materials. 2016 , 27-59	4
494	Electronic structure and thermoelectric properties of Mo-based dichalcogenide monolayers locally and randomly modified by substitutional atoms.. 2020 , 10, 43035-43044	2
493	The unique evolution of transport bands and thermoelectric performance enhancement by extending low-symmetry phase to high temperature in tin selenide. 2020 , 8, 9345-9351	5
492	Doping induced enhanced density of states in bismuth telluride. 2017 , 111, 232101	3
491	Synthesis, structure, and transport properties of $\text{Ba}_8\text{Cu}_{16-x}\text{Au}_x\text{P}_{30}$ clathrate solid solution. 2020 , 127, 055104	1
490	Realizing η -type NbCoSn half-Heusler compounds with enhanced thermoelectric performance via Sc substitution. 2020 , 21, 122-130	13
489	Variation of thermoelectric figure-of-merits for $\text{Mg}_2\text{Si}_x\text{Sn}_{1-x}$ solid solutions. 2021 , 54, 055504	5
488	First-principles investigation on the thermoelectric performance of half-Heusler compound CuLiX ($X = \text{Se}, \text{Te}$). 2021 , 33, 095501	5
487	Low lattice thermal conductivity and high figure of merit in p-type doped K_3IO . 2020 , 29, 126501	0
486	Low lattice thermal conductivity and good thermoelectric performance of cinnabar. 2017 , 1,	10
485	Ab initio design of new cobalt-based half-Heusler materials for thermoelectric applications. 2017 , 1,	17
484	Widely tunable band gap in a multivalley semiconductor SnSe by potassium doping. 2018 , 2,	12
483	FeTaSb and FeMnTiSb as promising thermoelectric materials: An ab initio approach. 2018 , 2,	9
482	Correlated local dipoles in PbTe. 2018 , 2,	25
481	First-principles study of vibrational entropy effects on the PbTe-SrTe phase diagram. 2018 , 2,	3

480	New two-dimensional phase of tin chalcogenides: Candidates for high-performance thermoelectric materials. 2019 , 3,	26
479	Comprehensive study of the low-temperature transport properties of polycrystalline Sn _{1+x} Te (x=0 and 0.03). 2019 , 3,	12
478	Thermoelectric properties of semimetals. 2019 , 3,	20
477	Two-valence band electron and heat transport in monocrystalline PbTe-CdTe solid solutions with Cd content up to 10 atomic percent. 2020 , 4,	1
476	Intermediate Yb valence in the Zintl phases Yb ₁₄ MSb ₁₁ (M=Zn,Mn,Mg): XANES, magnetism, and heat capacity. 2020 , 4,	4
475	Large thermoelectric power factor of high-mobility transition-metal dichalcogenides with 1T? phase. 2020 , 2,	9
474	Correlated electronic structure of colossal thermopower FeSb ₂ : An ARPES and ab initio study. 2020 , 2,	5
473	Probing of Optoelectronic and Transport Properties of Zinc Based ZnY ₂ X ₄ (X = S, Se) Spinel for Renewable Energy. 2020 , 9, 105001	4
472	Performance Prediction and Irreversibility Analysis of a Thermoelectric Refrigerator with Finned Heat Exchanger. 2011 , 120, 397-406	21
471	Multimode entanglement generation with dual-pumped four-wave-mixing of Rubidium Atoms. 2020 , 28, 25278-25292	2
470	Influence of Ge _{1-x} In _x Te Microstructure on Thermoelectric Properties. 2020 , 35, 916	2
469	Terahertz photoconductivity and nontrivial local electronic states in doped lead telluride-based semiconductors. 2014 , 184, 1033-1044	3
468	Highly Textured N-Type SnSe Polycrystals with Enhanced Thermoelectric Performance. 2019 , 2019, 9253132	21
467	Achieving High Thermoelectric Performance in Rare-Earth Element-Free CaMgBi with High Carrier Mobility and Ultralow Lattice Thermal Conductivity. 2020 , 2020, 5016564	6
466	Defects Engineering with Multiple Dimensions in Thermoelectric Materials. 2020 , 2020, 9652749	33
465	Recent advances and future prospects in energy harvesting technologies. 2020 , 59, 110201	22
464	Recent Progress of Thermoelectric Nano-composites. 2010 , 25, 561-568	34
463	Effect of Doping on Thermoelectric Property of Spray Deposited Nanostructured CdO Thin Films. 2012 , 12, 1769-1771	1

462	Computational Simulations of Thermoelectric Transport Properties. 2016 , 53, 273-281	32
461	Design and Preparation of High-Performance Bulk Thermoelectric Materials with Defect Structures. 2017 , 54, 75-85	17
460	Organic-Inorganic Hybrid Thermoelectric Material Synthesis and Properties. 2017 , 54, 272-277	6
459	Flexible Thermoelectric Device Using Thick Films for Energy Harvesting from the Human Body. 2017 , 54, 518-524	5
458	Study on the preparation and properties of polyparaphenylene/LiNi _{0.5} Fe ₂ O ₄ anocomposite thermoelectric materials. 2012 , 61, 076502	1
457	The effects of Ag-doping on thermoelectric properties of p-type Pb _{0.5} Sn _{0.5} Te compound. 2012 , 61, 217104	2
456	Quantum thermal transport and spin thermoelectrics in low-dimensional nano systems: application of nonequilibrium Green's function method. 2015 , 64, 186302	11
455	Effect of Ga doping on the thermoelectric performance of Cu ₃ SbSe ₄ . 2017 , 66, 167201	2
454	Effects of Se substitution for Te on electrical and thermal transport properties of BiCuTeO. 2019 , 68, 077201	3
453	Seebeck Effects and Electronic Thermal Conductivity of IV-VI Materials. 2011 , 50, 031302	8
452	Determination of the Thermoelectric Properties in Filled-Skutterudite Systems by Controlling the Process Variables. 2012 , 51, 09ML02	4
451	Efficient lanthanide Gd doping promoting the thermoelectric performance of Mg ₃ Sb ₂ -based materials.	3
450	Structural study and evaluation of thermoelectric properties of single-phase isocubanite (CuFe ₂ S ₃) synthesized via an ultra-fast efficient microwave radiation technique. 2021 , 5, 5804-5813	1
449	Enhancement of Thermoelectric Properties in n-type NbCoSn Half-Heusler Compounds via Ta Alloying.	4
448	Metal Halide Perovskites as Emerging Thermoelectric Materials. 3882-3905	7
447	First-principles study of the structural, optoelectronic and thermophysical properties of the Bi ₂ Se ₃ for thermoelectric applications. 2021 , 12, 1101-1114	3
446	Construction and Characterization of Graphene-Polyvinyl Alcohol Nanocomposite as Thermoelement With High ZT Factor. 2022 , 647-661	
445	High Thermoelectric Performance of n-Type PbTe Enabled by the Synergy of Resonance Scattering and Lattice Softening. 2021 , 13, 49027-49042	10

- 444 Recent Progress in Multiphase Thermoelectric Materials. **2021**, 14, 3
- 443 Enhanced Thermoelectric Performance Achieved in SnTe via the Synergy of Valence Band Regulation and Fermi Level Modulation. **2021**, 13, 50037-50045 0
- 442 Low thermal conductivity of complex thermoelectric barium silicide film epitaxially grown on Si. **2021**, 119, 141603 3
- 441 Strained Endotaxial PbS Nanoprecipitates Boosting Ultrahigh Thermoelectric Quality Factor in n-Type PbTe As-Cast Ingots. **2021**, e2104496 7
- 440 Decoupling thermoelectric transport coefficients of Dirac semimetal Na₂AgSb with intrinsically ultralow lattice thermal conductivity. **2021**, 21, 100560 0
- 439 Growth and thermoelectric characterization of chalcopyrite ZnSnSb₂ with pseudocubic structure. **2021**, 110417
- 438 Bismuth induced Cu₇Te₄/Sb₂Te₃ nanocomposites for higher thermoelectric power factor and carrier properties. 1 0
- 437 Thermoelectric properties and service stability of Ag-containing Cu₂Se. **2021**, 21, 100550 4
- 436 Structural, vibrational, electronic, elastic and thermoelectric properties of monolayer alkali halide compounds from first principles investigation. **2021**, 29, 102855 1
- 435 Activation mechanism of calcium hydrolysate on the spodumene surface and its effect on the adsorption of collector. **2021**, 174, 107221 2
- 434 Effect of n-type Dopants on CoSb₃Skutterudite Thermoelectrics Sintered by Spark Plasma Sintering. **2010**, 20, 326-330 1
- 433 An Effect of Fe₂O₃Additive on a Seebeck Coefficient and a Power Factor for SmCoO₃Perovskite System. **2010**, 47, 457-460
- 432 Charge Kondo Effect in Thermoelectric Properties of Lead Telluride Doped with Thallium Impurities. **2013**, 67-80
- 431 Dilute Bismuthides on an InP Platform. **2013**, 89-116
- 430 9.9 Thermoelectric devices. **2013**, 558-561
- 429 Study on Electrochemical Preparation and Thermo-Electronic Performance of n-Type PbTe Nanoplates. **2013**, 03, 222-229
- 428 High temperature thermoelectric performance of Ca²⁺ doped CdO ceramics. **2015**, 64, 218101 1
- 427 The Effects of Al-substitution on Thermoelectric and Charge Transport Properties of BiCuOSe Compounds. **2015**, 28, 847-851

426 Encyclopedia of Nanotechnology. **2016**, 3781-3798

425 Defects and thermoelectric performance of ternary chalcopyrite CuInTe₂-based semiconductors doped with Mn. **2016**, 65, 067201

424 Microstructures and thermoelectric transports in PbSe-MnSe nano-composites. **2016**, 65, 107201 2

423 Encyclopedia of Nanotechnology. **2016**, 1-19

422 Nanostructured Polymers and Polymer/Inorganic Nanocomposites for Thermoelectric Applications. **2017**, 559-576 1

421 The Influence of In Doping on the Structure and Electric Transport Characteristics of PbTe Thin Films. **2017**, 07, 249-256

420 Optimization of Spark Plasma Sintering Temperature Conditions for Enhancement of Thermoelectric Performance in Gas-Atomized Bi_{0.5}Sb_{1.5}Te₃ Compound. **2017**, 24, 108-114 1

419 Pentabasic Thermoelectricity System Prepared by Powder Metallurgy Method and the Performance Thermoelectric Generator Modules. **2018**, 25-31

418 Thermoelectrics: Material Candidates and Structures I Chalcogenides and Silicon-Germanium Alloys. **2019**, 69-89

417 Lead Chalcogenide Thermoelectric Materials. **2019**, 83-104 0

416 High Thermoelectric Performance due to Nanoprecipitation, Band Convergence, and Interface Potential Barrier in PbTe-PbSe-PbS Quaternary Alloys and Composites. **2019**, 105-136

415 Double Half-Heuslers. 1

414 SnTe-Based Thermoelectrics. **2019**, 63-81

413 Enhancement of Thermoelectric Properties of P3HT by Addition of Carbon Nanotubes. 59-77

412 Thermopower of the electron-doped manganese pnictide LaMnAsO. **2019**, 3, 0

411 High Dimensionless Figure of Merit ZT = 1.38 Achieved in p-Type SiTe_{0.95}Au_{0.05}B Thin Film. **2020**, 61, 1014-1019 3

410 Recent advances in 2D materials-based UV photodetectors: A Review. 2

409 Thickness-dependent thermoelectric transporting properties of few-layered SnSe. **2021**, 162542 3

408	Mixed-Valence CsCuSe: Large Phonon Anharmonicity Driven by the Hierarchy of the Rigid [(Cu)(Se)](Se) Double Anti-CaF Layer and the Soft Cs Sublattice. 2021 , 143, 18490-18501	3
407	Prediction of thermoelectric performance for layered IV-V-VI semiconductors by high-throughput ab initio calculations and machine learning. 2021 , 7,	5
406	Giant thermoelectric power factor in charged ferroelectric domain walls of GeTe with Van Hove singularities. 2020 , 6,	4
405	Contrasting Thermoelectric Transport Behaviors of -Type PbS Caused by Doping Alkali Metals (Li and Na). 2020 , 2020, 4084532	0
404	Significant Improvement in Thermoelectric Performance of AgInSe ₂ -Based Composites through In Situ Formation of Ag ₂ Se. 2020 , 3, 12468-12474	4
403	CHAPTER 10:Functionalization and Useful Properties and Potential Applications of Nanowires. 2021 , 541-584	
402	Realizing enhanced thermoelectric properties in Cu ₂ GeSe ₃ via a synergistic effect of In and Ag dual-doping. 2022 , 42, 169-174	1
401	The room-temperature thermoelectric property of PbTe enhanced by mean-free-path filtering. 2022 , 893, 162296	2
400	Quasi-commercial production of SnS-based nanosheets with enhanced thermoelectric performance via a wet chemical synthesis. 2022 , 430, 133049	0
399	Effects of La doping induced carrier concentration regulation and band structure modification on thermoelectric properties of PbSe. 2022 , 208, 114360	3
398	Enhanced thermoelectric properties of PbTe _{0.95} via N-type PbS nano-inclusions using a conventional sintering method.	0
397	Thermo-Responsive Nanomaterials for Thermoelectric Generation. 2020 , 269-293	
396	Effect of double doping, Li and Se, on the high-temperature thermoelectric properties of Cu ₂ Te. 2020 , 31, 4129-4134	1
395	Enhanced Thermoelectric and Mechanical Properties of BaO-Doped BiCuSeO ₂ Ceramics.	0
394	Realizing Enhanced Thermoelectric Performance and Hardness in Icosahedral Cu FeS Se with High-Density Twin Boundaries. 2021 , e2104592	6
393	Enhancement in thermoelectric properties of n-type (La _{0.7} Sr _{0.3} MnO ₃) _{0.5} .(NiO) _{0.5} : composite and nano-structure effect. 2022 , 55, 065503	1
392	Achieving Ultralow Lattice Thermal Conductivity and High Thermoelectric Performance in GeTe Alloys via Introducing CuTe Nanocrystals and Resonant Level Doping. 2021 ,	6
391	Extremely Low Thermal Conductivity and Enhanced Thermoelectric Performance of Porous Gallium-Doped In ₂ O ₃ .	4

- 390 Transverse thermal energy conversion using spin and topological structures. **2021**, 130, 171101 1
- 389 The Quest for High-Efficiency Thermoelectric Generators for Extracting Electricity from Waste Heat. **2021**, 73, 4070
- 388 BaBiCoRuO (0.0 \leq x \leq 0.6) Hexagonal Double-Perovskite-Type Oxides as Promising p-Type Thermoelectric Materials. **2021**, 60, 17824-17836 1
- 387 Thermoelectric Systems for Sustainable Refrigeration. **2021**, 415-426
- 386 High figure-of-merit in the heavy-fermion UN system for radioisotope thermoelectric applications. **2021**, 33, 015601
- 385 Promising room temperature thermoelectric conversion efficiency of zinc-blende AgI from first principles. **2021**, 33, 015501
- 384 Thermoelectric properties of orthorhombic silicon allotrope Si (oP32) from first-principles calculations. **2020**, 29, 118401 0
- 383 Strain-induced enhancement in the electronic and thermal transport properties of the tin sulphide bilayer. **2021**, 1
- 382 Constructing n-type Ag₂Se/CNTs composites toward synergistically enhanced thermoelectric and mechanical performance. **2022**, 223, 117502 4
- 381 Core-shell nanostructures for better thermoelectrics. 2
- 380 Organic-based flexible thermoelectric generators: From materials to devices. **2022**, 92, 106774 11
- 379 Locally ordered nano-domains as novel microstructure defects suppressing the phonon transport in SnTe thermoelectrics. **2022**, 42, 1001-1006 0
- 378 Thermal and Thermoelectric Properties of Cluster-based Materials. **2021**, 317-348
- 377 First-principle predictions of the electric and thermal transport performance on high-temperature thermoelectric semiconductor MnTe₂. **2021**, 898, 162813
- 376 Physical Intuition to Improve Electronic Properties of Thermoelectrics. **2021**, 9, 1
- 375 Review of the thermoelectric properties of layered oxides and chalcogenides. 3
- 374 Limits of thermoelectric performance with a bounded transport distribution. **2021**, 104, 0
- 373 Understanding and design of spin-driven thermoelectrics. **2021**, 2, 100614 3

372	Electrochemical Synthesis of Hybrid Layered Thermoelectric Materials Based on PEDOT/SnS Doped with Ag. 2021 , 8, 2100951	0
371	Thermoelectric AgSe: Imperfection, Homogeneity, and Reproducibility. 2021 ,	4
370	Doping Approaches for Organic Semiconductors. 2021 ,	26
369	Dynamically Tunable Terahertz Emission Enabled by Anomalous Optical Phonon Responses in Lead Telluride.	3
368	Continuous Tuning of the Fermi Level in Disorder-Engineered Amorphous Films of Li-Doped ZnO for Thermoelectric Applications. 2021 , 13, 55029-55039	3
367	Efficient Calculation of the Lattice Thermal Conductivity by Atomistic Simulations with Ab Initio Accuracy. 2100217	2
366	Simultaneous enhancements of thermopower and electrical conductivity in quasi-one-dimensional BiYbAlB_4 single crystal. 2021 , 119, 223905	1
365	Phase-modulated mechanical and thermoelectric properties of $\text{Ag}_2\text{S}_{1-x}\text{Te}_x$ ductile semiconductors. 2021 ,	6
364	An Overview of the Strategies for Tin Selenide Advancement in Thermoelectric Application.. 2021 , 12,	1
363	Enhancing the Thermoelectric and Mechanical Properties of BiSbTe Modulated by the Texture and Dense Dislocation Networks. 2021 ,	0
362	Mind the Mines: Lapieite Minerals with Ultralow Lattice Thermal Conductivity and High Power Factor for Thermoelectricity.	2
361	Multiband Transport Enables Thermoelectric Enhancements in SrMg_2Bi_2 Compound.	
360	Unusually high Seebeck coefficient arising from temperature-dependent carrier concentration in $\text{PbSe}_{1-x}\text{AgSbSe}_2$ alloys. 2021 , 9, 17365-17370	1
359	Raised solubility in SnTe by GeMnTe_2 alloying enables converged valence bands, low thermal conductivity, and high thermoelectric performance. 2022 , 94, 106940	2
358	Cation disorder and thermoelectric properties in layered ternary compounds MBi_2Te_4 (M = Ge, Sn).	0
357	Comparative Study of Thermoelectric Properties of SbSiTe and BiSiTe .. 2022 ,	2
356	First-principles study on electronic and thermoelectric properties of Janus monolayers AsXC_3 (X: Sb, Bi). 2022 , 30, e00623	6
355	Design of cascade thermoelectric generation systems with improved thermal reliability. 2022 , 243, 123032	1

- 354 Effects of interface charge-transfer doping on thermoelectric transport properties of black phosphorene-F4TCNQ nanoscale devices. **2022**, 579, 152155 1
- 353 Thermoelectric properties of $(\text{Cu,Mn})_2\text{Se}$ films with high (111) preferred orientation. **2022**, 197, 110845 0
- 352 High thermoelectric performance of Cu_2Se -based thin films with adjustable element ratios by pulsed laser deposition. **2022**, 24, 100929 4
- 351 Excellent dispersion effects of carbon nanodots on the thermoelectric properties of $\text{Bi}_2\text{Te}_{2.7}\text{Se}_{0.3}$ with excessive Te. **2022**, 899, 163296 1
- 350 Phase transitions in thermoelectric Mg-Ag-Sb thin films. **2022**, 900, 163534 0
- 349 Layered thermoelectric materials: Structure, bonding, and performance mechanisms. **2022**, 9, 011303 4
- 348 Influence of the synthesis parameters on the transport properties of $\text{Mg}_2\text{Si}_{0.4}\text{Sn}_{0.6}$ solid solutions produced by melting and spark plasma sintering. **2022**, 163, 110561 0
- 347 Synergistic Modulation on the Thermoelectric Performance of Melt-spun p-Type Mg_2Sn via Na₂S and Si Alloying. 0
- 346 Carrier Grain Boundary Scattering in Thermoelectric Materials. 10
- 345 Preparation and Thermoelectric Properties of Type-VIII Single-Crystalline $\text{Sm}_x\text{Ba}_{8-x}\text{Ga}_{16}\text{Sn}_{30}$ Clathrate. 1
- 344 Thermoelectric transport effects beyond single parabolic band and acoustic phonon scattering. **2022**, 3, 734-755 4
- 343 Investigating the key role of carrier transport mechanism in SnSe nanoribbons with enhanced thermoelectric power factor.. **2021**, 1
- 342 Characterizing thermoelectric stability.. **2022**, 1
- 341 A sketch for super-thermoelectric materials. **2022**, 22, 100618 3
- 340 Realizing synergistic optimization of thermoelectric properties in n-type BiSbSe_3 polycrystals via co-doping zirconium and halogen. **2022**, 22, 100608 1
- 339 Minimization of Thermal Conductivity in Nanostructures and Geometric Self-Similar Structures for Thermoelectric Applications. **2022**, 71-93 1
- 338 SnSe:Kx intermetallic thermoelectric polycrystals prepared by arc-melting. 1 0
- 337 Enhanced covalency and nanostructured-phonon scattering lead to high thermoelectric performance in n-type PbS. **2022**, 24, 100953 2

336	Enhanced Thermoelectric Properties of CuSnSe-Based Materials with AgSe Addition.. 2022,	1
335	Key properties of inorganic thermoelectric materials Tables (version 1).	7
334	Outstanding CdSe with Multiple Functions Leads to High Performance of GeTe Thermoelectrics. 2103779	3
333	Next-generation thermoelectric cooling modules based on high-performance Mg ₃ (Bi,Sb) ₂ material. 2022, 6, 193-204	14
332	Ultra-low lattice thermal conductivity and anisotropic thermoelectric transport properties in Zintl compound M_3Te_4 .. 2022,	0
331	Effects of Co-doping and Microstructure on Charge Carrier Energy Filtering in Thermoelectric Titanium-Doped Zinc Aluminum Oxide.. 2022,	1
330	Feasibility of high performance in p -type Ge $1-x$ Bi x Te materials for thermoelectric modules.	2
329	ds-Block Element-Enabled Cooperative Regulation of Electrical and Thermal Transport for Extraordinary N- and P-Type PbSe Thermoelectrics near Room Temperature.	0
328	Thermoelectric performance of ZrNX (X = Cl, Br and I) monolayers.. 2021, 24, 560-567	1
327	Optimized thermoelectric properties of Bi _{0.48} Sb _{1.52} Te ₃ /BN composites.	1
326	Epitaxial Growth of CaMnO ₃ Films on LaAlO ₃ (112f0) by Pulsed Direct Current Reactive Magnetron Sputtering. 2100504	0
325	Ultrahigh carrier mobility contributes to remarkably enhanced thermoelectric performance in n-type PbSe. 2022, 15, 346-355	8
324	Two-dimensional layered architecture constructing energy and phonon blocks for enhancing thermoelectric performance of InSb. 2022, 65, 1353	0
323	Experimental verification of semi-metallic band structure in PtSe ₂ via thermoelectric power measurements. 2022, 120, 043103	1
322	Unconventional Doping Effect Leads to Ultrahigh Average Thermoelectric Power Factor in Cu SbSe -based Composites.. 2022, e2109952	6
321	Alloying of monolayer Zirconium Nitride with Magnesium and investigating its thermoelectric properties using DFT calculations. 2022, 343, 114642	0
320	Study on the thermoelectric properties of p-type doped CsCdF ₃ and CsHgF ₃ with quartic anharmonicity. 2022, 428, 127946	0
319	Study of new lead-free double perovskites halides Ti ₂ TiX ₆ (X = Cl, Br, I) for solar cells and renewable energy devices. 2022, 308, 122887	5

318	Significant enhancement in thermoelectric properties of half-Heusler compound TiNiSn by grain boundary engineering. 2022 , 901, 163686	3
317	Enhanced thermoelectric performance of PbSe-graphene nanocomposite manufactured with acoustic cavitation induced defects. 2022 , 94, 106943	1
316	Effects of strain and electric field on electronic and optical properties of monolayer HgGeX (X = S, Se and Te). 2022 , 582, 152321	3
315	Modulated carrier concentration and enhanced seebeck coefficient of $\text{Ge}_2\text{Sb}_2\text{Te}_5$ thin films by Sn doping. 2022 , 198, 110881	0
314	Electronic structure and engineered thermoelectric properties of SnSe. 2022 , 630, 413668	0
313	Recent progress of halide perovskites for thermoelectric application. 2022 , 94, 106949	1
312	Intrinsically low thermal conductivity of tetragonal-structured PbSe ₂ . 2022 , 313, 131665	0
311	High Thermoelectric Performance SnTe with a Segregated and Percolated Structure.. 2022 ,	4
310	In Situ Generation of Flower-like and Microspherical Dendrites to Improve Thermoelectric Properties of p-Type $\text{Bi}_{0.46}\text{Sb}_{1.54}\text{Te}_3$. 2022 , 100633	0
309	Effective Mass from Seebeck Coefficient. 2112772	4
308	Thermoelectric Generator: Materials and Applications in Wearable Health Monitoring Sensors and Internet of Things Devices. 2101203	6
307	Realizing high thermoelectric performance in non-nanostructured n-type PbTe.	8
306	Bulk and Nanocomposite Thermoelectrics: Synthesis, Properties, and Applications. 2022 , 959-1016	
305	Thermoelectric Properties and High Degree of Plastic Deformation in Zr _{rh} bi Heusler Alloys.	
304	General strategies to improve thermoelectric performance with an emphasis on tin and germanium chalcogenides as thermoelectric materials. 2022 , 10, 6872-6926	7
303	Spin-Peierls Distortion of TiPO Causing a Transition from a Magnetic to a Nonmagnetic Insulating State and Its Effect on the Thermoelectric Properties: Density Functional Theory Analysis.. 2022 ,	1
302	Remarkable electron and phonon transports in low-cost SnS: A new promising thermoelectric material. 2022 , 65, 1143-1155	2
301	High-Temperature Thermoelectric Monolayer Bi_2TeSe_2 with High Power Factor and Ultralow Thermal Conductivity. 2022 , 5, 2564-2572	3

300	Observation of a Novel Lattice Instability in Ultrafast Photoexcited SnSe. 2022 , 12,	1
299	Evaluation of In Doped GaAs Alloys to Optimize Electronic, Thermoelectric and Mechanical Properties.. 2022 , 15,	1
298	High solubility of Al and enhanced thermoelectric performance due to resonant states in Fe ₂ VAl _x . 2022 , 120, 071901	1
297	Micro-Thermoelectric Generators: Material Synthesis, Device Fabrication, and Application Demonstration.	0
296	Potential of Recycled Silicon and Silicon-Based Thermoelectrics for Power Generation. 2022 , 12, 307	2
295	Thermoelectric investigation of transition metal oxide NiO ₂ : A first principles study.	2
294	Enhanced thermoelectric performance by lone-pair electrons and bond anharmonicity in the two-dimensional Ge ₂ Y ₂ family of materials with Y=N. 2022 , 105,	2
293	Synergistic Optimization of the Thermoelectric and Mechanical Properties of Large-Size Homogeneous BiSbTe Bulk Samples via Carrier Engineering for Efficient Energy Harvesting.. 2022 ,	0
292	Recent Advances and Prospects of Small Molecular Organic Thermoelectric Materials.. 2022 , e2200679	7
291	Thermoelectric Performance of n-Type Magnetic Element Doped BiS.. 2022 , 5, 3845-3853	0
290	Improvement of thermoelectric performance in Sb ₂ Te ₃ /Te composites. 2022 , 6,	0
289	Structural transition and thermo-physical study of quaternary (Se ₈₀ Te ₂₀) _{94-x} Ge ₆ Pb _x (0 ≤ x ≤ 2) alloys. 2022 , 95, 308-321	0
288	Enhancing Thermoelectric Properties of (CuTe)-(BiCuTeO) Composites by Optimizing Carrier Concentration.. 2022 , 15,	
287	Investigation of the Phase Transition at the Surface of Thermoelectric PbTe with van der Waals Control.. 2022 , 2022, 9762401	
286	SiH monolayer : A promising two-dimensional thermoelectric material.	2
285	Significantly enhanced power factor for superior thermoelectric conversion efficiency in SnTe by doping elemental Indium. 2022 , 164827	1
284	Effect of CuO on Electrical Property, Seebeck Coefficient and Power Factor of CuGd ₂ O ₄ . 2022 , 224, 84-89	
283	Synergistically Optimized Thermal Conductivity and Carrier Concentration in GeTe by Bi-Se Codoping.. 2022 ,	1

282	Anomalous Thermoelectric Performance in Asymmetric Dirac Semimetal BaAgBi.. 2022 , 2291-2298	3
281	Electronic Topological Transition as a Route to Improve Thermoelectric Performance in Bi Sb Te.. 2022 , e2105709	0
280	A promising thermoelectrics In ₄ SnSe ₄ with a wide bandgap and cubic structure composited by layered SnSe and In ₄ Se ₃ . 2022 ,	2
279	Recent Progress of Two-Dimensional Transition Metal Dichalcogenides for Thermoelectric Applications. 10,	
278	High thermoelectric performance realized through manipulating layered phonon-electron decoupling.. <i>Science</i> , 2022 , 375, 1385-1389	33-3 24
277	Multiband transport enables thermoelectric enhancements in the SrMg ₂ Bi ₂ compound. 2022 , 131, 135101	
276	Nanotwin-induced ductile mechanism in thermoelectric semiconductor PbTe. 2022 ,	2
275	Thermoelectric films and periodic structures and spin Seebeck effect systems: facets of performance optimization. 2022 , 25, 100965	4
274	Synergistically Enhanced Thermoelectric Properties in n-Type Bi ₆ Cu ₂ Se ₄ O ₆ through Inducing Resonant Levels. 2022 , 117930	1
273	Multi-Interface-Induced Thermal Conductivity Reduction and Thermoelectric Performance Improvement in a Cu ₃ Ni Alloy.	0
272	The role of Ge vacancies and Sb doping in GeTe: a comparative study of Thermoelectric Transport Properties in Sb _x Ge _{1-1.5x} Te and Sb _x Ge _{1-x} Te Compounds. 2022 , 100682	1
271	Development of the high performance thermoelectric uncouple based on Bi ₂ Te ₃ compounds. 2022 , 530, 231301	2
270	Effects of different LaCl ₃ doping processes on the thermoelectric properties of SnSe bulk materials. 2022 , 310, 123037	0
269	Electron mean-free-path filtering in n-type SnSe for improved thermoelectric performance at room temperature. 2022 , 906, 164299	2
268	Designing good compatibility factor in segmented Bi _{0.5} Sb _{1.5} Te ₃ /GeTe thermoelectrics for high power conversion efficiency. 2022 , 96, 107147	2
267	Honeycomb-like puckered PbTe monolayer: A promising n-type thermoelectric material with ultralow lattice thermal conductivity. 2022 , 907, 164439	1
266	Thermoelectrics for medical applications: Progress, challenges, and perspectives. 2022 , 437, 135268	8
265	High thermoelectric performance of ZrTe ₂ /SrTiO ₃ heterostructure. 2021 ,	1

264	Achieving High Thermoelectric Performance by NaSbTe ₂ Alloying in GeTe for Simultaneous Suppression of Ge Vacancies and Band Tailoring. 2022 , 12, 2103385	3
263	Unusual Dependence of the Shape of Lines in the Electron Paramagnetic Resonance Spectra of Gd ³⁺ Ions in a Pb _{1-x} Gd _x S Semiconductor on Microwave Power: Shape Parameters and One Possible Nature of the Effect. 2021 , 85, 1337-1341	
262	Synergetic Enhancement of the Power Factor and Suppression of Lattice Thermal Conductivity via Electronic Structure Modification and Nanostructuring on a Ni- and B-Codoped p-Type Si _{1-x} Ge Alloy for Thermoelectric Application. 2021 , 3, 5621-5631	3
261	Effects of interfacial properties on conversion efficiency of Bi ₂ Te ₃ -based segmented thermoelectric devices. 2021 , 119, 233902	1
260	Lattice thermal conductivity including phonon frequency shifts and scattering rates induced by quartic anharmonicity in cubic oxide and fluoride perovskites. 2021 , 104,	1
259	Photocurrent response in few-layered ReS ₂ devices with short and open circuits. 2022 , 80, 53-58	0
258	Study Ratio Between the CuO and Eu ₂ O ₃ Concentrations on Electrical Resistivity, Seebeck Coefficient and Power Factor of CuEu ₂ O ₄ . 2022 , 222, 38-43	
257	Topological phase and thermoelectric properties of bialkali bismuthide compounds (Na,K) ₂ RbBi from first-principles.. 2021 ,	0
256	SnSe/SnS: Multifunctions Beyond Thermoelectricity. 1, 1-20	4
255	PbTe/PbSe Thermoelectric Nanocomposites: The Impact of Length Modulations on Lowering Thermal Conductivity.	0
254	Effects of Annealing on the Microstructure and Thermoelectric Properties of Half-Heusler MNiSn (M = Ti, Zr, Hf). 1	0
253	Hidden Local Symmetry Breaking in Silver Diamondoid Compounds is Root Cause of Ultralow Thermal Conductivity.. 2022 , e2202255	2
252	Valence Disproportionation of GeS in the PbS Matrix Forms PbGeS Inclusions with Conduction Band Alignment Leading to High n-Type Thermoelectric Performance.. 2022 ,	4
251	Stepwise Ge vacancy manipulation enhances the thermoelectric performance of cubic GeSe. 2022 , 442, 136332	3
250	Phonon anharmonicity in binary chalcogenides for efficient energy harvesting.. 2022 ,	0
249	Revealing Excellent Electronic, Optical, and Thermoelectric Behavior of EU Based EuAg ₂ Y ₂ (Y= S/Se): For Solar Cell Applications.	
248	Effective Mass, Mobility of Charge Carriers, and Lattice Thermal Conductivity in Nanocomposite Thermoelectrics Based on Bismuth and Antimony Chalcogenides. 2022 , 56, 10-13	
247	Routes to High-Ranged Thermoelectric Performance. 1,	0

- 246 Improvement of the thermoelectric properties of GeTe- and SnTe-based semiconductors aided by the engineering based on phase diagram. **2022**, 113, 340-350 0
- 245 Electronic Orbital Alignment and Hierarchical Phonon Scattering Enabling High Thermoelectric Performance p-Type MgSb Zintl Compounds.. **2022**, 2022, 9842949 0
- 244 Structural, microstructural, magnetic, and thermoelectric properties of bulk and nanostructured n-type CuFeS₂ Chalcopyrite. **2022**, 0
- 243 Geometrical Optimization and Thermal-Stability Characterization of Te-Free Thermoelectric Modules Based on MgAgSb/Mg (Bi,Sb).. **2022**, e2201183 3
- 242 Achieving high thermoelectric performance through carrier concentration optimization and energy filtering in Cu₃SbSe₄-based materials. **2022**, 0
- 241 Enhancements of thermoelectric performance in n-type Bi₂Te₃-based nanocomposites through incorporating 2D Mxenes. **2022**, 0
- 240 Achieving High Thermoelectric Properties of Cu₂Se via Lattice Softening and Phonon Scattering Mechanism. 1
- 239 Transport properties of binary phosphide AgP₂ denoting high Hall mobility and low lattice thermal conductivity. **2022**, 9, 055901 1
- 238 Enhancement in thermoelectric properties of ZrNiSn-based alloys by Ta doping and Hf substitution. **2022**, 233, 117976 2
- 237 CoSb₃ based thermoelectric elements pre-requisite for device fabrication. **2022**, 129, 106900 0
- 236 Crystallographic design for half-Heuslers with low lattice thermal conductivity. **2022**, 25, 100704 1
- 235 High thermoelectric figure of merit for GeS/phosphorene 2D heterostructures: A first-principles study. **2022**, 281, 115737 0
- 234 Biaxial strain tuned electronic structure, lattice thermal conductivity and thermoelectric properties of MgI₂ monolayer. **2022**, 148, 106791 0
- 233 Recent Advances in Energy Harvesting from Waste Heat Using Emergent Thermoelectric Materials. **2022**, 155-184 0
- 232 Defect engineering synergistically modulates power factor and thermal conductivity of CuGaTe₂ for ultra-high thermoelectric performance. **2022**, 0
- 231 BiSbTe alloy with high thermoelectric and mechanical performance for power generation. **2022**, 218, 114801 0
- 230 Recent Advances in Two-dimensional Material/Conducting Polymer Composites for Thermoelectric Energy Conversion. 2200107 0
- 229 Eu₅Al₃Sb₆: Al₄ Tetrahedra Embedded in a Rock-Salt-Like Structure. 0

228	The Highly Disordered Zintl Phase $\text{Ca}_{10}\text{GdCdSb}_9$ [New Example of a p-type Semiconductor with Remarkable Thermoelectric Properties. 2022 , 100725	1
227	Sb-Doped SnSe_2 High-Performance Thermoelectric Material.	
226	Robust spin-dependent Seebeck effect and remarkable spin thermoelectric performance in graphether nanoribbons.	0
225	Enhanced thermoelectric properties of Ce-doped $\text{Bi}_2\text{Sr}_2\text{Co}_2\text{O}$ misfit-layer oxides. 2022 ,	0
224	Effects of Bi_2Te_3 doping on the thermoelectric properties of Cu_2Se alloys. 2022 , 128,	0
223	Improving the Operational Stability of Thermoelectric Zn_4Sb_3 by Segmentation.	1
222	Strategies to Improve the Thermoelectric Figure of Merit in Thermoelectric Functional Materials. 2022 , 10,	1
221	Large Thermopower Enhanced by Spin Entropy in Antiferromagnet EuMnSb_2 . 2202188	0
220	Thermoelectric properties of monolayer and bilayer buckled XTe ($\text{X} = \text{Ge, Sn, and Pb}$). 2022 , 13, 025008	
219	Isovalent Bi substitution induced low thermal conductivity and high thermoelectric performance in n-type InSb . 2022 ,	0
218	Crystal symmetry enables high thermoelectric performance of rhombohedral $\text{GeSe}(\text{MnCdTe}_2)$. 2022 , 100, 107434	2
217	Preparation and thermoelectric properties of layered $\text{Bi}_{1-x}\text{Sb}_x\text{Te}$ nanocrystalline films. 2022 ,	0
216	Significantly Enhanced Thermoelectric Performance Achieved in CuGaTe_2 through Dual-Element Permutations at Cation Sites.	0
215	Realizing an enhanced Seebeck coefficient and extremely low thermal conductivity in anharmonic Sb-substituted SnSe nanostructures. 2022 , 165961	2
214	Modulating the valence of Ga and the Deep impurity level for High Thermoelectric Performance of n-type $\text{Pb}_{0.98}\text{Ga}_{0.02}\text{Te}_{1-x}\text{Sex}$ Compounds. 2022 , 100766	0
213	Synergistic Manipulation of Interdependent Thermoelectric Parameters in $\text{SnTe}_{1-x}\text{Ag}_x\text{BiTe}_2$ Alloys by Mn Doping.	1
212	Decoupled atomic contribution boosted high thermoelectric performance in mixed cation spinel oxides ACo_2O_4 . 2022 , 120, 243901	1
211	Tuning of the electronic bandgap of SnSe compound by Oxygen and Sulphur doping and their optical characteristics for solar cell applications. 2022 ,	0

210	Creating high-dense stacking faults and endo-grown nanoneedles to enhance phonon scattering and improve thermoelectric performance of Cu ₂ SnSe ₃ . 2022 , 107510	1
209	Optimizing thermoelectric performance of CoSb _{0.85} Se _{0.15} by doping 3d transition metal ions M (M = Cr, Mn, Fe and Ni). 2022 , 123342	0
208	Influence of temperatures on structure, thermoelectric, and mechanical properties of nanocrystalline SnSe thin films deposited by thermal evaporation. 2022 , 32, 103880	1
207	Enhanced thermoelectric performance of the AlN/GaN bilayer. 2022 , 143, 115333	
206	Decreased order-disorder transition temperature and enhanced phonon scattering in Ag-alloyed Cu ₃ SbSe ₃ . 2022 , 919, 165829	
205	Optimizing the thermoelectric transmission of monolayer HfSe ₂ by strain engineering. 2022 , 169, 110834	1
204	Enhanced thermoelectric performance by resonant vibrational mode-selective density-of-states distortions.	
203	Efficient Si Doping Promoting Thermoelectric Performance of Yb-Filled CoSb ₃ -Based Skutterudites. 2022 , 14, 30901-30906	1
202	Optical and thermoelectric properties of NaNbO ₃ thin film deposited by spray pyrolysis: experimental and DFT study. 2022 , 137,	0
201	Chemical trends in the high thermoelectric performance of the pyrite-type dichalcogenides ZnS ₂ , CdS ₂ , and CdSe ₂ . 2022 , 105,	0
200	Synthesis and characterization of Eu ₂ InTe ₅ : A new layered multi-telluride and its thermoelectric properties.	
199	Enabling High Quality Factor and Enhanced Thermoelectric Performance in BiBr ₃ -Doped Sn _{0.93} Mn _{0.1} Te via Band Convergence and Band Sharpening.	0
198	Anomalous Thermoelectric Transport Phenomena from First-Principles Computations of Interband Electron-Phonon Scattering. 2111354	2
197	Asymmetrical Transport Distribution Function: Skewness as a Key to Enhance Thermoelectric Performance. 2022 , 2022, 1-14	0
196	High-performance magnesium-based thermoelectric materials: Progress and challenges. 2022 ,	4
195	Ba _{1/3} CoO ₂ : A Thermoelectric Oxide Showing a Reliable ZT of ~0.55 at 600 °C in Air.	1
194	Designing Rashba systems for high thermoelectric performance based on the van der Waals heterostructure. 2022 , 100788	0
193	A Novel Electronegative Guest-Filled Skutterudite-Based Thermoelectric Generator with an Efficiency of 6.0%. 2200052	

- 192 Cubic Quaternary Silver Chalcogenide: A Promising Ductile Thermoelectric Inorganic. 1
- 191 Suppressing lone-pair expression endows room-temperature cubic structure and high thermoelectric performance in GeTe-based materials. **2022**, 27, 100780 1
- 190 Dynamic doping and Cottrell atmosphere optimize the thermoelectric performance of n-type PbTe over a broad temperature interval. **2022**, 101, 107576 1
- 189 Challenges and strategies to optimize the figure of merit: Keeping eyes on thermoelectric metamaterials. **2022**, 150, 106944 1
- 188 Tuning of carrier concentration and superconductivity in high-entropy-alloy-type metal telluride (AgSnPbBi)(1-)/4In Te. **2022**, 920, 166013 0
- 187 Significantly improved thermoelectric properties of Nb-doped ZrNiSn half-Heusler compounds. **2022**, 449, 137898 1
- 186 Ni doping and rational annealing boost thermoelectric performance of nanostructured double perovskite Pr_{1.8}Sr_{0.2}CoFeO₆. **2022**, 29, 101580 1
- 185 Stacked (C_n-C₆H₆Fe₁₃-n)n=2: A spin operated thermoelectric nanodevice. **2022**, 170, 110900 0
- 184 Enhanced thermoelectric performance of Cu₂SnSe₃ via synergistic effects of Cd-doping and CuGaTe₂ alloying. 1
- 183 Calculations of the structural, electronic, optical, and elastic parameters of CdSiX₂ (X = P, As) compounds based on first-principles theory. 0
- 182 Enhanced thermoelectric performance of n-type Mg₃Bi₂-based materials by Se doping and alloying engineering. 0
- 181 Thermoelectric performance of multiphase GeSe-CuSe composites prepared by hydrogen decrepitation method. 1
- 180 Bonding Heterogeneity Inducing Low Lattice Thermal Conductivity and High Thermoelectric Performance in 2D CdTe₂. 2
- 179 Phase-engineered high-entropy metastable FCC Cu₂Agy(In_xSn_{1-x})Se₂S nanomaterials with high thermoelectric performance. 0
- 178 Combined Tactics for Elevating the Thermoelectric Performance of CaMg₂Sb₂-Based p-type Materials. 2200742 0
- 177 Low lattice thermal conductivity in Zintl phases Na₂AuBi and Na₂AuSb : An ab initio study. **2022**, 6, 100780 0
- 176 Ultralow Thermal Conductivity and High Thermoelectric Performance of Bi₂Te₃: Effects of Dimensionality and Thickness. **2022**, 5, 9914-9928 0
- 175 Large thermopower in novel thermoelectric Yb(Si_{1-x}Gex)₂ induced by valence fluctuation. **2022**, 132, 065106 0

174	Enhancing the performances of V2O3 thin films as p-type transparent conducting oxides via compressive strain. 2022 , 121, 061903	
173	A comprehensive DFT analysis on structural, electronic, optical, thermoelectric, SLME properties of new Double Perovskite Oxide Pb2ScBiO6. 2022 , 139987	3
172	Suppressing Charged Cation Antisites via Se Vapor Annealing Enables p-Type Dopability in AgBiSe2 BnSe Thermoelectrics. 2204132	1
171	High-performance and stable AgSbTe2-based thermoelectric materials for near room temperature applications. 2022 ,	1
170	Thermoelectric properties of a series of polycrystalline Mo(Sex1-kTex)2.	1
169	Revealing excellent electronic, optical, and thermoelectric behavior of Eu based EuAg2Y2 (Y= S/Se): For solar cell applications. 2022 , 32, e00723	1
168	Thermoelectric properties of monolayer MoSi2N4 and MoGe2N4 with large Seebeck coefficient and high carrier mobility: A first principles study. 2022 , 315, 123447	0
167	Characterization of polycrystalline SnSe2 thin films for thermoelectric applications grown by single-stage horizontal tube furnace (SSHTF). 2022 , 133, 112797	
166	Rational design of stretchable and highly aligned organic/inorganic hybrid nanofiber films for multidirectional strain sensors and solar-driven thermoelectrics.	0
165	Incompletely Decomposed In4SnSe4 Leads to High-Ranged Thermoelectric Performance in n-Type PbTe. 2202539	0
164	Identifying polymorphic lattice positioning of copper and the effects on the thermoelectric performance of ELAST. 2022 , 27, 100833	0
163	First-principle study on quintuple-atomic-layer Janus MTeSiX2 (M= Mo, W; X=N, P, As) monolayers with intrinsic Rashba spin-splitting and Mexican hat dispersion. 2022 , 152, 107061	0
162	Highly tailorable, ultra-foldable, and resorbable thermoelectric paper for origami-enabled energy generation. 2022 , 103, 107824	1
161	Boosting the thermoelectric performance of GeTe via vacancy control and engineering sintering parameters. 2022 , 33, 104411	0
160	Breaking the sodium solubility limit for extraordinary thermoelectric performance in p-type PbTe. 2022 , 15, 3958-3967	2
159	Highly Tailorable, Ultra-Foldable, and Resorbable Thermoelectric Paper for Origami-Enabled Energy Generation.	0
158	Inducing oxide ion vacancies in Sr2CoSbO6 as a strategy to decouple power factor and thermal conductivity. 2022 , 46, 17678-17681	0
157	Recent advances in designing thermoelectric materials. 2022 , 10, 12524-12555	4

156	Solid-state cooling: thermoelectrics.	4
155	Enhancement of the thermoelectric properties in $\text{Cu}_{2+x}\text{Se}/\text{a-C}$ nano-multilayer films by heterogeneous interfaces. 2023 , 930, 167432	0
154	Influence of In-induced resonant level on the normal-state and superconducting properties of $\text{Sn}_{1.03}\text{Te}$. 2022 , 106,	0
153	Ag ₂ Q-based (Q = S, Se, Te) Silver Chalcogenide Thermoelectric Materials. 2110236	2
152	Entropy engineering enhances the thermoelectric performance and microhardness of $(\text{GeTe})_{1-x}(\text{AgSb}_{0.5}\text{Bi}_{0.5}\text{Te}_2)_x$.	0
151	Gigantic Effect due to Phase Transition on Thermoelectric Properties of Ionic Solid Materials. 2208286	1
150	Thermoelectric transport properties of XAgP (X = Sr and Ba) from first principles. 2022 , 34, 455501	0
149	Isovalent substitution in metal chalcogenide materials for improving thermoelectric power generation – A critical review. 2022 ,	1
148	Effects of Bi and Sb doping on the thermoelectric performance of n-type quaternary $\text{Mg}_{2.18}\text{Ge}_{0.1}\text{Si}_{0.3}\text{Sn}_{0.6}$ materials. 2022 , 123574	0
147	Flotation separation of spodumene and albite with activation of calcium ion hydrolysate components. 2022 , 41, 3919-3931	0
146	High Thermoelectric Performance and Low Lattice Thermal Conductivity in Lattice-Distorted High-Entropy Semiconductors $\text{AgMnSn}_{1-x}\text{Pb}_x\text{SbTe}_4$.	0
145	Skin-Deep Aspect of Thermopower in Bi_2Q_3 , PbQ , and BiCuQO (Q = Se, Te): Hidden One-Dimensional Character of Their Band Edges Leading to High Thermopower. 2022 , 55, 2811-2820	0
144	Thermoelectrics: From Thermoelectric Figure of Merit to Device Design. 1-25	0
143	Improved Solubility in Metavalently Bonded Solid Leads to Band Alignment, Ultralow Thermal Conductivity, and High Thermoelectric Performance in SnTe . 2209980	6
142	Tuning Thermoelectric and Mechanical Properties of Zinc-Cupronickel via Hot Rolling Deformation.	0
141	Vacancy-induced heterogeneity for regulating thermoelectrics in n-type PbTe . 2022 , 121, 122101	0
140	Crystal Structure and Thermoelectric Properties of Layered Van der Waals Semimetal ZrTiSe_4 .	0
139	Engineering Thermoelectric Performance of Pb-GeTe by Ferroelectric Distortion.	1

- 138 Solution-Processed Inorganic Thermoelectric Materials: Opportunities and Challenges. 1
- 137 Band Structure and Phonon Transport Engineering Realizing Remarkable Improvement in Thermoelectric Performance of Cu_2SnSe_4 Incorporated with In_2Te_3 . 0
- 136 Thickness-dependent electronic band structure in MBE-grown hexagonal InTe films. **2022**, 106, 0
- 135 Enhanced thermoelectric properties of Li and Mg co-substituted $\text{Bi}_2\text{Sr}_2\text{Co}_2\text{O}$ fabricated by combined conventional sintering and spark plasma sintering. **2022**, 145, 110005 0
- 134 First-principle investigation of thermoelectric and optoelectronic properties of Rb_2KScI_6 and Cs_2KScI_6 double perovskite for solar cell devices. **2022**, 21, 841-849 0
- 133 Giant thermoelectric power in fluorine-doped single-walled carbon nanotubes. **2022**, 171, 111020 0
- 132 Emerging theory and phenomena in thermal conduction: A selective review. **2022**, 65, 4
- 131 Achieving higher thermoelectric performance of n-type PbTe by adjusting band structure and enhanced phonons scattering. 0
- 130 Thermoelectric Materials. **2022**, 0
- 129 Research Progress on Crystal Growth and the Thermoelectric Properties of Zintl Phase Mg_3X_2 (X= Sb, Bi) Based Materials. **2022**, 356 0
- 128 Metal chalcogenide materials: Synthesis, structure and properties. **2022**, 0
- 127 Regulating the Configurational Entropy to Improve the Thermoelectric Properties of $(\text{GeTe})_{1-x}(\text{MnZnCdTe}_3)_x$ Alloys. **2022**, 15, 6798 0
- 126 Dense dislocations enable high-performance PbSe thermoelectric at low-medium temperatures. **2022**, 13, 2
- 125 A study of anisotropic thermoelectric properties of bulk Germanium Sulfide in its Pnma phase: a combined first-principles and machine-learning approach. **2022**, 97, 125804 0
- 124 Large Magneto-transverse and Longitudinal Thermoelectric Effects in the Magnetic Weyl Semimetal TbPtBi . 2206941 0
- 123 Enhanced Thermoelectric Performance of $\text{Ni}_x\text{Bi}_{0.5}\text{Sb}_{1.5}\text{Te}_3$ via In Situ Formation of NiTe_2 Channels. 0
- 122 Neutron scattering studies on ionic diffusion behaviors of superionic Cu_2Se . **2022**, 121, 151901 0
- 121 Realizing high-ranged thermoelectric performance in PbSnS_2 crystals. **2022**, 13, 1

120	Evolution of defect structures leading to high ZT in GeTe-based thermoelectric materials. 2022 , 13,	3
119	Emergence of asymmetric skew-scattering dominated anomalous Nernst effect in the spin gapless semiconductors $\text{Co}_{1+x}\text{Fe}_{1-x}\text{CrGa}$. 2022 , 106,	0
118	Enhanced Thermoelectric Performance of Nanostructured Nickel-Doped Ag_2Te .	0
117	Thermoelectric Efficiency of Two-Dimensional Pentagonal- PdSe_2 at High Temperatures and the Role of Strain.	0
116	Influence of modulation period for $\text{Cu}_{2+x}\text{Se}/\text{SiC}$ nano-multilayer films on their thermoelectric properties. 2022 ,	0
115	Keynote Review of Latest Advances in Thermoelectric Generation Materials, Devices, and Technologies 2022. 2022 , 15, 7307	2
114	High performance piezotronic thermoelectric devices based on zigzag MoS_2 nanoribbon. 2022 , 104, 107888	1
113	Improving thermoelectric properties of Cu_2O powder via interface modification. 2022 , 357, 114982	1
112	Direct observation of multiple conduction-band minima in high-performance thermoelectric SnSe . 2023 , 223, 115081	0
111	Structural, electronic, optical, and thermoelectric response of zintl phase $\text{A}\text{Ag}_2\text{S}_2$ (A= Sr/Ba) compounds for renewable energy applications. 2023 , 649, 414446	2
110	Seebeck coefficient variations of MgAgSb in crystalline Mg-Ag-Sb thin films. 2023 , 932, 167692	0
109	Controlling Defect Chemistry in InTe by Saturation Annealing.	0
108	Rare-earth silicides: the promising candidates for thermoelectric applications at near room temperature.	0
107	Extremely strong four-phonon scattering and ultra-low lattice thermal conductivity due to quartic anharmonicity in fluoride perovskites XHgF_3 (X = K, Rb). 2022 , 128550	0
106	Abnormal Seebeck Effect in Vertically Stacked 2D/2D $\text{PtSe}_2/\text{PtSe}_2$ Homostructure. 2203455	0
105	Advances in Versatile GeTe Thermoelectrics from Materials to Devices. 2208272	0
104	High-performance, thin-film thermoelectric generator with self-healing ability for body-heat harvesting. 2022 , 3, 101146	1
103	Simultaneous enhancement in electrical conductivity and Seebeck coefficient by single- to double-valley transition in a Dirac-like band. 2022 , 8,	0

102	Realizing high thermoelectric performance of Cu and Ce co-doped p-type polycrystalline SnSe via inducing nanoprecipitation arrays. 2022 , 11, 1671-1686	1
101	First-principles study on bilayer SnP3 as a promising thermoelectric material.	0
100	Synergistic Approach Toward a Reproducible High zT in n-Type and p-Type Superionic Thermoelectric Ag2Te.	1
99	First principle analysis of the structural, electrical and thermoelectric properties of YTe (Y Si, pb, sn, ge) and PbX (X=O, S, se, te) nano-layers. 2022 , 115023	0
98	The Enhanced Effect of the Magnetism on the Thermoelectric Performance of CrI3 Monolayer.	0
97	High-performance thermoelectrics in two-dimensional layered AB2Te4(A=Sn, Pb; B=Sb, Bi) ternary compounds.	1
96	High thermoelectric properties of shear-exfoliation-derived TiS2-AgSnSe2 nano-composites via ionized impurity scattering. 2023 , 244, 118564	0
95	High performance GeTe thermoelectrics enabled by lattice strain construction. 2023 , 244, 118565	0
94	Extraordinary role of resonant dopant vanadium for improving thermoelectrics in n-type PbTe. 2023 , 30, 100955	0
93	Strain engineering and thermoelectric performance of Janus monolayers of titanium dichalcogenides: A DFT study. 2023 , 218, 111925	0
92	HfSe2/GaSe Heterostructure as a Promising Near-Room-Temperature Thermoelectric Material. 2022 , 126, 20326-20331	0
91	Grain Boundary Complexions Enable a Simultaneous Optimization of Electron and Phonon Transport Leading to High-Performance GeTe Thermoelectric Devices. 2203361	2
90	Lattice Distortions and Multiple Valence Band Convergence Contributing to High Thermoelectric Performance in MnTe. 2206058	0
89	Comprehensive investigation of the extremely low lattice thermal conductivity and thermoelectric properties of BaIn2Te4. 2022 , 106,	1
88	The effect of interdiffusion during formation of epitaxial Ca intercalated layered silicene film on its thermoelectric power factor. 2023 , 62, SD1004	0
87	Improving thermoelectric performance of half-Heusler Ti0.2Hf0.8CoSb0.8Sn0.2 compounds via the introduction of excessive Ga and Co-deficiencies. 2022 ,	0
86	Cooling Performance Prediction for Hydraulic Thermoelectric Radiant Cooling Panels with Experimental Validation. 2022 , 14, 16214	0
85	High thermoelectric power factors in sputter-deposited polycrystalline n-type BaSi2 films. 2023 , 62, SD1008	0

- 84 Enhanced Thermoelectric Performance of Yb-Filled Skutterudite with Bottom-Up Formed CoSi₂ Nanoparticles. ○
- 83 Recent progress of two-dimensional heterostructures for thermoelectric applications. **2023**, 35, 073001 1
- 82 Interstitial Defects Facilitate Dense Dislocations and Band Convergence for High Thermoelectric Performance in SnTe. ○
- 81 Thermoelectric properties in nano Y₂O₃ dispersed Cu₂Se. **2022**, 128, ○
- 80 Atomic site-targeted doping in Ti₂FeNiSb₂ double half-Heusler alloys: zT improvement via selective band engineering and point defect scattering. **2022**, 168572 ○
- 79 Antibonding p-d and s-p Hybridization Induce the Optimization of Thermal and Thermoelectric Performance of MGeTe₃ (M = In and Sb). **2022**, 5, 15566-15577 ○
- 78 Thermoelectric Response Enhanced by Surface/Edge States in Physical Nanogaps. **2023**, 16, 660 ○
- 77 Magnetic moment impact on spin-dependent Seebeck coefficient of ferromagnetic thin films. **2023**, 13, ○
- 76 Intrinsically Low Lattice Thermal Conductivity and Anisotropic Thermoelectric Performance in In-doped GeSb₂Te₄ Single Crystals. 2211281 ○
- 75 Computational Exploration of Ultralow Lattice Thermal Conductivity and High Figure of Merit in p-Type Bulk RbX₂Sb (X = K, Na). 1
- 74 Discordant Distortion in Cubic GeMnTe₂ and High Thermoelectric Properties of GeMnTe_{2-x}SbTe. ○
- 73 Influence on electrical properties of pristine bulk Bi₂Se₃ compound by substitutional doping of [In] **2023**, 34, ○
- 72 First principle study of strain tunable electronic and optical properties of half-Heusler alloys XCoGe (X=V, Nb, Ta). **2023**, 319, 123827 ○
- 71 Enhanced Thermoelectric Performance in GeTe by Synergy of Midgap state and Band Convergence. 2212421 ○
- 70 Funnel-shaped electronic structure and enhanced thermoelectric performance in ultralight C_x(BN)_{1-x} biphenylene networks. **2023**, 107, 1
- 69 In-gap states and strain-tuned band convergence in layered structure trivalent iridate K_{0.75}Na_{0.25}IrO₂. ○
- 68 Origin of the Anomalous Electrical Transport Behavior in Fe Intercalated Weyl Semimetal Td-MoTe₂. 2208800 ○
- 67 Preparation and thermoelectric characterization of boron-doped Si nanocrystals/silicon oxide multilayers. ○

- 66 Metal-based conductive nano-inks: synthesis and characterization techniques. **2023**, 27-52 ○
- 65 Synergetic optimization of thermoelectric properties in SnSe film via manipulating Se vacancies. **2023**, 943, 169115 ○
- 64 Enhanced thermoelectric properties of SnTe through core-shell structures and band engineering. **2023**, 942, 169010 ○
- 63 Transport and thermoelectric properties of penta-Sb₂X monolayers. **2023**, 11, 5156-5166 ○
- 62 High thermoelectric performance and compatibility in Cu₃SbSe₄/CuAlS₂ composites. **2023**, 16, 1763-1772 ○
- 61 A Primer on the Underlying Physics in Thermoelectrics. **2023**, 133-149 ○
- 60 Electron-phonon coupling, bipolar effect, and thermoelectric performance of the CuSbS₂ monolayer. ○
- 59 Topological states of thermoelectric Yb-filled skutterudites. **2023**, 107, ○
- 58 Accelerated Discovery of Advanced Thermoelectric Materials via Transfer Learning. ○
- 57 Enhancement of Thermoelectric Performance for InTe by Selective Substitution and Grain Size Modulation. **2023**, 13, 601 ○
- 56 High Pressure Drives Microstructure Modification and zT Enhancement in Bismuth Telluride-Based Alloys. ○
- 55 Enormous enhancement of thermoelectric properties via piezo-gating effect. **2023**, 108, 108246 ○
- 54 Enhancement in the thermoelectric performance of ZrNiSn-based alloys through extra Zr-rich nanoprecipitates with superstructures. **2023**, 464, 142531 ○
- 53 High-performance thermoelectrics of p-type PbTe via synergistic regulation of band and microstructure engineering. **2023**, 34, 101061 ○
- 52 Contrasting roles of trivalent dopants M (M = In, Sb, Bi) in enhancing the thermoelectric performance of Ge_{0.94}M_{0.06}Te. **2023**, 252, 118926 ○
- 51 Topological thermoelectrics: New opportunities and challenges. **2023**, 30, 101488 ○
- 50 Strategies to advance earth-abundant PbS thermoelectric. **2023**, 465, 142785 ○
- 49 Crystal structure modulation of SnSe thermoelectric material by AgBiSe₂ solid solution. **2023**, 43, 3383-3389 ○

- 48 The impact of sintering temperature on the thermoelectric performance of Cu₂Se synthesized by solid state reaction method. **2023**, 322, 123998 ○
- 47 Band modification towards high thermoelectric performance of SnSb₂Te₄ with strong anharmonicity driven by cation disorder. **2023**, 154, 140-148 ○
- 46 Thermoelectric performance of Zintl compound KMgBi with layered structure. **2023**, 178, 111308 ○
- 45 Grain boundary complexions formed by chemical plating of Cu enhance the thermoelectric properties of Sn_{0.94}Mn_{0.09}Te. **2023**, 228, 115315 ○
- 44 Influence of magnetic field on the transport properties of ferromagnet/ferromagnet/s-wave superconductor junctions formed on the surface of a three-dimension topological insulator. **2023**, 362, 115086 ○
- 43 Flexible oriented μ -Cu₂Se films and devices with remarkable power factor and output power at near-room temperature. **2023**, 31, 100994 ○
- 42 Enhanced thermoelectric performance of Cu₂Se realized by Ag₂S doping. **2023**, 654, 414725 ○
- 41 Enhanced Thermoelectric Performance of Mg-Doped AgSbTe₂ by Inhibiting the Formation of Ag₂Te. ○
- 40 Room-Temperature High-Performance Thermoelectric Bi_{0.6}Sb_{0.4}Te: Elimination of Detrimental Band Inversion in BiTe. **2023**, 62, ○
- 39 Room-Temperature High-Performance Thermoelectric Bi_{0.6}Sb_{0.4}Te: Elimination of Detrimental Band Inversion in BiTe. **2023**, 135, ○
- 38 A simple Pb-doping to achieve bonding evolution, V_{Sn} and resonant level shifting for regulating thermoelectric transport behavior of SnTe. **2023**, 151, 66-72 ○
- 37 Unraveling the structural details and thermoelectric transports of 2D-3D hetero-structure composites. **2023**, 32, 101018 ○
- 36 Grain Boundary Phases in NbFeSb Half-Heusler Alloys: A New Avenue to Tune Transport Properties of Thermoelectric Materials. **2023**, 13, ○
- 35 Surface and Constriction Engineering of Nanoparticle Based Structures Towards Ultra-Low Thermal Conductivity as Prospective Thermoelectric Materials. **2023**, 27, 25-41 ○
- 34 Properties of the double half-Heusler alloy ScNbNi₂Sn₂ with respect to structural, electronic, optical, and thermoelectric aspects. **2023**, 363, 115103 ○
- 33 High thermoelectric and mechanical performance achieved by a hyperconverged electronic structure and low lattice thermal conductivity in GeTe through CuInTe₂ alloying. **2023**, 11, 8119-8130 ○
- 32 Contradicting Influence of Zn Alloying on Electronic and Thermal Properties of a YbCd₂Sb₂-Based Zintl Phase at 700 K. **2023**, 12, ○
- 31 Significantly reinforced thermoelectric performance in the novel 1T-Au₆Se₂ monolayer. **2023**, 11, 031103 ○

- 30 Review on Fiber-Based Thermoelectrics: Materials, Devices, and Textiles. ○
- 29 Enhanced Thermoelectric Performance of n-Type PbTe via Carrier Concentration Optimization over a Broad Temperature Range. ○
- 28 Mismatched atomic bonds and ultralow thermal conductivity in Ag-based ternary chalcopyrites. **2023**, 107, ○
- 27 Ultralow lattice thermal conductivity and improved thermoelectric performance in a Hf-free half-Heusler compound modulated by entropy engineering. **2023**, 11, 8150-8161 ○
- 26 First-Principles Study on Thermoelectric Properties of Bi₂O₂Se. ○
- 25 Superior Thermoelectric Properties of Twist-Angle Superlattice Borophene Induced by Interlayer Electrons Transport. 2301348 ○
- 24 Advances in Ag₂Se-based thermoelectrics from materials to applications. ○
- 23 Multiple electron & phonon scattering effect achieves highly efficient thermoelectricity due to nanostructuring. **2023**, 33, 101053 ○
- 22 The improved thermoelectric properties of Mg₂Sn/Mg multilayer films with nano-sized period by layer interface. **2023**, 323, 124005 ○
- 21 Investigations on Bi Doped Cu₂Se Prepared by Solid State Reaction Technique for Thermoelectric Applications. **2023**, 16, 3010 ○
- 20 Band Modification and Localized Lattice Engineering Leads to High Thermoelectric Performance in Ge and Bi Codoped SnTe/AgBiTe₂ Alloys. ○
- 19 Enhancement in Power Factor of Al-Doped Cu₂Se Thermoelectric Compound Prepared by Combustion Synthesis via Spark Plasma Sintering Technique. ○
- 18 Thermoelectric properties of monolayer Cu₂X. **2023**, 72, 086301 ○
- 17 High thermoelectric performance of two-dimensional SiPGaS/As heterostructures. ○
- 16 Thermoelectric properties of La-doped A-site SrTiO₃ ceramics synthesised by the sol-gel auto-combustion technique. 1-10 ○
- 15 Highly enhanced thermoelectric performance of copper sulfide by compositing with CNT & CuO. **2023**, 953, 169954 ○
- 14 Decoupled electron and phonon transport in thermoelectric GeTe compounded with multi-walled carbon nanotubes. **2023**, 34, 101081 ○
- 13 Ultra-low lattice thermal conductivity induces high-performance thermoelectricity in Janus group-VIA binary monolayers: A comparative investigation. **2023**, 112075 ○

- 12 Flexible Thermoelectrics Based on Plastic Inorganic Semiconductors. ○
- 11 Isoelectronic Re-Ge-codoped higher manganese silicides with enhanced thermoelectric properties via band optimization, charge transfer, and phonon scattering. **2023**, ○
- 10 Layer-Structured GaGeTe Compound as a Promising Thermoelectric Material. ○
- 9 Ultralow lattice thermal conductivity of binary compounds A₂B (A = Cs, Rb & B = Se, Te) with higher-order anharmonicity correction. ○
- 8 Reproducible high thermoelectric figure of merit in Ag₂Se. **2023**, 122, 163901 ○
- 7 Low-Dimensionalization Enhancing the Thermoelectric Performance of Higher Manganese Silicide. **2023**, 2, ○
- 6 Thermoelectric Performance of Surface-Engineered Cu_{1.5}Te/Cu₂Se Nanocomposites. ○
- 5 Strain-Induced Medium-Temperature Thermoelectric Performance of Cu₄TiSe₄ : The Role of Four-Phonon Scattering. **2023**, 19, ○
- 4 Synthesis method of thermoelectrics. **2023**, 283-303 ○
- 3 Integrated hydrothermal-green approach to synthesize Fe, Ag doped copper sulfide nanopowders and investigations of their thermoelectric properties. **2023**, 414918 ○
- 2 Fundamentals of thermoelectrics. **2023**, 259-281 ○
- 1 Simultaneous Enhancement of the Power Factor and Phonon Blocking in Nb-Doped WSe₂. **2023**, 15, 22167-22175 ○