

CITATION REPORT

List of articles citing

Estimation of the number of alpha-helical and beta-strand segments in proteins using circular dichroism spectroscopy

DOI: 10.1110/ps.8.2.370

Protein Science, 1999, 8, 370-80.

Source: <https://exaly.com/paper-pdf/43574487/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
598	Estimation of protein secondary structure from circular dichroism spectra: inclusion of denatured proteins with native proteins in the analysis. 2000 , 287, 243-51		480
597	Estimation of protein secondary structure from circular dichroism spectra: comparison of CONTIN, SELCON, and CDSSTR methods with an expanded reference set. 2000 , 287, 252-60		2387
596	Dynamics and hydration of the alpha-helices of apolipoprotein III. <i>Journal of Biological Chemistry</i> , 2000 , 275, 17501-9	5.4	28
595	Unfolding pathway of the colicin E1 channel protein on a membrane surface. 2000 , 295, 679-92		56
594	Fibrinogen Milano XII: a dysfunctional variant containing 2 amino acid substitutions, Aalpha R16C and gamma G165R. 2001 , 98, 351-7		11
593	Polymerization of plasminogen activator inhibitor-1. <i>Journal of Biological Chemistry</i> , 2001 , 276, 9115-22	5.4	45
592	A GrpE mutant containing the NH(2)-terminal "tail" region is able to displace bound polypeptide substrate from DnaK. 2001 , 282, 562-9		24
591	The Gal/GalNAc-specific lectin from the plant pathogenic basidiomycete <i>Rhizoctonia solani</i> is a member of the ricin-B family. 2001 , 282, 655-61		34
590	Factors contributing to the fusogenic potency of foamy virus. 2001 , 284, 870-4		6
589	Conformational states of annexin VI in solution induced by acidic pH. 2001 , 496, 49-54		34
588	Irreversible inhibition of pig kidney copper-containing amine oxidase by sodium and lithium ions. 2001 , 268, 4686-97		14
587	Synchrotron radiation circular dichroism spectroscopy of proteins: secondary structure, fold recognition and structural genomics. 2001 , 5, 567-71		116
586	Analysis of the segmental stability of helical peptides by isotope-edited infrared spectroscopy. 2001 , 45, 81-9		26
585	SOMCD: method for evaluating protein secondary structure from UV circular dichroism spectra. 2001 , 42, 460-70		71
584	Circular dichroism studies on proteins in films and in solution: estimation of secondary structure by g-factor analysis. 2001 , 293, 109-19		44
583	Analysis of protein circular dichroism spectra based on the tertiary structure classification. 2001 , 299, 271-4		75
582	Effects of i-propanol on the structural dynamics of <i>Thermomyces lanuginosa</i> lipase revealed by tryptophan fluorescence. <i>Protein Science</i> , 2001 , 10, 339-51	6.3	32

581	Thermal and urea-induced unfolding in T7 RNA polymerase: calorimetry, circular dichroism and fluorescence study. <i>Protein Science</i> , 2001 , 10, 845-53	6.3	21
580	Plasticity of secondary structure in the N-terminal region of beta-dystroglycan. 2001 , 1546, 114-21		16
579	Impact of the tryptophan residues of <i>Humicola lanuginosa</i> lipase on its thermal stability. 2001 , 1547, 329-38		53
578	Structural intermediates in the putative pathway from the cellular prion protein to the pathogenic form. 2001 , 382, 683-91		63
577	Hormone-induced conformational change of the purified soluble hormone binding domain of follitropin receptor complexed with single chain follitropin. <i>Journal of Biological Chemistry</i> , 2001 , 276, 23373-81	5.4	44
576	Autologous biological response modification of the gonadotropin receptor. <i>Journal of Biological Chemistry</i> , 2001 , 276, 12410-9	5.4	12
575	Interactions of the type III secretion pathway proteins LcrV and LcrG from <i>Yersinia pestis</i> are mediated by coiled-coil domains. <i>Journal of Biological Chemistry</i> , 2002 , 277, 38714-22	5.4	42
574	Conclusive evidence that the major T-cell antigens of the <i>Mycobacterium tuberculosis</i> complex ESAT-6 and CFP-10 form a tight, 1:1 complex and characterization of the structural properties of ESAT-6, CFP-10, and the ESAT-6*CFP-10 complex. Implications for pathogenesis and virulence. <i>Journal of Biological Chemistry</i> , 2002 , 277, 21598-603	5.4	252
573	Temperature-induced extended helix/random coil transitions in a group 1 late embryogenesis-abundant protein from soybean. 2002 , 128, 822-32		99
572	The metal-binding properties of DREAM: evidence for calcium-mediated changes in DREAM structure. <i>Journal of Biological Chemistry</i> , 2002 , 277, 10955-66	5.4	36
571	Purification and structural characterization of the central hydrophobic domain of oleosin. <i>Journal of Biological Chemistry</i> , 2002 , 277, 37888-95	5.4	52
570	Jasmonic acid methyl ester induces the synthesis of a cytoplasmic/nuclear chito-oligosaccharide binding lectin in tobacco leaves. 2002 , 16, 905-7		101
569	The germ cell-specific transcription factor ALF. Structural properties and stabilization of the TATA-binding protein (TBP)-DNA complex. <i>Journal of Biological Chemistry</i> , 2002 , 277, 34208-16	5.4	19
568	Identification, cloning and characterization of a new DNA-binding protein from the hyperthermophilic methanogen <i>Methanopyrus kandleri</i> . <i>Nucleic Acids Research</i> , 2002 , 30, 685-94	20.1	13
567	Protein folding by a quasi-static-like process: a first-order state transition. 2002 , 66, 021903		18
566	Unfolded peptides and proteins studied with infrared absorption and vibrational circular dichroism spectra. 2002 , 62, 111-61		51
565	Structural characterization of the second TSP1-module of human thrombospondin. 2002 , 296, 156-60		5
564	Folding, stability, and secondary structure of a new dimeric cysteine proteinase inhibitor. 2002 , 297, 962-7		33

563	Dissecting the gelsolin-polyphosphoinositide interaction and engineering of a polyphosphoinositide-sensitive gelsolin C-terminal half protein. 2002 , 322, 755-71		27
562	Parallel channels and rate-limiting steps in complex protein folding reactions: prolyl isomerization and the alpha subunit of Trp synthase, a TIM barrel protein. 2002 , 323, 309-25		27
561	Guanidinium chloride induced unfolding of a hemocyanin subunit from <i>Carcinus aestuarii</i> . I. Apo form. 2002 , 1597, 42-50		11
560	Protein and peptide secondary structure and conformational determination with vibrational circular dichroism. 2002 , 6, 682-8		144
559	Thermal stability of peroxidase from the african oil palm tree <i>Elaeis guineensis</i> . 2002 , 269, 2584-90		28
558	Recent developments in the electronic spectroscopy of amides and alpha-helical polypeptides. 2002 , 101-102, 535-51		40
557	Direct comparison of membrane interactions of model peptides composed of only Leu and Lys residues. 2003 , 71, 2-16		48
556	Expression, purification and spectroscopic studies of full-length Kir3.1 channel C-terminus. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2003 , 1652, 83-90	4	3
555	Accuracy of protein secondary structure determination from circular dichroism spectra based on immunoglobulin examples. 2003 , 321, 183-7		30
554	Thermostability of cardosin A from <i>Cynara cardunculus</i> L.. 2003 , 402, 123-134		11
553	Insulin containing polyethylenimine-dextran sulfate nanoparticles. 2003 , 255, 139-51		101
552	Incorporation of β -lactoglobulin in monolayers of dioctadecyldimethylammonium bromide studied by Brewster angle microscopy. 2003 , 30, 259-272		10
551	Leaves of the Lamiaceae species <i>Glechoma hederacea</i> (ground ivy) contain a lectin that is structurally and evolutionary related to the legume lectins. 2003 , 33, 293-304		21
550	Expression, purification and characterization of the second Kunitz-type protease inhibitor domain of the human WFIKKN protein. 2003 , 270, 2101-7		18
549	Analyses of circular dichroism spectra of membrane proteins. <i>Protein Science</i> , 2003 , 12, 875-84	6.3	138
548	Structural composition of betal- and betall-proteins. <i>Protein Science</i> , 2003 , 12, 384-8	6.3	158
547	Insights into dimerization and four-helix bundle formation found by dissection of the dimer interface of the GrpE protein from <i>Escherichia coli</i> . <i>Protein Science</i> , 2003 , 12, 1205-15	6.3	12
546	A first-order-like state transition for recombinant protein folding. 2003 , 21, 247-56		9

545	Conformation of a group 2 late embryogenesis abundant protein from soybean. Evidence of poly (L-proline)-type II structure. 2003 , 131, 963-75		101
544	pH-dependent amyloid and protofibril formation by the ABri peptide of familial British dementia. 2003 , 333, 1003-23		80
543	Expression and characterization of the olfactomedin domain of human myocilin. 2003 , 302, 554-61		27
542	Structural and functional characterization of the GalNAc/Gal-specific lectin from the phytopathogenic ascomycete <i>Sclerotinia sclerotiorum</i> (Lib.) de Bary. 2003 , 308, 396-402		23
541	Expression and purification of a putative H-NS nucleoid-associated protein from the phytopathogen <i>Xylella fastidiosa</i> . 2003 , 32, 61-7		3
540	Determining the CD Spectrum of a Protein. 2003 , 8, B3.5.1		
539	Non-covalent stabilization of a beta-hairpin peptide into liposomes. <i>Organic and Biomolecular Chemistry</i> , 2003 , 1, 1827-9	3.9	29
538	Interaction with a membrane surface triggers a reversible conformational change in Bax normally associated with induction of apoptosis. <i>Journal of Biological Chemistry</i> , 2003 , 278, 48935-41	5.4	170
537	Binding of the anticonvulsant drug lamotrigine and the neurotoxin batrachotoxin to voltage-gated sodium channels induces conformational changes associated with block and steady-state activation. <i>Journal of Biological Chemistry</i> , 2003 , 278, 10675-82	5.4	35
536	A novel mode of polymerization of alpha1-proteinase inhibitor. <i>Journal of Biological Chemistry</i> , 2003 , 278, 19611-8	5.4	9
535	Thermodynamic characterization of the binding of activator of G protein signaling 3 (AGS3) and peptides derived from AGS3 with G alpha i1. <i>Journal of Biological Chemistry</i> , 2003 , 278, 51825-32	5.4	41
534	Structural analysis of yoked chorionic gonadotropin-luteinizing hormone receptor ectodomain complexes by circular dichroic spectroscopy. 2003 , 17, 1192-202		7
533	Estimation of protein secondary structure from synchrotron radiation circular dichroism spectra. 2004 , 2004, 2893-6		
532	Refolding of lysozyme by quasistatic and direct dilution reaction paths: a first-order-like state transition. 2004 , 70, 011904		12
531	Modular autonomy, ligand specificity, and functional cooperativity of the three in-tandem fibronectin type II repeats from human matrix metalloproteinase 2. <i>Journal of Biological Chemistry</i> , 2004 , 279, 46921-9	5.4	28
530	Structural and functional properties of an unusual internal fusion peptide in a nonenveloped virus membrane fusion protein. 2004 , 78, 2808-18		40
529	The crystal structure of the <i>Calystegia sepium</i> agglutinin reveals a novel quaternary arrangement of lectin subunits with a beta-prism fold. <i>Journal of Biological Chemistry</i> , 2004 , 279, 527-33	5.4	48
528	Myristoylation, a protruding loop, and structural plasticity are essential features of a nonenveloped virus fusion peptide motif. <i>Journal of Biological Chemistry</i> , 2004 , 279, 51386-94	5.4	43

527	Functional and structural diversity in the Als protein family of <i>Candida albicans</i> . <i>Journal of Biological Chemistry</i> , 2004 , 279, 30480-9	5.4	218
526	Conformational changes of beta-lactoglobulin in sodium bis(2-ethylhexyl) sulfosuccinate reverse micelles. A fluorescence and CD study. 2004 , 271, 734-44		26
525	The biological potency of a series of analogues of human calcitonin correlates with their interactions with phospholipids. 2004 , 76, 258-65		7
524	Two-state irreversible thermal denaturation of anionic peanut (<i>Arachis hypogaea</i> L.) peroxidase. 2004 , 417, 67-73		33
523	Antagonists Mo and Cu in a heterometallic cluster present on a novel protein (orange protein) isolated from <i>Desulfovibrio gigas</i> . <i>Journal of Inorganic Biochemistry</i> , 2004 , 98, 833-40	4.2	31
522	Changes in structure and stability of calbindin-D(28K) upon calcium binding. 2004 , 334, 97-105		17
521	Structural stability of adenylate kinase from the sulfate-reducing bacteria <i>Desulfovibrio gigas</i> . 2004 , 110, 83-92		7
520	DICHROWEB, an online server for protein secondary structure analyses from circular dichroism spectroscopic data. <i>Nucleic Acids Research</i> , 2004 , 32, W668-73	20.1	1879
519	Computation and analysis of protein circular dichroism spectra. 2004 , 383, 318-51		380
518	Determining the CD spectrum of a protein. 2005 , Chapter 7, Unit 7.6		7
517	Analysis of circular dichroism data. 2004 , 383, 282-317		87
516	On the analysis of membrane protein circular dichroism spectra. <i>Protein Science</i> , 2004 , 13, 100-12	6.3	188
515	Beyond average protein secondary structure content prediction using FTIR spectroscopy. 2004 , 3, 9-20		4
514	Cloning and characterization of a thermostable catfish alphaB-crystallin with chaperone-like activity at high temperatures. 2004 , 79, 249-61		13
513	Presence of transient helical segments in the galanin-like peptide evident from (1)H NMR, circular dichroism, and prediction studies. <i>Journal of Structural Biology</i> , 2004 , 146, 261-71	3.4	7
512	Mechanism of thermostabilization in a designed cold shock protein with optimized surface electrostatic interactions. 2004 , 336, 929-42		72
511	Purification, physicochemical characterization, saccharide specificity, and chemical modification of a Gal/GalNAc specific lectin from the seeds of <i>Trichosanthes dioica</i> . <i>Archives of Biochemistry and Biophysics</i> , 2004 , 432, 212-21	4.1	41
510	Conformational transitions in beta-lactoglobulin induced by cationic amphiphiles: equilibrium studies. <i>Biophysical Journal</i> , 2004 , 86, 2392-402	2.9	120

509	The effects of hexanol on Galpha(i) subunits of heterotrimeric G proteins. 2004 , 98, 660-7, table of contents		3
508	Secondary-structure characterization by far-UV CD of highly purified uncoupling protein 1 expressed in yeast. 2004 , 380, 139-45		16
507	Time-domain chirally-sensitive three-pulse coherent probes of vibrational excitons in proteins. 2005 , 318, 50-70		17
506	Conformation of a synthetic antigenic peptide from HIV-1 p24 protein induced by ionic micelles. 2005 , 113, 175-82		3
505	Cooperative effects in phospholipid monolayers induced by a peptide from HIV-1 capsid protein. 2005 , 41, 15-20		11
504	Human ribosomal protein S13: cloning, expression, refolding, and structural stability. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2005 , 1747, 93-7	4	8
503	Identifying Plasmodium falciparum cytoadherence-linked asexual protein 3 (CLAG 3) sequences that specifically bind to C32 cells and erythrocytes. <i>Protein Science</i> , 2005 , 14, 504-13	6.3	16
502	Identifying putative Mycobacterium tuberculosis Rv2004c protein sequences that bind specifically to U937 macrophages and A549 epithelial cells. <i>Protein Science</i> , 2005 , 14, 2767-80	6.3	21
501	Direct correlation between adsorption-induced changes in protein structure and platelet adhesion. 2005 , 73, 349-58		100
500	Pentamidine is an antiparasitic and apoptotic drug that selectively modifies ubiquitin. 2005 , 2, 1387-400		29
499	Recombinant human ribosomal protein S16: expression, purification, refolding, and structural stability. 2005 , 70, 777-81		4
498	Structural organization and Zn ²⁺ -dependent subdomain interactions involving autoantigenic epitopes in the Ring-B-box-coiled-coil (RBCC) region of Ro52. <i>Journal of Biological Chemistry</i> , 2005 , 280, 33250-61	5.4	21
497	Improved estimation of the secondary structures of proteins by vacuum-ultraviolet circular dichroism spectroscopy. 2005 , 138, 79-88		65
496	Hydralysins, a new category of beta-pore-forming toxins in cnidaria. <i>Journal of Biological Chemistry</i> , 2005 , 280, 22847-55	5.4	61
495	Coherent third-order spectroscopic probes of molecular chirality. <i>Journal of Chemical Physics</i> , 2005 , 122, 134305	3.9	41
494	Conformational changes induced in the human protein translin and in the single-stranded oligodeoxynucleotides d(GT)(12) and d(TTAGGG)(5) upon binding of these oligodeoxynucleotides by translin. 2005 , 23, 257-65		6
493	Evidence for the regulatory role of the N-terminal helix of secretory phospholipase A(2) from studies on native and chimeric proteins. <i>Journal of Biological Chemistry</i> , 2005 , 280, 36773-83	5.4	32
492	Critical assessment of important regions in the subunit association and catalytic action of the severe acute respiratory syndrome coronavirus main protease. <i>Journal of Biological Chemistry</i> , 2005 , 280, 22741-8	5.4	85

491	<i>P. falciparum</i> pro-histoaspartic protease (proHAP) protein peptides bind specifically to erythrocytes and inhibit the invasion process in vitro. 2005 , 386, 361-7		2
490	pH-dependent Interactions of the carboxyl-terminal helix of steroidogenic acute regulatory protein with synthetic membranes. <i>Journal of Biological Chemistry</i> , 2005 , 280, 2045-54	5.4	51
489	Bioinformatics analyses of circular dichroism protein reference databases. 2005 , 21, 4230-8		23
488	Caveolin scaffolding region and cholesterol-rich domains in membranes. 2005 , 345, 339-50		125
487	Unclosed beta-propellers display stable structures: implications for substrate access to the active site of prolyl oligopeptidase. 2005 , 346, 907-17		40
486	Characterising <i>Mycobacterium tuberculosis</i> Rv1510c protein and determining its sequences that specifically bind to two target cell lines. 2005 , 332, 771-81		18
485	Identifying <i>Plasmodium falciparum</i> merozoite surface protein-10 human erythrocyte specific binding regions. 2005 , 87, 461-72		18
484	Amino terminal peptides from the <i>Plasmodium falciparum</i> EBA-181/JESEBL protein bind specifically to erythrocytes and inhibit in vitro merozoite invasion. 2005 , 87, 425-36		8
483	Solution structure of the isolated Pelle death domain. 2005 , 579, 3920-6		5
482	Heterologous expression, characterization and structural studies of a hydrophobic peptide from the HIV-1 p24 protein. 2005 , 26, 243-9		7
481	Structural variation in human apolipoprotein E3 and E4: secondary structure, tertiary structure, and size distribution. <i>Biophysical Journal</i> , 2005 , 88, 455-66	2.9	47
480	Spectral magnitude effects on the analyses of secondary structure from circular dichroism spectroscopic data. <i>Protein Science</i> , 2005 , 14, 368-74	6.3	48
479	Membrane-Induced Structure of Scylorhinin I: A Dual NK1/NK2 Agonist. <i>Biophysical Journal</i> , 2005 , 88, 3592-600	2.9	9
478	A reference database for circular dichroism spectroscopy covering fold and secondary structure space. 2006 , 22, 1955-62		325
477	Synchrotron radiation circular dichroism spectroscopy of proteins and applications in structural and functional genomics. <i>Chemical Society Reviews</i> , 2006 , 35, 39-51	58.5	183
476	<i>Plasmodium falciparum</i> TryThrA antigen synthetic peptides block in vitro merozoite invasion to erythrocytes. 2006 , 339, 888-96		16
475	Functional insights from the molecular modelling of a novel two-component system. 2006 , 344, 1327-33		14
474	Biophysical properties of the extra-cellular domain of the calcium-sensing receptor. 2006 , 349, 339-44		9

473	The major outer membrane protein of <i>Fusobacterium nucleatum</i> (FomA) folds and inserts into lipid bilayers via parallel folding pathways. 2006 , 355, 548-61		59
472	Purification and characterization of the L-Ara4N transferase protein ArnT from <i>Salmonella typhimurium</i> . 2006 , 46, 33-9		15
471	Purification and characterization of the second <i>Streptomyces</i> phospholipase A2 refolded from an inclusion body. 2006 , 50, 82-8		10
470	The antimicrobial peptide cathelicidin interacts with airway mucus. 2006 , 27, 3100-6		66
469	Circular Dichroism in Protein Analysis. 2006 ,		2
468	The N-terminus of hepcidin is essential for its interaction with ferroportin: structure-function study. 2006 , 107, 328-33		215
467	Circular Dichroism in Analysis of Biomolecules. 2006 ,		1
466	Chemometric tools for classification and elucidation of protein secondary structure from infrared and circular dichroism spectroscopic measurements. 2006 , 63, 527-41		48
465	Using circular dichroism spectra to estimate protein secondary structure. 2006 , 1, 2876-90		2235
464	Iron-sulfur cluster reconstitution of spinach chloroplast Rieske protein requires a partially prefolded apoprotein. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2006 , 1764, 735-42	4	9
463	Circular dichroism studies of subtilisin Carlsberg immobilised on micron sized silica particles. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2006 , 1764, 1119-25	4	34
462	In vitro refolded napin-like protein of <i>Momordica charantia</i> expressed in <i>Escherichia coli</i> displays properties of native napin. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2006 , 1764, 847-55	4	14
461	The lipid transfer proteins (LTP) essentially concentrate in the skin of Rosaceae fruits as cell surface exposed allergens. 2006 , 44, 535-42		52
460	Electronic circular dichroism for chiral analysis. 2006 , 397-459		6
459	Lipid bilayer stabilization of the Na,K-ATPase reconstituted in DPPC/DPPE liposomes. 2006 , 44, 438-45		10
458	Metal-binding properties of human centrin-2 determined by micro-electrospray ionization mass spectrometry and UV spectroscopy. 2006 , 17, 1158-71		15
457	Novel methods for secondary structure determination using low wavelength (VUV) circular dichroism spectroscopic data. 2006 , 7, 507		22
456	Vacuum-ultraviolet circular dichroism analysis of biomolecules. <i>Chirality</i> , 2006 , 18, 329-34	2.1	12

455	Coherent control of pump-probe signals of helical structures by adaptive pulse polarizations. <i>Journal of Chemical Physics</i> , 2006 , 124, 034104	3.9	22
454	Chirality-induced signals in coherent multidimensional spectroscopy of excitons. <i>Journal of Chemical Physics</i> , 2006 , 124, 034113	3.9	33
453	Glutamic acid-rich proteins of rod photoreceptors are natively unfolded. <i>Journal of Biological Chemistry</i> , 2006 , 281, 1449-60	5.4	49
452	FOLDING AND STRUCTURAL CHARACTERIZATION OF RECOMBINANT CYCLIN-DEPENDENT KINASE INHIBITOR p21(Cip1, Waf1, Sdi1). 2006 , 01, 45-56		4
451	An insight into the molecular basis of salt tolerance of L-myo-inositol 1-P synthase (PcINO1) from <i>Porteresia coarctata</i> (Roxb.) Tateoka, a halophytic wild rice. 2006 , 140, 1279-96		45
450	RUN-CBFbeta interaction in <i>C. elegans</i> : computational prediction and experimental verification. 2007 , 24, 343-58		1
449	Mapping protein collapse with single-molecule fluorescence and kinetic synchrotron radiation circular dichroism spectroscopy. 2007 , 104, 105-10		196
448	Intrinsic disorder and autonomous domain function in the multifunctional nuclear protein, MeCP2. <i>Journal of Biological Chemistry</i> , 2007 , 282, 15057-64	5.4	97
447	Structural and functional analysis of phi29 p16.7C dimerization mutants: identification of a novel aromatic cage dimerization motif. <i>Journal of Biological Chemistry</i> , 2007 , 282, 16521-31	5.4	1
446	Structural and functional analyses of the major outer membrane protein of <i>Chlamydia trachomatis</i> . 2007 , 189, 6222-35		65
445	Effect of Solvent and Temperature on Secondary and Tertiary Structure of Zein by Circular Dichroism. 2007 , 84, 265-270		73
444	Structural modifications to a high-activity binding peptide located within the PfEMP1 NTS domain induce protection against <i>P. falciparum</i> malaria in Aotus monkeys. 2007 , 388, 25-36		10
443	In vitro comparative kinetic analysis of the chloroplast Toc GTPases. <i>Journal of Biological Chemistry</i> , 2007 , 282, 11410-26	5.4	40
442	Modular determinants of antimicrobial activity in platelet factor-4 family kinocidins. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2007 , 1768, 609-19	3.8	70
441	Structural correlates of antimicrobial efficacy in IL-8 and related human kinocidins. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2007 , 1768, 598-608	3.8	39
440	A reference dataset for circular dichroism spectroscopy tailored for the betagamma-crystallin lens proteins. 2007 , 84, 1001-8		15
439	Dimeric core structure of modular stator subunit E of archaeal H ⁺ -ATPase. 2007 , 366, 933-44		34
438	Correct folding of the beta-barrel of the human membrane protein VDAC requires a lipid bilayer. 2007 , 368, 66-78		70

437	Circular and linear dichroism of proteins. 2007 , 9, 2020-35		125
436	Energy-independent translocation of cell-penetrating peptides occurs without formation of pores. A biophysical study with pep-1. 2007 , 24, 282-93		40
435	The yefM-yoeB toxin-antitoxin systems of Escherichia coli and Streptococcus pneumoniae: functional and structural correlation. 2007 , 189, 1266-78		53
434	Conformational analysis of the blue-light sensing protein YtvA reveals a competitive interface for LOV-LOV dimerization and interdomain interactions. 2007 , 6, 41-9		56
433	Conformational diversity of the fibrillogenic fusion peptide B18 in different environments from molecular dynamics simulations. 2007 , 111, 4161-70		16
432	NMR structural investigation of the mitochondrial outer membrane protein VDAC and its interaction with antiapoptotic Bcl-xL. 2007 , 46, 514-25		141
431	Electrostatic interactions modulate the conformation of collagen I. <i>Biophysical Journal</i> , 2007 , 92, 2108-12	9	93
430	Unfolding kinetics of beta-lactoglobulin induced by surfactant and denaturant: a stopped-flow/fluorescence study. <i>Biophysical Journal</i> , 2007 , 93, 3601-12	2.9	27
429	Leptospira interrogans endostatin-like outer membrane proteins bind host fibronectin, laminin and regulators of complement. <i>PLoS ONE</i> , 2007 , 2, e1188	3.7	159
428	Conformational changes upon calcium binding and phosphorylation in a synthetic fragment of calmodulin. 2007 , 88, 373-85		21
427	Structure, stability, and chaperone function of alphaA-crystallin: role of N-terminal region. 2007 , 86, 177-92		50
426	Circular dichroism analysis of penicillin G acylase covalently immobilized on silica nanoparticles. <i>Journal of Colloid and Interface Science</i> , 2007 , 316, 413-9	9.3	22
425	A synthetic analog of plantaricin 149 inhibiting food-borne pathogenic bacteria:evidence for alpha-helical conformation involved in bacteria-membrane interaction. <i>Journal of Peptide Science</i> , 2007 , 13, 171-8	2.1	13
424	A robust metallo-oxidase from the hyperthermophilic bacterium Aquifex aeolicus. <i>FEBS Journal</i> , 2007 , 274, 2683-94	5.7	44
423	Orphan nuclear receptor NGFI-B forms dimers with nonclassical interface. <i>Protein Science</i> , 2007 , 16, 1766-72	6.32	5
422	Photophysics of ANS. I. Protein-ANS complexes: Intestinal fatty acid binding protein and single-trp mutants. 2007 , 125, 1-12		15
421	Structural and functional characterization and physiological significance of a stimulator protein of Mg ²⁺ -independent Ca ²⁺ -ATPase isolated from goat spermatozoa. 2008 , 311, 93-103		5
420	Investigations of the roles of arginine 115 and lysine 120 in the active site of 5,10-methenyltetrahydrofolate synthetase from Mycoplasma pneumoniae. 2008 , 27, 303-8		4

419	The full-length mu-opioid receptor: a conformational study by circular dichroism in trifluoroethanol and membrane-mimetic environments. 2008 , 223, 49-57		14
418	Biological and structural analysis of truncated analogs of PACAP27. 2008 , 36, 260-9		24
417	Dipole interaction model predicted pi-pi* circular dichroism of cyclo(L-Pro) ₃ using structures created by semi-empirical, ab initio, and molecular mechanics methods. 2003 , 61, 189-201		10
416	Improved sequence-based prediction of protein secondary structures by combining vacuum-ultraviolet circular dichroism spectroscopy with neural network. 2008 , 73, 104-12		25
415	Protein secondary structure analyses from circular dichroism spectroscopy: methods and reference databases. 2008 , 89, 392-400		1709
414	Secondary structure conversions of Mycobacterium tuberculosis ribonucleotide reductase protein R2 under varying pH and temperature conditions. 2008 , 137, 43-8		10
413	In vitro perturbation of aggregation processes in beta-amyloid peptides: a spectroscopic study. 2008 , 582, 3288-92		26
412	Identification of Plasmodium falciparum RhopH3 protein peptides that specifically bind to erythrocytes and inhibit merozoite invasion. <i>Protein Science</i> , 2008 , 17, 1719-30	6.3	12
411	Characterization of Plasmodium falciparum integral membrane protein Pf25-IMP and identification of its red blood cell binding sequences inhibiting merozoite invasion in vitro. <i>Protein Science</i> , 2008 , 17, 1494-504	6.3	15
410	Unfolding of C-phycoerythrin followed by loss of non-covalent chromophore-protein interactions 1. Equilibrium experiments. 2008 , 1777, 94-103		48
409	Isolation and characterization of Plasmodium falciparum UAP56 homolog: evidence for the coupling of RNA binding and splicing activity by site-directed mutations. <i>Archives of Biochemistry and Biophysics</i> , 2008 , 478, 143-53	4.1	26
408	Studies of Plasmodium falciparum rhoptry-associated membrane antigen (RAMA) protein peptides specifically binding to human RBC. 2008 , 26, 853-62		16
407	Structural and functional roles of deamidation and/or truncation of N- or C-termini in human alpha A-crystallin. 2008 , 47, 10069-83		37
406	High affinity interactions between red blood cell receptors and synthetic Plasmodium thrombospondin-related apical merozoite protein (PTRAMP) peptides. 2008 , 90, 802-10		4
405	Thermodynamic characterization of the palm tree Roystonea regia peroxidase stability. 2008 , 90, 1737-49		24
404	Identification of peptides with high red blood cell and hepatocyte binding activity in the Plasmodium falciparum multi-stage invasion proteins: PfSPATR and MCP-1. 2008 , 90, 1750-9		6
403	Purification and characterization of a T-antigen specific lectin from the coelomic fluid of a marine invertebrate, sea cucumber (<i>Holothuria scabra</i>). 2008 , 24, 450-8		39
402	Structural characterization of neurokinin-3 receptor selective peptide agonist scylorhinin II bound to DPC micelles. 2008 , 25, 395-405		

401	Iron-mediated aggregation and a localized structural change characterize ferritin from a mutant light chain polypeptide that causes neurodegeneration. <i>Journal of Biological Chemistry</i> , 2008 , 283, 31679-89	5-4	43
400	Characterization of a lysine-specific histone demethylase from <i>Arabidopsis thaliana</i> . 2008 , 47, 4936-47		21
399	Paired beta-sheet structure of an Abeta(1-40) amyloid fibril revealed by electron microscopy. 2008 , 105, 7462-6		175
398	Altered dimer interface decreases stability in an amyloidogenic protein. <i>Journal of Biological Chemistry</i> , 2008 , 283, 15853-60	5-4	87
397	Structural mechanism of signal transduction between the RNA-binding domain and the phosphotransferase system regulation domain of the LicT antiterminator. <i>Journal of Biological Chemistry</i> , 2008 , 283, 30838-49	5-4	15
396	Solution structure and refolding of the <i>Mycobacterium tuberculosis</i> pentapeptide repeat protein MfpA. <i>Journal of Biological Chemistry</i> , 2008 , 283, 36290-9	5-4	10
395	Structure and evolution of a novel dimeric enzyme from a clinically important bacterial pathogen. <i>Journal of Biological Chemistry</i> , 2008 , 283, 27598-27603	5-4	78
394	Structural and functional characterization of transmembrane segment IX of the NHE1 isoform of the Na ⁺ /H ⁺ exchanger. <i>Journal of Biological Chemistry</i> , 2008 , 283, 22018-30	5-4	32
393	Molecular features governing the stability and specificity of functional complex formation by <i>Mycobacterium tuberculosis</i> CFP-10/ESAT-6 family proteins. <i>Journal of Biological Chemistry</i> , 2008 , 283, 17681-90	5-4	38
392	Critical residues for cofactor binding and catalytic activity in the aminoglycoside resistance methyltransferase Sgm. 2008 , 190, 5855-61		19
391	Novel regulatory site within the TM3-4 loop of human recombinant alpha3 glycine receptors determines channel gating and domain structure. <i>Journal of Biological Chemistry</i> , 2009 , 284, 28624-33	5-4	22
390	Direct interaction of otoferlin with syntaxin 1A, SNAP-25, and the L-type voltage-gated calcium channel Cav1.3. <i>Journal of Biological Chemistry</i> , 2009 , 284, 1364-72	5-4	85
389	Structural and dynamic interfacial properties of the lipoprotein initiating domain of apolipoprotein B. 2009 , 50, 108-15		16
388	Expression and characterization of Kunitz domain 3 and C-terminal of human tissue factor pathway inhibitor-2. 2009 , 41, 948-54		6
387	Heterologous <i>Escherichia coli</i> expression, purification and characterization of the GrmA aminoglycoside-resistance methyltransferase. 2009 , 28, 326-32		
386	Effect of lipid on the conformation of the N-terminal region of equinatoxin II: a synchrotron radiation circular dichroism spectroscopic study. 2009 , 39, 121-7		10
385	Comprehensive secondary-structure analysis of disulfide variants of lysozyme by synchrotron-radiation vacuum-ultraviolet circular dichroism. 2009 , 77, 191-201		23
384	Calcineurin regulatory subunit B is a unique calcium sensor that regulates calcineurin in both calcium-dependent and calcium-independent manner. 2009 , 77, 612-23		11

383	The inherent flexibility of peptides and protein fragments quantitized by CD in conjunction with CCA+. <i>Journal of Peptide Science</i> , 2009 , 15, 738-52	2.1	9
382	Novel role of Wag31 in protection of mycobacteria under oxidative stress. 2009 , 73, 103-19		61
381	Attachment of <i>Streptomyces coelicolor</i> is mediated by amyloid fimbriae that are anchored to the cell surface via cellulose. 2009 , 73, 1128-40		85
380	Optimized stability retention of a monoclonal antibody in the PLGA nanoparticles. 2009 , 368, 178-85		37
379	Studies on the interactions of kaempferol to calcineurin by spectroscopic methods and docking. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2009 , 1794, 1269-75	4	6
378	Circular dichroism spectroscopy has intrinsic limitations for protein secondary structure analysis. 2009 , 389, 174-6		30
377	Independent tyrosyl contributions to the CD of Ff gene 5 protein and the distinctive effects of Y41H and Y41F mutants on protein-protein cooperative interactions. <i>Protein Science</i> , 2002 , 11, 601-13	6.3	5
376	Truncated human betaB1-crystallin shows altered structural properties and interaction with human betaA3-crystallin. 2009 , 48, 7179-89		20
375	Integrating ELF4 into the circadian system through combined structural and functional studies. 2009 , 3, 350-66		81
374	Membrane-induced conformational change of alpha1-acid glycoprotein characterized by vacuum-ultraviolet circular dichroism spectroscopy. 2009 , 48, 9103-11		22
373	N114S mutation causes loss of ATP-induced aggregation of human phosphoribosylpyrophosphate synthetase 1. 2009 , 379, 1120-5		10
372	Identification of conserved erythrocyte binding regions in members of the <i>Plasmodium falciparum</i> Cys6 lipid raft-associated protein family. 2009 , 27, 3953-62		24
371	Synthetic peptides from conserved regions of the <i>Plasmodium falciparum</i> early transcribed membrane and ring exported proteins bind specifically to red blood cell proteins. 2009 , 27, 6877-86		6
370	Expression of Jug r 1, the 2S albumin allergen from walnut (<i>Juglans regia</i>), as a correctly folded and functional recombinant protein. 2009 , 30, 1213-21		29
369	Three-dimensional structure of Phyllomedusin, a NK1 receptor agonist bound to dodecylphosphocholine micelles. <i>Journal of Structural Biology</i> , 2009 , 167, 176-84	3.4	4
368	Thermal stability of peroxidase from <i>Chamaerops excelsa</i> palm tree at pH 3. <i>International Journal of Biological Macromolecules</i> , 2009 , 44, 326-32	7.9	18
367	Zinc-, cobalt- and iron-chelated forms of adenylate kinase from the Gram-negative bacterium <i>Desulfovibrio gigas</i> . <i>International Journal of Biological Macromolecules</i> , 2009 , 45, 524-31	7.9	2
366	Electron microscopic evidence in support of alpha-solenoid models of proteasomal subunits Rpn1 and Rpn2. 2009 , 386, 1204-11		33

365	NMR structure of the N-terminal domain of capsid protein from the mason-pfizer monkey virus. 2009 , 392, 100-14		28
364	alpha-Hydroxynitrile lyase protein from <i>Xylella fastidiosa</i> : Cloning, expression, and characterization. 2009 , 47, 118-27		12
363	Effect of membrane composition on antimicrobial peptides aurein 2.2 and 2.3 from Australian southern bell frogs. <i>Biophysical Journal</i> , 2009 , 96, 552-65	2.9	70
362	A Maurer β cleft-associated <i>Plasmodium falciparum</i> membrane-associated histidine-rich protein peptide specifically interacts with the erythrocyte membrane. 2009 , 380, 122-6		6
361	Fine mapping of <i>Plasmodium falciparum</i> ribosomal phosphoprotein PFP0 revealed sequences with highly specific binding activity to human red blood cells. 2010 , 88, 61-74		3
360	<i>Mycobacterium tuberculosis</i> Rv0679c protein sequences involved in host-cell infection: potential TB vaccine candidate antigen. 2010 , 10, 109		16
359	Conserved regions from <i>Plasmodium falciparum</i> MSP11 specifically interact with host cells and have a potential role during merozoite invasion of red blood cells. 2010 , 110, 882-92		2
358	Expression, purification, and analysis of unknown translation factors from <i>Escherichia coli</i> : A synthesis approach. 2010 , 38, 17-22		5
357	Synchrotron radiation circular dichroism: a new tool for identification of point-mutation protein. 2010 , 7, 143-146		
356	Implementation of an FTIR calibration curve for fast and objective determination of changes in protein secondary structure during formulation development. 2010 , 51, 39-45		54
355	Structural studies of a peptide with immune modulating and direct antimicrobial activity. 2010 , 17, 970-80		118
354	Position-specific propensities of amino acids in the β strand. 2010 , 10, 29		27
353	A weak DD-carboxypeptidase activity explains the inability of PBP 6 to substitute for PBP 5 in maintaining normal cell shape in <i>Escherichia coli</i> . 2010 , 303, 76-83		27
352	The multicopper oxidase from the archaeon <i>Pyrobaculum aerophilum</i> shows nitrous oxide reductase activity. <i>FEBS Journal</i> , 2010 , 277, 3176-89	5.7	44
351	Characterization of a mutant R11H β -crystallin associated with human inherited cataract. 2010 , 391, 1391-400		4
350	Structural determination and tryptophan fluorescence of heterokaryon incompatibility C2 protein (HET-C2), a fungal glycolipid transfer protein (GLTP), provide novel insights into glycolipid specificity and membrane interaction by the GLTP fold. <i>Journal of Biological Chemistry</i> , 2010 , 285, 13066-78	5.4	21
349	Kinetic characterization of the WalRKSpn (VicRK) two-component system of <i>Streptococcus pneumoniae</i> : dependence of WalKSpn (VicK) phosphatase activity on its PAS domain. 2010 , 192, 2346-58		60
348	Peptides from the <i>Mycobacterium tuberculosis</i> Rv1980c protein involved in human cell infection: insights into new synthetic subunit vaccine candidates. 2010 , 391, 207-217		7

347	The mechanism of VWF-mediated platelet GPIIb/IIIa binding. <i>Biophysical Journal</i> , 2010 , 99, 1192-201	2.9	27
346	Importance of residue 13 and the C-terminus for the structure and activity of the antimicrobial peptide aurein 2.2. <i>Biophysical Journal</i> , 2010 , 99, 2926-35	2.9	25
345	Well-defined regions of the Plasmodium falciparum reticulocyte binding protein homologue 4 mediate interaction with red blood cell membrane. 2010 , 53, 811-21		6
344	Synergistic and inhibitory effects of aminopeptidase peptides on Bacillus thuringiensis Cry11Ba toxicity in the mosquito Anopheles gambiae. 2010 , 49, 8512-9		17
343	Quantitation, visualization, and monitoring of conformational transitions of human serum albumin by a tetraphenylethene derivative with aggregation-induced emission characteristics. <i>Analytical Chemistry</i> , 2010 , 82, 7035-43	7.8	182
342	Effects of polymer molecular weight on the size, activity, and stability of PEG-functionalized trypsin. <i>Biomacromolecules</i> , 2010 , 11, 3688-92	6.9	35
341	Unwinding of zinc finger domain of DNA polymerase I by cis-diamminedichloroplatinum(II). 2010 , 39, 7968-79		10
340	Thermodynamics and kinetics of association of antibiotics with the aminoglycoside acetyltransferase (3)-IIIb, a resistance-causing enzyme. 2010 , 49, 4027-35		21
339	Effects of DHLA-capped CdSe/ZnS quantum dots on the fibrillation of human serum albumin. 2010 , 114, 10881-8		46
338	Protein N-homocysteinylation induces the formation of toxic amyloid-like protofibrils. 2010 , 400, 889-907		63
337	Purification and biophysical characterization of the core protease domain of anthrax lethal factor. 2010 , 396, 643-7		10
336	ATP-induced noncooperative thermal unfolding of hen lysozyme. 2010 , 397, 598-602		6
335	Multistate unfolding of β -mannosidase from <i>Canavalia ensiformis</i> (Jack Bean): evidence for the thermostable molten globule. 2010 , 403, 391-7		6
334	GATEWAY technology and E. coli recombinant system produce a properly folded and functional recombinant allergen of the lipid transfer protein of apple (Mal d 3). 2010 , 70, 277-82		4
333	Conserved high activity binding peptides from the Plasmodium falciparum Pf34 rhoptry protein inhibit merozoites in vitro invasion of red blood cells. 2010 , 31, 1987-94		13
332	Conserved regions of the Plasmodium falciparum rhoptry-associated protein 3 mediate specific host-pathogen interactions during invasion of red blood cells. 2010 , 31, 2165-72		4
331	Sequences of the Plasmodium falciparum cytoadherence-linked asexual protein 9 implicated in malaria parasite invasion to erythrocytes. 2010 , 28, 2653-63		6
330	3D structure determination of STARP peptides implicated in P. falciparum invasion of hepatic cells. 2010 , 28, 4989-96		7

329	Quantitative methods for structural characterization of proteins based on deep UV resonance Raman spectroscopy. 2010 , 52, 23-37		52
328	The critical role of the constant region in thermal stability and aggregation of amyloidogenic immunoglobulin light chain. 2010 , 49, 9848-57		61
327	Advanced statistical and numerical methods for spectroscopic characterization of protein structural evolution. 2010 , 110, 5692-713		52
326	Differences in the molecular structure of beta(2)-microglobulin between two morphologically different amyloid fibrils. 2010 , 49, 742-51		20
325	Interaction of glycated human serum albumin with endothelial cells in a hemodynamic environment: structural and functional correlates. 2011 , 7, 3036-41		9
324	Cloning, heterologous expression and properties of a recombinant active turnip peroxidase. 2011 , 59, 7120-6		8
323	The influence of different lipid environments on the structure and function of the hepatitis C virus p7 ion channel protein. 2011 , 28, 254-64		17
322	Cys mutants in functional regions of Sticholysin I clarify the participation of these residues in pore formation. 2011 , 58, 8-17		20
321	Structural rearrangement of β -lactoglobulin at different oil-water interfaces and its effect on emulsion stability. 2011 , 27, 9227-36		88
320	The importance of bacterial membrane composition in the structure and function of aurein 2.2 and selected variants. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2011 , 1808, 622-33	3.8	72
319	Structural characterization and anti-HIV-1 activities of arginine/glutamate-rich polypeptide Luffin P1 from the seeds of sponge gourd (<i>Luffa cylindrica</i>). <i>Journal of Structural Biology</i> , 2011 , 174, 164-72	3-4	45
318	Biochemical and structural properties of zebrafish Capsulin produced by <i>Escherichia coli</i> . 2011 , 75, 21-7		3
317	Heterologous production, purification and characterization of enzymatically active Sindbis virus nonstructural protein nsP1. 2011 , 79, 277-84		29
316	The <i>Mycobacterium tuberculosis</i> membrane protein Rv0180c: Evaluation of peptide sequences implicated in mycobacterial invasion of two human cell lines. 2011 , 32, 1-10		14
315	Protein structural modularity and robustness are associated with evolvability. 2011 , 3, 456-75		27
314	Intrinsic Disorder in Genome-Linked Viral Proteins VPgs of Potyviruses. 2011 , 277-312		
313	Improving catalytic performance of <i>Burkholderia cepacia</i> lipase immobilized on macroporous resin NKA. 2011 , 71, 45-50		76
312	Selective and reversible thiol-pegylation, an effective approach for purification and characterization of five fully active ficin (iso)forms from <i>Ficus carica</i> latex. 2011 , 72, 1718-31		31

311	Amyloid formation from an β -helix peptide bundle is seeded by 3(10)-helix aggregates. <i>Chemistry - A European Journal</i> , 2011 , 17, 151-60	4.8	21
310	Quercetin binds to calcineurin at a similar region to cyclosporin A and tacrolimus. 2011 , 127, 1169-74		17
309	Ribosomal protein S18e as a putative molecular staple for the 18S rRNA 3Pmajor domain core. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2011 , 1814, 505-12	4	10
308	The neurotransmitter serotonin interrupts β -synuclein amyloid maturation. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2011 , 1814, 553-61	4	13
307	The N-terminal domain of the Flo1 flocculation protein from <i>Saccharomyces cerevisiae</i> binds specifically to mannose carbohydrates. 2011 , 10, 110-7		26
306	The final conformation of the complete ectodomain of the HA2 subunit of influenza hemagglutinin can by itself drive low pH-dependent fusion. <i>Journal of Biological Chemistry</i> , 2011 , 286, 13226-34	5.4	29
305	Structural basis of molecular recognition of the Leishmania small hydrophilic endoplasmic reticulum-associated protein (SHERP) at membrane surfaces. <i>Journal of Biological Chemistry</i> , 2011 , 286, 9246-56	5.4	7
304	Role of β -helical structure in organic solvent-activated homodimer of elastase strain K. <i>International Journal of Molecular Sciences</i> , 2011 , 12, 5797-814	6.3	9
303	The role of Mycobacterium tuberculosis Rv3166c protein-derived high-activity binding peptides in inhibiting invasion of human cell lines. 2012 , 25, 235-42		7
302	Structural features and domain organization of huntingtin fibrils. <i>Journal of Biological Chemistry</i> , 2012 , 287, 31739-46	5.4	68
301	A new type of intracellular retention signal identified in a pestivirus structural glycoprotein. 2012 , 26, 3292-305		20
300	Structural organization of the nine spectrin repeats of Kalirin. 2012 , 51, 5663-73		9
299	Diversification of the structural determinants of fibroblast growth factor-heparin interactions: implications for binding specificity. <i>Journal of Biological Chemistry</i> , 2012 , 287, 40061-73	5.4	54
298	Purification and partial characterization of a novel lectin from <i>Dioclea lasiocarpa</i> Mart seeds with vasodilator effects. 2012 , 25, 657-64		11
297	Designing of nitrile hydratase from alkaline protease using guanidine hydrochloride and cobalt metal ion. 2012 , 198, 353-358		1
296	SERF protein is a direct modifier of amyloid fiber assembly. 2012 , 2, 358-71		27
295	Maricaulis maris cation diffusion facilitator: achieving homogeneity through a mixed-micelle approach. 2012 , 85, 173-80		4
294	A single amino acid change in the Plasmodium falciparum RH5 (PFRH5) human RBC binding sequence modifies its structure and determines species-specific binding activity. 2012 , 30, 637-46		13

293	Expression of a recombinant Phoneutria toxin active in calcium channels. 2012 , 60, 907-18		3
292	DDX1 is an RNA-dependent ATPase involved in HIV-1 Rev function and virus replication. 2012 , 415, 61-74		53
291	Featuring amyloids with Fourier transform infrared and circular dichroism spectroscopies. <i>Methods in Molecular Biology</i> , 2012 , 849, 53-68	1.4	13
290	Circular dichroism in protein folding studies. 2012 , Chapter 28, Unit28.3		10
289	Electronic Circular Dichroism of Proteins. 2012 , 473-497		4
288	Conformational Studies of Biopolymers, Peptides, Proteins, and Nucleic Acids. A Role for Vibrational Circular Dichroism. 2012 , 707-758		11
287	Molecular cloning, structure, and reactivity of the second bromoperoxidase from <i>Ascophyllum nodosum</i> . 2012 , 44, 25-34		17
286	<i>Mycobacterium tuberculosis</i> surface protein Rv0227c contains high activity binding peptides which inhibit cell invasion. 2012 , 38, 208-16		8
285	Conformational changes of β -lactalbumin adsorbed at oil-water interfaces: interplay between protein structure and emulsion stability. 2012 , 28, 2357-67		52
284	Fabrication, structure and surface charges of albumin-chitosan hybrids. 2012 , 55, 1788-1795		11
283	Inherent structural disorder and dimerisation of murine norovirus NS1-2 protein. <i>PLoS ONE</i> , 2012 , 7, e30534	3.7	24
282	Environment-dependent long-range structural distortion in a temperature-sensitive point mutant. <i>Protein Science</i> , 2012 , 21, 63-74	6.3	2
281	Secondary-structure analysis of alcohol-denatured proteins by vacuum-ultraviolet circular dichroism spectroscopy. 2012 , 80, 281-93		26
280	Peptides derived from <i>Mycobacterium tuberculosis</i> Rv2301 protein are involved in invasion to human epithelial cells and macrophages. 2012 , 42, 2067-77		10
279	The N-terminal domain of the Flo11 protein from <i>Saccharomyces cerevisiae</i> is an adhesin without mannose-binding activity. 2012 , 12, 78-87		22
278	Interaction of bovine serum albumin with self-assembled nanoparticles of 6-O-cholesterol modified chitosan. 2012 , 92, 136-41		51
277	Lipase-coated K ₂ SO ₄ micro-crystals: preparation, characterization, and application in biodiesel production using various oil feedstocks. 2012 , 110, 224-31		27
276	Membrane selectivity and biophysical studies of the antimicrobial peptide GL13K. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2013 , 1828, 2193-203	3.8	47

275	Fold of an oleosin targeted to cellular oil bodies. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2013 , 1828, 1881-8	3.8	16
274	Effects of Divalent Metal Ions on the Chaperone Activity and Structure of Rat Lens H18G Mutant B-Crystallin. 2013 , 60, n/a-n/a		0
273	Mechanism of farnesylated CAAX protein processing by the intramembrane protease Rce1. 2013 , 504, 301-5		119
272	Rh1 high activity binding peptides inhibit high percentages of Plasmodium falciparum FVO strain invasion. 2013 , 31, 1830-7		6
271	Solution and in silico studies on the recombinant lectin from Cicer arietinum seeds. <i>International Journal of Biological Macromolecules</i> , 2013 , 56, 149-55	7.9	5
270	The interaction of 2-mercaptobenzimidazole with human serum albumin as determined by spectroscopy, atomic force microscopy and molecular modeling. 2013 , 104, 311-7		28
269	Circular-dichroism and synchrotron-radiation circular-dichroism spectroscopy as tools to monitor protein structure in a lipid environment. <i>Methods in Molecular Biology</i> , 2013 , 974, 151-76	1.4	8
268	Inactivation of cholinesterases by silver and gold ions in vitro. 2013 , 11, 935-944		2
267	Anticancer Activity from Gold-alpha-Lactalbumin Nanoconstructs?. 2013 , 117, 2230-2238		14
266	The addressing fragment of mitogaligin: first insights into functional and structural properties. 2013 , 14, 711-20		
265	Improved performance of Yarrowia lipolytica lipase-catalyzed kinetic resolution of (R,S)-2-octanol by an integrated strategy of interfacial activation, bioimprinting and immobilization. 2013 , 142, 415-9		12
264	PEGylated starch acetate nanoparticles and its potential use for oral insulin delivery. 2013 , 95, 1-8		54
263	The lipid bilayer-inserted membrane protein BamA of Escherichia coli facilitates insertion and folding of outer membrane protein A from its complex with Skp. 2013 , 52, 3974-86		48
262	Streptomyces coelicolor encodes a urate-responsive transcriptional regulator with homology to PecS from plant pathogens. 2013 , 195, 4954-65		15
261	Mechanism of action of Neisseria gonorrhoeae O-acetylpeptidoglycan esterase, an SGNH serine esterase. <i>Journal of Biological Chemistry</i> , 2013 , 288, 2605-13	5.4	28
260	An evolution-based approach to De Novo protein design and case study on Mycobacterium tuberculosis. 2013 , 9, e1003298		39
259	Characterization of the functional domains of the SloR metalloregulatory protein in Streptococcus mutans. 2013 , 195, 126-34		11
258	Interaction of bacterial fatty-acid-displaced regulators with DNA is interrupted by tyrosine phosphorylation in the helix-turn-helix domain. <i>Nucleic Acids Research</i> , 2013 , 41, 9371-81	20.1	24

257	An intramolecular interaction involving the N terminus of a streptococcal adhesin affects its conformation and adhesive function. <i>Journal of Biological Chemistry</i> , 2013 , 288, 13762-74	5.4	8
256	Mutational and genetic determinants of β light chain amyloidogenesis. <i>FEBS Journal</i> , 2013 , 280, 6173-83	5.7	22
255	Characterization of the translocation-competent complex between the <i>Helicobacter pylori</i> oncogenic protein CagA and the accessory protein CagF. <i>Journal of Biological Chemistry</i> , 2013 , 288, 32897-909	5.4	19
254	Construction of a Synchrotron-Radiation Vacuum-Ultraviolet Circular-Dichroism Spectrophotometer and Its Application to the Structural Analysis of Biomolecules. 2013 , 86, 675-689		15
253	Octarellin VI: using rosetta to design a putative artificial (A β) protein. <i>PLoS ONE</i> , 2013 , 8, e71858	3.7	20
252	The essential protein for bacterial flagella formation FlgJ functions as a N-acetylglucosaminidase. <i>Journal of Biological Chemistry</i> , 2014 , 289, 31029-42	5.4	42
251	Structure of the membrane anchor of pestivirus glycoprotein E(rns), a long tilted amphipathic helix. 2014 , 10, e1003973		23
250	Analysis of co-assembly and co-localization of ameloblastin and amelogenin. 2014 , 5, 274		19
249	The molecular basis of conformational instability of the ecdysone receptor DNA binding domain studied by in silico and in vitro experiments. <i>PLoS ONE</i> , 2014 , 9, e86052	3.7	2
248	The Chaperone-like Activity and Structure of Mutant H119G of Rat Lens B-crystallin: A Study of Divalent Metal Ion Binding Site. 2014 , 61, 995-1003		
247	Intramolecular isopeptide but not internal thioester bonds confer proteolytic and significant thermal stability to the <i>S. pyogenes</i> pilus adhesin Spy0125. 2014 , 82, 517-27		20
246	Crystallization and preliminary X-ray analysis of the catalytic domains of <i>Paenibacillus</i> sp. strain FPU-7 cell-surface-expressed chitinase ChiW. 2014 , 70, 350-3		6
245	Effects of ultrasound on the structure and physical properties of black bean protein isolates. 2014 , 62, 595-601		281
244	Acidic pH triggers conformational changes at the NH ₂ -terminal propeptide of the precursor of pulmonary surfactant protein B to form a coiled coil structure. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2014 , 1838, 1738-51	3.8	11
243	Biophysical characterization of in vitro bound <i>Streptomyces peucetius</i> daunorubicin-serine protease complex. <i>International Journal of Biological Macromolecules</i> , 2014 , 64, 111-4	7.9	2
242	Alteration of cholinesterase activity as possible mechanism of silver nanoparticle toxicity. 2014 , 21, 1391-400		37
241	<i>Plasmodium falciparum</i> rhoptry neck protein 5 peptides bind to human red blood cells and inhibit parasite invasion. 2014 , 53, 210-7		6
240	Small-angle neutron scattering studies of hemoglobin confined inside silica tubes of varying sizes. 2014 , 15, 302-9		3

239	Development of a recombinant toxin fragment vaccine for Clostridium difficile infection. 2014 , 32, 2812-8		19
238	Consensus design of a NOD receptor leucine rich repeat domain with binding affinity for a muramyl dipeptide, a bacterial cell wall fragment. <i>Protein Science</i> , 2014 , 23, 790-800	6.3	18
237	Calcium regulates molecular interactions of otoferlin with soluble NSF attachment protein receptor (SNARE) proteins required for hair cell exocytosis. <i>Journal of Biological Chemistry</i> , 2014 , 289, 8750-66	5.4	26
236	Acid-induced molten globule state of a prion protein: crucial role of Strand 1-Helix 1-Strand 2 segment. <i>Journal of Biological Chemistry</i> , 2014 , 289, 30355-30363	5.4	37
235	Group 3 late embryogenesis abundant proteins from embryos of Artemia franciscana: structural properties and protective abilities during desiccation. 2014 , 87, 640-51		24
234	Probing kinase activation and substrate specificity with an engineered monomeric IKK2. 2014 , 53, 2064-73		4
233	Mechanism of action of peptidoglycan O-acetyltransferase B involves a Ser-His-Asp catalytic triad. 2014 , 53, 6243-51		20
232	Dominance of misfolded intermediates in the dynamics of β helix folding. 2014 , 111, 14424-9		14
231	Pyroglutamylated amyloid- β peptide reverses cross β sheets by a prion-like mechanism. 2014 , 118, 5637-43		20
230	Specific interaction between Mycobacterium tuberculosis lipoprotein-derived peptides and target cells inhibits mycobacterial entry in vitro. 2014 , 84, 626-41		13
229	NMR spectroscopy reveals a preferred conformation with a defined hydrophobic cluster for polyglutamine binding peptide 1. <i>Archives of Biochemistry and Biophysics</i> , 2014 , 558, 104-10	4.1	9
228	Determination of kinetics and the crystal structure of a novel type 2 isopentenyl diphosphate: dimethylallyl diphosphate isomerase from Streptococcus pneumoniae. 2014 , 15, 1452-8		9
227	Second generation, arginine-rich (R-XPR) ₄ -type cell-penetrating peptides with constrained, chiral β amino acids (X) for enhanced cargo delivery into cells. 2014 , 24, 4198-202		10
226	Homooligomerization is needed for stability: a molecular modelling and solution study of Escherichia coli purine nucleoside phosphorylase. <i>FEBS Journal</i> , 2014 , 281, 1860-71	5.7	10
225	Conformational changes induced by detergents during the refolding of chemically denatured cysteine protease ppEhCP-B9 from Entamoeba histolytica. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2014 , 1844, 1299-306	4	4
224	Dynamical structure of the short multifunctional peptide BP100 in membranes. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2014 , 1838, 940-9	3.8	44
223	Solution structure of Rv0569, potent hypoxic signal transduction protein, from Mycobacterium tuberculosis. 2014 , 94, 43-50		0
222	Multiplexing natural orientation: oppositely directed self-assembling peptides. <i>Biomacromolecules</i> , 2014 , 15, 2138-45	6.9	10

221	Over-expression of a proline specific aminopeptidase from <i>Aspergillus oryzae</i> JN-412 and its application in collagen degradation. 2014 , 173, 1765-77		13
220	Structural insights into the intertwined dimer of fyn SH2. <i>Protein Science</i> , 2015 , 24, 1964-78	6.3	6
219	Evidence-Based Structural Model of the Staphylococcal Repressor Protein: Separation of Functions into Different Domains. <i>PLoS ONE</i> , 2015 , 10, e0139086	3.7	13
218	Cysteine-Rich Atrial Secretory Protein from the Snail <i>Achatina achatina</i> : Purification and Structural Characterization. <i>PLoS ONE</i> , 2015 , 10, e0138787	3.7	2
217	A purified truncated form of yeast Gal4 expressed in <i>Escherichia coli</i> and used to functionalize poly(lactic acid) nanoparticle surface is transcriptionally active in cellulose. 2015 , 113, 94-101		7
216	Crown ether helical peptides are preferentially inserted in lipid bilayers as a transmembrane ion channels. 2015 , 104, 427-33		7
215	Accurate secondary structure prediction and fold recognition for circular dichroism spectroscopy. 2015 , 112, E3095-103		825
214	The hydrolyzable gallotannin, penta-O-galloyl- β -D-glucopyranoside, inhibits the formation of advanced glycation endproducts by protecting protein structure. 2015 , 11, 1338-47		19
213	Secondary Structure Alterations of Histones H2A and H2B in X-Irradiated Human Cancer Cells: Altered Histones Persist in Cells for at Least 24 Hours. 2015 , 184, 554-8		6
212	Tuning Structural Changes in Glucose Oxidase for Enzyme Fuel Cell Applications. 2015 , 7, 28311-8		11
211	The recombinant prepro region of TvCP4 is an inhibitor of cathepsin L-like cysteine proteinases of <i>Trichomonas vaginalis</i> that inhibits trichomonal haemolysis. 2015 , 59, 73-83		9
210	Transforming growth factor receptor type II (ec-TR II) behaves as a halophile. <i>International Journal of Biological Macromolecules</i> , 2015 , 72, 1104-10	7.9	
209	Conjugation of aurein 2.2 to HPG yields an antimicrobial with better properties. <i>Biomacromolecules</i> , 2015 , 16, 913-23	6.9	32
208	Structural basis of clade-specific HIV-1 neutralization by humanized anti-V3 monoclonal antibody KD-247. 2015 , 29, 70-80		1
207	Tetrameric Ctp1 coordinates DNA binding and DNA bridging in DNA double-strand-break repair. 2015 , 22, 158-66		50
206	An efficient method for the purification of proteins from four distinct toxin-antitoxin modules. 2015 , 108, 30-40		11
205	Computational and biochemical design of a nanopore cleavable by a cancer-secreted enzyme. 2015 , 16, 463-71		1
204	Influence of substrate nature and β -lactoglobulin on cleanability after soiling by suspension spraying and drying. 2015 , 134, 823-833		1

203	X-ray, spectroscopic and normal-mode dynamics of calexcitin: structure-function studies of a neuronal calcium-signalling protein. 2015 , 71, 615-31		7
202	Transient Helices in the disordered RPEL motifs of the serum response factor coactivator MKL1. <i>Scientific Reports</i> , 2014 , 4, 5224	4-9	7
201	Binding properties and structure-affinity relationships of food antioxidant butylated hydroxyanisole and its metabolites with lysozyme. 2015 , 188, 370-6		22
200	Relationship Between Surface Hydrophobicity and Structure of Soy Protein Isolate Subjected to Different Ionic Strength. 2015 , 18, 1059-1074		72
199	Mce4F Mycobacterium tuberculosis protein peptides can inhibit invasion of human cell lines. 2015 , 73,		12
198	PASylation of Murine Leptin Leads to Extended Plasma Half-Life and Enhanced in Vivo Efficacy. 2015 , 12, 1431-42		53
197	Site-specific albumination of a therapeutic protein with multi-subunit to prolong activity in vivo. 2015 , 207, 93-100		34
196	Determination of the kinetics and influence of the mercury ion on papain catalytic activity. 2015 , 5, 68906-68913		13
195	Engineering Photosystem I Complexes with Metal Oxide Binding Peptides for Bioelectronic Applications. 2015 , 26, 2097-105		15
194	Structure-modification by moderate oxidation in hydroxyl radical-generating systems promote the emulsifying properties of soy protein isolate. 2015 , 6, 21-28		49
193	Secondary structure assignment for conformationally irregular peptides: comparison between DSSP, STRIDE and KAKSI. 2015 , 55, 72-84		27
192	A New Synthetic Peptide Having Two Target of Antibacterial Action in ML35. <i>Frontiers in Microbiology</i> , 2016 , 7, 2006	5-7	11
191	Secondary Structure Prediction of Protein Constructs Using Random Incremental Truncation and Vacuum-Ultraviolet CD Spectroscopy. <i>PLoS ONE</i> , 2016 , 11, e0156238	3-7	5
190	Effect of ultrasound treatment on the wet heating Maillard reaction between mung bean [<i>Vigna radiate</i> (L.)] protein isolates and glucose and on structural and physico-chemical properties of conjugates. 2016 , 96, 1532-40		39
189	Conformation of membrane-bound proteins revealed by vacuum-ultraviolet circular-dichroism and linear-dichroism spectroscopy. 2016 , 84, 349-59		12
188	SilE is an intrinsically disordered periplasmic "molecular sponge" involved in bacterial silver resistance. 2016 , 101, 731-42		27
187	Nucleotide Binding in an Engineered Recombinant Ca-ATPase N-Domain. 2016 , 55, 6751-6765		4
186	Repression of RNA polymerase by the archaeo-viral regulator ORF145/RIP. 2016 , 7, 13595		16

185	Structural-functional insights and studies on saccharide binding of Sophora japonica seed lectin. <i>International Journal of Biological Macromolecules</i> , 2016 , 91, 75-84	7.9	11
184	Suppression of protein inactivation during freezing by minimizing pH changes using ionic cryoprotectants. 2016 , 509, 41-49		33
183	Extracellular Regulation of Bone Morphogenetic Protein Activity by the Microfibril Component Fibrillin-1. <i>Journal of Biological Chemistry</i> , 2016 , 291, 12732-12746	5.4	49
182	Systematic biochemical characterization of the SAM domains in Eph receptor family from <i>Mus Musculus</i> . 2016 , 473, 1281-1287		9
181	Binding mechanism of trans-N-caffeoyltyramine and human serum albumin: Investigation by multi-spectroscopy and docking simulation. 2016 , 66, 102-10		25
180	The chitin-binding domain of a GH-18 chitinase from <i>Vibrio harveyi</i> is crucial for chitin-chitinase interactions. <i>International Journal of Biological Macromolecules</i> , 2016 , 93, 1111-1117	7.9	25
179	Evaluating the potential of a loop-extended scorpion toxin-like peptide as a protein scaffold. 2016 , 29, 607-616		2
178	Biophysical characterization of a protein for structure comparison: methods for identifying insulin structural changes. <i>Analytical Methods</i> , 2016 , 8, 7460-7471	3.2	7
177	Stigmurin and TsAP-2 from <i>Tityus stigmurus</i> scorpion venom: Assessment of structure and therapeutic potential in experimental sepsis. 2016 , 121, 10-21		13
176	Synthesis and characterization of β -cyclodextrin/fraxinellone inclusion complex and its influence on interaction with human serum albumin. 2016 , 49, 542-550		4
175	Orientation Determination of a Hybrid Peptide Immobilized on CVD-Based Reactive Polymer Surfaces. 2016 , 120, 19078-19086		11
174	Site-specific fluorescent labeling to visualize membrane translocation of a myristoyl switch protein. <i>Scientific Reports</i> , 2016 , 6, 32866	4.9	10
173	Cell-Peptide Specific Interaction Can Inhibit <i>Mycobacterium tuberculosis</i> H37Rv Infection. 2016 , 117, 946-58		5
172	Characterization of a Kunitz-type serine protease inhibitor from <i>Solanum tuberosum</i> having lectin activity. <i>International Journal of Biological Macromolecules</i> , 2016 , 83, 259-69	7.9	10
171	Characterisation of three alpha-helical antimicrobial peptides from the venom of <i>Scorpio maurus palmatus</i> . 2016 , 117, 30-6		24
170	Proteolytically-induced changes of secondary structural protein conformation of bovine serum albumin monitored by Fourier transform infrared (FT-IR) and UV-circular dichroism spectroscopy. 2016 , 161, 8-18		64
169	Kinetic Study of Laboratory Mutants of NDM-1 Metallo- β -Lactamase and the Importance of an Isoleucine at Position 35. <i>Antimicrobial Agents and Chemotherapy</i> , 2016 , 60, 2366-72	5.9	13
168	Doxorubicin-loaded polypeptide nanorods based on electrostatic interactions for cancer therapy. <i>Journal of Colloid and Interface Science</i> , 2016 , 464, 126-36	9.3	38

167	Insights into the mechanism of ApoptinB exquisitely selective anti-tumor action from atomic level characterization of its conformation and dynamics. <i>Archives of Biochemistry and Biophysics</i> , 2017 , 614, 53-64	4.1	3
166	Conformational dynamics and self-association of intrinsically disordered Huntingtin exon 1 in cells. 2017 , 19, 10738-10747		18
165	Antimicrobial and anti-inflammatory activities of three chensinin-1 peptides containing mutation of glycine and histidine residues. <i>Scientific Reports</i> , 2017 , 7, 40228	4.9	22
164	Influence of the Length and Charge on the Activity of α -Helical Amphipathic Antimicrobial Peptides. 2017 , 56, 1680-1695		52
163	Studies on the chitin/chitosan binding properties of six cuticular proteins analogous to peritrophin 3 from <i>Bombyx mori</i> . 2017 , 26, 432-439		8
162	Derepression of SaPIbov1 Is Independent of β M1 Type 2 dUTPase Activity and Is Inhibited by dUTP and dUMP. 2017 , 429, 1570-1580		4
161	Structural and functional properties of Maillard reaction products of protein isolate (mung bean, <i>Vigna radiate</i> (L.)) with dextran. 2017 , 1-13		2
160	Kinetic and biophysical characterization of a lysosomal β -fucosidase from the fresh water mussel, <i>Lamellidens corrianus</i> . <i>International Journal of Biological Macromolecules</i> , 2017 , 104, 432-441	7.9	10
159	Sugar-coated proteins: the importance of degree of polymerisation of oligo-galacturonic acid on protein binding and aggregation. 2017 , 13, 2698-2707		10
158	Disrupting a key hydrophobic pair in the oligomerization interface of the actinoporins impairs their pore-forming activity. <i>Protein Science</i> , 2017 , 26, 550-565	6.3	21
157	Effects of Excipient Interactions on the State of the Freeze-Concentrate and Protein Stability. 2017 , 34, 462-478		20
156	The <i>Staphylococcus aureus</i> extracellular matrix protein (Emp) has a fibrous structure and binds to different extracellular matrices. <i>Scientific Reports</i> , 2017 , 7, 13665	4.9	11
155	Molecular dissection of protein-protein interactions between integrin β 1 and the <i>Helicobacter pylori</i> Cag type IV secretion system. <i>FEBS Journal</i> , 2017 , 284, 4143-4157	5.7	21
154	Quantifying Secondary Structure Changes in Calmodulin Using 2D-IR Spectroscopy. <i>Analytical Chemistry</i> , 2017 , 89, 10898-10906	7.8	26
153	Effect of high DMSO concentration on albumin during freezing and vitrification. 2017 , 7, 43611-43620		5
152	Structure analysis of the membrane-bound dermcidin-derived peptide SSL-25 from human sweat. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2017 , 1859, 2308-2318	3.8	7
151	Identification of protein secondary structures by laser induced autofluorescence: A study of urea and GnHCl induced protein denaturation. 2017 , 174, 44-53		7
150	PASylation technology improves recombinant interferon- β solubility, stability, and biological activity. 2017 , 101, 1975-1987		23

149	DNA damage response induces structural alterations in histone H3-H4. 2017 , 58, 59-65		7
148	Protein Structure Insights into the Bilayer Interactions of the Saposin-Like Domain of <i>Solanum tuberosum</i> Aspartic Protease. <i>Scientific Reports</i> , 2017 , 7, 16911	4.9	6
147	Protein β number of beta-sheets prediction using structural features. 2017 ,		0
146	Dynamic protein folding at the surface of stimuli-responsive peptide fibrils. <i>Protein Science</i> , 2018 , 27, 1243-1251	6.3	5
145	Recognition motif and mechanism of ripening inhibitory peptides in plant hormone receptor ETR1. <i>Scientific Reports</i> , 2018 , 8, 3890	4.9	17
144	Towards designing a synthetic antituberculosis vaccine: The Rv3587c peptide inhibits mycobacterial entry to host cells. 2018 , 26, 2401-2409		5
143	Rapid estimation of the β sheet content of Human Serum Albumin from the drying patterns of HSA-nanoparticle droplets. 2018 , 540, 177-185		5
142	Circular dichroism spectroscopic study on structural alterations of histones induced by post-translational modifications in DNA damage responses: lysine-9 methylation of H3. 2018 , 59, 108-115		15
141	The Effect of Conditions of the Expression of the Recombinant Outer Membrane Phospholipase II from <i>Yersinia pseudotuberculosis</i> on the Structure and Properties of Inclusion Bodies. 2018 , 44, 178-187		4
140	Tchebichef image moment approach to the prediction of protein secondary structures based on circular dichroism. 2018 , 86, 751-758		6
139	Biophysical and in silico interaction studies of aporphine alkaloids with Malonyl-CoA: ACP transacylase (FabD) from drug resistant <i>Moraxella catarrhalis</i> . 2018 , 149, 18-33		7
138	Biochemical characterization of a thermostable endomannanase/endoglucanase from <i>Dictyoglomus turgidum</i> . 2018 , 22, 131-140		12
137	Structural analysis of lysine-4 methylated histone H3 proteins using synchrotron radiation circular dichroism spectroscopy. <i>Chirality</i> , 2018 , 30, 536-540	2.1	7
136	<i>Amaranthus caudatus</i> lectin with polyproline II fold: conformational and functional transitions and molecular dynamics. 2018 , 36, 2203-2215		1
135	G-Quadruplex Secondary Structure Obtained from Circular Dichroism Spectroscopy. 2018 , 130, 7289-7293		30
134	High yield purification and first structural characterization of the full-length bacterial toxin CNF1. 2018 , 34, 150-159		3
133	G-Quadruplex Secondary Structure Obtained from Circular Dichroism Spectroscopy. 2018 , 57, 7171-7175		192
132	The cartilage-specific lectin C-type lectin domain family 3 member A (CLEC3A) enhances tissue plasminogen activator-mediated plasminogen activation. <i>Journal of Biological Chemistry</i> , 2018 , 293, 203-214	5.4	13

131	Hemin and bile pigments are the secondary structure regulators of intrinsically disordered antimicrobial peptides. <i>Chirality</i> , 2018 , 30, 195-205	2.1	14
130	Sample Volume Reduction Using the Schwarzschild Objective for a Circular Dichroism Spectrophotometer and an Application to the Structural Analysis of Lysine-36 Trimethylated Histone H3 Protein. <i>Molecules</i> , 2018 , 23,	4.8	2
129	Insights into Kinesin-1 Activation from the Crystal Structure of KLC2 Bound to JIP3. 2018 , 26, 1486-1498.e6		24
128	Structural aspects and physiological implications of the hemoglobin of green iguana (<i>Iguana iguana</i>). <i>International Journal of Biological Macromolecules</i> , 2018 , 120, 1275-1285	7.9	
127	Helix Fraying and Lipid-Dependent Structure of a Short Amphipathic Membrane-Bound Peptide Revealed by Solid-State NMR. 2018 , 122, 6236-6250		10
126	Biochemical characterization of Parl, an orphan C5-DNA methyltransferase from <i>Psychrobacter arcticus</i> 273-4. 2018 , 150, 100-108		0
125	Analogues of the Scorpion Venom Peptide Stigmurin: Structural Assessment, Toxicity, and Increased Antimicrobial Activity. 2018 , 10,		18
124	BeStSel: a web server for accurate protein secondary structure prediction and fold recognition from the circular dichroism spectra. <i>Nucleic Acids Research</i> , 2018 , 46, W315-W322	20.1	412
123	Quantification of Intrinsically Disordered Proteins: A Problem Not Fully Appreciated. 2018 , 5, 83		14
122	Alpha-helical folding of SilE models upon Ag(His)(Met) motif formation. 2018 , 54, 10419-10422		6
121	The Kinetics of Amyloid Fibrillar Aggregation of Uperin 3.5 Is Directed by the Peptide's Secondary Structure. 2019 , 58, 3656-3668		9
120	Investigation of the effect of UV-B light on Arabidopsis MYB4 (AtMYB4) transcription factor stability and detection of a putative MYB4-binding motif in the promoter proximal region of AtMYB4. <i>PLoS ONE</i> , 2019 , 14, e0220123	3.7	5
119	Structure, amphipathy, and topology of the membrane-proximal helix 8 influence apelin receptor plasma membrane localization. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2019 , 1861, 183036	3.8	2
118	SESCA: Predicting Circular Dichroism Spectra from Protein Molecular Structures. <i>Journal of Chemical Theory and Computation</i> , 2019 , 15, 5087-5102	6.4	22
117	Emergence of Function and Selection from Recursively Programmed Polymerisation Reactions in Mineral Environments. 2019 , 131, 11375		1
116	Tyrosine 51 residue of the syndecan-2 extracellular domain is involved in the interaction with and activation of pro-matrix metalloproteinase-7. <i>Scientific Reports</i> , 2019 , 9, 10625	4.9	2
115	Structural properties and cellular expression of AfrLEA6, a group 6 late embryogenesis abundant protein from embryos of <i>Artemia franciscana</i> . 2019 , 24, 979-990		9
114	Covalent Cross-Linking as an Enabler for Structural Mass Spectrometry. <i>Analytical Chemistry</i> , 2019 , 91, 12808-12818	7.8	1

113	A physicochemical investigation on the metal binding properties of TtSmtB, a thermophilic member of the ArsR/SmtB transcription factor family. <i>International Journal of Biological Macromolecules</i> , 2019 , 138, 1056-1063	7.9	4
112	Functional Rescue of Cataract-Causing A-G98R-Crystallin by Targeted Compensatory Suppressor Mutations in Human A-Crystallin. 2019 , 58, 4148-4158		3
111	Elastin-like polypeptide fusions for high-level expression and purification of human IFN- γ in Escherichia coli. 2019 , 585, 113401		5
110	Deciphering the Role of V88L Substitution in NDM-24 metallo- β -lactamase. <i>Catalysts</i> , 2019 , 9, 744	4	6
109	The non-glycosylated N-terminal domain of human thrombopoietin is a molten globule under native conditions. <i>FEBS Journal</i> , 2019 , 286, 1717-1733	5.7	
108	Emergence of Function and Selection from Recursively Programmed Polymerisation Reactions in Mineral Environments. 2019 , 58, 11253-11256		16
107	Synchrotron-radiation vacuum-ultraviolet circular dichroism spectroscopy in structural biology: an overview. 2019 , 16, 41-58		2
106	Circular-Dichroism and Synchrotron-Radiation Circular-Dichroism Spectroscopy as Tools to Monitor Protein Structure in a Lipid Environment. <i>Methods in Molecular Biology</i> , 2019 , 2003, 253-279	1.4	2
105	An insight into the folding and stability of Arabidopsis thaliana SOG1 transcription factor under salinity stress in vitro. 2019 , 515, 531-537		6
104	The effect on the surface activity and the structure of SPI caused by cleavage of disulfide bonds and by subsequent glucose modification. 2019 , 38, 31-44		1
103	Physiochemical Properties and Functional Characteristics of Protein Isolates from the Scallop (<i>Patinopecten yessoensis</i>) Gonad. 2019 , 84, 1023-1034		14
102	Preferential adsorption to air-water interfaces: a novel cryoprotective mechanism for LEA proteins. 2019 , 476, 1121-1135		9
101	Conductance Changes in Bovine Serum Albumin Caused by Drug-Binding Triggered Structural Transitions. <i>Materials</i> , 2019 , 12,	3.5	5
100	Structural Alterations of Histone Proteins in DNA-Damaged Cells Revealed by Synchrotron Radiation Circular Dichroism Spectroscopy: A New Piece of the DNA-Damage-Response Puzzle. 2019 , 3, 23		
99	Amino acid changes at the VIM-48 C-terminus result in increased carbapenem resistance, enzyme activity and protein stability. 2019 , 74, 885-893		4
98	Freeze/thaw of IGG solutions. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2019 , 134, 185-189		6
97	The Route from the Folded to the Amyloid State: Exploring the Potential Energy Surface of a Drug-Like Miniprotein. <i>Chemistry - A European Journal</i> , 2020 , 26, 1968-1978	4.8	7
96	Assessing the effect of aromatic residue placement on the helical peptide structure and nanofibril formation of 21-mer peptides. <i>Molecular Systems Design and Engineering</i> , 2020 , 5, 521-531	4.6	2

95	Elusive Helical peptide foldamers spotted by chiroptical studies. <i>Organic and Biomolecular Chemistry</i> , 2020 , 18, 865-877	3.9	2
94	Fabrication and characterization of water-soluble phytosterol ester nanodispersion by emulsification-evaporation combined ultrasonic method. <i>Journal of Food Engineering</i> , 2020 , 276, 109895 ⁶		8
93	Elucidating the Binding Mechanism of a Novel Silica-Binding Peptide. <i>Biomolecules</i> , 2019 , 10,	5.9	2
92	A convenient protein library for spectroscopic calibrations. <i>Computational and Structural Biotechnology Journal</i> , 2020 , 18, 1864-1876	6.8	5
91	Effects of high hydrostatic pressure on the structural characteristics of parvalbumin of cultured large yellow croaker (<i>Larimichthys crocea</i>). <i>Journal of Food Processing and Preservation</i> , 2020 , 44, e14911 ^{2.1}		2
90	Structural ensemble and biological activity of DciA intrinsically disordered region. <i>Journal of Structural Biology</i> , 2020 , 212, 107573	3.4	3
89	Secondary structure specified polarizabilities of residues for an evaluation of circular dichroism spectra of proteins. <i>Journal of Chemical Physics</i> , 2020 , 153, 155101	3.9	1
88	CD81 extracted in SMALP nanodiscs comprises two distinct protein populations within a lipid environment enriched with negatively charged headgroups. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2020 , 1862, 183419	3.8	9
87	Conformational dynamics of a G protein-coupled receptor helix 8 in lipid membranes. <i>Science Advances</i> , 2020 , 6, eaav8207	14.3	10
86	Sampling of the conformational landscape of small proteins with Monte Carlo methods. <i>Scientific Reports</i> , 2020 , 10, 18211	4.9	7
85	Programing Performance of Silk Fibroin Superstrong Scaffolds by Mesoscopic Regulation among Hierarchical Structures. <i>Biomacromolecules</i> , 2020 , 21, 4169-4179	6.9	8
84	Amino Acid Replacement at Position 228 Induces Fluctuation in the Loop of KPC-3 and Reduces the Affinity against Oxyimino Cephalosporins: Kinetic and Molecular Dynamics Studies. <i>Catalysts</i> , 2020 , 10, 1474	4	0
83	Study on AgInZnS-Graphene Oxide Non-toxic Quantum Dots for Biomedical Sensing. <i>Frontiers in Chemistry</i> , 2020 , 8, 331	5	8
82	Conserved Outer Tegument Component UL11 from Herpes Simplex Virus 1 Is an Intrinsically Disordered, RNA-Binding Protein. <i>MBio</i> , 2020 , 11,	7.8	17
81	Insights into the mechanism of action of two analogues of aurein 2.2. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2020 , 1862, 183262	3.8	9
80	Characterization of the mechanism of interaction between Acid glycoprotein and lipid membranes by vacuum-ultraviolet circular-dichroism spectroscopy. <i>Chirality</i> , 2020 , 32, 594-604	2.1	3
79	Surface Protein Dispersin of Enteroaggregative Binds Plasminogen That Is Converted Into Active Plasmin. <i>Frontiers in Microbiology</i> , 2020 , 11, 1222	5.7	3
78	Structural and Hydrodynamic Characterization of Dimeric Human Oligoadenylate Synthetase 2. <i>Biophysical Journal</i> , 2020 , 118, 2726-2740	2.9	2

77	Structure/Function Analysis of human ZnT8 (SLC30A8): A Diabetes Risk Factor and Zinc Transporter. <i>Current Research in Structural Biology</i> , 2020 , 2, 144-155	2.8	4
76	Terminal charges modulate the pore forming activity of cationic amphipathic helices. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2020 , 1862, 183243	3.8	8
75	A chemometric study combined with spectroscopy for the quantification of secondary structure of flagellar-associated protein 174 (FAP174). <i>Journal of Chemometrics</i> , 2020 , 34, e3221	1.6	0
74	Searching for a Better Match between Protein Secondary Structure Definitions and Protein FTIR Spectra. <i>Analytical Chemistry</i> , 2021 , 93, 1561-1568	7.8	10
73	Enzymatic and structural properties of human glutamine:fructose-6-phosphate amidotransferase 2 (hGFAT2). <i>Journal of Biological Chemistry</i> , 2021 , 296, 100180	5.4	0
72	Bayesian inference assessment of protein secondary structure analysis using circular dichroism data - how much structural information is contained in protein circular dichroism spectra?. <i>Analytical Methods</i> , 2021 , 13, 359-368	3.2	4
71	Tools and methods for circular dichroism spectroscopy of proteins: a tutorial review. <i>Chemical Society Reviews</i> , 2021 , 50, 8400-8413	58.5	20
70	Fragmented α -Amylase into Microporous Metal-Organic Frameworks as Bioreactors. <i>Materials</i> , 2021 , 14,	3.5	2
69	Mutual structural effects of unmodified and pyroglutamylated amyloid β -peptides during aggregation. <i>Journal of Peptide Science</i> , 2021 , 27, e3312	2.1	0
68	Mutation of GGMP Repeat Segments of Hsp70-1 Compromises Chaperone Function and Hop Co-Chaperone Binding. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	6
67	Two Be or Not Two Be: The Nuclear Autoantigen La/SS-B Is Able to Form Dimers and Oligomers in a Redox Dependent Manner. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	0
66	Improved food functional properties of pea protein isolate in blends and co-precipitates with whey protein isolate. <i>Food Hydrocolloids</i> , 2021 , 113, 106556	10.6	7
65	Exploring the Conformational Landscape of the Neh4 and Neh5 Domains of Nrf2 Using Two Different Force Fields and Circular Dichroism. <i>Journal of Chemical Theory and Computation</i> , 2021 , 17, 3145-3156	6.4	6
64	Disease variants of human β -pyrroline-5-carboxylate reductase 2 (PYCR2). <i>Archives of Biochemistry and Biophysics</i> , 2021 , 703, 108852	4.1	5
63	Target enzymes are stabilized by AfrLEA6 and a gain of β -helix coincides with protection by a group 3 LEA protein during incremental drying. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2021 , 1869, 140642	4	0
62	H101G Mutation in Rat Lens β -Crystallin Alters Chaperone Activity and Divalent Metal Ion Binding. <i>Current Pharmaceutical Biotechnology</i> , 2021 ,	2.6	
61	In Situ Monitored Vortex Fluidic-Mediated Protein Refolding/Unfolding Using an Aggregation-Induced Emission Bioprobe. <i>Molecules</i> , 2021 , 26,	4.8	0
60	DichroWeb, a website for calculating protein secondary structure from circular dichroism spectroscopic data. <i>Protein Science</i> , 2021 ,	6.3	31

59	Chirality in peptide-based materials: From chirality effects to potential applications. <i>Chirality</i> , 2021 , 33, 618-642	2.1	2
58	Understanding the abiotic interaction between phosphate and macromolecular organic compounds in waste activated sludge during anaerobic treatment. <i>Science of the Total Environment</i> , 2021 , 782, 146864	10.2	2
57	Gallic acid anti-myotoxic activity and mechanism of action, a snake venom phospholipase A toxin inhibitor, isolated from the medicinal plant <i>Anacardium humile</i> . <i>International Journal of Biological Macromolecules</i> , 2021 , 185, 494-512	7.9	2
56	Ubiquitin forms conventional decorated micelle structures with sodium dodecyl sulfate at saturation. <i>Journal of Colloid and Interface Science</i> , 2021 , 596, 233-244	9.3	2
55	A Novel Cooperative Metallo- β -Lactamase Fold Metallohydrolase from Pathogen <i>Vibrio vulnificus</i> Exhibits β -Lactam Antibiotic-Degrading Activities. <i>Antimicrobial Agents and Chemotherapy</i> , 2021 , 65, e0032621	5.9	0
54	Effects of A β -derived peptide fragments on fibrillogenesis of A β . <i>Scientific Reports</i> , 2021 , 11, 19262	4.9	1
53	Effects of ionic strength and (D)-epigallocatechin gallate on physicochemical characteristics of soybean 11S and 7S proteins. <i>Food Hydrocolloids</i> , 2021 , 119, 106836	10.6	4
52	7 Circular dichroism (CD) parameters and secondary structure estimates of proteins. 7001-7018		3
51	BeStSel: From Secondary Structure Analysis to Protein Fold Prediction by Circular Dichroism Spectroscopy. <i>Methods in Molecular Biology</i> , 2021 , 2199, 175-189	1.4	12
50	The carboxy-terminal region of the TBC1D4 (AS160) RabGAP mediates protein homodimerization. <i>International Journal of Biological Macromolecules</i> , 2017 , 103, 965-971	7.9	4
49	Hepatitis E virus RNA-dependent RNA polymerase: RNA template specificities, recruitment and synthesis. <i>Journal of General Virology</i> , 2016 , 97, 2231-2242	4.9	14
48	Minihepcidins are rationally designed small peptides that mimic hepcidin activity in mice and may be useful for the treatment of iron overload. <i>Journal of Clinical Investigation</i> , 2011 , 121, 4880-8	15.9	156
47	Vibrational Circular Dichroism of Biopolymers. 2005 , 253-324		1
46	A sulfur-free peptide mimic of surfactant protein B (B-YL) exhibits high in vitro and in vivo surface activities. <i>Gates Open Research</i> , 2018 , 2, 13	2.4	5
45	Dynamic surface activity of a fully synthetic phospholipase-resistant lipid/peptide lung surfactant. <i>PLoS ONE</i> , 2007 , 2, e1039	3.7	26
44	Sequence-specific binding of recombinant Zbed4 to DNA: insights into Zbed4 participation in gene transcription and its association with other proteins. <i>PLoS ONE</i> , 2012 , 7, e35317	3.7	8
43	A strategy for synthesis of pathogenic human immunoglobulin free light chains in <i>E. coli</i> . <i>PLoS ONE</i> , 2013 , 8, e76022	3.7	17
42	A novel fatty acid-binding protein-like carotenoid-binding protein from the gonad of the New Zealand sea urchin <i>Evechinus chloroticus</i> . <i>PLoS ONE</i> , 2014 , 9, e106465	3.7	7

41	Understanding the Physical and Molecular Basis of Stability of Arabidopsis DNA Pol I under UV-B and High NaCl Stress. <i>PLoS ONE</i> , 2015 , 10, e0133843	3.7	17
40	Intermediate Tyrosyl Radical and Amyloid Structure in Peroxide-Activated Cytochrome c. <i>PLoS ONE</i> , 2015 , 10, e0136554	3.7	7
39	Oxidative modification and aggregation of creatine kinase from aged mouse skeletal muscle. <i>Aging</i> , 2009 , 1, 557-72	5.6	42
38	Solvent Perturbation of Protein Structures - A Review Study with Lectins. <i>Protein and Peptide Letters</i> , 2020 , 27, 538-550	1.9	4
37	Bi-allelic gephyrin variants impair GABAergic inhibition in a patient with epileptic encephalopathy. <i>Human Molecular Genetics</i> , 2021 ,	5.6	0
36	Effect of Secondary and Micronutrients on the Yield and Nutrient Uptake by BRR1 Dhan 32 in the Old Himalayan Piedmont Plain and Tista Meander Floodplain Soil. <i>Journal of Biological Sciences</i> , 2001 , 1, 1051-1055	0.4	
35	Overview of Traditional Experimental Arsenal to Study Biomolecular Structure and Dynamics. 26-51		
34	Biophysical characterization. <i>Advances in Experimental Medicine and Biology</i> , 2014 , 794, 41-67	3.6	
33	G-quadruplex secondary structure from circular dichroism spectroscopy.		
32	An oxidation-resistant peptide mimic of surfactant protein B (B-YL) forms an amphipathic helix-hairpin in liposomes with high surface activity. <i> Gates Open Research</i> , 2, 13	2.4	1
31	SESCA: Predicting Circular Dichroism Spectra from Protein Molecular Structures.		0
30	Development of Vacuum-Ultraviolet Circular-Dichroism Spectrophotometer Using Synchrotron Radiation and Structural Analysis of Biomolecules. <i>Nihon Kessho Gakkaishi</i> , 2018 , 60, 200-208	0	
29	Secondary Structures of Histone H3 Proteins with Unmethylated and Methylated Lysine-4 and -9 Residues: Characterization Using Circular Dichroism Spectroscopy. <i>RNA Technologies</i> , 2019 , 479-494	0.2	
28	Updates on enzymatic and structural properties of human glutamine: fructose-6-phosphate amidotransferase 2 (hGFAT2).		
27	Flexible linker modulates the binding affinity of the TP901-1 CI phage repressor to DNA. <i>FEBS Journal</i> , 2021 ,	5.7	0
26	References for 7. 7198-7232		
25	Isolation and characterization of betaA3-crystallin associated proteinase from alpha-crystallin fraction of human lenses. <i>Molecular Vision</i> , 2008 , 14, 1872-85	2.3	6
24	Physicochemical Position-Dependent Properties in the Protein Secondary Structures. <i>Iranian Biomedical Journal</i> , 2019 , 23, 253-61	2	1

23	Formation of β strand Oligomers of Antimicrobial Peptide Magainin 2 Contributes to Disruption of Phospholipid Membrane.. <i>Membranes</i> , 2022 , 12,	3.8	0
22	Application of circular dichroism spectroscopy in studying protein folding, stability, and interaction. 2022 , 213-224		0
21	Biochemical characterization of AniA from <i>Neisseria gonorrhoeae</i> .		
20	Ruffling is essential for <i>Staphylococcus aureus</i> IsdG-catalyzed degradation of heme to staphylobilin.. <i>Journal of Inorganic Biochemistry</i> , 2022 , 230, 111775	4.2	0
19	Image_1.TIF. 2020 ,		
18	Image_2.TIF. 2020 ,		
17	Image_3.TIF. 2020 ,		
16	Image_4.TIF. 2020 ,		
15	Table_1.pdf. 2018 ,		
14	Engineered Protein-Iron Oxide Hybrid Biomaterial for MRI-traceable Drug Encapsulation. <i>Molecular Systems Design and Engineering</i> ,	4.6	0
13	Investigations into the membrane activity of arenicin antimicrobial peptide AA139.. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2022 , 130156	4	0
12	BeStSel: webserver for secondary structure and fold prediction for protein CD spectroscopy.. <i>Nucleic Acids Research</i> , 2022 ,	20.1	4
11	Systemic Delivery of an Adjuvant CXCR4/CXCL12 Signaling Inhibitor Encapsulated in Synthetic Protein Nanoparticles for Glioma Immunotherapy. <i>ACS Nano</i> ,	16.7	3
10	Engineered Multivalent Self-Assembled Binder Protein Against SARS-CoV-2 RBD. 2022 , 108596		
9	Antimicrobial, Polarizing Light, and Paired Helical Filament Properties of Fragmented Tau Peptides of Selected Putative Gingipains. 2022 , 1-13		0
8	Continuous flow modulates zein nanoprecipitation solvent environment to obtain colloidal particles with high curcumin loading. 2022 , 108089		0
7	A novel gyrase inhibitor from toxin-antitoxin system expressed by <i>Staphylococcus aureus</i> .		0
6	Recombinant Globular Domain of TcpA Pilin from <i>Vibrio cholerae</i> El Tor: Recovery from Inclusion Bodies and Structural Characterization. 2022 , 12, 1802		0

- 5 Purification and characterization of the Lassa virus transmembrane domain. **2023**, 33, 101409 ○
- 4 Secondary structural analyses of histone H2A-H2B proteins extracted from heated cells. ○
- 3 Design of self-assembled glycopolymeric zwitterionic micelles as removable protein stabilizing agents. **2023**, 5, 1767-1775 ○
- 2 Bile salt hydrolases shape the bile acid landscape and restrict *Clostridioides difficile* growth in the murine gut. **2023**, 8, 611-628 ○
- 1 N-terminal PPE domain plays an integral role in extracellular transportation and stability of the immunomodulatory Rv3539 protein of the *Mycobacterium tuberculosis*. **2023**, 213, 30-40 ○