

CITATION REPORT

List of articles citing

A systematic comparison of the actual, potential, and theoretical health effects of cobalt and chromium exposures from industry and surgical implants

DOI: 10.1080/10408440701845534

Critical Reviews in Toxicology, 2008, 38, 645-74.

Source: <https://exaly.com/paper-pdf/43580527/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
166	Temsirolimus: A Review of its Use in the Treatment of Advanced Renal Cell Carcinoma. 2009 , 1, CMT.S2349		1
165	Nanoparticles of a different source induce different patterns of activation in key biochemical and cellular components of the host response. 2009 , 6, 1213-21		35
164	The protective effect of alpha-tocopherol against dichromate-induced renal tight junction damage is mediated via ERK1/2. 2009 , 191, 279-88		23
163	Scientific Opinion on the use of cobalt compounds as additives in animal nutrition. 2009 , 7, 1383		23
162	The genotoxicity of physiological concentrations of chromium (Cr(III) and Cr(VI)) and cobalt (Co(II)): an in vitro study. 2010 , 688, 53-61		55
161	Thresholds for indirect DNA damage across cellular barriers for orthopaedic biomaterials. 2010 , 31, 4477-83		49
160	Intracellular heavy metal nanoparticle storage: progressive accumulation within lymph nodes with transformation from chronic inflammation to malignancy. <i>International Journal of Nanomedicine</i> , 2010 , 5, 955-60	7.3	21
159	N-acetyl cysteine alleviates cytotoxicity of bone substitute. 2010 , 89, 411-6		26
158	Cobalt Complexes as Antiviral and Antibacterial Agents. 2010 , 3, 1711-1728		168
157	Metals. 2010 , 32, 413-423		1
156	Orthopaedic research in italy: state of the art. 2011 , 24, 157-78		
155	Hip Resurfacing vs. Metal-On-Metal Total Hip Arthroplasty. 2011 , 137-152		
154	Occupational risk assessment of oxidative stress and genotoxicity in workers exposed to paints during a working week. 2011 , 24, 308-19		34
153	Advances in metal-induced oxidative stress and human disease. 2011 , 283, 65-87		1885
152	Metal-on-metal bearings: the evidence so far. 2011 , 93, 572-9		210
151	N-acetyl cysteine improves affinity of beta-tricalcium phosphate granules for cultured osteoblast-like cells. 2012 , 27, 27-36		17
150	Allowable limits for toxic leachables: practical use of ISO 10993-17 standard * *The recommendations offered in this chapter should not be construed as guidance from the US Food and Drug Administration (FDA). The mention of commercial products, their sources or their use in connection with material reported herein is not to be construed as either an actual or implied endorsement of such products by the Department of Health and Human Services.. 2012 , 95-119		

149	Risk of cancer in first seven years after metal-on-metal hip replacement compared with other bearings and general population: linkage study between the National Joint Registry of England and Wales and hospital episode statistics. 2012 , 344, e2383		116
148	Failure rates of stemmed metal-on-metal hip replacements: analysis of data from the National Joint Registry of England and Wales. 2012 , 379, 1199-204		417
147	Failure rates of metal-on-metal hip resurfacings: analysis of data from the National Joint Registry for England and Wales. 2012 , 380, 1759-66		202
146	Serum metal levels after minimally invasive repair of pectus excavatum. <i>Journal of Pediatric Surgery</i> , 2012 , 47, 1506-11	2.6	8
145	Derivation of a chronic oral reference dose for cobalt. 2012 , 64, 491-503		83
144	Roles of reactive oxygen species and antioxidants in ovarian toxicity. 2012 , 86, 27		242
143	Integumentary System. 2012 , 11-68		2
142	An overview of recent advances in designing orthopedic and craniofacial implants. 2013 , 101, 3349-64		82
141	Case report: High chromium and cobalt levels in a pregnant patient with bilateral metal-on-metal hip arthroplasties. 2012 , 470, 2325-31		29
140	Protective effect of zinc chloride against cobalt chloride-induced cytotoxicity on vero cells: preliminary results. 2012 , 148, 110-6		7
139	Cobalt(II) Etketoaminato complexes as novel inhibitors of neuroinflammation. 2012 , 676, 81-8		8
138	Cobalt metabolism and toxicology--a brief update. <i>Science of the Total Environment</i> , 2012 , 432, 210-5	10.2	339
137	Osseointegration and biocompatibility of different metal implants--a comparative experimental investigation in sheep. 2012 , 13, 32		67
136	Study of cellular dynamics on polarized CoCrMo alloy using time-lapse live-cell imaging. 2013 , 9, 9220-8		16
135	Effects of lung exposure to carbon nanotubes on female fertility and pregnancy. A study in mice. 2013 , 41, 86-97		56
134	A review of the health hazards posed by cobalt. <i>Critical Reviews in Toxicology</i> , 2013 , 43, 316-62	5.7	138
133	Highly sensitive measurement of whole blood chromium by inductively coupled plasma mass spectrometry. 2013 , 46, 266-70		21
132	A prospective study of a ceramic-on-metal bearing in total hip arthroplasty. Clinical results, metal ion levels and chromosome analysis at two years. 2013 , 95-B, 1040-4		17

131	Cobalt triggers necrotic cell death and atrophy in skeletal C2C12 myotubes. 2013 , 271, 196-205		26
130	Evaluation of the method for analyzing chromium, cobalt and titanium ion levels in the blood following hip replacement with a metal-on-metal prosthesis. <i>Journal of Analytical Toxicology</i> , 2013 , 37, 90-6	2.9	23
129	Blood levels of cobalt and chromium are inversely correlated to head size after metal-on-metal resurfacing arthroplasty. <i>HIP International</i> , 2013 , 23, 529-34	1.7	5
128	Detection of cobalt in synovial fluid from metal-on-metal hip prosthesis: correlation with the ion haematic level. 2013 , 18, 699-705		16
127	Metal presence in hair after metal-on-metal resurfacing arthroplasty. 2013 , 31, 2025-31		20
126	Complications Following Total Hip Arthroplasty. 2013 ,		1
125	Proliferative and non-proliferative lesions of the rat and mouse soft tissue, skeletal muscle and mesothelium. 2013 , 26, 1S-26S		48
124	Orthopaedic implant failure: aseptic implant loosening--the contribution and future challenges of mouse models in translational research. 2014 , 127, 277-93		37
123	Metal release and speciation of released chromium from a biomedical CoCrMo alloy into simulated physiologically relevant solutions. 2014 , 102, 693-9		38
122	A comparative assessment of small-head metal-on-metal and ceramic-on-polyethylene total hip replacement. 2014 , 96-B, 868-75		6
121	Radiation-induced bystander effects in the Atlantic salmon (<i>salmo salar</i> L.) following mixed exposure to copper and aluminum combined with low-dose gamma radiation. 2014 , 53, 103-14		21
120	Effect of hexavalent chromium on proliferation and differentiation to adipocytes of 3T3-L1 fibroblasts. 2014 , 28, 700-6		17
119	Ovarian toxicity from reactive oxygen species. 2014 , 94, 99-127		75
118	In vitro biocompatibility of CoCrMo dental alloys fabricated by selective laser melting. 2014 , 30, 525-34		147
117	Predictivity and fate of metal ion release from metal-on-metal total hip prostheses. <i>Journal of Arthroplasty</i> , 2014 , 29, 1763-7	4.4	9
116	Metal-on-polyethylene versus metal-on-metal bearing surfaces in total hip arthroplasty: a prospective randomised study investigating metal ion levels and chromosomal aberrations in peripheral lymphocytes. 2015 , 97-B, 1183-91		20
115	Evidence for bystander signalling between human trophoblast cells and human embryonic stem cells. 2015 , 5, 11694		7
114	Implantable cardioverter-defibrillators and subsequent cancer risk: a nationwide population-based cohort study. 2015 , 17, 902-8		7

113	Can Cobalt(II) and Chromium(III) Ions Released from Joint Prostheses Influence the Friction Coefficient?. 2015 , 1, 617-620		23
112	Evidence against implant-derived cobalt toxicity: case report and retrospective study of serum cobalt concentrations in an orthopedic implant population. 2015 , 48, 130-4		4
111	Large fixed-size metal-on-metal total hip arthroplasty: higher serum metal ion levels in patients with pain. 2015 , 39, 631-8		13
110	Health risk assessment and oxidative stress in workers exposed to welding fumes. 2015 , 97, 634-639		9
109	Hip arthroplasty with high chromium and cobalt blood levels--Case report of a patient followed during pregnancy and lactation period. 2015 , 53, 51-3		12
108	Toxicology of wear particles of cobalt-chromium alloy metal-on-metal hip implants Part I: physicochemical properties in patient and simulator studies. 2015 , 11, 1201-15		54
107	Metal ion release from silver soldering and laser welding caused by different types of mouthwash. 2015 , 85, 665-72		5
106	Molecular analysis of chromium and cobalt-related toxicity. 2014 , 4, 5729		101
105	Simple and robust ICP-MS method for simultaneous determination of serum Co and Cr in routine clinical practice. 2015 , 439, 91-6		15
104	Nanotoxicity: emerging concerns regarding nanomaterial safety and occupational hard metal (WC-Co) nanoparticle exposure. <i>International Journal of Nanomedicine</i> , 2016 , 11, 6421-6433	7-3	40
103	Chromium. 2016 , 282-285		
102	Systemic cobalt toxicity from total hip arthroplasties: review of a rare condition Part 1 - history, mechanism, measurements, and pathophysiology. 2016 , 98-B, 6-13		69
101	Metal release from stainless steel in biological environments: A review. 2015 , 11, 018901		66
100	Inflammation, Aging, and Oxidative Stress. <i>Oxidative Stress in Applied Basic Research and Clinical Practice</i> , 2016 ,		8
99	Metal in Total Hip Arthroplasty: Wear Particles, Biology, and Diagnosis. <i>Orthopedics</i> , 2016 , 39, 371-379	1.5	15
98	Novel Approach of Using Nutraceutic-Directed Caloric Antioxidant Density and Ion-Ratio for Evaluating Fruit's Health Quality. 2016 , 81, H2059-68		4
97	Aminomethylphosphonate Chelating Ligand and Octadecyl Alkyl Chain in a Resin for Simultaneous Removal of Co(II) Ions and Organic Contaminants. 2016 , 61, 3377-3385		18
96	Cobalt Cardiomyopathy: A Critical Reappraisal in Light of a Recent Resurgence. 2016 , 9,		33

95	Assessment of the role of thymol in combating chromium (VI)-induced oxidative stress in isolated rat erythrocytes in vitro. 2016 , 98, 1227-1240	9
94	Melanoma Epidemiology and Prevention. 2016 , 167, 17-49	78
93	Hexavalent chromium induces chromosome instability in human urothelial cells. 2016 , 296, 54-60	26
92	Cobalt deposition in mineralized bone tissue after metal-on-metal hip resurfacing: Quantitative EX-ray-fluorescence analysis of implant material incorporation in periprosthetic tissue. 2017 , 105, 1855-1862	5
91	The biological response to orthopaedic implants for joint replacement: Part I: Metals. 2017 , 105, 2162-2173	62
90	Does chronic raise of metal ion levels induce oxidative DNA damage and hypoxia-like response in patients with metal-on-metal hip resurfacing?. 2017 , 105, 460-466	6
89	Low metallic wear of dynamic intraligamentary stabilization. 2017 , 109, 217-221	1
88	Cobalt(II) Chloride Modifies the Phenotype of Macrophage Activation. 2017 , 121, 98-105	6
87	Histological Diagnosis of Implant-Associated Pathologies. 2017 ,	10
86	Toxicity and oxidative stress responses induced by nano- and micro-CoCrMo particles. <i>Journal of Materials Chemistry B</i> , 2017 , 5, 5648-5657	73 4
85	Cobalt toxicity in humans-A review of the potential sources and systemic health effects. 2017 , 387, 43-56	368
84	Development of malignant lymphoma after metal-on-metal hip replacement: a case report and review of the literature. 2017 , 46, 831-836	9
83	Electrochemistry of CoCrMo Implant in Hanks Solution and Mott-Schottky Probe of Alloy Passive Films. 2017 , 73, 1401-1412	2
82	Rationalizing the In Vivo Degradation of Metal-on-Metal Artificial Hip Joints Using Tribocorrosion Concepts. 2017 , 73, 1510-1519	6
81	Potential health risk of heavy metals in the leather manufacturing industries in Sialkot, Pakistan. 2017 , 7, 8848	32
80	Mesure d'exposition aux métaux frittés. 2017 , 78, 291-292	
79	Human Osteoblast Cell-Ti6Al4V Metal Alloy Interactions Under Varying Cathodic Potentials: A Pilot Study. 2017 , 3, 1	
78	Airway exposure to multi-walled carbon nanotubes disrupts the female reproductive cycle without affecting pregnancy outcomes in mice. 2017 , 14, 17	17

77	601 metal-on-metal total hip replacements with 36 mm heads a 5 minimum year follow up: Levels of ARMD remain low despite a comprehensive screening program. <i>Journal of Orthopaedics</i> , 2017 , 14, 108-114	1.6	14
76	Nano-analyses of wear particles from metal-on-metal and non-metal-on-metal dual modular neck hip arthroplasty. 2017 , 13, 1205-1217		49
75	Metal Allergy: Chromium. 2018 , 349-364		7
74	Can gamma irradiation during radiotherapy influence the metal release process for biomedical CoCrMo and 316L alloys?. 2018 , 106, 2673-2680		6
73	Development of a photo-catalytic converter for potential use in the detoxification of Cr(VI) metal in water from natural resources. 2018 , 6, 3674-3683		38
72	Pseudotumor in metal-on-metal hip arthroplasty: a comparison study of three grading systems with MRI. 2018 , 47, 1099-1109		5
71	Cobalt inhibits motility of axonal mitochondria and induces axonal degeneration in cultured dorsal root ganglion cells of rat. 2018 , 34, 93-107		12
70	Biological effects of metal degradation in hip arthroplasties. <i>Critical Reviews in Toxicology</i> , 2018 , 48, 1705-173	193	29
69	The risk of developing cancer following metal-on-metal hip replacement compared with non metal-on-metal hip bearings: Findings from a prospective national registry "The National Joint Registry of England, Wales, Northern Ireland and the Isle of Man". <i>PLoS ONE</i> , 2018 , 13, e0204356	3.7	10
68	Diagnostic guidelines for the histological particle algorithm in the periprosthetic neo-synovial tissue. 2018 , 18, 7		14
67	Cobalt and its compounds: update on genotoxic and carcinogenic activities. <i>Critical Reviews in Toxicology</i> , 2018 , 48, 522-539	5.7	30
66	Retrospective analysis of corrosion and ion release from retrieved cast stainless steel tibia plateau leveling osteotomy plates in dogs with and without peri-implant osteosarcoma. <i>American Journal of Veterinary Research</i> , 2018 , 79, 970-979	1.1	2
65	Mechanisms of Adverse Local Tissue Reactions to Hip Implants. <i>Frontiers in Bioengineering and Biotechnology</i> , 2019 , 7, 176	5.8	26
64	Current Research Perspectives of Orthopedic Implant Materials. 2019 , 337-374		0
63	Cr(VI)-induced genotoxicity and cell cycle arrest in human osteoblast cell line MG-63. <i>Journal of Applied Toxicology</i> , 2019 , 39, 1057-1065	4.1	6
62	Analysis of cobalt deposition in periprosthetic bone specimens by high-resolution synchrotron XRF in undecalcified histological thin sections. <i>Materialia</i> , 2019 , 6, 100290	3.2	3
61	Vortex assisted-ionic liquid based dispersive liquid liquid microextraction of low levels of nickel and cobalt in chocolate-based samples and their determination by FAAS. <i>Microchemical Journal</i> , 2019 , 147, 277-285	4.8	30
60	Effect of multipass thermomechanical processing on the corrosion behaviour of biomedical CoCrMo alloys. <i>Corrosion Science</i> , 2019 , 148, 178-187	6.8	17

59	Metal ion concentrations after metal-on-metal hip arthroplasty are not correlated with habitual physical activity levels. <i>HIP International</i> , 2019 , 29, 638-646	1.7	7
58	Taper-Trunion Interface Stress Varies Significantly With Head Size and Activity. <i>Journal of Arthroplasty</i> , 2019 , 34, 157-162	4.4	12
57	Tolerable intake values for leachables: Practical use of ISO 10993-17 standard. 2020 , 101-122		1
56	Bioactive metal-containing nanomaterials for ferroptotic cancer therapy. <i>Journal of Materials Chemistry B</i> , 2020 , 8, 10461-10473	7.3	8
55	Metal mixtures and kidney function: An application of machine learning to NHANES data. <i>Environmental Research</i> , 2020 , 191, 110126	7.9	12
54	Local Cellular Responses to Metallic and Ceramic Nanoparticles from Orthopedic Joint Arthroplasty Implants. <i>International Journal of Nanomedicine</i> , 2020 , 15, 6705-6720	7.3	5
53	The Role of MRI in Prognostic Stratification of Cardiomyopathies. <i>Current Cardiology Reports</i> , 2020 , 22, 61	4.2	2
52	Clinical and surgical aspects of medical materials biocompatibility. 2020 , 219-250		1
51	Orthopedics. 2020 , 257-278		
50	Cobalt nanoparticles trigger ferroptosis-like cell death (oxytosis) in neuronal cells: Potential implications for neurodegenerative disease. <i>FASEB Journal</i> , 2020 , 34, 5262-5281	0.9	24
49	Self-reported systemic complaints in patients with metal-on-metal hip arthroplasty. <i>Journal of Orthopaedics</i> , 2020 , 18, 213-217	1.6	1
48	Improved Immunoregulation of Ultra-Low-Dose Silver Nanoparticle-Loaded TiO Nanotubes via M2 Macrophage Polarization by Regulating GLUT1 and Autophagy. <i>International Journal of Nanomedicine</i> , 2020 , 15, 2011-2026	7.3	15
47	Assessment of Heavy Metal Removal in Different Bioelectrochemical Systems: A Review. <i>Journal of Hazardous, Toxic, and Radioactive Waste</i> , 2020 , 24, 04020010	2.3	14
46	Biocompatibility of Metal Matrix Composites Used for Biomedical Applications. 2021 , 474-501		2
45	Importance of Preanalytical Factors in Measuring Cr and Co Levels in Human Whole Blood: Contamination Control, Proper Sample Collection and Long-Term Storage Stability. <i>Journal of Analytical Toxicology</i> , 2021 , 45, 297-307	2.9	2
44	Three-dimensional printing and in-house appliance fabrication: Between innovation and stepping into the unknown. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2021 , 159, 1-3	2.1	8
43	A prospective study on long-term trace metal accumulation in hair: Is there any difference between minimally invasive repair of pectus excavatum and carinatum?. <i>Journal of Pediatric Surgery</i> , 2021 , 56, 2253-2257	2.6	0
42	Dysregulation of microRNAs in metal-induced angiogenesis and carcinogenesis. <i>Seminars in Cancer Biology</i> , 2021 , 76, 279-286	12.7	4

41	End-Stage Tibiotalar Osteoarthritis and Chronic Strontium Toxicity. <i>Cureus</i> , 2021 , 13, e16866	1.2	
40	Photo-triggered on-demand carvacrol vapor release from nano-generators for non-contact bacterial inactivation between nanomaterials and bacteria. <i>Chemical Engineering Journal</i> , 2021 , 420, 129874	14.7	2
39	Dynamic microfluidic bioreactor-Hip simulator (DMBH) system for implant toxicity monitoring. <i>Biotechnology and Bioengineering</i> , 2021 , 118, 4829-4839	4.9	
38	Non-cytotoxic and non-genotoxic wear debris of strontium oxide doped (Zirconia Toughened Alumina) (SrO-ZTA) implant for hip prosthesis. <i>Materials Chemistry and Physics</i> , 2021 , 274, 125187	4.4	1
37	Oxidative Stress Is a Driver of Normal and Pathological Ovarian Aging. <i>Oxidative Stress in Applied Basic Research and Clinical Practice</i> , 2016 , 213-237		2
36	Thinking about the role (largely ignored) of heavy metals in cancer prevention: hexavalent chromium and melanoma as a case in point. <i>Recent Results in Cancer Research</i> , 2011 , 188, 65-74	1.5	12
35	Patterns of risk of cancer in patients with metal-on-metal hip replacements versus other bearing surface types: a record linkage study between a prospective joint registry and general practice electronic health records in England. <i>PLoS ONE</i> , 2013 , 8, e65891	3.7	23
34	A snapshot of remarkable potential of mg-based materials as implants. <i>Material Science & Engineering International Journal</i> , 2018 , 2,	1.4	3
33	Total hip replacement and surface replacement for the treatment of pain and disability resulting from end-stage arthritis of the hip (review of technology appraisal guidance 2 and 44): systematic review and economic evaluation. <i>Health Technology Assessment</i> , 2015 , 19, 1-668, vii-viii	4.4	23
32	Metal-on-metal total hip arthroplasty: known and unknown side effects. <i>Orthopedics</i> , 2012 , 35, 447-9	1.5	4
31	Modularity in Total Hip Arthroplasty: Benefits, Risks, Mechanisms, Diagnosis, and Management. <i>Orthopedics</i> , 2017 , 40, 355-366	1.5	4
30	Osteolysis in total hip arthroplasty in relation to metal ion release: Comparison between monolithic prostheses and different modularities. <i>World Journal of Orthopedics</i> , 2021 , 12, 768-780	2.2	
29	Lumbar Total Disc Replacement. 2011 , 953-967		
28	Toxic Metals. 2012 , 1189-1205		
27	Ovarian Metabolism of Xenobiotics. 2013 , 29-52		
26	Encyclopedia of Immunotoxicology. 2014 , 1-6		
25	Analysis of Contact Pressure for Material Combination in Unicompartamental Knee Implant. <i>Journal of the Computational Structural Engineering Institute of Korea</i> , 2018 , 31, 23-29	0.1	1
24	Cancer and implantable cardiac defibrillator. Causality, confusion or chance?. <i>Medicina Clínica (English Edition)</i> , 2021 , 157, 459-459	0.3	

23	Redox sensitive miR-27a/b/Nrf2 signaling in Cr(VI)-induced carcinogenesis. <i>Science of the Total Environment</i> , 2021 , 151118	10.2	5
22	Chapter 4:Metals. <i>Biomaterials Science Series</i> , 2020 , 104-140	0.6	
21	[Cancer and implantable cardiac defibrillator. Causality, confusion or chance?]. <i>Medicina Clínica</i> , 2021 , 157, 459-463	1	
20	Hair, serum and urine chromium levels in children with cognitive defects: A systematic review and meta-analysis of case control studies. <i>Chemosphere</i> , 2021 , 133017	8.4	0
19	Allergic Sensitization to Nickel and Implanted Metal Devices: A Perspective. <i>Dermatitis</i> , 2021 ,	2.6	1
18	In-Vivo study of nano chitosan as therapeutic agent for toxic metal implant. <i>Results in Engineering</i> , 2022 , 13, 100352	3.3	1
17	Advances in Thermally Sprayed WC-Based Wear-Resistant Coatings: Co-free Binders, Processing Routes and Tribological Behavior. <i>Journal of Thermal Spray Technology</i> , 2022 , 31, 342-377	2.5	0
16	Metal Ion Emission and Corrosion Resistance of 3D-Printed Dental Alloy. <i>Open Access Macedonian Journal of Medical Sciences</i> , 2022 , 10, 143-147	1	
15	Tribological behavior of HVOF-sprayed WC-based coatings with alternative binders. <i>Surface and Coatings Technology</i> , 2022 , 436, 128296	4.4	0
14	Application of response surface methodology and artificial neural network for the preparation of Fe-loaded biochar for enhanced Cr(VI) adsorption and its physicochemical properties and Cr(VI) adsorption characteristics.. <i>Environmental Science and Pollution Research</i> , 2022 , 1	5.1	0
13	Psychiatric Disorders and Genotoxicity Following Primary Metal on Polyethylene Total Hip Arthroplasty and Their Correlation to Cobalt/Chromium Levels. <i>Drug, Healthcare and Patient Safety</i> , Volume 14, 97-111	1.6	
12	Relation between Mechanical Milling Parameters in Phase Transformation and Oxygen Content in TiNbMo Powders for Posterior Sintering. <i>Metals</i> , 2022 , 12, 1238	2.3	
11	Mechanical and electrochemical characterization of 3D printed orthodontic metallic appliances after in vivo ageing. 2022 ,		1
10	Nickel contamination after minimally-invasive repair of pectus excavatum persists after bar removal. 2022 , 17, e0275567		0
9	Development of new efficient and cost effective liquid-liquid extractive determination method for cobalt(II): Analysis of water, alloys and nano powder. 2022 , 2, 100026		0
8	Immune response differences in degradable and non-degradable alloy implants. 2023 , 24, 153-170		0
7	Metals and Alloys Choice for Implants. 2023 , 23-48		0
6	Determination of trace cobalt ions in bottled drinking water samples from Fiji Island by spray-assisted fine droplet formation-liquid phase microextraction based on simultaneous complexation and extraction before flame atomic absorption spectrometer measurement. 2023 , 185,		0

- 5 Cobalt free metallic binders for HVOF thermal sprayed wear resistant coatings. **2023**, 456, 129243 ○
- 4 Noninfectious tissue interactions at periprosthetic interfaces. **2023**, 52, 186-195 ○
- 3 Bioremediation by MFC technology. **2023**, 373-418 ○
- 2 The concentration of chromium and cobalt ions and parameters of oxidative stress in serum and their impact on clinical outcomes after metaphyseal hip arthroplasty with modular metal heads. **2023**, 18, ○
- 1 Metal-on-metal metaphyseal and ceramic-on-ceramic femoral neck arthroplasty: the impact on clinical results, oxidative stress and concentration of metal ions in serum and blood. ○