

CITATION REPORT

List of articles citing

The brains default network: anatomy, function, and relevance to disease

DOI: 10.1196/annals.1440.011

Annals of the New York Academy of Sciences, 2008, 1124, 1-38.

Source: <https://exaly.com/paper-pdf/43597289/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2209	Ketone bodies as a therapeutic for Alzheimer's disease. 2008 , 5, 470-80		179
2208	Multimodal Magnetic Resonance Imaging for Brain Disorders: Advances and Perspectives. 2008 , 2, 249-257	6	
2207	Mourning and melancholia revisited: correspondences between principles of Freudian metapsychology and empirical findings in neuropsychiatry. 2008 , 7, 9		68
2206	Multimodal and Multi-tissue Measures of Connectivity Revealed by Joint Independent Component Analysis. 2008 , 2, 986-997		31
2205	Fusiform function in children with an autism spectrum disorder is a matter of "who". 2008 , 64, 552-60		140
2204	Activity in both hippocampus and perirhinal cortex predicts the memory strength of subsequently remembered information. 2008 , 59, 547-53		94
2203	The precuneus/posterior cingulate cortex plays a pivotal role in the default mode network: Evidence from a partial correlation network analysis. 2008 , 42, 1178-84		866
2202	Evidence for a frontoparietal control system revealed by intrinsic functional connectivity. 2008 , 100, 3328-42		1315
2201	Distinct cortical anatomy linked to subregions of the medial temporal lobe revealed by intrinsic functional connectivity. 2008 , 100, 129-39		371
2200	Alzheimer's disease: a search for broken links. 2008 , 28, 8148-9		15
2199	Mapping the structural core of human cerebral cortex. 2008 , 6, e159		2853
2198	fMRI: use in early Alzheimer's disease and in clinical trials. 2008 , 3, 409-421		13
2197	"Thinking about not-thinking": neural correlates of conceptual processing during Zen meditation. 2008 , 3, e3083		116
2196	DTI in Development and Aging. 2009 , 205-236		6
2195	Modeling the impact of lesions in the human brain. 2009 , 5, e1000408		387
2194	Uncovering intrinsic modular organization of spontaneous brain activity in humans. 2009 , 4, e5226		450
2193	Spontaneous brain activity in the default mode network is sensitive to different resting-state conditions with limited cognitive load. 2009 , 4, e5743		241

2192	Posterior midline and ventral parietal activity is associated with retrieval success and encoding failure. 2009 , 3, 13	137
2191	Convergent approaches for defining functional imaging endophenotypes in schizophrenia. 2009 , 3, 37	30
2190	Imagining predictions: mental imagery as mental emulation. 2009 , 364, 1273-80	248
2189	Medial prefrontal cortex, secondary hyperalgesia, and the default mode network. 2009 , 29, 11424-5	4
2188	Neural correlates of pragmatic language comprehension in autism spectrum disorders. 2009 , 132, 1941-52	74
2187	Functional connectivity for somatosensory and motor cortex in spastic diplegia. 2009 , 26, 90-104	51
2186	Default network and intelligence difference. 2009 , 2009, 2212-5	20
2185	Evidence from intrinsic activity that asymmetry of the human brain is controlled by multiple factors. 2009 , 106, 20499-503	275
2184	Learning sculpts the spontaneous activity of the resting human brain. 2009 , 106, 17558-63	589
2183	Source modeling sleep slow waves. 2009 , 106, 1608-13	318
2182	Evidence on the emergence of the brain's default network from 2-week-old to 2-year-old healthy pediatric subjects. 2009 , 106, 6790-5	394
2181	Posterior parietal cortex and episodic retrieval: convergent and divergent effects of attention and memory. 2009 , 16, 343-56	218
2180	Cortical hubs revealed by intrinsic functional connectivity: mapping, assessment of stability, and relation to Alzheimer's disease. 2009 , 29, 1860-73	2076
2179	Unification of speaker and meaning in language comprehension: an fMRI study. 2009 , 21, 2085-99	61
2178	Neural correlates of metamemory: a comparison of feeling-of-knowing and retrospective confidence judgments. 2009 , 21, 1751-65	109
2177	A paradigm shift in functional brain imaging. 2009 , 29, 12729-34	203
2176	Domain general mechanisms of perceptual decision making in human cortex. 2009 , 29, 8675-87	163
2175	Neural correlates of stereotype application. 2009 , 21, 594-604	52

2174	Spontaneous brain activity in the newborn brain during natural sleep--an fMRI study in infants born at full term. 2009 , 66, 301-5	167
2173	Dopamine transporters in striatum correlate with deactivation in the default mode network during visuospatial attention. 2009 , 4, e6102	114
2172	Auditory oddball deficits in schizophrenia: an independent component analysis of the fMRI multisite function BIRN study. 2009 , 35, 67-81	123
2171	Functional connectivity of the human red nucleus in the brain resting state at 3T. 2009 , 30, 396-403	63
2170	Three stages and four neural systems in time estimation. 2009 , 29, 14803-11	81
2169	Expertise with artificial nonspeech sounds recruits speech-sensitive cortical regions. 2009 , 29, 5234-9	66
2168	Direct electrophysiological measurement of human default network areas. 2009 , 106, 12174-7	107
2167	On the nature of medial temporal lobe contributions to the constructive simulation of future events. 2009 , 364, 1245-53	165
2166	Subjective vs. documented reality: a case study of long-term real-life autobiographical memory. 2009 , 16, 142-6	12
2165	Right dorsolateral prefrontal cortex is engaged during post-retrieval processing of both episodic and semantic information. 2009 , 47, 2409-16	71
2164	Reading for meaning in dyslexic and young children: distinct neural pathways but common endpoints. 2009 , 47, 2544-57	37
2163	The neural basis of sustained and transient attentional control in young adults with ADHD. 2009 , 47, 3095-104	76
2162	Gender difference in relationship between anxiety-related personality traits and cerebral brain glucose metabolism. 2009 , 173, 206-11	22
2161	Retrosplenial cortex connectivity in schizophrenia. 2009 , 174, 17-23	62
2160	Activation of the pre-supplementary motor area but not inferior prefrontal cortex in association with short stop signal reaction time--an intra-subject analysis. 2009 , 10, 75	108
2159	nAChR agonist-induced cognition enhancement: integration of cognitive and neuronal mechanisms. 2009 , 78, 658-67	103
2158	Aberrant functional connectivity in autism: evidence from low-frequency BOLD signal fluctuations. 2009 , 1262, 48-63	140
2157	Acupuncture mobilizes the brain's default mode and its anti-correlated network in healthy subjects. 2009 , 1287, 84-103	107

2156	The role of parietal cortex during sustained visual spatial attention. 2009 , 1302, 157-66	69
2155	The salient characteristics of the central effects of acupuncture needling: limbic-paralimbic-neocortical network modulation. 2009 , 30, 1196-206	182
2154	Interrater and intermethod reliability of default mode network selection. 2009 , 30, 2293-303	97
2153	Increased self-focus in major depressive disorder is related to neural abnormalities in subcortical-cortical midline structures. 2009 , 30, 2617-27	203
2152	Dysregulation of working memory and default-mode networks in schizophrenia using independent component analysis, an fBIRN and MCIC study. 2009 , 30, 3795-811	202
2151	Enhanced visual processing contributes to matrix reasoning in autism. 2009 , 30, 4082-107	118
2150	Resting state and task-induced deactivation: A methodological comparison in patients with schizophrenia and healthy controls. 2010 , 31, 424-37	106
2149	Approaches to measuring the effects of wake-promoting drugs: a focus on cognitive function. 2009 , 24, 371-89	10
2148	Remote effects of hippocampal damage on default network connectivity in the human brain. 2009 , 256, 2021-9	59
2147	Background and evoked activity and their interaction in the human brain. 2009 , 27, 1140-50	11
2146	A disturbed sense of self in the psychosis prodrome: linking phenomenology and neurobiology. 2009 , 33, 807-17	116
2145	Beta-amyloid deposition and the aging brain. 2009 , 19, 436-50	112
2144	Amyloid imaging in Alzheimer's disease and other dementias. 2009 , 3, 246-61	23
2143	Cortical deactivations during gastric fundus distension in health: visceral pain-specific response or attenuation of 'default mode' brain function? A H2 15O-PET study. 2009 , 21, 259-71	44
2142	A combined neuropsychological and brain imaging study of obstructive sleep apnea. 2009 , 18, 36-48	177
2141	Multimodal techniques for diagnosis and prognosis of Alzheimer's disease. 2009 , 461, 916-22	474
2140	What does the retrosplenial cortex do?. 2009 , 10, 792-802	873
2139	Resting state default-mode network connectivity in early depression using a seed region-of-interest analysis: decreased connectivity with caudate nucleus. 2009 , 63, 754-61	222

2138	Distinct brain networks in recognition memory share a defined region in the precuneus. 2009 , 30, 1947-59	59
2137	Hypnotic induction decreases anterior default mode activity. 2009 , 18, 848-55	124
2136	Predicting human resting-state functional connectivity from structural connectivity. 2009 , 106, 2035-40	2136
2135	Towards a functional neuroanatomy of pleasure and happiness. 2009 , 13, 479-87	440
2134	The resting brain: unconstrained yet reliable. 2009 , 19, 2209-29	706
2133	Changes of resting state brain networks in amyotrophic lateral sclerosis. 2009 , 217, 147-53	165
2132	A brief history of human brain mapping. 2009 , 32, 118-26	161
2131	Reinforcement learning signal predicts social conformity. 2009 , 61, 140-51	393
2130	Amyloid deposition is associated with impaired default network function in older persons without dementia. 2009 , 63, 178-88	728
2129	Posterior parietal cortex and episodic encoding: insights from fMRI subsequent memory effects and dual-attention theory. 2009 , 91, 139-54	239
2128	Combining fMRI with EEG and MEG in order to relate patterns of brain activity to cognition. 2009 , 73, 43-52	89
2127	Evaluative-feedback stimuli selectively activate the self-related brain area: an fMRI study. 2009 , 465, 90-4	9
2126	Differential effects of eyes open or closed in darkness on brain activation patterns in blind subjects. 2009 , 466, 30-4	29
2125	Dorsolateral prefrontal cortex activity predicts responsiveness to cognitive-behavioral therapy in schizophrenia. 2009 , 66, 594-602	91
2124	Functional and structural brain correlates of theory of mind and empathy deficits in schizophrenia. 2009 , 114, 154-60	121
2123	The common neural basis of autobiographical memory, prospection, navigation, theory of mind, and the default mode: a quantitative meta-analysis. 2009 , 21, 489-510	1585
2122	The construction system of the brain. 2009 , 364, 1263-71	328
2121	The Future of Psychology: Connecting Mind to Brain. 2009 , 4, 326-39	246

2120	Correlations of Cellular Activities in the Nervous System: Physiological and Methodological Considerations. 2009 , 1-24	4
2119	Variety is the spice of life: A psychological construction approach to understanding variability in emotion. 2009 , 23, 1284-1306	220
2118	Disruption of functional connectivity in clinically normal older adults harboring amyloid burden. 2009 , 29, 12686-94	444
2117	Experience sampling during fMRI reveals default network and executive system contributions to mind wandering. 2009 , 106, 8719-24	1147
2116	Efficiency of functional brain networks and intellectual performance. 2009 , 29, 7619-24	821
2115	Segregated fronto-cerebellar circuits revealed by intrinsic functional connectivity. 2009 , 19, 2485-97	566
2114	A Case for Increased Caution in End of Life Decisions for Disorders of Consciousness. 2009 , 28, 26-37	3
2113	The default mode network and self-referential processes in depression. 2009 , 106, 1942-7	981
2112	The global signal and observed anticorrelated resting state brain networks. 2009 , 101, 3270-83	1439
2111	The impact of global signal regression on resting state correlations: are anti-correlated networks introduced?. 2009 , 44, 893-905	1766
2110	Age-related changes in modular organization of human brain functional networks. 2009 , 44, 715-23	587
2109	Regional white matter volume differences in nondemented aging and Alzheimer's disease. 2009 , 44, 1247-58	225
2108	The role of the nucleus accumbens and rostral anterior cingulate cortex in anhedonia: integration of resting EEG, fMRI, and volumetric techniques. 2009 , 46, 327-37	290
2107	Time-variant fMRI activity in the brainstem and higher structures in response to acupuncture. 2009 , 47, 289-301	85
2106	Abnormalities of intrinsic functional connectivity in autism spectrum disorders. 2009 , 47, 764-72	400
2105	A review of neuroimaging studies of stressor-evoked blood pressure reactivity: emerging evidence for a brain-body pathway to coronary heart disease risk. 2009 , 47, 922-36	126
2104	Effects of model-based physiological noise correction on default mode network anti-correlations and correlations. 2009 , 47, 1448-59	394
2103	The anatomy of extended limbic pathways in Asperger syndrome: a preliminary diffusion tensor imaging tractography study. 2009 , 47, 427-34	138

2102	Brain encoding of acupuncture sensation--coupling on-line rating with fMRI. 2009 , 47, 1055-65	92
2101	Resting-state BOLD networks versus task-associated functional MRI for distinguishing Alzheimer's disease risk groups. 2009 , 47, 1678-90	176
2100	Hierarchical coding of characters in the ventral and dorsal visual streams of Chinese language processing. 2009 , 48, 423-35	22
2099	Update on autism: a review of 1300 reports published in 2008. 2009 , 16, 569-89	48
2098	Changes in gray matter density in fibromyalgia: correlation with dopamine metabolism. 2009 , 10, 609-18	84
2097	Altered temporal correlations in parietal alpha and prefrontal theta oscillations in early-stage Alzheimer disease. 2009 , 106, 1614-9	204
2096	Default Network and Intelligence Difference. 2009 , 1, 101-109	14
2095	Cortical network functional connectivity in the descent to sleep. 2009 , 106, 4489-94	349
2094	Precuneus shares intrinsic functional architecture in humans and monkeys. 2009 , 106, 20069-74	714
2093	Investigating the functional heterogeneity of the default mode network using coordinate-based meta-analytic modeling. 2009 , 29, 14496-505	412
2092	Changes in resting state effective connectivity in the motor network following rehabilitation of upper extremity poststroke paresis. 2009 , 16, 270-81	76
2091	Age-group differences in medial cortex activity associated with thinking about self-relevant agendas. 2009 , 24, 438-449	32
2090	Neural basis for recognition confidence in younger and older adults. 2009 , 24, 139-53	35
2089	Abstracts. 2010 , 23, 75-370	
2088	Sensorimotor grounding and reused cognitive domains. 2010 , 33, 270-271	
2087	Patterns of spontaneous magnetoencephalographic activity in patients with schizophrenia. 2010 , 27, 179-90	38
2086	Functional magnetic resonance imaging of mild traumatic brain injury. 2010 , 25, 256-66	34
2085	Social cognition. 2010 , 16, 69-85	10

2084	Evidence for the default network's role in spontaneous cognition. 2010 , 104, 322-35	443
2083	The relation of ongoing brain activity, evoked neural responses, and cognition. 2010 , 4, 20	147
2082	Plasticity of brain networks in a randomized intervention trial of exercise training in older adults. 2010 , 2,	343
2081	Graph-based network analysis of resting-state functional MRI. 2010 , 4, 16	350
2080	Altered functional connectivity and small-world in mesial temporal lobe epilepsy. 2010 , 5, e8525	391
2079	Combining transcranial magnetic stimulation and fMRI to examine the default mode network. 2010	10
2078	Does mind wandering reflect executive function or executive failure? Comment on Smallwood and Schooler (2006) and Watkins (2008). 2010 , 136, 188-197	322
2077	Dispositional mindfulness and depressive symptomatology: correlations with limbic and self-referential neural activity during rest. 2010 , 10, 12-24	146
2076	Comparison of neural activity that leads to true memories, false memories, and forgetting: An fMRI study of the misinformation effect. 2010 , 10, 339-48	21
2075	Functional-anatomic fractionation of the brain's default network. 2010 , 65, 550-62	1800
2074	Metastability and Transients in Brain Dynamics: Problems and Rigorous Results. 2010 , 133-175	2
2073	Disease and the brain's dark energy. 2010 , 6, 15-28	673
2072	The new FDG brain revolution: the neurovascular unit and the default network. 2010 , 37, 913-6	12
2071	Emotion and autobiographical memory. 2010 , 7, 88-131	256
2070	NOvelty-related motivation of anticipation and exploration by dopamine (NOMAD): implications for healthy aging. 2010 , 34, 660-9	127
2069	Brain activity in the resting state: default mode network as an inside story within the brain. 2010 , 15, 1-4	0
2068	Evaluating the effective connectivity of resting state networks using conditional Granger causality. 2010 , 102, 57-69	159
2067	Increased sleep pressure reduces resting state functional connectivity. 2010 , 23, 375-89	114

2066	Resting developments: a review of fMRI post-processing methodologies for spontaneous brain activity. 2010 , 23, 289-307	174
2065	Spontaneous brain activity observed with functional magnetic resonance imaging as a potential biomarker in neuropsychiatric disorders. 2010 , 4, 275-94	37
2064	Synaptic depression and aberrant excitatory network activity in Alzheimer's disease: two faces of the same coin?. 2010 , 12, 48-55	108
2063	Functional alterations in memory networks in early Alzheimer's disease. 2010 , 12, 27-43	389
2062	Default network response to a working memory challenge after withdrawal of continuous positive airway pressure treatment for obstructive sleep apnea. 2010 , 4, 155-63	26
2061	Gray matter density in limbic and paralimbic cortices is associated with trauma load and EMDR outcome in PTSD patients. 2010 , 44, 477-85	109
2060	Resting EEG signatures of agentic extraversion: New results and meta-analytic integration. 2010 , 44, 167-179	73
2059	Dissociating the "retrieval success" regions of the brain: effects of retrieval delay. 2010 , 48, 491-7	38
2058	Autobiographical memory, auto-noetic consciousness, and identity in Asperger syndrome. 2010 , 48, 900-8	74
2057	Functional connectivity: a source of variance in the association between cardiorespiratory fitness and cognition?. 2010 , 48, 1394-406	178
2056	Differential engagement of brain regions within a 'core' network during scene construction. 2010 , 48, 1501-9	99
2055	Episodic future thinking in amnesic mild cognitive impairment. 2010 , 48, 2091-7	72
2054	Increased neural activation during picture encoding and retrieval in 60-year-olds compared to 20-year-olds. 2010 , 48, 2188-97	15
2053	Top-down control of MEG alpha-band activity in children performing Categorical N-Back Task. 2010 , 48, 3573-9	14
2052	The default network and processing of personally relevant information: converging evidence from task-related modulations and functional connectivity. 2010 , 48, 3815-23	41
2051	Poor creativity in frontotemporal dementia: a window into the neural bases of the creative mind. 2010 , 48, 3733-42	84
2050	Exploring the brain in pain: activations, deactivations and their relation. 2010 , 148, 257-267	160
2049	Reduced task-related suppression during semantic repetition priming in schizophrenia. 2010 , 181, 114-20	33

2048	MRI-related anxiety levels change within and between repeated scanning sessions. 2010 , 182, 160-4	38
2047	Default mode network abnormalities in bipolar disorder and schizophrenia. 2010 , 183, 59-68	299
2046	Effects of nicotine withdrawal on verbal working memory and associated brain response. 2010 , 183, 69-74	34
2045	[Regional effects of age and sex in magnetic resonance spectroscopy]. 2010 , 52, 342-50	3
2044	Dreaming and offline memory processing. 2010 , 20, R1010-3	53
2043	Alterations of resting state functional connectivity in the default network in adolescents with autism spectrum disorders. 2010 , 1313, 202-14	316
2042	Alterations in regional homogeneity of resting-state brain activity in autism spectrum disorders. 2010 , 1321, 169-79	209
2041	Altered spontaneous neuronal activity of the default-mode network in mesial temporal lobe epilepsy. 2010 , 1323, 152-60	172
2040	Increased neural resources recruitment in the intrinsic organization in major depression. 2010 , 121, 220-30	176
2039	Reduced functional coupling in the default-mode network during self-referential processing. 2010 , 31, 1117-27	77
2038	Intrinsic interhemispheric hippocampal functional connectivity predicts individual differences in memory performance ability. 2010 , 20, 345-51	70
2037	A unified framework for the functional organization of the medial temporal lobes and the phenomenology of episodic memory. 2010 , 20, 1263-90	268
2036	What are we missing here? Brain imaging evidence for higher cognitive functions in primary visual cortex V1. 2010 , 20, 131-139	64
2035	A phase I trial of deep brain stimulation of memory circuits in Alzheimer's disease. 2010 , 68, 521-34	549
2034	Intrinsic brain connectivity in fibromyalgia is associated with chronic pain intensity. 2010 , 62, 2545-55	428
2033	Is subcortical-cortical midline activity in depression mediated by glutamate and GABA? A cross-species translational approach. 2010 , 34, 592-605	115
2032	Functional epileptic network in left mesial temporal lobe epilepsy detected using resting fMRI. 2010 , 88, 168-78	45
2031	Cerebral blood flow differences between long-term meditators and non-meditators. 2010 , 19, 899-905	59

2030	Simulation theory. 2010 , 1, 527-538	60
2029	Magnetic resonance imaging volume of the angular gyri predicts financial skill deficits in people with amnesic mild cognitive impairment. 2010 , 58, 265-74	50
2028	Decreased GABA(B) receptors in the cingulate cortex and fusiform gyrus in autism. 2010 , 114, 1414-23	128
2027	Medial prefrontal cortex pathology in schizophrenia as revealed by convergent findings from multimodal imaging. 2010 , 15, 823-30	142
2026	Long-lasting effects of childhood abuse on neurobiology. 166-177	2
2025	Frontal lobe. 84-121	1
2024	Hemispheric Asymmetries during Processing of Immoral Stimuli. 2010 , 2, 110	11
2023	Component Neural Systems for the Creation of Emotional Memories during Free Viewing of a Complex, Real-World Event. 2010 , 4, 34	13
2022	Listening for recollection: a multi-voxel pattern analysis of recognition memory retrieval strategies. 2010 , 4,	18
2021	Cognitive control signals in posterior cingulate cortex. 2010 , 4, 223	37
2020	Resting-state functional connectivity differences in premature children. 2010 , 4,	62
2019	A novel model-free data analysis technique based on clustering in a mutual information space: application to resting-state fMRI. 2010 , 4,	8
2018	Connectivity Analysis is Essential to Understand Neurological Disorders. 2010 , 4,	59
2017	Prediction of cognitive decline in healthy older adults using fMRI. 2010 , 21, 871-85	50
2016	Default network deactivations are correlated with psychopathic personality traits. 2010 , 5, e12611	30
2015	Task-related effects on the temporal and spatial dynamics of resting-state functional connectivity in the default network. 2010 , 5, e13311	87
2014	Neuroendocrinology and Neuroimaging Studies of Social Anxiety Disorder. 2010 , 273-312	1
2013	Structural brain alterations in individuals at ultra-high risk for psychosis: a review of magnetic resonance imaging studies and future directions. 2010 , 25, 1700-9	45

2012	Brain perfusion correlates of visuo-perceptual deficits in mild cognitive impairment and mild Alzheimer's disease. 2010 , 21, 557-67	27
2011	Limbic system: Cingulate cortex. 197-214	1
2010	Measurement of precuneal and hippocampal volumes using magnetic resonance volumetry in Alzheimer's disease. 2010 , 6, 196-203	30
2009	Neural mechanisms underlying the impact of visual distraction on retrieval of long-term memory. 2010 , 30, 8541-50	60
2008	Intellectual enrichment is linked to cerebral efficiency in multiple sclerosis: functional magnetic resonance imaging evidence for cognitive reserve. 2010 , 133, 362-74	120
2007	Human neuroscience and the aging mind: a new look at old problems. 2010 , 65, 405-15	277
2006	Functional subdivisions in the left angular gyrus where the semantic system meets and diverges from the default network. 2010 , 30, 16809-17	188
2005	Common and unique neural correlates of autobiographical memory and theory of mind. 2010 , 22, 1095-111	114
2004	Remembering to forget: the amnesic effect of daydreaming. 2010 , 21, 1036-42	28
2003	Specialization of the rostral prefrontal cortex for distinct analogy processes. 2010 , 20, 2647-59	58
2002	Human genetic disorders of axon guidance. 2010 , 2, a001784	142
2001	Matching mind to world and vice versa: Functional dissociations between belief and desire mental state processing. 2010 , 5, 1-18	32
2000	Early acquisition of sign language What neuroimaging data tell us. 2010 , 13, 183-199	17
1999	Network excitability dysfunction in Alzheimer's disease: insights from in vitro and in vivo models. 2010 , 21, 153-71	31
1998	Advances and pitfalls in the analysis and interpretation of resting-state FMRI data. 2010 , 4, 8	624
1997	Brain activation in complex partial seizures during switching from a the goal-directed task to a resting state: comparison of fMRI maps to the default mode network. 2010 , 2010, 5685-8	1
1996	Intrinsic functional connectivity as a tool for human connectomics: theory, properties, and optimization. 2010 , 103, 297-321	1375
1995	Attention to memory and the environment: functional specialization and dynamic competition in human posterior parietal cortex. 2010 , 30, 8445-56	95

1994	Emergence of resting state networks in the preterm human brain. 2010 , 107, 20015-20	365
1993	Temporal dynamics of spontaneous MEG activity in brain networks. 2010 , 107, 6040-5	531
1992	Prefrontal-related functional connectivities within the default network are modulated by COMT val158met in healthy young adults. 2010 , 30, 64-9	78
1991	Consciousness of subjective time in the brain. 2010 , 107, 22356-9	147
1990	Brain decoding of fMRI connectivity graphs using decision tree ensembles. 2010 ,	2
1989	Past experience modulates the neural mechanisms of episodic memory formation. 2010 , 30, 4707-16	69
1988	Genetic control over the resting brain. 2010 , 107, 1223-8	362
1987	Switching between executive and default mode networks in posttraumatic stress disorder: alterations in functional connectivity. 2010 , 35, 258-66	98
1986	Default network connectivity reflects the level of consciousness in non-communicative brain-damaged patients. 2010 , 133, 161-71	574
1985	Abnormal cortical networks in mild cognitive impairment and Alzheimer's disease. 2010 , 6, e1001006	312
1984	The organization of local and distant functional connectivity in the human brain. 2010 , 6, e1000808	291
1983	Treatment with olanzapine is associated with modulation of the default mode network in patients with Schizophrenia. 2010 , 35, 904-12	153
1982	Neuronal correlates of functional magnetic resonance imaging in human temporal cortex. 2010 , 133, 46-59	49
1981	Reduced functional connectivity in a right-hemisphere network for volitional ocular motor control in schizophrenia. 2010 , 133, 625-37	35
1980	Sequential relationships between grey matter and white matter atrophy and brain metabolic abnormalities in early Alzheimer's disease. 2010 , 133, 3301-14	171
1979	Clan mentality: evidence that the medial prefrontal cortex responds to close others. 2010 , 30, 13906-15	192
1978	Going their separate ways: dissociation of hippocampal and dorsolateral prefrontal activation during episodic retrieval and post-retrieval processing. 2010 , 22, 513-25	21
1977	Correlation of brain amyloid with "aerobic glycolysis": A question of assumptions?. 2010 , 107, 17459-60	10

1976	[The default mode network: cognitive role and pathological disturbances]. 2010 , 166, 859-72	21
1975	Decreased default mode neural modulation with age in schizophrenia. 2010 , 18, 897-907	13
1974	Evolving Role of Modern Structural and Functional MR Imaging Techniques for Assessing Neuropsychiatric Disorders. 2010 , 5, 169-83	1
1973	Amyloid PET Ligands for Dementia. 2010 , 5, 33-53	20
1972	Eigenvector centrality mapping for analyzing connectivity patterns in fMRI data of the human brain. 2010 , 5, e10232	325
1971	Patterns of brain activity supporting autobiographical memory, prospection, and theory of mind, and their relationship to the default mode network. 2010 , 22, 1112-23	678
1970	The influence of rest period instructions on the default mode network. 2010 , 4, 218	37
1969	Serotonin transporter genotype and action monitoring dysfunction: a possible substrate underlying increased vulnerability to depression. 2010 , 35, 1186-97	47
1968	The unrested resting brain: sleep deprivation alters activity within the default-mode network. 2010 , 22, 1637-48	106
1967	Amyloid plaques disrupt resting state default mode network connectivity in cognitively normal elderly. 2010 , 67, 584-7	421
1966	A shift to randomness of brain oscillations in people with autism. 2010 , 68, 1092-9	115
1965	Atypical default network connectivity in youth with attention-deficit/hyperactivity disorder. 2010 , 68, 1084-91	266
1964	The SNAP25 gene is linked to working memory capacity and maturation of the posterior cingulate cortex during childhood. 2010 , 68, 1120-5	51
1963	Do inter-regional gray-matter volumetric correlations reflect altered functional connectivity in high-risk offspring of schizophrenia patients?. 2010 , 118, 62-8	24
1962	The brain-derived neurotrophic factor Val66Met polymorphism affects memory formation and retrieval of biologically salient stimuli. 2010 , 50, 1212-8	45
1961	Can structure predict function in the human brain?. 2010 , 52, 766-76	419
1960	Delineating self-referential processing from episodic memory retrieval: common and dissociable networks. 2010 , 50, 1606-17	98
1959	'Do I like this person?' A network analysis of midline cortex during a social preference task. 2010 , 51, 930-9	28

1958	Intrinsic connectivity between the hippocampus and posteromedial cortex predicts memory performance in cognitively intact older individuals. 2010 , 51, 910-7	201
1957	Distributed task coding throughout the multiple demand network of the human frontal-insular cortex. 2010 , 52, 252-62	36
1956	Reduced cognitive control of response inhibition by the anterior cingulate cortex in autism spectrum disorders. 2010 , 52, 336-47	151
1955	Selective aberrant functional connectivity of resting state networks in social anxiety disorder. 2010 , 52, 1549-58	235
1954	Abnormal functional connectivity of default mode sub-networks in autism spectrum disorder patients. 2010 , 53, 247-56	462
1953	Default network activity, coupled with the frontoparietal control network, supports goal-directed cognition. 2010 , 53, 303-17	781
1952	Mesocorticolimbic circuits are impaired in chronic cocaine users as demonstrated by resting-state functional connectivity. 2010 , 53, 593-601	237
1951	The episodic memory system: neurocircuitry and disorders. 2010 , 35, 86-104	362
1950	Altered resting-state connectivity in subjects at ultra-high risk for psychosis: an fMRI study. 2010 , 6, 58	100
1949	Regional effects of age and sex in magnetic resonance spectroscopy. 2010 , 52, 342-350	2
1948	Robust Feature Selection in Resting-State fMRI Connectivity Based on Population Studies. 2010 , 63-70	14
1947	Deriving difference between the Bayesian networks based patterns of the effective connectivity using permutation test in fMRI studies. 2010 ,	1
1946	Resting state functional connectivity of the whole head with near-infrared spectroscopy. 2010 , 1, 324-336	125
1945	[Neuroimaging in Alzheimer's disease: a synthesis and a contribution to the understanding of physiopathological mechanisms]. 2010 , 204, 145-58	7
1944	Functional connectivity in fronto-subcortical circuitry during the resting state in obsessive-compulsive disorder. 2010 , 474, 158-162	93
1943	Altered small-world brain functional networks and duration of heroin use in male abstinent heroin-dependent individuals. 2010 , 477, 37-42	65
1942	Differential effects of active attention and age on event-related potentials to visual and olfactory stimuli. 2010 , 78, 190-9	16
1941	Cognitive reserve modulates task-induced activations and deactivations in healthy elders, amnesic mild cognitive impairment and mild Alzheimer's disease. 2010 , 46, 451-61	104

1940	The impact of increased relational encoding demands on frontal and hippocampal function in older adults. 2010 , 46, 507-21	59
1939	Acupuncture, the limbic system, and the anticorrelated networks of the brain. 2010 , 157, 81-90	112
1938	The functional neuroanatomy of the evolving parent-infant relationship. 2010 , 91, 220-41	91
1937	I know the pain you feel-how the human brain's default mode predicts our resonance to another's suffering. 2010 , 169, 143-8	41
1936	Dreaming and the brain: from phenomenology to neurophysiology. 2010 , 14, 88-100	316
1935	Rest-stimulus interaction in the brain: a review. 2010 , 33, 277-84	197
1934	The role of the hippocampus in prediction and imagination. 2010 , 61, 27-48, C1-8	276
1933	Exploring the brain network: a review on resting-state fMRI functional connectivity. 2010 , 20, 519-34	1915
1932	The endocannabinoid system and amyloid-related diseases. 2010 , 224, 66-73	11
1931	Functional connectivity and alterations in baseline brain state in humans. 2010 , 49, 823-34	160
1930	Overlapping brain activity between episodic memory encoding and retrieval: roles of the task-positive and task-negative networks. 2010 , 49, 1045-54	105
1929	A neural measure of behavioral engagement: task-residual low-frequency blood oxygenation level-dependent activity in the precuneus. 2010 , 49, 1911-8	52
1928	Reliable intrinsic connectivity networks: test-retest evaluation using ICA and dual regression approach. 2010 , 49, 2163-77	593
1927	Localization of cerebral functional deficits in treatment-naive, first-episode schizophrenia using resting-state fMRI. 2010 , 49, 2901-6	120
1926	Impairment and compensation coexist in amnesic MCI default mode network. 2010 , 50, 48-55	243
1925	Attractors and noise: twin drivers of decisions and multistability. 2010 , 52, 740-51	87
1924	Functional connectivity of the macaque posterior parahippocampal cortex. 2010 , 103, 793-800	35
1923	A wandering mind is an unhappy mind. 2010 , 330, 932	1302

1922	Diurnal patterns of activity of the orienting and executive attention neuronal networks in subjects performing a Stroop-like task: a functional magnetic resonance imaging study. 2010 , 27, 945-58	55
1921	Episodic Future Thought: An Emerging Concept. 2010 , 5, 142-62	429
1920	Cellular Effects of Serotonin in the CNS. 2010 , 21, 219-231	6
1919	The neural basis of personal goal processing when envisioning future events. 2010 , 22, 1701-13	139
1918	Resting-state functional MRI in depression unmasks increased connectivity between networks via the dorsal nexus. 2010 , 107, 11020-5	838
1917	Attention-deficit/hyperactivity disorder and attention networks. 2010 , 35, 278-300	256
1916	Imaging the functional connectivity of the Periaqueductal Gray during genuine and sham electroacupuncture treatment. 2010 , 6, 80	66
1915	Values of default mode network to Alzheimer's disease call for consilience of multimodal neuroimaging and genetics. 2010 , 30, 3553-4	3
1914	Spatial correlation between brain aerobic glycolysis and amyloid-[A β] deposition. 2010 , 107, 17763-7	275
1913	Regional aerobic glycolysis in the human brain. 2010 , 107, 17757-62	407
1912	The default-mode, ego-functions and free-energy: a neurobiological account of Freudian ideas. 2010 , 133, 1265-83	351
1911	Application of Granger causality analysis to effective connectivity of the default-mode network. 2010 ,	1
1910	Investigating the electrophysiological basis of resting state networks using magnetoencephalography. 2011 , 108, 16783-8	647
1909	Network analysis: applications for the developing brain. 2011 , 26, 488-500	19
1908	The restless brain. 2011 , 1, 3-12	445
1907	The organization of the human cerebellum estimated by intrinsic functional connectivity. 2011 , 106, 2322-45	1265
1906	Emotion processing in schizophrenia: fMRI study of patients treated with risperidone long-acting injections or conventional depot medication. 2011 , 25, 722-33	26
1905	Electrophysiology and functional MRI in post-acute mild traumatic brain injury. 2011 , 28, 329-41	91

1904	Resting-state functional connectivity indexes reading competence in children and adults. 2011 , 31, 8617-24	198
1903	The organization of the human cerebral cortex estimated by intrinsic functional connectivity. 2011 , 106, 1125-65	3997
1902	On the Reintegration of Accuracy in Social Cognition Research: Let Us Count the Ways. 2011 , 22, 221-230	1
1901	Episodic memory retrieval, parietal cortex, and the default mode network: functional and topographic analyses. 2011 , 31, 4407-20	346
1900	The difference of two brain states: A simultaneous EEG/fMRI study. 2011 ,	
1899	Exploraci3n de la red cerebral: una revisi3n de la conectividad funcional en la RMf en estado de reposo. 2011 , 18, 28-41	9
1898	Association between functional connectivity hubs and brain networks. 2011 , 21, 2003-13	298
1897	Simultaneous investigation of local and distributed functional brain connectivity from fMRI data. 2011 ,	1
1896	Absorbed in thought: the effect of mind wandering on the processing of relevant and irrelevant events. 2011 , 22, 596-601	171
1895	The functional architecture of the infant brain as revealed by resting-state fMRI. 2011 , 21, 145-54	370
1894	Abnormal resting brain activity in patients with functional dyspepsia is related to symptom severity. 2011 , 141, 499-506	90
1893	Neurobiology of self-awareness deficits in schizophrenia: A hypothetical model. 2011 , 4, 248-54	12
1892	Effects of an alpha 7-nicotinic agonist on default network activity in schizophrenia. 2011 , 69, 7-11	99
1891	Hyperactive error responses and altered connectivity in ventromedial and frontoinsular cortices in obsessive-compulsive disorder. 2011 , 69, 583-91	101
1890	An anterior-to-posterior shift in midline cortical activity in schizophrenia during self-reflection. 2011 , 69, 415-23	129
1889	Cingulate, frontal, and parietal cortical dysfunction in attention-deficit/hyperactivity disorder. 2011 , 69, 1160-7	201
1888	Multivariate searchlight classification of structural magnetic resonance imaging in children and adolescents with autism. 2011 , 70, 833-41	140
1887	Identification of neural targets for the treatment of psychiatric disorders: the role of functional neuroimaging. 2011 , 22, 279-305, x	6

1886	Language in the cerebellum. 2011 , 20, 337-47	19
1885	The Phylogenesis of Human Personality: Identifying the Precursors of Cooperation, Altruism, and Well-Being. 2011 , 63-107	13
1884	Effects of non-local diffusion on structural MRI preprocessing and default network mapping: statistical comparisons with isotropic/anisotropic diffusion. 2011 , 6, e26703	46
1883	Development in the early years: socialization, motor development, and consciousness. 2011 , 62, 165-87	22
1882	Two distinct neuronal networks mediate the awareness of environment and of self. 2011 , 23, 570-8	281
1881	Interpretation-mediated changes in neural activity during language comprehension. 2011 , 55, 1314-23	26
1880	Solving future problems: default network and executive activity associated with goal-directed mental simulations. 2011 , 55, 1816-24	151
1879	Characterization of the anterior cingulate's role in the at-risk mental state using graph theory. 2011 , 56, 1531-9	44
1878	Impact of Mindfulness-Based Stress Reduction training on intrinsic brain connectivity. 2011 , 56, 290-8	212
1877	Spatio-temporal models of mental processes from fMRI. 2011 , 57, 362-77	17
1876	Heightened interactions between a key default-mode region and a key task-positive region are linked to suboptimal current performance but to enhanced future performance. 2011 , 56, 2276-82	47
1875	Weight-conserving characterization of complex functional brain networks. 2011 , 56, 2068-79	577
1874	Dynamic neural networks supporting memory retrieval. 2011 , 57, 608-16	107
1873	Dysfunctions of cerebral networks precede recognition memory deficits in early Parkinson's disease. 2011 , 57, 589-97	42
1872	Antidepressant medications reduce subcortical-cortical resting-state functional connectivity in healthy volunteers. 2011 , 57, 1317-23	155
1871	Impact of mindfulness on the neural responses to emotional pictures in experienced and beginner meditators. 2011 , 57, 1524-33	238
1870	Coupling between spontaneous (resting state) fMRI fluctuations and human oculo-motor activity. 2011 , 58, 213-25	29
1869	The neural correlates of strategic reading comprehension: cognitive control and discourse comprehension. 2011 , 58, 675-86	36

1868	Neural correlates of skill acquisition: decreased cortical activity during a serial interception sequence learning task. 2011 , 58, 1150-7	62
1867	Bilateral hippocampal dysfunction in schizophrenia. 2011 , 58, 1158-68	47
1866	Central nervous system reorganization in a variety of chronic pain states: a review. 2011 , 3, 1116-25	112
1865	Altered engagement of attention and default networks during target detection in schizophrenia. 2011 , 125, 169-73	39
1864	Correlated structural and functional brain abnormalities in the default mode network in schizophrenia patients. 2011 , 125, 101-9	79
1863	How can the brain's resting state activity generate hallucinations? A 'resting state hypothesis' of auditory verbal hallucinations. 2011 , 127, 202-14	145
1862	Aberrant connectivity during self-other source monitoring in schizophrenia. 2011 , 125, 136-42	59
1861	Modulation of the default mode network is task-dependant in chronic schizophrenia patients. 2011 , 125, 110-7	37
1860	Reduced prefrontal functional connectivity in the default mode network is related to greater psychopathology in subjects with high genetic loading for schizophrenia. 2011 , 127, 58-65	98
1859	Regional contraction of brain surface area involves three large-scale networks in schizophrenia. 2011 , 129, 163-8	53
1858	Baseline and longitudinal patterns of hippocampal connectivity in mild cognitive impairment: evidence from resting state fMRI. 2011 , 309, 79-85	46
1857	Decoding brain states from fMRI connectivity graphs. 2011 , 56, 616-26	222
1856	Striatal functional connectivity networks are modulated by fMRI resting state conditions. 2011 , 54, 380-8	24
1855	Interactive effects of physical activity and APOE- ϵ 4 on BOLD semantic memory activation in healthy elders. 2011 , 54, 635-44	87
1854	Spatiotemporal dynamics of low frequency BOLD fluctuations in rats and humans. 2011 , 54, 1140-50	185
1853	Stimulus-free thoughts induce differential activation in the human default network. 2011 , 54, 1692-702	46
1852	Instantaneous and causal connectivity in resting state brain networks derived from functional MRI data. 2011 , 54, 1043-52	146
1851	Impact of transient emotions on functional connectivity during subsequent resting state: a wavelet correlation approach. 2011 , 54, 2481-91	97

1850	Semantic memory involvement in the default mode network: a functional neuroimaging study using independent component analysis. 2011 , 54, 3057-66	104
1849	Dissociable brain mechanisms for processing social exclusion and rule violation. 2011 , 54, 2462-71	103
1848	Methylphenidate enhances brain activation and deactivation responses to visual attention and working memory tasks in healthy controls. 2011 , 54, 3101-10	101
1847	Small-world directed networks in the human brain: multivariate Granger causality analysis of resting-state fMRI. 2011 , 54, 2683-94	131
1846	Associations and dissociations between default and self-reference networks in the human brain. 2011 , 55, 225-32	295
1845	Failing to deactivate: the association between brain activity during a working memory task and creativity. 2011 , 55, 681-7	183
1844	Resting state functional connectivity within the cingulate cortex jointly predicts agreeableness and stressor-evoked cardiovascular reactivity. 2011 , 55, 363-70	25
1843	Neural deficits in second language reading: fMRI evidence from Chinese children with English reading impairment. 2011 , 57, 760-70	26
1842	Complex span tasks and hippocampal recruitment during working memory. 2011 , 55, 773-87	69
1841	A sliding time-window ICA reveals spatial variability of the default mode network in time. 2011 , 1, 339-47	188
1840	Neuronal activity regulates the regional vulnerability to amyloid- β deposition. 2011 , 14, 750-6	589
1839	How Does Mindfulness Meditation Work? Proposing Mechanisms of Action From a Conceptual and Neural Perspective. 2011 , 6, 537-59	1558
1838	Sleep spindles and hippocampal functional connectivity in human NREM sleep. 2011 , 31, 10331-9	153
1837	Fatigue in Parkinson's disease. 2011 , 12, 1999-2007	50
1836	Fractionating the default mode network: distinct contributions of the ventral and dorsal posterior cingulate cortex to cognitive control. 2011 , 31, 3217-24	539
1835	Genetic influences on cost-efficient organization of human cortical functional networks. 2011 , 31, 3261-70	235
1834	Insight et neuro-imagerie : l'apport de l'étude des réseaux du repos. 2011 , 169, 449-452	2
1833	Regional homogeneity changes in patients with neuromyelitis optica revealed by resting-state functional MRI. 2011 , 122, 121-7	38

1832	Effect of pain perception on the heartbeat evoked potential. 2011 , 122, 1838-45	41
1831	The neural substrate for dreaming: is it a subsystem of the default network?. 2011 , 20, 1163-74	87
1830	Predicting the future. 2011 , 47, 1018-22	15
1829	Resting posterior minus frontal EEG slow oscillations is associated with extraversion and DRD2 genotype. 2011 , 87, 407-13	15
1828	Enhanced cue reactivity and fronto-striatal functional connectivity in cocaine use disorders. 2011 , 115, 137-44	107
1827	Abnormal baseline brain activity in patients with neuromyelitis optica: a resting-state fMRI study. 2011 , 80, 407-11	50
1826	Persistent operational synchrony within brain default-mode network and self-processing operations in healthy subjects. 2011 , 75, 79-90	50
1825	Cognitive control of a simple mental image in patients with obsessive-compulsive disorder. 2011 , 76, 390-9	22
1824	Are there internal thought processes in the monkey?--default brain activity in humans and nonhuman primates. 2011 , 221, 295-303	14
1823	Increased default mode network connectivity associated with meditation. 2011 , 487, 358-62	181
1822	Neuroanatomical correlates of trait anhedonia in patients with schizophrenia: a voxel-based morphometric study. 2011 , 489, 110-4	24
1821	Are emotions associated with activity during rest or interoception? An exploratory fMRI study in healthy subjects. 2011 , 491, 87-92	42
1820	Connectivity pattern changes in default-mode network with deep non-REM and REM sleep. 2011 , 69, 322-30	89
1819	Specifying the self for cognitive neuroscience. 2011 , 15, 104-12	141
1818	Posterior cingulate cortex: adapting behavior to a changing world. 2011 , 15, 143-51	291
1817	Meta-awareness, perceptual decoupling and the wandering mind. 2011 , 15, 319-26	370
1816	Memory distortion: an adaptive perspective. 2011 , 15, 467-74	242
1815	The neurobiology of semantic memory. 2011 , 15, 527-36	1191

1814	Neuroimaging markers for the prediction and early diagnosis of Alzheimer's disease dementia. 2011 , 34, 430-42	235
1813	Functional magnetic resonance imaging as a dynamic candidate biomarker for Alzheimer's disease. 2011 , 95, 557-69	45
1812	Recent developments of functional magnetic resonance imaging research for drug development in Alzheimer's disease. 2011 , 95, 570-8	18
1811	Source imaging of P300 auditory evoked potentials and clinical correlations in patients with posttraumatic stress disorder. 2011 , 35, 1908-17	22
1810	Potential of functional MRI as a biomarker in early Alzheimer's disease. 2011 , 32 Suppl 1, S37-43	105
1809	Patterns of coordinated anatomical change in human cortical development: a longitudinal neuroimaging study of maturational coupling. 2011 , 72, 873-84	228
1808	Memory: enduring traces of perceptual and reflective attention. 2011 , 72, 520-35	127
1807	A validity study of the Working Group's Autobiographical Memory Test for individuals with moderate to severe intellectual disability. 2011 , 32, 70-4	2
1806	Altered default network activity in obesity. 2011 , 19, 2316-21	66
1805	Implicit phonological priming during visual word recognition. 2011 , 55, 724-31	23
1804	How is our self related to midline regions and the default-mode network?. 2011 , 57, 1221-33	577
1803	Altered intrinsic functional connectivity of anterior and posterior insula regions in high-functioning participants with autism spectrum disorder. 2011 , 32, 1013-28	191
1802	Disrupted brain connectivity networks in drug-naive, first-episode major depressive disorder. 2011 , 70, 334-42	612
1801	Default mode of brain function in monkeys. 2011 , 31, 12954-62	223
1800	Development of the brain's default mode network from wakefulness to slow wave sleep. 2011 , 21, 2082-93	293
1799	The effects of the COMT Val108/158Met polymorphism on BOLD activation during working memory, planning, and response inhibition: a role for the posterior cingulate cortex?. 2011 , 36, 763-71	60
1798	Amyloid by default. 2011 , 14, 669-70	26
1797	Doodling and the default network of the brain. 2011 , 378, 1133-4	20

1796	Executive Function. 2011 , 142-150	1
1795	Multimodal Imaging of Alzheimer Pathophysiology in the Brain's Default Mode Network. 2011 , 2011, 687945	20
1794	Task deactivation reductions and atrophy within parietal default mode regions are overlapping but only weakly correlated in mild cognitive impairment. 2011 , 27, 415-27	7
1793	REM sleep and dreaming. 8-20	
1792	Effects of task and coordinate frame of attention in area 7a of the primate posterior parietal cortex. 2010 , 10, 12.1-16	21
1791	The default mode network in healthy aging and Alzheimer's disease. 2011 , 2011, 535816	146
1790	Neural plasticity lessons from disorders of consciousness. 2010 , 1, 245	10
1789	Emulation as an integrating principle for cognition. 2011 , 5, 54	14
1788	Towards a neuroscience of mind-wandering. 2011 , 5, 56	76
1787	Search-Related Suppression of Hippocampus and Default Network Activity during Associative Memory Retrieval. 2011 , 5, 112	15
1786	Brain correlates of mathematical competence in processing mathematical representations. 2011 , 5, 130	15
1785	The retrosplenial cortex: intrinsic connectivity and connections with the (para)hippocampal region in the rat. An interactive connectome. 2011 , 5, 7	137
1784	What is the Functional Relevance of Prefrontal Cortex Entrainment to Hippocampal Theta Rhythms?. 2011 , 5, 24	63
1783	Balancing the brain: resting state networks and deep brain stimulation. 2011 , 5, 8	55
1782	A baseline for the multivariate comparison of resting-state networks. 2011 , 5, 2	895
1781	Neurobehavioral mechanisms of temporal processing deficits in Parkinson's disease. 2011 , 6, e17461	62
1780	The hippocampus is coupled with the default network during memory retrieval but not during memory encoding. 2011 , 6, e17463	100
1779	Cognitive control in adolescence: neural underpinnings and relation to self-report behaviors. 2011 , 6, e21598	99

1778	Specifically progressive deficits of brain functional marker in amnesic type mild cognitive impairment. 2011 , 6, e24271	59
1777	The distressed brain: a group blind source separation analysis on tinnitus. 2011 , 6, e24273	99
1776	Cerebral blood flow during rest associates with general intelligence and creativity. 2011 , 6, e25532	67
1775	Aberrant hippocampal subregion networks associated with the classifications of aMCI subjects: a longitudinal resting-state study. 2011 , 6, e29288	44
1774	Effects of hypoperfusion in Alzheimer's disease. 2011 , 26 Suppl 3, 123-33	135
1773	What are newborn babies thinking? Clues from MRI. 2011 , 3, 137-140	
1772	Physical activity associated with increased resting-state functional connectivity in multiple sclerosis. 2011 , 17, 986-97	36
1771	Structure and function of medial temporal and posteromedial cortices in early Alzheimer's disease. 2011 , 34, 320-30	23
1770	Strength of default mode resting-state connectivity relates to white matter integrity in children. 2011 , 14, 738-51	49
1769	Phenomenal Variability and Introspective Reliability. 2011 , 26, 261-286	23
1768	How understanding the neurobiology of complex post-traumatic stress disorder can inform clinical practice: a social cognitive and affective neuroscience approach. 2011 , 124, 331-48	100
1767	Differential coupling of visual cortex with default or frontal-parietal network based on goals. 2011 , 14, 830-2	166
1766	Positive emotionality is associated with baseline metabolism in orbitofrontal cortex and in regions of the default network. 2011 , 16, 818-25	85
1765	Concepts and principles in the analysis of brain networks. <i>Annals of the New York Academy of Sciences</i> , 2011 , 1224, 126-146	6.5 224
1764	The relationship between BOLD signal and autonomic nervous system functions: implications for processing of "physiological noise". 2011 , 29, 1338-45	52
1763	The 'resting-state hypothesis' of major depressive disorder-a translational subcortical-cortical framework for a system disorder. 2011 , 35, 1929-45	161
1762	The role of rostral prefrontal cortex in prospective memory: a voxel-based lesion study. 2011 , 49, 2185-98	93
1761	Where did I put that? Patients with amnesic mild cognitive impairment demonstrate widespread reductions in activity during the encoding of ecologically relevant object-location associations. 2011 , 49, 2349-61	41

1760	Verbal working memory performance correlates with regional white matter structures in the frontoparietal regions. 2011 , 49, 3466-73	69
1759	From 'Oh, OK' to 'Ah, yes' to 'Aha!' Hyper-systemizing and the rewards of insight. 2011 , 50, 1159-1167	9
1758	Disrupted cortical connectivity theory as an explanatory model for autism spectrum disorders. 2011 , 8, 410-37	165
1757	Relationship of DAT1 and adult ADHD to task-positive and task-negative working memory networks. 2011 , 193, 7-16	40
1756	Regional homogeneity changes in social anxiety disorder: a resting-state fMRI study. 2011 , 194, 47-53	87
1755	Functional network disruption in the degenerative dementias. 2011 , 10, 829-43	333
1754	Building a neuroscience of pleasure and well-being. 2011 , 1, 1-3	108
1753	Striatal and cortical midline activation and connectivity associated with suicidal ideation and depression in bipolar II disorder. 2011 , 133, 638-45	30
1752	Altered regional synchronization in epileptic patients with generalized tonic-clonic seizures. 2011 , 97, 83-91	63
1751	A supervised method to assist the diagnosis and monitor progression of Alzheimer's disease using data from an fMRI experiment. 2011 , 53, 35-45	25
1750	Brain networks associated with sublexical properties of Chinese characters. 2011 , 119, 68-79	14
1749	Paradigm shift in translational neuroimaging of CNS disorders. 2011 , 81, 1374-87	24
1748	Using a self-organizing map algorithm to detect age-related changes in functional connectivity during rest in autism spectrum disorders. 2011 , 1380, 187-97	76
1747	Prefrontal cortex activity during response inhibition associated with excitement symptoms in schizophrenia. 2011 , 1370, 194-203	40
1746	Altered resting state networks in epileptic patients with generalized tonic-clonic seizures. 2011 , 1374, 134-41	81
1745	Infraslow EEG oscillations organize large-scale cortical-subcortical interactions during sleep: a combined EEG/fMRI study. 2011 , 1374, 63-72	40
1744	Altered gray matter morphometry and resting-state functional and structural connectivity in social anxiety disorder. 2011 , 1388, 167-77	114
1743	Age-related changes in the three-way correlation between anterior hippocampus volume, whole-brain patterns of encoding activity and subsequent context retrieval. 2011 , 1420, 68-79	21

1742	The hippocampus is functionally connected to the striatum and orbitofrontal cortex during context dependent decision making. 2011 , 1423, 53-66	33
1741	Functional connectivity during recognition memory in individuals genetically at risk for Alzheimer's disease. 2013 , 34, 530-42	14
1740	Defaulting to Fiction: Neuroscience Rediscovered the Romantic Imagination. 2011 , 32, 663-692	12
1739	Altered posterior cingulate cortical cytoarchitecture, but normal density of neurons and interneurons in the posterior cingulate cortex and fusiform gyrus in autism. 2011 , 4, 200-11	72
1738	De rol van de pariëtaalkwab in de vroege fase van de ziekte van Alzheimer. 2011 , 15, 113-120	
1737	Rostral anterior cingulate activity generates posterior versus anterior theta activity linked to genetic extraversion. 2011 , 11, 172-85	16
1736	Episodic retrieval and the cortical binding of relational activity. 2011 , 11, 277-91	150
1735	The reward of a good joke: neural correlates of viewing dynamic displays of stand-up comedy. 2011 , 11, 508-15	61
1734	The 3P Model: A General Theory of Subjective Well-Being. 2011 , 12, 681-716	36
1733	Structural and functional imaging correlates of cognitive and brain reserve hypotheses in healthy and pathological aging. 2011 , 24, 340-57	105
1732	Characterizing brain cortical plasticity and network dynamics across the age-span in health and disease with TMS-EEG and TMS-fMRI. 2011 , 24, 302-15	256
1731	Functional neuroimaging in the examination of effects of prenatal alcohol exposure. 2011 , 21, 119-32	35
1730	[Intrinsic brain activity with pain]. 2011 , 25, 501-7	2
1729	Resting-state brain networks: literature review and clinical applications. 2011 , 32, 773-85	343
1728	A software tool for interactive exploration of intrinsic functional connectivity opens new perspectives for brain surgery. 2011 , 153, 1561-72	28
1727	Chronic smoking, but not acute nicotine administration, modulates neural correlates of working memory. 2011 , 213, 29-42	28
1726	Modafinil modulation of the default mode network. 2011 , 215, 23-31	48
1725	Enhanced neural responses to rule violation in children with autism: a comparison to social exclusion. 2011 , 1, 280-94	55

1724	Transient coordinated activity within the developing brain's default network. 2011 , 5, 45-53	1
1723	The temporal-spatial encoding of acupuncture effects in the brain. 2011 , 7, 19	31
1722	Visual imagery. 2011 , 2, 239-252	18
1721	Considering PTSD from the perspective of brain processes: a psychological construction approach. 2011 , 24, 3-24	46
1720	Functional imaging of subthalamic nucleus deep brain stimulation in Parkinson's disease. 2011 , 26, 1835-43	33
1719	Human neoteny revisited: The case of synaptic plasticity. 2011 , 23, 729-39	59
1718	Band correlates of the fMRI BOLD response. 2011 , 32, 182-97	46
1717	Altered functional connectivity in default mode network in absence epilepsy: a resting-state fMRI study. 2011 , 32, 438-49	190
1716	Lateral differences in the default mode network in healthy controls and patients with schizophrenia. 2011 , 32, 654-64	47
1715	Increased "default mode" activity in adolescents prenatally exposed to cocaine. 2011 , 32, 759-70	41
1714	Granger causal influence predicts BOLD activity levels in the default mode network. 2011 , 32, 154-61	104
1713	Default mode network abnormalities in mesial temporal lobe epilepsy: a study combining fMRI and DTI. 2011 , 32, 883-95	229
1712	Strategic resource allocation in the human brain supports cognitive coordination of object and spatial working memory. 2011 , 32, 1330-48	23
1711	Modulation of steady state functional connectivity in the default mode and working memory networks by cognitive load. 2011 , 32, 1649-59	83
1710	Spatial patterns of intrinsic brain activity in mild cognitive impairment and Alzheimer's disease: a resting-state functional MRI study. 2011 , 32, 1720-40	197
1709	Functional connectivity in mild traumatic brain injury. 2011 , 32, 1825-35	340
1708	Altered default mode network connectivity in Alzheimer's disease--a resting functional MRI and Bayesian network study. 2011 , 32, 1868-81	141
1707	Localization of cerebral functional deficits in patients with non-neuropsychiatric systemic lupus erythematosus. 2011 , 32, 1847-55	27

1706	Reliability of functional magnetic resonance imaging associative encoding memory paradigms in non-demented elderly adults. 2011 , 32, 2027-44	22
1705	Involvement of glutamate in rest-stimulus interaction between perigenual and supragenual anterior cingulate cortex: a combined fMRI-MRS study. 2011 , 32, 2172-82	52
1704	Brain imaging of the self--conceptual, anatomical and methodological issues. 2011 , 20, 52-63	96
1703	A conditional Granger causality model approach for group analysis in functional magnetic resonance imaging. 2011 , 29, 418-33	27
1702	Default network correlations analyzed on native surfaces. 2011 , 198, 301-11	26
1701	Pharmacological MRI approaches to understanding mechanisms of drug action. 2012 , 11, 365-88	8
1700	Amnesic mild cognitive impairment: functional MR imaging study of response in posterior cingulate cortex and adjacent precuneus during problem-solving tasks. 2011 , 261, 525-33	12
1699	Level of processing modulates the neural correlates of emotional memory formation. 2011 , 23, 757-71	65
1698	Homogeneity-based feature extraction for classification of early-stage alzheimer's disease from functional magnetic resonance images. 2011 ,	2
1697	An fMRI study of self-regulatory control and conflict resolution in adolescents with bulimia nervosa. 2011 , 168, 1210-20	105
1696	Short-term duloxetine administration affects neural correlates of mood-congruent memory. 2011 , 36, 2266-75	7
1695	A candidate for the attentional bottleneck: set-size specific modulation of the right TPJ during attentive enumeration. 2011 , 23, 728-36	51
1694	Differential activity for animals and manipulable objects in the anterior temporal lobes. 2011 , 23, 2059-67	29
1693	Watching my mind unfold versus yours: an fMRI study using a novel camera technology to examine neural differences in self-projection of self versus other perspectives. 2011 , 23, 1275-84	78
1692	Quantitative markers for neuropsychiatric disease: give it a rest. 2011 , 259, 17-9	5
1691	The footprints of a wandering mind: Further examination of the time course of an attentional lapse. 2011 , 2, 91-7	14
1690	Transcranial magnetic stimulation modulates the brain's intrinsic activity in a frequency-dependent manner. 2011 , 108, 21229-34	184
1689	Anxiety modulates insula recruitment in resting-state functional magnetic resonance imaging in youth and adults. 2011 , 1, 245-54	40

1688	Towards a scientific concept of free will as a biological trait: spontaneous actions and decision-making in invertebrates. 2011 , 278, 930-9	109
1687	Functional imaging in the fetus. 2011 , 22, 113-8	4
1686	Reduced negative BOLD responses in the default-mode network and increased self-focus in depression. 2011 , 12, 627-37	81
1685	Three Time Scales of Neural Self-Organization Underlying Basic and Nonbasic Emotions. 2011 , 3, 416-423	30
1684	Brain-state-independent neural representation of peripheral stimulation in rat olfactory bulb. 2011 , 108, 5087-92	37
1683	Influence of aging on the neural correlates of autobiographical, episodic, and semantic memory retrieval. 2011 , 23, 4150-63	67
1682	Cerebral regulation of facial expressions of pain. 2011 , 31, 8730-8	48
1681	Network alterations supporting word retrieval in patients with medial temporal lobe epilepsy. 2011 , 23, 2605-19	19
1680	Altered connectivity pattern of hubs in default-mode network with Alzheimer's disease: an Granger causality modeling approach. 2011 , 6, e25546	54
1679	Longitudinal magnetic resonance spectroscopy as marker of cognitive deterioration in mild cognitive impairment. 2011 , 26, 631-6	18
1678	Relationships between Amyloid and functional connectivity in different components of the default mode network in aging. 2011 , 21, 2399-407	229
1677	Precuneus hypoperfusion plays an important role in memory impairment of patients with systemic lupus erythematosus. 2011 , 20, 855-60	10
1676	Functional magnetic resonance imaging in aging and dementia: detection of age-related cognitive changes and prediction of cognitive decline. 2012 , 10, 113-36	10
1675	Frontocingulate dysfunction in depression: toward biomarkers of treatment response. 2011 , 36, 183-206	636
1674	The effects of age, memory performance, and callosal integrity on the neural correlates of successful associative encoding. 2011 , 21, 2166-76	106
1673	Caudate dopamine D1 receptor density is associated with individual differences in frontoparietal connectivity during working memory. 2011 , 31, 14284-90	57
1672	Abnormal medial prefrontal cortex resting-state connectivity in bipolar disorder and schizophrenia. 2011 , 36, 2009-17	223
1671	A neuronal basis for task-negative responses in the human brain. 2011 , 21, 821-30	60

1670	Activation and effective connectivity changes following explicit-memory training for face-name pairs in patients with mild cognitive impairment: a pilot study. 2011 , 25, 210-22	106
1669	A journey into chaos: creativity and the unconscious. 2011 , 9, 42-53	27
1668	Brain glutamate levels are decreased in Alzheimer's disease: a magnetic resonance spectroscopy study. 2011 , 26, 450-6	75
1667	Dissociable effects of top-down and bottom-up attention during episodic encoding. 2011 , 31, 12613-28	97
1666	Reaction time, memory strength, and fMRI activity during memory retrieval: Hippocampus and default network are differentially responsive during recollection and familiarity judgments. 2011 , 2, 19-23	14
1665	What goes down must come up: role of the posteromedial cortices in encoding and retrieval. 2011 , 21, 22-34	93
1664	Cerebral blood flow in posterior cortical nodes of the default mode network decreases with task engagement but remains higher than in most brain regions. 2011 , 21, 233-44	80
1663	Increased functional connectivity indicates the severity of cognitive impairment in multiple sclerosis. 2011 , 108, 19066-71	201
1662	Phantom percepts: tinnitus and pain as persisting aversive memory networks. 2011 , 108, 8075-80	419
1661	Abnormalities of object visual processing in body dysmorphic disorder. 2011 , 41, 2385-97	69
1660	Self-rating scales assessing subjective well-being and distress correlate with rCBF in PTSD-sensitive regions. 2011 , 41, 2549-61	34
1659	The Subject at Rest: Novel conceptualizations of self and brain from cognitive neuroscience's study of the Resting state 2011 , 4, 227-257	26
1658	Autism spectrum traits in the typical population predict structure and function in the posterior superior temporal sulcus. 2011 , 21, 493-500	90
1657	Dysconnectivity of multiple resting-state networks in patients with schizophrenia who have persistent auditory verbal hallucinations. 2011 , 36, 366-74	96
1656	Neuronal dysfunction and disconnection of cortical hubs in non-demented subjects with elevated amyloid burden. 2011 , 134, 1635-46	280
1655	Large-scale functional brain networks in human non-rapid eye movement sleep: insights from combined electroencephalographic/functional magnetic resonance imaging studies. 2011 , 369, 3708-29	33
1654	Default mode network connectivity in stable vs progressive mild cognitive impairment. 2011 , 76, 511-7	226
1653	Increased hippocampal default mode synchronization during rest in middle-aged and elderly APOE ϵ carriers: relationships with memory performance. 2011 , 31, 7775-83	136

1652	The known unknowns: neural representation of second-order uncertainty, and ambiguity. 2011 , 31, 4811-20	61
1651	When attention wanders: how uncontrolled fluctuations in attention affect performance. 2011 , 31, 15802-6	39
1650	Emergence of persistent networks in long-term intracranial EEG recordings. 2011 , 31, 15757-67	83
1649	Reduced prefrontal connectivity in psychopathy. 2011 , 31, 17348-57	237
1648	Quasi-periodic fluctuations in default mode network electrophysiology. 2011 , 31, 11728-32	52
1647	Premotor functional connectivity predicts impulsivity in juvenile offenders. 2011 , 108, 11241-5	90
1646	Default mode network connectivity predicts sustained attention deficits after traumatic brain injury. 2011 , 31, 13442-51	326
1645	Differential electrophysiological response during rest, self-referential, and non-self-referential tasks in human posteromedial cortex. 2011 , 108, 3023-8	88
1644	Default mode network functional and structural connectivity after traumatic brain injury. 2011 , 134, 2233-47	320
1643	Can Innate, modular "foundations" explain morality? Challenges for Haidt's Moral Foundations Theory. 2011 , 23, 2103-16; discussion 2117-22	75
1642	Dysfunction of a cortical midline network during emotional appraisals in schizophrenia. 2011 , 37, 164-76	38
1641	Brain activity at rest: a multiscale hierarchical functional organization. 2011 , 105, 2753-63	219
1640	The Neurobiology of Dreaming. 2011 , 563-575	14
1639	The Recent-Traumatic Episode Protocol: Outcome Evaluation and Analysis of Three Case Studies. 2011 , 5, 95-110	12
1638	sLORETA and fMRI Detection of Medial Prefrontal Default Network Anomalies in Adult ADHD. 2011 , 15, 358-373	22
1637	Tinnitus and depression. 2011 , 12, 489-500	198
1636	Aberrant connectivity of resting-state networks in borderline personality disorder. 2011 , 36, 402-11	78
1635	fMRI as a measure of cognition related brain circuitry in schizophrenia. 2012 , 11, 253-67	5

1634	Reintegrating the Study of Accuracy Into Social Cognition Research. 2011 , 22, 159-182	97
1633	Default mode alterations in posttraumatic stress disorder related to early-life trauma: a developmental perspective. 2011 , 36, 56-9	46
1632	The Cognitive Consequences of Structural Changes to the Aging Brain. 2011 , 73-91	12
1631	Adaptive constructive processes and the future of memory. 2012 , 67, 603-13	268
1630	Magnetic resonance imaging in amyotrophic lateral sclerosis. 2012 , 2012, 608501	13
1629	Unconscious priming instructions modulate activity in default and executive networks of the human brain. 2012 , 22, 639-49	40
1628	Valuing one's self: medial prefrontal involvement in epistemic and emotive investments in self-views. 2012 , 22, 659-67	84
1627	Failure to modulate attentional control in advanced aging linked to white matter pathology. 2012 , 22, 1038-51	57
1626	Understanding the Pathophysiology of Alzheimer's Disease and Mild Cognitive Impairment: A Mini Review on fMRI and ERP Studies. 2012 , 2012, 719056	26
1625	The Unique Human Capacity for Emotional Awareness: Psychological, Neuroanatomical, Comparative and Evolutionary Perspectives. 2012 , 165-205	2
1624	Default network modulation and large-scale network interactivity in healthy young and old adults. 2012 , 22, 2610-21	148
1623	Early-onset Alzheimer disease clinical variants: multivariate analyses of cortical thickness. 2012 , 79, 80-4	63
1622	Visuospatial attention in schizophrenia: deficits in broad monitoring. 2012 , 121, 119-28	43
1621	Evidence of change in brain activity among childhood cancer survivors participating in a cognitive remediation program. 2012 , 27, 915-29	25
1620	Dissociation between verbal response initiation and suppression after prefrontal lesions. 2012 , 22, 2428-40	40
1619	Failure of de-activation in the medial frontal cortex in mania: evidence for default mode network dysfunction in the disorder. 2012 , 13, 616-26	39
1618	Molecular brain imaging in the multimodality era. 2012 , 32, 1377-92	14
1617	Eppendorf winner. When attention wanders. 2012 , 338, 58-9	4

1616	Loss of intranetwork and internetwork resting state functional connections with Alzheimer's disease progression. 2012 , 32, 8890-9	385
1615	The neural bases of grapheme-color synesthesia are not localized in real color-sensitive areas. 2012 , 22, 1622-33	67
1614	The role of the $\alpha 7$ nicotinic receptor in cognitive processing of persons with schizophrenia. 2012 , 25, 103-8	24
1613	The neuropsychological profile of Alzheimer disease. 2012 , 2, a006171	309
1612	Cerebral asymmetry: a quantitative, multifactorial, and plastic brain phenotype. 2012 , 15, 401-13	84
1611	The path to memory is guided by strategy: distinct networks are engaged in associative encoding under visual and verbal strategy and influence memory performance in healthy and impaired individuals. 2012 , 24, 1398-410	3
1610	Neurobiology of Alzheimer's Disease. 2012 , 815-828	1
1609	Stability in brain glucose metabolism following brown adipose tissue inactivation in chinese adults. 2012 , 33, 1464-9	6
1608	Medial PFC damage abolishes the self-reference effect. 2012 , 24, 475-81	90
1607	Striatal dopamine influences the default mode network to affect shifting between object features. 2012 , 24, 1960-70	41
1606	Abstracts 3rd Biennial Conference on Resting State Brain Connectivity September 5-7, 2012 Magdeburg, Germany. 2012 , 2, A1-A156	1
1605	The Brain Effects of Laser Acupuncture in Depressed Individuals: An fMRI Investigation. 2012 , 24, 161-171	19
1604	Resting-state fMRI analysis of Alzheimer's disease progress using sparse dictionary learning. 2012 ,	
1603	The influence of pain on cerebral functioning after mild traumatic brain injury. 2012 , 29, 2625-34	15
1602	Pilot Data Assessing the Functional Integrity of the Default Network in Adult ADHD with fMRI and sLORETA. 2012 , 16, 246-263	6
1601	The effects of sustained cognitive task performance on subsequent resting state functional connectivity in healthy young and middle-aged male schoolteachers. 2012 , 2, 102-12	17
1600	Differential modulation of the default mode network via serotonin-1A receptors. 2012 , 109, 2619-24	92
1599	Default network connectivity in medial temporal lobe amnesia. 2012 , 32, 14622-9	37

1598	Brain activity mapping in Mecp2 mutant mice reveals functional deficits in forebrain circuits, including key nodes in the default mode network, that are reversed with ketamine treatment. 2012 , 32, 13860-72	110
1597	The organization of the human striatum estimated by intrinsic functional connectivity. 2012 , 108, 2242-63	527
1596	Brain imaging in Alzheimer disease. 2012 , 2, a006213	336
1595	Unravelling the intrinsic functional organization of the human lateral frontal cortex: a parcellation scheme based on resting state fMRI. 2012 , 32, 10238-52	54
1594	Emotional and cognitive stimuli differentially engage the default network during inductive reasoning. 2012 , 7, 380-92	10
1593	Emergence of stable functional networks in long-term human electroencephalography. 2012 , 32, 2703-13	122
1592	Commonality and specificity of acupuncture action at three acupoints as evidenced by FMRI. 2012 , 40, 695-712	34
1591	Modeling fluctuations in default-mode brain network using a spiking neural network. 2012 , 22, 1250016	19
1590	Default mode network in concussed individuals in response to the YMCA physical stress test. 2012 , 29, 756-65	61
1589	Reduced cerebral blood flow within the default-mode network and within total gray matter in major depression. 2012 , 2, 303-10	36
1588	Event-related functional magnetic resonance imaging changes during relational retrieval in normal aging and amnesic mild cognitive impairment. 2012 , 18, 886-97	9
1587	Regionally specific alterations in functional connectivity of the anterior cingulate cortex in major depressive disorder. 2012 , 42, 2071-81	117
1586	Schizophrenic patients and their unaffected siblings share increased resting-state connectivity in the task-negative network but not its anticorrelated task-positive network. 2012 , 38, 285-94	93
1585	Multimodal MRI neuroimaging biomarkers for cognitive normal adults, amnesic mild cognitive impairment, and Alzheimer's disease. 2012 , 2012, 907409	24
1584	Voxel scale complex networks of functional connectivity in the rat brain: neurochemical state dependence of global and local topological properties. 2012 , 2012, 615709	6
1583	Neuropsychology in temporal lobe epilepsy: influences from cognitive neuroscience and functional neuroimaging. 2012 , 2012, 925238	29
1582	Adolescents' depressive symptoms moderate neural responses to their mothers' positive behavior. 2012 , 7, 23-34	17
1581	Insights into multimodal imaging classification of ADHD. 2012 , 6, 59	94

1580	Frontoparietal Connectivity and Hierarchical Structure of the Brain's Functional Network during Sleep. 2012 , 3, 80	50
1579	Dynamic Causality Analysis on Default Mode Network. 2012 , 42-49	
1578	First-episode psychosis is characterized by failure of deactivation but not by hypo- or hyperfrontality. 2012 , 42, 73-84	40
1577	ADeposition in aging is associated with increases in brain activation during successful memory encoding. 2012 , 22, 1813-23	105
1576	Orbitofrontal connectivity with resting-state networks is associated with midbrain dopamine D3 receptor availability. 2012 , 22, 2784-93	54
1575	Neural correlates of the encoding of multimodal contextual features. 2012 , 19, 605-14	12
1574	Altered resting state connectivity of the default mode network in alexithymia. 2012 , 7, 660-6	39
1573	Neural dysregulation in posttraumatic stress disorder: evidence for disrupted equilibrium between salience and default mode brain networks. 2012 , 74, 904-11	272
1572	How can investigation of network function inform rehabilitation after traumatic brain injury?. 2012 , 25, 662-9	43
1571	Effect of dopamine transporter genotype on intrinsic functional connectivity depends on cognitive state. 2012 , 22, 2182-96	39
1570	Dissociations in Neuropsychology and Cognitive Neuroscience. 2012 , 79, 490-518	12
1569	Acupuncture-induced pain relief and the human brain's default mode network - an extended view of central effects of acupuncture analgesia. 2012 , 19, 197-201	27
1568	Alterations in default mode network connectivity during pain processing in borderline personality disorder. 2012 , 69, 993-1002	63
1567	Morally Bonded and Bounded: A Sociological Introduction to Neurology. 2012 , 165-199	9
1566	Self-reported nocturnal sleep duration is associated with next-day resting state functional connectivity. 2012 , 23, 741-5	29
1565	The default mode network and related right hemisphere structures may be the key substrates of dementia. 2012 , 32, 467-78	33
1564	Trends in ambulatory self-report: the role of momentary experience in psychosomatic medicine. 2012 , 74, 327-37	208
1563	From known to unknown; old to new: can lesion studies inform psychiatry about mental illness in the 21st century?. 2012 , 2, 369-372	5

1562	Perspective: Upcoming paradigm shifts for psychiatry in clinical care, research, and education. 2012 , 87, 261-5	22
1561	On the relationship between the "default mode network" and the "social brain". 2012 , 6, 189	418
1560	Modular Organization of Functional Network Connectivity in Healthy Controls and Patients with Schizophrenia during the Resting State. 2011 , 5, 103	64
1559	Physical Activity and Fitness Effects on Cognition and Brain Health in Children and Older Adults. 2012 , 1, 37-45	13
1558	Education and the social brain. 2012 , 1, 3-9	23
1557	Default-mode network disruption in mild traumatic brain injury. 2012 , 265, 882-92	197
1556	The brain's default network and its adaptive role in internal mentation. 2012 , 18, 251-70	625
1555	Enhancing reproducibility of fMRI statistical maps using generalized canonical correlation analysis in NPAIRS framework. 2012 , 60, 1970-81	20
1554	Low-Frequency Spontaneous Oscillations of Cerebral Hemodynamics Investigated With Near-Infrared Spectroscopy: A Review. 2012 , 18, 1478-1492	41
1553	A dual-subsystem model of the brain's default network: self-referential processing, memory retrieval processes, and autobiographical memory retrieval. 2012 , 61, 966-77	147
1552	The Unengaged Mind: Defining Boredom in Terms of Attention. 2012 , 7, 482-95	396
1551	Individual differences in cognition, affect, and performance: behavioral, neuroimaging, and molecular genetic approaches. 2012 , 59, 70-82	89
1550	Normal aging modulates prefrontoparietal networks underlying multiple memory processes. 2012 , 36, 3559-67	22
1549	To wake or not to wake? The two-sided nature of the human K-complex. 2012 , 59, 1631-8	87
1548	Recovery of the default mode network after demanding neurofeedback training occurs in spatio-temporally segregated subnetworks. 2012 , 63, 1775-81	22
1547	Mind wandering and attention during focused meditation: a fine-grained temporal analysis of fluctuating cognitive states. 2012 , 59, 750-60	384
1546	Sleep deprivation reduces default mode network connectivity and anti-correlation during rest and task performance. 2012 , 59, 1745-51	238
1545	The root of all value: a neural common currency for choice. 2012 , 22, 1027-38	783

1544	Breakdown in the brain network subserving moral judgment in criminal psychopathy. 2012 , 7, 917-23	94
1543	Default-mode network dysfunction and self-referential processing in healthy siblings of schizophrenia patients. 2012 , 142, 237-43	64
1542	The future of memory: remembering, imagining, and the brain. 2012 , 76, 677-94	855
1541	Resting state functional connectivity of the striatum in Parkinson's disease. 2012 , 135, 3699-711	297
1540	Amnesic disorders. 2012 , 380, 1429-40	94
1539	What about pain in disorders of consciousness?. 2012 , 14, 437-44	50
1538	The social brain in psychiatric and neurological disorders. 2012 , 16, 559-72	464
1537	The role of default network deactivation in cognition and disease. 2012 , 16, 584-92	603
1536	Alzheimer disease family history impacts resting state functional connectivity. 2012 , 72, 571-7	52
1535	Dissociable morphometric differences of the inferior parietal lobule in schizophrenia. 2012 , 262, 579-87	28
1534	The default mode network and recurrent depression: a neurobiological model of cognitive risk factors. 2012 , 22, 229-51	200
1533	Default-mode network changes in preclinical Huntington's disease. 2012 , 237, 191-8	52
1532	EEG correlates of spontaneous self-referential thoughts: a cross-cultural study. 2012 , 86, 173-81	36
1531	Neurocircuitry models of posttraumatic stress disorder and beyond: a meta-analysis of functional neuroimaging studies. 2012 , 36, 2130-42	367
1530	Neurocognitive networks: findings, models, and theory. 2012 , 36, 2232-47	52
1529	Sex differences in brain activation to emotional stimuli: a meta-analysis of neuroimaging studies. 2012 , 50, 1578-93	380
1528	Depressive symptoms in prodromal Huntington's Disease correlate with Stroop-interference related functional connectivity in the ventromedial prefrontal cortex. 2012 , 203, 166-74	30
1527	Effect of lateralized temporal lobe epilepsy on the default mode network. 2012 , 25, 350-7	86

1526	Toward a Materialist Metapsychology: Major Operating Principles of the Brain Provide a Blueprint for a Fundamentally Psychodynamic Infrastructure. 2012 , 99, 563-588	3
1525	The association between resting functional connectivity and creativity. 2012 , 22, 2921-9	175
1524	Age differences of multivariate network expressions during task-switching and their associations with behavior. 2012 , 50, 3509-18	21
1523	The neural basis of autobiographical memory deficits in transient epileptic amnesia. 2012 , 50, 3528-41	24
1522	Explaining the encoding/retrieval flip: memory-related deactivations and activations in the posteromedial cortex. 2012 , 50, 3764-74	82
1521	Functional connectivity of epileptogenic focus: detection and relationship with default mode network. 2012 ,	1
1520	Rest Is Not Idleness: Implications of the Brain's Default Mode for Human Development and Education. 2012 , 7, 352-64	138
1519	Capturing amplitude changes of low-frequency fluctuations in functional magnetic resonance imaging signal: a pilot acupuncture study on NeiGuan (PC6). 2012 , 18, 387-93	18
1518	Baseline brain activity changes in patients with clinically isolated syndrome revealed by resting-state functional MRI. 2012 , 53, 1073-8	14
1517	Measuring cognitive abilities and resting-state neuromagnetic signals in children. 2012 ,	
1516	Rat brains also have a default mode network. 2012 , 109, 3979-84	386
1515	On the filtering mechanism of spontaneous signaling causality of brain's default mode network. 2012 ,	1
1514	Echoes of the brain within the posterior cingulate cortex. 2012 , 32, 215-22	390
1513	Beats as the origin of slow fluctuations in the brain's default-mode network. 2012 ,	
1512	Mental time travel and default-mode network functional connectivity in the developing brain. 2012 , 109, 16800-4	92
1511	Connectivity-based subdivisions of the human right "temporoparietal junction area": evidence for different areas participating in different cortical networks. 2012 , 22, 1894-903	383
1510	Presymptomatic alterations in energy metabolism and oxidative stress in the APP23 mouse model of Alzheimer disease. 2012 , 11, 3295-304	21
1509	Impact of changed positive and negative task-related brain activity on word-retrieval in aging. 2012 , 33, 656-69	55

1508	Changing topological patterns in normal aging using large-scale structural networks. 2012 , 33, 899-913	85
1507	Age and amyloid-related alterations in default network habituation to stimulus repetition. 2012 , 33, 1237-52	62
1506	Resting metabolic connectivity in prodromal Alzheimer's disease. A European Alzheimer Disease Consortium (EADC) project. 2012 , 33, 2533-50	98
1505	Data visualization in the neurosciences: overcoming the curse of dimensionality. 2012 , 74, 603-8	72
1504	Hippocampal and ventral medial prefrontal activation during retrieval-mediated learning supports novel inference. 2012 , 75, 168-79	302
1503	Psychopathology and the human connectome: toward a transdiagnostic model of risk for mental illness. 2012 , 74, 990-1004	264
1502	The neurobiology of the EEG biomarker as a predictor of treatment response in depression. 2012 , 63, 507-13	118
1501	Age differences in the frontoparietal cognitive control network: implications for distractibility. 2012 , 50, 2212-23	138
1500	Inside out: a neuro-behavioral signature of free recall dynamics. 2012 , 50, 2245-56	12
1499	Behavioral and neuroanatomical investigation of Highly Superior Autobiographical Memory (HSAM). 2012 , 98, 78-92	130
1498	Alterations of the amplitude of low-frequency fluctuations in treatment-resistant and treatment-response depression: a resting-state fMRI study. 2012 , 37, 153-60	117
1497	Large-scale brain systems in ADHD: beyond the prefrontal-striatal model. 2012 , 16, 17-26	458
1496	Neural circuits underlying the pathophysiology of mood disorders. 2012 , 16, 61-71	581
1495	You see, the ends don't justify the means: visual imagery and moral judgment. 2012 , 23, 861-8	113
1494	Failure of neural responses to safety cues in schizophrenia. 2012 , 69, 893-903	83
1493	Neural populations in human posteromedial cortex display opposing responses during memory and numerical processing. 2012 , 109, 15514-9	56
1492	Two cortical systems for memory-guided behaviour. 2012 , 13, 713-26	767
1491	Default mode network connectivity in children with a history of preschool onset depression. 2012 , 53, 964-72	56

1490	Increased intra-individual reaction time variability in cocaine-dependent subjects: role of cocaine-related cues. 2012 , 37, 193-7	14
1489	Should Alzheimer's disease be equated with human brain ageing? A maladaptive interaction between brain evolution and senescence. 2012 , 11, 104-22	16
1488	Episodic memory and event construction in aging and amnesia. 2012 , 67, 270-284	35
1487	Do autism spectrum disorders involve a generalized object categorization and identification dysfunction?. 2012 , 79, 344-51	6
1486	Emotional faces and the default mode network. 2012 , 506, 229-34	37
1485	Changes in the regional homogeneity of resting-state brain activity in minimal hepatic encephalopathy. 2012 , 507, 5-9	35
1484	Watching the fetal brain at 'rest'. 2012 , 30, 11-7	89
1483	Visual prediction and perceptual expertise. 2012 , 83, 156-63	26
1482	Imaging the default mode network in aging and dementia. 2012 , 1822, 431-41	181
1481	Neural intrinsic connectivity networks associated with risk aversion in old age. 2012 , 227, 233-40	18
1480	Stronger activation and deactivation in archery experts for differential cognitive strategy in visuospatial working memory processing. 2012 , 229, 185-93	19
1479	Age-related differences in cortical recruitment and suppression: implications for cognitive performance. 2012 , 230, 192-200	70
1478	Can the default-mode network be described with one spatial-covariance network?. 2012 , 1468, 38-51	12
1477	Dream experience and a revisionist account of delusions of misidentification. 2012 , 21, 217-27	5
1476	Altered and asymmetric default mode network activity in a "hypnotic virtuoso": an fMRI and EEG study. 2012 , 21, 393-400	24
1475	Altered self-referential network in resting-state amnesic type mild cognitive impairment. 2012 , 48, 604-13	39
1474	Monkey to human comparative anatomy of the frontal lobe association tracts. 2012 , 48, 82-96	433
1473	Advanced MR imaging techniques and characterization of residual anatomy. 2012 , 114, 460-70	19

1472	Mindfulness-induced changes in gamma band activity - implications for the default mode network, self-reference and attention. 2012 , 123, 700-10	162
1471	The organization of physiological brain networks. 2012 , 123, 1067-87	416
1470	Default mode network activity and connectivity in psychopathology. 2012 , 8, 49-76	868
1469	Posterior medial corticothalamic connectivity and consciousness. 2012 , 72, 305-6	7
1468	Identify schizophrenia using resting-state functional connectivity: an exploratory research and analysis. 2012 , 11, 50	49
1467	Failure to deactivate the default mode network indicates a possible endophenotype of autism. 2012 , 3, 15	40
1466	Information processing architecture of functionally defined clusters in the macaque cortex. 2012 , 32, 17465-76	89
1465	Alteration of global workspace during loss of consciousness: a study of parietal seizures. 2012 , 53, 2104-10	33
1464	Procedural learning of unstructured categories. 2012 , 19, 1202-9	11
1463	The fallacy of a "task-negative" network. 2012 , 3, 145	202
1462	Magnetic resonance methods in fetal neurology. 2012 , 17, 278-84	30
1461	Cognitive-affective neural plasticity following active-controlled mindfulness intervention. 2012 , 32, 15601-10	234
1460	Investigating effective brain connectivity from fMRI data: past findings and current issues with reference to Granger causality analysis. 2012 , 2, 235-45	78
1459	A parieto-medial temporal pathway for the strategic control over working memory biases in human visual attention. 2012 , 32, 17563-71	22
1458	Conn: a functional connectivity toolbox for correlated and anticorrelated brain networks. 2012 , 2, 125-41	2267
1457	Regional expansion of hypometabolism in Alzheimer's disease follows amyloid deposition with temporal delay. 2012 , 71, 792-7	82
1456	Dimensional brain-behavior relationships in children with attention-deficit/hyperactivity disorder. 2012 , 71, 434-42	69
1455	Evidence of a dissociation pattern in resting-state default mode network connectivity in first-episode, treatment-naive major depression patients. 2012 , 71, 611-7	460

1454	Effect of the interleukin-1 β gene on dorsolateral prefrontal cortex function in schizophrenia: a genetic neuroimaging study. 2012 , 72, 758-65	25
1453	Synchronization between the anterior and posterior cortex determines consciousness level in patients with traumatic brain injury (TBI). 2012 , 1476, 22-30	31
1452	Proactive and reactive control during emotional interference and its relationship to trait anxiety. 2012 , 1481, 13-36	43
1451	Modulation of large-scale brain networks by transcranial direct current stimulation evidenced by resting-state functional MRI. 2012 , 5, 252-263	204
1450	Your mind wanders weakly, your mind wanders deeply: objective measures reveal mindless reading at different levels. 2012 , 125, 179-94	68
1449	Neural correlates of temporality: default mode variability and temporal awareness. 2012 , 21, 695-703	32
1448	Brain connectivity during resting state and subsequent working memory task predicts behavioural performance. 2012 , 48, 1187-96	155
1447	Structural and functional cerebral impairments in cirrhotic patients with a history of overt hepatic encephalopathy. 2012 , 81, 2463-9	54
1446	Effects of training strategies implemented in a complex videogame on functional connectivity of attentional networks. 2012 , 59, 138-48	73
1445	Are brain networks stable during a 24-hour period?. 2012 , 59, 456-66	37
1444	The effects of APOE on the functional architecture of the resting brain. 2012 , 59, 565-72	107
1443	Evaluative and generative modes of thought during the creative process. 2012 , 59, 1783-94	341
1442	Anticorrelations in resting state networks without global signal regression. 2012 , 59, 1420-8	697
1441	Altered spontaneous activity in Alzheimer's disease and mild cognitive impairment revealed by Regional Homogeneity. 2012 , 59, 1429-40	190
1440	Neural correlates of blink suppression and the buildup of a natural bodily urge. 2012 , 59, 1441-50	58
1439	From simple graphs to the connectome: networks in neuroimaging. 2012 , 62, 881-6	132
1438	Stability of resting fMRI interregional correlations analyzed in subject-native space: a one-year longitudinal study in healthy adults and premanifest Huntington's disease. 2012 , 59, 2452-63	40
1437	Task-induced deactivation and the "resting" state. 2012 , 62, 1086-91	67

1436	The impact of serotonin transporter (5-HTTLPR) genotype on the development of resting-state functional connectivity in children and adolescents: a preliminary report. 2012 , 59, 2760-70	50
1435	The serendipitous discovery of the brain's default network. 2012 , 62, 1137-45	200
1434	Functional connectivity mapping of the human precuneus by resting state fMRI. 2012 , 59, 3548-62	368
1433	TE-dependent spatial and spectral specificity of functional connectivity. 2012 , 59, 3075-84	10
1432	Patterns of hemodynamic low-frequency oscillations in the brain are modulated by the nature of free thought during rest. 2012 , 59, 3194-200	71
1431	Regional homogeneity of resting state fMRI signals predicts Stop signal task performance. 2012 , 60, 539-44	81
1430	Resting oscillations and cross-frequency coupling in the human posteromedial cortex. 2012 , 60, 384-91	70
1429	Acupuncture--deep pain with an autonomic dimension?. 2012 , 60, 653-60	47
1428	Maturation of task-induced brain activation and long range functional connectivity in adolescence revealed by multivariate pattern classification. 2012 , 60, 1250-65	12
1427	A brief history of the resting state: the Washington University perspective. 2012 , 62, 902-10	161
1426	Exploring resting-state functional connectivity with total interdependence. 2012 , 60, 1587-95	25
1425	The past, present and future of social neuroscience: a European perspective. 2012 , 61, 437-49	81
1424	Resting state functional connectivity in addiction: Lessons learned and a road ahead. 2012 , 62, 2281-95	345
1423	Functional MRI: A confluence of fortunate circumstances. 2012 , 61, A3-A11	16
1422	Differentiating maturational and training influences on fMRI activation during music processing. 2012 , 60, 1902-12	35
1421	Distinct functional networks within the cerebellum and their relation to cortical systems assessed with independent component analysis. 2012 , 60, 2073-85	51
1420	Evolution and current challenges in the teaching of functional MRI and functional brain imaging. 2012 , 62, 1201-7	4
1419	Structural connectivity allows for multi-threading during rest: the structure of the cortex leads to efficient alternation between resting state exploratory behavior and default mode processing. 2012 , 60, 2274-84	26

1418	Task-related BOLD responses and resting-state functional connectivity during physiological clamping of end-tidal CO(2). 2012 , 61, 41-9	16
1417	A BOLD signature of eyeblinks in the visual cortex. 2012 , 61, 149-61	24
1416	Effects of beta-amyloid accumulation on neural function during encoding across the adult lifespan. 2012 , 62, 1-8	70
1415	Determining functional connectivity using fMRI data with diffusion-based anatomical weighting. 2012 , 62, 1769-79	54
1414	Cerebral correlates of skin conductance responses in a cognitive task. 2012 , 62, 1489-98	44
1413	Attentional priorities and access to short-term memory: parietal interactions. 2012 , 62, 1551-62	48
1412	Classifying minimally disabled multiple sclerosis patients from resting state functional connectivity. 2012 , 62, 2021-33	75
1411	Neural networks related to pro-saccades and anti-saccades revealed by independent component analysis. 2012 , 62, 1325-33	42
1410	A NIRS-fMRI study of resting state network. 2012 , 63, 179-93	100
1409	Neural processing of sensory and emotional-communicative information associated with the perception of vicarious pain. 2012 , 63, 54-62	54
1408	Generalized RAICAR: discover homogeneous subject (sub)groups by reproducibility of their intrinsic connectivity networks. 2012 , 63, 403-14	33
1407	Cognitive reserve impacts on inter-individual variability in resting-state cerebral metabolism in normal aging. 2012 , 63, 713-22	64
1406	Network-specific effects of age and in-scanner subject motion: a resting-state fMRI study of 238 healthy adults. 2012 , 63, 1364-73	107
1405	Glutamate modulates resting state activity in the perigenual anterior cingulate cortex - a combined fMRI-MRS study. 2012 , 227, 102-9	59
1404	Disentangling linear and nonlinear brain responses to evoked deep tissue pain. 2012 , 153, 2140-2151	45
1403	Abnormal regional spontaneous neural activity in first-episode, treatment-naive patients with late-life depression: a resting-state fMRI study. 2012 , 39, 326-31	133
1402	Neural correlates of the core facets of empathy in schizophrenia. 2012 , 136, 70-81	57
1401	Altered default network resting state functional connectivity in patients with a first episode of psychosis. 2012 , 139, 13-8	49

1400	Never resting region--mPFC in schizophrenia. 2012 , 140, 155-8	10
1399	fMRI study in posterior cingulate and adjacent precuneus cortex in healthy elderly adults using problem solving task. 2012 , 318, 135-9	10
1398	Improving cerebral blood flow quantification for arterial spin labeled perfusion MRI by removing residual motion artifacts and global signal fluctuations. 2012 , 30, 1409-15	99
1397	Addiction circuitry in the human brain. 2012 , 52, 321-36	384
1396	Movement-related theta rhythm in humans: coordinating self-directed hippocampal learning. 2012 , 10, e1001267	94
1395	Spontaneous brain activity relates to autonomic arousal. 2012 , 32, 11176-86	78
1394	Interactions between visual attention and episodic retrieval: dissociable contributions of parietal regions during gist-based false recognition. 2012 , 75, 1122-34	32
1393	PET/MRI for neurologic applications. 2012 , 53, 1916-25	189
1392	CSF biomarker associations with change in hippocampal volume and precuneus thickness: implications for the Alzheimer's pathological cascade. 2012 , 6, 599-609	37
1391	Quantitative longitudinal interrelationships between brain metabolism and amyloid deposition during a 2-year follow-up in patients with early Alzheimer's disease. 2012 , 39, 1927-36	35
1390	Self-projection and the default network in frontotemporal dementia. 2012 , 8, 152-61	90
1389	Frontotemporal dementia: what can the behavioral variant teach us about human brain organization?. 2012 , 18, 373-85	87
1388	Role of functional brain imaging in understanding rheumatic pain. 2012 , 14, 557-67	23
1387	Neural mechanisms of subclinical depressive symptoms in women: a pilot functional brain imaging study. 2012 , 12, 152	12
1386	Altered default-mode network activation in mild cognitive impairment compared with healthy aging. 2012 , 54, 1195-206	45
1385	Distinct contributions of the caudate nucleus, rostral prefrontal cortex, and parietal cortex to the execution of instructed tasks. 2012 , 12, 611-28	42
1384	Disrupted functional brain connectivity in partial epilepsy: a resting-state fMRI study. 2011 , 7, e28196	84
1383	Resting-state functional connectivity between fronto-parietal and default mode networks in obsessive-compulsive disorder. 2012 , 7, e36356	162

1382	Variance and autocorrelation of the spontaneous slow brain activity. 2012, 7, e38131	21
1381	Altered small-world brain networks in schizophrenia patients during working memory performance. 2012, 7, e38195	59
1380	Modifications of default-mode network connectivity in patients with cerebral glioma. 2012, 7, e40231	65
1379	Functional subdivision of group-ICA results of fMRI data collected during cinema viewing. 2012, 7, e42000	21
1378	Reduced connectivity in the self-processing network of schizophrenia patients with poor insight. 2012, 7, e42707	41
1377	Combination training in aging individuals modifies functional connectivity and cognition, and is potentially affected by dopamine-related genes. 2012, 7, e43901	52
1376	Antidepressant treatment normalizes white matter volume in patients with major depression. 2012, 7, e44248	50
1375	Ketamine decreases resting state functional network connectivity in healthy subjects: implications for antidepressant drug action. 2012, 7, e44799	182
1374	Preserved self-awareness following extensive bilateral brain damage to the insula, anterior cingulate, and medial prefrontal cortices. 2012, 7, e38413	80
1373	Disrupted small-world brain networks in moderate Alzheimer's disease: a resting-state FMRI study. 2012, 7, e33540	154
1372	The effects of CPAP treatment on task positive and default mode networks in obstructive sleep apnea patients: an fMRI study. 2012, 7, e47433	21
1371	Regional homogeneity within the default mode network in bipolar depression: a resting-state functional magnetic resonance imaging study. 2012, 7, e48181	72
1370	Alcohol affects the brain's resting-state network in social drinkers. 2012, 7, e48641	25
1369	Differential deactivation during mentalizing and classification of autism based on default mode network connectivity. 2012, 7, e50064	74
1368	Posterior cingulum white matter disruption and its associations with verbal memory and stroke risk in mild cognitive impairment. 2012, 29, 589-603	56
1367	Psychoanalysis and the brain - why did freud abandon neuroscience?. 2012, 3, 71	25
1366	Does "task difficulty" explain "task-induced deactivation?". 2012, 3, 125	43
1365	Task-related, low-frequency task-residual, and resting state activity in the default mode network brain regions. 2012, 3, 172	27

1364	Old proverbs in new skins - an fMRI study on defamiliarization. 2012 , 3, 204	47
1363	Task-Dependent Modulation of Effective Connectivity within the Default Mode Network. 2012 , 3, 206	59
1362	Functional Heterogeneity within the Default Network during Semantic Processing and Speech Production. 2012 , 3, 281	71
1361	Resting state networks and consciousness: alterations of multiple resting state network connectivity in physiological, pharmacological, and pathological consciousness States. 2012 , 3, 295	171
1360	Exploring the psychosis functional connectome: aberrant intrinsic networks in schizophrenia and bipolar disorder. 2011 , 2, 75	148
1359	Task-related deactivation and functional connectivity of the subgenual cingulate cortex in major depressive disorder. 2012 , 3, 14	34
1358	By fault or by default. 2012 , 3, 27	
1357	Connectomic intermediate phenotypes for psychiatric disorders. 2012 , 3, 32	77
1356	Monkey in the middle: why non-human primates are needed to bridge the gap in resting-state investigations. 2012 , 6, 29	99
1355	The hippocampus and imagining the future: where do we stand?. 2011 , 5, 173	173
1354	Influence of meditation on anti-correlated networks in the brain. 2011 , 5, 183	79
1353	Individual differences in distraction by motion predicted by neural activity in MT/V5. 2011 , 6, 12	9
1352	The unique brain anatomy of meditation practitioners: alterations in cortical gyrification. 2012 , 6, 34	121
1351	Effects of meditation experience on functional connectivity of distributed brain networks. 2012 , 6, 38	193
1350	Training the developing brain: a neurocognitive perspective. 2012 , 6, 76	116
1349	Transformative art: art as means for long-term neurocognitive change. 2012 , 6, 96	13
1348	Dynamic Change of Awareness during Meditation Techniques: Neural and Physiological Correlates. 2012 , 6, 131	12
1347	Differential synchronization in default and task-specific networks of the human brain. 2012 , 6, 139	47

1346	Hippocampal temporal-parietal junction interaction in the production of psychotic symptoms: a framework for understanding the schizophrenic syndrome. 2012 , 6, 180	33
1345	A framework for interpreting functional networks in schizophrenia. 2012 , 6, 184	56
1344	Parallel ICA identifies sub-components of resting state networks that covary with behavioral indices. 2012 , 6, 281	19
1343	Fully exploratory network independent component analysis of the 1000 functional connectomes database. 2012 , 6, 301	46
1342	Correspondence between structure and function in the human brain at rest. 2012 , 6, 10	119
1341	Distinction between Externally vs. Internally Guided Decision-Making: Operational Differences, Meta-Analytical Comparisons and Their Theoretical Implications. 2012 , 6, 31	60
1340	How Conscious Thought, Imagination, and Fantasy May Relate to Cognition and Motivation. 450-467	1
1339	Attention: architecture and process. 2012 , 61-93	3
1338	Alzheimer's disease. 149-167	
1337	Functional connectivity in mesial temporal lobe epilepsy: a dynamic concept. 2012 , 12, 238-40	3
1336	Functional neuroimaging of autobiographical memory. 114-138	10
1335	Referring to localized cognitive operations in parts of dynamically active brains. 262-284	1
1334	Self-reflection and the inner voice: activation of the left inferior frontal gyrus during perceptual and conceptual self-referential thinking. 2012 , 6, 78-89	41
1333	Altered networks in bothersome tinnitus: a functional connectivity study. 2012 , 13, 3	128
1332	Visualization of resting-state networks in utero. 2012 , 39, 487-8	9
1331	Authenticity affects the recognition of emotions in speech: behavioral and fMRI evidence. 2012 , 12, 140-50	28
1330	Remembering first impressions: effects of intentionality and diagnosticity on subsequent memory. 2012 , 12, 85-98	28
1329	The brain basis of emotion: a meta-analytic review. 2012 , 35, 121-43	1386

1328	The roots of modern justice: cognitive and neural foundations of social norms and their enforcement. 2012 , 15, 655-61	201
1327	The economy of brain network organization. 2012 , 13, 336-49	1874
1326	Hemispheric asymmetry of visual scene processing in the human brain: evidence from repetition priming and intrinsic activity. 2012 , 22, 1935-49	31
1325	Stepwise connectivity of the modal cortex reveals the multimodal organization of the human brain. 2012 , 32, 10649-61	179
1324	A method to determine the necessity for global signal regression in resting-state fMRI studies. 2012 , 68, 1828-35	72
1323	Separating brain processing of pain from that of stimulus intensity. 2012 , 33, 883-94	61
1322	Resting-state networks in awake five- to eight-year old children. 2012 , 33, 1189-201	108
1321	Neural basis of the association between depressive symptoms and memory deficits in nondemented subjects: resting-state fMRI study. 2012 , 33, 1352-63	36
1320	Brain default-mode network abnormalities in hepatic encephalopathy: a resting-state functional MRI study. 2012 , 33, 1384-92	54
1319	Using spatial multiple regression to identify intrinsic connectivity networks involved in working memory performance. 2012 , 33, 1536-52	57
1318	Brain systems for baroreflex suppression during stress in humans. 2012 , 33, 1700-16	109
1317	Racial identification modulates default network activity for same and other races. 2012 , 33, 1883-93	37
1316	Role of medial cortical networks for anticipatory processing in obsessive-compulsive disorder. 2012 , 33, 2125-34	16
1315	The relationship between regional and inter-regional functional connectivity deficits in schizophrenia. 2012 , 33, 2535-49	81
1314	Modeling conflict and error in the medial frontal cortex. 2012 , 33, 2843-55	35
1313	Considering the role of semantic memory in episodic future thinking: evidence from semantic dementia. 2012 , 135, 2178-91	305
1312	Toward an explanatory framework for mental ownership. 2012 , 11, 251-286	21
1311	Higher order thoughts in action: consciousness as an unconscious re-description process. 2012 , 367, 1412-23	56

1310	Neural correlates of the psychedelic state as determined by fMRI studies with psilocybin. 2012 , 109, 2138-43	555
1309	Competitive and cooperative dynamics of large-scale brain functional networks supporting recollection. 2012 , 109, 12788-93	369
1308	Decreased intrinsic brain connectivity is associated with reduced clinical pain in fibromyalgia. 2012 , 64, 2398-403	193
1307	Effects of cranial electrotherapy stimulation on resting state brain activity. 2012 , 2, 211-20	40
1306	The cognitive neuroscience of ageing. 2012 , 13, 491-505	759
1305	Autism spectrum disorder: does neuroimaging support the DSM-5 proposal for a symptom dyad? A systematic review of functional magnetic resonance imaging and diffusion tensor imaging studies. 2012 , 42, 1326-41	34
1304	Spontaneous brain activity in mild cognitive impairment revealed by amplitude of low-frequency fluctuation analysis: a resting-state fMRI study. 2012 , 117, 865-71	35
1303	Funktionelle Konnektivität im Schlaf. 2012 , 16, 43-52	
1302	Motion as manipulation: implementation of force-motion analogies by event-file binding and action planning. 2012 , 13, 231-41	5
1301	Functional connectivity in the cognitive control network and the default mode network in late-life depression. 2012 , 139, 56-65	281
1300	Connectivity disruptions in resting-state functional brain networks in children with temporal lobe epilepsy. 2012 , 100, 168-78	38
1299	The contribution of the inferior parietal cortex to spoken language production. 2012 , 121, 47-57	42
1298	I remember you: a role for memory in social cognition and the functional neuroanatomy of their interaction. 2012 , 1428, 43-50	108
1297	Cooperation between the default mode network and the frontal-parietal network in the production of an internal train of thought. 2012 , 1428, 60-70	248
1296	Undirected thought: neural determinants and correlates. 2012 , 1428, 51-9	129
1295	Incidental encoding of goal irrelevant information is associated with insufficient engagement of the dorsal frontal cortex and the inferior parietal cortex. 2012 , 1429, 82-97	10
1294	Cortical correlates of self-generation in verbal paired associate learning. 2012 , 1437, 104-14	13
1293	Moderating effects of music on resting state networks. 2012 , 1447, 53-64	41

1292	Dissociated local arousal states underlying essential clinical features of non-rapid eye movement arousal parasomnia: an intracerebral stereo-electroencephalographic study. 2012 , 21, 502-6	67
1291	Increased cortical BOLD signal anticipates generalized spike and wave discharges in adolescents and adults with idiopathic generalized epilepsies. 2012 , 53, 622-30	70
1290	Patterns of altered functional connectivity in mesial temporal lobe epilepsy. 2012 , 53, 1013-23	205
1289	Neural correlates of self-reflection in post-traumatic stress disorder. 2012 , 125, 238-46	33
1288	Brain dysfunction in fibromyalgia and somatization disorder using proton magnetic resonance spectroscopy: a controlled study. 2012 , 126, 115-25	62
1287	Aberrant default mode network in subjects with amnesic mild cognitive impairment using resting-state functional MRI. 2012 , 30, 48-61	59
1286	A preliminary study of functional abnormalities in aMCI subjects during different episodic memory tasks. 2012 , 30, 459-70	15
1285	Parietal cortex matters in Alzheimer's disease: an overview of structural, functional and metabolic findings. 2012 , 36, 297-309	149
1284	Brain connectivity and high functioning autism: a promising path of research that needs refined models, methodological convergence, and stronger behavioral links. 2012 , 36, 604-25	284
1283	Functional neuroimaging studies in addiction: multisensory drug stimuli and neural cue reactivity. 2012 , 36, 825-35	87
1282	Speech comprehension aided by multiple modalities: behavioural and neural interactions. 2012 , 50, 762-76	62
1281	Hemispheric asymmetries of functional connectivity and grey matter volume in the default mode network. 2012 , 50, 1308-15	42
1280	Age differences in default and reward networks during processing of personally relevant information. 2012 , 50, 1682-97	36
1279	Abnormal functional connectivity between the anterior cingulate and the default mode network in drug-naïve boys with attention deficit hyperactivity disorder. 2012 , 201, 120-7	108
1278	Neural markers of early remission in first-episode schizophrenia: a volumetric neuroimaging study of the parahippocampus. 2012 , 201, 40-7	23
1277	Joint modeling of anatomical and functional connectivity for population studies. 2012 , 31, 164-82	41
1276	Structural and behavioral correlates of abnormal encoding of money value in the sensorimotor striatum in cocaine addiction. 2012 , 36, 2979-88	39
1275	Age-related changes in neural functional connectivity and its behavioral relevance. 2012 , 13, 16	31

1274	Frontal parietal control network regulates the anti-correlated default and dorsal attention networks. 2012 , 33, 192-202	148
1273	[Default mode network of the brain. Neurobiology and clinical significance]. 2012 , 83, 16, 18-24	19
1272	Impact of meditation training on the default mode network during a restful state. 2013 , 8, 4-14	181
1271	The effect of meditation on brain structure: cortical thickness mapping and diffusion tensor imaging. 2013 , 8, 27-33	135
1270	Functional brain connectivity at rest changes after working memory training. 2013 , 34, 396-406	126
1269	Differential neural activity in the recognition of old versus new events: an activation likelihood estimation meta-analysis. 2013 , 34, 814-36	111
1268	Hippocampal contributions to the processing of social emotions. 2013 , 34, 945-55	45
1267	The function of the left angular gyrus in mental arithmetic: evidence from the associative confusion effect. 2013 , 34, 1013-24	72
1266	Neural correlates of creative writing: an fMRI study. 2013 , 34, 1088-101	94
1265	Functional connectivity-based identification of subdivisions of the basal ganglia and thalamus using multilevel independent component analysis of resting state fMRI. 2013 , 34, 1371-85	63
1264	Differential functional response in the posteromedial cortices and hippocampus to stimulus repetition during successful memory encoding. 2013 , 34, 1568-78	32
1263	Altered resting-state connectivity during interictal generalized spike-wave discharges in drug-naïve childhood absence epilepsy. 2013 , 34, 1761-7	47
1262	Episodic autobiographical memory in amnesic mild cognitive impairment: what are the neural correlates?. 2013 , 34, 1811-25	22
1261	Subjective uncertainty and limbic hyperactivation in obsessive-compulsive disorder. 2013 , 34, 1956-70	64
1260	Cortical source of blink-related delta oscillations and their correlation with levels of consciousness. 2013 , 34, 2178-89	25
1259	Extratemporal functional connectivity impairments at rest are related to memory performance in mesial temporal epilepsy. 2013 , 34, 2202-16	74
1258	Dissociating anticipation from perception: Acute pain activates default mode network. 2013 , 34, 2228-43	29
1257	Resting-state functional MRI: functional connectivity analysis of the visual cortex in primary open-angle glaucoma patients. 2013 , 34, 2455-63	77

1256	Theta power during encoding predicts subsequent-memory performance and default mode network deactivation. 2013 , 34, 2929-43	54
1255	Functional network connectivity during rest and task conditions: a comparative study. 2013 , 34, 2959-71	81
1254	Baseline activity predicts working memory load of preceding task condition. 2013 , 34, 3010-22	17
1253	Changes in resting-state functionally connected parietofrontal networks after videogame practice. 2013 , 34, 3143-57	32
1252	An investigation of the structural, connectional, and functional subspecialization in the human amygdala. 2013 , 34, 3247-66	251
1251	Affective value and associative processing share a cortical substrate. 2013 , 13, 46-59	37
1250	Sex differences in the response to emotional distraction: an event-related fMRI investigation. 2013 , 13, 116-34	22
1249	Sensory modality of smoking cues modulates neural cue reactivity. 2013 , 225, 461-71	23
1248	Functional brain hubs and their test-retest reliability: a multiband resting-state functional MRI study. 2013 , 83, 969-82	135
1247	Analysis of "task-positive" and "task-negative" functional networks during the performance of the Symbol Digit Modalities Test in patients at presentation with clinically isolated syndrome suggestive of multiple sclerosis. 2013 , 225, 399-407	13
1246	On mind wandering, attention, brain networks, and meditation. 2013 , 9, 136-41	37
1245	Blue light stimulates cognitive brain activity in visually blind individuals. 2013 , 25, 2072-85	71
1244	A revised limbic system model for memory, emotion and behaviour. 2013 , 37, 1724-37	350
1243	The effect of resting condition on resting-state fMRI reliability and consistency: a comparison between resting with eyes open, closed, and fixated. 2013 , 78, 463-73	247
1242	Imaging resting state brain function in multiple sclerosis. 2013 , 260, 1709-13	53
1241	Hippocampal network connectivity and activation differentiates post-traumatic stress disorder from generalized anxiety disorder. 2013 , 38, 1889-98	147
1240	Mapping connectivity in the developing brain. 2013 , 31, 525-42	57
1239	A chronometric functional sub-network in the thalamo-cortical system regulates the flow of neural information necessary for conscious cognitive processes. 2013 , 51, 1336-49	16

1238	Relationships between brain metabolism decrease in normal aging and changes in structural and functional connectivity. 2013 , 76, 167-77	58
1237	APOE-related biomarker profiles in non-pathological aging and early phases of Alzheimer's disease. 2013 , 37, 1322-35	82
1236	Effects of methylphenidate on resting-state functional connectivity of the mesocorticolimbic dopamine pathways in cocaine addiction. 2013 , 70, 857-68	74
1235	Modulation of limbic-cerebellar functional connectivity enables alcoholics to recognize who is who. 2013 , 218, 683-95	12
1234	Functional MRI and outcome in traumatic coma. 2013 , 13, 375	25
1233	Neural correlates of sexual arousal in heterosexual and homosexual women and men. 2013 , 64, 673-84	51
1232	Cytoarchitectonic mapping of attentional selection and reorienting in parietal cortex. 2013 , 67, 257-72	30
1231	Cognition as a therapeutic target in late-life depression: potential for nicotinic therapeutics. 2013 , 86, 1133-44	13
1230	A hypnic hypothesis of Alzheimer's disease. 2013 , 12, 165-76	11
1229	Neural correlates of dysfunctional emotion regulation in major depressive disorder. A systematic review of neuroimaging studies. 2013 , 37, 2529-53	294
1228	Video game training enhances cognitive control in older adults. 2013 , 501, 97-101	955
1227	Altered cortical gyrification patterns in panic disorder: deficits and potential compensation. 2013 , 47, 1446-54	12
1226	Functional connectivity within the default mode network is associated with saccadic accuracy in Parkinson's disease: a resting-state fMRI and videooculographic study. 2013 , 3, 265-72	40
1225	Resting state functional MRI connectivity predicts hypothalamus-pituitary-axis status in healthy males. 2013 , 38, 1338-48	43
1224	Magnetic resonance spectroscopy in common dementias. 2013 , 23, 393-406	36
1223	Phenotypic variability in resting-state functional connectivity: current status. 2013 , 3, 99-120	76
1222	Chemotherapy altered brain functional connectivity in women with breast cancer: a pilot study. 2013 , 7, 524-32	58
1221	Dysfunctional neural networks associated with impaired social interactions in early psychosis: an ICA analysis. 2013 , 7, 248-59	16

1220	Early life stress is associated with greater default network deactivation during working memory in healthy controls: a preliminary report. 2013 , 7, 204-12	37
1219	Neural correlates of emotional regulation while viewing films. 2013 , 7, 77-84	9
1218	Intelligence is differentially related to neural effort in the task-positive and the task-negative brain network. 2013 , 41, 517-528	38
1217	Causal evidence of performance monitoring by neurons in posterior cingulate cortex during learning. 2013 , 80, 1384-91	40
1216	Augmented central pain processing in vulvodynia. 2013 , 14, 579-89	80
1215	Endogenous neuromodulation at infralow frequencies. 2013 , 20, 246-57	19
1214	Decreased functional connectivity of the amygdala in Alzheimer's disease revealed by resting-state fMRI. 2013 , 82, 1531-8	58
1213	Functional alteration of the DMN by learned regulation of the PCC using real-time fMRI. 2013 , 21, 595-606	20
1212	Neurobiological markers of exercise-related brain plasticity in older adults. 2013 , 28, 90-9	266
1211	Resting state functional connectivity associated with trait emotional intelligence. 2013 , 83, 318-28	43
1210	Causal interactions between fronto-parietal central executive and default-mode networks in humans. 2013 , 110, 19944-9	331
1209	The nature of mind wandering during reading varies with the cognitive control demands of the reading strategy. 2013 , 1539, 48-60	18
1208	Differences in global and local level information processing in autism: an fMRI investigation. 2013 , 213, 115-21	9
1207	Medial prefrontal cortex dissociation between self and others in a referential task: an fMRI study based on word traits. 2013 , 107, 517-25	5
1206	Broad domain generality in focal regions of frontal and parietal cortex. 2013 , 110, 16616-21	513
1205	Default mode network connectivity encodes clinical pain: an arterial spin labeling study. 2013 , 154, 24-33	207
1204	The hippocampal-prefrontal pathway: the weak link in psychiatric disorders?. 2013 , 23, 1165-81	267
1203	Effects of working memory training on functional connectivity and cerebral blood flow during rest. 2013 , 49, 2106-25	113

1202	Alterations of superficial white matter in schizophrenia and relationship to cognitive performance. 2013 , 38, 1954-62	79
1201	Investigating univariate temporal patterns for intrinsic connectivity networks based on complexity and low-frequency oscillation: a test-retest reliability study. 2013 , 254, 404-26	21
1200	Effects of childhood poverty and chronic stress on emotion regulatory brain function in adulthood. 2013 , 110, 18442-7	360
1199	The angular gyrus: multiple functions and multiple subdivisions. 2013 , 19, 43-61	835
1198	Identifying major depressive disorder using Hurst exponent of resting-state brain networks. 2013 , 214, 306-12	51
1197	Bipolar depressed patients show both failure to activate and failure to de-activate during performance of a working memory task. 2013 , 148, 170-8	58
1196	The nature of consciousness. 2013 , 118, 373-407	5
1195	Nicotinic modulation of intrinsic brain networks in schizophrenia. 2013 , 86, 1163-72	11
1194	Temporally distinct cognitive effects following acute administration of ketamine and phencyclidine in the rat. 2013 , 23, 1414-22	36
1193	Impaired self-referential processing in mesial temporal lobe epilepsy: a functional MRI study. 2013 , 555, 187-92	5
1192	Seeing human: distinct and overlapping neural signatures associated with two forms of dehumanization. 2013 , 79, 313-28	46
1191	The orbitofrontal cortex is involved in emotional enhancement of memory: evidence from the dementias. 2013 , 136, 2992-3003	54
1190	Sleep deprivation increases dorsal nexus connectivity to the dorsolateral prefrontal cortex in humans. 2013 , 110, 19597-602	60
1189	Frontotemporal network connectivity during memory encoding is increased with aging and disrupted by beta-amyloid. 2013 , 33, 18425-37	47
1188	The salience network causally influences default mode network activity during moral reasoning. 2013 , 136, 1929-41	143
1187	Large-scale brain networks in the awake, truly resting marmoset monkey. 2013 , 33, 16796-804	104
1186	Working memory for social information: chunking or domain-specific buffer?. 2013 , 70, 233-9	27
1185	Mindfulness: top-down or bottom-up emotion regulation strategy?. 2013 , 33, 82-96	247

1184	Resting state networks in temporal lobe epilepsy. 2013 , 54, 2048-59	115
1183	Impaired hippocampal ripple-associated replay in a mouse model of schizophrenia. 2013 , 80, 484-93	73
1182	Meta-analysis of functional network alterations in Alzheimer's disease: toward a network biomarker. 2013 , 37, 753-65	81
1181	The evolution of distributed association networks in the human brain. 2013 , 17, 648-65	412
1180	Principles of neuroplasticity-based rehabilitation. 2013 , 207, 141-71	57
1179	Brainnetome-wide association studies in schizophrenia: the advances and future. 2013 , 37, 2818-35	20
1178	Cognitive, affective, and conative theory of mind (ToM) in children with traumatic brain injury. 2013 , 5, 25-39	73
1177	Information sharing in the brain indexes consciousness in noncommunicative patients. 2013 , 23, 1914-9	174
1176	Neural mechanisms of symptom improvements in generalized anxiety disorder following mindfulness training. 2013 , 2, 448-58	176
1175	The impairment of recollection in functional amnesic states. 2013 , 49, 1494-510	73
1174	Disorders and borders: psychiatric genetics and nosology. 2013 , 162B, 559-78	41
1173	Heightened emotional contagion in mild cognitive impairment and Alzheimer's disease is associated with temporal lobe degeneration. 2013 , 110, 9944-9	106
1172	Disrupted default mode network connectivity in migraine without aura. 2013 , 14, 89	105
1171	Using memories to understand others: the role of episodic memory in theory of mind impairment in Alzheimer disease. 2013 , 12, 833-9	23
1170	Resilience to childhood maltreatment is associated with increased resting-state functional connectivity of the salience network with the lingual gyrus. 2013 , 37, 1021-9	40
1169	Neurobiological insight into hyperbaric hyperoxia. 2013 , 209, 69-76	21
1168	Exercise benefits for the aging brain depend on the accompanying cognitive load: insights from sleep electroencephalogram. 2013 , 14, 1208-13	17
1167	Resting state EEG power and coherence abnormalities in bipolar disorder and schizophrenia. 2013 , 47, 1893-901	123

1166	APOE and neuroenergetics: an emerging paradigm in Alzheimer's disease. 2013 , 34, 1007-17	51
1165	Spontaneous EEG alpha oscillation interacts with positive and negative BOLD responses in the visual-auditory cortices and default-mode network. 2013 , 76, 362-72	84
1164	Coupling between visual alpha oscillations and default mode activity. 2013 , 68, 112-8	87
1163	The dark side of the alpha rhythm: fMRI evidence for induced alpha modulation during complete darkness. 2013 , 37, 795-803	33
1162	Functional connectivity and cannabis use in high-risk adolescents. 2013 , 39, 414-23	28
1161	Functional alteration patterns of default mode networks: comparisons of normal aging, amnesic mild cognitive impairment and Alzheimer's disease. 2013 , 37, 1916-24	42
1160	Functional connectivity of the hippocampus in temporal lobe epilepsy: feasibility of a task-regressed seed-based approach. 2013 , 3, 464-74	17
1159	What, Me Worry and Ruminates About and RDoC? The Importance of Targeting Negative Self-Referential Processing. 2013 , 20, 258-267	80
1158	An improved fast marching method and its application in Alzheimer's disease. 2013 , 23, 346-352	
1157	Grasping the Impalpable: The Role of Endogenous Reward in Choices, Including Process Addictions. 2013 , 56, 446-469	45
1156	Predicting free choices for abstract intentions. 2013 , 110, 6217-22	121
1155	How humans solve the frame problem. 2013 , 25, 441-456	11
1154	Divergent brain network connectivity in amyotrophic lateral sclerosis. 2013 , 34, 419-27	116
1153	When we like what we know--a parametric fMRI analysis of beauty and familiarity. 2013 , 124, 1-8	103
1152	Structural networks in Alzheimer's disease. 2013 , 23, 63-77	67
1151	The ups and downs of the posteromedial cortex: age- and amyloid-related functional alterations of the encoding/retrieval flip in cognitively normal older adults. 2013 , 23, 1317-28	34
1150	fMRI reveals reciprocal inhibition between social and physical cognitive domains. 2013 , 66, 385-401	138
1149	Cognitive function and breast cancer: promise and potential insights from functional brain imaging. 2013 , 137, 33-43	50

1148	Migraine-related gray matter and white matter changes at a 1-year follow-up evaluation. 2013 , 14, 1703-8	50
1147	Neuronal effects of auditory distraction on visual attention. 2013 , 81, 263-70	15
1146	The connectivity of functional cores reveals different degrees of segregation and integration in the brain at rest. 2013 , 69, 51-61	37
1145	Prenatal cocaine exposure alters functional activation in the ventral prefrontal cortex and its structural connectivity with the amygdala. 2013 , 213, 47-55	24
1144	Neural correlates of testing effects in vocabulary learning. 2013 , 78, 94-102	55
1143	Stable signatures of schizophrenia in the cortical-subcortical-cerebellar network using fMRI of verbal working memory. 2013 , 151, 133-40	15
1142	Common and distinct neural targets of treatment: changing brain function in substance addiction. 2013 , 37, 2806-17	52
1141	Differential and distributed effects of dopamine neuromodulations on resting-state network connectivity. 2013 , 78, 59-67	94
1140	Inserting needles into the body: a meta-analysis of brain activity associated with acupuncture needle stimulation. 2013 , 14, 215-22	120
1139	Default mode network in young people with familial risk for psychosis—the Oulu Brain and Mind study. 2013 , 143, 239-45	18
1138	The influence of cerebral small vessel disease on default mode network deactivation in mild cognitive impairment. 2012 , 2, 33-42	27
1137	Functional magnetic resonance imaging suggests automatization of the cortical response to inspiratory threshold loading in humans. 2013 , 189, 571-80	44
1136	Limbic hyperactivity associated to verbal memory deficit in schizophrenia. 2013 , 47, 843-50	7
1135	Brain dead yet mind alive: a positron emission tomography case study of brain metabolism in Cotard's syndrome. 2013 , 49, 1997-9	20
1134	Trajectories of cerebral cortical development in childhood and adolescence and adult attention-deficit/hyperactivity disorder. 2013 , 74, 599-606	182
1133	Test-retest reliability of task-related pharmacological MRI with a single-dose oral citalopram challenge. 2013 , 75, 108-116	13
1132	Route familiarity breeds inattention: a driving simulator study. 2013 , 57, 80-6	85
1131	Structural and Functional Magnetic Resonance Imaging: Mild Cognitive Impairment and Alzheimer Disease. 2013 , 8, 407-30	1

1130	Neuroimaging in aphasia treatment research: issues of experimental design for relating cognitive to neural changes. 2013 , 73, 200-7	15
1129	The impact of serotonin transporter genotype on default network connectivity in children and adolescents with autism spectrum disorders. 2012 , 2, 17-24	15
1128	Gin and juice: modafinil tightens up the drinker's brain at rest. 2013 , 73, 704-5	
1127	Intrinsic variability in the human response to pain is assembled from multiple, dynamic brain processes. 2013 , 75, 68-78	44
1126	Resting state functional connectivity of five neural networks in bipolar disorder and schizophrenia. 2013 , 150, 601-9	93
1125	Dynamic changes in parietal activation during encoding: implications for human learning and memory. 2013 , 82, 44-52	17
1124	Visual print tuning deficits in dyslexic adolescents under minimized phonological demands. 2013 , 74, 58-69	35
1123	The functional architecture for face-processing expertise: fMRI evidence of the developmental trajectory of the core and the extended face systems. 2013 , 51, 2893-908	36
1122	The role of circulating sex hormones in menstrual cycle-dependent modulation of pain-related brain activation. 2013 , 154, 548-559	33
1121	Differential connectivity within the Parahippocampal Place Area. 2013 , 75, 228-237	102
1120	Functional and structural syntax networks in aging. 2013 , 83, 513-23	36
1119	Default mode network in childhood autism: posteromedial cortex heterogeneity and relationship with social deficits. 2013 , 74, 212-9	221
1118	White matter structures associated with empathizing and systemizing in young adults. 2013 , 77, 222-36	62
1117	Perturbations of neural circuitry in aging, mild cognitive impairment, and Alzheimer's disease. 2013 , 12, 823-31	68
1116	Age effect on the default mode network, inner thoughts, and cognitive abilities. 2013 , 34, 1292-301	100
1115	Classifying fMRI-derived resting-state connectivity patterns according to their daily rhythmicity. 2013 , 71, 298-306	54
1114	Drain of the brain: low-affinity p75 neurotrophin receptor affords a molecular sink for clearance of cortical amyloid by the cholinergic modulator system. 2013 , 34, 2517-24	15
1113	Extraversion is encoded by scale-free dynamics of default mode network. 2013 , 74, 52-7	64

1112	Functional brain connectivity and cognition: effects of adult age and task demands. 2013 , 34, 1925-34	24
1111	Functional connectivity of the default mode network and its association with pain networks in irritable bowel patients assessed via lidocaine treatment. 2013 , 14, 1077-87	23
1110	Towards the study of functional brain development in depression: an Interactive Specialization approach. 2013 , 52, 38-48	16
1109	EEG microstates associated with salience and frontoparietal networks in frontotemporal dementia, schizophrenia and Alzheimer's disease. 2013 , 124, 1106-14	131
1108	Idle behaviors of the hippocampus reflect endogenous cortisol levels in youth. 2013 , 52, 642-52.e1	12
1107	Resting-state functional connectivity in multiple sclerosis: an examination of group differences and individual differences. 2013 , 51, 2918-29	35
1106	Changes in resting connectivity with age: a simultaneous electroencephalogram and functional magnetic resonance imaging investigation. 2013 , 34, 2194-207	38
1105	Increased resting-state functional connectivity between the anterior cingulate cortex and the precuneus in panic disorder: resting-state connectivity in panic disorder. 2013 , 150, 1091-5	33
1104	Recollection in adolescents with Autism Spectrum Disorder. 2013 , 49, 1598-609	26
1103	A selective insular perfusion deficit contributes to compromised salience network connectivity in recovering alcoholic men. 2013 , 74, 547-55	58
1102	Technical advances in the characterization of the complexity of sleep and sleep disorders. 2013 , 45, 277-86	19
1101	Functional network connectivity in the behavioral variant of frontotemporal dementia. 2013 , 49, 2389-401	149
1100	Default-mode network functional connectivity in aphasia: therapy-induced neuroplasticity. 2013 , 124, 45-55	58
1099	Multimodal functional imaging of motor imagery using a novel paradigm. 2013 , 71, 50-8	73
1098	KIBRA gene variants are associated with synchronization within the default-mode and executive control networks. 2013 , 69, 213-22	17
1097	Subregions of the human superior frontal gyrus and their connections. 2013 , 78, 46-58	220
1096	Escaping the here and now: evidence for a role of the default mode network in perceptually decoupled thought. 2013 , 69, 120-5	79
1095	Functional connectivity in a frontoparietal network involving the dorsal anterior cingulate cortex underlies decisions to accept a hypothesis. 2013 , 51, 1132-41	17

1094	Cocaine addiction related reproducible brain regions of abnormal default-mode network functional connectivity: a group ICA study with different model orders. 2013 , 548, 110-4	28
1093	Resting state functional connectivity reflects abnormal task-activated patterns in a developmental object agnosic. 2013 , 70, 189-98	19
1092	Cortical systems for local and global integration in discourse comprehension. 2013 , 71, 59-74	25
1091	Ventral medial prefrontal functional connectivity and emotion regulation in chronic schizophrenia: a pilot study. 2013 , 29, 59-74	31
1090	Antipsychotic drug research and resting-state brain activity in normal adults. 2013 , 29, 3	
1089	Exploring the neural basis of consciousness through anesthesia. 2013 , 33, 1757-8	18
1088	Alzheimer's disease-related changes in regional spontaneous brain activity levels and inter-region interactions in the default mode network. 2013 , 1509, 58-65	11
1087	Quantification of network perfusion in ASL cerebral blood flow data with seed based and ICA approaches. 2013 , 26, 569-80	17
1086	Functional Magnetic Resonance Imaging in Addiction Research. 2013 , 643-675	3
1085	Emerging roles of the brain's default network. 2013 , 19, 76-87	88
1084	In vivo imaging of adult human hippocampal neurogenesis: progress, pitfalls and promise. 2013 , 18, 404-16	67
1083	Imaging volition: what the brain can tell us about the will. 2013 , 229, 301-12	77
1082	Personal Relevance and Mental Simulation Amplify the Duration Framing Effect. 2013 , 50, 194-206	20
1081	Contributive sources analysis: a measure of neural networks' contribution to brain activations. 2013 , 76, 304-12	21
1080	Top-down regulation of default mode activity in spatial visual attention. 2013 , 33, 6444-53	98
1079	Glutamatergic function in the resting awake human brain is supported by uniformly high oxidative energy. 2013 , 33, 339-47	79
1078	The Antidepressant Effect of Laser Acupuncture: A Comparison of the Resting Brain's Default Mode Network in Healthy and Depressed Subjects During Functional Magnetic Resonance Imaging. 2013 , 25, 124-133	30
1077	Motivated action: new light on prefrontal-neuromodulatory circuits. 2013 , 23, R161-3	4

1076	Inference Through Embodied Simulation in Cognitive Robots. 2013 , 5, 355-382	14
1075	Functional connectivity and oscillatory neuronal activity in the resting human brain. 2013 , 240, 297-309	36
1074	Effects of working memory demand on neural mechanisms of motor response selection and control. 2013 , 25, 1235-48	34
1073	EMDR therapy modulates the default mode network in a subsyndromal, traumatized bipolar patient. 2013 , 67, 181-4	27
1072	Large-scale brain networks in affective and social neuroscience: towards an integrative functional architecture of the brain. 2013 , 23, 361-72	433
1071	Brain connectivity and visual attention. 2013 , 3, 317-38	66
1070	Action simulation in the human brain: Twelve questions. 2013 , 31, 270-290	75
1069	A pairwise maximum entropy model accurately describes resting-state human brain networks. 2013 , 4, 1370	94
1068	White matter abnormalities associated with Alzheimer's disease and mild cognitive impairment: a critical review of MRI studies. 2013 , 13, 483-93	51
1067	Disruption of anterior insula modulation of large-scale brain networks in schizophrenia. 2013 , 74, 467-74	134
1066	Decision making: from neuroscience to psychiatry. 2013 , 78, 233-48	98
1065	Extraversion and anterior vs. posterior DMN activity during self-referential thoughts. 2012 , 6, 348	27
1064	Neural networks supporting autobiographical memory retrieval in posttraumatic stress disorder. 2013 , 13, 554-66	37
1063	Impaired language function in generalized epilepsy: inadequate suppression of the default mode network. 2013 , 28, 26-35	18
1062	Brain networks underlying mental imagery of auditory and visual information. 2013 , 37, 1421-34	76
1061	Application of partial directed coherence to the analysis of resting-state EEG-fMRI data. 2013 , 3, 563-8	13
1060	Estimation of resting-state functional connectivity using random subspace based partial correlation: a novel method for reducing global artifacts. 2013 , 82, 87-100	14
1059	Functional and structural brain changes in anti-N-methyl-D-aspartate receptor encephalitis. 2013 , 74, 284-96	110

1058	Dynamic coupling between the lateral occipital-cortex, default-mode, and frontoparietal networks during bistable perception. 2013 , 3, 286-93	8
1057	Sleep: a synchrony of cell activity-driven small network states. 2013 , 38, 2199-209	66
1056	Amyloid imaging with PET in early Alzheimer disease diagnosis. 2013 , 97, 377-98	45
1055	Neurophysiological effects of modafinil on cue-exposure in cocaine dependence: a randomized placebo-controlled cross-over study using pharmacological fMRI. 2013 , 38, 1509-1517	43
1054	Brain changes in older adults at very low risk for Alzheimer's disease. 2013 , 33, 8237-42	152
1053	Evidence of successful modulation of brain activation and subjective experience during reappraisal of negative emotion in unmedicated depression. 2013 , 212, 99-107	64
1052	Spontaneous brain activity predicts learning ability of foreign sounds. 2013 , 33, 9295-305	70
1051	Intrinsic architecture underlying the relations among the default, dorsal attention, and frontoparietal control networks of the human brain. 2013 , 25, 74-86	453
1050	Clinical efficacy and potential mechanisms of neurofeedback. 2013 , 54, 676-686	77
1049	Hippocampal functional connectivity patterns during spatial working memory differ in right versus left temporal lobe epilepsy. 2013 , 3, 398-406	30
1048	Resting-state functional connectivity in normal brain aging. 2013 , 37, 384-400	345
1047	Altered temporal correlations in resting-state connectivity fluctuations in children with reading difficulties detected via MEG. 2013 , 83, 307-17	61
1046	Systematic approximations of neural fields through networks of neural masses in the virtual brain. 2013 , 83, 704-25	39
1045	The autonomic brain: an activation likelihood estimation meta-analysis for central processing of autonomic function. 2013 , 33, 10503-11	466
1044	Graph theoretical analysis of sedation's effect on whole brain functional system in school-aged children. 2013 , 3, 177-89	5
1043	Sustained deep-tissue pain alters functional brain connectivity. 2013 , 154, 1343-51	37
1042	The generation effect: activating broad neural circuits during memory encoding. 2013 , 49, 1901-9	18
1041	Individualized Theory of Mind (iToM): When Memory Modulates Empathy. 2013 , 4, 4	49

1040	Visioning in the brain: an fMRI study of inspirational coaching and mentoring. 2013 , 8, 369-84	53
1039	The human brain encodes event frequencies while forming subjective beliefs. 2013 , 33, 10887-97	51
1038	Disrupted directed connectivity along the cingulate cortex determines vigilance after sleep deprivation. 2013 , 79, 213-22	27
1037	Reward circuit connectivity relates to delay discounting in children with attention-deficit/hyperactivity disorder. 2013 , 23, 33-45	119
1036	Association between prefrontal activity and volume change in prefrontal and medial temporal lobes in aging and dementia: a review. 2013 , 12, 479-89	87
1035	Selectively and progressively disrupted structural connectivity of functional brain networks in Alzheimer's disease - revealed by a novel framework to analyze edge distributions of networks detecting disruptions with strong statistical evidence. 2013 , 81, 96-109	60
1034	Commentary on "Altered and asymmetric default mode network activity in a "hypnotic virtuoso": an fMRI and EEG study"--reply. 2013 , 22, 385-7	
1033	What the brain's intrinsic activity can tell us about consciousness? A tri-dimensional view. 2013 , 37, 726-38	57
1032	Friedrich Nietzsche and his illness: a neurophilosophical approach to introspection. 2013 , 22, 174-82	4
1031	Genetic variation in GAD1 is associated with cortical thickness in the parahippocampal gyrus. 2013 , 47, 872-9	8
1030	Studying the topological organization of the cerebral blood flow fluctuations in resting state. 2013 , 64, 173-84	32
1029	Posteromedial cortex glutamate and GABA predict intrinsic functional connectivity of the default mode network. 2013 , 64, 112-9	138
1028	Age association of language task induced deactivation induced in a pediatric population. 2013 , 65, 23-33	8
1027	Anatomical connectivity and the resting state activity of large cortical networks. 2013 , 65, 127-38	40
1026	End-tidal CO ₂ : an important parameter for a correct interpretation in functional brain studies using speech tasks. 2013 , 66, 71-9	87
1025	Resting-state EEG power predicts conflict-related brain activity in internally guided but not in externally guided decision-making. 2013 , 66, 9-21	50
1024	Genetic effects on behavior are mediated by neurotransmitters and large-scale neural networks. 2013 , 66, 203-14	29
1023	Dreaming and the Default Mode Network. 2013 , 49, 226-232	5

1022	Cognitive rehabilitation changes memory-related brain activity in people with Alzheimer disease. 2013 , 27, 448-59	33
1021	Linkage between the midline cortical serotonergic system and social behavior traits: positron emission tomography studies of common marmosets. 2013 , 23, 2136-45	16
1020	Synaptic function as a preclinical and experimental medicine readout for disease-modifying therapy in Alzheimer's Disease. 2013 , 10, e99-e104	2
1019	Episodic future thinking: linking neuropsychological performance with episodic detail in young and old adults. 2013 , 66, 1687-706	41
1018	Long-term declarative memory deficits in diffuse TBI: correlations with cortical thickness, white matter integrity and hippocampal volume. 2013 , 49, 646-57	96
1017	Intrinsic connectivity networks in healthy subjects explain clinical variability in Alzheimer's disease. 2013 , 110, 11606-11	93
1016	Modafinil modulates resting-state functional network connectivity and cognitive control in alcohol-dependent patients. 2013 , 73, 789-95	52
1015	Disrupted white matter connectivity is associated with reduced cortical thickness in the cingulate cortex in schizophrenia. 2013 , 49, 722-9	26
1014	The effects of prior pain experience on neural correlates of empathy for pain: An fMRI study. 2013 , 154, 411-418	30
1013	Reduced functional connectivity within and between 'social' resting state networks in autism spectrum conditions. 2013 , 8, 694-701	217
1012	Multiple potential mechanisms for context effects on pain. 2013 , 154, 629-631	6
1011	Prefrontal executive function associated coupling relates to Huntington's disease stage. 2013 , 49, 2661-73	26
1010	Remembering what could have happened: neural correlates of episodic counterfactual thinking. 2013 , 51, 2401-14	149
1009	Working memory in schizotypal personality disorder: fMRI activation and deactivation differences. 2013 , 151, 113-23	14
1008	The development of mental scenario building and episodic foresight. <i>Annals of the New York Academy of Sciences</i> , 2013 , 1296, 135-53	6.5 59
1007	Decreased MEG beta oscillations in HIV-infected older adults during the resting state. 2013 , 19, 586-94	26
1006	The effects of alcohol on the nonhuman primate brain: a network science approach to neuroimaging. 2013 , 37, 1891-900	7
1005	Cerebrospinal fluid A β 2, phosphorylated Tau181, and resting-state functional connectivity. 2013 , 70, 1242-8	68

1004	Differential brain effects of laser and needle acupuncture at LR8 using functional MRI. 2013 , 31, 282-9	27
1003	Thymophor in Dreams, Poetry, Art and Memory: Emotion Translated into Imagery as a Basic Element of Human Creativity. 2013 , 33, 165-191	1
1002	Rhythm-specific modulation of the sensorimotor network in drug-naive patients with Parkinson's disease by levodopa. 2013 , 136, 710-25	150
1001	Relationship between Stroop performance and resting state functional connectivity in cognitively normal older adults. 2013 , 27, 516-28	37
1000	Diminished default mode network recruitment of the hippocampus and parahippocampus in temporal lobe epilepsy. 2013 , 119, 288-300	49
999	In vivo characterization of the early states of the amyloid-beta network. 2013 , 136, 2239-52	84
998	Neuroimaging and the search for a cure for Alzheimer disease. 2013 , 269, 671-91	37
997	Retrieval search and strength evoke dissociable brain activity during episodic memory recall. 2013 , 25, 219-33	13
996	Brain dysfunction primarily related to previous overt hepatic encephalopathy compared with minimal hepatic encephalopathy: resting-state functional MR imaging demonstration. 2013 , 266, 261-70	56
995	Optical imaging of resting-state functional connectivity in a novel arterial stiffness model. 2013 , 4, 2332-46	16
994	Amnesic mild cognitive impairment: topological reorganization of the default-mode network. 2013 , 268, 501-14	47
993	WITHDRAWN: Mapping Connectivity in the Developing Brain. 2013 ,	
992	Association between nicotine dependence severity, BOLD response to smoking cues, and functional connectivity. 2013 , 38, 2363-72	86
991	Advanced neuroimaging in traumatic brain injury. 2012 , 32, 374-400	26
990	Contextual processing of abstract concepts reveals neural representations of nonlinguistic semantic content. 2013 , 25, 920-35	77
989	Phase synchronization in brain networks derived from correlation between probabilities of recurrences in functional MRI data. 2013 , 23, 1350003	31
988	Influence of acupuncture stimulation on cerebral network in functional diarrhea. 2013 , 2013, 975769	18
987	Cortical and hippocampal correlates of deliberation during model-based decisions for rewards in humans. 2013 , 9, e1003387	51

986	Functional network connectivity of pain-related resting state networks in somatoform pain disorder: an exploratory fMRI study. 2013 , 38, 57-65	36
985	Traumatic brain injury impairs small-world topology. 2013 , 80, 1826-33	138
984	Imbalance of incidental encoding across tasks: an explanation for non-memory-related hippocampal activations?. 2013 , 142, 1171-9	4
983	A design for living technology: experiments with the mind time machine. 2013 , 19, 387-400	9
982	Neural encoding of acupuncture needling sensations: evidence from a fMRI study. 2013 , 2013, 483105	11
981	Metacognitive confidence: A neuroscience approach. 2013 , 28, 317-332	7
980	Two Mind-Altering Curriculums: Contemplation, Mindfulness, and the Educational Question Whether \square o Think or Not to Think? \square 2013 , 11, 275-296	10
979	The value of spontaneous EEG oscillations in distinguishing patients in vegetative and minimally conscious states. 2013 , 62, 81-99	22
978	Rest-Related Dynamics of Risk and Protective Factors for Depression: A Behavioral Study. 2013 , 1, 443-451	18
977	EEG in silent small vessel disease: sLORETA mapping reveals cortical sources of vascular cognitive impairment no dementia in the default mode network. 2013 , 30, 178-87	17
976	Donepezil treatment stabilizes functional connectivity during resting state and brain activity during memory encoding in Alzheimer's disease. 2013 , 33, 199-205	32
975	Functional MRI and pain. 2013 , 26, 588-93	45
974	A resting state functional magnetic resonance imaging study of patients with benign essential blepharospasm. 2013 , 33, 235-40	23
973	Mindfulness disposition and default-mode network connectivity in older adults. 2013 , 8, 112-7	47
972	A biased competition account of attention and memory in Alzheimer's disease. 2013 , 368, 20130062	25
971	The neuropsychology of disgust. 2013 , 8, 121-2	1
970	Portraying the unique contribution of the default mode network to internally driven mnemonic processes. 2013 , 110, 4950-5	71
969	Blink-related momentary activation of the default mode network while viewing videos. 2013 , 110, 702-6	134

968	Changes in plasticity across the lifespan: cause of disease and target for intervention. 2013 , 207, 91-120	73
967	REM sleep, hippocampus, and memory processing: insights from functional neuroimaging studies. 2013 , 36, 629-30; discussion 634-59	6
966	Longitudinal progression of cognitive decline correlates with changes in the spatial pattern of brain 18F-FDG PET. 2013 , 54, 1564-9	42
965	Aberrant functional connectivity of resting state networks in transient ischemic attack. 2013 , 8, e71009	26
964	The synchronization within and interaction between the default and dorsal attention networks in early infancy. 2013 , 23, 594-603	116
963	Rethinking the role of the rTPJ in attention and social cognition in light of the opposing domains hypothesis: findings from an ALE-based meta-analysis and resting-state functional connectivity. 2013 , 7, 323	58
962	Learning and memory-related brain activity dynamics are altered in systemic lupus erythematosus: a functional magnetic resonance imaging study. 2013 , 22, 562-73	27
961	Culture-related differences in default network activity during visuo-spatial judgments. 2013 , 8, 134-42	45
960	Default mode network connectivity indicates episodic memory capacity in mesial temporal lobe epilepsy. 2013 , 54, 809-18	100
959	A cognitive framework for understanding and improving interference resolution in the brain. 2013 , 207, 351-77	20
958	Functional brain changes following cognitive and motor skills training: a quantitative meta-analysis. 2013 , 27, 187-99	64
957	Salience network-based classification and prediction of symptom severity in children with autism. 2013 , 70, 869-79	390
956	Central effects of cholinesterase inhibitors in Alzheimer's disease: insights from advanced neuroimaging. 2013 , 5, 441-452	
955	Cortical signatures of dyslexia and remediation: an intrinsic functional connectivity approach. 2013 , 8, e55454	80
954	The neural dynamics of updating person impressions. 2013 , 8, 623-31	103
953	Cerebral processing of voice gender studied using a continuous carryover fMRI design. 2013 , 23, 958-66	37
952	A translational neuroscience framework for the development of socioemotional functioning in health and psychopathology. 2013 , 25, 1293-309	8
951	Human retrosplenial cortex displays transient theta phase locking with medial temporal cortex prior to activation during autobiographical memory retrieval. 2013 , 33, 10439-46	71

950	Medial and lateral networks in anterior prefrontal cortex support metacognitive ability for memory and perception. 2013 , 33, 16657-65	193
949	A scaffold for efficiency in the human brain. 2013 , 33, 17150-9	53
948	Resting-state glutamate and GABA concentrations predict task-induced deactivation in the default mode network. 2013 , 33, 18566-73	109
947	Functional maturation of the executive system during adolescence. 2013 , 33, 16249-61	168
946	Cognitive relevance of the community structure of the human brain functional coactivation network. 2013 , 110, 11583-8	307
945	Evolution of working memory. 2013 , 110 Suppl 2, 10371-8	61
944	Graphs of brain networks. 2013 , 37, 1813-5	3
943	Alterations in regional homogeneity of resting-state brain activity in mesial temporal lobe epilepsy. 2013 , 54, 658-66	58
942	Alterations of the default mode network in functional dyspepsia patients: a resting-state fmri study. 2013 , 25, e382-8	29
941	Mechanisms Underlying Auditory Hallucinations-Understanding Perception without Stimulus. 2013 , 3, 642-69	22
940	The Contribution of Resting State Networks to the Study of Cortical Reorganization in MS. 2013 , 2013, 857807	19
939	Functional language networks in sedentary and physically active older adults. 2013 , 19, 625-34	21
938	Brain functional abnormality in schizo-affective disorder: an fMRI study. 2013 , 43, 143-53	14
937	Decreased white matter integrity in neuropsychologically defined mild cognitive impairment is independent of cortical thinning. 2013 , 19, 925-37	23
936	VETSA: the Vietnam Era Twin Study of Aging. 2013 , 16, 399-402	83
935	Modulation of the default-mode network between rest and task in Alzheimer's Disease. 2013 , 23, 1685-94	32
934	On the interplay between Learning, memory, prospection and abstraction in cumulatively learning baby humanoids. 2013 ,	1
933	Self-referential processing influences functional activation during cognitive control: an fMRI study. 2013 , 8, 828-37	26

932	Functional connectivity networks associated with chronic musculoskeletal pain in old age. 2013 , 28, 858-67	13
931	From connectivity models to region labels: identifying foci of a neurological disorder. 2013 , 32, 2078-98	14
930	Increased neuronal firing in resting and sleep in areas of the macaque medial prefrontal cortex. 2013 , 37, 1737-46	11
929	Network structure and dynamics of the mental workspace. 2013 , 110, 16277-82	29
928	Gray matter volume alterations related to trait dissociation in PTSD and traumatized controls. 2013 , 128, 222-33	45
927	Comparison of functional network integrity in TBI and orthopedic control patients using graph-theoretical analysis. 2013 , 2013, 1366-9	1
926	Frequency-dependent relationship between resting-state functional magnetic resonance imaging signal power and head motion is localized within distributed association networks. 2014 , 4, 30-9	15
925	Characterization of connectivity dynamics in intrinsic brain networks. 2013 ,	1
924	Group sparse dictionary learning and inference for resting-state fMRI analysis of Alzheimer's disease. 2013 ,	9
923	Coaching With Compassion: Inspiring Health, Well-Being, and Development in Organizations. 2013 , 49, 153-178	49
922	A balancing act of the brain: activations and deactivations driven by cognitive load. 2013 , 3, 273-85	46
921	Neuropsychological approaches to epileptic encephalopathies. 2013 , 54 Suppl 8, 38-44	8
920	Effortful retrieval reduces hippocampal activity and impairs incidental encoding. 2013 , 23, 367-79	12
919	Structural covariance of the default network in healthy and pathological aging. 2013 , 33, 15226-34	87
918	Graph theoretical connectivity analysis of the human brain while listening to music with emotional attachment: feasibility study. 2013 , 2013, 6526-9	0
917	Increased functional connectivity and brain atrophy in elderly with subjective memory complaints. 2013 , 3, 353-62	103
916	Resting-state functional connectivity in adults with childhood emotional maltreatment. 2013 , 43, 1825-36	90
915	The functional topography and temporal dynamics of overlapping and distinct brain activations for adaptive task control and stable task-set maintenance during performance of an fMRI-adapted clinical continuous performance test. 2013 , 25, 903-19	18

914	Time, language and flexibility of the mind: The role of mental time travel in linguistic comprehension and production. 2013 , 26, 24-46	7
913	Executive functions are employed to process episodic and relational memories in children with autism spectrum disorders. 2013 , 27, 615-27	48
912	Daytime sleepiness is associated with decreased default mode network connectivity in both young and cognitively intact elderly subjects. 2013 , 36, 1609-15	40
911	Altered resting-state brain activity in obstructive sleep apnea. 2013 , 36, 651-659B	66
910	Benevolent sexism alters executive brain responses. 2013 , 24, 572-7	21
909	Effects of exercise on resting-state default mode and salience network activity in overweight/obese adults. 2013 , 24, 866-71	57
908	Sex differences in directional brain responses to infant hunger cries. 2013 , 24, 142-6	59
907	Psychobiological correlates of improved mental health in patients with musculoskeletal pain after a mindfulness-based pain management program. 2013 , 29, 233-44	52
906	The pivotal role of semantic memory in remembering the past and imagining the future. 2013 , 7, 27	181
905	The structure of creative cognition in the human brain. 2013 , 7, 330	206
904	EEG correlates of self-referential processing. 2013 , 7, 264	98
903	Why are dreams interesting for philosophers? The example of minimal phenomenal selfhood, plus an agenda for future research. 2013 , 4, 746	35
902	Ratio of A β 2/P-tau181p in CSF is associated with aberrant default mode network in AD. 2013 , 3, 1339	32
901	From the Five Aggregates to Phenomenal Consciousness. 2013 , 585-597	4
900	Altered default mode network connectivity in older adults with cognitive complaints and amnesic mild cognitive impairment. 2013 , 35, 751-60	117
899	Effect of scanner acoustic background noise on strict resting-state fMRI. 2013 , 46, 359-67	24
898	Characterization of resting state activity in MCI individuals. 2013 , 1, e135	32
897	The Neurobiology of Sleep and Dreaming. 2013 , 847-869	1

896 Networks and resting state in Parkinson's disease. 84-93

895 A review of electroencephalographic changes in diabetes mellitus in relation to major depressive disorder. **2013**, 9, 143-50 13

894 Functional connectivity in wakefulness and sleep. 105-113

893 The default mode network may be the key substrate of depressive symptom-related cognitive changes. **2013**, 34, 547-59 18

892 Activity in inferior parietal and medial prefrontal cortex signals the accumulation of evidence in a probability learning task. **2013**, 9, e1002895 17

891 In search of the trauma memory: a meta-analysis of functional neuroimaging studies of symptom provocation in posttraumatic stress disorder (PTSD). **2013**, 8, e58150 120

890 Exploring default mode and information flow on the web. **2013**, 8, e60398 12

889 Hyperthermia-induced disruption of functional connectivity in the human brain network. **2013**, 8, e61157 31

888 Verbal memory deficits are correlated with prefrontal hypometabolism in (18)FDG PET of recreational MDMA users. **2013**, 8, e61234 22

887 Altered hub configurations within default mode network following acupuncture at ST36: a multimodal investigation combining fMRI and MEG. **2013**, 8, e64509 21

886 Spatial vs. Temporal Features in ICA of Resting-State fMRI - A Quantitative and Qualitative Investigation in the Context of Response Inhibition. **2013**, 8, e66572 22

885 Resting state networks' corticotopy: the dual intertwined rings architecture. **2013**, 8, e67444 23

884 Brain regions responsible for tinnitus distress and loudness: a resting-state FMRI study. **2013**, 8, e67778 51

883 Glucose metabolism during resting state reveals abnormal brain networks organization in the Alzheimer's disease and mild cognitive impairment. **2013**, 8, e68860 72

882 Acute effects of modafinil on brain resting state networks in young healthy subjects. **2013**, 8, e69224 38

881 Reduction in cerebral perfusion after heroin administration: a resting state arterial spin labeling study. **2013**, 8, e71461 26

880 The associations between self-consciousness, depressive state and craving to drink among alcohol dependent patients undergoing protracted withdrawal. **2013**, 8, e71560 23

879 Mapping the genetic variation of regional brain volumes as explained by all common SNPs from the ADNI study. **2013**, 8, e71723 20

878	Default-mode network changes in Huntington's disease: an integrated MRI study of functional connectivity and morphometry. 2013 , 8, e72159	37
877	Memory self-efficacy beliefs modulate brain activity when encoding real-world future intentions. 2013 , 8, e73850	6
876	The neural correlates of mindful awareness: a possible buffering effect on anxiety-related reduction in subgenual anterior cingulate cortex activity. 2013 , 8, e75526	11
875	Brain deactivation in the outperformance in bimodal tasks: an fMRI study. 2013 , 8, e77408	9
874	How skill expertise shapes the brain functional architecture: an fMRI study of visuo-spatial and motor processing in professional racing-car and naïve drivers. 2013 , 8, e77764	54
873	Bayesian network analysis reveals alterations to default mode network connectivity in individuals at risk for Alzheimer's disease. 2013 , 8, e82104	22
872	Diagnosing developmental dyscalculia on the basis of reliable single case fMRI methods: promises and limitations. 2013 , 8, e83722	17
871	Morphologic and functional connectivity alterations of corticostriatal and default mode network in treatment-naïve patients with obsessive-compulsive disorder. 2013 , 8, e83931	48
870	Identifying individuals with antisocial personality disorder using resting-state fMRI. 2013 , 8, e60652	56
869	Neural correlates of psychotherapy in anxiety and depression: a meta-analysis. 2013 , 8, e74657	69
868	Mitochondrial functional state impacts spontaneous neocortical activity and resting state fMRI. 2013 , 8, e63317	18
867	Brain changes in long-term zen meditators using proton magnetic resonance spectroscopy and diffusion tensor imaging: a controlled study. 2013 , 8, e58476	33
866	Intrinsic Default Mode Network Connectivity Predicts Spontaneous Verbal Descriptions of Autobiographical Memories during Social Processing. 2012 , 3, 592	28
865	Issues and perspectives in meditation research: in search for a definition. 2012 , 3, 613	34
864	Dreaming as a story-telling instinct. 2013 , 4, 159	37
863	The neurobiology of imagination: possible role of interaction-dominant dynamics and default mode network. 2013 , 4, 296	23
862	Conscious experience and episodic memory: hippocampus at the crossroads. 2013 , 4, 304	24
861	Ongoing egocentric spatial processing during learning of non-spatial information results in temporal-parietal activity during retrieval. 2013 , 4, 366	3

860	Goal Commitments and the content of thoughts and dreams: basic principles. 2013 , 4, 415	82
859	Sleep and dreaming are for important matters. 2013 , 4, 474	42
858	Wandering tales: evolutionary origins of mental time travel and language. 2013 , 4, 485	51
857	Dreaming, waking conscious experience, and the resting brain: report of subjective experience as a tool in the cognitive neurosciences. 2013 , 4, 637	21
856	A penny for your thoughts: dimensions of self-generated thought content and relationships with individual differences in emotional wellbeing. 2013 , 4, 900	75
855	Re-conceptualizing free will for the 21st century: acting independently with a limited role for consciousness. 2013 , 4, 920	5
854	The myth of cognitive agency: subpersonal thinking as a cyclically recurring loss of mental autonomy. 2013 , 4, 931	45
853	The wandering mood: psychological and neural determinants of rest-related negative affect. 2013 , 4, 961	6
852	Resting-state functional connectivity in late-life depression: higher global connectivity and more long distance connections. 2012 , 3, 116	56
851	Deficient Suppression of Default Mode Regions during Working Memory in Individuals with Early Psychosis and at Clinical High-Risk for Psychosis. 2013 , 4, 92	47
850	Deep brain stimulation as a tool for improving cognitive functioning in Alzheimer's dementia: a systematic review. 2013 , 4, 159	44
849	Connectivity, pharmacology, and computation: toward a mechanistic understanding of neural system dysfunction in schizophrenia. 2013 , 4, 169	65
848	A review of cardiorespiratory fitness-related neuroplasticity in the aging brain. 2013 , 5, 31	93
847	Age differences in the intrinsic functional connectivity of default network subsystems. 2013 , 5, 73	83
846	Don't be Too Strict with Yourself! Rigid Negative Self-Representation in Healthy Subjects Mimics the Neurocognitive Profile of Depression for Autobiographical Memory. 2013 , 7, 41	21
845	Subjective experience of episodic memory and metacognition: a neurodevelopmental approach. 2013 , 7, 212	14
844	Graph theoretical analysis of resting magnetoencephalographic functional connectivity networks. 2013 , 7, 93	26
843	Resting-state functional connectivity of ventral parietal regions associated with attention reorienting and episodic recollection. 2013 , 7, 38	21

842	Why should cognitive neuroscientists study the brain's resting state?. 2013 , 7, 45	28
841	A systematic investigation of the invariance of resting-state network patterns: is resting-state fMRI ready for pre-surgical planning?. 2013 , 7, 95	18
840	A review of attention-deficit/hyperactivity disorder from the perspective of brain networks. 2013 , 7, 192	91
839	Automatic processing of unattended object features by functional connectivity. 2013 , 7, 193	2
838	Insular Dysfunction Reflects Altered Between-Network Connectivity and Severity of Negative Symptoms in Schizophrenia during Psychotic Remission. 2013 , 7, 216	83
837	Dysregulated left inferior parietal activity in schizophrenia and depression: functional connectivity and characterization. 2013 , 7, 268	51
836	Neural traces of stress: cortisol related sustained enhancement of amygdala-hippocampal functional connectivity. 2013 , 7, 313	111
835	The Degree of Early Life Stress Predicts Decreased Medial Prefrontal Activations and the Shift from Internally to Externally Guided Decision Making: An Exploratory NIRS Study during Resting State and Self-Oriented Task. 2013 , 7, 339	22
834	The world according to me: personal relevance and the medial prefrontal cortex. 2013 , 7, 341	26
833	Neural markers of errors as endophenotypes in neuropsychiatric disorders. 2013 , 7, 350	53
832	On the role of the ventromedial prefrontal cortex in self-processing: the valuation hypothesis. 2013 , 7, 372	145
831	Perspective: causes and functional significance of temporal variations in attention control. 2013 , 7, 381	16
830	Comparison of the neural correlates of encoding item-item and item-context associations. 2013 , 7, 436	16
829	The Amsterdam Resting-State Questionnaire reveals multiple phenotypes of resting-state cognition. 2013 , 7, 446	97
828	Rostral and caudal prefrontal contribution to creativity: a meta-analysis of functional imaging data. 2013 , 7, 465	197
827	Hypnosis as neurophenomenology. 2013 , 7, 469	18
826	Task vs. rest-different network configurations between the coactivation and the resting-state brain networks. 2013 , 7, 493	123
825	Looking for the self in pathological unconsciousness. 2013 , 7, 538	23

824	Cortical midline structures and autobiographical-self processes: an activation-likelihood estimation meta-analysis. 2013 , 7, 548	65
823	Self-processing and the default mode network: interactions with the mirror neuron system. 2013 , 7, 571	117
822	Mindfulness-induced selflessness: a MEG neurophenomenological study. 2013 , 7, 582	84
821	The embodied transcendental: a Kantian perspective on neurophenomenology. 2013 , 7, 611	17
820	Modulation of functionally localized right insular cortex activity using real-time fMRI-based neurofeedback. 2013 , 7, 638	22
819	On development of functional brain connectivity in the young brain. 2013 , 7, 650	57
818	Shifted intrinsic connectivity of central executive and salience network in borderline personality disorder. 2013 , 7, 727	46
817	The default modes of reading: modulation of posterior cingulate and medial prefrontal cortex connectivity associated with comprehension and task focus while reading. 2013 , 7, 734	49
816	Situating emotional experience. 2013 , 7, 764	48
815	Resting state fMRI reveals a default mode dissociation between retrosplenial and medial prefrontal subnetworks in ASD despite motion scrubbing. 2013 , 7, 802	60
814	The neural coding of creative idea generation across adolescence and early adulthood. 2013 , 7, 905	68
813	Neural substrates of cognitive control under the belief of getting neurofeedback training. 2013 , 7, 914	65
812	Plasticity of resting state brain networks in recovery from stress. 2013 , 7, 919	22
811	Impact of functional MRI data preprocessing pipeline on default-mode network detectability in patients with disorders of consciousness. 2013 , 7, 16	14
810	Constructing the resting state structural connectome. 2013 , 7, 30	16
809	Information gain in the brain's resting state: A new perspective on autism. 2013 , 7, 37	31
808	Neural mechanisms of attentional control in mindfulness meditation. 2013 , 7, 8	245
807	Functional mapping of thalamic nuclei and their integration into cortico-striatal-thalamo-cortical loops via ultra-high resolution imaging-from animal anatomy to in vivo imaging in humans. 2013 , 7, 24	51

806	Art reaches within: aesthetic experience, the self and the default mode network. 2013 , 7, 258	76
805	What shall I be, what must I be: neural correlates of personal goal activation. 2012 , 6, 123	31
804	The dynamic reorganization of the default-mode network during a visual classification task. 2013 , 7, 34	29
803	The effect of theta-burst TMS on cognitive control networks measured with resting state fMRI. 2013 , 7, 124	80
802	Neuroimaging of wakefulness. 91-95	
801	Brain regions supporting verbal memory improvement in healthy older subjects. 2014 , 72, 663-70	12
800	Functional reorganization of the default mode network across chronic pain conditions. 2014 , 9, e106133	287
799	Regional gray matter volume is associated with empathizing and systemizing in young adults. 2014 , 9, e84782	29
798	Regional homogeneity changes in hemodialysis patients with end stage renal disease: in vivo resting-state functional MRI study. 2014 , 9, e87114	14
797	Elaboration versus suppression of cued memories: influence of memory recall instruction and success on parietal lobe, default network, and hippocampal activity. 2014 , 9, e89037	1
796	Spectral parameters modulation and source localization of blink-related alpha and low-beta oscillations differentiate minimally conscious state from vegetative state/unresponsive wakefulness syndrome. 2014 , 9, e93252	20
795	Disruptions in brain networks of older fallers are associated with subsequent cognitive decline: a 12-month prospective exploratory study. 2014 , 9, e93673	27
794	Influence of anodal transcranial direct current stimulation (tDCS) over the right angular gyrus on brain activity during rest. 2014 , 9, e95984	24
793	How do you feel when you can't feel your body? Interoception, functional connectivity and emotional processing in depersonalization-derealization disorder. 2014 , 9, e98769	73
792	Dissociative part-dependent resting-state activity in dissociative identity disorder: a controlled FMRI perfusion study. 2014 , 9, e98795	42
791	Ongoing activity in temporally coherent networks predicts intra-subject fluctuation of response time to sporadic executive control demands. 2014 , 9, e99166	4
790	Higher media multi-tasking activity is associated with smaller gray-matter density in the anterior cingulate cortex. 2014 , 9, e106698	65
789	Unravelling the intrinsic functional organization of the human striatum: a parcellation and connectivity study based on resting-state FMRI. 2014 , 9, e106768	71

788	A model for visual memory encoding. 2014 , 9, e107761	13
787	Maximizing negative correlations in resting-state functional connectivity MRI by time-lag. 2014 , 9, e111554	29
786	[Role of the prefrontal cortex in human behavioral adaptation]. 2014 , 30, 179-85	1
785	How Basal Ganglia Outputs Generate Behavior. 2014 , 2014, 1-28	18
784	Alteration of interictal brain activity in patients with temporal lobe epilepsy in the left dominant hemisphere: a resting-state MEG study. 2014 , 2014, 171487	3
783	Dysfunction of affective network in post ischemic stroke depression: a resting-state functional magnetic resonance imaging study. 2014 , 2014, 846830	20
782	Structure-Function Relationships behind the Phenomenon of Cognitive Resilience in Neurology: Insights for Neuroscience and Medicine. 2014 , 2014, 1-28	52
781	Disruption of brain connectivity in acute stroke patients with early impairment in consciousness. 2014 , 4, 956	29
780	Creativity and schizophrenia spectrum disorders across the arts and sciences. 2014 , 5, 1145	18
779	Inner experience in the scanner: can high fidelity apprehensions of inner experience be integrated with fMRI?. 2014 , 5, 1393	21
778	Neuronal Networks and Therapeutics in Neurodegenerative Disorders. 2014 , 335-348	1
777	Network-based biomarkers in Alzheimer's disease: review and future directions. 2014 , 6, 12	45
776	Multimodal intervention in older adults improves resting-state functional connectivity between the medial prefrontal cortex and medial temporal lobe. 2014 , 6, 39	68
775	Mindfulness and the aging brain: a proposed paradigm shift. 2014 , 6, 120	23
774	The neural correlates of risk propensity in males and females using resting-state fMRI. 2014 , 8, 2	27
773	Brain functional connectivity changes in children that differ in impulsivity temperamental trait. 2014 , 8, 156	22
772	Disrupted resting-state functional architecture of the brain after 45-day simulated microgravity. 2014 , 8, 200	37
771	Increased resting state functional connectivity in the fronto-parietal and default mode network in anorexia nervosa. 2014 , 8, 346	62

770	"Executive functions" cannot be distinguished from general intelligence: two variations on a single theme within a symphony of latent variance. 2014 , 8, 369	19
769	A non-linear dynamical approach to belief revision in cognitive behavioral therapy. 2014 , 8, 55	4
768	Bayesian network analysis revealed the connectivity difference of the default mode network from the resting-state to task-state. 2014 , 8, 118	9
767	Temporal lobe epilepsy and surgery selectively alter the dorsal, not the ventral, default-mode network. 2014 , 5, 23	12
766	Insular dysfunction within the salience network is associated with severity of symptoms and aberrant inter-network connectivity in major depressive disorder. 2013 , 7, 930	198
765	The default mode network and social understanding of others: what do brain connectivity studies tell us. 2014 , 8, 74	228
764	Nondirective meditation activates default mode network and areas associated with memory retrieval and emotional processing. 2014 , 8, 86	49
763	Low and then high frequency oscillations of distinct right cortical networks are progressively enhanced by medium and long term Satyananda Yoga meditation practice. 2014 , 8, 197	17
762	Language in the brain at rest: new insights from resting state data and graph theoretical analysis. 2014 , 8, 228	43
761	Imaging the where and when of tic generation and resting state networks in adult Tourette patients. 2014 , 8, 362	105
760	Network complexity as a measure of information processing across resting-state networks: evidence from the Human Connectome Project. 2014 , 8, 409	68
759	Focal dystonia and the Sensory-Motor Integrative Loop for Enacting (SMILE). 2014 , 8, 458	38
758	"I am resting but rest less well with you." The moderating effect of anxious attachment style on alpha power during EEG resting state in a social context. 2014 , 8, 486	40
757	LORETA EEG phase reset of the default mode network. 2014 , 8, 529	38
756	Cues, context, and long-term memory: the role of the retrosplenial cortex in spatial cognition. 2014 , 8, 586	92
755	Effective connectivity among the working memory regions during preparation for and during performance of the n-back task. 2014 , 8, 593	14
754	What we talk about when we talk about the default mode network. 2014 , 8, 619	27
753	Age-related alterations of brain network underlying the retrieval of emotional autobiographical memories: an fMRI study using independent component analysis. 2014 , 8, 629	13

752	The development of an RDoC-based treatment program for adolescent depression: "Training for Awareness, Resilience, and Action" (TARA). 2014 , 8, 630	23
751	The interplay between spontaneous and controlled processing in creative cognition. 2014 , 8, 663	38
750	Cognitive control in the self-regulation of physical activity and sedentary behavior. 2014 , 8, 747	68
749	Training creative cognition: adolescence as a flexible period for improving creativity. 2014 , 8, 827	26
748	Magnetoencephalographic alpha band connectivity reveals differential default mode network interactions during focused attention and open monitoring meditation. 2014 , 8, 832	35
747	A neurobiological enquiry into the origins of our experience of the sublime and beautiful. 2014 , 8, 891	39
746	Dynamic connectivity states estimated from resting fMRI Identify differences among Schizophrenia, bipolar disorder, and healthy control subjects. 2014 , 8, 897	271
745	Changes in global and regional modularity associated with increasing working memory load. 2014 , 8, 954	55
744	Neurobiological foundations of multisensory integration in people with autism spectrum disorders: the role of the medial prefrontal cortex. 2014 , 8, 970	24
743	Increased functional connectivity in intrinsic neural networks in individuals with aniridia. 2014 , 8, 1013	9
742	Energy landscapes of resting-state brain networks. 2014 , 8, 12	39
741	The spatial structure of resting state connectivity stability on the scale of minutes. 2014 , 8, 138	86
740	Data-driven analysis of simultaneous EEG/fMRI using an ICA approach. 2014 , 8, 175	7
739	Negative BOLD in default-mode structures measured with EEG-MREG is larger in temporal than extra-temporal epileptic spikes. 2014 , 8, 335	16
738	Functional network alterations and their structural substrate in drug-resistant epilepsy. 2014 , 8, 411	47
737	Oscillatory motor network activity during rest and movement: an fNIRS study. 2014 , 8, 13	24
736	Clastrum projections to prefrontal cortex in the capuchin monkey (<i>Cebus apella</i>). 2014 , 8, 123	29
735	Endogenous fMRI default mode network fluctuations both positively and negatively correlate with individual transfer of learning. 2014 , 8, 229	

734	Examining the relationship between head trauma and neurodegenerative disease: A review of epidemiology, pathology and neuroimaging techniques. 2014 , 4,	23
733	An Introductory Perspective on the Emerging Application of qEEG in Neurofeedback. 2014 , 19-54	1
732	Reduced brain resting-state network specificity in infants compared with adults. 2014 , 10, 1349-59	20
731	The link between cardiovascular risk, Alzheimer's disease, and mild cognitive impairment: support from recent functional neuroimaging studies. 2014 , 36, 344-57	7
730	Clinical Utility of Amyloid Imaging in a Complex Case of Corticobasal Syndrome Presenting with Psychiatric Symptoms. 2014 , 2, 1-4	10
729	Imaging Pain in the Human Brain. 2014 , 427-451	1
728	The Effect of Performance-Based Incentive Contracts on System 1 and System 2 Processing in Affective Decision Contexts: fMRI and Behavioral Evidence. 2014 , 89, 1979-2010	51
727	Neuroscientific Insights Into Management Development: Theoretical Propositions and Practical Implications. 2014 , 39, 475-503	9
726	Disrupted prefrontal interhemispheric structural coupling in schizophrenia related to working memory performance. 2014 , 40, 914-24	26
725	Copy number deletion burden is associated with cognitive, structural, and resting-state network differences in patients with schizophrenia. 2014 , 272, 324-34	11
724	Meditation-induced bliss viewed as release from conditioned neural (thought) patterns that block reward signals in the brain pleasure center. 2014 , 4, 202-229	2
723	Synchronous activation within the default mode network correlates with perceived social support. 2014 , 63, 26-33	16
722	Acupuncture stimulation of Taichong (Liv3) and Hegu (LI4) modulates the default mode network activity in Alzheimer's disease. 2014 , 29, 739-48	46
721	The presupplementary area within the language network: a resting state functional magnetic resonance imaging functional connectivity analysis. 2014 , 4, 440-53	5
720	Brains creating stories of selves: the neural basis of autobiographical reasoning. 2014 , 9, 646-52	60
719	White matter architecture of the language network. 2014 , 5,	10
718	The correlation between gray matter volume and perceived social support: a voxel-based morphometry study. 2014 , 9, 152-9	17
717	Risky monetary behavior in chronic back pain is associated with altered modular connectivity of the nucleus accumbens. 2014 , 7, 739	25

716	The control of global brain dynamics: opposing actions of frontoparietal control and default mode networks on attention. 2014 , 34, 451-61	136
715	Patterns in default-mode network connectivity for determining outcomes in cognitive function in acute stroke patients. 2014 , 277, 637-46	36
714	Neurovascular coupling and decoupling in the cortex during voluntary locomotion. 2014 , 34, 10975-81	52
713	Task-induced brain activity in aphasic stroke patients: what is driving recovery?. 2014 , 137, 2632-48	139
712	Lasting impact of regret and gratification on resting brain activity and its relation to depressive traits. 2014 , 34, 7825-35	19
711	Local cortical thinning links to resting-state disconnectivity in major depressive disorder. 2014 , 44, 2053-65	88
710	Revisiting default mode network function in major depression: evidence for disrupted subsystem connectivity. 2014 , 44, 2041-51	94
709	Disrupted controlling mechanism of salience network on default-mode network and central-executive network in schizophrenia.	0
708	Cortical thickness abnormalities in patients with first episode psychosis: a meta-analysis of psychoradiologic studies and replication in an independent sample.. 2021 , 1, 185-198	0
707	The intrinsic spatiotemporal organization of the human brain - A multi-dimensional functional network atlas.	
706	Correlations Between the DMN and the Smoking Cessation Outcome of a Real-Time fMRI Neurofeedback Supported Exploratory Therapy Approach: Descriptive Statistics on Tobacco-Dependent Patients. 2021 , 15500594211062703	
705	Alteration of Effective Connectivity in the Default Mode Network of Autism After an Intervention.. 2021 , 15, 796437	0
704	Effects of escitalopram therapy on resting-state functional connectivity of subsystems of the default mode network in unmedicated patients with major depressive disorder.. 2021 , 11, 634	2
703	Altered brain activity in end-stage knee osteoarthritis revealed by resting-state functional magnetic resonance imaging.. 2021 , e2479	2
702	Altered Resting-State Intranetwork and Internetwork Functional Connectivity in Patients With Chronic Unilateral Vestibulopathy.. 2021 ,	0
701	Relationship between Resting-State Alpha Coherence and Cognitive Control in Individuals with Internet Gaming Disorder: A Multimodal Approach Based on Resting-State Electroencephalography and Event-Related Potentials.. 2021 , 11,	1
700	Cognitive decline, socioemotional change, or both? How the science of aging can inform future research on sacrificial moral dilemmas.. 2021 , 1-28	0
699	Maladaptive Self-Focused Attention and Default Mode Network Connectivity: A Transdiagnostic Investigation Across Social Anxiety and Body Dysmorphic Disorders. 2021 ,	

- 698 Poor sleep accelerates hippocampal and posterior cingulate volume loss in cognitively normal healthy older adults.. **2021**, e13538 0
- 697 Differential mechanisms of posterior cingulate cortex downregulation and symptom decreases in posttraumatic stress disorder and healthy individuals using real-time fMRI neurofeedback.. **2021**, e2441 2
- 696 Watershed Brain Regions for Characterizing Brand Equity-Related Mental Processes.. **2021**, 11,
- 695 Agency and Identity in the Collective Self.. **2021**, 10888683211065921 0
- 694 The role of the angular gyrus in semantic cognition | A synthesis of five functional neuroimaging studies. 0
- 693 Brain-wide neural co-activations in resting human. 0
- 692 P.0203 Exploring resting-state functional connectivity as a potential predictor of postoperative delirium. **2021**, 53, S148-S149
- 691 Resting-state brain activity can predict target-independent aptitude in fMRI-neurofeedback training. **2021**, 245, 118733 0
- 690 Association Between Functional and Structural Brain Connectivity of the Default Mode Network in Non-treatment Seeking Individuals With Alcohol Use Disorder.. **2021**, 0
- 689 Altered Default Mode Network Is Associated With Cognitive Impairment in CADASIL as Revealed by Multimodal Neuroimaging.. **2021**, 12, 735033 1
- 688 Functional connectivity between the habenula and default mode network and its association with the antidepressant effect of ketamine.. **2021**, 0
- 687 Grey matter connectome abnormalities and age-related effects in antipsychotic-naive schizophrenia.. **2021**, 74, 103749 0
- 686 Neuroscience of the yogic theory of consciousness.. **2021**, 2021, niab030 0
- 685 Noise and Coherence in Meditation. **2022**, 125-144
- 684 Training allows switching from limited-capacity manipulations to large-capacity perceptual processing.. **2022**,
- 683 Resting-State Neural Signal Variability in Women with Depressive Disorders.
- 682 How We Think and Learn Design. **2022**, 21-44
- 681 Altered Temporal Variations of Functional Connectivity Associated With Surgical Outcomes in Drug-Resistant Temporal Lobe Epilepsy.. **2022**, 16, 840481

- 680 Altered resting state functional connectivity in youth with congenital heart disease operated during infancy.. **2022**, 17, e0264781 1
- 679 Altered Default Mode Network Associated with Pesticide Exposure in Latinx Children from Rural Farmworker Families.. **2022**, 119179 0
- 678 Eliciting Implicit Awareness in Alzheimer’s Disease and Mild Cognitive Impairment: A Task-Based Functional MRI Study.. **2022**, 14, 816648
- 677 Neural Phenomenon in Musicality: The Interpretation of Dual-Processing Modes in Melodic Perception.. **2022**, 16, 823325
- 676 Involvement of the default mode network under varying levels of cognitive effort.. **2022**, 12, 6303 0
- 675 Prediction in the aging brain: Merging cognitive, neurological, and evolutionary perspectives.. **2022**,
- 674 Psychedelics: Alternative and Potential Therapeutic Options for Treating Mood and Anxiety Disorders.. **2022**, 27, 1
- 673 Negative affective burden is associated with higher resting-state functional connectivity in subjective cognitive decline.. **2022**, 12, 6212 0
- 672 An evolutionary gap in primate default mode network organization.. **2022**, 39, 110669 2
- 671 Neural differences in social and figurative language processing on the autism spectrum.. **2022**, 108240
- 670 Transcriptome profiling of the dorsomedial prefrontal cortex in suicide victims. 0
- 669 Alternations in Dynamic and Static Functional Connectivity Density in Chronic Smokers.. **2022**, 13, 843254 0
- 668 Covariance Shrinkage can Assess and Improve Functional Connectomes.. **2022**, 119229
- 667 Facial attractiveness is more associated with individual warmth than with competence: behavioral and neural evidence.. **2022**,
- 666 Increasing participation in habitual intellectual activities on modulating functional connectivity of default mode network among older adults at risk of dementia: study protocol of a randomized controlled trial.. **2022**, 23, 306
- 665 Alcohol- and non-alcohol-related interference: An fMRI study of treatment-seeking adults with alcohol use disorder.. **2022**, 235, 109462
- 664 Presentation_1.pdf. **2018**,
- 663 Data_Sheet_1.DOCX. **2018**,

662 Image_1.JPEG. 2018,

661 Image_2.JPEG. 2018,

660 Image_3.JPEG. 2018,

659 Table_1.DOCX. 2018,

658 Presentation_1.PDF. 2018,

657 Table_1.DOC. 2018,

656 Image_1.TIFF. 2018,

655 Data_Sheet_1.PDF. 2018,

654 Image_1.PDF. 2018,

653 Data_Sheet_1.docx. 2018,

652 Data_Sheet_2.docx. 2018,

651 Table_1.docx. 2019,

650 Table_2.docx. 2019,

649 Table_3.docx. 2019,

648 Table_4.docx. 2019,

647 Data_Sheet_1.pdf. 2019,

646 Table_1.DOC. 2019,

645 Presentation_1.zip. 2020,

644 Data_Sheet_1.doc. **2020**,

643 Image_1.JPEG. **2019**,

642 Image_2.JPEG. **2019**,

641 Image_3.JPEG. **2019**,

640 Data_Sheet_1.DOCX. **2020**,

639 Data_Sheet_1.docx. **2018**,

638 Data_Sheet_1.docx. **2018**,

637 Table_1.docx. **2019**,

636 Table_1.DOCX. **2018**,

635 Table_2.DOCX. **2018**,

634 Image_1.TIF. **2019**,

633 Image_2.TIF. **2019**,

632 Image_3.TIF. **2019**,

631 Image_4.TIF. **2019**,

630 Image_5.TIF. **2019**,

629 Table_1.pdf. **2020**,

628 Image_1.TIF. **2018**,

627 Image_2.TIF. **2018**,

626 Image_3.TIF. 2018,

625 Data_Sheet_1.docx. 2019,

624 Table_1.DOCX. 2018,

623 Table_1.DOCX. 2019,

622 Data_Sheet_1.docx. 2019,

621 Table_1.pdf. 2020,

620 Data_Sheet_1.PDF. 2019,

619 Data_Sheet_1.PDF. 2020,

618 Data_Sheet_1.docx. 2019,

617 Data_Sheet_1.ZIP. 2019,

616 Data_Sheet_1.PDF. 2019,

615 Image_1.TIFF. 2019,

614 Data_Sheet_1.PDF. 2020,

613 Table_1.DOCX. 2020,

612 Table_1.xlsx. 2020,

611 Table_2.xlsx. 2020,

610 Table_1.DOCX. 2020,

609 Table_1.XLSX. 2019,

608 Table_2.XLSX. 2019,

607 Image_1.JPEG. 2020,

606 Data_Sheet_1.PDF. 2020,

605 Data_Sheet_1.PDF. 2020,

604 Table_1.DOCX. 2020,

603 Image_1.tif. 2018,

602 Image_2.tif. 2018,

601 Table_1.DOCX. 2020,

600 Table_1.doc. 2020,

599 Data_Sheet_1.PDF. 2019,

598 Data_Sheet_1.docx. 2018,

597 Table_1.DOCX. 2018,

596 Data_Sheet_1.PDF. 2020,

595 Data_Sheet_1.pdf. 2019,

594 Data_Sheet_1.doc. 2018,

593 Table_1.pdf. 2019,

592 Table_1.DOCX. 2020,

591 Data_Sheet_1.docx. 2020,

590 Data_Sheet_1.PDF. **2018**,

589 Data_Sheet_1.pdf. **2018**,

588 fnhum-12-00070-table.gif. **2018**,

587 Data_Sheet_1.PDF. **2020**,

586 Data_Sheet_1.docx. **2020**,

585 Image_1.TIF. **2019**,

584 Image_2.TIF. **2019**,

583 Table_1.pdf. **2019**,

582 Table_1.DOCX. **2018**,

581 Data_Sheet_1.doc. **2021**,

580 Data_Sheet_1.ZIP. **2021**,

579 DataSheet_1.docx. **2019**,

578 Data_Sheet_1.PDF. **2020**,

577 Data_Sheet_1.pdf. **2020**,

576 Table_1.pdf. **2018**,

575 Data_Sheet_1.DOC. **2018**,

574 Table_1.XLSX. **2018**,

573 DataSheet_1.xlsx. **2019**,

572 DataSheet_1.pdf. **2019**,

571 Data_Sheet_1.doc. **2019**,

570 DataSheet_1.pdf. **2020**,

569 Effects of modafinil on electroencephalographic microstates in healthy adults.. **2022**, 1

○

568 The role of the locus coeruleus in shaping adaptive cortical melodies.. **2022**,

2

567 Association between high levels of body-esteem and increased degree of midcingulate cortex global connectivity: A resting-state fMRI study.. **2022**, e14072

566 Evaluation of Brain Functional Connectivity from Electroencephalographic Signals Under Different Emotional States.. **2022**, 2250026

565 A review of MEG dynamic brain network research.. **2022**, 9544119221092503

564 Abnormal static and dynamic brain function in patients with temporomandibular disorders: a resting-state functional magnetic resonance imaging study. **2021**, 39, 682-689

○

563 Felt as Thought. **2022**, ew7-ew27

562 Works Cited - Earworm. **2022**, ew77-ew82

561 The Worm Refrain (or, Does Nature Get Earworms?). **2022**, ew53-ew68

560 Earworms, Daydreams, and the Fate of Useless Thinking. **2022**, ew28-ew52

559 Notes - Earworm. **2022**, ew69-ew76

558 Introduction - Earworm. **2022**, ew1-ew6

557 OUP accepted manuscript.

○

556 Vascular Health Is Associated With Functional Connectivity Decline in Higher-Order Networks of Older Adults.. **2022**, 16, 847824

555 Functional Specialization of Parallel Distributed Networks Revealed by Analysis of Trial-to-Trial Variation in Processing Demands.

- 554 Variability in Resting-State Functional Magnetic Resonance Imaging: The Effect of Body Mass, Blood Pressure, Hematocrit and Glycated Hemoglobin on Hemodynamic and Neuronal Parameters.. **2022,**
- 553 Chemogenetic stimulation of tonic locus coeruleus activity strengthens the default mode network.. **2022, 8, eabm9898** 1
- 552 The role of the angular gyrus in semantic cognition: a synthesis of five functional neuroimaging studies.. **2022, 1** 1
- 551 Spindle-slow oscillation coupling correlates with memory performance and connectivity changes in a hippocampal network after sleep.. **2022,** 1
- 550 Profiling the Research Landscape on Cognitive Aging: A Bibliometric Analysis and Network Visualization.. **2022, 14, 876159** 0
- 549 Repetitive Transcranial Magnetic Stimulation (rTMS) of Dorsolateral Prefrontal Cortex May Influence Semantic Fluency and Functional Connectivity in Fronto-Parietal Network in Mild Cognitive Impairment (MCI). **2022, 10, 994** 1
- 548 A More Female-Characterized Resting-State Brain: Graph Similarity Analyses of Sex Influence on the Human Brain Intrinsic Functional Network.. **2022,** 0
- 547 Brain responses to painful electrical stimuli and cognitive tasks interact in the precuneus, posterior cingulate cortex, and inferior parietal cortex and do not vary across the menstrual cycle.. **2022, e2593**
- 546 variedades de la experiencia abductiva. **2022, 11, 23-36**
- 545 Interactions between cigarette smoking and cognitive status on functional connectivity of the cortico-striatal circuits in individuals without dementia: A resting-state functional MRI study.. **2022,** 0
- 544 From representations in predictive processing to degrees of representational features.
- 543 Altered Spontaneous Brain Activity in Betel Quid Dependence Chewers: A Resting-State Functional MRI Study With Percent Amplitude of Fluctuation.. **2022, 13, 830541**
- 542 Resting-state Networks in Tinnitus : A Scoping Review.. **2022,** 0
- 541 Magnetization transfer imaging alterations and its diagnostic value in antipsychotic-naïve first-episode schizophrenia.. **2022, 12, 189**
- 540 Cross-frequency Coupling in Psychiatric Disorders: A Systematic Review.. **2022, 104690** 1
- 539 Subjective Well-Being and Bilateral Anterior Insula Functional Connectivity After Exercise Intervention in Older Adults With Mild Cognitive Impairment. **2022, 16,**
- 538 Altered Spontaneous Brain Activity in Patients With Diabetic Osteoporosis Using Regional Homogeneity: A Resting-State Functional Magnetic Resonance Imaging Study. **2022, 14,**
- 537 Subcortical control of the default mode network: Role of the basal forebrain and implications for neuropsychiatric disorders.. **2022, 185, 129-139** 0

- 536 The stress-vulnerability model on the path to schizophrenia: Interaction between BDNF methylation and schizotypy on the resting-state brain network. **2022**, 8,
- 535 Estrogen, Cognitive Performance, and Functional Imaging Studies: What Are We Missing About Neuroprotection?. **2022**, 16, ○
- 534 Cognitive and hippocampal changes weeks and years after memory training.. **2022**, 12, 7877 ○
- 533 Categorical and dimensional brain network-based models of trauma-related dissociative subtypes.
- 532 Combination of Group Singular Value Decomposition and eLORETA Identifies Human EEG Networks and Responses to Transcranial Photobiomodulation. **2022**, 16, 4
- 531 Abnormal spontaneous neural activity as a potential predictor of early treatment response in patients with obsessive-compulsive disorder.. **2022**, ○
- 530 Conflict- and error-related theta activities are coupled to BOLD signals in different brain regions.. **2022**, 119264 ○
- 529 Increased spontaneous fronto-central oscillatory power during eye closing in patients with multiple somatic symptoms.. **2022**, 324, 111489 ○
- 528 Diverse therapeutic developments for post-traumatic stress disorder (PTSD) indicate common mechanisms of memory modulation.. **2022**, 108195 ○
- 527 Mind Wandering. **2021**, 1-8
- 526 Brain Network Changes in Lumbar Disc Herniation Induced Chronic Nerve Roots Compression Syndromes. **2022**, 2022, 1-10 ○
- 525 Accelerated atrophy in dopaminergic targets and medial temporo-parietal regions precedes the onset of delusions in patients with Alzheimer's disease.. **2022**, ○
- 524 Alterations in spontaneous electrical brain activity after an extreme mountain ultramarathon.. **2022**, 108348
- 523 Bibliographie. **2014**, 175-197
- 522 References. **2015**, 249-270
- 521 Bibliographie. **2016**, 249-303
- 520 Associations between Family Functioning and Maternal Behavior on Default Mode Network Connectivity in School-Age Children. **2022**, 19, 6055 1
- 519 Concurrent Structural and Functional Patterns in Patients With Amnesic Mild Cognitive Impairment. **2022**, 14, ○

- 518 Can Chaos Bring Order to the Study of Functional Connectivity in Neurodevelopmental Disorders?. **2022**, 91, 918-919
- 517 Alterations in Structural and Functional Connectivity in ADHD: Implications for Theories of ADHD.. **2022**, ○
- 516 History of the study of dreaming. **2022**,
- 515 Treatment Effect of Long-Term Antipsychotics on Default-Mode Network Dysfunction in Drug-Naïve Patients With First-Episode Schizophrenia: A Longitudinal Study. **2022**, 13,
- 514 If the doors of perception were cleansed, would chronic pain be relieved? Evaluating the benefits and risks of psychedelics. **2022**, ○
- 513 Abnormal Dynamic Functional Connectivity in Patients With End-Stage Renal Disease. **2022**, 16,
- 512 Distinct population and single-neuron selectivity for executive and episodic processing in human dorsal posterior cingulate.
- 511 Electrocortical correlates of the association between cardiorespiratory fitness and sustained attention in young adults. **2022**, 172, 108271
- 510 Mapping intrinsic functional network topological architecture in major depression disorder after electroconvulsive therapy. **2022**, 311, 103-109 ○
- 509 Towards Automated Monitoring of Parkinson's Disease Following Drug Treatment. **2022**, 196-207
- 508 Decoding Individual Differences in Expressing and Inhibiting Anger from Structural Brain Networks: A Supervised Machine Learning Approach. 1
- 507 Hippocampal avoidance prophylactic cranial irradiation (HA-PCI) for small cell lung cancer reduces hippocampal atrophy compared to conventional PCI. ○
- 506 Intrinsic Connectivity Networks of Glutamate-Mediated Antidepressant Response: A Neuroimaging Review. **2022**, 13, 1
- 505 Altered Brain Volume, Microstructure Metrics and Functional Connectivity Features in Multiple System Atrophy. 14, 1
- 504 The effect of casein hydrolysate intake on cerebral neural regulation during cognitive tasks in the elderly. **2022**, 111853
- 503 Brain Responses to Peer Feedback in Social Media Are Modulated by Valence in Late Adolescence. 16, ○
- 502 Testing the Magnitude of Correlations Across Experimental Conditions. **2022**, 13, ○
- 501 Personal socio-cultural preferences modulate neural correlates of decisions to socialize with powerful persons.

500	Cerebello-basal Ganglia Networks and Cortical Network Global Efficiency.	0
499	Reorganization of the Brain Structural Covariance Network in Ischemic Moyamoya Disease Revealed by Graph Theoretical Analysis. 14,	
498	Structural and functional connectivity abnormalities of the default mode network in patients with Alzheimer's disease and mild cognitive impairment within two independent datasets. 2022 ,	2
497	Altered Default Mode Network Functional Connectivity in Parkinson's Disease: A Resting-State Functional Magnetic Resonance Imaging Study. 2022 , 16,	
496	Impaired Functional Homotopy and Topological Properties Within the Default Mode Network of Children With Generalized Tonic-Clonic Seizures: A Resting-State fMRI Study. 2022 , 16,	1
495	Effects of Hatha yoga on cognitive functions in the elderly: a cross-sectional study. 2022 , 17,	0
494	Neuropsychologie de la cognition sociale. 2021 , 585-615	
493	Neural mechanisms underlying psilocybin's therapeutic potential [The need for preclinical in vivo electrophysiology. 026988112210925	0
492	Deficits in spontaneous and stimulus-dependent retrieval as an early sign of abnormal aging. 2022 , 12,	
491	Multiple functions of the angular gyrus at high temporal resolution.	0
490	Default Mode Network quantitative diffusion and resting-state functional magnetic resonance imaging correlates in sporadic Creutzfeldt-Jakob disease.	1
489	Association between resting-state functional brain connectivity and gene expression is altered in autism spectrum disorder. 2022 , 13,	1
488	Classification of Mindfulness Meditation and Its Impact on Neural Measures in the Clinical Population. 13,	
487	Network-Based Transcranial Direct Current Stimulation May Modulate Gait Variability in Young Healthy Adults. 16,	
486	Meta-Analysis of Structural and Functional Brain Abnormalities in Cocaine Addiction. 13,	1
485	Similarity-based fMRI-MEG fusion reveals hierarchical organisation within the brain's semantic system. 2022 , 119405	2
484	Offline memory consolidation during waking rest.	0
483	Distinct patterns of cortical manifold expansion and contraction underlie human sensorimotor adaptation.	

- 482 Interictal dynamic network transitions in mesial temporal lobe epilepsy. 0
- 481 Does working memory activate the hippocampus during the late delay period?. 1-26
- 480 Effects of acute lysergic acid diethylamide on intermittent ethanol and sucrose drinking and intracranial self-stimulation in C57BL/6 mice. 026988112211046 1
- 479 Brain Reactions to Opening and Closing the Eyes: Salivary Cortisol and Functional Connectivity.
- 478 Memory for the Future: Psychodynamic Approach to Time and Self Through the Default Network. 16, 0
- 477 Sleep deprivation reorganizes the dynamic configurations of default mode network activity during recovery sleep.
- 476 Functional Redundancy of the Posterior Hippocampi, but not Anterior Hippocampi or Left Frontal Cortex, is Disrupted in Pathological Brain Aging.
- 475 Cognitive efficacy and neural mechanisms of music-based neurological rehabilitation for traumatic brain injury. *Annals of the New York Academy of Sciences*, 6.5 0
- 474 Microstates imbalance is associated with a functional dysregulation of the resting-state networks in obsessive-compulsive disorder: a high-density electrical neuroimaging study using the TESS method.
- 473 Defining brain-based OCD patient profiles using task-based fMRI and unsupervised machine learning.
- 472 The human brain reactivates context-specific past information at event boundaries of naturalistic experiences. 0
- 471 Architecture and connectivity of the human angular gyrus and of its homolog region in the macaque brain. 0
- 470 Cognitive enhancement: Effects of methylphenidate, modafinil, and caffeine on latent memory and resting state functional connectivity in healthy adults.
- 469 Reward Enhances Connectivity between the Ventral Striatum and the Default Mode Network. 2022, 119398 0
- 468 Multi-modal assessment of reward functioning in adolescent anhedonia. 1-10 1
- 467 Neural correlates of referential/persecutory delusions in schizophrenia: examination using fMRI and a virtual reality underground travel paradigm. 1-8
- 466 Delay discounting and alcohol consumption correlate with dorsal anterior insula activation during choice in non-treatment-seeking heavy drinkers. 0
- 465 Dual-axes of functional organisation across lateral parietal cortex: the angular gyrus forms part of a multi-modal buffering system. 0

464	Neural mechanisms underlying state mental fatigue: a systematic review and activation likelihood estimation meta-analysis. 2022,	
463	Interference inhibition in offending and non-offending pedophiles: A preliminary event-related fMRI study. 2022, 173, 108301	
462	Functional Connectivity of Cortical Resting-State Networks is Differentially Affected by Rest Conditions.	
461	A systematic review on resting state functional connectivity in patients with neurodegenerative disease and hallucinations. 2022, 35, 103112	o
460	Neural correlates of working memory and compensation at different stages of cognitive impairment in Parkinson's disease. 2022, 35, 103100	
459	Comparing neural activity during autobiographical memory retrieval between younger and older adults: An ALE meta-analysis. 2022,	1
458	Targeting Affective Mood Disorders With Ketamine to Prevent Chronic Postsurgical Pain. 3,	
457	Transcriptome Profiling of the Dorsomedial Prefrontal Cortex in Suicide Victims. 2022, 23, 7067	o
456	Intrinsic Functional Connectivity in the Default Mode Network Differentiates the Combined and Inattentive Attention Deficit Hyperactivity Disorder Types. 16,	o
455	Horizons in Human Aging Neuroscience: From Normal Neural Aging to Mental (Fr)Agility. 16,	1
454	EEG Resting-State Functional Networks in Amnesic Mild Cognitive Impairment. 155005942211100	o
453	Resourceful Event-Predictive Inference: The Nature of Cognitive Effort. 13,	o
452	Clarifying the synergistic effects of emotion dysregulation and inhibitory control on physical aggression.	
451	Individual-level Functional Connectivity Predicts Cognitive Control Efficiency.	
450	Cognitive Challenges Are Better in Distinguishing Binge From Nonbinge Drinkers: An Exploratory Deep-Learning Study of fMRI Data of Multiple Behavioral Tasks and Resting State.	o
449	Altered resting-state functional connectivity of default mode network in brachioradial pruritus.	o
448	Neural mechanisms underlying empathy during alcohol abstinence: evidence from connectome-based predictive modeling.	o
447	Longitudinal changes in auditory and reward systems following receptive music-based intervention in older adults. 2022, 12,	1

- 446 The human posterior parietal cortex: effective connectome, and its relation to function. 2
- 445 Damage to temporoparietal cortex is sufficient for impaired semantic control. **2022**, 0
- 444 Propagation Structure of Intrinsic Brain Activity in Migraine without Aura. **2022**, 12, 903
- 443 Sleep to Internalizing Pathway in Young Adolescents (SIPYA): A proposed model. **2022**, 104780 0
- 442 Resting State Neural Networks at Complex Visual Hallucinations in Charles Bonnet Syndrome.
- 441 Remediating Intractable Headache: An Effective Nonpharmacological Approach Employing Infralow Frequency Neuromodulation. 16,
- 440 Infra-Low Frequency Neurofeedback: A Systematic Mixed Studies Review. 16,
- 439 Leader self-projection and collective role performance: A consideration of visionary leadership. **2022**, 101623
- 438 Aberrant Dynamic Functional Connectivity of Posterior Cingulate Cortex Subregions in Major Depressive Disorder With Suicidal Ideation. 16, 0
- 437 Tinnitus and the triple network model: a perspective. 1
- 436 Intravoxel incoherent motion to assess brain microstructure and perfusion in patients with end-stage renal disease.
- 435 Managing Intractable Symptoms of Parkinson's Disease: A Nonsurgical Approach Employing Infralow Frequency Neuromodulation. 16, 0
- 434 Functional ear symptoms referred to an otology clinic: Incidence, comorbidity, etiological factors, and a new experience-driven clinical model. 1-29
- 433 The rostral zona incerta: a subcortical integrative hub and potential DBS target for OCD.
- 432 Cofluctuation analysis reveals aberrant default mode network patterns in adolescents and youths with autism spectrum disorder.
- 431 Brain-wide neural co-activations in resting human. **2022**, 119461 1
- 430 Impaired time-distance reconfiguration patterns in Alzheimer's disease: a dynamic functional connectivity study with 809 individuals from 7 sites. **2022**, 23, 0
- 429 Adaptív algoritmusok a pÉvÉbsztÉban: A Szerelmi AttitÉd KÉrdÉ magyar rÉvid vÉtozata (LAS-HSF). **2022**,

- 428 Brain Connectomics. **2022**, 32, 543-552 ○
- 427 Resting-state network connectivity in cannabis-induced psychosis: Is it different from first episode schizophrenia with heavy cannabis use?. **2022**, 75, 103201
- 426 Resting-state neural signal variability in women with depressive disorders. **2022**, 433, 113999 ○
- 425 A voice without a mouth no more: The neurobiology of language and consciousness. **2022**, 140, 104772
- 424 The unexplored link between aesthetic perception and creativity: A theory-driven meta-analysis of fMRI studies in the visual domain. **2022**, 140, 104768 ○
- 423 Intermittent chimera-like and bi-stable synchronization states in network of distinct Izhikevich neurons. **2022**, 162, 112401 ○
- 422 Charting the dorsal-medial functional gradient of the default mode network in major depressive disorder. **2022**, 153, 1-10 ○
- 421 A Brief History of Arguments in Resting-State Functional Magnetic Resonance Imaging Research. 1-4
- 420 Abnormal network homogeneity of default-mode network and its relationships with clinical symptoms in antipsychotic-naïve first-diagnosis schizophrenia. 16,
- 419 Neural activity during solo and choral reading: A functional magnetic resonance imaging study of overt continuous speech production in adults who stutter. 16,
- 418 Identification of metabolic correlates of mild cognitive impairment in Parkinson's disease using magnetic resonance spectroscopic imaging and machine learning.
- 417 Multimodal fusion analysis of functional, cerebrovascular and structural neuroimaging in healthy aging subjects. ○
- 416 Exploring the relationship between resting state intra-network connectivity and accelerometer-measured physical activity in pediatric concussion: A cohort study.
- 415 Influencing cognitive performance via social interactions: a novel therapeutic approach for brain disorders based on neuroanatomical mapping?. ○
- 414 Local efficiency analysis of resting state functional brain network in methamphetamine users. **2022**, 114022
- 413 Altered brain network topology in children with auditory processing disorder: A resting-state multi-echo fMRI study. **2022**, 35, 103139 ○
- 412 Neural contributions to reduced fluid intelligence across the adult lifespan.
- 411 Aberrant brain connectivity is associated with childhood maltreatment in individuals with major depressive disorder. ○

- 410 Electrical stimulation mapping in the medial prefrontal cortex induced auditory hallucinations of episodic memory: A case report. 16, ○
- 409 Angular gyrus: an anatomical case study for association cortex. ○
- 408 Uncovering neural distinctions and commodities between two creativity subsets: A meta-analysis of fMRI studies in divergent thinking and insight using activation likelihood estimation.
- 407 Episodic representation: A mental models account. 13,
- 406 Altered Brain Function in Treatment-Resistant and Non-treatment-resistant Depression Patients: A Resting-State Functional Magnetic Resonance Imaging Study. 13, ○
- 405 Neural correlates of repetitive negative thinking: Dimensional evidence across the psychopathological continuum. 13,
- 404 Altered voxel-mirrored homotopic connectivity in right temporal lobe epilepsy as measured using resting-state fMRI and support vector machine analyses. 13, 1
- 403 Intelligence Correlates with the Temporal Variability of Brain Networks. 2022,
- 402 Neuronal dynamics of the default mode network and anterior insular cortex: Intrinsic properties and modulation by salient stimuli.
- 401 Evidence for the contribution of HCN1 gene polymorphism (rs1501357) to working memory at both behavioral and neural levels in schizophrenia patients and healthy controls. 2022, 8, ○
- 400 Temporal stability of the hemodynamic response function across the majority of human cerebral cortex. ○
- 399 Neuropsychiatric symptoms associated multimodal brain networks in Alzheimer's disease. ○
- 398 The default mode network, depression and Alzheimer's disease. 2022, 34, 675-678
- 397 Effect of Moxibustion Treatment on Degree Centrality in Patients With Mild Cognitive Impairment: A Resting-State Functional Magnetic Resonance Imaging Study. 16,
- 396 Separation of memory span and learning rate: Evidence from behavior and spontaneous brain activity in older adults.
- 395 Peripheral Interleukin-18 is negatively correlated with abnormal brain activity in patients with depression: a resting-state fMRI study. 2022, 22, ○
- 394 Evaluating the three-network theory of creativity: Effects of music listening on resting state EEG. 030573562211161
- 393 Can a short math video enhance the brain's mathematical networks?. 1

- 392 Psychologic interventions in patients with the chronic dermatologic itch in atopic dermatitis and psoriasis: A step forward with family constellations seminars. 9,
- 391 Predicting response to tVNS in patients with migraine using functional MRI: A voxels-based machine learning analysis. 16, ○
- 390 Brain functional connectivity differences between responders and non-responders to sleeve gastrectomy.
- 389 Deficient Novelty Detection and Encoding in Early Alzheimer's Disease: An ERP Study.
- 388 Symptom-associated alterations in functional connectivity in primary and secondary provoked vestibulodynia. **2022**, Publish Ahead of Print,
- 387 Neurophysiological Perspective on Allostasis and Homeostasis: Dynamic Adaptation in Viable Systems. **2022**, 34, 710-717
- 386 Narrative thinking lingers in spontaneous thought. **2022**, 13, ○
- 385 Alterations in the default mode network in rolandic epilepsy with mild spike-wave index in non-rapid eye movement sleep. 16, ○
- 384 Processing of Different Social Scales in the Human Brain.
- 383 Static and Dynamic Functional Connectivity Alterations in Alzheimer's Disease and Neuropsychiatric Diseases.
- 382 Altered Medial Prefrontal Connectivity in Parkinson's Disease Patients with Somatic Symptoms. ○
- 381 Automated Creativity Prediction Using Natural Language Processing And Resting-State Functional Connectivity: An Fnrirs Study. 1-18 1
- 380 Thalamic nuclei atrophy at high and heterogenous rates during cognitively unimpaired human aging. **2022**, 119584
- 379 Mindfulness meditation increases default mode, salience, and central executive network connectivity. **2022**, 12,
- 378 Aberrant cerebellar-cerebral functional connectivity in patients with obsessive-compulsive disorder, and its trajectory after pharmacotherapy and potential for diagnosis and prediction of early treatment effects.
- 377 Widespread aberrant functional connectivity throughout the whole brain in obstructive sleep apnea. 16,
- 376 Psychoanalytic psychotherapies and the free energy principle. 16, ○
- 375 Front and center: Maturation dysregulation of frontal lobe functional neuroanatomic connections in attention deficit hyperactivity disorder. 16, ○

- 374 Abnormal percent amplitude of fluctuation and functional connectivity within and between networks in benign epilepsy with centrottemporal spikes. **2022**, 185, 106989
- 373 Effects of mindfulness in patients with mild cognitive impairment with insomnia: A double-blind randomized controlled trial. **2022**, 47, 239-246 1
- 372 The alterations of brain functional connectivity networks in major depressive disorder detected by machine learning through multisite rs-fMRI data. **2022**, 435, 114058 0
- 371 A transformer-Based neural language model that synthesizes brain activation maps from free-form text queries. **2022**, 81, 102540
- 370 A review of functional brain differences predicting relapse in substance use disorder: Actionable targets for new methods of noninvasive brain stimulation. **2022**, 141, 104821
- 369 Altered functional connectivity associated with cognitive impairment in neuromyelitis optica spectrum disorder. **2022**, 68, 104113
- 368 Neural differences between internal and external episodic counterfactual thoughts. **2022**, 377, 4
- 367 Disrupted dynamic interactions between large-scale brain networks in cocaine users are associated with dependence severity. **2022**, 0
- 366 Distinct brain structural abnormalities in attention-deficit/hyperactivity disorder and substance use disorders: A comparative meta-analysis. **2022**, 12, 0
- 365 Resting State Functional Connectivity as a Marker of Internalizing Disorder Onset in High-Risk Youth. 0
- 364 Focused attention meditation in healthy adults: A systematic review and meta-analysis of cross-sectional functional MRI studies. **2022**, 141, 104846 0
- 363 From brain-body function to conscious interactions. **2022**, 141, 104833 1
- 362 Increased cortical thickness in nodes of the cognitive control and default mode networks in psychosis of epilepsy. **2022**, 101, 244-252 0
- 361 Linking gene expression patterns and brain morphometry to trauma and symptom severity in patients with functional seizures. **2022**, 326, 111533 0
- 360 Convergent gray matter alterations across drugs of abuse and network-level implications: A meta-analysis of structural MRI studies. **2022**, 240, 109625 0
- 359 Functional connectivity of cortical resting-state networks is differentially affected by rest conditions. **2022**, 1796, 148081 0
- 358 Nodes of the default mode network implicated in the quality of empathic responses: A clinical perspective of the empathic response. **2023**, 23, 100319 0
- 357 Distinct patterns of functional brain network integration between treatment-resistant depression and non treatment-resistant depression: A resting-state functional magnetic resonance imaging study. **2023**, 120, 110621 0

- 356 Estimating Structurally Similar Graphical Models. **2022**, 1-1 ○
- 355 Adolescents with a concussion have altered brain network functional connectivity one month following injury when compared to adolescents with orthopedic injuries. **2022**, 36, 103211 ○
- 354 Fornix alterations induce the disruption of default mode network in patients with adamantinomatous craniopharyngiomas. **2022**, 36, 103215 ○
- 353 Beyond mindfulness: Arousal-driven modulation of attentional control during arousal-based practices. **2022**, 3, 100053 ○
- 352 Rhythmic Pattern of EEG for Identifying Schizophrenia. **2022**, 47-62 ○
- 351 Thinking Through Sound: Music Listening as a Model for Enhanced Cognition. **2022**, 473-491 ○
- 350 Disrupted dynamic network reconfiguration of the brain functional networks of individuals with autism spectrum disorder. **2022**, 4, ○
- 349 Detecting inattentiveness caused by mind-wandering during a driving task: A behavioral study. **2023**, 106, 103892 ○
- 348 DNA Directed Pro-Dopamine Regulation Coupling Subluxation Repair, H-Wave¹ and Other Neurobiologically Based Modalities to Address Complexities of Chronic Pain in a Female Diagnosed with Reward Deficiency Syndrome (RDS): Emergence of Induction of Dopamine Homeostasis¹ in the Face of the Opioid Crisis. **2022**, 12, 1416 1
- 347 Cortical atrophy is associated with cognitive impairment in Parkinson's disease: a combined analysis of cortical thickness and functional connectivity. 1
- 346 What Are the Neural Correlates of Impaired Awareness of Social Cognition and Function in Dementia? A Systematic Review. **2022**, 12, 1136 1
- 345 The increased analgesic efficacy of cold therapy after an unsuccessful analgesic experience is associated with inferior parietal lobule activation. **2022**, 12, ○
- 344 The involvement of the posterior parietal cortex in promotion and prevention focus. ○
- 343 Respiratory sinus arrhythmia during biofeedback is linked to persistent improvements in attention, short-term memory, and positive self-referential episodic memory. 16, ○
- 342 Shank2/3 double knockout-based screening of cortical subregions links the retrosplenial area to the loss of social memory in autism spectrum disorders. 1
- 341 Functional connectivity of the central autonomic and default mode networks represent neural correlates and predictors of individual personality. ○
- 340 Uncovering a tripartite landmark in posterior cingulate cortex. **2022**, 8, 1
- 339 Altered regional homogeneity of spontaneous brain activity in patients with toothache: A resting-state functional magnetic resonance imaging study. 16, ○

- 338 Neural mechanisms of emotional health in traumatic brain injury patients undergoing rTMS treatment. 0
- 337 Cerebral blood flow predicts multiple demand network activity and fluid intelligence across the adult lifespan. **2022**, 1
- 336 Abnormal Information Flow in Schizophrenia Is Linked to Psychosis. 0
- 335 A distinct intra-individual suppression subnetwork in the brain's default mode network across cognitive tasks. 0
- 334 Intentionality of Self-Generated Thought: Contributions of Mind Wandering to Creativity. 1-10 1
- 333 Functional connectivity and structural changes of thalamic subregions in episodic migraine. **2022**, 23, 0
- 332 Altered topological organization of resting-state functional networks in children with infantile spasms. 16, 0
- 331 Distinct population and single-neuron selectivity for executive and episodic processing in human dorsal posterior cingulate. 11, 0
- 330 Dynamic network model reveals distinct tau spreading patterns in early- and late-onset Alzheimer disease. **2022**, 14, 0
- 329 The Vestibulocerebellum and the Shattered Self: a Resting-State Functional Connectivity Study in Posttraumatic Stress Disorder and Its Dissociative Subtype. 0
- 328 Reduced segregation of brain networks in spatial neglect after stroke. 0
- 327 A way forward for design and analysis of neuroimaging studies of memory consolidation. 1-7 0
- 326 Coping emotional discomfort at retail checkout: Potential distractions and implications. **2022**, 18, 159-169 0
- 325 Brain circuit pathology in Down syndrome: from neurons to neural networks. **2022**, 0
- 324 Episodic Memory and Recollection Network Disruptions Following Chemotherapy Treatment in Breast Cancer Survivors: A Review of Neuroimaging Findings. **2022**, 14, 4752 0
- 323 Meta-analysis of structural and functional brain abnormalities in schizophrenia with persistent negative symptoms using activation likelihood estimation. 13, 1
- 322 Convergence mechanism of mindfulness intervention in treating attention deficit hyperactivity disorder: Clues from current evidence. **2022**, 10, 9219-9227 0
- 321 Segregation, integration and balance in resting-state brain functional networks associated with bipolar disorder symptoms. 0

320	Perception and Memory Retrieval States are Reflected in Distributed Patterns of Background Functional Connectivity.	0
319	Socio-cognitive, expertise-based and appearance-based accounts of the other-face effect in face perception: A label-based systematic review of neuroimaging results.	0
318	Neurofeedback in patients with frontal brain lesions: A randomized, controlled double-blind trial. 16,	0
317	Neural Mechanisms and Psychology of Psychedelic Ego Dissolution. 2022 , 74, 876-917	0
316	Rethinking clinical decision-making to improve clinical reasoning. 9,	0
315	The Parietal Lobe in Alzheimer's Disease and Blindness. 2022 , 1-10	0
314	Extracting default mode network based on graph neural network for resting state fMRI study. 1,	1
313	Implicit Bias Scenario Design: What Can We Learn from Cognitive Science?. 2022 ,	0
312	The time course of creativity: Multivariate classification of default and executive network contributions to creative cognition over time. 2022 ,	1
311	Brain state transition analysis using ultra-fast fMRI differentiates MCI from cognitively normal controls. 16,	0
310	Aberrant resting-state connectivity of auditory, ventral attention/salience and default-mode networks in adults with attention deficit hyperactivity disorder. 16,	0
309	Dynamic connectivity patterns of resting-state brain functional networks in healthy individuals after acute alcohol intake. 16,	0
308	A role for the claustrum in cognitive control. 2022 ,	0
307	Relations between physical activity and hippocampal functional connectivity: Modulating role of mind wandering. 16,	0
306	Association of Regional Cortical Network Atrophy With Progression to Dementia in Patients With Primary Progressive Aphasia. 10.1212/WNL.000000000201403	0
305	Functional Specialization of Parallel Distributed Networks Revealed by Analysis of Trial-to-Trial Variation in Processing Demands.	0
304	Consciousness as a Memory System. Publish Ahead of Print,	1
303	Deconstructing dissociation: a triple network model of trauma-related dissociation and its subtypes.	0

- 302 DLPFC stimulation alters large-scale brain networks connectivity during a drug cue reactivity task: A tDCS-fMRI study. 16, ○
- 301 Meta-connectomic analysis maps consistent, reproducible, and transcriptionally relevant functional connectome hubs in the human brain. **2022**, 5, ○
- 300 Basic Oral Health-Related Psychology. **2022**, 3-23 ○
- 299 A Contemplative Perspective on Mind Wandering. **2022**, 175-199 ○
- 298 Intrinsic Brain Activity and Resting State Networks. **2022**, 1939-1990 ○
- 297 The Secret Powers of a Wandering Mind: Underestimated Potential of a Resting State Network for Language Acquisition. **2022**, 211-224 ○
- 296 Evolutionary shaping of human brain dynamics. ○
- 295 Functional connectivity in behavioral variant frontotemporal dementia. ○
- 294 The neuroscience of trust violation: Differential activation of the default mode network in ability, benevolence and integrity breaches. ○
- 293 Imagination as a fundamental function of the hippocampus. **2022**, 377, 1
- 292 Evolutionary shaping of human brain dynamics. 11, ○
- 291 Altered functional association and couplings: Effective diagnostic neuromarkers for Alzheimer's disease. 14, ○
- 290 Adult lifespan trajectories of neuromagnetic signals and interrelations with cortical thickness. ○
- 289 Self-Referential Processing and Resting-State Functional MRI Connectivity of Cortical Midline Structures in Glioma Patients. **2022**, 12, 1463 ○
- 288 Reduced cortical complexity in patients with end-stage kidney disease prior to dialysis initiation. 16, ○
- 287 Relationship between the consciousness level and the structural neural connectivity of the medial prefrontal cortex in hypoxic-ischemic brain injury: a pilot study. **2022**, 33, 750-755 ○
- 286 Borderline Personality Disorder: Updates in a Postpandemic World. **2022**, 20, 337-352 ○
- 285 A robust core architecture of functional brain networks supports topological resilience and cognitive performance in middle- and old-aged adults. **2022**, 119, ○

- 284 Hippocampal network dysfunction in early psychosis: a 2-year longitudinal study. **2022**, ○
- 283 A neural mechanism underlying predictive visual motion processing in patients with schizophrenia. ○
- 282 The contribution of the left precuneus to emotion memory in migraine without aura patients. 16, ○
- 281 Altered regional homogeneity and functional connectivity of brain activity in young HIV-infected patients with asymptomatic neurocognitive impairment. 13, ○
- 280 Effects of different exercise intensities of race-walking on brain functional connectivity as assessed by functional near-infrared spectroscopy. 16, ○
- 279 Mindfulness in the focus of the neurosciences - The contribution of neuroimaging to the understanding of mindfulness. 16, ○
- 278 Cloud2Sketch: Augmenting Clouds with Imaginary Sketches. **2022**, ○
- 277 San trance dance: embodied experience and neurological mechanisms. 1-17 ○
- 276 The impact of aging on human brain network target controllability. ○
- 275 Contribution of cognitive and bodily navigation cues to egocentric and allocentric spatial memory in hallucinations due to Parkinson's disease: A case report. 16, ○
- 274 Subcortical circuit dysfunctions delay perceptual decision-making in autism models. ○
- 273 A Predictive Biomarker Model Using Quantitative Electroencephalography in Adolescent Major Depressive Disorder. ○
- 272 Preliminary Evidence of EEG Connectivity Changes during Self-Objectification of Workers. **2022**, 22, 7906 ○
- 271 The Relationship between Altered Degree Centrality and Cognitive Function in Mild Subcortical Stroke: A Resting-State fMRI Study. **2022**, 148125 ○
- 270 Topology of pain networks in patients with temporomandibular disorder and pain-free controls with and without concurrent experimental pain: A pilot study. 3, ○
- 269 Hypothalamic Functional Connectivity and Apathy in People with Alzheimer's Disease and Cognitively Normal Healthy Controls. **2022**, 1-14 ○
- 268 Brain signatures of chronic gut inflammation. ○
- 267 A neural mechanism underlying predictive visual motion processing in patients with schizophrenia. **2022**, 114934 ○

- 266 Universal Lifespan Trajectories of Source-Space Information Flow Extracted from Resting-State MEG Data. **2022**, 12, 1404 ○
- 265 Invariant structural and functional brain regions associated with tinnitus: A meta-analysis. **2022**, 17, e0276140 ○
- 264 Spatial variation of changes in test-retest reliability of functional connectivity after global signal regression: The effect of considering hemodynamic delay. ○
- 263 Neural signal variability relates to maladaptive rumination in depression. **2022**, ○
- 262 Six month lower-leg mechanical tactile sensory stimulation alters functional network connectivity associated with improved gait in older adults with peripheral neuropathy | A pilot study. 14, ○
- 261 Free energy model of emotional valence in dual-process perceptions. **2022**, 1 ○
- 260 Neurocognitive mechanisms underlying multiplication and subtraction performance in adults and skill development in children: a scoping review. **2022**, 48, 101228 ○
- 259 Nasal airflow promotes default mode network activity. **2023**, 307, 103981 ○
- 258 A Psychoanalytic Perspective on Psychedelic Experience. **2022**, 32, 452-468 1
- 257 Default But Not Rest: Topological Discrimination Defines the Default Mode Network. ○
- 256 Does cueing need attention? A pilot study in people with Parkinson's disease. **2022**, ○
- 255 Large-scale neural dynamics in a shared low-dimensional state space reflect cognitive and attentional dynamics. ○
- 254 A Functional Neuroimaging Investigation of Moral Foundations Theory. ○
- 253 Relay and higher-order thalamic nuclei show an intertwined functional association with cortical-networks. **2022**, 5, ○
- 252 Structural, functional, and metabolic signatures of postpartum depression: A systematic review. 13, ○
- 251 Greater functional connectivity between the ventral frontal cortex and occipital cortex in herpes zoster patients than postherpetic neuralgia patients. ○
- 250 Episodic memory effects of gamma frequency precuneus transcranial magnetic stimulation in Alzheimer's disease: A randomized multiple baseline study. ○
- 249 The angular gyrus: a special issue on its complex anatomy and function. ○

248	Neuroanatomical substrates in Parkinson's Disease psychosis and their association with serotonergic receptor gene expression: A coordinate-based meta-regression analysis..	0
247	Functional connectivity changes in the insular subregions of patients with obstructive sleep apnea after 6 months of continuous positive airway pressure treatment: a resting-state functional magnetic resonance imaging study..	1
246	Functional connectivity strength and topology differences in social phobia adolescents with and without ADHD comorbidity. 2022 , 108418	0
245	Test-retest reliability of a finger-tapping fMRI task in a healthy population.	0
244	Structural and Functional MRI Data Differentially Predict Chronological Age and Behavioral Memory Performance. 2022 , 9, ENEURO.0212-22.2022	0
243	Structural and functional alterations in cerebral small vessel disease: an ALE-based meta-analysis.	0
242	Morphological and functional brain changes in chronic cancer-related pain: A systematic review.	0
241	Whole-Brain fMRI Functional Connectivity Signatures Predict Sustained Emotional Experience in Naturalistic Contexts.	0
240	Triple network activation causes tinnitus in patients with sudden sensorineural hearing loss: A model-based volume-entropy analysis. 16,	0
239	Exploring the properties of the left angular gyrus using TMS-evoked potentials.	0
238	Infraslow closed-loop brain training for anxiety and depression (ISAD): a protocol for a randomized, double-blind, sham-controlled pilot trial in adult females with internalizing disorders. 2022 , 23,	0
237	Altered structural connectome of children with Auditory Processing Disorder: A diffusion MRI study.	0
236	The Development of Neuroimaging Biomarkers for Cognitive Decline in Sickle Cell Disease. 2022 , 36, 1167-1186	1
235	Within- and across-network alterations in the default network and in visual network patients with somatic symptom disorder. 2022 , 327, 111563	0
234	Late dominance of the right hemisphere during narrative comprehension. 2022 , 264, 119749	0
233	Dual-targeted repetitive transcranial magnetic stimulation modulates brain functional network connectivity to improve cognition in mild cognitive impairment patients. 13,	0
232	Neonatal brain dynamic functional connectivity: impact of preterm birth and association with early childhood neurodevelopment.	0
231	Specific and common functional connectivity deficits in drug-free generalized anxiety disorder and panic disorder: A data-driven analysis. 2023 , 319, 114971	0

- 230 Electrophysiological signatures of resting state networks under new environmental conditions. **2023**, 794, 137012 ○
- 229 Distinct hypothalamic involvement in the amyotrophic lateral sclerosis-frontotemporal dementia spectrum. **2023**, 37, 103281 ○
- 228 The relationship between cognition and functioning in Bipolar Disorder: An investigation using functional imaging during working memory performance. **2023**, 319, 114981 ○
- 227 Increasing empathic concern relates to salience network hyperconnectivity in cognitively healthy older adults with elevated amyloid- β burden. **2023**, 37, 103282 ○
- 226 A systematic review on the potential use of machine learning to classify major depressive disorder from healthy controls using resting state fMRI measures. **2023**, 144, 104972 1
- 225 Neural representations of self-generated thought during think-aloud fMRI. **2023**, 265, 119775 ○
- 224 Disrupted network integration and segregation involving the default mode network in autism spectrum disorder. **2023**, 323, 309-319 ○
- 223 Differential patterns of default mode network activity associated with negative and positive rumination in bipolar disorder. **2023**, 323, 607-616 ○
- 222 Decoding individual differences in expressing and suppressing anger from structural brain networks: A supervised machine learning approach. **2023**, 439, 114245 1
- 221 Functional Organization of the Brain. **2022**, 217-241 ○
- 220 From Structure to Function: Brain Science from the Perspective of Complex Networks. **2022**, 06, 78-83 ○
- 219 Resting-State fMRI reveals Longitudinal Alterations in Brain Network Connectivity in a Mouse Model of Huntington's Disease. ○
- 218 Who's driving? The default mode network in healthy elderly individuals at risk of cognitive decline. 13, ○
- 217 The Split-Half Reliability and Construct Validity of the Virtual Reality-Based Path Integration Task in the Healthy Population. **2022**, 12, 1635 ○
- 216 Exploring changes in depression and radiology-related publications research focus: A bibliometrics and content analysis based on natural language processing. 13, ○
- 215 Big Five, self-reported depression, and anxiety are predictive for Alzheimer's disease. ○
- 214 Default mode network mechanisms of repeated transcranial magnetic stimulation in heroin addiction. ○
- 213 Characterization of Resting-State Striatal Differences in First-Episode Depression and Recurrent Depression. **2022**, 12, 1603 ○

- 212 A true response of the brain network during electroacupuncture stimulation at scalp acupoints: An fMRI with simultaneous EAS study.
- 211 Testosterone Replacement Therapy in the Treatment of Depression. **2022**, 10,
- 210 Alcohol use is associated with affective and interoceptive network alterations in bipolar disorder.
- 209 Structural and functional changes in drug-naïve benign childhood epilepsy with centrotemporal spikes and their associated gene expression profiles.
- 208 Increased Functional Connectivity of the Precuneus in Individuals with a Family History of Alzheimer's Disease. **2022**, 1-13
- 207 Transcranial direct current stimulation improves sleep quality in patients with insomnia after traumatic brain injury. **2023**, 37, 63-73
- 206 A Comparative Perspective on the Cerebello-Cerebral System and Its Link to Cognition.
- 205 Supramodal Shape Representation in the Human Brain.
- 204 Effects of preventive interventions on neuroimaging biomarkers in subjects at-risk to develop Alzheimer's disease: A systematic review. 14,
- 203 Aberrant dynamic functional network connectivity in type 2 diabetes mellitus individuals.
- 202 Changes in global functional network properties predict individual differences in habit formation.
- 201 Cerebral Venous-Associated Brain Damage May Lead to Anxiety and Depression. **2022**, 11, 6927
- 200 Dose-related Adaptive Reconstruction of DMN in isoflurane Administration: a Study in the Rat.
- 199 Sensory stimulation for upper limb amputations modulates adaptability of cortical large-scale systems and combination of somatosensory and visual inputs. **2022**, 12,
- 198 Associations between disrupted functional brain network topology and cognitive impairment in patients with rectal cancer during chemotherapy. 12,
- 197 Nutritional metabolism and cerebral bioenergetics in Alzheimer's disease and related dementias.
- 196 Neural contributions to reduced fluid intelligence across the adult lifespan. JN-RM-0148-22
- 195 Inhibitory temporo-parietal effective connectivity is associated with explicit memory performance in older adults.

- 194 Emotion regulation and the salience network: a hypothetical integrative model of fibromyalgia. **2023**, 19, 44-60 ○
- 193 Targeting neural correlates of placebo effects. ○
- 192 Hyperactivity of the default mode network in schizophrenia and free energy: A dialogue between Freudian theory of psychosis and neuroscience. 16, ○
- 191 Acupuncture decreases amygdala functional connectivity in subjective tinnitus. 13, ○
- 190 A tripartite view of the posterior cingulate cortex. ○
- 189 Hippocampal ripples coincide with β -state and cortical spindles in Retrosplenial Cortex. ○
- 188 Structural brain abnormalities in schizophrenia patients with a history and presence of auditory verbal hallucination. **2022**, 12, ○
- 187 Cortical networks relating to arousal are differentially coupled to neural activity and hemodynamics. ○
- 186 Genetic influence on resting state networks in young male and female adults: a cartographer mapping study. ○
- 185 The gradient model of brain organization in decisions involving β empathy for pain β ○
- 184 Fast network oscillations during non-REM sleep support memory consolidation. **2022**, ○
- 183 Air-conducted ultrasound below the hearing threshold elicits functional changes in the cognitive control network. **2022**, 17, e0277727 ○
- 182 Altered fractional amplitude of low-frequency fluctuation in superior temporal gyrus: a resting-state fMRI study in Anxious depression. ○
- 181 Resting state functional connectivity as a marker of internalizing disorder onset in high-risk youth. **2022**, 12, ○
- 180 Effects of nonsocial and circumscribed interest images on neural mechanisms of emotion regulation in autistic adults. 16, ○
- 179 Oxidized low-density lipoprotein concentration and CBF in patients with white matter hyperintensities. ○
- 178 Network organization of resting-state cerebral hemodynamics and their aliasing contributions measured by functional near-infrared spectroscopy. ○
- 177 BIOMARKERS OF MIGRAINE AND CLUSTER HEADACHE: DIFFERENCES AND SIMILARITIES. ○

- 176 Differences in resting state functional connectivity underlie visuomotor performance declines in older adults with a genetic risk (APOE ϵ) for Alzheimer's disease. 14,
- 175 Estimating effective connectivity in Alzheimer's disease progression: A dynamic causal modeling study. 16,
- 174 Atypical language network lateralization is reflected throughout the macroscale functional organization of cortex.
- 173 Altered patterns of central executive, default mode and salience network activity and connectivity are associated with current and future depression risk in two independent young adult samples.
- 172 A coordinate-based meta-analysis of acupuncture for chronic pain: Evidence from fMRI studies. 16,
- 171 The processing of stress in a foreign language modulates functional antagonism between default mode and attention network regions.
- 170 Neural representations of naturalistic events are updated as our understanding of the past changes. 11,
- 169 Brain connectivity changes underlying depression and fatigue in relapsing-remitting multiple sclerosis: a systematic review.
- 168 Influences of resting-state intrinsic functional brain connectivity on the antidepressant treatment response in late-life depression. 1-10
- 167 Inter-individual differences in baseline dynamic functional connectivity are linked to cognitive aftereffects of tDCS. 2022, 12,
- 166 Modulations of static and dynamic functional connectivity among brain networks by electroacupuncture in post-stroke aphasia. 13,
- 165 Altered functional connectivity of anterior cingulate cortex in chronic insomnia: A resting-state fMRI study. 2022,
- 164 Interaction Between Memory Load and Experimental Design on Brain Connectivity and Network Topology.
- 163 From tablet to table: How augmented reality influences food desirability.
- 162 Temporal Dynamics of Activity in Default Mode Network Suggest a Role in Top-Down Processing for Trial Responses.
- 161 Neurocognitive Underpinning of Neurological Disorders: Role of Default Mode Network. 2022, 269-297
- 160 Structural But Not Functional Connectivity Differences within Default Mode Network Indicate Conversion to Dementia. 2023, 1-12
- 159 Functional Network Alterations Associated with Cognition in Preclinical Alzheimer's Disease.

- 158 SDI-118, a novel procognitive SV2A modulator: First-in-human randomized controlled trial including PET/fMRI assessment of target engagement. 13,
- 157 Weaving a story: narrative formation over prolonged time scales engages social cognition and fronto-parietal networks.
- 156 Localization and connectivity of rodent equivalent of the primate posterior cingulate cortex (area 23).
- 155 Consciousness, Memory, and the Human Self: Commentary on Consciousness as a Memory System By Budson et al (2022). Publish Ahead of Print,
- 154 Responsiveness variability during anaesthesia relates to inherent differences in brain structure and function of the frontoparietal networks.
- 153 Changes in Resting-State Neural Activity and Nerve Fibres in Ischaemic Stroke Patients with Hemiplegia.
- 152 Resting-State fMRI reveals Longitudinal Alterations in Brain Network Connectivity in the zQ175DN mouse Model of Huntington's Disease.
- 151 Neurocognitive Endophenotypes for Eating Disorders: A Preliminary High-Risk Family Study. **2023**, 13, 99
- 150 Functional Correlates of Striatal Dopamine Transporter Cerebrospinal Fluid Levels in Alzheimer's Disease: A Preliminary 18F-FDG PET/CT Study. **2023**, 24, 751
- 149 Exposure to negative socio-emotional events induces sustained alteration of resting-state brain networks in older adults.
- 148 Evidence for Spinozan Unbelieving in the Right Inferior Prefrontal Cortex. 1-22
- 147 Immediate modulatory effects of transcutaneous auricular vagus nerve stimulation on the resting state of major depressive disorder. **2023**,
- 146 Meta-analytic connectivity modelling of functional magnetic resonance imaging studies in autism spectrum disorders.
- 145 A method for reconstruction of interpretable brain networks from transient synchronization in resting-state BOLD fluctuations. 16,
- 144 The optimal balance of controlled and spontaneous processing in insight problem solving: fMRI evidence from Chinese idiom guessing.
- 143 Are psychedelics the answer to chronic pain: A review of current literature.
- 142 Multivariate Multiscale Entropy (mMSE) as a tool for understanding the resting-state EEG signal dynamics: the spatial distribution and sex/gender- related differences.
- 141 Predicting alcohol-related memory problems in older adults: A machine learning study with multi-domain features.

- 140 The Active Inference Model of Coherence Therapy. 16, ○
- 139 Dissociable salience and default mode network modulation in generalized anxiety disorder: a connectome-wide association study. ○
- 138 Functional connectivity between dorsal attention and default mode networks mediates subjective sleep duration and depression in young females. **2023**, 325, 386-391 ○
- 137 Functional disconnection between subsystems of the default mode network in bipolar disorder. **2023**, 325, 22-28 ○
- 136 Characterizing different cognitive and neurobiological profiles in a community sample of children using a non-parametric approach: An fMRI study. **2023**, 60, 101198 ○
- 135 The times they are a-changin' a proposal on how brain flexibility goes beyond the obvious to include the concepts of 'upward' and 'downward' to neuroplasticity. ○
- 134 Brain functional activity-based classification of autism spectrum disorder using an attention-based graph neural network combined with gene expression. ○
- 133 Cognitive Neuroscience of Obsessive-Compulsive Disorder. **2022**, ○
- 132 Interactions between the aging brain and motor task complexity across the lifespan: balancing brain activity resource demand and supply. ○
- 131 Mind Wandering. **2022**, 868-875 ○
- 130 Lost in space(s): multimodal neuroimaging of disorientation along the Alzheimer's disease continuum. ○
- 129 Association between social comparison orientation and hippocampal properties in older adults: A multimodal MRI study. 1-14 1
- 128 Neurobiologia del cervello sociale nei disturbi d'ansia e dell'umore - Mini-review. **2022**, 32-71 ○
- 127 Aberrant dynamic functional network connectivity in vestibular migraine patients without peripheral vestibular lesion. ○
- 126 The rostral zona incerta: a subcortical integrative hub and potential DBS target for OCD.. **2023**, ○
- 125 References. **2023**, 253-354 ○
- 124 The Role of Mindfulness, Mind Wandering, Attentional Control, and Maladaptive Personality Traits in Problematic Gaming Behavior. ○
- 123 Mapping Brain Networks Using Multimodal Data. **2023**, 2975-3025 ○

- 122 The neuroprotective and neural circuit mechanisms of acupoint stimulation for cognitive impairment. **2023**, 18, ○
- 121 Salience-based information integration: An overarching function of the Social brain. ○
- 120 Infant brain regional cerebral blood flow increases supporting emergence of the default-mode network. 12, ○
- 119 The effects of stimulating the cerebellum on social sequences: A tDCS-fMRI pilot study. **2023**, 23, 100373 ○
- 118 fMRI-Based Anatomy: Mapping the Cerebellum. **2023**, 351-356 ○
- 117 Normalized mutual information of fNIRS signals as a measure for accessing typical and atypical brain activity. ○
- 116 Altered functional connectivity between the default mode network in diabetic retinopathy patients. **2023**, 34, 309-314 ○
- 115 Prologue. **2023**, vii-xv ○
- 114 Language for reflection (on language). **2023**, 187-224 ○
- 113 Afterthoughts. **2023**, 265-277 ○
- 112 Copyright Page. **2023**, iv-iv ○
- 111 Language for recollection. **2023**, 38-74 ○
- 110 Cognitive Processes and Resting-State Functional Neuroimaging Findings in High Schizotypal Individuals and Schizotypal Personality Disorder Patients: A Systematic Review. **2023**, 13, 615 ○
- 109 Resting-state functional MRI in treatment-resistant schizophrenia. 2, ○
- 108 The relationship between resting-state amplitude fluctuations and memory-related deactivations of the default mode network in young and older adults. ○
- 107 Identification of overlapping and interacting networks reveals intrinsic spatiotemporal organization of the human brain. **2023**, 270, 119944 ○
- 106 Failure of deactivation in bipolar disorder during performance of an fMRI adapted version of the Stroop task. **2023**, 329, 307-314 ○
- 105 Unbalanced amygdala communication in major depressive disorder. **2023**, 329, 192-206 ○

- 104 De l'entropie au principe de l'énergie libre : métapsychologie de la pulsion de mort et des enveloppes psychiques. Partie 2. **2023**, 7, 100331 ○
- 103 Reduced connectivity of primary auditory and motor cortices during exposure to auditory white noise. **2023**, 804, 137212 ○
- 102 Brain functional abnormality in drug treated and drug naïve adolescents with borderline personality disorder: Evidence for default mode network dysfunction. **2023**, 161, 40-47 ○
- 101 Resting-state fMRI reveals longitudinal alterations in brain network connectivity in the zQ175DN mouse model of Huntington's disease. **2023**, 181, 106095 ○
- 100 Brain networks for temporal adaptation, anticipation, and sensory-motor integration in rhythmic human behavior. **2023**, 183, 108524 ○
- 99 Eyes don't lie: Eye movements differ during covert and overt autobiographical recall. **2023**, 235, 105416 1
- 98 Resting-state fMRI functional connectivity and clinical correlates in Afro-descendants with schizophrenia and bipolar disorder. **2023**, 331, 111628 ○
- 97 Resting-state connectivity underlying cognitive control's association with perspective taking in callous-unemotional traits. **2023**, 331, 111615 1
- 96 Changes of creative ability and underlying brain network connectivity throughout the lifespan. **2023**, 168, 105975 ○
- 95 The (In)flexible self: Psychopathology, mindfulness, and neuroscience. **2023**, 23, 100381 ○
- 94 A variational Bayesian approach to identifying whole-brain directed networks with fMRI data. **2023**, 17, ○
- 93 Possible in Scriptwriting. **2022**, 1170-1178 ○
- 92 Patients with Alzheimer's disease dementia show partially preserved parietal hubs modeled from resting-state alpha electroencephalographic rhythms. 15, ○
- 91 The Role of Extra-motor Networks in Upper Limb Motor Performance Post-stroke. **2023**, 514, 1-13 ○
- 90 Shared grey matter correlates of reading and attention. **2023**, 237, 105230 ○
- 89 Irritability in early to middle childhood: Cross-sectional and longitudinal associations with resting state amygdala and ventral striatum connectivity. **2023**, 60, 101206 ○
- 88 Clustering of antipsychotic-naïve patients with schizophrenia based on functional connectivity from resting-state electroencephalography. ○
- 87 The neurobiology of irritable bowel syndrome. 1

- 86 Sulcal morphology of posteromedial cortex substantially differs between humans and chimpanzees. ○
- 85 A Life with Poetry. **2023**, ○
- 84 Resting-State Functional Connectivity Changes in Older Adults with Sleep Disturbance and the Role of Amyloid Burden. ○
- 83 Considering the Purposes of Moral Education with Evidence in Neuroscience: Emphasis on Habituation of Virtues and Cultivation of Phronesis. ○
- 82 Grey matter volume loss in Parkinson's disease psychosis and its relationship with serotonergic gene expression: A meta-analysis. **2023**, 147, 105081 ○
- 81 Functional connectivity profiles of the default mode and visual networks reflect temporal accumulative effects of sustained naturalistic emotional experience. **2023**, 269, 119941 ○
- 80 Spontaneous Activity Patterns in Human Attention Networks Code for Hand Movements. **2023**, 43, 1976-1986 ○
- 79 Association of default-mode network neurotransmitters and inter-network functional connectivity in first episode psychosis. **2023**, 48, 781-788 ○
- 78 Oscillatory brain activity as unified control mechanism for working memory and mentalizing. ○
- 77 What is autonomous sensory meridian response (ASMR)? A narrative review and comparative analysis of related phenomena. **2023**, 109, 103477 ○
- 76 Neuronal dynamics of the default mode network and anterior insular cortex: Intrinsic properties and modulation by salient stimuli. **2023**, 9, ○
- 75 Neural Substrates of Body Ownership and Agency during Voluntary Movement. **2023**, 43, 2362-2380 ○
- 74 Sleep and dreaming in the light of reactive and predictive homeostasis. **2023**, 147, 105104 ○
- 73 Altered longitudinal trajectory of default mode network connectivity in healthy youth with subclinical depressive and posttraumatic stress symptoms. **2023**, 60, 101216 ○
- 72 Default Mode and Dorsal Attention Network functional connectivity associated with alpha and beta peak frequency in individuals. ○
- 71 Dynamics of working memory process revealed by independent component analysis in an fMRI study. **2023**, 13, ○
- 70 Structure/function interrelationships and illness insight in patients with schizophrenia: a multimodal MRI data fusion study. ○
- 69 Source Localization of Somatosensory Neural Generators in Adults with Attention-Deficit/Hyperactivity Disorder. **2023**, 13, 370 ○

- 68 The Contribution of Non-invasive Brain Stimulation to the Study of the Neural Bases of Creativity and Aesthetic Experience. **2023**, 163-196 ○
- 67 Functional Connectivity Changes in the Insular Subregions of Patients with Obstructive Sleep Apnea after 6 Months of Continuous Positive Airway Pressure Treatment. **2023**, 2023, 1-10 ○
- 66 Top-down and bottom-up alterations of connectivity patterns of the suprachiasmatic nucleus in chronic insomnia disorder. ○
- 65 Dissociable brainstem functional connectivity changes correlate with objective and subjective vigilance decline after total sleep deprivation in healthy male subjects. ○
- 64 Altered structural connectome of children with auditory processing disorder: a diffusion MRI study. ○
- 63 The response of hippocampal functional connectivity to sustained pain in a pain-sensitive population. **2023**, 2, ○
- 62 3D EEG and Clinical Evidence of Brain Dying. Preliminary Report. **2023**, 19, 34-42 ○
- 61 A developmental neurocognitive perspective on conduct disorder: current status and future directions. **2022**, ○
- 60 Construction of Meta-Thinking Educational Program Based on Mental-Brain Simulation (MTMBS) and Evaluating its Effectiveness on Executive Functions, Emotion Regulation, and Impulsivity in Children With ADHD: A Resting-State Functional MRI Study. 108705472311554 ○
- 59 Uncovering hidden patterns of design ideation using hidden Markov modeling and neuroimaging. **2023**, 37, ○
- 58 Gray matter volume and within-task verbal fluency performance among older adults. **2023**, 166, 105960 ○
- 57 Reduced coupling between offline neural replay events and default mode network activation in schizophrenia. **2023**, 5, ○
- 56 Different emotion regulation strategies mediate the relations of corresponding connections within the default-mode network to sleep quality. ○
- 55 Neuromodulation for treatment-resistant depression: Functional network targets contributing to antidepressive outcomes. 17, ○
- 54 Mind wandering in reading: An embodied approach. 17, ○
- 53 Learning from errors: Distinct neural networks for monitoring errors and maintaining corrects through repeated practice and feedback. **2023**, 271, 120001 ○
- 52 Functional hierarchy of the angular gyrus and its underlying genetic architecture. **2023**, 44, 2815-2828 ○
- 51 The perturbational map of low frequency repetitive transcranial magnetic stimulation of primary motor cortex in movement disorders. **2023**, 9, 100071 ○

- 50 Decreased functional connectivity is associated with increased levels of Cerebral Spinal Fluid soluble-PDGFR α marker of blood brain barrier breakdown, in older adults. ○
- 49 Associations of mTBI and post-traumatic stress to amygdala structure and functional connectivity in military Service Members. 2, ○
- 48 Diseases of the Central Nervous System. **2023**, 163-193 ○
- 47 Concussion-related disruptions to hub connectivity in the default mode network are related to symptoms and cognition. ○
- 46 Hippocampal connectivity and memory decline in cognitively intact APOE ϵ carriers. ○
- 45 Brain effective connectivity and functional connectivity as markers of lifespan vascular exposures in middle-aged adults: The Bogalusa Heart Study. 15, ○
- 44 Aberrant Large-Scale Network Interactions Across Psychiatric Disorders Revealed by Large-Sample Multi-Site Resting-State Functional Magnetic Resonance Imaging Datasets. ○
- 43 Neural mechanisms of brand love relationship dynamics: Is the development of brand love relationships the same as that of interpersonal romantic love relationships?. 16, ○
- 42 Increased spontaneous activity of the superior frontal gyrus with reduced functional connectivity to visual attention areas and cerebellum in male smokers. 17, ○
- 41 The role of the salience network in cognitive and affective deficits. 17, ○
- 40 Joint-embeddings reveal functional differences in default-mode network architecture between marmosets and humans. **2023**, 272, 120035 ○
- 39 A Pilot Study: Extraction of a Neural Network and Feature Extraction of Generation and Reduction Mechanisms Due to Acute Stress. **2023**, 13, 519 ○
- 38 Integration/Segregation dynamics in functional networks of individuals diagnosed with schizophrenia. ○
- 37 Taking stock of the past: A psychometric evaluation of the Autobiographical Interview. ○
- 36 Neural Network Modulation of Ayahuasca: A Systematic Review of Human Studies. **2023**, 2, 76-91 ○
- 35 Shared and differential fractional amplitude of low-frequency fluctuation patterns at rest in major depressive disorders with or without sleep disturbance. 14, ○
- 34 Binge drinking and inhibitory control: a mini-review of fMRI studies. **2023**, 64, ○
- 33 The Primacy of Experience in Language Processing: Semantic Priming Is Driven Primarily by Experiential Similarity. ○

- 32 Language for actuality. **2023**, 75-113
- 31 Terms related to brain sites and neuro-imaging techniques. **2023**, 288-293
- 30 Brains for language (and everything else). **2023**, 1-37
- 29 Terms related to brain sites and functions. **2023**, 278-287
- 28 Language for imagery. **2023**, 149-186
- 27 Language for literacy and literacy for language. **2023**, 225-264
- 26 Language for (im)possible worlds. **2023**, 114-148
- 25 Growing into Language. **2023**,
- 24 Cerebral Cortex. **2013**, 154-173
- 23 Purpose in life promotes resilience to age-related brain burden in middle-aged adults. **2023**, 15,
- 22 Decoding reappraisal and suppression from neural circuits: A combined supervised and unsupervised machine learning approach.
- 21 Heritability of human directed functional connectome.
- 20 Electroacupuncture for psychogenic erectile dysfunction: A resting-state functional magnetic resonance imaging study exploring the alteration of fractional amplitude of low frequency fluctuation. 17,
- 19 Association of Intrinsic Functional Brain Network and Longitudinal Development of Cognitive-Behavioral Symptoms in Young Girls with Fragile X Syndrome. **2023**,
- 18 Microsurgical anatomy of the isthmus cingulum: a new white matter crossroad and neurosurgical implications in the posteromedial interhemispheric approaches and the glioma invasion patterns. **2023**, 46,
- 17 Machine learning model to predict obesity using gut metabolite and brain microstructure data. **2023**, 13,
- 16 Neural impact of Skill and Goal-based Training in Adults with Dyslexia: A Randomized Trial.
- 15 Dynamic evolution of brain structural patterns in liver transplantation recipients: a longitudinal study based on 3D convolutional neuronal network model.

- 14 Involuntary, Limited, and Contiguously Repeating Musical Imagery (InLaCReMI): Reconciling Theory and Data on the Musical Material Acquired by Earworms. **2023**, 6, 205920432311656 ○
- 13 Aberrant Intrinsic Brain Network Functional Connectivity in Women Diagnosed with Premenstrual Dysphoric Disorder During Face-Matching Task. **2023**, ○
- 12 Topologically convergent and divergent large scale complex networks among Alzheimer's disease spectrum patients: A systematic review. **2023**, 9, e15389 ○
- 11 Electroconvulsive therapy induces remodeling of hippocampal co-activation with the default mode network in patients with depression. **2023**, 38, 103404 ○
- 10 Associations of bullying perpetration and peer victimization subtypes with preadolescent suicidality, non-suicidal self-injury, neurocognition, and brain development. **2023**, 21, ○
- 9 Driving and suppressing the human language network using large language models. ○
- 8 Relationship between Coma Recovery Scale-Revised and the Thalamocortical Tract of Ascending Reticular Activating System in Hypoxic-Ischemic Brain Injury: A Pilot Study. **2023**, 11, 1148 ○
- 7 Visuo-spatial attention and semantic memory competition in the parietal cortex. **2023**, 13, ○
- 6 When You're Smiling How Posed Facial Expressions Affect Visual Recognition of Emotions. **2023**, 13, 668 ○
- 5 Enhancing the network specific individual characteristics in rs-fMRI functional connectivity by dictionary learning. ○
- 4 MRI factors associated with cognitive functioning after acute onset brain injury: systematic review and meta-analysis. **2023**, 103415 ○
- 3 Resting state hyperconnectivity of the default mode network in schizophrenia and clinical high-risk state for psychosis. ○
- 2 How the body remembers: Examining the default mode and sensorimotor networks during moral injury autobiographical memory retrieval in PTSD. **2023**, 38, 103426 ○
- 1 Altered brain activity in patients with end-stage renal disease: A meta-analysis of resting-state functional imaging. ○