

CITATION REPORT

List of articles citing

Systematic review of the efficacy and effectiveness of complementary feeding interventions in developing countries

DOI: 10.1111/j.1740-8709.2007.00124.x

Maternal and Child Nutrition, 2008, 4 Suppl 1, 24-85.

Source: <https://exaly.com/paper-pdf/43630348/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
627	Effectiveness of a community-based responsive feeding programme in rural Bangladesh: a cluster randomized field trial. <i>Maternal and Child Nutrition</i> , 2008 , 4, 275-86	3-4	54
626	Community participation: lessons for maternal, newborn, and child health. 2008 , 372, 962-71		229
625	Iron deficiency in young children in low-income countries and new approaches for its prevention. 2008 , 138, 2523-8		68
624	Scaling up international food aid: food delivery alone cannot solve the malnutrition crisis. 2008 , 5, e235		3
623	A responsive feeding intervention increases children's self-feeding and maternal responsiveness but not weight gain. 2009 , 139, 1738-43		52
622	Postintervention growth of Malawian children who received 12-mo dietary complementation with a lipid-based nutrient supplement or maize-soy flour. 2009 , 89, 382-90		65
621	Ready-to-use therapeutic food for the prevention of wasting in children. 2009 , 301, 327-8		3
620	Current and potential role of specially formulated foods and food supplements for preventing malnutrition among 6- to 23-month-old children and for treating moderate malnutrition among 6- to 59-month-old children. 2009 , 30, S434-63		141
619	Effect of preventive supplementation with ready-to-use therapeutic food on the nutritional status, mortality, and morbidity of children aged 6 to 60 months in Niger: a cluster randomized trial. 2009 , 301, 277-85		81
618	Multiple micronutrient supplementation during early childhood increases child size at 2 y of age only among high compliers. 2009 , 89, 1125-31		28
617	Who feeds children? A child's-eye-view of caregiver feeding patterns among the Aka foragers in Congo. 2009 , 69, 285-92		43
616	Impact of fortified blended food aid products on nutritional status of infants and young children in developing countries. 2009 , 67, 706-18		22
615	Dietary characteristics of complementary foods offered to Guatemalan infants vary between urban and rural settings. 2009 , 29, 470-9		14
614	Malawian mothers' attitudes towards the use of two supplementary foods for moderately malnourished children. 2009 , 53, 195-202		25
613	Scaling Up Nutrition. 2009 ,		31
612	Child undernutrition, tropical enteropathy, toilets, and handwashing. 2009 , 374, 1032-1035		490
611	Effective nutrition programming for children and the role of UNICEF: consensus points from an expert consultation. 2009 , 30, 189-96		2

610	Implementing an integrated nutrition package at large scale in Madagascar: the Essential Nutrition Actions framework. 2009 , 30, 233-44		32
609	Strengthening actions to improve feeding of infants and young children 6 to 23 months of age: summary of a recent World Health Organization/UNICEF technical meeting, Geneva, 6-9 October 2008. 2009 , 30, S236-8		13
608	Dietary counseling in the management of moderate malnourishment in children. 2009 , 30, S405-33		45
607	Iterative design, implementation and evaluation of a supplemental feeding program for underweight children ages 6-59 months in Western Uganda. 2010 , 14, 299-306		20
606	Shared principles of ethics for infant and young child nutrition in the developing world. 2010 , 10, 321		11
605	Continuation of linear growth failure and its association with cognitive ability are not dependent on initial length-for-age: a longitudinal study from 6 months to 11 years of age. 2010 , 99, 1719-23		25
604	Use of lipid-based nutrient supplements (LNS) to improve the nutrient adequacy of general food distribution rations for vulnerable sub-groups in emergency settings. <i>Maternal and Child Nutrition</i> , 2010 , 6 Suppl 1, 1-69	3.4	61
603	Translational nutrition research at UC Davis--the key role of the Clinical and Translational Science Center. 2010 , 1190, 179-83		2
602	Reducing wasting in young children with preventive supplementation: a cohort study in Niger. 2010 , 126, e442-50		27
601	Safety nets can help address the risks to nutrition from increasing climate variability. 2010 , 140, 148S-52S		46
600	A lipid-based nutrient supplement but not corn-soy blend modestly increases weight gain among 6- to 18-month-old moderately underweight children in rural Malawi. 2010 , 140, 2008-13		33
599	Effect of an improved local ingredient-based complementary food fortified or not with iron and selected multiple micronutrients on Hb concentration. 2010 , 13, 1923-30		16
598	Effect of repeated treatment of pregnant women with sulfadoxine-pyrimethamine and azithromycin on preterm delivery in Malawi: a randomized controlled trial. 2010 , 83, 1212-20		72
597	Maternal dietary counseling in the first year of life is associated with a higher healthy eating index in childhood. 2010 , 140, 2002-7		44
596	Complementary foods fortified with micronutrients prevent iron deficiency and anemia in Vietnamese infants. 2010 , 140, 2241-7		18
595	Feeding patterns and behaviors during home supplementation of underweight Malawian children with lipid-based nutrient supplements or corn-soy blend. 2010 , 54, 504-11		23
594	Rajiv Shah at USAID: reviving nutrition for the world's poor. 2010 , 375, 355-7		
593	A flexible blueprint for the future of drug development. 2010 , 375, 357-9		14

592	Nutrition and Micronutrients in Tropical Infectious Diseases. 2011 , 23-31		
591	Sulfur amino acid metabolism limits the growth of children living in environments of poor sanitation. 2011 , 77, 380-2		3
590	[An infant feeding update program at healthcare centers and its impact on breastfeeding and morbidity]. 2011 , 27, 1213-22		9
589	Food Security Policy in Developing Countries. 2011 , 343-369		3
588	Optimal management of iron deficiency anemia due to poor dietary intake. 2011 , 4, 741-50		34
587	Effects of multimicronutrient home fortification on anemia and growth in Bhutanese refugee children. 2011 , 32, 264-76		29
586	Provision of micronutrient powder in response to the Cyclone Sidr emergency in Bangladesh: cross-sectional assessment at the end of the intervention. 2011 , 32, 277-85		13
585	Home fortification of foods with multiple micronutrient powders for health and nutrition in children under two years of age. 2011 , CD008959		116
584	Home fortification of foods with multiple micronutrient powders for health and nutrition in children under 2 years of age. 2011 ,		9
583	Prevention and management of protein energy malnutrition. 292-309		
582	Infant and young child feeding in the Peruvian Amazon: the need to promote exclusive breastfeeding and nutrient-dense traditional complementary foods. <i>Maternal and Child Nutrition</i> , 2011 , 7, 284-94	3-4	20
581	Acceptability of zinc-fortified, lipid-based nutrient supplements (LNS) prepared for young children in Burkina Faso. <i>Maternal and Child Nutrition</i> , 2011 , 7, 357-67	3-4	39
580	Long-term consequences of stunting in early life. <i>Maternal and Child Nutrition</i> , 2011 , 7 Suppl 3, 5-18	3-4	468
579	Impact of maternal education about complementary feeding and provision of complementary foods on child growth in developing countries. 2011 , 11 Suppl 3, S25		200
578	Iron interventions for women and children in low-income countries. 2011 , 141, 756S-762S		84
577	Two Feasibility Studies for Introduction of Multimicronutrient Soy/Whey-Based Supplements in Rural Homes in Honduras. 2011 , 6, 247-263		1
576	Male influence on infant feeding in rural Guatemala and implications for child nutrition interventions. 2011 , 6, 227-31		7
575	Plasma zinc concentration responds to short-term zinc supplementation, but not zinc fortification, in young children in Senegal ^{1,2} . 2011 , 93, 1348-55		21

574	Evidence-based prevention of childhood malnutrition. 2011 , 14, 276-85	26
573	Beyond food insecurity: how context can improve complementary feeding interventions. 2011 , 32, 244-53	38
572	A micronutrient-fortified food enhances iron and selenium status of Zambian infants but has limited efficacy on zinc. 2011 , 141, 935-43	20
571	Food chain mycotoxin exposure, gut health, and impaired growth: a conceptual framework. 2012 , 3, 526-31	116
570	Program experience with micronutrient powders and current evidence. 2012 , 142, 1915-65	25
569	Building convergence in science, programs, and policy actions on child undernutrition: symposium rationale and overview. 2012 , 3, 224-6	17
568	Safety of universal provision of iron through home fortification of complementary foods in malaria-endemic areas. 2012 , 3, 555-9	9
567	Identifying potential programs and platforms to deliver multiple micronutrient interventions. 2012 , 142, 1785-855	36
566	Treatment of moderate acute malnutrition with ready-to-use supplementary food results in higher overall recovery rates compared with a corn-soya blend in children in southern Ethiopia: an operations research trial. 2012 , 96, 911-6	40
565	Growth in late infancy among HIV-exposed children in urban Haiti is associated with participation in a clinic-based infant feeding support intervention. 2012 , 142, 774-80	11
564	Promoting healthy growth: what are the priorities for research and action?. 2012 , 3, 234-41	28
563	Feasibility and effectiveness of supplementation with locally available foods in prevention of child malnutrition in Kenya. 2012 , 15, 749-56	17
562	A six-month intervention with two different types of micronutrient-fortified complementary foods had distinct short- and long-term effects on linear and ponderal growth of Vietnamese infants. 2012 , 142, 1735-40	18
561	Sweet potato-based complementary food for infants in low-income countries. 2012 , 33, 3-10	24
560	Point-of-use fortification of foods with micronutrient powders containing iron in children of preschool and school age. 2012 ,	7
559	Heavy agricultural workloads and low crop diversity are strong barriers to improving child feeding practices in the Bolivian Andes. 2012 , 75, 1673-84	56
558	Community-based supplementary feeding for promoting the growth of children under five years of age in low and middle income countries. 2012 , CD005039	32
557	Feeding interventions for improving the physical and psychosocial health of disadvantaged children aged three months to five years. 2012 ,	6

556	Environmental enteropathy: critical implications of a poorly understood condition. 2012 , 18, 328-36		303
555	Effects of micronutrient fortified milk and cereal food for infants and children: a systematic review. 2012 , 12, 506		76
554	Zinc deficiency and human health: etiology, health consequences, and future solutions. 2012 , 361, 291-299		93
553	Effect of mass supplementation with ready-to-use supplementary food during an anticipated nutritional emergency. 2012 , 7, e44549		27
552	[Food consumption Brazilian children by 6 to 59 months of age]. 2012 , 28, 1759-71		35
551	Overcoming challenges to accelerating linear growth in Indian children. 2012 , 49, 271-5		10
550	Infant and young child feeding in developing countries. 2012 , 83, 32-45		24
549	Examination of facilitators and barriers to home-based supplemental feeding with ready-to-use food for underweight children in western Uganda. <i>Maternal and Child Nutrition</i> , 2012 , 8, 115-29	3-4	20
548	Determinants of inappropriate complementary feeding practices in infant and young children in Bangladesh: secondary data analysis of Demographic Health Survey 2007. <i>Maternal and Child Nutrition</i> , 2012 , 8 Suppl 1, 11-27	3-4	100
547	The crisis of poor complementary feeding in South Asia: where next?. <i>Maternal and Child Nutrition</i> , 2012 , 8 Suppl 1, 1-4	3-4	13
546	Breastfeeding experiences of Turkish women. 2012 , 21, 1109-18		15
545	Food insecurity is associated with attitudes towards exclusive breastfeeding among women in urban Kenya. <i>Maternal and Child Nutrition</i> , 2012 , 8, 199-214	3-4	58
544	Maternal dietary counseling reduces consumption of energy-dense foods among infants: a randomized controlled trial. 2012 , 44, 140-7		20
543	Behaviour change communication targeting four health behaviours in developing countries: a review of change techniques. 2012 , 75, 612-21		94
542	Challenges to changing health behaviours in developing countries: a critical overview. 2012 , 75, 589-94		101
541	Nutrition education and counselling provided during pregnancy: effects on maternal, neonatal and child health outcomes. 2012 , 26 Suppl 1, 191-204		108
540	Identifying priorities to improve maternal and child nutrition among the Khmu ethnic group, Laos: a formative study. <i>Maternal and Child Nutrition</i> , 2013 , 9, 452-66	3-4	29
539	Cluster-randomized trial on complementary and responsive feeding education to caregivers found improved dietary intake, growth and development among rural Indian toddlers. <i>Maternal and Child Nutrition</i> , 2013 , 9, 99-117	3-4	147

538	Effectiveness of a parenting program in Bangladesh to address early childhood health, growth and development. 2013 , 97, 250-8		79
537	Effectiveness of nutrition training of health workers toward improving caregivers' feeding practices for children aged six months to two years: a systematic review. 2013 , 12, 66		56
536	Bridging immunity and lipid metabolism by gut microbiota. 2013 , 132, 253-62; quiz 263		48
535	The economics and nutritional impacts of food assistance policies and programs. 2013 , 42, 151-163		33
534	Efficacy of in-service nutrition training for mid-level providers to improve feeding practices among HIV-positive children in Tanga, Tanzania: study protocol for a cluster randomized controlled trial. 2013 , 14, 352		4
533	Impact of education and provision of complementary feeding on growth and morbidity in children less than 2 years of age in developing countries: a systematic review. 2013 , 13 Suppl 3, S13		139
532	Determinants of complementary feeding practices among Nepalese children aged 6-23 months: findings from Demographic and Health Survey 2011. 2013 , 13, 131		86
531	Protecting child health and nutrition status with ready-to-use food in addition to food assistance in urban Chad: a cost-effectiveness analysis. 2013 , 11, 27		17
530	Complementary Feeding: Critical Considerations to Optimize Growth, Nutrition, and Feeding Behavior. 2013 , 1, 247-256		28
529	Key principles to improve programmes and interventions in complementary feeding. <i>Maternal and Child Nutrition</i> , 2013 , 9 Suppl 2, 101-15	3-4	24
528	Home fortification of foods with multiple micronutrient powders for health and nutrition in children under two years of age (Review). 2013 , 8, 112-201		126
527	Immune responses and protection in children in developing countries induced by oral vaccines. 2013 , 31, 452-60		69
526	Long-chain PUFA supplementation in rural African infants: a randomized controlled trial of effects on gut integrity, growth, and cognitive development. 2013 , 97, 45-57		84
525	Zinc: Deficiency Disorders and Prevention Programs. 2013 , 431-436		0
524	Evidence-based interventions for improvement of maternal and child nutrition: what can be done and at what cost?. 2013 , 382, 452-477		1583
523	Cluster-randomised controlled trials of individual and combined water, sanitation, hygiene and nutritional interventions in rural Bangladesh and Kenya: the WASH Benefits study design and rationale. 2013 , 3, e003476		151
522	Household environmental conditions are associated with enteropathy and impaired growth in rural Bangladesh. 2013 , 89, 130-137		215
521	Meeting the challenges of micronutrient malnutrition in the developing world. 2013 , 106, 7-17		60

520	Strategies to Improve Micronutrient Status of Infants and Young Children with Special Attention to Complementary Foods Fortified with Micronutrients: Perspectives from Vietnam. 2013 , 335-346		0
519	"Barriers" to child development and human potential: the case for including the "neglected enteric protozoa" (NEP) and other enteropathy-associated pathogens in the NTDs. 2013 , 7, e2125		23
518	Improving the intake of nutritious food in children aged 6-23 months in Wuyi County, China -- a multi-method approach. 2013 , 54, 157-70		10
517	Formative research on hygiene behaviors and geophagy among infants and young children and implications of exposure to fecal bacteria. 2013 , 89, 709-16		153
516	Multivitamin supplements have no effect on growth of Tanzanian children born to HIV-infected mothers. 2013 , 143, 722-7		8
515	Handwashing before food preparation and child feeding: a missed opportunity for hygiene promotion. 2013 , 89, 1179-85		30
514	Diet Quality. 2013 ,		1
513	Expanding the frontiers of population nutrition research: new questions, new methods, and new approaches. 2013 , 4, 92-114		37
512	Maternal knowledge after nutrition behavior change communication is conditional on both health workers' knowledge and knowledge-sharing efficacy in rural Haiti. 2013 , 143, 2022-8		17
511	Scripted messages delivered by nurses and radio changed beliefs, attitudes, intentions, and behaviors regarding infant and young child feeding in Mexico. 2013 , 143, 915-22		29
510	Dietary Diversity and Meal Frequency Practices among Infant and Young Children Aged 6-23 Months in Ethiopia: A Secondary Analysis of Ethiopian Demographic and Health Survey 2011. 2013 , 2013, 782931		65
509	Inadequate feeding of infant and young children in India: lack of nutritional information or food affordability?. 2013 , 16, 1723-31		21
508	Contextualising complementary feeding in a broader framework for stunting prevention. <i>Maternal and Child Nutrition</i> , 2013 , 9 Suppl 2, 27-45	3.4	281
507	The World Health Organization's global target for reducing childhood stunting by 2025: rationale and proposed actions. <i>Maternal and Child Nutrition</i> , 2013 , 9 Suppl 2, 6-26	3.4	212
506	Effects of a large-scale micronutrient powder and young child feeding education program on the micronutrient status of children 6-24 months of age in the Kyrgyz Republic. 2013 , 67, 703-7		22
505	Critical windows for nutritional interventions against stunting. 2013 , 97, 911-8		515
504	Using Performance Incentives to Improve Medical Care Productivity and Health Outcomes. 2013 ,		13
503	Operational guidance on the use of special nutritional products in refugee populations. 2013 , 34, 420-8		7

502	Documenting large-scale programs to improve infant and young child feeding is key to facilitating progress in child nutrition. 2013 , 34, S143-5	17
501	Using an evidence-based approach to design large-scale programs to improve infant and young child feeding. 2013 , 34, S146-55	47
500	Bringing rigor to evaluations of large-scale programs to improve infant and young child feeding and nutrition: the evaluation designs for the Alive & Thrive initiative. 2013 , 34, S195-211	54
499	Challenges in infant and young child nutrition in the context of HIV. 2013 , 27 Suppl 2, S169-77	12
498	Specially formulated foods for treating children with moderate acute malnutrition in low- and middle-income countries. 2013 , CD009584	46
497	Understanding child stunting in India: a comprehensive analysis of socio-economic, nutritional and environmental determinants using additive quantile regression. 2013 , 8, e78692	100
496	Nutrition training improves health workers' nutrition knowledge and competence to manage child undernutrition: a systematic review. 2013 , 1, 37	30
495	PROTOCOL: Feeding Interventions for Improving the Physical and Psychosocial Health of Disadvantaged Children Aged Three Months to Five Years: Protocol for a Systematic Review. 2013 , 9, 1-41	
494	Stunting is characterized by chronic inflammation in Zimbabwean infants. 2014 , 9, e86928	157
493	Prevention and control of micronutrient deficiencies in developing countries: current perspectives. 2014 , 41	2
492	Saving Lives: Evidence from a Conditional Food Supplementation Program. 2014 , 49, 1014-1052	2
491	Improving complementary feeding in Ghana: reaching the vulnerable through innovative business--the case of KOKO Plus. 2014 , 1331, 76-89	16
490	Effectiveness of a nutrition education package in improving feeding practices, dietary adequacy and growth of infants and young children in rural Tanzania: rationale, design and methods of a cluster randomised trial. 2014 , 14, 1077	19
489	Poor complementary feeding practices and high anaemia prevalence among infants and young children in rural central and western China. 2014 , 68, 916-24	39
488	Anaemia in infancy in rural Bangladesh: contribution of iron deficiency, infections and poor feeding practices. 2014 , 111, 172-81	16
487	Birth month associations with height, head circumference, and limb lengths among Peruvian children. 2014 , 154, 115-24	11
486	Effect of supplementation with a lipid-based nutrient supplement on the micronutrient status of children aged 6-18 months living in the rural region of Intibucá Honduras. 2014 , 28, 245-54	22
485	Identifying determinants of effective complementary feeding behaviour change interventions in developing countries. <i>Maternal and Child Nutrition</i> , 2014 , 10, 575-92	3-4 68

484	Water, sanitation, and hygiene (WASH), environmental enteropathy, nutrition, and early child development: making the links. 2014 , 1308, 118-28		258
483	Nutrition and brain development in early life. 2014 , 72, 267-84		449
482	Food Based Complementary Feeding Strategies for Breastfed Infants: What's the Evidence that it Matters?. 2014 , 49, 271-277		8
481	Effect of sequencing of complementary feeding in relation to breast-feeding on total intake in infants. 2014 , 58, 339-43		3
480	The stunting syndrome in developing countries. 2014 , 34, 250-65		391
479	School food gardens: fertile ground for education. 2014 , 114, 281-292		17
478	Strengthening implementation and utilization of nutrition interventions through research: a framework and research agenda. 2014 , 1332, 39-59		52
477	Establishing desirable fortificant levels for calcium, iron and zinc in foods for infant and young child feeding: examples from three Asian countries. <i>Maternal and Child Nutrition</i> , 2014 , 10, 112-25	3-4	6
476	Safety evaluation of fish protein hydrolysate supplementation in malnourished children. 2014 , 69, 1-6		12
475	Stunting, adiposity, and the individual-level "dual burden" among urban lowland and rural highland Peruvian children. 2014 , 26, 481-90		27
474	A 22-element micronutrient powder benefits language but not cognition in Bangladeshi full-term low-birth-weight children. 2014 , 144, 1803-10		10
473	Nutrition in emergencies: Do we know what works?. 2014 , 49, 33-40		27
472	Essential interventions: implementation strategies and proposed packages of care. 2014 , 11 Suppl 1, S5		16
471	Theory-driven process evaluation of a complementary feeding trial in four countries. 2014 , 29, 297-305		9
470	Child feeding knowledge and practices among women participating in growth monitoring and promotion in Accra, Ghana. 2014 , 14, 180		33
469	Poor infant and young child feeding practices and sources of caregivers' feeding knowledge in rural Hebei Province, China: findings from a cross-sectional survey. 2014 , 4, e005108		24
468	Saving Lives. 2014 , 49, 1014-1052		1
467	Association between women's empowerment and infant and child feeding practices in sub-Saharan Africa: an analysis of Demographic and Health Surveys. 2015 , 18, 3155-65		62

466	The Sanitation Hygiene Infant Nutrition Efficacy (SHINE) Trial: Rationale, Design, and Methods. 2015 , 61 Suppl 7, S685-702		103
465	Food supplementation for improving the physical and psychosocial health of socio-economically disadvantaged children aged three months to five years. 2015 , CD009924		44
464	Caterpillar cereal as a potential complementary feeding product for infants and young children: nutritional content and acceptability. <i>Maternal and Child Nutrition</i> , 2015 , 11 Suppl 4, 214-20	3-4	21
463	Impact of lipid-based nutrient supplementation (LNS) on children's diet adequacy in Western Uganda. <i>Maternal and Child Nutrition</i> , 2015 , 11 Suppl 4, 163-78	3-4	11
462	Determinants of suboptimal complementary feeding practices among children aged 6-23 months in four anglophone West African countries. <i>Maternal and Child Nutrition</i> , 2015 , 11 Suppl 1, 14-30	3-4	21
461	Nutrition and Brain Development in Early Life. 2015 , 79-126		1
460	Undernutrition and Public Policy in India. 2015 ,		
459	An Economic Optimization Model for Improving the Efficiency of Vitamin A Interventions: An Application to Young Children in Cameroon. 2015 , 36, S193-207		20
458	Acceptability and utility of an innovative feeding toolkit to improve maternal and child dietary practices in Bihar, India. 2015 , 36, 24-32		8
457	Age of introduction of first complementary feeding for infants: a systematic review. 2015 , 15, 107		42
456	Using formative research to design a context-specific behaviour change strategy to improve infant and young child feeding practices and nutrition in Nepal. <i>Maternal and Child Nutrition</i> , 2015 , 11, 882-96	3-4	32
455	Food Supplementation for Improving the Physical and Psychosocial Health of Socio-economically Disadvantaged Children Aged Three Months to Five Years: A Systematic Review. 2015 , 11, 1-226		5
454	Acute illness is associated with suppression of the growth hormone axis in Zimbabwean infants. 2015 , 92, 463-70		21
453	A child feeding index is superior to WHO IYCF indicators in explaining length-for-age Z-scores of young children in rural Cambodia. 2015 , 35, 124-34		30
452	Food Sharing Practices in Households Receiving Supplemental Foods for the Treatment of Moderate Acute Malnutrition in Ethiopian Children. 2015 , 10, 343-355		4
451	Impact of lipid-based nutrient supplements and corn-soy blend on energy and nutrient intake among moderately underweight 8-18-month-old children participating in a clinical trial. <i>Maternal and Child Nutrition</i> , 2015 , 11 Suppl 4, 144-50	3-4	22
450	Highlighting the evidence gap: how cost-effective are interventions to improve early childhood nutrition and development?. 2015 , 30, 813-21		13
449	Mothers 'don't like it; never tried it': Blind Sensory Test of a Homemade Chicken Liver Baby Food, a Source of Iron, by Infants and their Mothers. 2015 , 61, 279-85		1

448	Ethical issues for human nutrition in the context of global food security and sustainable development. 2015 , 7, 15-23	38
447	Improving irrigation access to combat food insecurity and undernutrition: A review. 2015 , 6, 24-33	45
446	Effect of fortified complementary food supplementation on child growth in rural Bangladesh: a cluster-randomized trial. 2015 , 44, 1862-76	87
445	Effects of a parenting intervention to address maternal psychological wellbeing and child development and growth in rural Uganda: a community-based, cluster randomised trial. 2015 , 3, e458-e469	151
444	Association of infant and young child feeding practices with undernutrition in children: evidence from the Nepal Demographic and Health Survey. 2015 , 2046905515Y0000000049	1
443	The Potential Role of Mycotoxins as a Contributor to Stunting in the SHINE Trial. 2015 , 61 Suppl 7, S733-7	40
442	Environmental enteric dysfunction: an overview. 2015 , 36, S76-87	130
441	The impact of lipid-based nutrient supplement provision to pregnant women on newborn size in rural Malawi: a randomized controlled trial. 2015 , 101, 387-97	103
440	Effects of animal source food and micronutrient fortification in complementary food products on body composition, iron status, and linear growth: a randomized trial in Cambodia. 2015 , 101, 742-51	56
439	Effect of 12-month intervention with lipid-based nutrient supplements on physical activity of 18-month-old Malawian children: a randomised, controlled trial. 2015 , 69, 173-8	10
438	Provision of 10-40 g/d Lipid-Based Nutrient Supplements from 6 to 18 Months of Age Does Not Prevent Linear Growth Faltering in Malawi. 2015 , 145, 1909-15	66
437	A cluster-randomized trial determining the efficacy of caterpillar cereal as a locally available and sustainable complementary food to prevent stunting and anaemia. 2015 , 18, 1785-92	49
436	Nutrition Care of the HIV-Exposed Child. 2015 , 227-244	
435	Risk correlates of diarrhea in children under 5 years of age in slums of bankura, west bengal. 2015 , 7, 23-9	22
434	Systematic reviews on selected nutrition interventions: descriptive assessment of conduct and methodological challenges. 2015 , 1,	7
433	An integrated microcredit, entrepreneurial training, and nutrition education intervention is associated with better growth among preschool-aged children in rural Ghana. 2015 , 145, 335-43	12
432	Household sanitation and personal hygiene practices are associated with child stunting in rural India: a cross-sectional analysis of surveys. 2015 , 5, e005180	112
431	Participatory women's groups and counselling through home visits to improve child growth in rural eastern India: protocol for a cluster randomised controlled trial. 2015 , 15, 384	15

430	Preferred delivery method and acceptability of Wheat-Soy Blend (WSB++) as a daily complementary food supplement in northwest Bangladesh. 2015 , 54, 74-92		5
429	Age-appropriate infant and young child feeding practices are associated with child nutrition in India: insights from nationally representative data. <i>Maternal and Child Nutrition</i> , 2015 , 11, 73-87	3-4	68
428	Diet and specific microbial exposure trigger features of environmental enteropathy in a novel murine model. 2015 , 6, 7806		117
427	Enhancing the child survival agenda to promote, protect, and support early child development. 2015 , 39, 373-86		14
426	Identifying the Sociocultural Barriers and Facilitating Factors to Nutrition-related Behavior Change: Formative Research for a Stunting Prevention Program in Ntchisi, Malawi. 2015 , 36, 138-53		19
425	Scaling up impact on nutrition: what will it take?. 2015 , 6, 440-51		67
424	Effect of complementary feeding with lipid-based nutrient supplements and corn-soy blend on the incidence of stunting and linear growth among 6- to 18-month-old infants and children in rural Malawi. <i>Maternal and Child Nutrition</i> , 2015 , 11 Suppl 4, 132-43	3-4	54
423	Tactical network planning for food aid distribution in Kenya. 2015 , 56, 68-83		39
422	Global health and development in early childhood. 2015 , 66, 433-57		178
421	The Correlation between Providing Complementary Food and Breast-Feeding with the Growth and Development of Children under the Age of Five Years Old (6-24 months). 2016 , 19,		
420	Evaluation of energy, protein, and selected micronutrient density of homemade complementary foods consumed by children between 6 months and 23 months in food insecure woredas of Wolayita zone, Southern Ethiopia. 2016 , Volume 8, 71-84		2
419	Comparison of the complementary feeding practices between mothers with twins and mothers with singletons. 2016 , 24, 52		0
418	Rapid acceptability and adherence testing of a lipid-based nutrient supplement and a micronutrient powder among refugee children and pregnant and lactating women in Algeria. 2016 , 19, 1852-61		5
417	Assessment of Caregiver's Knowledge, Complementary Feeding Practices, and Adequacy of Nutrient Intake from Homemade Foods for Children of 6-23 Months in Food Insecure Woredas of Wolayita Zone, Ethiopia. 2016 , 3, 32		4
416	Complementary Feeding: Review of Recommendations, Feeding Practices, and Adequacy of Homemade Complementary Food Preparations in Developing Countries - Lessons from Ethiopia. 2016 , 3, 41		71
415	Factors Associated with the Early Introduction of Complementary Feeding in Saudi Arabia. 2016 , 13,		17
414	Education of family members to support weaning to solids and nutrition in later infancy in term-born infants. 2016 ,		1
413	Role of Social Support in Improving Infant Feeding Practices in Western Kenya: A Quasi-Experimental Study. 2016 , 4, 55-72		49

412	Women's and children's acceptance of biofortified quality protein maize for complementary feeding in rural Ethiopia. 2016 , 96, 3439-45	9
411	The association of serum choline with linear growth failure in young children from rural Malawi. 2016 , 104, 191-7	26
410	Environmental Enteric Dysfunction and Growth Failure/Stunting in Global Child Health. 2016 , 138,	108
409	Do socio-economic inequalities in infant growth in rural India operate through maternal size and birth weight?. 2016 , 43, 154-63	3
408	Nutrition education linked to agricultural interventions improved child dietary diversity in rural Cambodia. 2016 , 116, 1457-1468	39
407	Breastfeeding and Complementary Feeding Practices among HIV-Exposed Infants in Coastal Tanzania. 2016 , 32, 112-22	10
406	Safety and Mortality Benefits of Delivering Vitamin A Supplementation at 6 Months of Age in Sub-Saharan Africa. 2016 , 37, 375-386	4
405	Exposure to cows is not associated with diarrhoea or impaired child growth in rural Odisha, India: a cohort study. 2016 , 144, 53-63	11
404	Recovery rate of children with moderate acute malnutrition treated with ready-to-use supplementary food (RUSF) or improved corn-soya blend (CSB+): a randomized controlled trial. 2016 , 19, 363-70	18
403	Microbiome: Eating for trillions. 2016 , 532, 316-7	4
402	Factors Influencing Child Feeding Practices Related to Home Fortification With Micronutrient Powder Among Caregivers of Under-5 Children in Bangladesh. 2016 , 37, 340-352	17
401	Breastfeeding and Protein Intake Influence Body Mass Index from 2 Months to 22 Years in the Cebu Longitudinal Health and Nutrition Survey. 2016 , 146, 2085-2092	2
400	Agriculture, nutrition and the green revolution in Bangladesh. 2016 , 149, 122-131	29
399	[Guidelines for complementary feeding in healthy infants]. 2016 , 73, 338-356	10
398	The Philani Mentor Mothers Intervention: Neighbourhood wide impact on child growth in Cape Town's peri-urban settlements. 2016 , 11, 221-222	5
397	A cluster-randomized, controlled trial of nutritional supplementation and promotion of responsive parenting in Madagascar: the MAHAY study design and rationale. 2016 , 16, 466	16
396	Evidence-based evolution of an integrated nutrition-focused agriculture approach to address the underlying determinants of stunting. <i>Maternal and Child Nutrition</i> , 2016 , 12 Suppl 1, 155-68	3-4 45
395	Using an economic experiment to estimate willingness-to-pay for a new maternal nutrient supplement in Ghana. 2016 , 47, 581-595	6

394	Environmental Enteropathy: Elusive but Significant Subclinical Abnormalities in Developing Countries. 2016 , 10, 25-32		76
393	Can water, sanitation and hygiene help eliminate stunting? Current evidence and policy implications. <i>Maternal and Child Nutrition</i> , 2016 , 12 Suppl 1, 91-105	3-4	122
392	Achieving behaviour change at scale: Alive & Thrive's infant and young child feeding programme in Bangladesh. <i>Maternal and Child Nutrition</i> , 2016 , 12 Suppl 1, 141-54	3-4	40
391	Reducing stunting by improving maternal, infant and young child nutrition in regions such as South Asia: evidence, challenges and opportunities. <i>Maternal and Child Nutrition</i> , 2016 , 12 Suppl 1, 27-38	3-4	93
390	Impact of type of child growth intervention program on caregivers' child feeding knowledge and practices: a comparative study in Ga West Municipality, Ghana. 2016 , 4, 562-72		11
389	Preventing environmental enteric dysfunction through improved water, sanitation and hygiene: an opportunity for stunting reduction in developing countries. <i>Maternal and Child Nutrition</i> , 2016 , 12 Suppl 1, 106-20	3-4	116
388	Fecal Markers of Environmental Enteropathy and Subsequent Growth in Bangladeshi Children. 2016 , 95, 694-701		55
387	Tubaramure, a Food-Assisted Integrated Health and Nutrition Program in Burundi, Increases Maternal and Child Hemoglobin Concentrations and Reduces Anemia: A Theory-Based Cluster-Randomized Controlled Intervention Trial. 2016 , 146, 1601-8		16
386	Combining Intensive Counseling by Frontline Workers with a Nationwide Mass Media Campaign Has Large Differential Impacts on Complementary Feeding Practices but Not on Child Growth: Results of a Cluster-Randomized Program Evaluation in Bangladesh. 2016 , 146, 2075-2084		77
385	Stunting Mediates the Association between Small-for-Gestational-Age and Postneonatal Mortality. 2016 , 146, 2383-2387		3
384	Perceptions related to breastfeeding and the early introduction of complementary foods amongst migrants in Cape Town, South Africa. 2016 , 11, 29		12
383	Guidelines for complementary feeding in healthy infants. 2016 , 73, 338-356		0
382	Socioeconomic factors associated with diarrheal diseases among under-five children of the nomadic population in northeast Ethiopia. 2016 , 44, 40		34
381	The Philani Mentor Mothers Intervention: neighbourhood wide impact on child growth in Cape Town's peri-urban settlements. 2016 , 11, 211-220		7
380	Nutrition interventions for children aged less than 5 years following natural disasters: a systematic review. 2016 , 6, e011238		11
379	Initiation of complementary feeding before four months of age for prevention of postnatal growth restriction in preterm infants. 2016 ,		1
378	Milk glucosidase activity enables suckled pup starch digestion. 2016 , 3, 4		3
377	The acceptability of dietary tools to improve maternal and child nutrition in Western Kenya. 2016 , 19, 1823-33		7

376	Determinants of Child Malnutrition and Infant and Young Child Feeding Approaches in Cambodia. 2016 , 115, 61-7		17
375	Gut bacteria that prevent growth impairments transmitted by microbiota from malnourished children. 2016 , 351,		406
374	Sialylated Milk Oligosaccharides Promote Microbiota-Dependent Growth in Models of Infant Undernutrition. 2016 , 164, 859-71		370
373	Association of infant and young child feeding practices with under-nutrition: evidence from the Nepal Demographic and Health Survey. 2016 , 36, 260-269		19
372	A Food Transfer Program without a Formal Education Component Modifies Complementary Feeding Practices in Poor Rural Mexican Communities. 2016 , 146, 107-13		9
371	Risk factors for chronic undernutrition among children in India: Estimating relative importance, population attributable risk and fractions. 2016 , 157, 165-85		89
370	Chronic aflatoxin exposure in children living in Bhaktapur, Nepal: Extension of the MAL-ED study. 2017 , 27, 106-111		11
369	Community-based grain banks using local foods for improved infant and young child feeding in Ethiopia. <i>Maternal and Child Nutrition</i> , 2017 , 13,	3-4	12
368	Strengthening health services to deliver nutrition education to promote complementary feeding and healthy growth of infants and young children: formative research for a successful intervention in peri-urban Trujillo, Peru. <i>Maternal and Child Nutrition</i> , 2017 , 13,	3-4	5
367	Infant and young child feeding practices and stunting in two highland provinces in Ecuador. <i>Maternal and Child Nutrition</i> , 2017 , 13,	3-4	16
366	Growth faltering in rural Gambian children after four decades of interventions: a retrospective cohort study. 2017 , 5, e208-e216		49
365	Nutrition, infection and stunting: the roles of deficiencies of individual nutrients and foods, and of inflammation, as determinants of reduced linear growth of children. 2017 , 30, 50-72		129
364	Is competence enough to enable Kenyan mothers to make good infant and young child feeding decisions?. <i>Maternal and Child Nutrition</i> , 2017 , 13,	3-4	4
363	Effect of maternal dietary counselling during the 1st year of life on glucose profile and insulin resistance at the age of 8 years: a randomised field trial. 2017 , 117, 134-141		8
362	Water, sanitation and hygiene (WASH) interventions: effects on child development in low- and middle-income countries. 2017 ,		6
361	Biomarkers to Stratify Risk Groups among Children with Malnutrition in Resource-Limited Settings and to Monitor Response to Intervention. 2017 , 88, 111-117		5
360	Dietary diversity and child malnutrition in Ghana. 2017 , 3, e00298		31
359	Practical Application of Linear Growth Measurements in Clinical Research in Low- and Middle-Income Countries. 2017 , 88, 79-90		17

358	A Community-Based Positive Deviance/Hearth Infant and Young Child Nutrition Intervention in Ecuador Improved Diet and Reduced Underweight. 2017 , 49, 196-203.e1		16
357	Child Growth According to Maternal and Child HIV Status in Zimbabwe. 2017 , 36, 869-876		39
356	Lipid-based Nutrient Supplements Do Not Affect Gut Bifidobacterium Microbiota in Malawian Infants: A Randomized Trial. 2017 , 64, 610-615		6
355	Eggs in Early Complementary Feeding and Child Growth: A Randomized Controlled Trial. 2017 , 140,		118
354	The Nexus Between Nutrition and Early Childhood Development. 2017 , 37, 447-476		23
353	A Randomized Controlled Trial of Two Ready-to-Use Supplementary Foods Demonstrates Benefit of the Higher Dairy Supplement for Reduced Wasting in Mothers, and Differential Impact in Infants and Children Associated With Maternal Supplement Response. 2017 , 38, 275-290		12
352	Children's Diets, Nutrition Knowledge, and Access to Markets. 2017 , 95, 303-315		57
351	Energy and nutrient intake of infants and young children in pastoralist communities of Ethiopia. 2017 , 41, 1-6		18
350	Maternal and Child Nutrition in Nepal: Examining drivers of progress from the mid-1990s to 2010s. 2017 , 13, 30-37		38
349	Lipid-based nutrient supplements and linear growth in children under 2 years: a review. 2017 , 76, 580-588		13
348	A Nutrition Education Program in Rural Bangladesh Was Associated with Improved Feeding Practices but Not with Child Growth. 2017 , 147, 948-954		8
347	The role of nutrition in integrated early child development in the 21st century: contribution from the Maternal and Child Nutrition journal. <i>Maternal and Child Nutrition</i> , 2017 , 13, 3-6	3-4	10
346	An exploration of complementary feeding of infants and young children in the rural area of Muhoroni, Nyanza province, Kenya: a descriptive study. 2017 , 37, 172-180		3
345	Tools to improve planning, implementation, monitoring, and evaluation of complementary feeding programmes. <i>Maternal and Child Nutrition</i> , 2017 , 13 Suppl 2, e12438	3-4	6
344	Critical review of the emerging research evidence on agricultural biodiversity, diet diversity, and nutritional status in low- and middle-income countries. 2017 , 75, 769-782		132
343	Tissue is the Issue: Duodenal Biopsies to Elucidate Gut Structure and Function Among Undernourished Children in Low-Resource Settings. 2017 , 23, 10-11		
342	Emerging issues in complementary feeding: Global aspects. <i>Maternal and Child Nutrition</i> , 2017 , 13 Suppl 2, e12444	3-4	35
341	Complementary feeding practices: Current global and regional estimates. <i>Maternal and Child Nutrition</i> , 2017 , 13 Suppl 2, e12505	3-4	75

340	Risk factors of poor complementary feeding practices in Pakistani children aged 6-23 months: A multilevel analysis of the Demographic and Health Survey 2012-2013. <i>Maternal and Child Nutrition</i> , 2017 , 13 Suppl 2, e12463	3-4	33
339	Using behavior change approaches to improve complementary feeding practices. <i>Maternal and Child Nutrition</i> , 2017 , 13 Suppl 2, e12406	3-4	18
338	Complementary Feeding Interventions Have a Small but Significant Impact on Linear and Ponderal Growth of Children in Low- and Middle-Income Countries: A Systematic Review and Meta-Analysis. 2017 , 147, 2169S-2178S		46
337	Effect of participatory women's groups and counselling through home visits on children's linear growth in rural eastern India (CARING trial): a cluster-randomised controlled trial. 2017 , 5, e1004-e1016		67
336	Social Franchising and a Nationwide Mass Media Campaign Increased the Prevalence of Adequate Complementary Feeding in Vietnam: A Cluster-Randomized Program Evaluation. 2017 , 147, 670-679		22
335	'Unfit for human consumption': a study of the contamination of formula milk fed to young children in East Java, Indonesia. 2017 , 22, 1275-1282		6
334	Nutrition (Micronutrients) in Child Growth and Development: A Systematic Review on Current Evidence, Recommendations and Opportunities for Further Research. 2017 , 38, 665-679		35
333	SystEmatic review and meta-aNAlysis of infant and young child feeding Practices (ENAT-P) in Ethiopia: protocol. 2017 , 7, e017437		13
332	Prevalence and Risk of Moderate Stunting Among a Sample of Children Aged 0-24 Months in Brunei. 2017 , 21, 2256-2266		1
331	Child factors associated with complementary feeding practices in Uganda. 2017 , 30, 7-14		16
330	Position paper: The potential role of optical biopsy in the study and diagnosis of environmental enteric dysfunction. 2017 , 14, 727-738		11
329	Point-of-use fortification of foods with micronutrient powders containing iron in children of preschool and school-age. 2017 , 11, CD009666		35
328	Improving feeding and growth of HIV-positive children through nutrition training of frontline health workers in Tanga, Tanzania. 2017 , 17, 94		4
327	Opportunities for strengthening infant and young child feeding policies in South Asia: Insights from the SAIFRN policy analysis project. 2017 , 17, 404		14
326	Policy and stakeholder analysis of infant and young child feeding programmes in Sri Lanka. 2017 , 17, 522		4
325	Child feeding practices and diarrheal disease among children less than two years of age of the nomadic people in Hadaleala District, Afar Region, Northeast Ethiopia. 2017 , 12, 24		22
324	Maternal participation in a nutrition education program in Uganda is associated with improved infant and young child feeding practices and feeding knowledge: a post-program comparison study. 2017 , 3,		12
323	Development of a nutrient-dense complementary food using amaranth-sorghum grains. 2017 , 5, 86-93		12

322	Impact of integrated child development scheme on child malnutrition in West Bengal, India. <i>Maternal and Child Nutrition</i> , 2017 , 13,	3-4	7
321	Crossover trial to test the acceptability of a locally produced lipid-based nutrient supplement (LNS) for children under 2 years in Cambodia: a study protocol. 2017 , 7, e015958		6
320	Effectiveness of provision of animal-source foods for supporting optimal growth and development in children 6 to 59 months of age. 2017 ,		2
319	Nutritional status and association of demographic characteristics with malnutrition among children less than 24 months in Kwale County, Kenya. 2017 , 28, 265		5
318	Programming Long-Term Health: Nutrition and Diet in Infants Aged 6 Months to 1 Year. 2017 , 499-535		2
317	Behavior change communication activities improve infant and young child nutrition knowledge and practice of neighboring non-participants in a cluster-randomized trial in rural Bangladesh. 2017 , 12, e0179866		18
316	Epidemiology of enteroaggregative Escherichia coli infections and associated outcomes in the MAL-ED birth cohort. 2017 , 11, e0005798		35
315	Effect of community-based food supplementation on improving growth of underweight children under five years of age in West Nusa Tenggara. 2017 , 57, 246		
314	Effectiveness of supplementary blended flour based on chickpea and cereals for the treatment of infants with moderate acute malnutrition in Iran: A randomized clinical trial. 2017 , 9, 6078-6086		5
313	. 2017 , 5, 245-258		5
312	Using structural equation modelling to assess factors influencing children's growth and nutrition in rural China. 2018 , 21, 1167-1175		1
311	Distinct clusters of stunted children in India: An observational study. <i>Maternal and Child Nutrition</i> , 2018 , 14, e12592	3-4	8
310	Markers of Environmental Enteric Dysfunction Are Associated With Neurodevelopmental Outcomes in Tanzanian Children. 2018 , 66, 953-959		10
309	Early childhood growth and cognitive outcomes: Findings from the MAL-ED study. <i>Maternal and Child Nutrition</i> , 2018 , 14, e12584	3-4	23
308	What Impedes Efficient Adoption of Products? Evidence from Randomized Sales Offers for Fuel-Efficient Cookstoves in Uganda. 2018 , 16, 1850-1880		32
307	Effects of water quality, sanitation, handwashing, and nutritional interventions on diarrhoea and child growth in rural Bangladesh: a cluster randomised controlled trial. 2018 , 6, e302-e315		329
306	Exploring barriers and enablers for scaling up a community-based grain bank intervention for improved infant and young child feeding in Ethiopia: A qualitative process evaluation. <i>Maternal and Child Nutrition</i> , 2018 , 14, e12551	3-4	7
305	Nourishing networks: A social-ecological analysis of a network intervention for improving household nutrition in Western Kenya. 2018 , 197, 95-103		14

304	Randomised controlled trial to test the effectiveness of a locally-produced ready-to-use supplementary food (RUSF) in preventing growth faltering and improving micronutrient status for children under two years in Cambodia: a study protocol. 2018 , 17, 39		2
303	Factors influencing the uptake of a mass media intervention to improve child feeding in Bangladesh. <i>Maternal and Child Nutrition</i> , 2018 , 14, e12603	3-4	7
302	Designing programs to improve diets for maternal and child health: estimating costs and potential dietary impacts of nutrition-sensitive programs in Ethiopia, Nigeria, and India. 2018 , 33, 564-573		8
301	The Pathways from a Behavior Change Communication Intervention to Infant and Young Child Feeding in Bangladesh Are Mediated and Potentiated by Maternal Self-Efficacy. 2018 , 148, 259-266		11
300	Cracking the Egg Potential: Traditional Knowledge, Attitudes, and Practices in a Food-Based Nutrition Intervention in Highland Ecuador. 2018 , 39, 206-218		6
299	Individual, household, and community level risk factors of stunting in children younger than 5 years: Findings from a national surveillance system in Nepal. <i>Maternal and Child Nutrition</i> , 2018 , 14,	3-4	34
298	Informing infant and young child feeding programming in humanitarian emergencies: An evidence map of reviews including low and middle income countries. <i>Maternal and Child Nutrition</i> , 2018 , 14,	3-4	9
297	Tracking of infant and young child feeding practices among 9- to 24-month-old children in Nepal: the MAL-ED Birth Cohort Study. 2018 , 21, 355-364		4
296	Systematic review of the design, implementation and effectiveness of mass media and nutrition education interventions for infant and young child feeding. 2018 , 21, 273-287		30
295	Nutrition behaviour change communication causes sustained effects on IYCN knowledge in two cluster-randomised trials in Bangladesh. <i>Maternal and Child Nutrition</i> , 2018 , 14, e12498	3-4	18
294	Aflatoxin exposure in Nigerian children with severe acute malnutrition. 2018 , 111, 356-362		57
293	Life History theory hypotheses on child growth: Potential implications for short and long-term child growth, development and health. 2018 , 165, 4-19		22
292	Complementary Food Supplements After Disasters. 2018 , 1-23		
291	Community-based supplementary feeding for food insecure, vulnerable and malnourished populations - an overview of systematic reviews. 2018 , 11, CD010578		18
290	PROTOCOL: Effects of interventions for infant and young child feeding (IYCF) promotion on optimal IYCF practices, nutrition, growth and health in low- and middle-income countries: a systematic review. 2018 , 14, 1-26		1
289	Associations among High-Quality Protein and Energy Intake, Serum Transthyretin, Serum Amino Acids and Linear Growth of Children in Ethiopia. 2018 , 10,		12
288	Systematic Review of Tools and Methods to Measure Appetite in Undernourished Children in the Context of Low- and Middle-Income Countries. 2018 , 9, 789-812		2
287	Nutrition education, farm production diversity, and commercialization on household and individual dietary diversity in Zimbabwe. 2018 , 62,		23

286	Thresholds of socio-economic and environmental conditions necessary to escape from childhood malnutrition: a natural experiment in rural Gambia. 2018 , 16, 199	21
285	Improving Burden of Disease and Source Attribution Estimates. 2018 , 143-174	0
284	The association of malaria morbidity with linear growth, hemoglobin, iron status, and development in young Malawian children: a prospective cohort study. 2018 , 18, 396	6
283	The effect of traditional malting technology practiced by an ethnic community in northern Uganda on in-vitro nutrient bioavailability and consumer sensory preference for locally formulated complementary food formulae. 2018 , 6, 2491-2498	6
282	[Promoting a healthy diet in childhood: weaknesses in the context of Primary Health Care]. 2018 , 23, 61-72	6
281	Household demand persistence for child micronutrient supplementation. 2018 , 62, 147-164	4
280	Developmental outcomes of an individualised complementary feeding intervention for stunted children: a substudy from a larger randomised controlled trial in Guatemala. 2018 , 2, e000314	3
279	A mixed methods feasibility study of the Kusamala Program at a nutritional rehabilitation unit in Malawi. 2018 , 4, 151	3
278	Large-Scale Social and Behavior Change Communication Interventions Have Sustained Impacts on Infant and Young Child Feeding Knowledge and Practices: Results of a 2-Year Follow-Up Study in Bangladesh. 2018 , 148, 1605-1614	23
277	A Risk Assessment of Aflatoxin M1 Exposure in Low and Mid-Income Dairy Consumers in Kenya. 2018 , 10,	31
276	Complementary Food Supplements Increase Dietary Nutrient Adequacy and Do Not Replace Home Food Consumption in Children 6-18 Months Old in a Randomized Controlled Trial in Rural Bangladesh. 2018 , 148, 1484-1492	12
275	Complementary feeding intervention on stunted Guatemalan children: a randomised controlled trial. 2018 , 2, e000213	12
274	Formulation d'un aliment de complément ^base du voandzou (Vigna subterranea (L.) Vercourt (1980) pour relever la d'nutrition dans l'Extrême-Nord du Cameroun. 2018 , 123, 12379	
273	Educational interventions for improving primary caregiver complementary feeding practices for children aged 24 months and under. 2018 , 5, CD011768	31
272	Improving household food security in eastern Democratic Republic of the Congo: a comparative analysis of four interventions. 2018 , 10, 649-660	11
271	Achieving optimal technology and behavioral uptake of single and combined interventions of water, sanitation hygiene and nutrition, in an efficacy trial (WASH benefits) in rural Bangladesh. 2018 , 19, 358	34
270	Sustainable Agriculture and Food Security. 2018 , 67-92	13
269	Animal Sourced Foods and Child Stunting. 2018 , 100, 1302-1319	114

268	Understanding why child welfare clinic attendance and growth of children in the nutrition surveillance programme is below target: lessons learnt from a mixed methods study in Ghana. 2018 , 17, 25	9
267	The effect of climate change across food systems: Implications for nutrition outcomes. 2018 , 18, 12-19	83
266	Influence of Feeding Practices on Malnutrition in Haitian Infants and Young Children. 2018 , 10,	5
265	Reducing micronutrient deficiencies in Pakistani children: are subsidies on fortified complementary foods cost-effective?. 2018 , 21, 2893-2906	4
264	The influence of maternal psychosocial circumstances and physical environment on the risk of severe wasting in rural Gambian infants: a mixed methods approach. 2018 , 18, 109	2
263	Optima Nutrition: an allocative efficiency tool to reduce childhood stunting by better targeting of nutrition-related interventions. 2018 , 18, 384	16
262	Infant and Young Child Feeding (IYCF) Practices Improved in 2 Districts in Nepal during the Scale-Up of an Integrated IYCF and Micronutrient Powder Program. 2018 , 2, nzy019	9
261	Identifying the etiology and pathophysiology underlying stunting and environmental enteropathy: study protocol of the AFRIBIOTA project. 2018 , 18, 236	17
260	Stunted childhood growth is associated with decompartmentalization of the gastrointestinal tract and overgrowth of oropharyngeal taxa. 2018 , 115, E8489-E8498	71
259	Effects of a home-based participatory play intervention on infant and young child nutrition: a randomised evaluation among low-income households in El Alto, Bolivia. 2018 , 3, e000687	5
258	Environmental enteric dysfunction pathways and child stunting: A systematic review. 2018 , 12, e0006205	95
257	High SMAD7 and p-SMAD2,3 expression is associated with environmental enteropathy in children. 2018 , 12, e0006224	9
256	Effects of nutritional supplementation and home visiting on growth and development in young children in Madagascar: a cluster-randomised controlled trial. 2019 , 7, e1257-e1268	22
255	A macro- and micronutrient-fortified complementary food supplement reduced acute infection, improved haemoglobin and showed a dose-response effect in improving linear growth: a 12-month cluster randomised trial. 2019 , 8, e22	2
254	Improving Environmental Health Practice and Policy Through Convergence Research: A Case Study of Linked Food/Water Systems Enhancing Child Health. 2019 , 36, 820-832	6
253	Personalized Nutrition for Women, Infants, and Children. 2019 , 169-194	0
252	Using community health workers to deliver a scalable integrated parenting program in rural China: A cluster-randomized controlled trial. 2019 , 239, 112545	22
251	Study protocol to assess the impact of an integrated nutrition intervention on the growth and development of children under two in rural Bangladesh. 2019 , 19, 1437	3

250	Penalized regression models to select biomarkers of environmental enteric dysfunction associated with linear growth acquisition in a Peruvian birth cohort. 2019 , 13, e0007851		0
249	A Community-Based Early Childhood Development Center Platform Promoting Diversified Diets and Food Production Increases the Mean Probability of Adequacy of Intake of Preschoolers in Malawi: A Cluster Randomized Trial. 2020 , 150, 350-355		3
248	Predictors of micronutrient powder (MNP) knowledge, coverage, and consumption during the scale-up of an integrated infant and young child feeding (IYCF-MNP) programme in Nepal. <i>Maternal and Child Nutrition</i> , 2019 , 15, e12712	3-4	3
247	Association between Sociodemographic Factors and Dietary Patterns in Children Under 24 Months of Age: A Systematic Review. 2019 , 11,		7
246	Pathobiome driven gut inflammation in Pakistani children with Environmental Enteric Dysfunction. 2019 , 14, e0221095		4
245	Development and testing of locally-produced ready-to-use therapeutic and supplementary foods (RUTFs and RUSFs) in Cambodia: lessons learned. 2019 , 19, 1200		1
244	The implications of three major new trials for the effect of water, sanitation and hygiene on childhood diarrhea and stunting: a consensus statement. 2019 , 17, 173		93
243	The relationship between wasting and stunting: a retrospective cohort analysis of longitudinal data in Gambian children from 1976 to 2016. 2019 , 110, 498-507		71
242	Nutritional and anti-oxidant properties of yam (<i>Dioscorea schimperiana</i>) based complementary food formulation. 2019 , 5, e00132		4
241	Conditional cash transfer and/or lipid-based nutrient supplement targeting the first 1000 d of life increased attendance at preventive care services but did not improve linear growth in young children in rural Mali: results of a cluster-randomized controlled trial. 2019 , 110, 1476-1490		10
240	Acceptability of locally-produced Ready-to-Use Supplementary Food (RUSF) for children under two years in Cambodia: A cluster randomised trial. <i>Maternal and Child Nutrition</i> , 2019 , 15, e12780	3-4	4
239	An integrated infant and young child feeding and small-quantity lipid-based nutrient supplementation programme in the Democratic Republic of Congo is associated with improvements in breastfeeding and handwashing behaviours but not dietary diversity. <i>Maternal and Child Nutrition</i> , 2019 , 15, e12781	3-4	5
238	Evaluation of a social network intervention on child feeding practices and caregiver knowledge. <i>Maternal and Child Nutrition</i> , 2019 , 15, e12782	3-4	5
237	Maternal knowledge and attitudes towards complementary feeding in relation to timing of its initiation in rural Bangladesh. 2019 , 5, 7		10
236	Transcriptomic analysis of enteropathy in Zambian children with severe acute malnutrition. 2019 , 45, 456-463		13
235	Childhood growth and neurocognition are associated with distinct sets of metabolites. 2019 , 44, 597-606		17
234	Behavior Change Interventions Delivered through Interpersonal Communication, Agricultural Activities, Community Mobilization, and Mass Media Increase Complementary Feeding Practices and Reduce Child Stunting in Ethiopia. 2019 , 149, 1470-1481		23
233	Development of a nutrient quality score for the complementary diets of Indonesian infants and relationships with linear growth and stunting: a longitudinal analysis. 2019 , 122, 71-77		3

232	Determinants of infant nutrition status in rural farming households before and after harvest. <i>Maternal and Child Nutrition</i> , 2019 , 15, e12811	3-4	2
231	Independent and combined effects of improved water, sanitation, and hygiene (WASH) and improved complementary feeding on early neurodevelopment among children born to HIV-negative mothers in rural Zimbabwe: Substudy of a cluster-randomized trial. 2019 , 16, e1002766		20
230	Feasibility and acceptability of food-based complementary feeding recommendations using Trials of Improved Practices among poor families in rural Eastern and Western Uganda. 2019 , 7, 1311-1327		8
229	Current and potential role of grain legumes on protein and micronutrient adequacy of the diet of rural Ghanaian infants and young children: using linear programming. 2019 , 18, 12		16
228	Perils of scaling up: Effects of expanding a nutrition programme in Madagascar. <i>Maternal and Child Nutrition</i> , 2019 , 15 Suppl 1, e12715	3-4	8
227	Animal Source Food Consumption in Young Children from Four Regions of Ethiopia: Association with Religion, Livelihood, and Participation in the Productive Safety Net Program. 2019 , 11,		9
226	An mHealth voice messaging intervention to improve infant and young child feeding practices in Senegal. <i>Maternal and Child Nutrition</i> , 2019 , 15, e12825	3-4	10
225	Plasma Fibroblast Growth Factor 21 Is Associated with Subsequent Growth in a Cohort of Underweight Children in Bangladesh. 2019 , 3, nzz024		2
224	The aggregate income losses from childhood stunting and the returns to a nutrition intervention aimed at reducing stunting. 2019 , 34, 225-238		17
223	Micronutrient powder supplements combined with nutrition education marginally improve growth amongst children aged 6-23 months in rural Burkina Faso: A cluster randomized controlled trial. <i>Maternal and Child Nutrition</i> , 2019 , 15, e12820	3-4	5
222	Development and validation of a tool to assess appetite of children in low income settings. 2019 , 134, 182-192		2
221	Environmental enteric dysfunction and child stunting. 2019 , 77, 240-253		51
220	Effect of a novel supplementary porridge on the nutritional status of infants and young children diagnosed with moderate acute malnutrition in Uganda: a cluster randomised control trial. 2019 , 32, 295-302		4
219	Food and Agricultural Approaches to Reducing Malnutrition (FAARM): protocol for a cluster-randomised controlled trial to evaluate the impact of a Homestead Food Production programme on undernutrition in rural Bangladesh. 2019 , 9, e031037		14
218	High oxytocin infants gain more mass with no additional maternal energetic costs in wild grey seals (<i>Halichoerus grypus</i>). 2019 , 110, 104423		6
217	Children's dietary diversity and related factors in Rwanda and Burundi: A multilevel analysis using 2010 Demographic and Health Surveys. 2019 , 14, e0223237		13
216	Translating Evidence-Based Program Recommendations into Action: The Design, Testing, and Scaling Up of the Behavior Change Strategy EsIAN in Mexico. 2019 , 149, 2310S-2322S		10
215	Dietary Diversity among Children Aged 6-23 Months in Aleta Wondo District, Southern Ethiopia. 2019 , 2019, 2869424		13

214	Do domestic animals contribute to bacterial contamination of infant transmission pathways? Formative evidence from Ethiopia. 2019 , 17, 655-669		11
213	From didactic to personalized health and nutrition counselling: A mixed-methods review of the GALIDRAA approach in Nepal. <i>Maternal and Child Nutrition</i> , 2019 , 15, e12681	3-4	4
212	Changes in growth, anaemia, and iron deficiency among children aged 6-23 months in two districts in Nepal that were part of the post-pilot scale-up of an integrated infant and young child feeding and micronutrient powder intervention. <i>Maternal and Child Nutrition</i> , 2019 , 15, e12693	3-4	4
211	A behaviour change intervention with lipid-based nutrient supplements had little impact on young child feeding indicators in rural Kenya. <i>Maternal and Child Nutrition</i> , 2019 , 15, e12660	3-4	7
210	Complementary feeding practices among rural Bangladeshi mothers: Results from WASH Benefits study. <i>Maternal and Child Nutrition</i> , 2019 , 15, e12654	3-4	16
209	Independent and combined effects of improved water, sanitation, and hygiene, and improved complementary feeding, on stunting and anaemia among HIV-exposed children in rural Zimbabwe: a cluster-randomised controlled trial. 2019 , 3, 77-90		38
208	Independent and combined effects of improved water, sanitation, and hygiene, and improved complementary feeding, on child stunting and anaemia in rural Zimbabwe: a cluster-randomised trial. 2019 , 7, e132-e147		218
207	Individual-, maternal- and household-level factors associated with stunting among children aged 0-23 months in Bangladesh. 2019 , 22, 85-94		18
206	Effects of lipid-based nutrient supplements and infant and young child feeding counseling with or without improved water, sanitation, and hygiene (WASH) on anemia and micronutrient status: results from 2 cluster-randomized trials in Kenya and Bangladesh. 2019 , 109, 148-164		20
205	Linear growth following complicated severe malnutrition: 1-year follow-up cohort of Kenyan children. 2019 , 104, 229-235		10
204	Contribution of commercial infant products and fortified staple foods to nutrient intake at ages 6, 12, and 18 months in a cohort of children from a low socio-economic community in South Africa. <i>Maternal and Child Nutrition</i> , 2019 , 15, e12674	3-4	12
203	Impact of Water Quality, Sanitation, Handwashing, and Nutritional Interventions on Enteric Infections in Rural Zimbabwe: The Sanitation Hygiene Infant Nutrition Efficacy (SHINE) Trial. 2020 , 221, 1379-1386		36
202	Multisectoral community development in Nepal has greater effects on child growth and diet than nutrition education alone. 2020 , 23, 146-161		9
201	Suboptimal feeding and caring practices among young Indian children ages 12 to 24 mo living in the slums of New Delhi. 2020 , 69, 110553		1
200	A scoping review of social-behaviour change techniques applied in complementary feeding interventions. <i>Maternal and Child Nutrition</i> , 2020 , 16, e12882	3-4	9
199	How to calculate the ASDAS based on C-reactive protein without individual questions from the BASDAI: the BASDAI-based ASDAS formula. 2020 , 59, 1545-1549		7
198	Tubaramure, a Food-Assisted Maternal and Child Health and Nutrition Program in Burundi, Increased Household Food Security and Energy and Micronutrient Consumption, and Maternal and Child Dietary Diversity: A Cluster-Randomized Controlled Trial. 2020 , 150, 945-957		7
197	Effect of maternal nutritional education and counselling on children's stunting prevalence in urban informal settlements in Nairobi, Kenya. 2021 , 24, 3740-3752		2

196	Duodenal Microbiota in Stunted Undernourished Children with Enteropathy. 2020 , 383, 321-333		48
195	Maternal perceptions and barriers experienced during the management of moderately malnourished children in northern Uganda. <i>Maternal and Child Nutrition</i> , 2020 , 16, e13022	3-4	1
194	Who lacks and who benefits from diet diversity: evidence from (impact) profiling for children in Zimbabwe. 2020 , 19, 45		1
193	Mega-map of systematic reviews and evidence and gap maps on the interventions to improve child well-being in low- and middle-income countries. 2020 , 16, e1116		0
192	Immunoglobulin recognition of fecal bacteria in stunted and non-stunted children: findings from the Afribiota study. 2020 , 8, 113		8
191	Combined infant and young child feeding with small-quantity lipid-based nutrient supplementation is associated with a reduction in anemia but no changes in anthropometric status of young children from Katanga Province of the Democratic Republic of Congo: a quasi-experimental effectiveness study. 2020 , 112, 103-104		4
190	Education of family members to support weaning to solids and nutrition in later infancy in term-born infants. 2020 , 7, CD012241		2
189	Effect of lipid-based nutrient supplement-Medium quantity on reduction of stunting in children 6-23 months of age in Sindh, Pakistan: A cluster randomized controlled trial. 2020 , 15, e0237210		1
188	Effect of complementary feeding behavior change communication delivered through community-level actors on dietary adequacy of infants in rural communities of West Gojjam Zone, Northwest Ethiopia: A cluster-randomized controlled trial. 2020 , 15, e0238355		3
187	The Impact of Nutrition-Specific and Nutrition-Sensitive Interventions on Hemoglobin Concentrations and Anemia: A Meta-review of Systematic Reviews. 2020 , 11, 1631-1645		2
186	Effect of an Integrated Package of Nutrition Behavior Change Interventions on Infant and Young Child Feeding Practices and Child Growth from Birth to 18 Months: Cohort Evaluation of the Baduta Cluster Randomized Controlled Trial in East Java, Indonesia. 2020 , 12,		2
185	Protocol for the trial to establish a causal linkage between mycotoxin exposure and child stunting: a cluster randomized trial. 2020 , 20, 598		5
184	Prevalence and associated factors of acute diarrhea among under-five children in Kamashi district, western Ethiopia: community-based study. 2020 , 20, 236		8
183	Risk factors and transmission pathways associated with infant <i>Campylobacter</i> spp. prevalence and malnutrition: A formative study in rural Ethiopia. 2020 , 15, e0232541		7
182	Development and quality evaluation of banana-rice-bean porridge as weaning food for older infants and young children. 2020 , 2, e41		2
181	Mineral compositions of infant complementary foods in relation to dietary daily intake and synergistic/antagonistic interrelationships. 2020 , 71, 804-814		3
180	Timely Initiation of Complementary Feeding Practices in Gondar Town Northwest Ethiopia: A Cross-sectional Study. 2020 , 59, 329-341		2
179	Nutritional training in a humanitarian context: Evidence from a cluster randomized trial. <i>Maternal and Child Nutrition</i> , 2020 , 16, e12973	3-4	4

178	Acceptability and feasibility of insect consumption among pregnant women in Liberia. <i>Maternal and Child Nutrition</i> , 2020 , 16, e12990	3-4	4
177	What influences child feeding in the Northern Triangle? A mixed-methods systematic review. <i>Maternal and Child Nutrition</i> , 2020 , 16, e13018	3-4	2
176	Growth velocity in children with Environmental Enteric Dysfunction is associated with specific bacterial and viral taxa of the gastrointestinal tract in Malawian children. 2020 , 14, e0008387		10
175	A qualitative analysis of infant and young child feeding practices in rural Rwanda. 2021 , 24, 3592-3601		4
174	Smartphone-Based Maternal Education for the Complementary Feeding of Undernourished Children Under 3 Years of Age in Food-Secure Communities: Randomised Controlled Trial in Urmia, Iran. 2020 , 12,		4
173	Home fortification of foods with multiple micronutrient powders for health and nutrition in children under two years of age. 2020 , 2, CD008959		25
172	Summarizing the Child Growth and Diarrhea Findings of the Water, Sanitation, and Hygiene Benefits and Sanitation Hygiene Infant Nutrition Efficacy Trials. 2020 , 93, 153-166		3
171	Trends and factors associated with complementary feeding practices in Ethiopia from 2005 to 2016. <i>Maternal and Child Nutrition</i> , 2020 , 16, e12926	3-4	14
170	Effectiveness of a locally produced ready-to-use supplementary food in preventing growth faltering for children under 2 years in Cambodia: a cluster randomised controlled trial. <i>Maternal and Child Nutrition</i> , 2020 , 16, e12896	3-4	5
169	Factors that May Influence the Effectiveness of 4 Specialized Nutritious Foods in the Prevention of Stunting and Wasting in Children Aged 6-23 Months in Burkina Faso. 2020 , 4, nzaa002		3
168	Designing integrated interventions to improve nutrition and WASH behaviors in Kenya. 2020 , 6, 10		12
167	A novel histological index for evaluation of environmental enteric dysfunction identifies geographic-specific features of enteropathy among children with suboptimal growth. 2020 , 14, e0007975		17
166	Improving Children's Diet: Approach and Progress. 2020 , 93, 25-38		
165	Lipid-Based Nutrient Supplementation Reduces Child Anemia and Increases Micronutrient Status in Madagascar: A Multiarm Cluster-Randomized Controlled Trial. 2020 , 150, 958-966		6
164	Malnutrition in rural Solomon Islands: An analysis of the problem and its drivers. <i>Maternal and Child Nutrition</i> , 2020 , 16, e12921	3-4	17
163	Different Combinations of Behavior Change Interventions and Frequencies of Interpersonal Contacts Are Associated with Infant and Young Child Feeding Practices in Bangladesh, Ethiopia, and Vietnam. 2020 , 4, nzz140		8
162	Supplementation with Fortified Lipid-Based and Blended Complementary Foods has Variable Impact on Body Composition Among Rural Bangladeshi Children: A Cluster-Randomized Controlled Trial. 2020 , 150, 1924-1932		4
161	Measuring coverage of infant and young child feeding counselling interventions: A framework and empirical considerations for survey question design. <i>Maternal and Child Nutrition</i> , 2020 , 16, e13001	3-4	6

160	Cost-effectiveness of a market-based home fortification of food with micronutrient powder programme in Bangladesh. 2021 , 24, s59-s70	3
159	Assessing the challenges to women's access and implementation of text messages for nutrition behaviour change in rural Tanzania. 2021 , 24, 1478-1491	0
158	Risk Assessment of Metal(Loid)s Exposed to Infants via Consumption of Weaning Foods from Different Supermarkets in Sheffield, UK. 2021 , 199, 1664-1673	1
157	Cost and affordability of nutritious diets at retail prices: Evidence from 177 countries. 2021 , 99, 101983	29
156	Safety and Ethics in Endoscopic Studies in Children: Evidence From the BEECH Study in Zambia. 2021 , 67,	5
155	Child feeding practices and concerns: Thematic content analysis of Thai virtual communities. <i>Maternal and Child Nutrition</i> , 2021 , 17, e13095	3-4 3
154	Micronutrient intake and the probability of nutrient adequacy among children 9-24 months of age: results from the MAL-ED birth cohort study. 2021 , 24, 2592-2602	4
153	Improving Infant Nutrition through the Market: Experimental Evidence in Ghana.	
152	Sensory Evaluation and Proximate Composition of Homemade Complementary Food (HCF), Made Using Milk Combinations of Plant and Animal Origin. 2021 , 12, 343-351	
151	Effect of nutrition behaviour change communication delivered through radio on mothers' nutritional knowledge, child feeding practices and growth. 2021 , 10, e44	1
150	Exposure to aflatoxins and fumonisins and linear growth of children in rural Ethiopia: a longitudinal study. 2021 , 24, 3662-3673	4
149	Feasibility of using WeChat to improve infant and young child feeding in rural areas in China: A mixed quantitative and qualitative study. 2021 , 16, e0246942	2
148	Adaptation of the small intestine to microbial enteropathogens in Zambian children with stunting. 2021 , 6, 445-454	13
147	Biomarkers of environmental enteric dysfunction are not consistently associated with linear growth velocity in rural Zimbabwean infants. 2021 , 113, 1185-1198	4
146	The association between dietary diversity and development among children under 24 months in rural Uganda: analysis of a cluster-randomised maternal education trial. 2021 , 24, 4286-4296	0
145	Maternal Preconception Body Size and Early Childhood Growth during Prenatal and Postnatal Periods Are Positively Associated with Child-Attained Body Size at Age 6-7 Years: Results from a Follow-up of the PRECONCEPT Trial. 2021 , 151, 1302-1310	0
144	The aflatoxin situation in Africa: Systematic literature review. 2021 , 20, 2286-2304	5
143	Decomposition analysis of the compositional and contextual factors associated with poor-non-poor inequality in diarrhoea among under-five children in low- and middle-income countries. 2021 , 193, 83-93	5

142	Trends in complementary feeding practices and caregivers' feeding knowledge among children aged 6-23 months: Repeated cross-sectional surveys in rural Qinghai China 2012-18. 2021 , 11, 08003		
141	Parental considerations during complementary feeding in higher income countries: a systematic review of qualitative evidence. 2021 , 24, 2834-2847		5
140	Distance to water source in early childhood affects growth: a cohort study. 2021 , 193, 139-145		
139	Independent and combined effects of nutrition and sanitation interventions on child growth in rural Cambodia: a factorial cluster-randomized controlled trial.		0
138	Household Hunger, Poverty, and Childcare in 5 States of Nigeria and Their Impacts on Nutritional Outcomes in Preschool Children. 2021 , 42, 188-209		0
137	Effects on child growth of a reduction in the general food distribution ration and provision of small-quantity lipid-based nutrient supplements in refugee camps in eastern Chad. 2021 , 4, 235-242		
136	Minimum acceptable diet among children aged 6-23 months in South Kivu, Democratic Republic of Congo: a community-based cross-sectional study. 2021 , 21, 239		4
135	Perspective: Putting the youngest among us into the nutrition "call for action" for food fortification strategies. 2021 , 114, 1257-1260		0
134	Understanding the role of the gut in undernutrition: what can technology tell us?. 2021 ,		2
133	Trends and Urban-Rural Disparities of Energy Intake and Macronutrient Composition among Chinese Children: Findings from the China Health and Nutrition Survey (1991 to 2015). 2021 , 13,		5
132	The Top 100 Cited Papers in the Field of Iron Deficiency in Humans: A Bibliometric Study. 2021 , 2021, 5573790		0
131	Nutrition Education Programs Aimed at African Mothers of Infant Children: A Systematic Review. 2021 , 18,		
130	Characteristics and effects of integrated nutrition and stimulation interventions to improve the nutritional status and development of children under 5 years of age: a systematic review and meta-analysis. 2021 , 6,		0
129	Another voice in the crowd: the challenge of changing family planning and child feeding practices through mHealth messaging in rural central India. 2021 , 6,		3
128	Associations between parents' exposure to a multisectoral programme and infant and young child feeding practices in Nepal. <i>Maternal and Child Nutrition</i> , 2021 , 17 Suppl 1, e13143	3-4	2
127	Migration, Economic Crisis and Child Growth in Rural Guatemala: Insights from the Great Recession. 2021 ,		
126	Effectiveness of Community Nutrition-Specific Interventions on Improving Malnutrition of Children under 5 Years of Age in the Eastern Mediterranean Region: A Systematic Review and Meta-Analysis. 2021 , 18,		1
125	Complementary Foods and Milk-Based Formulas Provide Excess Protein but Suboptimal Key Micronutrients and Essential Fatty Acids in the Intakes of Infants and Toddlers from Urban Settings in Malaysia. 2021 , 13,		0

124	Effect of Birth Interval on Foetal and Postnatal Child Growth. 2021 , 2021, 6624184		
123	Can nutrition education mitigate the impacts of COVID-19 on dietary quality? Cluster-randomised controlled trial evidence in Myanmar's Central Dry Zone. <i>Maternal and Child Nutrition</i> , 2021 , 17, e13259	3-4	0
122	Effectiveness of Specialized Nutritious Foods and Social and Behavior Change Communication Interventions to Prevent Stunting among Children in Badakhshan, Afghanistan: Protocol for a Quasi-Experimental Study. 2021 , 4,		
121	Animal source foods, rich in essential amino acids, are important for linear growth and development of young children in low- and middle-income countries. <i>Maternal and Child Nutrition</i> , 2021 , e13264	3-4	3
120	Assessment of a Nutrition Education Program designed to Enhance Mothers' Attitudes on Infants and Young Children feeding in Sudan. 2020 , 9, 620-625		
119	Child growth and development: new insights from evolutionary energetics. 2021 , 1-3		1
118	Factors Associated With Weight, Length, and BMI Change in Adolescents' Offspring in Their First Year of Life. 2021 , 9, 709933		0
117	The Impacts of a Multifaceted Prenatal Intervention on Human Capital Accumulation in Early Life. 2021 , 111, 2506-2549		3
116	Improved recipes provide better complementary feeding in young children: findings of community-based trials in Bangladesh. 2021 ,		1
115	Dietary Diversity and Undernutrition in Children Aged 6-23 Months in Sub-Saharan Africa. 2021 , 13,		0
114	Analysis of risk and prognostic factors in a population of pediatric patients hospitalized for acute malnutrition at the Chiulo hospital, Angola. 2021 , 47, 184		
113	Migration, economic crisis and child growth in rural Guatemala: Insights from the Great Recession. 2021 , 104, 102145		1
112	Effectiveness of provision of animal-source foods for supporting optimal growth and development in children 6 to 59 months of age. 2019 , 2, CD012818		21
111	Targeting Pregnant and Lactating Women and Young Children with Fortified Foods. 2013 , 129-145		1
110	Ethics of Healthy Eating. 2020 , 1173-1195		2
109	Malnutrition: A Global Problem. 2016 , 505-513		2
108	Value Chain Focus on Food and Nutrition Security. 2017 , 753-770		11
107	Nutritional status, complementary feeding practices and feasible strategies to promote nutrition in returnee children aged 6-23 months in northern Uganda. 2012 , 25, 173-179		8

106	A pilot study assessing the impact of a fortified supplementary food on the health and well-being of crdhe children and adult TB patients in South Africa. 2013 , 8, e55544	9
105	Open defecation and childhood stunting in India: an ecological analysis of new data from 112 districts. 2013 , 8, e73784	178
104	Prevalence and Predictors of Malnutrition among Guatemalan Children at 2 Years of Age. 2016 , 11, e0164772	5
103	Exposure to Large-Scale Social and Behavior Change Communication Interventions Is Associated with Improvements in Infant and Young Child Feeding Practices in Ethiopia. 2016 , 11, e0164800	61
102	High Awareness but Low Coverage of a Locally Produced Fortified Complementary Food in Abidjan, Cte d'Ivoire: Findings from a Cross-Sectional Survey. 2016 , 11, e0166295	7
101	Aflatoxin exposure during the first 36 months of life was not associated with impaired growth in Nepalese children: An extension of the MAL-ED study. 2017 , 12, e0172124	36
100	Consumption of fortified infant foods reduces dietary diversity but has a positive effect on subsequent growth in infants from Sumedang district, Indonesia. 2017 , 12, e0175952	25
99	Assessment of the effectiveness of a small quantity lipid-based nutrient supplement on reducing anaemia and stunting in refugee populations in the Horn of Africa: Secondary data analysis. 2017 , 12, e0177556	8
98	Factors associated with stunting in healthy children aged 5 years and less living in Bangui (RCA). 2017 , 12, e0182363	20
97	Magnitude and determinants of appropriate complementary feeding practice among mothers of children age 6-23 months in Western Ethiopia. 2020 , 15, e0244277	3
96	Infant and Young Child Growth. 2016 , 225-239	5
95	Very Early Childhood Development. 2016 , 241-261	5
94	Hubungan antara Kehamilan Remaja dan Riwayat Pemberian ASI Dengan Kejadian Stunting pada Balita di Wilayah Kerja Puskesmas Pujon Kabupaten Malang. 2018 , 2, 392	3
93	The Operational Evidence Base for Delivering Direct Nutrition Interventions in India: A Desk Review.	9
92	The Impact of Dietary Protein in Complementary Foods on Infant Growth and Body Composition in a Population Facing the Double Burden of Malnutrition: Protocol for a Multicenter, Prospective Cohort Study. 2020 , 9, e18112	0
91	Effectiveness of WeChat for Improving Exclusive Breastfeeding in Huzhu County China: Randomized Controlled Trial. 2020 , 22, e23273	14
90	Addressing Communications Campaign Development Challenges to Reduce Stunting in Indonesia. 2018 , 10, 1764-1778	4
89	Prevalence of diarrhea and associated risk factors among children under-five years of age in Eastern Ethiopia: A cross-sectional study. 2013 , 03, 446-453	75

- 88 Characterizing Potential Risks of Fecal-Oral Microbial Transmission for Infants and Young Children in Rural Zambia. **2018**, 98, 816-823 12
- 87 Stunting Is Preceded by Intestinal Mucosal Damage and Microbiome Changes and Is Associated with Systemic Inflammation in a Cohort of Peruvian Infants. **2019**, 101, 1009-1017 8
- 86 The Potential of Bambara Groundnut for Use in Complementary Feeding. **2021**, 169-187
- 85 Small Intestine Bacterial Overgrowth in Bangladeshi Infants Is Associated With Growth Stunting in a Longitudinal Cohort. **2021**, 3
- 84 Effectiveness of unconditional cash transfers combined with lipid-based nutrient supplement and/or behavior change communication to prevent stunting among children in Pakistan: a cluster randomized controlled trial. **2021**, 0
- 83 Risk factors and case management of acute diarrhoea in North Gondar Zone, Ethiopia. **2010**, 28, 253-63 17
- 82 Growth, Stunting, and Micronutrient Supplementation: Perspectives from the South-East Asia Multi-country Trial of Iron and Zinc Supplementation in Infants (SEAMTIZI). **2012**, 1573-1583
- 81 Maternal Dietary Counselling and Children's Diet Quality. **2013**, 93-104
- 80 Nutrition-Based Approaches to Early Childhood Development. **2013**, 202-226
- 79 14. The usage of complementary food supplements for young children during natural disasters. **2015**, 235-250
- 78 Dficit estatural e fatores associados em crianças de 6 a 24 meses atendidas em unidades de saúde do sudoeste da Bahia. **2016**, 24, 84-91 0
- 77 Does It Work? Is It Worth It? Evaluating the Costs and Benefits of Nutritional Interventions. **2017**, 343-353
- 76 Dietary Patterns of Children during the First Year of Life: A Cohort Study & Dietary Patterns of Children. **2017**, 08, 1001-1011 0
- 75 Responsive Feeding-Play (Resfeed-Play) Intervention on Children Aged 6-24 Months with Malnutrition. **2018**, 13, 24
- 74 Cost and Affordability of Nutritious Diets at Retail Prices: Evidence from 744 Foods in 159 Countries.
- 73 An Overview of the Ethics of Eating and Drinking. **2019**, 1-21
- 72 The role of water and sanitation, diarrheal infection, and breastfeeding on child stunting: insights from a historical analysis of the Cebu longitudinal health and nutrition survey, 1984-1986. 1, 1
- 71 Complementary Food Supplements After Disasters. **2019**, 1437-1458

70	Ethics of Healthy Eating. 2019 , 1-23		
69	Chemical Formulation and Characterization of Complementary Foods from Blend of Orange-Fleshed Sweet Potato, Brown Teff, and Dark Red Kidney Beans. 2020 , 2020, 4803839		2
68	Effectiveness of WeChat for Improving Exclusive Breastfeeding in Huzhu County China: Randomized Controlled Trial (Preprint).		
67	An Overview of the Ethics of Eating and Drinking. 2020 , 1095-1115		1
66	Formulation and quality evaluation of complementary mixes from foxtail millet, amaranth, spinach, banana, and papaya. 2020 , 9, 32		
65	The Impact of Dietary Protein in Complementary Foods on Infant Growth and Body Composition in a Population Facing the Double Burden of Malnutrition: Protocol for a Multicenter, Prospective Cohort Study (Preprint).		
64	Impact of Different Strategies for Delivering Supplemental Zinc on Selected Fecal Markers of Environmental Enteric Dysfunction among Young Laotian Children: A Randomized Controlled Trial. 2020 , 103, 1416-1426		1
63	The Gut Microbiota: A Promising Target in the Relation between Complementary Feeding and Child Undernutrition. 2021 , 12, 969-979		3
62	Impact of maternal education about complementary feeding on their infants' nutritional outcomes in low- and middle-income households: a community-based randomized interventional study in Karachi, Pakistan. 2014 , 32, 623-33		24
61	Optimisation, validation and field applicability of a 13C-sucrose breath test to assess intestinal function in environmental enteropathy among children in resource poor settings: study protocol for a prospective study in Bangladesh, India, Kenya, Jamaica, Peru and Zambia. 2020 , 10, e035841		1
60	"Are We Feeding Them Enough?" Micronutrient Deficiency in Children Aged Six Months to Fourteen Years in India.. 2021 , 13, e19405		
59	The effectiveness of interventions on nutrition social behaviour change communication in improving child nutritional status within the first 1000 days: Evidence from a systematic review and meta-analysis. <i>Maternal and Child Nutrition</i> , 2021 , 18, e13286	3-4	2
58	Evaluating the Effect of Appropriate Complementary Feeding Practices on Child Growth in Malawi Using Cross-Sectional Data: An Application of Propensity Score Matching. 2021 , 8, 714232		0
57	Independent and joint contribution of inappropriate complementary feeding and poor water, sanitation and hygiene (WASH) practices to stunted child growth.. 2021 , 10, e109		0
56	Optimisation, validation and field applicability of a 13C-sucrose breath test to assess intestinal function in environmental enteropathy among children in resource poor settings: study protocol for a prospective study in Bangladesh, India, Kenya, Jamaica, Peru and Zambia. 2020 , 10, e035841		1
55	The health, environmental, and economic dimensions of future dietary transitions in Argentina.. 2022 , 1-17		2
54	Non-Targeted Dried Blood Spot-Based Metabolomics Analysis Showed Rice Bran Supplementation Effects Multiple Metabolic Pathways during Infant Weaning and Growth in Mali.. 2022 , 14,		0
53	The usefulness of nutrition and health videos displayed on mobile phones in rural Uganda: Experiences of community health workers and mothers.. <i>Maternal and Child Nutrition</i> , 2022 , e13322	3-4	2

52	The influence of fasting on energy and nutrient intake and their corresponding food sources among 6-23 months old children in rural communities with high burden of stunting from Northern Ethiopia.. 2022 , 21, 4	0
51	Has Zinc Lost Its Shine?. 2022 ,	1
50	Animal-source foods as a suitable complementary food for improved physical growth in 6 to 24-month-old children in low- and middle-income countries: A systematic review and meta-analysis of randomised controlled trials.. 2022 , 1-35	1
49	Monitoring the implementation of nutrition intervention at the local level.. 2022 , 91, 102047	
48	Social Behavior Changes Communication Intervention for Stunting Prevention: A Systematic Review. 2022 , 10, 209-217	0
47	The Other Causes of Severe Enteropathy with Villous Atrophy Non-Responsive to a Gluten-Free Diet. 2022 , 99-121	
46	Maternal Time Use Drives Suboptimal Complementary Feeding Practices in the El Niño-Affected Eastern Ethiopia Community.. 2022 , 19,	0
45	NAFLD and the Gut-Liver Axis: Exploring an Undernutrition Perspective.. 2022 ,	3
44	Risk factors for early childhood growth faltering in rural Cambodia: a cross-sectional study.. 2022 , 12, e058092	0
43	Child wasting before and after age two years: A cross-sectional study of 94 countries.. 2022 , 46, 101353	2
42	Consumption of Vitamin-A-Rich Foods and Vitamin A Supplementation for Children under Two Years Old in 51 Low- and Middle-Income Countries.. 2021 , 14,	1
41	The Effect of Interactive Education Program in Preventing Stunting for Mothers with Children under 5 Years of Age in Indonesia: A Randomized Controlled Trial. 2022 , 10, 260-264	
40	Effectiveness of an integrated agriculture, nutrition-specific and nutrition-sensitive program on child growth in Western Kenya: a cluster-randomized controlled trial.. 2022 ,	1
39	The Dietary Diversity Score. 2022 , 1-15	
38	Impact of Fortified Infant Cereals on the Burden of Iron Deficiency Anemia in 6- to 23-Month-Old Indonesian Infants and Young Children: A Health Economic Simulation Model.. 2022 , 19,	
37	Cessation of exclusive breastfeeding and seasonality, but not small intestinal bacterial overgrowth, are associated with environmental enteric dysfunction: A birth cohort study amongst infants in rural Kenya.. 2022 , 47, 101403	0
36	Effectiveness of a Nutrition Education Program in Improving Mothers' Knowledge and Feeding Practices of Infants and Young Children in Sudan. 2022 , 10, 776-782	
35	Family Characteristics and Anemia in Relation to Preference and Food Variety in Infant Complementary Food. 2022 , 1024, 012059	

34	Comparison of the agreement between WeChat-based self-administered and interviewer-administered data on infant and young child feeding in China: A test-retest study. 12,	1
33	Association Between Nutrition Social Behavior Change Communication and Improved Caregiver Health and Nutrition Knowledge and Practices in Rural Tanzania. 10,	0
32	Health outcomes associated with micronutrient-fortified complementary foods in infants and young children aged 6-23 months: a systematic review and meta-analysis. 2022,	1
31	Behavioral change promotion, cash transfers and early childhood development experimental evidence from a government program in a low-income setting. 2022, 102921	0
30	Effectiveness of nutritional supplementation during the first 1000-days of life to reduce child undernutrition: A cluster randomized controlled trial in Pakistan. 2022, 100035	0
29	Programming long-term health: Nutrition and diet in infants aged 6 months to 1 year. 2022, 563-595	
28	Effect of short-term educational intervention on complementary feeding index among infants in rural Bangladesh: a randomized control trial. 2022, 8,	
27	Importance of breastfeeding and complementary feeding for management and prevention of childhood diarrhoea in low- and middle-income countries. 12,	2
26	Mycotoxins in complementary foods consumed by infants and young children within the first 18 months of life. 2022, 109328	0
25	Early nutrition, the development of obesity, and its long term consequences. 2022, 437-491	0
24	Use of a mHealth Approach for the Training of Health-care Providers on Nutrition Counseling in a Malnutrition Clinic. 2022, 10, 1350-1358	0
23	Plasma mineral status after a six-month intervention providing one egg per day to young Malawian children: a randomized controlled trial.	1
22	Association between asymptomatic infections and linear growth in 18-24-month-old Malawian children.	0
21	Stunted children display ectopic small intestinal colonization by oral bacteria, which cause lipid malabsorption in experimental models. 2022, 119,	0
20	The Dietary Diversity Score. 2022, 293-306	0
19	Association between wasting and feeding practices consumption during 24 hours recall among children aged 6-23 in Cambodia: Analysis of Cambodia Demographic and Health Survey 2014.	0
18	Correlates of dietary diversity among children aged 6-23 months of head porters in Ghana. 10,	0
17	Dietary animal source food across the lifespan in LMIC. 2022, 35, 100656	0

- 16 Escalate protein plates from legumes for sustainable human nutrition. 9, ○
- 15 Change in stunting and its associated factors among children aged less than 5 years in Ethiopia using Ethiopia Demographic and Health Survey data from 2005 to 2019: a multivariate decomposition analysis. **2022**, 12, e061707 ○
- 14 Micronutrient intake of children in Ghana and Benin: Estimated contribution of diet and nutrition programs. ○
- 13 Effective interventions for the promotion of breastfeeding and healthy complementary feeding in the context of Primary Health Care. 41, ○
- 12 Development of Food Multi-Mix Using a Linear Programming Approach to Fill the Nutrient Gap of Amino Acids and Micronutrients for Stunted Non-Wasted Children. **2023**, 12, 64 ○
- 11 Human Breast Milk Contamination with Aflatoxins, Impact on Children's Health, and Possible Control Means: A Review. **2022**, 19, 16792 ○
- 10 Hispanic caregivers' preferences for content, delivery methods, and sources of nutrition education from their child's preschool: Qualitative research findings. 026010602211463 ○
- 9 Child Health, Agriculture and Integrated Nutrition (CHAIN): protocol for a randomised controlled trial of improved infant and young child feeding in rural Zimbabwe. **2022**, 12, e056435 ○
- 8 Determinants of complementary feeding practices among children aged 6-24 months in urban slums of Pune, Maharashtra, in India. **2023**, 42, ○
- 7 Assessment of nutrient adequacy of complementary foods for infants and young children in Morogoro, Tanzania. **2023**, 19, e01567 ○
- 6 Changes in Systemic Regulatory T Cells, Effector T Cells, and Monocyte Populations Associated With Early-Life Stunting. 13, ○
- 5 Moderate Accuracy of Survey Responses about Infant and Young Child Feeding Counseling Reported by Mothers with Children Less than 1 Year of Age in India. **2023**, 153, 1220-1230 ○
- 4 The energetics of childhood: Current knowledge and insights into human variation, evolution, and health. ○
- 3 Zinc: Deficiency disorders and prevention programs. **2013**, 577-583 ○
- 2 Nutritional Anthropology. **2023**, 244-261 ○
- 1 Faecal markers of intestinal inflammation in slum infants following yogurt intervention: A pilot randomized controlled trial in Bangladesh. 2, ○