

CITATION REPORT

List of articles citing

Science and technology for water purification in the coming decades

DOI: 10.1038/nature06599
Nature, 2008, 452, 301-10.

Source: <https://exaly.com/paper-pdf/43645054/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2292	Preparation of thin-film-composite polyamide membranes for desalination using novel hydrophilic surface modifying macromolecules. 2008 , 325, 166-175		153
2291	Environmental applications of carbon-based nanomaterials. 2008 , 42, 5843-59		1154
2290	Cleaning up water. 2008 , 7, 341		10
2289	Global challenges in energy and water supply: the promise of engineered osmosis. 2008 , 42, 8625-9		243
2288	Antimicrobial nanomaterials for water disinfection and microbial control: potential applications and implications. 2008 , 42, 4591-602		1773
2287	Quantitative biofouling diagnosis in full scale nanofiltration and reverse osmosis installations. 2008 , 42, 4856-68		178
2286	New functional materials for heavy metal sorption: "supramolecular" attachment of thiols to mesoporous silica substrates. 2008 , 5583-5		31
2285	Nanofluidic Carbon Nanotube Membranes: Applications for Water Purification and Desalination. 2009 , 77-93		4
2284	Water disinfection with Ru(II) photosensitisers supported on ionic porous silicones. 2009 , 8, 926-32		28
2283	Using GIS for the Estimation of Water Supply Demand in Wujiang City. 2009 ,		1
2282	Versatile ultrathin nanoporous silicon nitride membranes. 2009 , 106, 21039-44		127
2281	Ionic Transport Regimes for Nanoscale Transport towards the Development of Low Energy Water Desalination Membranes. 2009 , 1169, 207		
2280	Colorimetric Sensor Array for Qualitative Water Analysis. 2009 , 62, 1040		10
2279	Interaction forces and reversible collapse of a polymer brush-gated nanopore. 2009 , 3, 2911-8		40
2278	The Biological Safety of UV Disinfection Systems for Drinking Water. 2009 ,		
2277	The substitution of sand filtration by immersed-UF for surface water treatment: pilot-scale studies. 2009 , 60, 2337-43		1
2276	Decadal and seasonal scale changes of an artificial lake environment after blocking tidal flows in the Yeongsan Estuary region, Korea. 2009 , 407, 6063-72		27

2275	Application of carbon nanotube technology for removal of contaminants in drinking water: a review. 2009 , 408, 1-13	546
2274	High-Performance Multifunctional TiO ₂ Nanowire Ultrafiltration Membrane with a Hierarchical Layer Structure for Water Treatment. 2009 , 19, 3731-3736	206
2273	Sequestration of heavy metals from water with layered metal sulfides. 2009 , 15, 4779-84	111
2272	Cleaner water using bimetallic nanoparticle catalysts. 2009 , 84, 158-166	116
2271	Treated domestic sewage irrigation effects on soil hydraulic properties in arid and semiarid zones: A review. 2009 , 106, 152-163	56
2270	Enhanced forward osmosis from chemically modified polybenzimidazole (PBI) nanofiltration hollow fiber membranes with a thin wall. 2009 , 64, 1577-1584	155
2269	Sustainable use of water in the Aegean Islands. 2009 , 90, 2601-11	52
2268	Preparation, characterization and activity evaluation of p-n junction photocatalyst p-CaFe ₂ O ₄ /n-Ag ₃ VO ₄ under visible light irradiation. 2009 , 172, 1415-23	128
2267	Control of health risks in drinking water through point-of-use systems. 2009 , 54, 1996-2001	2
2266	Design of a carbon nanotube/magnetic nanoparticle-based peroxidase-like nanocomplex and its application for highly efficient catalytic oxidation of phenols. 2009 , 2, 617-623	129
2265	Biomimetic membranes for sensor and separation applications. 2009 , 395, 697-718	137
2264	Ultrafast permeation of water through protein-based membranes. 2009 , 4, 353-7	274
2263	Influence of surface modifying macromolecules on the surface properties of poly(ether sulfone) ultra-filtration membranes. 2009 , 338, 84-91	46
2262	Three-dimensional modeling of biofouling and fluid dynamics in feed spacer channels of membrane devices. 2009 , 345, 340-354	116
2261	Development of an electrode-membrane-electrode system for selective Faradaic response towards charged redox species. 2009 , 54, 5060-5064	1
2260	Noble metal nanoparticles for water purification: A critical review. 2009 , 517, 6441-6478	583
2259	Surface modification in microsystems and nanosystems. 2009 , 64, 233-254	93
2258	Yield stress and rheological characteristics of activated sludge in an airlift membrane bioreactor. 2009 , 334, 83-90	61

2257	Sensitive pressure drop measurements of individual lead membrane elements for accurate early biofouling detection. 2009 , 338, 92-99	54
2256	Effect of free calcium concentration and ionic strength on alginate fouling in cross-flow membrane filtration. 2009 , 345, 207-216	105
2255	Direct observation of bacterial deposition onto clean and organic-fouled polyamide membranes. 2009 , 336, 13-20	78
2254	Decontamination and disinfection of water by solar photocatalysis: Recent overview and trends. 2009 , 147, 1-59	2187
2253	Options for urine treatment in developing countries. 2009 , 248, 360-368	44
2252	Water resources management in Crete and in the Aegean Islands, with emphasis on the utilization of non-conventional water sources. 2009 , 248, 1049-1064	35
2251	Prediction of boron transport through seawater reverse osmosis membranes using solution-diffusion model. 2009 , 247, 33-44	46
2250	Artificial neural network model for optimizing operation of a seawater reverse osmosis desalination plant. 2009 , 247, 180-189	46
2249	Role of extracellular polymeric substances (EPS) in biofouling of reverse osmosis membranes. 2009 , 43, 4393-8	290
2248	Nanosized Carbon Particles From Natural Gas Soot. 2009 , 21, 2803-2809	572
2247	Electrochemical impedance spectroscopy for detection of parasites in drinking water. 2009 ,	1
2246	Synthesis and characterization of silver-nanoparticle-impregnated fiberglass and utility in water disinfection. 2009 , 20, 495705	32
2245	Occurrence, source, and fate of dissolved organic matter (DOM) in a pilot-scale membrane bioreactor. 2009 , 43, 8821-6	57
2244	Fundamental mechanisms of three-component combined fouling with experimental verification. 2009 , 25, 7815-27	21
2243	Synthesis and Characterization of Poly(ϵ -caprolactone- <i>b</i> -4-vinylpyridine): Initiation, Polymerization, Solution Morphology, and Gold Metalation. 2009 , 42, 1067-1078	21
2242	Occurrence and fate of nitrosamines and their precursors in municipal sludge and anaerobic digestion systems. 2009 , 43, 3087-93	60
2241	Surface-Tethered pH-Responsive Hydrogel Thin Films as Size-Selective Layers on Nanoporous Asymmetric Membranes. 2009 , 21, 4323-4331	34
2240	Enhanced water purification: a single atom makes a difference. 2009 , 43, 5416-22	53

2239	Meeting China's water shortage crisis: current practices and challenges. 2009 , 43, 240-4	181
2238	Recent advances in membrane bioreactors (MBRs): membrane fouling and membrane material. 2009 , 43, 1489-512	1370
2237	Removal of arsenic from water: effect of calcium ions on As(III) removal in the KMnO(4)-Fe(II) process. 2009 , 43, 5119-28	95
2236	Integrated pretreatment with capacitive deionization for reverse osmosis reject recovery from water reclamation plant. 2009 , 43, 4769-77	54
2235	Use of zero-valent iron nanoparticles in inactivating microbes. 2009 , 43, 5243-51	255
2234	A new method for water desalination using microbial desalination cells. 2009 , 43, 7148-52	578
2233	Ionic liquids in biomass processing. 2010 , 290, 311-39	89
2232	Magnetic EDTA: coupling heavy metal chelators to metal nanomagnets for rapid removal of cadmium, lead and copper from contaminated water. 2009 , 4862-4	136
2231	Concentric hollow nanospheres of mesoporous silica shell-titania core from combined inorganic and polymer syntheses. 2009 , 25, 4361-4	55
2230	Thermal effect on the dynamic infiltration of water into single-walled carbon nanotubes. 2009 , 80, 061206	24
2229	In situ assembly of multi-sheeted buckybooks from single-walled carbon nanotubes. 2009 , 3, 707-13	38
2228	Superhydrophobic membranes with ordered arrays of nanopiked microchannels for water desalination. 2009 , 25, 5446-50	77
2227	Two-step optimization of pressure and recovery of reverse osmosis desalination process. 2009 , 43, 3272-7	14
2226	Surface engineering of macroporous polypropylene membranes. 2009 , 5, 1775	66
2225	Pressure drop increase by biofilm accumulation in spiral wound RO and NF membrane systems: role of substrate concentration, flow velocity, substrate load and flow direction. 2009 , 25, 543-55	127
2224	Anomalous hydration shell order of Na ⁺ and K ⁺ inside carbon nanotubes. 2009 , 9, 989-94	99
2223	Effect of induced electric field on single-file reverse osmosis. 2009 , 11, 8614-9	38
2222	A critical flux to avoid biofouling of spiral wound nanofiltration and reverse osmosis membranes: Fact or fiction?. 2009 , 326, 36-44	73

2221	Spraying asymmetry into functional membranes layer-by-layer. 2009 , 8, 512-8	254
2220	Monitoring viral contamination in shellfish growing areas. 2009 , 542-579	1
2219	Polymer Filtration Membranes. 2009 ,	2
2218	A long-term application of a pilot airlift membrane bioreactor for domestic wastewater treatment. 2009 , 4, 212-217	4
2217	Ozonation and perozone of humic acids in nanofiltration concentrates. 2009 , 6, 217-221	8
2216	Effects of Irrigation with Different Effluents on Saturated Hydraulic Conductivity of Arid and semiarid Soils. 2010 , 74, 23-32	25
2215	Transport Across Sub-Nanometer Zeolite Pores for Water Desalination. 2010 ,	
2214	Vapor Trapping Membrane for Reverse Osmosis. 2010 ,	
2213	Leveraging Resist Chemistry Research for Water Purification Membrane Technology. 2010 , 23, 741-747	2
2212	Sonochemical Treatment of Water Polluted by Chlorinated Organocompounds. A Review. 2010 , 2, 28-74	63
2211	Highly Water-Soluble Magnetic Nanoparticles as Novel Draw Solute in Forward Osmosis for Water Reuse. 2010 , 49, 5869-5876	236
2210	Molecular simulation study of the effect of inner wall modified groups on ionic hydration confined in carbon nanotube. 2010 , 297, 215-220	32
2209	Synthesis and characterization of thin film composite reverse osmosis membranes via novel interfacial polymerization approach. 2010 , 72, 256-262	76
2208	Particle deposition and biofilm formation on microstructured membranes. 2010 , 364, 43-51	33
2207	Comparison of fouling behavior in forward osmosis (FO) and reverse osmosis (RO). 2010 , 365, 34-39	568
2206	Combining MBR and NF/RO membrane filtration for the removal of trace organics in indirect potable water reuse applications. 2010 , 365, 206-215	188
2205	An analytical solution to contaminant transport through composite liners with geomembrane defects. 2010 , 53, 1424-1433	26
2204	Gamma radiolytic degradation of the endrin insecticide in methanol and monitoring of radiolytic degradation products by HPLC. 2010 , 285, 697-701	7

2203	Adsorption of cadmium and lead onto oxidized nitrogen-doped multiwall carbon nanotubes in aqueous solution: equilibrium and kinetics. 2010 , 12, 467-480	51
2202	Pollution magnet: nano-magnetite for arsenic removal from drinking water. 2010 , 32, 327-34	48
2201	Population crash: prospects for famine in the twenty-first century. 2010 , 12, 245-262	38
2200	The optimal shape of roots. 2010 , 15, NA-NA	
2199	Carbon nanotube sponges. 2010 , 22, 617-21	1240
2198	Polyamide-imide nanofiltration hollow fiber membranes with elongation-induced nano-pore evolution. 2010 , 56, 1481-1494	68
2197	Membrane Bioreactors in Waste Water Treatment Status and Trends. 2010 , 33, 1251-1259	123
2196	Water Chains in Hydrophobic Crystal Channels: Nanoporous Materials as Supramolecular Analogues of Carbon Nanotubes. 2010 , 122, 5251-5255	10
2195	Water chains in hydrophobic crystal channels: nanoporous materials as supramolecular analogues of carbon nanotubes. 2010 , 49, 5125-9	71
2194	Validation of 3D simulations of reverse osmosis membrane biofouling. 2010 , 106, 677-89	20
2193	A Novel Approach for the Desalination of Seawater by Means of Reusable Poly(acrylic acid) Hydrogels and Mechanical Force. 2010 , 31, 1337-42	49
2192	Eightfold increased membrane flux of NF 270 by O ₃ oxidation of natural humic acids without deteriorated permeate quality. 2010 , 85, n/a-n/a	2
2191	Negatively charged polyethersulfone hollow fiber nanofiltration membrane for the removal of bisphenol A from wastewater. 2010 , 73, 92-99	53
2190	Highly effective buoyant photocatalyst prepared with a novel layered-TiO ₂ configuration on polypropylene fabric and the degradation performance for methyl orange dye under UV-Vis and Vis lights. 2010 , 73, 142-150	71
2189	Removal of disinfection byproducts from water by carbonized electrospun nanofibrous membranes. 2010 , 74, 202-212	60
2188	Impact of saccharides and amino acids on the interaction of apple polyphenols with ion exchange and adsorbent resins. 2010 , 98, 230-239	29
2187	Biofouling in spiral wound membrane systems: Three-dimensional CFD model based evaluation of experimental data. 2010 , 346, 71-85	88
2186	Characterization of a sulfonated pentablock copolymer for desalination applications. 2010 , 51, 5815-5822	135

2185	The hydrothermal synthesis of BiOBr flakes for visible-light-responsive photocatalytic degradation of methyl orange. 2010 , 212, 8-13	185
2184	Organic fouling of forward osmosis membranes: Fouling reversibility and cleaning without chemical reagents. 2010 , 348, 337-345	661
2183	A multi-barrier osmotic dilution process for simultaneous desalination and purification of impaired water. 2010 , 362, 417-426	256
2182	Novel polyamide-imide/cellulose acetate dual-layer hollow fiber membranes for nanofiltration. 2010 , 363, 232-242	99
2181	A novel strategy to prepare ZnO/PbS heterostructured functional nanocomposite utilizing the surface adsorption property of ZnO nanosheets. 2010 , 158, 459-463	67
2180	Enhancing sustainability of household water filters by mixing metallic iron with porous materials. 2010 , 162, 635-642	41
2179	Artemisia vulgaris-derived mesoporous honeycomb-shaped activated carbon for ibuprofen adsorption. 2010 , 165, 537-544	84
2178	Effect of mixed liquor pH on the removal of trace organic contaminants in a membrane bioreactor. 2010 , 101, 1494-500	119
2177	Vertically-aligned carbon nano-tube membrane filters with superhydrophobicity and superoleophilicity. 2010 , 48, 2192-2197	173
2176	3-Dimensional characterization of membrane with nanoporous structure using TEM tomography and image analysis. 2010 , 250, 757-761	18
2175	Performance evaluation of pretreatment processes in integrated membrane system for wastewater reuse. 2010 , 250, 673-676	28
2174	Optimal time-dependent operation of seawater reverse osmosis. 2010 , 263, 76-88	85
2173	A comparative investigation for strengthening the adsorptive phenomenon by activated natural minerals and plant waste-carbon for defluoridation in water milieu. 2010 , 263, 189-199	4
2172	Water purification by membranes: The role of polymer science. 2010 , 48, 1685-1718	690
2171	Origin and extent of fresh paleowaters on the Atlantic continental shelf, USA. 2010 , 48, 143-58	100
2170	Direct seawater desalination by ion concentration polarization. 2010 , 5, 297-301	560
2169	Water desalination: Fresh for less. 2010 , 5, 248-50	24
2168	Crossflow Ultrafiltration Properties of Monodisperse Nanoparticle Suspensions in Laminar Flow. 2010 , 43, 938-945	2

2167	Radiolytic degradation of methoxychlor in methanol and monitoring of radiolytic products by HPLC and GC-MS. 2010 , 98, 307-314	5
2166	Reuse of Regenerated Waters Under Water Scarcity. 2010 , 107-127	
2165	Consequences of Climate Variability and Human Water Demand on Freshwater Ecosystems: A Mediterranean Perspective from the United States. 2010 , 55-71	1
2164	Integrated approach for biofouling control. 2010 , 62, 2477-90	36
2163	Accelerating Entropy Theory: New Approach to the Risks of Risk Analysis in Water Issues. 2010 , 16, 4-9	7
2162	Inactivation of Viruses in Water by Biogenic Silver: Innovative and Environmentally Friendly Disinfection Technique. 2010 ,	2
2161	Metal Oxide Nanomaterials for Water Treatment. 2010 ,	2
2160	Behaviors of commercialized seawater reverse osmosis membranes under harsh organic fouling conditions. 2010 , 15, 48-53	4
2159	Sustainable Management of the Future Environment under Uncertainties and Risks. 2010 , 16, 1249-1254	6
2158	Mechanistic aspects of adenovirus serotype 2 inactivation with free chlorine. 2010 , 76, 2946-54	42
2157	Surface hydrophilisation and antibacterial functionalisation for microporous polypropylene membranes. 2010 , 61, 2053-60	6
2156	Orientalional dynamics of water trapped between two nanoscopic hydrophobic solutes: A molecular dynamics simulation study. 2010 , 133, 154515	22
2155	Advanced Polymeric and Organic/Inorganic Membranes for Pressure-Driven Processes. 2010 , 113-129	6
2154	Effects of anion size and concentration on electrolyte invasion into molecular-sized nanopores. 2010 , 12, 033021	7
2153	Bacterial cellulose/TiO ₂ hybrid nanofibers prepared by the surface hydrolysis method with molecular precision. 2010 , 2, 287-92	138
2152	Double-Skinned Forward Osmosis Membranes for Reducing Internal Concentration Polarization within the Porous Sublayer. 2010 , 49, 4824-4831	241
2151	Winzig und mit metallischem Kern. 2010 , 58, 857-863	0
2150	Carbon Nanotube Membranes: A New Frontier in Membrane Science. 2010 , 291-310	16

2149	Hierarchically multifunctional TiO(2) nano-thorn membrane for water purification. 2010 , 46, 6542-4	98
2148	Efficient sensing of nitrite by Fe(bpy) ₃ (2+) immobilized Nafion modified electrodes. 2010 , 46, 6156-8	45
2147	pH-tunable ion selectivity in carbon nanotube pores. 2010 , 26, 14848-53	90
2146	Effective photocatalytic disinfection of E. coli K-12 using AgBr-Ag-Bi ₂ WO ₆ nanojunction system irradiated by visible light: the role of diffusing hydroxyl radicals. 2010 , 44, 1392-8	518
2145	Water Transport through Ultrathin Graphene. 2010 , 1, 1590-1594	399
2144	Detection of waterborne parasites using field-portable and cost-effective lensfree microscopy. 2010 , 10, 2419-23	105
2143	A controllable molecular sieve for Na ⁺ and K ⁺ ions. 2010 , 132, 1873-7	123
2142	Singlet oxygen sensitizing materials based on porous silicone: photochemical characterization, effect of dye reloading and application to water disinfection with solar reactors. 2010 , 9, 838-45	30
2141	Visible-Light Activity Evaluation of p-n Junction Photocatalyst NiO/TiO ₂ Prepared by Sol-Gel Method. 2010 , 152-153, 441-449	1
2140	Seawater desalination is green technology?. 2010 , 59, 134-151	6
2139	Molecular Simulation of Ion-Specific Effects in Confined Electrolyte Solutions Using Polarizable Forcefields. 2010 , 114, 12245-12257	36
2138	Ultrafiltration membranes incorporating amphiphilic comb copolymer additives prevent irreversible adhesion of bacteria. 2010 , 44, 2406-11	78
2137	Chemical degradation of drinking water disinfection byproducts by millimeter-sized particles of iron-silicon and magnesium-aluminum alloys. 2010 , 132, 2500-1	30
2136	Plasmon-induced inactivation of enteric pathogenic microorganisms with Ag-AgI/Al ₂ O ₃ under visible-light irradiation. 2010 , 44, 7058-62	71
2135	Ion-selective permeability of an ultrathin nanoporous silicon membrane as probed by scanning electrochemical microscopy using micropipet-supported ITIES tips. 2010 , 82, 7127-34	61
2134	Biogenic silver for disinfection of water contaminated with viruses. 2010 , 76, 1082-7	119
2133	Ions at the water-vapor interface. 2010 , 114, 3583-91	12
2132	Empirical model for dissolved oxygen depletion during corrosion of drinking water copper pipes. 2010 , 52, 2250-2257	15

2131	Recent developments in reverse osmosis desalination membranes. 2010 , 20, 4551	395
2130	Reduced bacterial deposition and attachment by quorum-sensing inhibitor 4-nitro-pyridine-N-oxide: the role of physicochemical effects. 2010 , 26, 12089-94	27
2129	An integrative modeling framework to evaluate the productivity and sustainability of biofuel crop production systems. 2010 , 2, 258-277	94
2128	Barbarians at the gate: storming the Gothenburg consensus. 2010 , 375, 2129-31	25
2127	Development of a Treated Laterite for Arsenic Adsorption: Effects of Treatment Parameters. 2010 , 49, 4873-4886	34
2126	The Donnan membrane principle: opportunities for sustainable engineered processes and materials. 2010 , 44, 1161-6	137
2125	Mass production of micro/nanostructured porous ZnO plates and their strong structurally enhanced and selective adsorption performance for environmental remediation. 2010 , 20, 8582	183
2124	Ultraporous Films with Uniform Nanochannels by Block Copolymer Micelles Assembly. 2010 , 43, 8079-8085	182
2123	Influence of membrane surface properties on the behavior of initial bacterial adhesion and biofilm development onto nanofiltration membranes. 2010 , 26, 313-21	53
2122	Desalination of water by vapor-phase transport through hydrophobic nanopores. 2010 , 108, 044315	32
2121	Removing cadmium ions from water via nanoparticle-enhanced ultrafiltration. 2010 , 44, 2570-6	51
2120	Hierarchical ordered mesoporous carbon from phloroglucinol-glyoxal and its application in capacitive deionization of brackish water. 2010 , 20, 8674	148
2119	Inorganic materials for photocatalytic water disinfection. 2010 , 20, 4529	157
2118	Novel thin film composite membrane containing ionizable hydrophobes: pH-dependent reverse osmosis behavior and improved chlorine resistance. 2010 , 20, 4615	73
2117	Nano building blocks via iodination of [PhSiO _{1.5}] _n , forming [p-I-C ₆ H ₄ SiO _{1.5}] _n (n = 8, 10, 12), and a new route to high-surface-area, thermally stable, microporous materials via thermal elimination of I ₂ . 2010 , 132, 10171-83	98
2116	Friction law for water flowing in carbon nanotubes. 2010 ,	3
2115	New methods to monitor emerging chemicals in the drinking water production chain. 2010 , 12, 80-9	30
2114	Electrospun ultrafine carbon fiber webs for electrochemical capacitive desalination. 2010 , 34, 1843	74

2113	Solid-supported polymeric membranes. 2011 , 7, 2202-2210	24
2112	Towards understanding the nanofluidic reverse electro dialysis system: well matched charge selectivity and ionic composition. 2011 , 4, 2259	135
2111	Novel nanofibrous scaffolds for water filtration with bacteria and virus removal capability. 2011 , 60, 201-9	74
2110	Potential integration of cadmium lab chip with immunoassay using quantum dot/antibody probe for detection of microcystin-LR. 2011 , 33, 382-388	3
2109	Tuning structure and properties of graded triblock terpolymer-based mesoporous and hybrid films. 2011 , 11, 2892-900	192
2108	Stacked microbial desalination cells to enhance water desalination efficiency. 2011 , 45, 2465-70	175
2107	Review of fouling by mixed feeds in membrane filtration applied to water purification. 2011 , 35, 68-81	21
2106	Household Water Treatments in Developing Countries. 2011 , 88, 549-553	5
2105	Surface-Tethered Zwitterionic Ultrathin Antifouling Coatings on Reverse Osmosis Membranes by Initiated Chemical Vapor Deposition. 2011 , 23, 1263-1272	221
2104	Efficient wastewater treatment by membranes through constructing tunable antifouling membrane surfaces. 2011 , 45, 6545-52	136
2103	Carbonaceous nanofiber membrane functionalized by beta-cyclodextrins for molecular filtration. 2011 , 5, 5928-35	86
2102	Highly active carbonaceous nanofibers: a versatile scaffold for constructing multifunctional free-standing membranes. 2011 , 5, 8148-61	111
2101	Nanotechnology Environmental, Health, and Safety Issues. 2011 , 159-220	3
2100	Interface Applications in Nanomaterials. 2011 , 18, 333-429	1
2099	Water: Is There a Global Crisis?. 2011 , 7, 157-162	52
2098	Advanced carbon aerogels for energy applications. 2011 , 4, 656	510
2097	Very low temperature membrane-free desalination by directional solvent extraction. 2011 , 4, 1672	67
2096	Application of carbon fibers to biomaterials: a new era of nano-level control of carbon fibers after 30-years of development. 2011 , 40, 3824-34	108

2095	A low-energy forward osmosis process to produce drinking water. 2011 , 4, 2582	100
2094	Hierarchical ZnO/Cu "corn-like" materials with high photodegradation and antibacterial capability under visible light. 2011 , 13, 6205-10	115
2093	Superhydrophobic conjugated microporous polymers for separation and adsorption. 2011 , 4, 2062	502
2092	Directional solvent for membrane-free water desalination: a molecular level study. 2011 , 110, 054905	26
2091	Magnetically activated micromixers for separation membranes. 2011 , 27, 5574-81	58
2090	Highly-Controllable Molecular Imprinting at Superparamagnetic Iron Oxide Nanoparticles for Ultrafast Enrichment and Separation. 2011 , 115, 17320-17327	66
2089	Energy consumption and recovery in reverse osmosis. 2011 , 36, 239-260	136
2088	Stiffness, strength, and ductility of nanoscale thin films and membranes: a combined wrinkling-cracking methodology. 2011 , 11, 3361-5	114
2087	Membranes Coupled with Nanotechnology for Daily Drinking Water: an Overview. 2011 , 02,	
2086	Biofilms in Water and Wastewater Treatment. 2011 , 529-570	30
2085	Controllable corrugation of chemically converted graphene sheets in water and potential application for nanofiltration. 2011 , 47, 5810-2	277
2084	Processable cyclic peptide nanotubes with tunable interiors. 2011 , 133, 15296-9	111
2083	Subnanometer porous thin films by the co-assembly of nanotube subunits and block copolymers. 2011 , 5, 1376-84	95
2082	Zeolitic imidazolate framework-8 as a reverse osmosis membrane for water desalination: insight from molecular simulation. 2011 , 134, 134705	153
2081	A polydimethylsiloxane (PDMS) sponge for the selective absorption of oil from water. 2011 , 3, 4552-6	488
2080	Nanotechnology Research Directions for Societal Needs in 2020. 2011 ,	151
2079	In situ self-assembly of mild chemical reduction graphene for three-dimensional architectures. 2011 , 3, 3132-7	602
2078	Ultra-fine cellulose nanofibers: new nano-scale materials for water purification. 2011 , 21, 7507	216

2077	Development of robust organosilica membranes for reverse osmosis. 2011 , 27, 13996-9	103
2076	Hydrophilic Superparamagnetic Nanoparticles: Synthesis, Characterization, and Performance in Forward Osmosis Processes. 2011 , 50, 382-388	161
2075	Hydrological impact of biofuel production: A case study of the Khlong Phlo Watershed in Thailand. 2011 , 101, 8-26	48
2074	The future of seawater desalination: energy, technology, and the environment. 2011 , 333, 712-7	3767
2073	THE NEXUS OF ENERGY AND WATER IN THE UNITED STATES. 2011 ,	4
2072	Mn oxide coated catalytic membranes for a hybrid ozonation-membrane filtration: comparison of Ti, Fe and Mn oxide coated membranes for water quality. 2011 , 45, 163-70	69
2071	Fouling behavior of microstructured hollow fiber membranes in submerged and aerated filtrations. 2011 , 45, 1865-71	31
2070	A novel scenario for biofouling control of spiral wound membrane systems. 2011 , 45, 3890-8	52
2069	Seawater quality and microbial communities at a desalination plant marine outfall. A field study at the Israeli Mediterranean coast. 2011 , 45, 5449-62	41
2068	Morphological architecture of dual-layer hollow fiber for membrane distillation with higher desalination performance. 2011 , 45, 5489-500	160
2067	Fate of N-nitrosodimethylamine, trihalomethane and haloacetic acid precursors in tertiary treatment including biofiltration. 2011 , 45, 5695-704	67
2066	Graphene/zinc oxide composites for the degradation of dyes under visible light irradiation. 2011 , 21, 3634	574
2065	Reactive nanostructured membranes for water purification. 2011 , 108, 8577-82	141
2064	Microscale acoustofluidics: Microfluidics driven via acoustics and ultrasonics. 2011 , 83, 647-704	593
2063	Membrane-Based Desalination. 2011 , 10, 9781780400914	3
2062	Innovative and Integrated Technologies for the Treatment of Industrial Wastewater (INNOWATECH). 2011 , 10, 9781780400785	3
2061	Application of Diamond Films to Water Disinfection. 2011 , 373-403	0
2060	Material binding peptides for nanotechnology. 2011 , 16, 1426-51	134

2059	Zooplankton and aggregates as refuge for aquatic bacteria: protection from UV, heat and ozone stresses used for water treatment. 2011 , 13, 378-90	49
2058	Synthesis and comparative photocatalytic activity of Pt/WO ₃ and Au/WO ₃ nanocomposites under sunlight-type excitation. 2011 , 13, 1748-1754	42
2057	The role of sulphonated polymer and macrovoid-free structure in the support layer for thin-film composite (TFC) forward osmosis (FO) membranes. 2011 , 383, 214-223	256
2056	Ultrafiltration by gyroid nanoporous polymer membranes. 2011 , 384, 126-135	28
2055	Photocatalytic degradation of nitrogen-containing organic compounds over TiO ₂ . 2011 , 351, 17-28	52
2054	Photocatalytic degradation of RhB over MgFe ₂ O ₄ /TiO ₂ composite materials. 2011 , 176, 1497-1504	61
2053	Decolourisation and detoxification in the fungal treatment of textile wastewaters from dyeing processes. 2011 , 29, 38-45	72
2052	Iron and aluminium based adsorption strategies for removing arsenic from water. 2011 , 92, 3011-22	215
2051	Natural organic matter removal by adsorption onto magnetic permanently confined micelle arrays. 2011 , 194, 156-61	40
2050	Evaluation of electro dialysis for scaling prevention of nanofiltration membranes at high water recoveries. 2011 , 56, 34-42	20
2049	Combination of Advanced Oxidation Processes and biological treatments for wastewater decontamination—a review. 2011 , 409, 4141-66	1629
2048	Highly water soluble and recovered dextran coated Fe ₃ O ₄ magnetic nanoparticles for brackish water desalination. 2011 , 81, 392-399	86
2047	Filtration behaviors and biocake formation mechanism of mesh filters used in membrane bioreactors. 2011 , 81, 472-479	42
2046	Evaluation of the infectivity, gene and antigenicity persistence of rotaviruses by free chlorine disinfection. 2011 , 23, 1691-8	11
2045	The adsorption kinetics of cadmium by three different types of carbon nanotubes. 2011 , 364, 279-87	36
2044	Effects of working temperature on separation performance, membrane scaling and cleaning in forward osmosis desalination. 2011 , 278, 157-164	160
2043	Pure sponge-like membranes bearing both high water permeability and high retention capacity. 2011 , 278, 141-149	13
2042	Biofouling in reverse osmosis membranes for seawater desalination: Phenomena and prevention. 2011 , 281, 1-16	422

2041	Solar light assisted photodegradation of phenol with hydrogen peroxide over iron-doped titania catalysts: Role of iron leached/readsorbed species. 2011 , 108-109, 168-176	15
2040	Biomass supply from alternative cellulosic crops and crop residues: A spatially explicit bioeconomic modeling approach. 2011 , 35, 4636-4647	46
2039	Enhanced wastewater treatment efficiency through microbially catalyzed oxidation and reduction: synergistic effect of biocathode microenvironment. 2011 , 102, 10210-20	59
2038	Precise pore size tuning and surface modifications of polymeric membranes using the atomic layer deposition technique. 2011 , 385-386, 1-9	72
2037	Adsorption and ion exchange: basic principles and their application in food processing. 2011 , 59, 22-42	105
2036	Nanostructured materials for water desalination. 2011 , 22, 292001	465
2035	Surface properties and reduced biofouling of graft-copolymers that possess oppositely charged groups. 2011 , 12, 1169-77	61
2034	Water and ion transport through functionalised carbon nanotubes: implications for desalination technology. 2011 , 4, 751	249
2033	Facile fabrication of porous chitosan/TiO ₂ /Fe ₃ O ₄ microspheres with multifunction for water purifications. 2011 , 35, 137-140	53
2032	Entropy Generation Analysis of Desalination Technologies. 2011 , 13, 1829-1864	191
2031	New bioinspired membrane made of a biological ion channel confined into the cylindrical nanopore of a solid-state polymer. 2011 , 11, 712-6	47
2030	Groundwater contaminations and health perspectives in developing world case study: Gaza Strip. 2011 , 33, 189-202	15
2029	Removal of anionic metals by amino-organoclay for water treatment. 2011 , 190, 652-8	64
2028	Ion transport in the polyamide layer of RO membranes: Composite membranes and free-standing films. 2011 , 367, 119-126	42
2027	Renewable energy powered membrane technology: The effect of wind speed fluctuations on the performance of a wind-powered membrane system for brackish water desalination. 2011 , 370, 34-44	43
2026	Integrating efficient filtration and visible-light photocatalysis by loading Ag-doped zeolite Y particles on filtration membrane of alumina nanofibers. 2011 , 375, 69-74	25
2025	Polyelectrolyte complex membranes for pervaporation, nanofiltration and fuel cell applications. 2011 , 379, 19-45	178
2024	Bi ₂ WO ₆ micro/nano-structures: Synthesis, modifications and visible-light-driven photocatalytic applications. 2011 , 106, 1-1	88

2023	Efficient salt removal in a continuously operated upflow microbial desalination cell with an air cathode. 2011 , 102, 376-80	195
2022	Trypsin-enabled construction of anti-fouling and self-cleaning polyethersulfone membrane. 2011 , 102, 647-51	25
2021	Is halogen content the most important factor in the removal of halogenated trace organics by MBR treatment?. 2011 , 102, 6299-303	44
2020	Vibrating carbon nanotubes as water pumps. 2011 , 4, 284-289	41
2019	An analytical solution to contaminant advection and dispersion through a GCL/AL liner system. 2011 , 56, 811-818	11
2018	Biological approaches for addressing the grand challenge of providing access to clean drinking water. 2011 , 5, 2	25
2017	Amphiphilic poly(acrylonitrile-co-acrylic acid)/silver nanocomposite additives for the preparation of antibiofouling membranes with improved properties. 2011 , 32, 1851-1861	25
2016	Characterization of carbonyl by-products during Uniblu-A ozonation by liquid chromatography/hybrid quadrupole time-of-flight/mass spectrometry. 2011 , 25, 1801-11	4
2015	Macroscopic carbon nanotube assemblies: preparation, properties, and potential applications. 2011 , 7, 1504-20	258
2014	Water transport and purification in nanochannels controlled by asymmetric wettability. 2011 , 7, 2225-31	61
2013	Phosphorylcholine-Substituted ROMP Polyolefin Coatings Provide Fouling Resistance to Membrane Materials. 2011 , 296, 1142-1148	12
2012	Engineering a Robust, Versatile Amphiphilic Membrane Surface Through Forced Surface Segregation for Ultralow Flux-Decline. 2011 , 21, 191-198	134
2011	Robust and Highly Efficient Free-Standing Carbonaceous Nanofiber Membranes for Water Purification. 2011 , 21, 3851-3858	233
2010	Nano gives the answer: breaking the bottleneck of internal concentration polarization with a nanofiber composite forward osmosis membrane for a high water production rate. 2011 , 23, 3256-60	322
2009	A novel superhydrophilic and underwater superoleophobic hydrogel-coated mesh for oil/water separation. 2011 , 23, 4270-3	1283
2008	Determination of Chemical Oxygen Demand Based on Novel Photoelectro-bifunctional Electrodes. 2011 , 23, 1267-1275	20
2007	Removal of organic compounds from water by using a gold nanoparticle-poly(dimethylsiloxane) nanocomposite foam. 2011 , 4, 737-43	46
2006	Nanostructured membranes for enzyme catalysis and green synthesis of nanoparticles. 2011 , 4, 1773-7	27

2005	An Electrocatalytic Membrane Reactor with Self-Cleaning Function for Industrial Wastewater Treatment. 2011 , 123, 2196-2198	8
2004	An electrocatalytic membrane reactor with self-cleaning function for industrial wastewater treatment. 2011 , 50, 2148-50	110
2003	Noncovalent water-based materials: robust yet adaptive. 2011 , 17, 9016-26	98
2002	Comparison of several combined/integrated biological-AOPs setups for the treatment of municipal landfill leachate: Minimization of operating costs and effluent toxicity. 2011 , 172, 250-257	96
2001	Protein fouling resistant membrane prepared by amphiphilic pegylated polyethersulfone. 2011 , 102, 2289-95	78
2000	Amphiphilic PMMA/PEI core-shell nanoparticles as polymeric adsorbents to remove heavy metal pollutants. 2011 , 384, 180-185	45
1999	The treatment of brewery wastewater for reuse: State of the art. 2011 , 273, 235-247	193
1998	Energy analysis and efficiency assessment of reverse osmosis desalination process. 2011 , 276, 352-358	68
1997	Treatment of high-salinity reverse osmosis concentrate by electrochemical oxidation on BDD and DSA electrodes. 2011 , 277, 201-206	90
1996	Highly effective antifouling performance of N-vinyl-2-pyrrolidone modified polypropylene non-woven fabric membranes by ATRP method. 2011 , 369, 233-242	39
1995	A novel low energy fertilizer driven forward osmosis desalination for direct fertigation: Evaluating the performance of fertilizer draw solutions. 2011 , 375, 172-181	329
1994	Enhanced inactivation of bacteria with silver-modified mesoporous TiO ₂ under weak ultraviolet irradiation. 2011 , 144, 97-104	30
1993	Grafting short-chain amino acids onto membrane surfaces to resist protein fouling. 2011 , 366, 398-404	101
1992	Development of antifouling thin-film-composite membranes for seawater desalination. 2011 , 367, 110-118	107
1991	A review of reverse osmosis membrane materials for desalination Development to date and future potential. 2011 , 370, 1-22	1450
1990	Determination of a constant membrane structure parameter in forward osmosis processes. 2011 , 375, 241-248	60
1989	Simultaneous methane production and wastewater reuse by a membrane-based process: evaluation with raw domestic wastewater. 2011 , 186, 383-9	22
1988	Two-fluid model for the simultaneous flow of colloids and fluids in porous media. 2011 , 355, 389-95	41

1987	Streaming current and wall dissolution over 48 h in silica nanochannels. 2011 , 360, 262-71	38
1986	Theory of membrane capacitive deionization including the effect of the electrode pore space. 2011 , 360, 239-48	296
1985	An introduction to the life cycle assessment (LCA) of bioelectrochemical systems (BES) for sustainable energy and product generation: Relevance and key aspects. 2011 , 15, 1305-1313	176
1984	Surface modification of thin-film composite polyamide reverse osmosis membranes with thermo-responsive polymer (TRP) for improved fouling resistance and cleaning efficiency. 2011 , 76, 283-291	52
1983	Optimal time-invariant operation of a power and water cogeneration solar-thermal plant. 2011 , 85, 2295-2320	49
1982	Pre-desalination with electro-membranes for SWRO. 2011 , 31, 296-304	15
1981	Dynamic bacterial communities on reverse-osmosis membranes in a full-scale desalination plant. 2011 , 27, 47-58	42
1980	Hydrogen bond and halogen bond inside the carbon nanotube. 2011 , 134, 054317	17
1979	Random copolymer films as potential antifouling coatings for reverse osmosis membranes. 2011 , 34, 100-105	17
1978	Optimization of ramified absorber networks doing desalination. 2011 , 83, 016308	4
1977	Friction of water slipping in carbon nanotubes. 2011 , 83, 036316	62
1976	Liquid crystal polymers and ionomers for membrane applications. 2011 , 38, 1607-1626	34
1975	Nanotechnology for Sustainability: Environment, Water, Food, Minerals, and Climate. 2011 , 221-259	22
1974	Controlled Morphology of One-Dimensional Manganese Dioxide with Dramatic Enhancing Removal Efficiency to Heavy Metal Ions in Aqueous Solution. 2011 , 688, 23-30	2
1973	Study on Ultrafiltration Membrane Technology for Water Purification in Zhengzhou. 2011 , 287-290, 2156-2160	1
1972	Biopolymer-based nanocomposites: effect of lignin acetylation in cellulose triacetate films. 2011 , 12, 045006	64
1971	The water footprint as an indicator for managing water resources: the case of Italian olive oil. 2011 , 3, 425	6
1970	Analysis and design of a multi-effect desalination system with thermal vapor compression and harvested heat addition. 2011 , 31, 339-346	5

1969	Size fractionation characterisation of removed organics in reverse osmosis concentrates by ferric chloride. 2011 , 63, 1795-800	5
1968	Advanced Membrane Fouling Characterization in Full-Scale Reverse Osmosis Processes. 2011 , 101-134	1
1967	Optimal Control of Multiple Transmission of Water-Borne Diseases. 2012 , 2012, 1-16	7
1966	Survey of Rural Domestic Sewage Treatment Systems of Songjiang District in Shanghai, China. 2012 , 573-574, 511-515	3
1965	Research on Utilizing Environmental Friendly Materials of Barrier Board for Turbidity Reduction of High-Turbidity Raw Water. 2012 , 253-255, 847-852	
1964	Microbial relevant fouling in membrane bioreactors: influencing factors, characterization, and fouling control. 2012 , 2, 565-84	41
1963	Photocatalysts for Solar-Induced Water Disinfection: New Developments and Opportunities. 2012 , 734, 63-89	12
1962	Efficient Destruction of Chlorophenols by Ultraviolet Irradiation. 2012 , 476-478, 1955-1959	
1961	Relationship between the Permeation-Diffusion Parameters of a Single-File Channel. 2012 , 29, 010502	
1960	Calculation of energy consumption for crossflow RO desalination processes. 2012 , 42, 295-303	5
1959	Study on the impact of particle size distribution on turbidity in water. 2012 , 41, 26-34	21
1958	Focused ion beam milling of microchannels in lithium niobate. 2012 , 6, 12819-1281911	12
1957	Ionic transport in nanocapillary membrane systems. 2012 , 17-31	
1956	Water desalination. 2012 , 28,	14
1955	Pilot tests of fluid-switcher energy recovery device for seawater reverse osmosis desalination system. 2012 , 48, 310-314	8
1954	Recurrent Neural Network-Based Control for Wastewater Treatment Process. 2012 , 496-506	2
1953	UV Irradiation Chlorine Dioxide Photocatalytic Oxidation of Simulated Fuchsine Wastewater by UV-Vis and Online FTIR Spectrophotometric Method. 2012 , 2012, 1-7	2
1952	Carbon farming in hot, dry coastal areas: an option for climate change mitigation. 2012 ,	2

1951	Hierarchical CuO/ZnO Membranes for Environmental Applications under the Irradiation of Visible Light. 2012 , 2012, 1-11	18
1950	Water and sanitation provision in a low carbon society: The need for a systems approach. 2012 , 4, 041403	17
1949	Occurrence and Removal of PPCPs in Urban Wastewater. 2012 , 2012, 3863-3878	3
1948	Surface Characterization Studies of Thiols as a Blocking Mechanism for Specific Adsorption for Application of Charge Selective Membrane Transport. 2012 ,	
1947	Polymer membrane and cell models for drug discovery. 2012 , 15, 3-14	1
1946	Development of Novel Aluminum-Based Coagulant for Effective Virus Removal. 2012 , 68, III_41-III_50	
1945	Technology transfer approaches for early stage desalination technologies: a case study. 2012 , 4, 250	
1944	Carbon nanotube-based charge-controlled speed-regulating nanoclutch. 2012 , 111, 114304	13
1943	High Rate BAF with Filter Media of Large-Size Lightweight Ceramisite for Micro-Polluted Raw Water Pretreatment. 2012 , 170-173, 2367-2372	2
1942	Threats from emerging and re-emerging neglected tropical diseases (NTDs). 2012 , 2,	12
1941	Solar Photo-Fenton as Advanced Oxidation Technology for Water Reclamation. 2012 , 11-36	
1940	Absorption of Water by Roots. 2012 , 123-184	1
1939	Combined permeable pavement and photocatalytic titanium dioxide oxidation system for urban run-off treatment and disinfection. 2012 , 27, n/a-n/a	3
1938	Enteric protozoa in the developed world: a public health perspective. 2012 , 25, 420-49	238
1937	Antifouling and tunable amino functionalized porous membranes for filtration applications. 2012 , 22, 19981	48
1936	Mesoporous and macroporous brookite thin films having a large thermal stability range. 2012 , 28, 6706-13	6
1935	Materials nanoarchitectonics for environmental remediation and sensing. 2012 , 22, 2369-2377	147
1934	Optofluidic opportunities in global health, food, water and energy. 2012 , 4, 4839-57	54

1933	Modeling the Ion Selectivity of the Phosphate Specific Channel OprP. 2012 , 3, 3639-45	27
1932	Advanced Oxidation Processes for Water Treatment. 2012 , 3, 2112-2113	99
1931	Low-cost antifouling PVC ultrafiltration membrane fabrication with Pluronic F 127: Effect of additives on properties and performance. 2012 , 307, 26-33	124
1930	Preventing protein oxidation with sugars: scavenging of hypohalous acids by 5-selenopyranose and 4-selenofuranose derivatives. 2012 , 25, 2589-99	27
1929	Forward osmosis: an emerging technology for sustainable supply of clean water. 2012 , 14, 507-511	45
1928	Inactivation and Photorepair of Enteric Pathogenic Microorganisms with Ultraviolet Irradiation. 2012 , 29, 549-553	7
1927	Energy production, use and saving in a bioelectrochemical desalination system. 2012 , 2, 10673	41
1926	Three-dimensional hierarchically structured PAN@ALOOH fiber films based on a fiber templated hydrothermal route and their recyclable strong Cr(VI)-removal performance. 2012 , 2, 1769	31
1925	Nanofibrous microfiltration membrane based on cellulose nanowhiskers. 2012 , 13, 180-6	169
1924	STRATEGIES FOR THE OPTIMUM SEPARATION OF GAMMA RADIOLYTIC DEGRADATION PRODUCTS OF METHOXYCHLOR USING RP-HPLC. 2012 , 35, 712-722	
1923	Selected region functionalized fungi with magnetic targeting properties and versatile purification capabilities. 2012 , 4, 3629-34	2
1922	Integrated salinity reduction and water recovery in an osmotic microbial desalination cell. 2012 , 2, 3265	75
1921	Visible light-induced highly efficient organic pollutant degradation and concomitant CO ₂ fixation using red lead. 2012 , 2, 12624	8
1920	Bio-inspired CaCO ₃ coating for superhydrophilic hybrid membranes with high water permeability. 2012 , 22, 22727	60
1919	The influence of feed pH on the performance of a reverse osmosis membrane during alginate fouling. 2012 , 50, 220-225	1
1918	Functional nanofibers for water purification. 2012 , 331-370	9
1917	Nanopatterning: the chemical way to ion irradiation. 2012 , 7, 554-5	4
1916	Towards better photocatalysts: first-principles studies of the alloying effects on the photocatalytic activities of bismuth oxyhalides under visible light. 2012 , 14, 1286-92	186

1915	Selectively improving the bio-oil quality by catalytic fast pyrolysis of heavy-metal-polluted biomass: take copper (Cu) as an example. 2012 , 46, 7849-56	116
1914	Phosphate recovery by high flux low pressure multilayer membranes. 2012 , 28, 12744-52	18
1913	Preparation and Performance of Antifouling PVC/CPVC Blend Ultrafiltration Membranes. 2012 , 51, 8308-8314	41
1912	Towards antibiofouling ultrafiltration membranes by blending silver containing surface modifying macromolecules. 2012 , 48, 693-5	82
1911	Kinetic Study and Scaleup of the Oxidation of Nanofiltration Retentates by O ₃ . 2012 , 51, 7056-7066	5
1910	Structure and properties of noncrystalline nano-Al(OH) ₃ reclaimed from carbonized residual wastewater treatment sludge. 2012 , 46, 4560-6	15
1909	Ordered microporous membranes templated by breath figures for size-selective separation. 2012 , 134, 95-8	179
1908	Highly efficient enzyme-functionalized porous zirconia microtubes for bacteria filtration. 2012 , 46, 8739-47	58
1907	Relation between the charge efficiency of activated carbon fiber and its desalination performance. 2012 , 28, 5079-84	85
1906	Characterizing natural colloidal/particulate-protein interactions using fluorescence-based techniques and principal component analysis. 2012 , 99, 457-63	8
1905	Reverse osmosis concentrate treatment via a PAC-MF accumulative countercurrent adsorption process. 2012 , 46, 218-26	33
1904	Development of antifouling reverse osmosis membranes for water treatment: A review. 2012 , 46, 584-600	640
1903	Water hammer reduces fouling during natural water ultrafiltration. 2012 , 46, 1113-20	7
1902	Exploration of polyelectrolytes as draw solutes in forward osmosis processes. 2012 , 46, 1318-26	258
1901	A conceptual demonstration of freeze desalination-membrane distillation (FD-MD) hybrid desalination process utilizing liquefied natural gas (LNG) cold energy. 2012 , 46, 4037-52	94
1900	Highly hydrophilic thin-film composite forward osmosis membranes functionalized with surface-tailored nanoparticles. 2012 , 4, 5044-53	180
1899	New sulfonated polystyrene and styrene-ethylene/butylene-styrene block copolymers for applications in electrodialysis. 2012 , 116, 11767-79	51
1898	Microstructures and photocatalytic properties of porous ZnO films synthesized by chemical bath deposition method. 2012 , 258, 4288-4293	40

1897	Preparation and application of functionalized cellulose acetate/silica composite nanofibrous membrane via electrospinning for Cr(VI) ion removal from aqueous solution. 2012 , 112, 10-6	133
1896	Food waste co-digestion with sewage sludge--realising its potential in the UK. 2012 , 112, 267-74	127
1895	Enhanced adsorption and photocatalytic activity of BiOI-MWCNT composites towards organic pollutants in aqueous solution. 2012 , 229-230, 72-82	82
1894	Hierarchical TiO ₂ /CdS "spindle-like" composite with high photodegradation and antibacterial capability under visible light irradiation. 2012 , 229-230, 209-16	79
1893	Excellent photocatalytic degradation activities of ordered mesoporous anatase TiO ₂ -SiO ₂ nanocomposites to various organic contaminants. 2012 , 229-230, 307-20	66
1892	Acid stable thin-film composite membrane for nanofiltration prepared from naphthalene-1,3,6-trisulfonylchloride (NTSC) and piperazine (PIP). 2012 , 415-416, 122-131	62
1891	Seawater desalination for agriculture by integrated forward and reverse osmosis: Improved product water quality for potentially less energy. 2012 , 415-416, 1-8	216
1890	Characterization of soluble microbial products in 10 large-scale membrane bioreactors for municipal wastewater treatment in China. 2012 , 415-416, 336-345	91
1889	Influence of temperature and temperature difference in the performance of forward osmosis desalination process. 2012 , 415-416, 734-744	103
1888	Microbial desalination cells with ion exchange resin packed to enhance desalination at low salt concentration. 2012 , 417-418, 28-33	61
1887	Mesoporous Au/TiO ₂ composites preparation, characterization, and photocatalytic properties. 2012 , 177, 913-919	39
1886	Time-dependent ion selectivity in capacitive charging of porous electrodes. 2012 , 384, 38-44	164
1885	Prediction of activated sludge bulking based on a self-organizing RBF neural network. 2012 , 22, 1103-1112	52
1884	Strange bedfellows? Techno-fixes to solve the big conservation issues in southern Asia. 2012 , 151, 7-10	4
1883	Microbial desalination cells packed with ion-exchange resin to enhance water desalination rate. 2012 , 118, 43-8	79
1882	Sustainable water desalination and electricity generation in a separator coupled stacked microbial desalination cell with buffer free electrolyte circulation. 2012 , 119, 88-93	68
1881	Dramatic transport properties of carbon nanotube membranes for a robust protein channel mimetic platform. 2012 , 16, 1-9	45
1880	Preparation and characterization of a novel PA-SiO ₂ nanofiltration membrane for raw water treatment. 2012 , 298, 34-41	51

1879	Facile modification of polypropylene hollow fiber microfiltration membranes for nanofiltration. 2012 , 298, 49-58	42
1878	Thin film composite forward osmosis membranes based on polydopamine modified polysulfone substrates with enhancements in both water flux and salt rejection. 2012 , 80, 219-231	287
1877	A unified model for quantification of concentration polarization (CP) of particles during cross-flow membrane filtration. 2012 , 407, 99-107	11
1876	Quantitative imaging of ion transport through single nanopores by high-resolution scanning electrochemical microscopy. 2012 , 134, 9856-9	75
1875	Graphene prepared via a novel pyridine thermal strategy for capacitive deionization. 2012 , 22, 23745	132
1874	Bactericidal efficiency and mode of action: a comparative study of photochemistry and photocatalysis. 2012 , 46, 3208-18	73
1873	Chemoselective nanoporous membranes via chemically directed assembly of nanoparticles and dendrimers. 2012 , 24, 5862-6	25
1872	Ternary Polymer Composite of Graphene, Carbon Nitride, and Poly(3-hexylthiophene): an Efficient Photocatalyst. 2012 , 4, 1759-1763	32
1871	Solar-Light-Driven Photodegradation and Antibacterial Activity of Hierarchical TiO ₂ /ZnO/CuO Material. 2012 , 77, 941-948	14
1870	Highly Permeable Polymer Membranes Containing Directed Channels for Water Purification. 2012 , 1, 723-726	139
1869	Enhanced separation performance of PVDF/PVP-g-MMT nanocomposite ultrafiltration membrane based on the NVP-grafted polymerization modification of montmorillonite (MMT). 2012 , 28, 4776-86	150
1868	A facile photo-induced synthesis of COOH functionalized meso-macroporous carbon films and their excellent sensing capability for aromatic amines. 2012 , 48, 9029-31	23
1867	The increase of antifouling properties of ultrafiltration membrane coated by star-shaped polymers. 2012 , 22, 8654	74
1866	Desalination and hydrogen, chlorine, and sodium hydroxide production via electrophoretic ion exchange and precipitation. 2012 , 14, 11534-45	13
1865	A desalination battery. 2012 , 12, 839-43	313
1864	Energy consumption and constant current operation in membrane capacitive deionization. 2012 , 5, 9520	363
1863	MoO ₃ -MWCNT nanocomposite photocatalyst with control of light-harvesting under visible light and natural sunlight irradiation. 2012 , 22, 20549	21
1862	Environmental and Performance Aspects of Pretreatment and Desalination Technologies. 2012 , 79-195	3

1861	Carcinogenicity evaluation for the application of carbon nanotubes as biomaterials in rasH2 mice. 2012 , 2, 498	31
1860	Novel functionalized nano-TiO ₂ loading electrocatalytic membrane for oily wastewater treatment. 2012 , 46, 6815-21	154
1859	Water desalination: Graphene cleans up water. 2012 , 7, 552-4	185
1858	Ion Exchange in Metal-Organic Framework for Water Purification: Insight from Molecular Simulation. 2012 , 116, 6925-6931	61
1857	Spherical indentation testing of poroelastic relaxations in thin hydrogel layers. 2012 , 8, 1492-1498	90
1856	Selectively Expanding Graphene Oxide Paper for Creating Multifunctional Carbon Materials. 2012 , 116, 23075-23082	24
1855	Dual effective organic/inorganic hybrid star-shaped polymer coatings on ultrafiltration membrane for bio- and oil-fouling resistance. 2012 , 4, 5898-906	60
1854	Capacitive desalination with flow-through electrodes. 2012 , 5, 9511	274
1853	Adsorption of arsenate and arsenite from aqueous solutions by cerium-loaded cation exchange resin. 2012 , 30, 563-572	44
1852	Fabrication of macroporous titanium dioxide film using PMMA microspheres as template. 2012 , 386, 73-9	8
1851	High virus retention mediated by zirconia microtubes with tailored porosity. 2012 , 32, 4111-4120	17
1850	Hierarchical ZnO nanostructured membrane for multifunctional environmental applications. 2012 , 410, 11-17	25
1849	A new combined power and desalination system driven by low grade heat for concentrated brine. 2012 , 46, 582-595	39
1848	N-nitrosamine removal by reverse osmosis for indirect potable water reuse [A critical review based on observations from laboratory-, pilot- and full-scale studies. 2012 , 98, 503-515	106
1847	Enhancing the photocatalytic properties of TiO ₂ by coupling with carbon nanotubes and supporting gold. 2012 , 235-236, 230-6	44
1846	Highly dispersed Co _{0.5} Zn _{0.5} Fe ₂ O ₄ /polypyrrole nanocomposites for cost-effective, high-performance defluoridation using a magnetically controllable microdevice. 2012 , 237-238, 1-9	2
1845	Carbon nanotube-based membranes: Fabrication and application to desalination. 2012 , 18, 1551-1559	144
1844	Synthesis of robust and high-performance aquaporin-based biomimetic membranes by interfacial polymerization-membrane preparation and RO performance characterization. 2012 , 423-424, 422-428	223

1843	Thin-film composite forward osmosis membranes with novel hydrophilic supports for desalination. 2012 , 423-424, 543-555	189
1842	The influence of Yb, N and F-doped Er ³⁺ :Y ₃ Al ₅ O ₁₂ on solar light photocatalytic activity of TiO ₂ for degradation of organic dyes. 2012 , 363-364, 265-272	17
1841	Role of hydroxyl radicals and mechanism of Escherichia coli inactivation on Ag/AgBr/TiO ₂ nanotube array electrode under visible light irradiation. 2012 , 46, 4042-50	209
1840	Recent Advances in Membrane Bioreactors: Configuration Development, Pollutant Elimination, and Sludge Reduction. 2012 , 29, 139-160	67
1839	Microbe removal using a micrometre-sized optical fiber. 2012 , 12, 1302-8	18
1838	Hydroxyapatite/platinum bio-photocatalyst: a biomaterial approach to self-cleaning. 2012 , 22, 10571	26
1837	A free-standing, hybrid TiO ₂ /K-OMS-2 hierarchical nanofibrous membrane with high photocatalytic activity for concurrent membrane filtration applications. 2012 , 2, 3638	12
1836	Bioremediation. 2012 , 67-101	
1835	Dependences of water permeation through cyclic octa-peptide nanotubes on channel length and membrane thickness. 2012 , 52, 2132-8	19
1834	Nanoadsorbents for Remediation of Aquatic Environment: Local and Practical Solutions for Global Water Pollution Problems. 2012 , 42, 1233-1295	99
1833	Reduced graphene oxide and activated carbon composites for capacitive deionization. 2012 , 22, 15556	191
1832	ZnO/Ag nanohybrid: synthesis, characterization, synergistic antibacterial activity and its mechanism. 2012 , 2, 930-940	141
1831	Graphene-SnO ₂ composites for highly efficient photocatalytic degradation of methylene blue under sunlight. 2012 , 23, 355705	208
1830	Removal of bisphenol A by mesoporous BiOBr under simulated solar light irradiation. 2012 , 2, 2351	56
1829	Monitoring bacterial twitter: does quorum sensing determine the behavior of water and wastewater treatment biofilms?. 2012 , 46, 1995-2005	202
1828	Biopolymer-Based Nanomaterials. 2012 , 59, 91-129	7
1827	Solubility and transport of cationic and anionic patterned nanoparticles. 2012 , 85, 011504	9
1826	Graphene sponge for efficient and repeatable adsorption and desorption of water contaminations. 2012 , 22, 20197	430

1825	Three-dimensional hierarchical porous carbon with a bimodal pore arrangement for capacitive deionization. 2012 , 22, 23835	140
1824	Carbon Nanotube Membranes as an Idealized Platform for Protein Channel Mimetic Pumps. 2012 , 51-71	1
1823	Green Tribology. 2012 ,	56
1822	Swelling-induced mesoporous block copolymer membranes with intrinsically active surfaces for size-selective separation. 2012 , 22, 20542	82
1821	Reverse Permeation of Weak Electrolyte Draw Solutes in Forward Osmosis. 2012 , 51, 13463-13472	21
1820	Correlation of polymer-like solution behaviors with electrospun fiber formation of hydroxypropyl- β -cyclodextrin and the adsorption study on the fiber. 2012 , 14, 9729-37	45
1819	Photo-induced water-oil separation based on switchable superhydrophobicity/superhydrophilicity and underwater superoleophobicity of the aligned ZnO nanorod array-coated mesh films. 2012 , 22, 19652	304
1818	Emerging forward osmosis (FO) technologies and challenges ahead for clean water and clean energy applications. 2012 , 1, 246-257	271
1817	Photocatalytic water purification using planar microreactor. 2012 ,	
1816	Research on Reverse Osmosis Membrane Materials for Seawater Desalination. 2012 , 600, 100-103	
1815	Silver nanoparticles in a polyether-block-polyamide copolymer towards antimicrobial and antifouling membranes. 2012 , 2, 2439	28
1814	Microfluidic photoelectrocatalytic reactors for water purification with an integrated visible-light source. 2012 , 12, 3983-90	72
1813	Mechanically and structurally robust sulfonated block copolymer membranes for water purification applications. 2012 , 23, 245703	16
1812	Compatible immuno-NASBA LOC device for quantitative detection of waterborne pathogens: design and validation. 2012 , 12, 602-12	71
1811	An Overview of the Persistent Organic Pollutants in the Freshwater System. 2012 ,	1
1810	Fungal Waste-Biomasses as Potential Low-Cost Biosorbents for Decolorization of Textile Wastewaters. 2012 , 4, 770-784	12
1809	References. 249-292	
1808	Membranes Coupled with Nanotechnology for Drinking Water: An Overview. 2012 , 1, 42-71	1

1807	Molecular layer-by-layer deposition of highly crosslinked polyamide films. 2012 , 50, 168-173	65
1806	Interacting nanoparticles with functional surface groups. 2012 , 50, 852-862	16
1805	Recent developments in polymeric superoleophobic surfaces. 2012 , 50, 1209-1224	199
1804	Water desalination using capacitive deionization with microporous carbon electrodes. 2012 , 4, 1194-9	312
1803	Functional graphene nanocomposite as an electrode for the capacitive removal of FeCl ₃ from water. 2012 , 22, 14101	43
1802	Comparison of the removal of hydrophobic trace organic contaminants by forward osmosis and reverse osmosis. 2012 , 46, 2683-92	234
1801	Quantum dot enabled detection of Escherichia coli using a cell-phone. 2012 , 137, 2541-4	217
1800	Water Desalination with Wires. 2012 , 3, 1613-8	90
1799	Inactivation and magnetic separation of bacteria from liquid suspensions using electrospayed and nonelectrospayed nZVI particles: observations and mechanisms. 2012 , 46, 2360-7	31
1798	Patterned functional carbon fibers from polyethylene. 2012 , 24, 2386-9	61
1797	Self-organized liquid-crystalline nanostructured membranes for water treatment: selective permeation of ions. 2012 , 24, 2238-41	129
1796	Process development of treatment plants for dyeing wastewater. 2012 , 58, 2726-2742	18
1795	Hyperstoichiometric Interaction Between Silver and Mercury at the Nanoscale. 2012 , 124, 2686-2689	2
1794	Self-Powered Ultrasensitive Nanowire Photodetector Driven by a Hybridized Microbial Fuel Cell. 2012 , 124, 6549-6552	16
1793	Hyperstoichiometric interaction between silver and mercury at the nanoscale. 2012 , 51, 2632-5	41
1792	Self-powered ultrasensitive nanowire photodetector driven by a hybridized microbial fuel cell. 2012 , 51, 6443-6	44
1791	Preparation of silicalite/polyamide composite membranes for desalination. 2012 , 7, 434-441	18
1790	Temperature Responsive Hydrogel with Reactive Nanoparticles. 2013 , 128, 1804-1814	12

1789	Hierarchical nitrogen-doped flowerlike ZnO nanostructure and its multifunctional environmental applications. 2012 , 7, 1772-80	36
1788	Green synthesis of carbon nanotube/graphene hybrid aerogels and their use as versatile agents for water purification. 2012 , 22, 8767	460
1787	Nanofiltration membranes based on polyvinylidene fluoride nanofibrous scaffolds and crosslinked polyethyleneimine networks. 2012 , 14, 1	50
1786	Ionic transport in nanocapillary membrane systems. 2012 , 14, 1	19
1785	Fertiliser drawn forward osmosis desalination: the concept, performance and limitations for fertigation. 2012 , 11, 147-168	91
1784	Antifouling properties of poly(vinyl chloride) membranes modified by amphiphilic copolymers P(MMA-b-MAA). 2012 , 30, 568-577	36
1783	Synthesis, characterization and photocatalytic performance of novel visible-light-induced Ag/BiOI. 2012 , 111-112, 271-279	223
1782	A hierarchically structured and multifunctional membrane for water treatment. 2012 , 111-112, 571-577	49
1781	Highly efficient photocatalyst Bi ₂ MoO ₆ induced by blue light-emitting diode. 2012 , 123-124, 89-93	36
1780	Model predictive control of dissolved oxygen concentration based on a self-organizing RBF neural network. 2012 , 20, 465-476	94
1779	Synthesis of highly active visible-light-driven colloidal silver orthophosphate. 2012 , 519-520, 54-58	46
1778	Brackish water desalination by a hybrid forward osmosis/nanofiltration system using divalent draw solute. 2012 , 284, 175-181	177
1777	The application of the Bacterial Regrowth Potential method and Flow Cytometry for biofouling detection at the Penneshaw Desalination Plant in South Australia. 2012 , 284, 245-252	19
1776	Systematic approach for draw solute selection and optimal system design for forward osmosis desalination. 2012 , 284, 253-260	44
1775	Performance of different configurations of hybrid growth membrane bioreactor (HG-MBR) for treatment of mixed wastewater. 2012 , 284, 261-268	30
1774	Seawater Reverse Osmosis (SWRO) desalination by thin-film composite membrane—Current development, challenges and future prospects. 2012 , 287, 228-237	229
1773	Digested sewage treatment using membrane-based process at different hydraulic retention times. 2012 , 286, 187-192	26
1772	Impact of feed spacer and membrane modification by hydrophilic, bactericidal and biocidal coating on biofouling control. 2012 , 295, 1-10	76

1771	Impact of reactor configuration on anammox process start-up: MBR versus SBR. 2012 , 104, 73-80	86
1770	Effects of draw solutions and membrane conditions on electricity generation and water flux in osmotic microbial fuel cells. 2012 , 109, 70-6	51
1769	Performance of a novel osmotic membrane bioreactor (OMBR) system: flux stability and removal of trace organics. 2012 , 113, 201-6	154
1768	Antibiotic-resistant <i>Escherichia coli</i> in karstic systems: a biological indicator of the origin of fecal contamination?. 2012 , 81, 267-80	18
1767	Mechanical robust and thermal tolerant nanofibrous membrane for nanoparticles removal from aqueous solution. 2012 , 69, 82-85	21
1766	Solar thermal evaporation of human urine for nitrogen and phosphorus recovery in Vietnam. 2012 , 414, 592-9	51
1765	Oestrogenic activity of a textile industrial wastewater treatment plant effluent evaluated by the E-screen test and MELN gene-reporter luciferase assay. 2012 , 432, 389-95	24
1764	Application of thin-film composite hollow fiber membrane to submerged nanofiltration of anionic dye aqueous solutions. 2012 , 88, 121-129	97
1763	Submerged membrane bioreactor in treatment of simulated restaurant wastewater. 2012 , 88, 184-190	23
1762	A dead-end filtration method to rapidly and quantitatively evaluate the fouling resistance of nylon mesh for membrane bioreactors. 2012 , 89, 107-111	15
1761	Rejection of pharmaceutically active compounds by forward osmosis: Role of solution pH and membrane orientation. 2012 , 93, 107-114	118
1760	Fouling mechanism of low-pressure hollow fiber membranes used in separating nanosized photocatalysts. 2012 , 389, 532-543	39
1759	Novel composite nanofiltration membranes containing zwitterions with high permeate flux and improved anti-fouling performance. 2012 , 390-391, 243-253	108
1758	Colloidal fouling in forward osmosis: Role of reverse salt diffusion. 2012 , 390-391, 277-284	156
1757	Influence of electrospun fiber size on the separation efficiency of thin film nanofiltration composite membrane. 2012 , 392-393, 101-111	134
1756	Recent developments in forward osmosis: Opportunities and challenges. 2012 , 396, 1-21	997
1755	Intensified cleaning of organic-fouled reverse osmosis membranes by thermo-responsive polymer (TRP). 2012 , 392-393, 181-191	20
1754	High performance ultrafiltration membrane based on modified chitosan coating and electrospun nanofibrous PVDF scaffolds. 2012 , 394-395, 209-217	134

1753	Modulating molecular and nanoparticle transport in flexible polydimethylsiloxane membranes. 2012 , 401-402, 25-32	17
1752	Novel thin-film composite nanofiltration hollow fiber membranes with double repulsion for effective removal of emerging organic matters from water. 2012 , 401-402, 152-162	182
1751	Hydrophobic porous alumina hollow fiber for water desalination via membrane distillation process. 2012 , 403-404, 41-46	136
1750	The potential of standard and modified feed spacers for biofouling control. 2012 , 403-404, 58-70	69
1749	Combined fouling of forward osmosis membranes: Synergistic foulant interaction and direct observation of fouling layer formation. 2012 , 407-408, 136-144	151
1748	Aquaporin-embedded biomimetic membranes for nanofiltration. 2012 , 407-408, 27-33	122
1747	The effects of surface functionality positioning on the transport properties of membranes. 2012 , 411-412, 211-218	8
1746	Application of Fe-based metallic glasses in wastewater treatment. 2012 , 177, 92-95	54
1745	Ionothermal synthesis of hierarchical BiOBr microspheres for water treatment. 2012 , 211-212, 104-11	121
1744	Developing thin-film-composite forward osmosis membranes on the PES/SPSf substrate through interfacial polymerization. 2012 , 58, 770-781	200
1743	Enhanced disinfection efficiencies of solar irradiation by biogenic silver. 2012 , 62, 187-191	5
1742	Reduction of Nitrate and Ammonium Adsorption Using Microscale Iron Particles and Zeolite. 2012 , 223, 1079-1089	17
1741	Fundamental studies on a new series of SPSEBS-PVA-QPSEBS bipolar membrane: Membrane preparation and characterization. 2013 , 127, 4983-4990	8
1740	Recent advances in drinking water disinfection: successes and challenges. 2013 , 222, 111-70	35
1739	Carbon nanotube membranes with ultrahigh specific adsorption capacity for water desalination and purification. 2013 , 4, 2220	259
1738	Recovery of Valuable Bioactives from Residues Arising from Fruit Processing. 2013 , 429-465	
1737	Titanium dioxide nanofibers integrated stainless steel filter for photocatalytic degradation of pharmaceutical compounds. 2013 , 258-259, 124-32	39
1736	Reverse osmosis performance of organosilica membranes and comparison with the pervaporation and gas permeation properties. 2013 , 59, 1298-1307	46

1735	Photo-cross-linkable star-shaped polymers with poly(ethylene glycol) and renewable cardanol side groups: synthesis, characterization, and application to antifouling coatings for filtration membranes. 2013 , 4, 5065	43
1734	In situ formation of Ag nanoparticles in PVDF ultrafiltration membrane to mitigate organic and bacterial fouling. 2013 , 324, 48-56	95
1733	Removal of emerging trace organic contaminants by MBR-based hybrid treatment processes. 2013 , 85, 474-482	90
1732	Nanocomposite substrates for controlling internal concentration polarization in forward osmosis membranes. 2013 , 441, 54-62	194
1731	Ag/BiPO ₄ heterostructures: synthesis, characterization and their enhanced photocatalytic properties. 2013 , 42, 13172-8	89
1730	Hybrid ion exchange [Pressure driven membrane processes in water treatment: A review. 2013 , 116, 253-264	85
1729	Structured cone arrays for continuous and effective collection of micron-sized oil droplets from water. 2013 , 4, 2276	332
1728	The capacitive deionization behaviour of a carbon nanotube and reduced graphene oxide composite. 2013 , 1, 6335	135
1727	Application of carbon nano-materials in desalination processes. 2013 , 51, 627-636	20
1726	Highly hydrophilic polyvinylidene fluoride (PVDF) ultrafiltration membranes via postfabrication grafting of surface-tailored silica nanoparticles. 2013 , 5, 6694-703	235
1725	Effect of surface hydrophobicity on the dynamics of water at the nanoscale confinement: A molecular dynamics simulation study. 2013 , 421, 68-76	14
1724	N-nitrosamine rejection by reverse osmosis membranes: a full-scale study. 2013 , 47, 6141-8	46
1723	Synthesis of magnetic rattle-type nanostructures for use in water treatment. 2013 , 5, 2540-8	46
1722	Switchable polarity solvents as draw solutes for forward osmosis. 2013 , 312, 124-129	166
1721	Biofouling occurrence process and its control in the forward osmosis. 2013 , 325, 30-36	87
1720	Mesoporous Materials Catalysts for Photodegradation of Water Pollutants: From Chemical Templates to Biotemplates. 2013 , 443-469	
1719	Monitoring reverse osmosis performance: Conductivity versus fluorescence excitation-emission matrix (EEM). 2013 , 428, 205-211	23
1718	Superabsorbent cryogels decorated with silver nanoparticles as a novel water technology for point-of-use disinfection. 2013 , 47, 9363-71	92

1717	Application potential of carbon nanotubes in water treatment: A review. 2013 , 25, 1263-80	225
1716	Experimental study on the performance evaluation of vacuum distillation process for NH ₄ HCO ₃ removal. 2013 , 27, 1171-1178	9
1715	Solar Energy. 2013 , 358-377	
1714	Silver nanoparticles attached to porous carbon substrates: robust materials for chemical-free water disinfection. 2013 , 109, 83-87	36
1713	Water harvesting from municipal wastewater via osmotic gradient: An evaluation of process performance. 2013 , 447, 50-56	104
1712	Hydrated polyamide membrane and its interaction with alginate: a molecular dynamics study. 2013 , 29, 11600-8	62
1711	Solar Energy. 2013 , 441-494	
1710	Graphene oxide nanoplatelets composite membrane with hydrophilic and antifouling properties for wastewater treatment. 2013 , 448, 223-230	449
1709	Three-dimensional graphene/metal oxide nanoparticle hybrids for high-performance capacitive deionization of saline water. 2013 , 25, 6270-6	437
1708	Signal transduction disturbance related to hepatocarcinogenesis in mouse by prolonged exposure to Nanjing drinking water. 2013 , 20, 6468-81	3
1707	Industrial case studies in the petrochemical and gas industry in Qatar for the utilization of industrial waste heat for the production of fresh water by membrane desalination. 2013 , 51, 1769-1775	11
1706	Changes in surface properties and separation efficiency of a nanofiltration membrane after repeated fouling and chemical cleaning cycles. 2013 , 113, 42-50	46
1705	Conducting nanosponge electroporation for affordable and high-efficiency disinfection of bacteria and viruses in water. 2013 , 13, 4288-93	130
1704	Effect of surface pattern formation on membrane fouling and its control in phase inversion process. 2013 , 446, 326-331	65
1703	Identification of low molecular weight organic acids by ion chromatography/hybrid quadrupole time-of-flight mass spectrometry during Uniblu-A ozonation. 2013 , 27, 187-99	10
1702	Visualization of inertial flow in deterministic ratchets. 2013 , 109, 33-39	23
1701	Applications of Nanomaterials for Water Quality. 2013 ,	2
1700	Correlating chlorine-induced changes in mechanical properties to performance in polyamide-based thin film composite membranes. 2013 , 433, 72-79	42

1699	Activated boron nitride as an effective adsorbent for metal ions and organic pollutants. 2013 , 3, 3208	169
1698	Poly(dimethylsiloxane) oil absorbent with a three-dimensionally interconnected porous structure and swellable skeleton. 2013 , 5, 10201-6	174
1697	The Innovation Deficit in Urban Water: The Need for an Integrated Perspective on Institutions, Organizations, and Technology. 2013 , 30, 395-408	94
1696	Local mechanical properties of electrospun fibers correlate to their internal nanostructure. 2013 , 13, 5056-62	79
1695	Sulfonated graphene oxide-ZnO-Ag photocatalyst for fast photodegradation and disinfection under visible light. 2013 , 262, 826-35	98
1694	A natural driven membrane process for brackish and wastewater treatment: photovoltaic powered ED and FO hybrid system. 2013 , 47, 10548-55	82
1693	Iron oxychloride (FeOCl): an efficient Fenton-like catalyst for producing hydroxyl radicals in degradation of organic contaminants. 2013 , 135, 16058-61	348
1692	Highly functional SnO ₂ coated PZT core-shell heterostructures as a visible light photocatalyst for efficient water remediation. 2013 , 225, 650-655	14
1691	Laminar MoS ₂ membranes for molecule separation. 2013 , 49, 10718-20	212
1690	Bio-inspired anti-oil-fouling chitosan-coated mesh for oil/water separation suitable for broad pH range and hyper-saline environments. 2013 , 5, 11971-6	180
1689	A forward osmosis-membrane distillation hybrid process for direct sewer mining: system performance and limitations. 2013 , 47, 13486-93	202
1688	Nanoscale investigation of photoinduced hydrophilicity variations in anatase and rutile nanopowders. 2013 , 29, 14512-8	12
1687	Potential of BAC combined with UVC/H ₂ O ₂ for reducing organic matter from highly saline reverse osmosis concentrate produced from municipal wastewater reclamation. 2013 , 93, 683-8	49
1686	Three-dimensional macroporous graphene architectures as high performance electrodes for capacitive deionization. 2013 , 1, 11778	223
1685	Exceptionally fast water desalination at complete salt rejection by pristine graphyne monolayers. 2013 , 24, 505720	108
1684	Sol-gel preparation of PAA-g-PVDF/TiO ₂ nanocomposite hollow fiber membranes with extremely high water flux and improved antifouling property. 2013 , 432, 25-32	143
1683	Strategies for improving the performance of the polyamide thin film composite (PA-TFC) reverse osmosis (RO) membranes: Surface modifications and nanoparticles incorporations. 2013 , 328, 83-100	177
1682	Modeling of colloidal fouling in forward osmosis membrane: Effects of reverse draw solution permeation. 2013 , 314, 115-123	38

1681	Underwater micro gas detector. 2013 , 188, 347-353	7
1680	Photocatalytic degradation of Rhodamine B using electrospun TiO ₂ and ZnO nanofibers: a comparative study. 2013 , 48, 8386-8392	36
1679	Cost-effective design of a draw solution recovery process for forward osmosis desalination. 2013 , 327, 46-51	11
1678	High performance polymer membranes for CO ₂ separation. 2013 , 2, 238-244	66
1677	CdS nanocrystals/TiO ₂ /crosslinked chitosan composite: Facile preparation, characterization and adsorption-photocatalytic properties. 2013 , 273, 661-669	42
1676	Systemic solutions for multi-benefit water and environmental management. 2013 , 461-462, 170-9	52
1675	Strong adsorption of phosphate by amorphous zirconium oxide nanoparticles. 2013 , 47, 5018-26	311
1674	Chemical Modification of Hydrothermal Carbon Materials. 2013 , 125-149	1
1673	Nanotechnology for sustainable development: retrospective and outlook. 2013 , 15, 1	38
1672	A Review of Pharmaceuticals and Endocrine-Disrupting Compounds: Sources, Effects, Removal, and Detections. 2013 , 224, 1	169
1671	Improving water desalination by hydraulically coupling an osmotic microbial fuel cell with a microbial desalination cell. 2013 , 441, 18-24	86
1670	Ultrathin free-standing membranes from metal hydroxide nanostrands. 2013 , 448, 270-291	28
1669	Potable Water. 2013 , 261-283	3
1668	Multifunctional nanostructured membrane for clean water reclamation from wastewater with various pH conditions. 2013 , 3, 15202	15
1667	Acid and multivalent ion resistance of thin film nanocomposite RO membranes loaded with silicalite-1 nanozeolites. 2013 , 1, 11343	96
1666	Role of NaA zeolites in the interfacial polymerization process towards a polyamide nanocomposite reverse osmosis membrane. 2013 , 3, 8203	121
1665	4-Dimethylaminopyridine promoted interfacial polymerization between hyperbranched polyesteramide and trimesoyl chloride for preparing ultralow-pressure reverse osmosis composite membrane. 2013 , 5, 6649-56	57
1664	Direct prediction of the desalination performance of porous carbon electrodes for capacitive deionization. 2013 , 6, 3700	384

1663	A Floating Porous Crystalline TiO ₂ Ceramic with Enhanced Photocatalytic Performance for Wastewater Decontamination. 2013 , 2013, 2411-2417	50
1662	Facile surface modification of PVDF microfiltration membrane by strong physical adsorption of amphiphilic copolymers. 2013 , 130, 3112-3121	8
1661	Draw solutions for forward osmosis processes: Developments, challenges, and prospects for the future. 2013 , 442, 225-237	340
1660	In situ surface chemical modification of thin-film composite forward osmosis membranes for enhanced organic fouling resistance. 2013 , 47, 12219-28	137
1659	Designed synthesis of hematite-based nanosorbents for dye removal. 2013 , 1, 9837	69
1658	Relationship between capacitance of activated carbon composite electrodes measured at a low electrolyte concentration and their desalination performance in capacitive deionization. 2013 , 704, 169-174	63
1657	Circulatory osmotic desalination driven by a mild temperature gradient based on lower critical solution temperature (LCST) phase transition materials. 2013 , 15, 19510-7	24
1656	A quasi-continuum hydrodynamic model for slit shaped nanochannel flow. 2013 , 139, 074109	36
1655	Modeling the Permeability Loss of Metallic Iron Water Filtration Systems. 2013 , 41, 275-282	74
1654	Interfacial deflection and jetting of a paramagnetic particle-laden fluid: theory and experiment. 2013 , 9, 8600	15
1653	Bio- and oil-fouling resistance of ultrafiltration membranes controlled by star-shaped block and random copolymer coatings. 2013 , 3, 18071	25
1652	Biological responses of Gram-positive and Gram-negative bacteria to nZVI (Fe ⁰), Fe ²⁺ and Fe ³⁺ . 2013 , 3, 13835	40
1651	'Halophyte filters': the potential of constructed wetlands for application in saline aquaculture. 2013 , 15, 352-64	17
1650	Stability investigation of graphene oxide-silver nanoparticles composites in natural reservoir water. 2013 , 3, 25331	9
1649	A simple yet effective chromogenic reagent for the rapid estimation of bromate and hypochlorite in drinking water. 2013 , 138, 434-7	44
1648	Characteristics and antibacterial activity of Ag-embedded Fe ₃ O ₄ @SiO ₂ magnetic composite as a reusable water disinfectant. 2013 , 3, 11751	22
1647	Gating membranes for water treatment: detection and removal of trace Pb ²⁺ ions based on molecular recognition and polymer phase transition. 2013 , 1, 9659	59
1646	Nanoscale distribution and segregation of midblock-selective co-penetrants in ABA triblock copolymer lamellae. 2013 , 3, 22863	2

1645	Enhanced photodegradation activity of Rhodamine B by MgFe ₂ O ₄ /Ag ₃ VO ₄ under visible light irradiation. 2013 , 30, 14-18	25
1644	Graphene oxide-chitosan composite hydrogels as broad-spectrum adsorbents for water purification. 2013 , 1, 1992-2001	497
1643	Wastewater treatment, energy recovery and desalination using a forward osmosis membrane in an air-cathode microbial osmotic fuel cell. 2013 , 428, 116-122	110
1642	Recovery of silicon from sewage sludge for production of high-purity nano-SiO ₂ . 2013 , 90, 2332-9	23
1641	Nanotechnology for a safe and sustainable water supply: enabling integrated water treatment and reuse. 2013 , 46, 834-43	491
1640	A porous covalent porphyrin framework with exceptional uptake capacity of saturated hydrocarbons for oil spill cleanup. 2013 , 49, 1533-5	117
1639	Bioinspired Multifunctional Foam with Self-Cleaning and Oil/Water Separation. 2013 , 23, 2881-2886	440
1638	Solar assisted sea water desalination: A review. 2013 , 19, 136-163	308
1637	Phenolphthalein-based cardo poly(arylene ether sulfone): Preparation and application to separation membranes. 2013 , 128, 1-12	22
1636	Cork boiling wastewater treatment at pilot plant scale: Comparison of solar photo-Fenton and ozone (O ₃ , O ₃ /H ₂ O ₂). Toxicity and biodegradability assessment. 2013 , 234, 232-239	41
1635	Mechanically robust and highly permeable AquaporinZ biomimetic membranes. 2013 , 434, 130-136	79
1634	Impact of membrane bioreactor operating conditions on fouling behavior of reverse osmosis membranes in MBRBO processes. 2013 , 311, 37-45	35
1633	Thin-film composite nanofiltration membranes with improved acid stability prepared from naphthalene-1,3,6-trisulfonylchloride (NTSC) and trimesoyl chloride (TMC). 2013 , 315, 164-172	33
1632	Assessment of SMP fouling by foulant-membrane interaction energy analysis. 2013 , 446, 154-163	88
1631	Amphoteric composite membranes for nanofiltration prepared from sulfated chitosan crosslinked with hexamethylene diisocyanate. 2013 , 234, 132-139	29
1630	Sorption and transport of small gas molecules in thermally rearranged (TR) polybenzoxazole membranes based on 2,2-bis(3-amino-4-hydroxyphenyl)-hexafluoropropane (bisAPAF) and 4,4'-hexafluoroisopropylidene diphthalic anhydride (6FDA). 2013 , 441, 1-8	53
1629	Effect of fuels on combustion synthesis of TiO ₂ towards efficient photocatalysts for methylene blue oxidation and Cr (VI) reduction under natural sunlight. 2013 , 228, 545-553	32
1628	Towards direct potable reuse with forward osmosis: Technical assessment of long-term process performance at the pilot scale. 2013 , 445, 34-46	113

1627	Influence of formulated chemical cleaning reagents on the surface properties and separation efficiency of nanofiltration membranes. 2013 , 432, 73-82	68
1626	Degradation of methylene blue using a heterogeneous Fenton process catalyzed by ferrocene. 2013 , 51, 5821-5830	36
1625	Self-assembled silica nanocrystal-based anti-biofouling nanofilter membranes. 2013 , 3, 458-467	4
1624	Behaviors and Effects of Differing Dimensional Nanomaterials in Water Filtration Membranes through the Classical Phase Inversion Process: A Review. 2013 , 52, 10355-10363	47
1623	Biofilms in drinking water: problems and solutions. 2013 , 3, 2520-2533	108
1622	Molecular simulations on nanoconfined water molecule behaviors for nanoporous material applications. 2013 , 15, 191-205	39
1621	Experimental energy barriers to anions transporting through nanofiltration membranes. 2013 , 47, 1968-76	73
1620	Biomimetic metal oxides for the extraction of nanoparticles from water. 2013 , 5, 3395-9	47
1619	Thin Film Nanocomposite Membranes for Water Desalination. 2013 , 163-194	3
1618	High permeability and salt rejection reverse osmosis by a zeolite nano-membrane. 2013 , 15, 6817-24	76
1617	Separation membranes constructed from inorganic nanofibers by filtration technique. 2013 , 13, 14-27	10
1616	Integrated oil separation and water purification by a double-layer TiO ₂ -based mesh. 2013 , 6, 1147	275
1615	Improved hydrophilicity, permeability, antifouling and mechanical performance of PVDF composite ultrafiltration membranes tailored by oxidized low-dimensional carbon nanomaterials. 2013 , 1, 3101	361
1614	Environmental applications using graphene composites: water remediation and gas adsorption. 2013 , 5, 3149-71	407
1613	Study of fouling and scaling in capacitive deionisation by using dissolved organic and inorganic salts. 2013 , 244-245, 387-93	73
1612	Graphene oxide-CdS composite with high photocatalytic degradation and disinfection activities under visible light irradiation. 2013 , 250-251, 412-20	225
1611	Biofilm Control With New Microparticles With Immobilized Biocide. 2013 , 34, 712-718	13
1610	Hierarchically structured nanoporous poly(ionic liquid) membranes: facile preparation and application in fiber-optic pH sensing. 2013 , 135, 5549-52	175

1609	Multifunctional graphene oxide/TiO ₂ microsphere hierarchical membrane for clean water production. 2013 , 138-139, 17-25	95
1608	Surface modification of TiO ₂ photocatalyst for environmental applications. 2013 , 15, 1-20	704
1607	Graphene-based materials: fabrication, characterization and application for the decontamination of wastewater and wastegas and hydrogen storage/generation. 2013 , 195-196, 19-40	265
1606	From natural to bioassisted and biomimetic artificial water channel systems. 2013 , 46, 2814-23	132
1605	Enhanced desalination performance of polyamide bi-layer membranes prepared by sequential interfacial polymerization. 2013 , 437, 33-39	32
1604	Enabling graphene oxide nanosheets as water separation membranes. 2013 , 47, 3715-23	1026
1603	Submerged membrane adsorption bioreactor as a pretreatment in seawater desalination for biofouling control. 2013 , 141, 57-64	32
1602	Selective ion penetration of graphene oxide membranes. 2013 , 7, 428-37	520
1601	Development of thin-film composite forward osmosis hollow fiber membranes using direct sulfonated polyphenylenesulfone (sPPSU) as membrane substrates. 2013 , 47, 7430-6	89
1600	Effects of biological molecules on calcium mineral formation associated with wastewater desalination as assessed using small-angle neutron scattering. 2013 , 29, 7607-17	15
1599	Ultra-filtration membranes based on electrospun poly(vinylidene fluoride) (PVDF) fibrous composite membrane scaffolds. 2013 , 3, 11614	22
1598	Effect of Cross-flow Velocity on the Critical Flux of Ceramic Membrane Filtration as a Pre-treatment for Seawater Desalination. 2013 , 21, 341-347	18
1597	Metallic Iron for Water Treatment: A Critical Review. 2013 , 41, 702-710	56
1596	Poly(vinylidene fluoride) membrane preparation with an environmental diluent via thermally induced phase separation. 2013 , 444, 223-236	157
1595	Magnetically ultrasensitive nanoscavengers for next-generation water purification systems. 2013 , 4, 1866	67
1594	Evaluation of the salt removal efficiency of capacitive deionisation: Kinetics, isotherms and thermodynamics. 2013 , 223, 704-713	45
1593	Impact of humic acid fouling on membrane performance and transport of pharmaceutically active compounds in forward osmosis. 2013 , 47, 4567-75	91
1592	Preparation, characterization and enhanced visible-light photocatalytic activities of BiPO ₄ /BiVO ₄ composites. 2013 , 48, 2901-2907	62

1591	Hierarchical 3D dendritic TiO ₂ nanospheres building with ultralong 1D nanoribbon/wires for high performance concurrent photocatalytic membrane water purification. 2013 , 47, 4126-38	47
1590	Ultrafiltration membranes with a thin poly(styrene)-b-poly(isoprene) selective layer. 2013 , 5, 5044-50	49
1589	A "three-in-one" water treatment material: nitrogen-doped tungstic acid. 2013 , 49, 5787-9	7
1588	Facile Synthesis of Smart Magnetic Graphene for Safe Drinking Water: Heavy Metal Removal and Disinfection Control. 2013 , 1, 462-472	208
1587	Simultaneous Polymerization and Solid Monomer Deposition for the Fabrication of Polymer Membranes with Dual-Scale Porosity. 2013 , 46, 2976-2983	23
1586	Cellulose acetate hollow fiber nanofiltration membrane with improved permselectivity prepared through hydrolysis followed by carboxymethylation. 2013 , 434, 44-54	37
1585	Biotemplated hierarchical porous material: the positively charged leaf. 2013 , 19, 4742-7	8
1584	Magnetic Nanoparticle Adsorbents for Emerging Organic Contaminants. 2013 , 1, 731-736	65
1583	Chemical engineers must focus on practical solutions. 2013 , 59, 2708-2720	21
1582	Rapid magnetic removal of aqueous heavy metals and their relevant mechanisms using nanoscale zero valent iron (nZVI) particles. 2013 , 47, 4050-8	156
1581	Electrochemically mediated seawater desalination. 2013 , 52, 8107-10	77
1580	More than a drop in the bucket: decentralized membrane-based drinking water refill stations in southeast Asia. 2013 , 47, 7580-8	24
1579	nZVI based nanocomposites: Role of noble metal and clay support on chemisorptive removal of Cr(VI). 2013 , 1, 320-327	22
1578	Antifouling and antibiofouling pH responsive block copolymer based membranes by selective surface modification. 2013 , 1, 3397-3409	57
1577	Controlling potassium selectivity and proton blocking in a hybrid biological/solid-state polymer nanoporous membrane. 2013 , 5, 3961-8	22
1576	Synthesis and characterization of cerium-silver co-doped zinc oxide as a novel sunlight-driven photocatalyst for effective degradation of Reactive Red 120 dye. 2013 , 16, 1070-1078	46
1575	Tailoring the affinity of organosilica membranes by introducing polarizable ethenylene bridges and aqueous ozone modification. 2013 , 5, 6147-54	40
1574	Molecular and continuum hydrodynamics in graphene nanopores. 2013 , 3, 9365	89

- 1573 Energy recovery in membrane capacitive deionization. **2013**, 47, 4904-10 240
- 1572 Large-scale production of hierarchical TiO₂ nanorod spheres for photocatalytic elimination of contaminants and killing bacteria. **2013**, 19, 3061-70 58
- 1571 Mussel-inspired chemistry and Michael addition reaction for efficient oil/water separation. **2013**, 5, 4438-42 282
- 1570 A new-generation asymmetric multi-bore hollow fiber membrane for sustainable water production via vacuum membrane distillation. **2013**, 47, 6272-8 53
- 1569 1.5 V battery driven reduced graphene oxide-silver nanostructure coated carbon foam (rGO-Ag-CF) for the purification of drinking water. **2013**, 24, 235101 17
- 1568 Three-dimensional electrochemical process for wastewater treatment: A general review. **2013**, 228, 455-467 314
- 1567 Microbial community characterization, activity analysis and purifying efficiency in a biofilter process. **2013**, 25, 677-87 18
- 1566 Solar desalination by membrane distillation: Dispersion in energy consumption analysis and water production costs (a review). **2013**, 308, 89-101 209
- 1565 Studies on copper coated polysulfone/modified poly isobutylene alt-maleic anhydride blend membrane and its antibiofouling property. **2013**, 308, 82-88 15
- 1564 Carbon nanotubes for desalination: Performance evaluation and current hurdles. **2013**, 308, 2-14 195
- 1563 Preparation of high flux thin film composite polyamide membrane: The effect of alkyl phosphate additives during interfacial polymerization. **2013**, 308, 111-114 45
- 1562 Understanding the dependence of contact angles of commercially RO membranes on external conditions and surface features. **2013**, 309, 38-45 29
- 1561 Enhancing chlorine resistances and anti-biofouling properties of commercial aromatic polyamide reverse osmosis membranes by grafting 3-allyl-5,5-dimethylhydantoin and N,N'-Methylenebis(acrylamide). **2013**, 309, 187-196 69
- 1560 Preparation of monodispersed spherical mesoporous nanosilica/polyamide thin film composite reverse osmosis membranes via interfacial polymerization. **2013**, 309, 261-266 86
- 1559 Influence of azo dye-TiO₂ interactions on the filtration performance in a hybrid photocatalysis/ultrafiltration process. **2013**, 389, 273-83 36
- 1558 Reverse osmosis desalination driven by low temperature supercritical organic rankine cycle. **2013**, 102, 1071-1080 59
- 1557 Removal of trace organic contaminants by the forward osmosis process. **2013**, 103, 258-266 128
- 1556 Quantized water transport: ideal desalination through graphyne-4 membrane. **2013**, 3, 3163 95

1555	Hierarchical Neural Network Modeling Approach to Predict Sludge Volume Index of Wastewater Treatment Process. 2013 , 21, 2423-2431	30
1554	Improved virus removal in ceramic depth filters modified with MgO. 2013 , 47, 1526-33	11
1553	The role of technology in achieving water security. 2013 , 371, 20120418	0
1552	Optofluidic microreactors with TiO ₂ -coated fiberglass. 2013 , 5, 12548-53	47
1551	Solvothermal synthesis of graphene/CdS nanocomposites for highly efficient visible-light photocatalyst. 2013 , 551, 327-332	67
1550	Fog-harvesting potential of lubricant-impregnated electrospun nanomats. 2013 , 29, 13081-8	87
1549	Reliable, bench-top measurements of charge density in the active layers of thin-film composite and nanocomposite membranes using quartz crystal microbalance technology. 2013 , 429, 23-33	36
1548	Reverse Osmosis. 2013 , 1	
1547	Role of wettability in interfacial polymerization based on PVDF electrospun nanofibrous scaffolds. 2013 , 442, 124-130	18
1546	Magnetic Bimetallic Fe/Ag Nanoparticles: Decontamination and Antimicrobial Agents. 2013 , 193-209	6
1545	Cadmium Sulfide/Berriite Nanocomposite as a Magnetically Recyclable Photocatalyst with Enhanced Visible-Light-Driven Photocatalytic Activity and Photostability. 2013 , 52, 17126-17133	77
1544	Multilayerization of Organophotocatalyst Films that Efficiently Utilize Natural Sunlight in a One-Pass-Flow Water Purification System. 2013 , 1, 1033-1039	15
1543	Ion selective permeation through cellulose acetate membranes in forward osmosis. 2013 , 47, 13745-53	51
1542	Overlimiting current and shock electro dialysis in porous media. 2013 , 29, 16167-77	98
1541	Antifouling Membranes Prepared by a Solvent-Free Approach via Bulk Polymerization of 2-Hydroxyethyl Methacrylate. 2013 , 52, 13137-13145	24
1540	Nanofiltration Membranes with Modified Active Layer Using Aromatic Polyamide Dendrimers. 2013 , 23, 598-607	49
1539	Microbial Electrodeionization Cell Stack for Sustainable Desalination, Wastewater Treatment and Energy Recovery. 2013 , 2013, 222-227	5
1538	Research obstacles and future perspectives. 2013 , 124-138	

- 1537 Functional supramolecular nanomaterials: robust yet adaptive. **2013**,
- 1536 Enhancement of phosphate absorption by garden plants by genetic engineering: a new tool for phytoremediation. **2013**, 2013, 182032 11
- 1535 Bacterial Filtration Using Carbon Nanotube/Antibiotic Buckypaper Membranes. **2013**, 2013, 1-11 22
- 1534 Inactivation of E. Coli in Water Using Photocatalytic, Nanostructured Films Synthesized by Aerosol Routes. **2013**, 3, 247-260 11
- 1533 Novel Nanoparticles Incorporated Polyvinylidene Fluoride Ultrafiltration Membrane. **2013**, 746, 390-393
- 1532 An Economics-Based Second Law Efficiency. **2013**, 15, 2736-2765 22
- 1531 Sodium Dodecyl Sulfate (SDS)-Loaded Nanoporous Polymer as Anti-Biofilm Surface Coating Material. **2013**, 14, 3050-64 18
- 1530 Water as the Earth's Buffer and Immune System. **2013**, 2013, 1-14 2
- 1529 Mechanisms of human adenovirus inactivation by sunlight and UVC light as examined by quantitative PCR and quantitative proteomics. **2013**, 79, 1325-32 47
- 1528 Electrochemistry and Water Pollution. **2013**, 27-68 1
- 1527 Hierarchical Macromolecular Structures: 60 Years after the Staudinger Nobel Prize II. **2013**, 8
- 1526 Persistence length and stochastic fragmentation of supramolecular nanotubes under mechanical force. **2013**, 24, 195103 21
- 1525 Strategic Co-Location in a Hybrid Process Involving Desalination and Pressure Retarded Osmosis (PRO). **2013**, 3, 98-125 44
- 1524 Evaluation of Chlorine for Inactivation of Bioterrorism Agents in Drinking Water. **2013**, 295-298, 599-603
- 1523 Carbon farming in hot, dry coastal areas: an option for climate change mitigation. **2013**, 4, 237-251 47
- 1522 Superparamagnetic Ag@Co-Nanocomposites on Granulated Cation Exchange Polymeric Matrices with Enhanced Antibacterial Activity for the Environmentally Safe Purification of Water. **2013**, 23, 2450-2458 42
- 1521 Hierarchical TiO₂/VO₂ Multifunctional Membrane for Water Purification. **2013**, 78, 1475-1482 12
- 1520 Effect of air gap on gas permeance/selectivity performance of BTDA-TDI/MDI copolyimide hollow fiber membranes. **2013**, 130, n/a-n/a 1

1519	On the hydrodynamic interaction between a particle and a permeable surface. 2013 , 25, 073103	19
1518	Microanalysis of Reverse Osmosis and Nanofiltration Membranes. 2013 , 1	
1517	An experimental investigation on fluidic behaviors in a two-dimensional nanoenvironment. 2013 , 114, 044302	1
1516	Prototyping and evaluation of ultrasonic particle filter considering water flux and sound propagation direction. 2013 ,	
1515	Fouling reduction in MBR-RO processes: the effect of MBR F/M ratio. 2013 , 51, 4829-4838	3
1514	PtBS-b-P4VP and PTMSS-b-P4VP Isoporous Integral-Asymmetric Membranes with High Thermal and Chemical Stability. 2013 , 298, 1315-1321	37
1513	Ceramic membrane filtration as seawater RO pre-treatment: influencing factors on the ceramic membrane flux and quality. 2013 , 51, 2575-2583	8
1512	Thin Films and Membranes with Hierarchical Porosity. 2013 , 1	1
1511	Performance assessment of prepared polyamide thin film composite membrane for desalination of saline groundwater at Mersa Alam-Ras Banas, Red Sea Coast, Egypt. 2013 , 51, 4927-4937	19
1510	Hierarchical ZnO Nanoflake Structured Multifunctional Membrane for Water Purification. 2013 , 48, 473-479	6
1509	A novel electrochemical membrane bioreactor as a potential net energy producer for sustainable wastewater treatment. 2013 , 3, 1864	56
1508	Biopolymer-reinforced synthetic granular nanocomposites for affordable point-of-use water purification. 2013 , 110, 8459-64	113
1507	Effects of salinity on the removal of trace organic contaminants by membrane bioreactor treatment for water reuse. 2013 , 51, 5164-5171	11
1506	Lyophobic and Magnetized MWCNTs-Based Nanofluidic System: High-Performance Damping Structure. 2013 , 3, 43-48	1
1505	Aqueous Supramolecular Polymers Based on Aromatic Amphiphiles: Rational Design, Complexity, and Functional Materials. 2013 , 363-387	4
1504	Experimental investigation of inorganic nanofiltration membranes prepared by atomic layer deposition and sol-gel methods for saltless water softening. 2013 , 16, 21	
1503	Membrane Biological Reactors: Theory, Modeling, Design, Management and Applications to Wastewater Reuse. 2013 , 12,	7
1502	Development of kevlar-supported novel polypropylene membranes: Effect of the concentration of the nucleating agent on the properties and performance. 2013 , 130, 2821-2831	22

1501	Electrochemically Mediated Seawater Desalination. 2013 , 125, 8265-8268	9
1500	MONO/DI-ammonium phosphate fertilizers as draw solutions for forward osmosis desalination. 2013 , 5, 34-39	
1499	Hierarchically nanostructured materials for sustainable environmental applications. 2013 , 1, 18	55
1498	Advances of nanotechnology in agro-environmental studies. 2013 , 8, 18	45
1497	Generalized Least Energy of Separation for Desalination and Other Chemical Separation Processes. 2013 , 15, 2046-2080	73
1496	Energy Issues in Bioelectrochemical Treatment of Water and Wastewater. 2013 ,	
1495	The Economics of Bulk Water Transport in Southern California. 2014 , 3, 703-720	3
1494	Layer-by-Layer Assembly of Inorganic Nanosheets and Polyelectrolytes for Reverse Osmosis Composite Membranes. 2014 , 47, 180-186	7
1493	Photo-degradation of Methyl Orange by Polysaccharides/LaFe _{0.8} Cu _{0.2} O ₃ Composite Films. 2014 , 9,	1
1492	. 2014 ,	27
1491	The study of reverse osmosis on glycerin solution filtration: Dead-end and crossflow filtrations, transport mechanism, rejection and permeability investigations. 2014 , 352, 66-81	12
1490	Nanofluidic Carbon Nanotube Membranes. 2014 , 173-188	2
1489	Understanding interfacial water and its role in practical applications using molecular simulations. 2014 , 39, 1062-1067	11
1488	Temperature effect on chromium(VI) removal by Mg/Al mixed metal oxides as adsorbents. 2014 , 102, 246-253	33
1487	Organic matter and dissolved salts removal in a microbial desalination cell with different orientation of ion exchange membranes. 2014 , 1-9	2
1486	Tunable synthesis of SiO ₂ -encapsulated zero-valent iron nanoparticles for degradation of organic dyes. 2014 , 9, 501	20
1485	Rapid point-of-use water purification using nanoscale zero valent iron (nZVI) particles. 2014 , 59, 3926-3934	2
1484	Thermo-responsive copolymers with ionic group as novel draw solutes for forward osmosis processes. 2014 , 22, 963-970	26

1483	Advanced Technologies for Emerging Contaminants Removal in Urban Wastewater. 2014 , 145-169	3
1482	Carbon Nanomaterial-Based Composites in Wastewater Purification. 2014 , 04, 1441006	24
1481	Block copolymers for protein ordering. 2014 , 131, n/a-n/a	13
1480	The adsorption of water-soluble ionic liquids on graphene oxide of different oxygen content. 2014 , 4, 58536-58545	11
1479	Study on Nanocomposite Membranes with Enhanced Performance for Forward Osmosis. 2014 , 900, 191-196	2
1478	Estimating the concentration and biodegradability of organic matter in 22 wastewater treatment plants using fluorescence excitation emission matrices and parallel factor analysis. 2014 , 14, 1771-86	64
1477	Segmented polymer nanowires and nanorods by one-step template wetting with a hyperbranched polymer and linear polymer blend. 2014 , 4, 53021-53027	4
1476	Nanocomposite Electrospun Nanofiber Membranes for Environmental Remediation. 2014 , 7, 1017-1045	166
1475	One-Dimensional Nanostructured TiO ₂ for Photocatalytic Degradation of Organic Pollutants in Wastewater. 2014 , 2014, 1-14	28
1474	Rapid determination of the chemical oxygen demand of water using a thermal biosensor. 2014 , 14, 9949-60	18
1473	Modeling of concentration polarization in a reverse osmosis channel with parabolic crossflow. 2014 , 86, 56-62	3
1472	Advance ternary surface-fluorinated TiO ₂ nanosheet/Ag ₃ PO ₄ /Ag composite photocatalyst with planar heterojunction and island Ag electron capture center. 2014 , 4, 62751-62758	11
1471	Desalination as a game-changer in transboundary hydro-politics. 2014 , 16, 609-624	24
1470	Application of Metal Oxide Heterostructures in Arsenic Removal from Contaminated Water. 2014 , 2014, 1-10	12
1469	Recent Progress in TiO ₂ -Mediated Solar Photocatalysis for Industrial Wastewater Treatment. 2014 , 2014, 1-12	24
1468	An appraisal of China's progress toward the Millennium Development Goals as they relate to children. 2014 , 34, 156-64	3
1467	Mathematical Modeling and Simulation of SWRO Process Based on Simultaneous Method. 2014 , 2014, 1-11	12
1466	Microbiological Aspects of Drinking Water Treatment. 2014 , 29-64	

1465	Development and testing of a transparent membrane biofouling monitor. 2014 , 52, 1807-1819	15
1464	Energy and Environmental Applications. 2014 , 241-269	4
1463	Lab-on-a-Chip and Fluid Manipulation Applications. 2014 , 171-239	1
1462	Fundamentals for Microscale and Nanoscale Flows. 2014 , 9-38	2
1461	Underwater Self-Cleaning PEDOT-PSS Hydrogel Mesh for Effective Separation of Corrosive and Hot Oil/Water Mixtures. 2014 , 1, 1400099	68
1460	Dual-scaled porous nitrocellulose membranes with underwater superoleophobicity for highly efficient oil/water separation. 2014 , 26, 1771-5	277
1459	The role of material flexibility on the drying transition of water between hydrophobic objects: a thermodynamic analysis. 2014 , 141, 18C531	21
1458	Production of ceramic membranes with different pore sizes for virus retention. 2014 , 4, 201-211	33
1457	Hyperbranched poly(ether amine) (hPEA)/poly(vinyl alcohol) (PVA) interpenetrating network (IPN) for selective adsorption and separation of guest homologues. 2014 , 30, 14597-605	21
1456	Engineered Nanomaterials for Purification and Desalination of Palatable Water. 2014 , 387-400	
1455	Fe ion-implanted TiO ₂ thin film for efficient visible-light photocatalysis. 2014 , 116, 173507	25
1454	A TiO ₂ nanofiber/activated carbon composite as a novel effective electrode material for capacitive deionization of brackish water. 2014 , 4, 64634-64642	32
1453	Bidirectional diffusion of ammonium and sodium cations in forward osmosis: role of membrane active layer surface chemistry and charge. 2014 , 48, 14369-76	85
1452	Ozonation of N-Nitrosamines in the Reverse Osmosis Concentrate from Water Recycling Applications. 2014 , 36, 174-180	10
1451	Optimal design and operation of desalination systems: new challenges and recent advances. 2014 , 6, 61-68	37
1450	Responsive Nanoporous Smectic Liquid Crystal Polymer Networks as Efficient and Selective Adsorbents. 2014 , 24, 5045-5051	87
1449	Thermally switchable aligned nanopores by magnetic-field directed self-assembly of block copolymers. 2014 , 26, 5148-54	55
1448	Mixed mosaic membranes prepared by layer-by-layer assembly for ionic separations. 2014 , 8, 12338-45	49

1447	Nanostructured Metal Oxides for Wastewater Disinfection. 2014 , 27-40	2
1446	Atomic layer deposition of polyimide on microporous polyethersulfone membranes for enhanced and tunable performances. 2014 , 60, 3614-3622	22
1445	Trace Contaminants: Implications for Water Quality Sustainability. 2014 , 320-338	
1444	Perspectives and challenges for desalination in developing countries. 2014 , 6, 10-14	4
1443	Removal of Metal Ions and Organic Compounds from Aqueous Environments Using Versatile Carbon Nanotube/Graphene Hybrid Adsorbents. 2014 , 1752, 89-94	
1442	Drinking Water: Factors Affecting the Quality of Drinking Water. 2014 , 105-245	
1441	Advances in Desalination Technologies: Solar Desalination. 2014 , 181-211	4
1440	Water Quality Issues and Solutions in Africa. 2014 , 71-85	1
1439	Detoxification of azinophos methyl using gamma radiation mediated advance oxidation process and investigation of degradation products by HPLC and GC-MS. 2014 , 102, 731-739	
1438	A Review of Removal of Pollutants from Water/Wastewater Using Different Types of Nanomaterials. 2014 , 2014, 1-24	376
1437	High Flux Layer by Layer Polyelectrolyte FO Membrane: Toward Enhanced Performance for Osmotic Microbial Fuel Cell. 2014 , 63, 595-601	25
1436	Designing block copolymer architectures for targeted membrane performance. 2014 , 55, 347-353	89
1435	Grafting polyzwitterions onto polyamide by click chemistry and nucleophilic substitution on nitrogen: A novel approach to enhance membrane fouling resistance. 2014 , 449, 50-57	110
1434	Sonochemical degradation of ciprofloxacin and ibuprofen in the presence of matrix organic compounds. 2014 , 21, 428-35	59
1433	Removal of herbicides from aqueous solutions by modified forms of montmorillonite. 2014 , 415, 127-32	30
1432	Mineral wool fibers incorporated with cuprous oxide for visible light photocatalytic inactivation of Escherichia coli. 2014 , 40, 5407-5412	6
1431	Effluent organic matter removal from reverse osmosis feed by granular activated carbon and purolite A502PS fluidized beds. 2014 , 20, 4499-4508	13
1430	Graphite felt electrochemically modified in H2SO4 solution used as a cathode to produce H2O2 for pre-oxidation of drinking water. 2014 , 250, 312-318	100

1429	Spatial-temporal patterns and driving factors for industrial wastewater emission in China. 2014 , 76, 116-124	77
1428	Electrospun carbon nanofiber networks from phenolic resin for capacitive deionization. 2014 , 252, 30-37	65
1427	Enhanced visible-light-response photocatalytic degradation of methylene blue on Fe-loaded BiVO ₄ photocatalyst. 2014 , 597, 129-135	82
1426	Disinfection of real and simulated urban wastewater effluents using a mild solar photo-Fenton. 2014 , 150-151, 619-629	111
1425	Towards supported bolaamphiphile membranes for water filtration: Roles of lipid and substrate. 2014 , 457, 50-61	33
1424	pH and temperature responsive porous membranes via an in situ bulk copolymerization approach. 2014 , 55, 1347-1357	9
1423	Changing the microstructure of membranes using an intense electric field: Filtration performance. 2014 , 449, 158-168	11
1422	The effect of cross-contamination in the sequential interfacial polymerization on the RO performance of polyamide bilayer membranes. 2014 , 466, 348-356	16
1421	Electrochemistry: as cause and cure in water pollution—An overview. 2014 , 12, 97-108	245
1420	Electrochemical Detection. 2014 , 147-188	1
1419	Recent progress in fluoropolymers for membranes. 2014 , 39, 164-198	313
1418	Fundamental water and salt transport properties of polymeric materials. 2014 , 39, 1-42	450
1417	High purity multi-walled carbon nanotubes: Preparation, characterization and performance as filler materials in co-polyimide hollow fiber membranes. 2014 , 122, 262-269	38
1416	Membrane surface modification with TiO ₂ /graphene oxide for enhanced photocatalytic performance. 2014 , 455, 349-356	211
1415	Electron-beam lithography: going green with silk. 2014 , 9, 251-2	1
1414	Safe clinical use of carbon nanotubes as innovative biomaterials. 2014 , 114, 6040-79	167
1413	Recent advances in the use of graphene-family nanoadsorbents for removal of toxic pollutants from wastewater. 2014 , 204, 35-56	367
1412	Seawater desalination in China: Retrospect and prospect. 2014 , 242, 404-413	71

1411	Novel reverse osmosis membranes incorporated with a hydrophilic additive for seawater desalination. 2014 , 455, 44-54	109
1410	Materials science. Graphene oxide membranes for ionic and molecular sieving. 2014 , 343, 740-2	798
1409	Free volume characterization of sulfonated styrenic pentablock copolymers using positron annihilation lifetime spectroscopy. 2014 , 453, 425-434	37
1408	Key factors influencing water diffusion in aromatic PA membrane: Hydrates, nanochannels and functional groups. 2014 , 333, 52-58	15
1407	Electrochemical Desalination for a Sustainable Water Future. 2014 , 1, 850-857	29
1406	Exceptional ion rejection ability of directional solvent for non-membrane desalination. 2014 , 104, 024102	18
1405	Seasonal changes in the invertebrate community of granular activated carbon filters and control technologies. 2014 , 51, 216-27	15
1404	Capacitive deionization concept based on suspension electrodes without ion exchange membranes. 2014 , 43, 18-21	91
1403	Nanofluidics: bubbles as osmotic membranes. 2014 , 9, 249-51	9
1402	Membrane-assisted VOC removal from aqueous acrylic latex. 2014 , 452, 426-432	15
1401	Facile synthesis of sewage sludge-derived mesoporous material as an efficient and stable heterogeneous catalyst for photo-Fenton reaction. 2014 , 154-155, 252-258	74
1400	High flux polyamide thin film composite forward osmosis membranes prepared from porous substrates made of polysulfone and polyethersulfone blends. 2014 , 336, 72-79	28
1399	Brackish water desalination by capacitive deionization using zinc oxide micro/nanostructures grafted on activated carbon cloth electrodes. 2014 , 344, 236-242	86
1398	High performance and antifouling vertically aligned carbon nanotube membrane for water purification. 2014 , 460, 171-177	127
1397	Thin film composite forward-osmosis membranes with enhanced internal osmotic pressure for internal concentration polarization reduction. 2014 , 249, 236-245	95
1396	Water permeation in carbon nanotube membranes. 2014 , 4, 32-37	23
1395	Sandwich-structured AgCl@Ag@TiO ₂ with excellent visible-light photocatalytic activity for organic pollutant degradation and E. coli K12 inactivation. 2014 , 158-159, 76-84	117
1394	Sustainable Urban Water Supply Infrastructure. 2014 , 427-449	4

1393	Energy Harvesting for Nanostructured Self-Powered Photodetectors. 2014 , 24, 2591-2610	177
1392	A novel 3D structure composed of strings of hierarchical TiO ₂ spheres formed on TiO ₂ nanobelts with high photocatalytic properties. 2014 , 211, 90-94	21
1391	A novel membrane distillation-thermophilic bioreactor system: biological stability and trace organic compound removal. 2014 , 159, 334-41	61
1390	Nonlinear multiobjective model-predictive control scheme for wastewater treatment process. 2014 , 24, 47-59	45
1389	Structure and Dynamics of an Electrolyte Confined in Charged Nanopores. 2014 , 118, 5061-5072	40
1388	Enhanced photocatalytic activity of sulfated silica-titania composites prepared by impregnation using ammonium persulfate solution. 2014 , 26, 62-68	6
1387	Review of iron-free Fenton-like systems for activating H ₂ O ₂ in advanced oxidation processes. 2014 , 275, 121-35	1271
1386	River Water Purification via a Coagulation-Porous Ceramic Membrane Hybrid Process. 2014 , 22, 113-119	8
1385	Sponge-Templated Preparation of High Surface Area Graphene with Ultrahigh Capacitive Deionization Performance. 2014 , 24, 3917-3925	200
1384	Enhancement of electrosorption rates using low-amplitude, high-frequency, pulsed electrical potential. 2014 , 129, 18-24	8
1383	Towards sustainable wastewater treatment by using microbial fuel cells-centered technologies. 2014 , 7, 911-924	641
1382	Surface-modified reverse osmosis membranes applying a copolymer film to reduce adhesion of bacteria as a strategy for biofouling control. 2014 , 124, 117-123	49
1381	Nanofiltration hollow fiber membranes for textile wastewater treatment: Lab-scale and pilot-scale studies. 2014 , 114, 51-57	140
1380	Microporous spongy chitosan monoliths doped with graphene oxide as highly effective adsorbent for methyl orange and copper nitrate (Cu(NO ₃) ₂) ions. 2014 , 416, 243-51	55
1379	A lanthanum chelate possessing an open-channel framework with water nanotubes: properties and desalination. 2014 , 43, 6026-31	15
1378	Application of novel Polypyrrole/thiol-functionalized zeolite Beta/MCM-41 type mesoporous silica nanocomposite for adsorption of Hg ²⁺ from aqueous solution and industrial wastewater: Kinetic, isotherm and thermodynamic studies. 2014 , 289, 487-494	78
1377	Surface modification of PES ultrafiltration membrane by polydopamine coating and poly(ethylene glycol) grafting: Morphology, stability, and anti-fouling. 2014 , 344, 422-430	110
1376	Nonlinear Model-Predictive Control for Industrial Processes: An Application to Wastewater Treatment Process. 2014 , 61, 1970-1982	82

1375	Application of constructed wetlands for wastewater treatment in developing countries--a review of recent developments (2000-2013). 2014 , 141, 116-31	212
1374	ZnCl ₂ activated electrospun carbon nanofiber for capacitive desalination. 2014 , 344, 446-453	64
1373	Nanofiltration membranes prepared by interfacial polymerization on thin-film nanofibrous composite scaffold. 2014 , 55, 1358-1366	91
1372	Nonlinear systems modeling based on self-organizing fuzzy-neural-network with adaptive computation algorithm. 2014 , 44, 554-64	72
1371	A magnetic graphene hybrid functionalized with beta-cyclodextrins for fast and efficient removal of organic dyes. 2014 , 2, 12296	94
1370	Ultrafast molecule separation through layered WS ₂ nanosheet membranes. 2014 , 8, 6304-11	229
1369	An ultrafast water transport forward osmosis membrane: porous graphene. 2014 , 2, 4023	98
1368	Zero internal concentration polarization FO membrane: functionalized graphene. 2014 , 2, 425-429	60
1367	Engineering amphiphilic membrane surfaces based on PEO and PDMS segments for improved antifouling performances. 2014 , 450, 111-123	132
1366	Antimicrobial nanomaterials as water disinfectant: applications, limitations and future perspectives. 2014 , 466-467, 1047-59	176
1365	Seawater predesalination with electrodialysis. 2014 , 342, 61-69	120
1364	Water purification and toxicity control of chlorophenols by 3D nanofiber membranes decorated with photocatalytic titania nanoparticles. 2014 , 40, 3305-3313	29
1363	Hydrophilic porous asymmetric ultrafiltration membranes of aramid-g-PEO copolymers. 2014 , 454, 233-242	19
1362	Energy in the urban water cycle: Actions to reduce the total expenditure of fossil fuels with emphasis on heat reclamation from urban water. 2014 , 30, 808-820	60
1361	An improved protocol for electrodialytic desalination yielding mineral-balanced potable water. 2014 , 335, 96-101	11
1360	Modelling the rejection of N-nitrosamines by a spiral-wound reverse osmosis system: Mathematical model development and validation. 2014 , 454, 212-219	18
1359	Impact of hydraulic retention time on organic and nutrient removal in a membrane coupled sequencing batch reactor. 2014 , 55, 12-20	49
1358	Preparation of porous micro/nano-structure NiO/ZnO heterojunction and its photocatalytic property. 2014 , 4, 3090-3095	81

1357	Recent progress of membrane distillation using electrospun nanofibrous membrane. 2014 , 453, 435-462	263
1356	Ultra-light, compressible and fire-resistant graphene aerogel as a highly efficient and recyclable absorbent for organic liquids. 2014 , 2, 2934	332
1355	Viral pathogens in water: occurrence, public health impact, and available control strategies. 2014 , 4, 50-7	91
1354	Two-phase flow in membrane processes: A technology with a future. 2014 , 453, 566-602	102
1353	Electrochemical treatment of evaporated residue of reverse osmosis concentrate generated from the leather industry. 2014 , 4, 54614-54624	1
1352	Mussel-inspired chemistry and Stober method for highly stabilized water-in-oil emulsions separation. 2014 , 2, 20439-20443	75
1351	Scalable fabrication of polymer membranes with vertically aligned 1 nm pores by magnetic field directed self-assembly. 2014 , 8, 11977-86	155
1350	TiO ₂ -coated nanostructures for dye photo-degradation in water. 2014 , 9, 458	43
1349	Mussel-inspired dopamine- and plant-based cardanol-containing polymer coatings for multifunctional filtration membranes. 2014 , 6, 21297-307	64
1348	Hydrophilic nanowire modified polymer ultrafiltration membranes with high water flux. 2014 , 6, 19161-7	16
1347	Eco-Affectionate Face of Microbial Fuel Cells. 2014 , 44, 97-153	18
1346	Fabrication and characterization of a novel poly(amide-urethane@imide) TFC reverse osmosis membrane with chlorine-tolerant property. 2014 , 469, 397-409	57
1345	Real-time control of inertial focusing in microfluidics using dielectrophoresis (DEP). 2014 , 4, 62076-62085	44
1344	Filtration of sodium chloride from seawater using carbon hollow tube composed of carbon nanotubes. 2014 , 5, 194-206	2
1343	Preparation and characterization of TiO ₂ @graphene@Fe ₃ O ₄ magnetic composite and its application in the removal of trace amounts of microcystin-LR. 2014 , 4, 56883-56891	37
1342	Electrochemical mineral scale prevention and removal on electrically conducting carbon nanotube-polyamide reverse osmosis membranes. 2014 , 16, 1300-8	55
1341	Three-dimensional NiAl-mixed metal oxide film: preparation and capacitive deionization performances. 2014 , 4, 41642-41648	18
1340	UF membrane with highly improved flux by hydrophilic network between graphene oxide and brominated poly(2,6-dimethyl-1,4-phenylene oxide). 2014 , 2, 18562-18573	52

1339	Out-of-plane ion concentration polarization for scalable water desalination. 2014 , 14, 681-5	35
1338	Inertio-elastic focusing of bioparticles in microchannels at high throughput. 2014 , 5, 4120	148
1337	A Dendrimer-Based Forward Osmosis Draw Solute for Seawater Desalination. 2014 , 53, 16170-16175	59
1336	Impact of organic nutrient load on biomass accumulation, feed channel pressure drop increase and permeate flux decline in membrane systems. 2014 , 67, 227-42	45
1335	Photovoltaic powered ultraviolet and visible light-emitting diodes for sustainable point-of-use disinfection of drinking waters. 2014 , 493, 185-96	60
1334	A high charge efficiency electrode by self-assembling sulphonated reduced graphene oxide onto carbon fibre: towards enhanced capacitive deionization. 2014 , 2, 3484	65
1333	Catalytic nanomotors for environmental monitoring and water remediation. 2014 , 6, 7175-82	236
1332	A facile route for the preparation of ZnO/C composites with high photocatalytic activity and adsorption capacity. 2014 , 16, 4478-4484	45
1331	In situ distributed diagnostics of flowable electrode systems: resolving spatial and temporal limitations. 2014 , 16, 18241-52	32
1330	Microfluidic reactors for photocatalytic water purification. 2014 , 14, 1074-82	112
1329	Photochemical synthesis of ZnO/Ag ₂ O heterostructures with enhanced ultraviolet and visible photocatalytic activity. 2014 , 2, 7272-7280	154
1328	A highly selective and sensitive turn-on chemodosimeter for hypochlorous acid based on an iridium(III) complex and its application to bioimaging. 2014 , 43, 9529-36	29
1327	Graphyne as the membrane for water desalination. 2014 , 6, 1865-70	182
1326	Chitosan scaffolds for recyclable adsorption of Cu(II) ions. 2014 , 4, 3864-3872	42
1325	Porous carbon nanotube/polyvinylidene fluoride composite material: Superhydrophobicity/superoleophilicity and tunability of electrical conductivity. 2014 , 55, 5616-5622	30
1324	Covalent-organic framework as a template to assemble carbon nanotubes into a high-density membrane: computational demonstration. 2014 , 6, 772-7	4
1323	Surface modification of polyamide nanofiltration membrane by grafting zwitterionic polymers to improve the antifouling property. 2014 , 131, n/a-n/a	32
1322	Photo-crosslinked nanofibers of poly(ether amine) (PEA) for the ultrafast separation of dyes through molecular filtration. 2014 , 5, 2027-2034	26

1321	Curved polymer nanodiscs by wetting nanopores of anodic aluminum oxide templates with polymer nanospheres. 2014 , 6, 1340-6	23
1320	Surface mineralization of commercial thin-film composite polyamide membrane by depositing barium sulfate for improved reverse osmosis performance and antifouling property. 2014 , 351, 228-235	31
1319	A floating macro/mesoporous crystalline anatase TiO ₂ ceramic with enhanced photocatalytic performance for recalcitrant wastewater degradation. 2014 , 43, 790-8	57
1318	Criteria for the selection of a support material to fabricate coated membranes for a life support device. 2014 , 4, 38711-38717	26
1317	A facile transesterification route to polysulfone-poly(ethylene glycol) amphiphilic block copolymers with improved protein resistance. 2014 , 5, 2836-2842	20
1316	Mesoporous hierarchical bismuth tungstate as a highly efficient visible-light-driven photocatalyst. 2014 , 4, 9542	26
1315	In-plane mesoporous graphene oxide nanosheet assembled membranes for molecular separation. 2014 , 4, 21425	61
1314	Directing the self-assembly of supra-biomolecular nanotubes using entropic forces. 2014 , 10, 851-61	16
1313	Insight into the pore tuning of triazine-based nitrogen-rich organoalkoxysilane membranes for use in water desalination. 2014 , 4, 23759-23769	25
1312	Synthesis and physical properties of electromagnetic polypyrrole composites via addition of magnetic crystals. 2014 , 16, 2097	27
1311	Plasmon-enhanced photocatalytic water purification. 2014 , 16, 15111-6	31
1310	Fabrication of a silica gel coated quartz fiber mesh for oil/water separation under strong acidic and concentrated salt conditions. 2014 , 4, 11447	41
1309	Elimination of ibuprofen and its relative photo-induced toxicity by mesoporous BiOBr under simulated solar light irradiation. 2014 , 4, 13061	37
1308	Nanoslitting of phase-separated block copolymers by solvent swelling for membranes with ultrahigh flux and sharp selectivity. 2014 , 50, 12022-5	32
1307	Electricity resonance-induced fast transport of water through nanochannels. 2014 , 14, 4931-6	57
1306	Nanostructured Membranes for Water Purification. 2014 , 95-108	4
1305	Effects of organic and colloidal fouling on the rejection of two pharmaceutically active compounds (PhACs) by nanofiltration processes: role of membrane foulants. 2014 , 52, 633-642	4
1304	Facile aerosol synthesis and characterization of ternary crumpled graphene-TiO ₂ magnetite nanocomposites for advanced water treatment. 2014 , 6, 11766-74	78

1303	Biofunctionalized poly (amic) acid membranes for absolute disinfection of drinking water. 2014 , 472, 261-271	13
1302	Constructing all carbon nanotube hollow fiber membranes with improved performance in separation and antifouling for water treatment. 2014 , 48, 8062-8	47
1301	Renewable energy powered membrane technology: A leapfrog approach to rural water treatment in developing countries?. 2014 , 40, 542-556	50
1300	Investigating the microstructures and surface features of seawater RO membranes and the dependencies of fouling resistance performances. 2014 , 352, 109-117	17
1299	Advances in Polymer-based Nanostructured Membranes for Water Treatment. 2014 , 53, 1290-1316	20
1298	Wetting Heterogeneities in Porous Media Control Flow Dissipation. 2014 , 2,	45
1297	Future Expectations. 2014 , 583-617	1
1296	Filtration and transport of heavy metals in graphene oxide enabled sand columns. 2014 , 257, 248-252	85
1295	Facile immobilization of ag nanocluster on nanofibrous membrane for oil/water separation. 2014 , 6, 15272-82	137
1294	Durable superhydrophobic/superoleophilic PDMS sponges and their applications in selective oil absorption and in plugging oil leakages. 2014 , 2, 18281-18287	212
1293	Molecular simulations in metal-organic frameworks for diverse potential applications. 2014 , 40, 516-536	29
1292	Conformational Evolution of Elongated Polymer Solutions Tailors the Polarization of Light-Emission from Organic Nanofibers. 2014 , 47, 4704-4710	26
1291	Graphene-based materials: fabrication and application for adsorption in analytical chemistry. 2014 , 1362, 1-15	124
1290	QCM-based measurement of chlorine-induced polymer degradation kinetics. 2014 , 30, 8923-30	9
1289	Graphene oxide interpenetrated polymeric composite hydrogels as highly effective adsorbents for water treatment. 2014 , 4, 42346-42357	38
1288	Gravity-driven hybrid membrane for oleophobic-superhydrophilic oil-water separation and water purification by graphene. 2014 , 30, 11761-9	76
1287	Comparison of salt adsorption capacity and energy consumption between constant current and constant voltage operation in capacitive deionization. 2014 , 352, 52-57	90
1286	Effects of various TiO ₂ nanostructures and graphene oxide on photocatalytic activity of TiO ₂ . 2014 , 279, 96-104	78

1285	Scalable antifouling reverse osmosis membranes utilizing perfluorophenyl azide photochemistry. 2014 , 35, 1528-33	27
1284	Effects of chemical preservation on flux and solute rejection by reverse osmosis membranes. 2014 , 472, 202-209	17
1283	Slow hydrophobic hydration induced polymer ultrafiltration membranes with high water flux. 2014 , 471, 27-34	26
1282	Computational fluid dynamics (CFD) modeling of VUV/UV photoreactors for water treatment. 2014 , 256, 51-60	41
1281	Thermoresponsive copolymer-based draw solution for seawater desalination in a combined process of forward osmosis and membrane distillation. 2014 , 348, 26-32	120
1280	Emerging contaminants of public health significance as water quality indicator compounds in the urban water cycle. 2014 , 71, 46-62	270
1279	Surface initiated polydopamine grafted poly([2-(methacryloyloxy)ethyl]trimethylammonium chloride) coatings to produce reverse osmosis desalination membranes with anti-biofouling properties. 2014 , 468, 216-223	48
1278	Hydrophobic carbon nanotubes for removal of oils and organics from water. 2014 , 49, 6855-6861	36
1277	Removal of Heavy Metals Using Nanostructured Graphite Oxide, Silica Nanoparticles and Silica/Graphite Oxide Composite. 2014 , 50, 130-138	98
1276	Using modelling approach to validate a bench scale forward osmosis pre-treatment process for desalination. 2014 , 350, 1-13	22
1275	Thin-film composite membranes formed by interfacial polymerization with natural material sericin and trimesoyl chloride for nanofiltration. 2014 , 471, 381-391	118
1274	pH-induced reversible wetting transition between the underwater superoleophilicity and superoleophobicity. 2014 , 6, 636-41	118
1273	Exploring the synergetic effects of graphene oxide (GO) and polyvinylpyrrolidone (PVP) on poly(vinylidene fluoride) (PVDF) ultrafiltration membrane performance. 2014 , 316, 537-548	208
1272	Biogenic nanosilver incorporated reverse osmosis membrane for antibacterial and antifungal activities against selected pathogenic strains: an enhanced eco-friendly water disinfection approach. 2014 , 49, 1125-33	35
1271	High-performance ionic diode membrane for salinity gradient power generation. 2014 , 136, 12265-72	322
1270	Layer by layer assembly of gold nanoparticles and graphene via Langmuir Blodgett method for efficient light-harvesting in photocatalytic applications. 2014 , 617, 707-712	11
1269	Membrane Distillation: Now and Future. 2014 , 373-424	7
1268	Novel grafting method efficiently decreases irreversible fouling of ceramic nanofiltration membranes. 2014 , 470, 369-377	61

1267	Modeling water flux and salt rejection of mesoporous alumina and microporous organosilica membranes. 2014 , 470, 307-315	12
1266	Graphene oxide nanosheet: an emerging star material for novel separation membranes. 2014 , 2, 13772-13782	267
1265	An enhanced photocatalytic response of nanometric TiO ₂ wrapping of Au nanoparticles for eco-friendly water applications. 2014 , 6, 11189-95	50
1264	A versatile approach to produce superhydrophobic materials used for oil-water separation. 2014 , 432, 105-8	76
1263	Rejection of small solutes by reverse osmosis membranes for water reuse applications: A pilot-scale study. 2014 , 350, 28-34	18
1262	Water and Wastewater Treatment in Africa [Current Practices and Challenges. 2014 , 42, 1029-1035	67
1261	Molecular dynamics simulations of polyamide membrane, calcium alginate gel, and their interactions in aqueous solution. 2014 , 30, 9098-106	66
1260	Influence of the Temperature on the Proton Transport in Poly(styrene-co-divinylbenzene) Membranes from Molecular Dynamics Simulations. 2014 , 118, 17643-17654	5
1259	Characterization of high temperature polymer blends for specific applications: fuel cells and aerospace applications. 2014 , 70-129	1
1258	Thermodynamic analysis of a stand-alone reverse osmosis desalination system powered by pressure retarded osmosis. 2014 , 352, 27-37	21
1257	Emerging nanotechnology-based methods for water purification: a review. 2014 , 52, 4089-4101	45
1256	Special wettable materials for oil/water separation. 2014 , 2, 2445-2460	880
1255	Built-up superhydrophobic composite membrane with carbon nanotubes for water desalination. 2014 , 4, 16561	19
1254	A Review of Combined Advanced Oxidation Technologies for the Removal of Organic Pollutants from Water. 2014 , 225, 1	126
1253	Multifunctional Silver, Copper and Zero Valent Iron Metallic Nanoparticles for Wastewater Treatment. 2014 , 435-457	6
1252	NZVI modified magnetic filter paper with high redox and catalytic activities for advanced water treatment technologies. 2014 , 50, 15673-6	27
1251	Hydrothermal synthesis and visible light photocatalytic activity enhancement of BiPO ₄ /Ag ₃ PO ₄ composites for degradation of typical dyes. 2014 , 40, 14613-14620	45
1250	High retention membrane bioreactors: challenges and opportunities. 2014 , 167, 539-46	85

1249	Effect of chemical oxidation on the sorption tendency of dissolved organic matter to a model hydrophobic surface. 2014 , 48, 5118-26	29
1248	A hierarchical nanostructured carbon nanofiber-In ₂ S ₃ photocatalyst with high photodegradation and disinfection abilities under visible light. 2014 , 9, 1663-70	11
1247	Heterojunction of facet coupled g-C ₃ N ₄ /surface-fluorinated TiO ₂ nanosheets for organic pollutants degradation under visible LED light irradiation. 2014 , 156-157, 331-340	282
1246	Fabrication of polyvinyl chloride ultrafiltration membranes with stable antifouling property by exploring the pore formation and surface modification capabilities of polyvinyl formal. 2014 , 464, 100-109	125
1245	Biomimetic and bioinspired membranes: Preparation and application. 2014 , 39, 1668-1720	155
1244	Hollow carbon nanofibers as an effective electrode for brackish water desalination using the capacitive deionization process. 2014 , 38, 198-205	95
1243	Nanotechnology for Water Treatment and Purification. 2014 ,	20
1242	A facile solvent-manipulated mesh for reversible oil/water separation. 2014 , 6, 12821-6	122
1241	Plasmonic TiO ₂ /AgBr/Ag ternary composite nanosphere with heterojunction structure for advanced visible light photocatalyst. 2014 , 314, 864-871	40
1240	ZnS nanorod as an efficient heavy metal ion extractor from water. 2014 , 3, 74-81	7
1239	Nanofiltration membranes based on thin-film nanofibrous composites. 2014 , 469, 188-197	60
1238	One-pot solvothermal synthesis of Cu-modified BiOCl via a Cu-containing ionic liquid and its visible-light photocatalytic properties. 2014 , 4, 14281	98
1237	Nanoscale zero-valent iron/AC as heterogeneous Fenton catalysts in three-dimensional electrode system. 2014 , 21, 8398-405	33
1236	Effect of pH waves on capacitive charging in microfluidic flow channels. 2014 , 20, 1315-1322	2
1235	Effective Removal of Estrogens from Drinking Water and Wastewater by Adsorption Technology. 2014 , 1, 87-94	16
1234	Electrochemically controlled methods for removal of endo- and exotoxins from biological media. 2014 , 84, 998-1009	
1233	Novel design of hydrophobic/hydrophilic interpenetrating network composite nanofibers for the support layer of forward osmosis membrane. 2014 , 347, 207-214	58
1232	Recyclable Textiles Functionalized with Reduced Graphene Oxide@ZnO for Removal of Oil Spills and Dye Pollutants. 2014 , 67, 71	26

1231	Highly selective and efficient heavy metal capture with polysulfide intercalated layered double hydroxides. 2014 , 2, 10280-10289	140
1230	Control of biofouling on reverse osmosis polyamide membranes modified with biocidal nanoparticles and antifouling polymer brushes. 2014 , 2, 1724-1732	135
1229	Nanoporous metal organic framework materials for smart applications. 2014 , 30, 1598-1612	81
1228	A ten liter stacked microbial desalination cell packed with mixed ion-exchange resins for secondary effluent desalination. 2014 , 48, 9917-24	70
1227	Antifouling, high-flux nanofiltration membranes enabled by dual functional polydopamine. 2014 , 6, 5548-57	164
1226	Thermo and pH dual-responsive materials for controllable oil/water separation. 2014 , 6, 2026-30	229
1225	Manganese peroxidase degrades pristine but not surface-oxidized (carboxylated) single-walled carbon nanotubes. 2014 , 48, 7918-23	57
1224	Potable Water. 2014 ,	4
1223	Static electricity powered copper oxide nanowire microbicidal electroporation for water disinfection. 2014 , 14, 5603-8	91
1222	Enhanced water flux in vertically aligned carbon nanotube arrays and polyethersulfone composite membranes. 2014 , 2, 12171-12176	57
1221	Facile synthesis of hierarchical porous TiO ₂ ceramics with enhanced photocatalytic performance for micropolluted pesticide degradation. 2014 , 6, 16653-60	83
1220	Characteristics of dynamic membrane filtration: structure, operation mechanisms, and cost analysis. 2014 , 59, 247-260	32
1219	The near-future integration of microbial desalination cells with reverse osmosis technology. 2014 , 7, 3921-3933	103
1218	A short review on reverse osmosis pretreatment technologies. 2014 , 354, 30-38	202
1217	Controlled hydrothermal synthesis of bismuth oxybromides and their photocatalytic properties. 2014 , 45, 1892-1909	57
1216	Effect of membrane pore morphology on microfiltration organic fouling: PTFE/PVDF blend membranes compared with PVDF membranes. 2014 , 343, 217-225	35
1215	Photoinduced superwetting single-walled carbon nanotube/TiO ₂ ultrathin network films for ultrafast separation of oil-in-water emulsions. 2014 , 8, 6344-52	314
1214	Time-resolved GISAXS and cryo-microscopy characterization of block copolymer membrane formation. 2014 , 55, 1327-1332	46

1213	Alternating electric field fluidized bed disinfection performance with different types of granular activated carbon. 2014 , 132, 70-76	4
1212	Role of cellulose fibers in enhancing photosensitized oxidation of basic green 1 with massive dyeing auxiliaries. 2014 , 147, 805-812	27
1211	Bioelectrochemical desalination and electricity generation in microbial desalination cell with dewatered sludge as fuel. 2014 , 157, 120-6	48
1210	N-nitrosamine rejection by reverse osmosis: Effects of membrane exposure to chemical cleaning reagents. 2014 , 343, 60-66	22
1209	Study of ionic transport through metalized nanoporous membranes functionalized with self-assembled monolayers. 2014 , 461, 106-113	3
1208	Preparation and characterization of ZrO ₂ /PES hybrid ultrafiltration membrane with uniform ZrO ₂ nanoparticles. 2014 , 332, 60-66	94
1207	Inactivation performance and mechanism of Escherichia coli in aqueous system exposed to iron oxide loaded graphene nanocomposites. 2014 , 276, 66-76	80
1206	Polyamide/POSS hybrid membranes for seawater desalination: Effect of POSS inclusion on membrane properties. 2014 , 461, 89-95	53
1205	Porous thin film barrier layers from 2,3-dicarboxylic acid cellulose nanofibrils for membrane structures. 2014 , 102, 584-9	27
1204	Impact of organic and colloidal fouling on trace organic contaminant rejection by forward osmosis: Role of initial permeate flux. 2014 , 336, 146-152	58
1203	Molecular simulations of polyamide reverse osmosis membranes. 2014 , 343, 48-53	47
1202	RO-PRO desalination: An integrated low-energy approach to seawater desalination. 2014 , 120, 104-114	149
1201	Desalination feasibility study of an industrial NaCl stream by bipolar membrane electrodialysis. 2014 , 140, 69-75	62
1200	Relating rejection of trace organic contaminants to membrane properties in forward osmosis: measurements, modelling and implications. 2014 , 49, 265-74	103
1199	Synthesis of photocatalytic TiO ₂ nano-coatings by supersonic cluster beam deposition. 2014 , 615, S467-S471	17
1198	Thin-film composite bicontinuous cubic lyotropic liquid crystal polymer membranes: Effects of anion-exchange on water filtration performance. 2014 , 455, 143-151	22
1197	Synthesis of BiOBr, Bi ₃ O ₄ Br, and Bi ₁₂ O ₁₇ Br ₂ by controlled hydrothermal method and their photocatalytic properties. 2014 , 45, 2688-2697	92
1196	A simple method for fabricating p-n junction photocatalyst CuFe ₂ O ₄ /Bi ₄ Ti ₃ O ₁₂ and its photocatalytic activity. 2014 , 143, 952-962	66

1195	Enhanced antibiofouling of RO membranes via polydopamine coating and polyzwitterion immobilization. 2014 , 337, 23-30	54
1194	Preparation and morphology control of amphiphilic block copolymer thin films using mixed solvent vapors. 2014 , 295, 245-252	0
1193	Synthesis and photocatalytic activity of mesoporous nanocrystalline Fe-doped titanium dioxide. 2014 , 230, 158-165	31
1192	The Regional Energy & Water Supply Scenarios (REWSS) model, Part I: Framework, procedure, and validation. 2014 , 7, 227-236	14
1191	Graphene wrapped MnO ₂ -nanostructures as effective and stable electrode materials for capacitive deionization desalination technology. 2014 , 344, 289-298	125
1190	Electrospun Composites Made of Reduced Graphene Oxide and Activated Carbon Nanofibers for Capacitive Deionization. 2014 , 137, 388-394	92
1189	Water Adsorption in Nanoporous Carbon Characterized by in Situ NMR: Measurements of Pore Size and Pore Size Distribution. 2014 , 118, 8474-8480	23
1188	Water Crisis. 2014 , 1-34	
1187	Fundamentals of Treatment and Process Design, and Sustainability. 2014 , 163-235	
1186	CdS nanoscale photodetectors. 2014 , 26, 2619-35	183
1185	Multifunctional and recollectable carbon nanotube ponytails for water purification. 2014 , 6, 9426-34	38
1184	Green synthesis of polyvinyl alcohol (PVA)/cellulose nanofibril (CNF) hybrid aerogels and their use as superabsorbents. 2014 , 2, 3110-3118	273
1183	Occurrence of multi-antibiotic resistant <i>Pseudomonas</i> spp. in drinking water produced from karstic hydrosystems. 2014 , 490, 370-8	39
1182	Fabrication of positively and negatively charged, double-shelled, nanostructured hollow spheres for photodegradation of cationic and anionic aromatic pollutants under sunlight irradiation. 2014 , 160-161, 279-285	25
1181	Batch mode and continuous desalination of water using flowing carbon deionization (FCDI) technology. 2014 , 46, 152-156	113
1180	Evaluation of citrate-coated magnetic nanoparticles as draw solute for forward osmosis. 2014 , 347, 34-42	69
1179	Tailoring the permselectivity of water desalination membranes via nanoparticle assembly. 2014 , 30, 611-6	23
1178	Recent progress in developing advanced membranes for emulsified oil/water separation. 2014 , 6, e101-e101	479

1177	Conjugated microporous polymer nanotubes and hydrophobic sponges. 2014 , 196, 335-340	39
1176	Renewable energy powered membrane technology: Safe operating window of a brackish water desalination system. 2014 , 468, 400-409	21
1175	Ion-exchange synthesis of one-dimensional Cd ₂ Ge ₂ O ₆ /CdS core-shell composites and their enhanced visible-light photocatalytic activity. 2014 , 319, 291-297	10
1174	Visible light driven photodegradation of quinoline over TiO ₂ /graphene oxide nanocomposites. 2014 , 316, 174-181	43
1173	Renewable energy powered membrane technology: Brackish water desalination system operated using real wind fluctuations and energy buffering. 2014 , 468, 224-232	35
1172	Combustion synthesis of CdS/reduced graphene oxide composites and their photocatalytic properties. 2014 , 57, 29-34	24
1171	Fabrication of temperature-responsive ZrO ₂ tubular membranes, grafted with poly (N-isopropylacrylamide) brush chains, for protein removal and easy cleaning. 2014 , 450, 351-361	38
1170	Identifying polyvinylidene fluoride ultrafiltration membrane fouling behavior of different effluent organic matter fractions using colloidal probes. 2014 , 55, 313-22	23
1169	Desalination Technologies: Hellenic Experience. 2014 , 6, 1134-1150	47
1168	Approaches to Water and Wastewater Treatment for Removal of Emerging Contaminants: Ongoing Research and Recommendations for Future Work. 2014 , 161-178	1
1167	Control of pore size and pore uniformity in films based on self-assembling block copolymers. 2014 , 52, 1568-1579	12
1166	A low pressure recirculated sweep stream for energy efficient membrane facilitated humidity harvesting. 2015 , 150, 112-118	13
1165	Modeling and design of heat exchangers in a solar-multi effect distillation plant. 2015 ,	0
1164	Efficient Desalination by Reverse Osmosis: A guide to RO practice. 2015 , 14,	0
1163	Fertiliser-Drawn Forward Osmosis Desalination for Fertigation. 2015 , 395-426	1
1162	Fungal biocatalysts in the textile industry. 2015 , 39-50	3
1161	Computer Simulations of Ionic Metal-Organic Frameworks. 2015 , 451-481	
1160	Current Progress of Nanomaterial/Polymer Mixed-Matrix Membrane for Desalination. 2015 , 516-537	1

1159	High catalytic activity and pollutants resistivity using Fe-AAPyr cathode catalyst for microbial fuel cell application. 2015 , 5, 16596	77
1158	Blockage of Water Flow in Carbon Nanotubes by Ions Due to Interactions between Cations and Aromatic Rings. 2015 , 115, 164502	86
1157	Wetting and evaporation of salt-water nanodroplets: A molecular dynamics investigation. 2015 , 92, 052403	55
1156	Mesoporous magnetic secondary nanostructures as versatile adsorbent for efficient scavenging of heavy metals. 2015 , 5, 17072	25
1155	Flexible thin-film black gold membranes with ultrabroadband plasmonic nanofocusing for efficient solar vapour generation. 2015 , 6, 10103	571
1154	The impact of surface chemistry on the performance of localized solar-driven evaporation system. 2015 , 5, 13600	117
1153	High-performance multi-functional reverse osmosis membranes obtained by carbon nanotube/polyamide nanocomposite. 2015 , 5, 13562	81
1152	Interfacial friction based quasi-continuum hydrodynamical model for nanofluidic transport of water. 2015 , 143, 174702	18
1151	Effect of heat treatment on fouling resistance and the rejection of small and neutral solutes by reverse osmosis membranes. 2015 , 15, 510-516	14
1150	Designing ultrathin film composite membranes: the impact of a gutter layer. 2015 , 5, 15016	66
1149	Techniques and Technologies. 2015 , 157-234	
1148	Smart gating membranes with in situ self-assembled responsive nanogels as functional gates. 2015 , 5, 14708	34
1147	Novel Self-driven Microbial Nutrient Recovery Cell with Simultaneous Wastewater Purification. 2015 , 5, 15744	38
1146	Potential of Carboxybetaine Polymer-Coated Siliceous Membranes in Desalination Processes: A Molecular Dynamics Simulation Study. 2015 , 48, 805-808	1
1145	Controlling biofouling of reverse osmosis membranes through surface modification via grafting patterned polymer brushes. 2015 , 5, 326-334	16
1144	Composite ultrafiltration membranes with tunable properties based on a self-assembling block copolymer/homopolymer system. 2015 , 53, 1546-1558	14
1143	The politics, geography, and economics of desalination: a critical review. 2015 , 2, 231-243	31
1142	All-Carbon Nanoarchitectures as High-Performance Separation Membranes with Superior Stability. 2015 , 25, 7348-7359	195

1141	On the Origin of Water Flow through Carbon Nanotubes. 2015 , 16, 3488-92	12
1140	A Solvothermal Route Decorated on Different Substrates: Controllable Separation of an Oil/Water Mixture to a Stabilized Nanoscale Emulsion. 2015 , 27, 7349-55	187
1139	Using Indentation to Quantify Transport Properties of Nanophase-Segregated Polymer Thin Films. 2015 , 27, 4924-30	20
1138	Surface-charge-governed electrolyte transport in carbon nanotubes. 2015 , 24, 086601	4
1137	Facile Synthesis of Polyimide Aerogel Usable under Harsh Conditions for the Separation of Oil and Water. 2015 ,	
1136	Polyphenol/FeIII Complex Coated Membranes Having Multifunctional Properties Prepared by a One-Step Fast Assembly. 2015 , 2, 1500298	81
1135	Forward Osmosis Hybrid Processes for Water Reclamation and Reuse. 2015 , 277-301	
1134	The Role of Microfabrication and Nanotechnology in the Development of Microbial Fuel Cells. 2015 , 3, 996-1006	4
1133	Directly Coating Hydrogel on Filter Paper for Effective Oil/Water Separation in Highly Acidic, Alkaline, and Salty Environment. 2015 , 25, 5368-5375	263
1132	Advanced technologies for water treatment and reuse. 2015 , 61, 3146-3158	56
1131	The Challenge: Carbon nanomaterials in the environment: New threats or wonder materials?. 2015 , 34, 954	10
1130	Selection of inorganic-based fertilizers in forward osmosis for water desalination. 2015 , 4, 319-329	1
1129	. 2015 ,	18
1128	Recovering Ammonium Bicarbonate to Achieve Wastewater Treatment and Reuse in a Microbial Electrolysis Cell-Forward Osmosis-Coupled System. 2015 , 2015, 1-13	
1127	Electrochemical Membrane Bioreactors for Sustainable Wastewater Treatment: Principles and Challenges. 2015 , 2, 38-49	9
1126	Development of Bioelectrochemical Systems to Promote Sustainable Agriculture. 2015 , 5, 367-388	18
1125	Testing Metallic Iron Filtration Systems for Decentralized Water Treatment at Pilot Scale. 2015 , 7, 868-897	28
1124	Technologies for Decentralized Fluoride Removal: Testing Metallic Iron-based Filters. 2015 , 7, 6750-6774	35

1123	Fouling mechanism and cleanability of ultrafiltration membranes modified with polydopamine-graft-PEG. 2015 , 41, 448	7
1122	Effects of assimilable organic carbon and free chlorine on bacterial growth in drinking water. 2015 , 10, e0128825	27
1121	Processing and Characterization of Nanoparticle Coatings for Quartz Crystal Microbalance Measurements. 2015 , 120, 1-10	16
1120	Silver Nanoparticles Influence on Photocatalytic Activity of Hybrid Materials Based on TiO ₂ P25. 2015 , 2015, 1-8	16
1119	Nanofiltration in Transforming Surface Water into Healthy Water: Comparison with Reverse Osmosis. 2015 , 2015, 1-6	9
1118	Characterization and Evaluation of the Improved Performance of Modified Reverse Osmosis Membranes by Incorporation of Various Organic Modifiers and SnO ₂ Nanoparticles. 2015 , 2015, 1-11	13
1117	. 2015 ,	8
1116	The Expanded Electrodeionization Method for Sewage Reclamation. 2015 ,	
1115	Porous nanocomposites with integrated internal domains: application to separation membranes. 2014 , 4, 4418	16
1114	Probing the morphology and anti-organic fouling behaviour of a polyetherimide membrane modified with hydrophilic organic acids as additives. 2015 , 39, 6141-6150	36
1113	SWCNT-intercalated GO ultrathin films for ultrafast separation of molecules. 2015 , 3, 6649-6654	184
1112	Supporting 1-D AgVO ₃ nanoribbons on single layer 2-D graphitic carbon nitride ultrathin nanosheets and their excellent photocatalytic activities. 2015 , 501, 74-82	64
1111	Reversible magnetic mercury extraction from water. 2015 , 5, 46430-46436	15
1110	Removal of Cu (II) Ions by a Novel Starch-Based Adsorbent from Aqueous Solution. 2015 , 713-715, 2815-2818	1
1109	Flow cytometric applicability to evaluate UV inactivation of phytoplankton in marine water samples. 2015 , 96, 279-85	14
1108	Extraordinary capability for water treatment achieved by a perfluorous conjugated microporous polymer. 2015 , 5, 10155	77
1107	Nanochannel arrays etched into hexagonal boron nitride meso-membranes by a focused ion beam. 2015 , 5, 49231-49234	4
1106	Selection of forward osmosis draw solutes for subsequent integration with anaerobic treatment to facilitate resource recovery from wastewater. 2015 , 191, 30-6	65

1105	Size-Based Separation of Particles and Cells Utilizing Viscoelastic Effects in Straight Microchannels. 2015 , 87, 6041-8	110
1104	Fouling mechanisms and primary foulant constituents in reverse osmosis membrane reclamation of a petrochemical secondary effluent. 2015 , 54, 3200-3210	4
1103	Photo Induced Membrane Separation for Water Purification and Desalination Using Azobenzene Modified Anodized Alumina Membranes. 2015 , 9, 5705-12	74
1102	Biological Responses to Engineered Nanomaterials: Needs for the Next Decade. 2015 , 1, 117-23	93
1101	Ultimate osmosis engineered by the pore geometry and functionalization of carbon nanostructures. 2015 , 5, 10597	27
1100	A facile one-step spray-coating process for the fabrication of a superhydrophobic attapulgite coated mesh for use in oil/water separation. 2015 , 5, 53802-53808	123
1099	Fouling behavior of polyethersulfone ultrafiltration membranes functionalized with sol-gel formed ZnO nanoparticles. 2015 , 5, 50711-50719	40
1098	Floatable, Self-Cleaning, and Carbon-Black-Based Superhydrophobic Gauze for the Solar Evaporation Enhancement at the Air-Water Interface. 2015 , 7, 13645-52	262
1097	Superhydrophilic and underwater superoleophobic mesh coating for efficient oil/water separation. 2015 , 5, 51537-51541	35
1096	Stand-alone seawater RO (reverse osmosis) desalination powered by PV (photovoltaic) and PRO (pressure retarded osmosis). 2015 , 86, 423-435	41
1095	Integration of membrane filtration and photoelectrocatalysis using a TiO ₂ /carbon/Al ₂ O ₃ membrane for enhanced water treatment. 2015 , 299, 27-34	39
1094	Ultrafiltration modeling of non-ionic microgels. 2015 , 11, 4106-22	18
1093	Confined Flocculation of Ionic Pollutants by Poly(L-dopa)-Based Polyelectrolyte Complexes in Hydrogel Beads for Three-Dimensional, Quantitative, Efficient Water Decontamination. 2015 , 31, 6351-66	60
1092	Graphene Oxide. 2015 ,	61
1091	Graphene Oxides in Filtration and Separation Applications. 2015 , 129-147	3
1090	Using immobilized cyanobacteria and culture medium contaminated with ammonium for H ₂ production in a hollow-fiber photobioreactor. 2015 , 40, 4752-4757	9
1089	Use of industrial by-products and natural media to adsorb nutrients, metals and organic carbon from drinking water. 2015 , 518-519, 491-7	22
1088	Tools for water quality monitoring and mapping using paper-based sensors and cell phones. 2015 , 70, 360-9	136

1087	Fast Water Thermo-pumping Flow Across Nanotube Membranes for Desalination. 2015 , 15, 3664-8	66
1086	Impact of cerium-based support oxides in catalytic wet air oxidation: Conflicting role of redox and acidBase properties. 2015 , 253, 89-98	39
1085	Dual Roles of Capsular Extracellular Polymeric Substances in Photocatalytic Inactivation of Escherichia coli: Comparison of E. coli BW25113 and Isogenic Mutants. 2015 , 81, 5174-83	32
1084	Effects of Coagulation-Bath Temperature on the Formation Process of PVDF-g-PNIPAAm/poly(NIPAAm-co-AAc-L-Phe) Membrane. 2015 , 713-715, 2681-2684	0
1083	Anti-corrosive hierarchical structured copper mesh film with superhydrophilicity and underwater low adhesive superoleophobicity for highly efficient oil/water separation. 2015 , 3, 13411-13417	93
1082	Bactericidal mechanism of BiOI/gI under visible light irradiation. 2015 , 279, 277-285	68
1081	Rejection of trace organic chemicals by a hollow fibre cellulose triacetate reverse osmosis membrane. 2015 , 368, 69-75	28
1080	High-flux composite hollow fiber nanofiltration membranes fabricated through layer-by-layer deposition of oppositely charged crosslinked polyelectrolytes for dye removal. 2015 , 492, 312-321	138
1079	Hypochlorite Application for Controlling Algae Biofilm Formation, Microorganisms and Tomato Production in Recirculating Systems. 2015 , 67, 191-199	0
1078	A microfluidic approach for the synthesis and assembly of multi-scale porous membranes. 2015 , 5, 100024-100029	0
1077	Effects of C3H8 on hydrate formation and dissociation for integrated CO2 capture and desalination technology. 2015 , 93, 1971-1979	35
1076	Impregnated Membranes for Water Purification Using Forward Osmosis. 2015 , 54, 12354-12366	22
1075	Scalable and Continuous Water Deionization by Shock Electrodialysis. 2015 , 2, 367-372	61
1074	An image cytometer based on angular spatial frequency processing and its validation for rapid detection and quantification of waterborne microorganisms. 2015 , 140, 7734-41	7
1073	Introduction: Role of Membrane Science and Technology and Forward Osmosis Processes. 2015 , 1-14	0
1072	Hierarchical multiscale hyperporous block copolymer membranes via tunable dual-phase separation. 2015 , 1, e1500101	50
1071	Dendritic amphiphile mediated porous monolith for eliminating organic micropollutants from water. 2015 , 3, 6297-6300	27
1070	Adsorption behavior of Rhodamine B on nanoporous polymers. 2015 , 5, 104915-104922	39

1069	Tracking inorganic foulants irreversibly accumulated on low-pressure membranes for treating surface water. 2015 , 87, 218-24	9
1068	Operational optimization of SWRO process with the consideration of load fluctuation and electricity price. 2015 , 48, 598-604	1
1067	Co-assembly of cyclic peptide nanotubes and block copolymers in thin films: controlling the kinetic pathway. 2015 , 7, 15117-21	10
1066	A novel process of dye wastewater treatment by linking advanced chemical oxidation with biological oxidation. 2015 , 41, 33-39	17
1065	Efficient management of the water resource in the fresh-cut industry: Current status and perspectives. 2015 , 46, 286-294	26
1064	Energy self-sufficient desalination stack as a potential fresh water supply on small islands. 2015 , 359, 52-58	26
1063	Desalination of saline water by nanochannel arrays through manipulation of electrical double layer. 2015 , 12, 394-400	18
1062	Stimuli responsive nanostructured porous network from triblock copolymer self-assemblies. 2015 , 6, 2023-2028	13
1061	Tailor-made polyamide membranes for water desalination. 2015 , 9, 345-55	87
1060	Optimal operations for large-scale seawater reverse osmosis networks. 2015 , 476, 508-524	17
1059	Study of biofilms on PVDF membranes after chemical cleaning by sodium hypochlorite. 2015 , 141, 314-321	31
1058	pH-Induced non-fouling membrane for effective separation of oil-in-water emulsion. 2015 , 477, 131-138	60
1057	Osmotically driven membrane processes by using a spiral wound module [Modeling, experimentation and numerical parameter estimation. 2015 , 361, 81-94	35
1056	Carbon nanotube composite membranes for microfiltration of pharmaceuticals and personal care products: Capabilities and potential mechanisms. 2015 , 479, 165-174	92
1055	On the structure and rejection of ions by a polyamide membrane in pressure-driven molecular dynamics simulations. 2015 , 368, 76-80	46
1054	Modification of membrane surfaces via microswelling for fouling control in drinking water treatment. 2015 , 475, 488-495	40
1053	Underwater self-cleaning scaly fabric membrane for oily water separation. 2015 , 7, 4336-43	104
1052	Development of solid-state nanopore fabrication technologies. 2015 , 60, 304-319	47

1051	"We create chemistry for a sustainable future": chemistry creates sustainable solutions for a growing world population. 2015 , 54, 3178-95	9
1050	Enhanced permeability, selectivity, and antifouling ability of CNTs/Al ₂ O ₃ membrane under electrochemical assistance. 2015 , 49, 2293-300	86
1049	Visible-light-mediated synergistic photocatalytic antimicrobial effects and mechanism of Ag-nanoparticles@chitosan/TiO ₂ organic/inorganic composites for water disinfection. 2015 , 170-171, 255-262	94
1048	A review on RO membrane technology: Developments and challenges. 2015 , 368, 10-26	318
1047	Improved antifouling property of PVDF membranes by incorporating an amphiphilic block-like copolymer for oil/water emulsion separation. 2015 , 5, 21349-21359	47
1046	Effect of dense CO ₂ on polymeric reverse osmosis and nanofiltration membranes and permeation of mixtures of macauba oil (<i>Acrocomia aculeata</i>) and CO ₂ . 2015 , 481, 195-206	5
1045	Aluminium hydroxide impregnated macroreticular aromatic polymeric resin as a sustainable option for defluoridation. 2015 , 3, 630-641	12
1044	Coordination-enabled synergistic surface segregation for fabrication of multi-defense mechanism membranes. 2015 , 3, 3325-3331	70
1043	Fouling resistant nanofiltration membranes for the separation of oil/water emulsion and micropollutants from water. 2015 , 143, 125-134	37
1042	Adsorption Characteristics of a Novel Carbon-Nanotube-Based Composite Adsorbent toward Organic Pollutants. 2015 , 54, 2379-2384	23
1041	Tracking Nanoparticle Diffusion in Porous Filtration Media. 2015 , 54, 4414-4419	34
1040	Transparent exopolymer particles: from aquatic environments and engineered systems to membrane biofouling. 2015 , 49, 691-707	111
1039	Hindered nanoparticle diffusion and void accessibility in a three-dimensional porous medium. 2015 , 9, 2148-56	63
1038	Novel polyethersulfone hybrid ultrafiltration membrane prepared with SiO ₂ -g-(PDMAEMA-co-PDMAPS) and its antifouling performances in oil-in-water emulsion application. 2015 , 365, 46-56	63
1037	Fluoride removal from groundwater by limestone treatment in presence of phosphoric acid. 2015 , 152, 132-9	34
1036	Hybrid Membrane Systems [Applications and Case Studies. 2015 , 179-281	5
1035	One-pot synthesis of heterostructured Bi ₂ S ₃ /BiOBr microspheres with highly efficient visible light photocatalytic performance. 2015 , 5, 16239-16249	108
1034	Rapid adsorption for oil using superhydrophobic and superoleophilic polyurethane sponge. 2015 , 90, 2106-2112	45

1033	Energy efficiency breakdown of reverse osmosis and its implications on future innovation roadmap for desalination. 2015 , 368, 181-192	58
1032	Biomimetic Selective Ion Transport through Graphene Oxide Membranes Functionalized with Ion Recognizing Peptides. 2015 , 27, 1255-1261	37
1031	Promising Performance Indicators for Water Desalination and Aqueous Capacitors Obtained by Engineering the Electric Double Layer in Nano-Structured Carbon Electrodes. 2015 , 119, 3331-3337	14
1030	Plasma polymer-functionalized silica particles for heavy metals removal. 2015 , 7, 4265-74	69
1029	Oxidation behavior of zero-valent iron nanoparticles in mixed matrix water purification membranes. 2015 , 1, 146-152	18
1028	Enhancing capacitive deionization performance of electrospun activated carbon nanofibers by coupling with carbon nanotubes. 2015 , 446, 373-8	63
1027	Synergistic effect of double-shelled and sandwiched TiO ₂ @Au@C hollow spheres with enhanced visible-light-driven photocatalytic activity. 2015 , 7, 3764-72	78
1026	Bactericidal mechanisms revealed for rapid water disinfection by superabsorbent cryogels decorated with silver nanoparticles. 2015 , 49, 2310-8	60
1025	Glycosphingolipids Enhance Bacterial Attachment and Fouling of Nanofiltration Membranes. 2015 , 2, 43-47	18
1024	A model-based analysis of water transport dynamics and fouling behaviors of osmotic membrane. 2015 , 266, 289-298	8
1023	Exergy analysis of water purification and desalination: A study of exergy model approaches. 2015 , 359, 212-224	50
1022	Pretreatment of saline wastewater with Fe ₃ C alloy filler. 2015 , 53, 603-609	2
1021	Influence of active layer and support layer surface structures on organic fouling propensity of thin-film composite forward osmosis membranes. 2015 , 49, 1436-44	93
1020	Removing selected steroid hormones, biocides and pharmaceuticals from water by means of biogenic manganese oxide nanoparticles in situ at ppb levels. 2015 , 136, 321-6	46
1019	pH-controllable on-demand oil/water separation on the switchable superhydrophobic/superhydrophilic and underwater low-adhesive superoleophobic copper mesh film. 2015 , 31, 1393-9	187
1018	Multifunctional, marvelous polyimide aerogels as highly efficient and recyclable sorbents. 2015 , 5, 12592-12596	3
1017	Novel polyamidoamine dendrimer-functionalized palygorskite adsorbents with high adsorption capacity for Pb ²⁺ and reactive dyes. 2015 , 107, 220-229	55
1016	Conceptual approach for developing sustainable, active antimicrobial-delivery nanosystems for microbial contamination removal in drinking and industrial water systems. 2015 , 19, 2024-2028	1

1015	Thin film composite hollow fibre forward osmosis membrane module for the desalination of brackish groundwater for fertigation. 2015 , 364, 108-118	39
1014	Salt and water transport in reverse osmosis thin film composite seawater desalination membranes. 2015 , 368, 202-213	36
1013	Synthesis of bismuth oxyiodides and their composites: characterization, photocatalytic activity, and degradation mechanisms. 2015 , 5, 23450-23463	150
1012	Antimicrobial behavior of biosynthesized silica-silver nanocomposite for water disinfection: a mechanistic perspective. 2015 , 290, 117-26	48
1011	Side effects of antiscalants on biofouling of reverse osmosis membranes in brackish water desalination. 2015 , 481, 172-187	56
1010	Efficient photocatalytic degradation of bisphenol A and dye pollutants over BiOI/Zn ₂ SnO ₄ heterojunction photocatalyst. 2015 , 5, 10688-10696	28
1009	Highly efficient quasi-static water desalination using monolayer graphene oxide/titania hybrid laminates. 2015 , 7, e162-e162	78
1008	Visible light assisted photocatalytic degradation of organic dyes on TiO ₂ /HNT nanocomposites. 2015 , 73, 72-82	22
1007	Mesoporous monoliths of inverse bicontinuous cubic phases of block copolymer bilayers. 2015 , 6, 6392	50
1006	„We Create Chemistry for a Sustainable Future“ Chemie schafft nachhaltige Lösungen für eine wachsende Weltbevölkerung. 2015 , 127, 3220-3237	1
1005	Membrane technologies for municipal wastewater treatment. 2015 , 443-463	9
1004	Quantitative removal of Zn(II) from aqueous solution and natural water using new silica-immobilized ketoenolpyridine receptor. 2015 , 3, 1769-1778	20
1003	Novel nitrogen doped graphene sponge with ultrahigh capacitive deionization performance. 2015 , 5, 11225	149
1002	Underwater superoleophobic palygorskite coated meshes for efficient oil/water separation. 2015 , 3, 14696-14702	237
1001	Super hydrophilic TiO ₂ /HNT nanocomposites as a new approach for fabrication of high performance thin film nanocomposite membranes for FO application. 2015 , 371, 104-114	92
1000	Functional materials from local and earth-abundant precursors: Scalable and cost-efficient synthetic approach. 2015 , 1, 68-70	
999	Facile fabrication of a mpg-C ₃ N ₄ /TiO ₂ heterojunction photocatalyst with enhanced visible light photoactivity toward organic pollutant degradation. 2015 , 5, 64976-64982	26
998	Highly permeable artificial water channels that can self-assemble into two-dimensional arrays. 2015 , 112, 9810-5	119

997	Elements Provide a Clue: Nanoscale Characterization of Thin-Film Composite Polyamide Membranes. 2015 , 7, 16917-22	37
996	One-step synthesis of CBi ₂ WO ₆ crystallites with improved photo-catalytic activities under visible light irradiation. 2015 , 5, 66464-66470	9
995	Ultrafiltration behaviors of alginate blocks at various calcium concentrations. 2015 , 83, 248-57	52
994	Evaluation of hydroacid complex in the forward osmosis membrane distillation (FOMD) system for desalination. 2015 , 494, 1-7	36
993	Efficient Preparation of Super Antifouling PVDF Ultrafiltration Membrane with One Step Fabricated Zwitterionic Surface. 2015 , 7, 17947-53	95
992	Synergizing TiO ₂ Surface to Enhance Photocatalysis: A Green Technology for Clean and Safe Environment - A Review. 2015 , 1109, 300-303	1
991	Role of pressure in organic fouling in forward osmosis and reverse osmosis. 2015 , 493, 748-754	136
990	Reverse osmosis performance of layered-hybrid membranes consisting of an organosilica separation layer on polymer supports. 2015 , 494, 104-112	16
989	Removing organic and nitrogen content from a highly saline municipal wastewater reverse osmosis concentrate by UV/H ₂ O ₂ -BAC treatment. 2015 , 136, 198-203	36
988	Preparation and characterization of superior antifouling PVDF membrane with extremely ordered and hydrophilic surface layer. 2015 , 494, 48-56	48
987	In Response: Measurement science challenges that complicate the assessment of the potential ecotoxicological risks of carbon nanomaterials--A governmental perspective. 2015 , 34, 955-7	1
986	Cl-mediated electrochemical oxidation for treating an effluent using platinum and diamond anodes. 2015 , 8, e31-e36	16
985	Rutile {111} Faceted TiO ₂ Film with High Ability for Selective Adsorption of Aldehyde. 2015 , 119, 17680-17686	6
984	Density controlled oil uptake and beyond: from carbon nanotubes to graphene nanoribbon aerogels. 2015 , 3, 20547-20553	58
983	A magnetic and highly reusable macroporous superhydrophobic/superoleophilic PDMS/MWNT nanocomposite for oil sorption from water. 2015 , 3, 17685-17696	108
982	Amelioration in the visible-light-driven photocatalysis by faceted WO ₃ nanocuboids. 2015 , 70, 21-25	9
981	Quantity, Quality, and Availability of Waste Heat from United States Thermal Power Generation. 2015 , 49, 8297-306	96
980	Filtration membranes from self-assembled block copolymers: A review on recent progress. 2015 , 224, 1883-1897	18

979	Single module flow-electrode capacitive deionization for continuous water desalination. 2015 , 60, 34-37	93
978	Dual-mode antifouling ability of PVDF membrane with a surface-anchored amphiphilic polymer. 2015 , 5, 68998-69005	10
977	Superhydrophobic/superoleophilic magnetic polyurethane sponge for oil/water separation. 2015 , 5, 68293-68298	88
976	Evaluation of poly (aspartic acid sodium salt) as a draw solute for forward osmosis. 2015 , 80, 294-305	69
975	Constructing antimicrobial membrane surfaces with polycation-copper(II) complex assembly for efficient seawater softening treatment. 2015 , 491, 28-36	26
974	Ion transport through electrolyte/polyelectrolyte multi-layers. 2015 , 5, 11583	44
973	Advances in photocatalytic disinfection of bacteria: Development of photocatalysts and mechanisms. 2015 , 34, 232-47	193
972	A novel type of polyelectrolyte complex/MWCNT hybrid nanofiltration membranes for water softening. 2015 , 492, 412-421	80
971	Enhanced dyes removal properties of hollow SnO ₂ Microspheres and SnO ₂ @C composites. 2015 , 56, 1047-1055	3
970	Visible-light-driven inactivation of Escherichia coli K-12 over thermal treated natural pyrrhotite. 2015 , 176-177, 749-756	42
969	Synthesis, characterization and permeation performance of cellulose acetate/polyethylene glycol-600 membranes loaded with silver particles for ultra low pressure reverse osmosis. 2015 , 57, 129-138	26
968	Water transport inside carbon nanotubes mediated by phonon-induced oscillating friction. 2015 , 10, 692-5	100
967	Capillary-driven spontaneous oil/water separation by superwetable twines. 2015 , 7, 13164-7	16
966	Preparation of carbon fibers from linear low density polyethylene. 2015 , 94, 524-530	36
965	An insight into the improved capacitive deionization performance of activated carbon treated by sulfuric acid. 2015 , 176, 755-762	41
964	Production of Red Mud Particle Electrodes (RMPEs) and Its Performance Investigation in a Biological Aerated Filter Coupled with a Three-Dimensional Particle Electrode Reactor (BAF-TDE). 2015 , 54, 6641-6648	18
963	Enhancing carrier generation in TiO ₂ by a synergistic effect between plasmon resonance in Ag nanoparticles and optical interference. 2015 , 7, 13468-76	29
962	Fabrication and properties of poly(ethylene chlorotrifluoroethylene) membranes via thermally induced phase separation (TIPS). 2015 , 5, 45249-45257	11

961	Thin film composite polyamide membranes: parametric study on the influence of synthesis conditions. 2015 , 5, 54985-54997	111
960	Graphene-Based Membranes for Molecular Separation. 2015 , 6, 2806-15	267
959	Zwitterionic SiO ₂ nanoparticles as novel additives to improve the antifouling properties of PVDF membranes. 2015 , 5, 53653-53659	22
958	Preparation and characterization of thin-film composite membrane with nanowire-modified support for forward osmosis process. 2015 , 5, 136-49	23
957	The effective flux through a thin-film composite membrane. 2015 , 110, 40005	12
956	The performance of forward osmosis process in treating the surfactant wastewater: The rejection of surfactant, water flux and physical cleaning effectiveness. 2015 , 281, 688-695	26
955	Probing the roles of Ca(2+) and Mg(2+) in humic acids-induced ultrafiltration membrane fouling using an integrated approach. 2015 , 81, 325-32	52
954	Recyclable Capture and Destruction of Aqueous Micropollutants Using the Molecule-Specific Cavity of Cyclodextrin Polymer Coupled with KMnO ₄ Oxidation. 2015 , 49, 9264-72	35
953	Ion-Responsive Channels of Zwitterion-Carbon Nanotube Membrane for Rapid Water Permeation and Ultrahigh Mono-/Multivalent Ion Selectivity. 2015 , 9, 7488-96	89
952	Polymer membrane with a mineral coating for enhanced curling resistance and surface wettability. 2015 , 51, 12779-82	41
951	Green walnut shell as a new material for removal of Cr(VI) ions from aqueous solutions. 2015 , 55, 431-439	14
950	Design of Thermally Responsive Polymeric Hydrogels for Brackish Water Desalination: Effect of Architecture on Swelling, Deswelling, and Salt Rejection. 2015 , 7, 15696-706	50
949	Biofouling in forward osmosis and reverse osmosis: Measurements and mechanisms. 2015 , 493, 703-708	113
948	Visible light driven degradation of methylene blue dye using Ag ₃ PO ₄ . 2015 , 3, 1872-1881	28
947	Nanoparticles with photoinduced precipitation for the extraction of pollutants from water and soil. 2015 , 6, 7765	79
946	Biocompatible nano hydroxyapatite $\bar{\Gamma}$ urcumin bi-coated antibacterial activated carbon for water purification. 2015 , 5, 64696-64703	9
945	Adhesion forces between humic acid functionalized colloidal probes and polymer membranes to assess fouling potential. 2015 , 484, 35-46	25
944	Correlation between macroscopic sugar transfer and nanoscale interactions in cation exchange membranes. 2015 , 493, 311-320	14

943	Tuning the antifouling property of PVDF ultrafiltration membrane with surface anchored polyelectrolyte complexes for sewage treatment. 2015 , 5, 63580-63587	13
942	Foamed single-crystalline anatase nanocrystals exhibiting enhanced photocatalytic activity. 2015 , 3, 17837-17848	16
941	Graphene oxide incorporated polysulfone substrate for the fabrication of flat-sheet thin-film composite forward osmosis membranes. 2015 , 493, 496-507	178
940	Water Allocation Between the Agricultural and the Municipal Sectors Under Scarcity: A Financial Approach Analysis. 2015 , 29, 3481-3501	6
939	Fixed bed adsorption of diquat dibromide from aqueous solution using carbon nanotubes. 2015 , 5, 61508-61512	27
938	Enhanced visible light photocatalytic activity of sulfated CuO/Bi ₂ O ₃ photocatalyst. 2015 , 120, 977-982	3
937	Quantification of the defect size of ultrafiltration membrane system using mathematical model. 2015 , 367, 172-179	2
936	A novel preparation for a PVA/L-histidine/AgNPs membrane and its antibacterial property. 2015 , 5, 54182-54187	3
935	Transport membrane condenser for water and heat recovery from gaseous streams: Performance evaluation. 2015 , 484, 10-17	66
934	Forward osmosis treatment for volume minimisation of reverse osmosis concentrate from a water reclamation plant and removal of organic micropollutants. 2015 , 372, 32-38	28
933	Compressible elastomeric aerogels of hexagonal boron nitride and single-walled carbon nanotubes. 2015 , 7, 12888-94	21
932	Ternary silicone sponge with enhanced mechanical properties for oil/water separation. 2015 , 6, 5869-5875	46
931	Evaluation of membrane bioreactor on removal of pharmaceutical micropollutants: a review. 2015 , 55, 845-858	51
930	Mining Critical Metals and Elements from Seawater: Opportunities and Challenges. 2015 , 49, 9390-9	90
929	Photothermal-Responsive Single-Walled Carbon Nanotube-Based Ultrathin Membranes for On/Off Switchable Separation of Oil-in-Water Nanoemulsions. 2015 , 9, 4835-42	213
928	Low cost carbon fiber aerogel derived from bamboo for the adsorption of oils and organic solvents with excellent performances. 2015 , 5, 38470-38478	72
927	Membrane Reactor. 2015 , 453-493	4
926	Cattle-derived microbial input to source water catchments: An experimental assessment of stream crossing modification. 2015 , 156, 143-9	9

925	FeC nanoparticles: a reusable bactericidal material with photothermal effects under near-infrared irradiation. 2015 , 3, 3993-4000	31
924	Desalination by forward osmosis: Identifying performance limiting parameters through module-scale modeling. 2015 , 491, 159-167	96
923	In Response: Applications of carbon-based nanomaterials for water treatment--A business perspective. 2015 , 34, 957-8	
922	Saw-tooth spacer for membrane filtration: Hydrodynamic investigation by PIV and filtration experiment validation. 2015 , 91, 23-34	19
921	Natural organic matter interactions with polyamide and polysulfone membranes: Formation of conditioning film. 2015 , 477, 1-8	19
920	Development of a novel polyethersulfone ultrafiltration membrane with antibacterial activity and high flux containing halloysite nanotubes loaded with lysozyme. 2015 , 5, 38646-38653	34
919	Imparting antimicrobial and anti-adhesive properties to polysulfone membranes through modification with silver nanoparticles and polyelectrolyte multilayers. 2015 , 451, 125-33	15
918	Kinetic study of the combined processes of a membrane bioreactor and a hybrid moving bed biofilm reactor-membrane bioreactor with advanced oxidation processes as a post-treatment stage for wastewater treatment. 2015 , 91, 57-66	30
917	Application of constructed wetlands for wastewater treatment in tropical and subtropical regions (2000-2013). 2015 , 30, 30-46	88
916	One-step hydrothermal synthesis of BiVO ₄ /Bi ₂ O ₃ p/n heterojunction composites and their enhanced photocatalysis properties. 2015 , 26, 1268-1274	16
915	Red Phosphorus: An Earth-Abundant Elemental Photocatalyst for "Green" Bacterial Inactivation under Visible Light. 2015 , 49, 6264-73	188
914	A cellulose sponge with robust superhydrophilicity and under-water superoleophobicity for highly effective oil/water separation. 2015 , 17, 3093-3099	205
913	Design of a dinuclear ruthenium based catalyst with a rigid xanthene bridge for catalytic water oxidation. 2015 , 55, 56-59	11
912	Excellent photo-Fenton catalysts of Fe ^{III} Prussian blue analogues and their reaction mechanism study. 2015 , 179, 196-205	153
911	Electrical charge-induced selective ion permeation in HfO ₂ /porous nickel silicide hierarchical structures. 2015 , 5, 47294-47299	1
910	Early non-destructive biofouling detection in spiral wound RO membranes using a mobile earth's field NMR. 2015 , 489, 227-236	38
909	Superhydrophobic and superoleophilic sponge-like aerogels for oil/water separation. 2015 , 50, 5115-5124	30
908	Gold nanoparticle modified graphitic carbon nitride/multi-walled carbon nanotube (g-C ₃ N ₄ /CNTs/Au) hybrid photocatalysts for effective water splitting and degradation. 2015 , 5, 24281-24292	108

907	A bioinspired, reusable, paper-based system for high-performance large-scale evaporation. 2015 , 27, 2768-74	561
906	Surface engineering of polymer membranes via mussel-inspired chemistry. 2015 , 483, 42-59	301
905	Preparation and characterization of TiO ₂ -sulfonated polymer embedded polyetherimide membranes for effective desalination application. 2015 , 365, 355-364	37
904	One-step breaking and separating emulsion by tungsten oxide coated mesh. 2015 , 7, 8108-13	54
903	Enhanced photoelectrochemical and photocatalytic activity of WO ₃ -surface modified TiO ₂ thin film. 2015 , 10, 54	29
902	Environmental applications of graphene-based nanomaterials. 2015 , 44, 5861-96	1022
901	Polyaniline/Fe ₀ composite nanofibers: An excellent adsorbent for the removal of arsenic from aqueous solutions. 2015 , 271, 135-146	83
900	Water desalination using nanoporous single-layer graphene. 2015 , 10, 459-64	1089
899	Culture-independent evaluation of nonenveloped-virus infectivity reduced by free-chlorine disinfection. 2015 , 81, 2819-26	16
898	Water desalination via capacitive deionization: what is it and what can we expect from it?. 2015 , 8, 2296-2319	961
897	Highly water-selective hybrid membrane by incorporating g-C ₃ N ₄ nanosheets into polymer matrix. 2015 , 490, 72-83	142
896	Fabrication of a ternary plasmonic photocatalyst of Ag/AgVO ₃ /RGO and its excellent visible-light photocatalytic activity. 2015 , 179, 9-20	73
895	Investigation of antifouling universality of polyvinyl formal (PVF) membranes utilizing atomic force microscope (AFM) force curves. 2015 , 5, 36894-36901	7
894	Enhancement of capacitive deionization capacity of hierarchical porous carbon. 2015 , 3, 12730-12737	62
893	The Economic Contributions of Nanotechnology to Green and Sustainable Growth. 2015 , 409-434	14
892	Preparation of magnetic ZnLa _{0.02} Fe _{1.98} O ₄ /MWCNTs composites and investigation on its adsorption of methyl orange from aqueous solution. 2015 , 66, 176-185	19
891	Synthesis and characterization of metal-doped reduced graphene oxide composites, and their application in removal of Escherichia coli, arsenic and 4-nitrophenol. 2015 , 29, 282-288	44
890	Biofouling resistance of polysulfobetaine coated reverse osmosis membranes. 2015 , 369, 37-45	35

889	Preparation and characterisation of positively charged porous ceramic membrane. 2015 , 19, S1-335-S1-338	60
888	Engineered crumpled graphene oxide nanocomposite membrane assemblies for advanced water treatment processes. 2015 , 49, 6846-54	96
887	Desalination of Red Sea water using both electrodialysis and reverse osmosis as complementary methods. 2015 , 24, 71-75	23
886	Smart enrichment and facile separation of oil from emulsions and mixtures by superhydrophobic/superoleophilic particles. 2015 , 7, 10475-81	84
885	Polystyrenesulfonate Threaded in MIL-101Cr(III): A Cationic Polyelectrolyte Synthesized Directly into a Metal-Organic Framework. 2015 , 27, 3601-3608	42
884	Pressure retarded osmosis (PRO) for integrating seawater desalination and wastewater reclamation: Energy consumption and fouling. 2015 , 483, 34-41	116
883	Preparation of CeO ₂ micro/nanostructure and their photocatalytic properties in glow discharge electrolysis. 2015 , 41, S47-S50	8
882	Chemically controlled growth of porous CeO ₂ nanotubes for Cr(VI) photoreduction. 2015 , 174-175, 435-444	54
881	Magnetic nanohybrids loaded with bimetal core-shell-shell nanorods for bacteria capture, separation, and near-infrared photothermal treatment. 2015 , 21, 6582-9	25
880	Carbon-Based Sorbents with Three-Dimensional Architectures for Water Remediation. 2015 , 11, 3319-36	136
879	Synthesis of Fe ₂ Ag _x O ₃ nanocrystals and study of their optical, magnetic and antibacterial properties. 2015 , 5, 32006-32014	14
878	Inorganic Membranes for the Recovery of Effluent from Municipal Wastewater Treatment Plants. 2015 , 54, 3462-3472	11
877	Probing the internal structure of reverse osmosis membranes by positron annihilation spectroscopy: Gaining more insight into the transport of water and small solutes. 2015 , 486, 106-118	89
876	Quaternary ammonium polyethylenimine nanoparticles for treating bacterial contaminated water. 2015 , 128, 614-619	23
875	A group decision-making tool for the application of membrane technologies in different water reuse scenarios. 2015 , 156, 97-108	23
874	Improved antifouling properties of polyethersulfone membrane by blending the amphiphilic surface modifier with crosslinked hydrophobic segments. 2015 , 486, 195-206	74
873	Parameter optimization based on capacitive deionization for highly efficient desalination of domestic wastewater biotreated effluent and the fouled electrode regeneration. 2015 , 365, 407-415	66
872	Graphene oxide based ultrafiltration membranes for photocatalytic degradation of organic pollutants in salty water. 2015 , 77, 179-190	88

871	Exploring the effect of additives on polyamide membrane surface for seawater desalination using density functional tools. 2015 , 367, 28-36	3
870	A stable and active Ag ₂ S crystal preparation and its performance as photocatalyst. 2015 , 36, 564-571	9
869	Reactable ionic liquid assisted synthesis of Pd modified BiOBr flower-like microsphere with high dispersion and their enhanced photocatalytic performances. 2015 , 30, 113-121	14
868	Nano watermill driven by revolving charge. 2015 , 24, 074702	4
867	Improved Antifouling Properties of Poly(Ether Sulfone) Membrane by Incorporating the Amphiphilic Comb Copolymer with Mixed Poly(Ethylene Glycol) and Poly(Dimethylsiloxane) Brushes. 2015 , 54, 8789-8800	50
866	Design of isolated iron species for Fenton reactions: lyophilization beats calcination treatment. 2015 , 51, 16936-9	11
865	Materials for suspension (semi-solid) electrodes for energy and water technologies. 2015 , 44, 8664-87	106
864	Breathing Demulsification: A Three-Dimensional (3D) Free-Standing Superhydrophilic Sponge. 2015 , 7, 22264-71	55
863	Electrospun Superhydrophobic Organic/Inorganic Composite Nanofibrous Membranes for Membrane Distillation. 2015 , 7, 21919-30	148
862	Controlled Architecture of Dual-Functional Block Copolymer Brushes on Thin-Film Composite Membranes for Integrated "Defending" and "Attacking" Strategies against Biofouling. 2015 , 7, 23069-79	168
861	High-Performance Capacitive Deionization Disinfection of Water with Graphene Oxide-graft-Quaternized Chitosan Nanohybrid Electrode Coating. 2015 , 9, 10142-57	74
860	Charge- and Size-Selective Ion Sieving Through Ti ₃ C ₂ T _x MXene Membranes. 2015 , 6, 4026-31	515
859	Preparation of pH-responsive membranes with amphiphilic copolymers by surface segregation method. 2015 , 23, 1283-1290	8
858	Self-powered electrochemical water treatment system for sterilization and algae removal using water wave energy. 2015 , 18, 81-88	55
857	Molecular Dynamics Study of Carbon Nanotubes/Polyamide Reverse Osmosis Membranes: Polymerization, Structure, and Hydration. 2015 , 7, 24566-75	47
856	Magnetic graphene-carbon nanotube iron nanocomposites as adsorbents and antibacterial agents for water purification. 2015 , 225, 229-40	123
855	Electric Double-Layer Effects Induce Separation of Aqueous Metal Ions. 2015 , 9, 10922-30	33
854	Treated wastewater irrigation effects on soil hydraulic conductivity and aggregate stability of loamy soils in Israel. 2015 , 63, 47-54	30

853	Enhancement of the Antifouling Properties and Filtration Performance of Poly(ethersulfone) Ultrafiltration Membranes by Incorporation of Nanoporous Titania Nanoparticles. 2015 , 54, 11188-11198	49
852	Capsule-like CdS-modified TiO ₂ nanocomposites with enhanced photodegradation under visible light irradiation. 2015 , 10, 157-160	5
851	Single-Pot Synthesis of <001>-Faceted N-Doped Nb ₂ O ₅ /Reduced Graphene Oxide Nanocomposite for Efficient Photoelectrochemical Water Splitting. 2015 , 7, 17954-62	44
850	Rejection of trace organic chemicals by a nanofiltration membrane: the role of molecular properties and effects of caustic cleaning. 2015 , 1, 846-854	18
849	C ion-implanted TiO ₂ thin film for photocatalytic applications. 2015 , 117, 105308	27
848	Microfluidic desalination techniques and their potential applications. 2015 , 15, 3428-38	22
847	Adsorption of bromate from emergently polluted raw water using MIEX resin: equilibrium, kinetic, and thermodynamic modeling studies. 2015 , 56, 2193-2205	3
846	Two-dimensional covalent triazine framework as an ultrathin-film nanoporous membrane for desalination. 2015 , 51, 14921-4	92
845	Synthesis of highly permeable Fe ₂ O ₃ /ZnO hollow spheres for printable photocatalysis. 2015 , 5, 88277-88286	24
844	Cross-linked graphene membrane for high-performance organics separation of emulsions. 2015 , 495, 439-444	41
843	Electrically-charged recyclable graphene flakes entangled with electrospun nanofibers for the adsorption of organics for water purification. 2015 , 7, 19170-7	20
842	On-demand in situ generation of oxygen in a nanofluidic embedded planar microband electrochemical reactor. 2015 , 19, 1181-1189	4
841	Multi-functional CNT/ZnO/TiO ₂ nanocomposite membrane for concurrent filtration and photocatalytic degradation. 2015 , 156, 922-930	49
840	Water desalination with a single-layer MoS ₂ nanopore. 2015 , 6, 8616	435
839	In Response: Views from research/academia on the challenges to detecting carbon-based nanomaterials in environmental matrices--An academic perspective. 2015 , 34, 954-5	1
838	Constructing a zwitterionic ultrafiltration membrane surface via multisite anchorage for superior long-term antifouling properties. 2015 , 5, 40126-40134	18
837	Electro-osmotic-based catholyte production by Microbial Fuel Cells for carbon capture. 2015 , 86, 108-15	36
836	Determination of Rare Earth Elements in Hypersaline Solutions Using Low-Volume, Liquid-Liquid Extraction. 2015 , 49, 9423-30	9

835	Free-standing membranes made of activated boron nitride for efficient water cleaning. 2015 , 5, 71537-71543	20
834	Enhanced surface hydrophilicity of thin-film composite membranes for nanofiltration: an experimental and DFT study. 2015 , 17, 24201-9	11
833	On the Choice of Batch or Fixed Bed Adsorption Processes for Wastewater Treatment. 2015 , 54, 8579-8586	37
832	Cellulose Derived Graphenic Fibers for Capacitive Desalination of Brackish Water. 2015 , 7, 20156-63	36
831	Advances in Bioprocess Technology. 2015 ,	4
830	Waste Management Methods and Sustainability. 2015 , 57-78	1
829	A green approach to porous and dense antifouling membranes through solvent-free bulk polymerization. 2015 , 135, 501-508	4
828	Smart Fiber Membrane for pH-Induced Oil/Water Separation. 2015 , 7, 19643-50	186
827	Selective elimination of bacterial faecal indicators in the Schmutzdecke of slow sand filtration columns. 2015 , 99, 10323-32	17
826	Facile Synthesis of Silver Nanoparticles Decorated Magnetic-Chitosan Microsphere for Efficient Removal of Dyes and Microbial Contaminants. 2015 , 3, 2291-2302	101
825	Preparation of Chemically-Tailored Copolymer Membranes with Tunable Ion Transport Properties. 2015 , 7, 19746-54	36
824	Pyridinic nitrogen doped nanoporous graphene as desalination membrane: Molecular simulation study. 2015 , 496, 108-117	73
823	Ultralight free-standing reduced graphene oxide membranes for oil-in-water emulsion separation. 2015 , 3, 20113-20117	87
822	Synthesis of Magnesium Oxide Hierarchical Microspheres: A Dual-Functional Material for Water Remediation. 2015 , 7, 21278-86	95
821	Superior Antibacterial Activity of Fe ₃ O ₄ -TiO ₂ Nanosheets under Solar Light. 2015 , 7, 21875-83	140
820	Effects of hydrophilic solvent and oxidation resistance post surface treatment on molecular structure and forward osmosis performance of polyamide thin-film composite (TFC) membranes. 2015 , 356, 1105-1116	9
819	Renewable water: Direct contact membrane distillation coupled with solar ponds. 2015 , 158, 532-539	70
818	Tailoring Pore Size of Graded Mesoporous Block Copolymer Membranes: Moving from Ultrafiltration toward Nanofiltration. 2015 , 48, 6153-6159	84

817	The sensitive and selective adsorption of aromatic compounds with highly crosslinked polymer nanoparticles. 2015 , 7, 16943-51	74
816	Enhanced separation and antifouling properties of PVDF ultrafiltration membranes with surface covalent self-assembly of polyethylene glycol. 2015 , 5, 81115-81122	15
815	Utilization of coconut shell carbon in the anode compartment of microbial desalination cell (MDC) for enhanced desalination and bio-electricity production. 2015 , 3, 2768-2776	20
814	Comparative Toxicity of Chlorinated Saline and Freshwater Wastewater Effluents to Marine Organisms. 2015 , 49, 14475-83	67
813	Water Desalination through Zeolitic Imidazolate Framework Membranes: Significant Role of Functional Groups. 2015 , 31, 13230-7	77
812	Synthesis, preparation and characterization of UV-cured methacrylated polysulfone-based membranes. 2015 , 5, 64-69	5
811	Polypiperazine-amide nanofiltration membrane incorporated with poly(ethylene glycol) derivative for electro dialysis concentrate treatment. 2015 , 153, 43-50	10
810	A comprehensive decade review and analysis on designs and performance parameters of passive solar still. 2015 , 2,	24
809	A cross-linked 2,3-dicarboxylic acid cellulose nanofibril network: A nanoporous thin-film layer with tailored pore size for composite membranes. 2015 , 154, 44-50	6
808	Synthesis of MnO ₂ /CeO ₂ Hybrid Nanotubes and Their Spontaneous Formation of a Paper-like, Free-Standing Membrane for the Removal of Arsenite from Water. 2015 , 7, 26291-300	32
807	Tailoring the structure of polyamide thin film composite membrane with zwitterions to achieve high water permeability and antifouling property. 2015 , 5, 98730-98739	25
806	Unprecedentedly rapid transport of single-file rolling water molecules. 2015 , 10, 1	2
805	Application of sodium bicarbonate as draw solution in forward osmosis desalination: influence of temperature and linear flow velocity. 2015 , 1-8	3
804	Bioinspired Complex-Nanoparticle Hybrid Catalyst System for Aqueous Perchlorate Reduction: Rhenium Speciation and Its Influence on Catalyst Activity. 2015 , 5, 511-522	32
803	A review of recent advance in fouling mitigation of NF/RO membranes in water treatment: pretreatment, membrane modification, and chemical cleaning. 2015 , 55, 870-891	59
802	Self-cleaning Metal Organic Framework (MOF) based ultra filtration membranes--a solution to bio-fouling in membrane separation processes. 2014 , 4, 6555	48
801	Graphene oxide as effective selective barriers on a hollow fiber membrane for water treatment process. 2015 , 474, 244-253	178
800	A novel Z-scheme WO ₃ /CdWO ₄ photocatalyst with enhanced visible-light photocatalytic activity for the degradation of organic pollutants. 2015 , 5, 6019-6026	89

799	Template-particle stabilized bicontinuous emulsion yielding controlled assembly of hierarchical high-flux filtration membranes. 2015 , 7, 611-7	18
798	Synthesis and characterization of novel thin film nanocomposite (TFN) membranes embedded with halloysite nanotubes (HNTs) for water desalination. 2015 , 358, 33-41	116
797	Superwetting polymer-decorated SWCNT composite ultrathin films for ultrafast separation of oil-in-water nanoemulsions. 2015 , 3, 2895-2902	123
796	A microbiology-based assay for quantification of bacterial early stage biofilm formation on reverse-osmosis and nanofiltration membranes. 2015 , 141, 214-220	19
795	High-flux reverse osmosis membranes incorporated with NaY zeolite nanoparticles for brackish water desalination. 2015 , 476, 373-383	181
794	Superhydrophobic and Superoleophilic Porous Boron Nitride Nanosheet/Polyvinylidene Fluoride Composite Material for Oil-Polluted Water Cleanup. 2015 , 2, 1400267	108
793	Membrane technology enhancement in oil/water separation. A review. 2015 , 357, 197-207	714
792	Vapor-Deposited Janus Membranes with Fouling Resistance for Desalination of Oil-Contaminated Wastewater. 2101738	0
791	Second interfacial polymerization decorating defects of TFC NF membrane formed by 1D nanochannels for improving separation performance. 2021 , 10, 106896	0
790	Excessive greenhouse gas emissions from wastewater treatment plants by using the chemical oxygen demand standard. 1	1
789	Efficient degradation of picric acid using rGO-MnO ₂ hybrid nanocomposite under different light conditions. 2021 , 2070, 012089	0
788	High-performance TFNC membrane with adsorption assisted for removal of Pb(II) and other contaminants. 2021 , 127742	5
787	Effects of the endocrine disruptor 4-nonylphenol on the demography of rotifers and : a multigenerational study. 2021 , 1-10	0
786	Preparing a wettability-controllable stainless-steel mesh and its oil/water separation performance. 2021 ,	
785	Mix-charged polyamide membranes via molecular hybridization for selective ionic nanofiltration. 2021 , 644, 120051	3
784	Water-Light Induced Self-Blacking System Constituted by Quinoa Cellulose and Graphene Oxide for High Performance of Salt-Rejecting Solar Desalination. 2100350	0
783	The Separation of Oil/Water Mixtures by Modified Melamine and Polyurethane Foams: A Review. 2021 , 13,	4
782	Polypyrrole-Dopamine Nanofiber Light-Trapping Coating for Efficient Solar Vapor Generation. 2021 , 13, 57153-57162	2

781	Mathematical Modeling of the Phenomenon of Space-Charge Breakdown in the Galvanostatic Mode in the Section of the Electromembrane Desalination Channel. 2021 , 11,	1
780	3D-printed montmorillonite nanosheets based hydrogel with biocompatible polymers as excellent adsorbent for Pb(II) removal. 2021 , 283, 120176	5
779	Shape-controlled synthesis of CuS as a Fenton-like photocatalyst with high catalytic performance and stability. 2021 , 896, 163045	3
778	Oriented UiO-67 Metal-Organic Framework Membrane with Fast and Selective Lithium-Ion Transport.	
777	Reducing fouling of an industrial multi-stage nanofiltration membrane based on process control: A novel shutdown system. 2021 , 644, 120141	0
776	Boosting ion exclusion of two dimensional TMD lamellar membranes via in-plane engineering strategy. 2021 , 249, 117330	
775	Templated synthesis enhances the cobalt adsorption capacity of a porous organic polymer. 2021 ,	
774	Facile Synthesis of g-C ₃ N ₄ /Ag ₂ C ₂ O ₄ Heterojunction Composite Membrane with Efficient Visible Light Photocatalytic Activity for Water Disinfection.	
773	Current status and future directions of self-assembled block copolymer membranes for molecular separations. 2021 , 17, 10405-10415	2
772	Solar-Driven Unmanned Hazardous and Noxious Substance Trapping Devices Equipped with Reverse Piloti Structures and Cooling Systems.	
771	Carbon Nanotubes for Environmental Remediation Applications. 2021 , 1-30	
770	Kinetics of high density functional polymer nanocomposite formation by tuning enthalpic and entropic barriers.. 2022 ,	1
769	Robust ultrathin nanoporous MOF membrane with intra-crystalline defects for fast water transport.. 2022 , 13, 266	12
768	Molecular self-assembly Enables Tuning of Nanopores in Atomically Thin Graphene Membranes for Highly Selective Transport.. 2022 , e2108940	1
767	Tailored design of nanofiltration membranes for water treatment based on synthesis-property-performance relationships.. 2021 ,	19
766	Carbon Nitride (C ₃ N) Nanoslits Guided Membrane for Efficient Seawater Desalination. 2022 , 152460	0
765	An ultrafast and facile nondestructive strategy to convert various inefficient commercial nanocarbons to highly active Fenton-like catalysts.. 2022 , 119,	1
764	Hydrogel supported positively charged ultrathin polyamide layer with antimicrobial properties via Ag modification. 2022 , 284, 120295	4

763	Thin-film composite nanofiltration membranes with poly (amidoxime) as organic interlayer for effective desalination. 2022 , 10, 107015	2
762	Targeting membrane fouling with low dose oxidant in drinking water treatment: Beneficial effect and biological mechanism.. 2021 , 209, 117953	0
761	Bifunctionalized Fe ₇ S ₈ @MoS ₂ core-shell with efficient photocatalytic activity based on internal electric field. 2022 , 335, 130375	2
760	Asymmetrical ultrafiltration membranes based on polylactic acid for the removal of organic substances from wastewater. 2022 , 45, 102510	2
759	Ceramic-supported graphene oxide membrane bioreactor for the anaerobic decolorization of azo dyes. 2022 , 45, 102499	1
758	Seawater desalination based drinking water: Microbial characterization during distribution with and without residual chlorine.. 2021 , 210, 117975	2
757	Emulsion templated dual crosslinked core-sheath fibrous matrices for efficient oil/water separation. 2022 , 635, 128037	4
756	Particle size distribution influence on capacitive deionization: Insights for electrode preparation. 2022 , 525, 115503	5
755	A waste biomass-derived photothermic material with high salt-resistance for efficient solar evaporation. 2022 , 188, 265-275	8
754	Enhanced anti-wetted PVDF membrane for pulping RO brine treatment by vacuum membrane distillation. 2022 , 526, 115533	2
753	Recent advances in nature-inspired antifouling membranes for water purification. 2022 , 432, 134425	4
752	Self-assembled embedding of ion exchange materials into nanofiber-based hydrogel framework for fluoride capture. 2022 , 431, 134201	5
751	Mechanistic insights into the selective mass-transport and fabrication of holey graphene-based membranes for water purification applications. 2022 , 431, 134248	0
750	Thin-film composite nanofiltration membrane with unprecedented stability in strong acid for highly selective dye/NaCl separation. 2022 , 645, 120189	2
749	Enhanced polysulfone ultrafiltration membrane performance through fullerol Addition: A study towards optimization. 2022 , 431, 134071	1
748	Robust reduced graphene oxide composite membranes for enhanced anti-wetting property in membrane distillation. 2022 , 526, 115549	0
747	Enhancing the property of composite pervaporation desalination membrane by fabricating a less resistance substrate with porous but skinless surface structure. 2022 , 525, 115496	0
746	Bis-(3'-5')-cyclic dimeric guanosine monophosphate (c-di-GMP) mediated membrane fouling in membrane bioreactor. 2022 , 646, 120224	1

745	Positively charged PVC ultrafiltration membrane via micellar enhanced ultrafiltration for removing trace heavy metal cations. 2022 , 46, 102552	0
744	Inhibition of typical phenolic compounds entering into condensed freshwater by surfactants during solar-driven seawater distillation.. 2022 , 815, 152694	1
743	Novel Poly(piperazinamide)/poly(m-phenylene isophthalamide) composite nanofiltration membrane with polydopamine coated silica as an interlayer for the splendid performance. 2022 , 285, 120390	2
742	Simultaneous removal of pollutants from sub-nanometric to nanometric scales by hierarchical dendrimers modified aerogels. 2022 , 286, 120440	0
741	Review on adsorption materials and system configurations of the adsorption desalination applications. 2022 , 204, 117958	3
740	Hierarchical membrane integration of shear stress-resistant nanoparticles and biomimetic micropatterns for ultrahigh and durable biofouling resistance. 2022 , 432, 134363	1
739	Nanotexturing-enhanced heat transfer and interfacial evaporation for energy-efficient solar-thermal water desalination. 2022 , 186, 122462	4
738	Multifunctional hybrid membranes for photocatalytic and adsorptive removal of water contaminants of emerging concern.. 2022 , 293, 133548	2
737	Transport Behavior of Water and Ions Through Positively Charged Nanopores.	
736	Exploring of Polyethylene Membrane as a Porous Support for High-Performance Polyamide TFC Reverse Osmosis Membranes.	
735	IoT-based Smart Water Management Systems. 2021 ,	
734	A Review on Recent Progress in Membrane Distillation Crystallization. 2022 , 9, 93-109	0
733	Air nanobubbles (ANBs) incorporated sandwich-structured carbon nanotube membranes (CNM) for highly permeable and stable forward osmosis. 2022 , 2, 100026	0
732	Municipal-to-Industrial Water Reuse via Multi-Stage and Multi-Pass Reverse Osmosis Systems: A Step from Water Scarcity towards Sustainable Development. 2022 , 14, 362	2
731	A NOVEL AND EFFICIENT PHOTOCATALYSIS (ZnO/BENTONITE) FOR DISINFECTION OF Escherichia coli AND Pseudomonas aeruginosa UNDER VISIBLE LIGHT IRRADIATION.	
730	Towards a Novel Combined Treatment Approach Using Light-Emitting Diodes and Photocatalytic Ceramic Membranes. 2022 , 14, 292	1
729	Water Quality Indicator Interval Prediction in Wastewater Treatment Process Based on the Improved BES-LSSVM Algorithm.. 2022 , 22,	0
728	Sustainable Future with Nanoproducts. 2022 , 1-23	

727	Study on the modification of polyvinylidene fluoride with polyurethane to achieve excellent hydrophilic property. 2022 , 1-9	
726	Two-Dimensional Metal Organic Frameworks and Covalent Organic Frameworks.	0
725	Nanosilica Entrapped Alginate Beads for the Purification of Groundwater Contaminated with Bacteria. 1	
724	Influence of operation parameters and design parameters on desalination performance of Na-ion desalination battery. 2022 , 28, 1791	0
723	Industrial Utilization of Capacitive Deionization Technology for the Removal of Fluoride and Toxic Metal Ions (As and Pb).. 2022 , 6, 2100129	0
722	Machine Learning Assisted Screening of Two-Dimensional Materials for Water Desalination.. 2022 ,	1
721	Spray-coated tough thin film composite membrane for pervaporation desalination. 2022 , 179, 493-501	0
720	Humic Acid-Coated Hydrated Ferric Oxides-Polymer Nanocomposites for Heavy Metal Removal in Water.	
719	Ultrapervable nanofiltration membranes with tunable selectivity fabricated with polyaniline nanofibers.	1
718	MXene Membranes for the Isolation of Antibiotics. 2022 , 61-88	
717	Integration of a Hydrophilic Hyperbranched Polymer and a Quaternary Ammonium Compound to Mitigate Membrane Biofouling. 2022 , 4, 229-239	3
716	Solar distillation meets the real world: a review of solar stills purifying real wastewater and seawater.. 2022 , 1	2
715	Surface and Interface Engineering for Advanced Nanofiltration Membranes. 2022 , 40, 124-137	1
714	Liquid Crystal-Based Water Treatment Membranes. 2101276	0
713	Heterogeneous photo-Fenton-like degradation of emerging pharmaceutical contaminants in wastewater using Cu-doped MgO nanoparticles. 2022 , 630, 118468	1
712	Synthesis of Co-doped CeO ₂ nanoflower: Enhanced adsorption and degradation performance toward tetracycline in Fenton-like reaction. 2022 , 904, 163879	1
711	Surface modification of <i>Trema orientalis</i> wood biochar using natural coconut vinegar and its potential to remove aqueous calcium ions: column and batch studies.	0
710	Bicontinuous porous membranes with micro-nano composite structure using a facile atomization-assisted nonsolvent induced phase separation method. 1	0

- 709 Porous composite membrane based on organic substrate for molecular sieving: Current status, opportunities and challenges. **2022**, 2, 100027 0
- 708 Advances in the applications of copper- based nanocomposites in wastewater treatment. **2022**, 661-675
- 707 Gypsum scaling mechanisms on hydrophobic membranes and its mitigation strategies in membrane distillation. **2022**, 120297 0
- 706 Ionophobicity of carbon sub-nanometer pores enables efficient desalination at high salinity. **2022**, 3, 100689 2
- 705 Overview of nanostructured and nano-enhanced membranes. **2022**, 1-16
- 704 Highly Selective and pH-Stable Reverse Osmosis Membranes Prepared via Layered Interfacial Polymerization.. **2022**, 12, 1 1
- 703 Advanced Functional Liquid Crystals.. **2022**, e2109063 13
- 702 Double Trigonal Pyramidal {SeO} Groups Bridged 2-Picolinic Acid Modified Cerium-Inlaid Polyoxometalate Including Mixed Selenotungstate Subunits for Electrochemically Sensing Ochratoxin A.. **2022**, 0 0
- 701 Development of magnesium oxide@carbon fiber paper composite film for the removal of methyl orange from aqueous phase. **2022**, 7, 1-8 0
- 700 Facile synthesis of g-CN/AgCO heterojunction composite membrane with efficient visible light photocatalytic activity for water disinfection.. **2022**, 295, 133841 1
- 699 Microwave-driven construction of MoS₂ /graphene heterostructure for enhanced photodegradation under natural light. 0 0
- 698 Band Alignment at Heterointerface with Rapid Charge Transfer Supporting Excellent Photocatalytic Degradation of Methylene Blue under Sunlight. 2101943 3
- 697 A benzocoumarin-based fluorescent probe for highly specific ultra-sensitive fast detecting endogenous/exogenous hypochlorous acid and its applications. **2022**, 427, 113843 0
- 696 Polydopamine functionalized superhydrophilic coconut shells biomass carbon for selective cationic dye methylene blue adsorption. **2022**, 279, 125767 1
- 695 Highly selective isoporous block copolymer membranes with tunable polyelectrolyte brushes in soft nanochannels. **2022**, 646, 120266 1
- 694 The transition boundaries between interaction regimes of liquid droplets colliding in a gas. **2022**, 179, 201-226
- 693 In-situ healing of damaged polyethersulfone ultrafiltration membranes with microgels. **2022**, 647, 120313 0
- 692 Membranes based on porous hexagonal boron nitride nanorods for ultrafast and effective molecular separation. **2022**, 647, 120307 0

691	Visualizing the landscape and evolution of capacitive deionization by scientometric analysis. 2022 , 527, 115562	1
690	Elucidation of physicochemical scaling mechanisms in membrane distillation (MD): Implication to the control of inorganic fouling. 2022 , 527, 115573	1
689	2D nanosheets optimized electrospray-assisted interfacial polymerization polyamide membrane with excellent separation performance. 2022 , 647, 120308	0
688	Dual-objective for the mechanism of membrane fouling in the early stage of filtration and determination of cleaning frequency: A novel combined model. 2022 , 647, 120315	3
687	Membrane technology for sustainable water resources management: Challenges and future projections. 2022 , 25, 100590	3
686	Nanoplate like heterostructured BiOBr/BiBr/FeBr ₂ nanocomposites with enhanced photocatalytic activity for wastewater treatment by removing organic dyes: Interfacial consecutive dual Z scheme electron transfer. 2022 , 10, 107240	1
685	3D interconnected network architectures assembled from W ₁₈ O ₄₉ and Ti ₃ C ₂ MXene with excellent electrochemical properties and CDI performance. 2022 , 435, 134922	2
684	Magnetically sensitive TiO ₂ hollow sphere/Fe ₃ O ₄ core-shell hybrid catalyst for high-performance sunlight-assisted photocatalytic degradation of aqueous antibiotic pollutants. 2022 , 902, 163612	5
683	Enhanced photocatalytic reactions via plasmonic metal-semiconductor heterostructures combining with solid-liquid-gas interfaces. 2022 , 306, 121102	2
682	Thermo-responsive polymer-black phosphorus nanocomposites for NIR-triggered bacterial capture and elimination.	2
681	The AI-assisted removal and sensor-based detection of contaminants in the aquatic environment. 2022 , 211-244	
680	Carbon Nanotube Interlayer Enhances Water Permeance and Antifouling Performance of Nanofiltration Membranes: Mechanisms and Experimental Evidence.. 2022 ,	4
679	Interlayer Structure Manipulation of Iron Oxychloride by Potassium Cation Intercalation to Steer HO Activation Pathway.. 2022 ,	4
678	Solar-Driven Unmanned Hazardous and Noxious Substance Trapping Devices Equipped with Reverse Piloti Structures and Cooling Systems.. 2022 , 14,	0
677	Water transport through a two-dimensional nanoporous material: is there a relationship between water flux and surface tension?.	
676	A robust dual-channel fluorescence-enhanced probe for duplex imaging of endogenous HClO/CLO- in living cells and in zebrafish. 2022 , 131562	0
675	Study of Photocatalytic Degradation Efficiency of rGO/ZnO Nano-Photocatalyst and their Performance Analysis using Scanning Kelvin Probe. 2022 , 107293	1
674	Development and Characterization of Silver-Doped Multi-Walled Carbon Nanotube Membranes for Water Purification Applications.. 2022 , 12,	0

- 673 How Grain Boundaries and Interfacial Electrostatic Interactions Modulate Water Desalination via Nanoporous Hexagonal Boron Nitride.. **2022**, 0
- 672 Magnetic-controllable Janus fibrous membranes with wind-resistant floatability for airflow-enhanced solar evaporation. 0
- 671 Redox-Active Magnetic Composites for Anionic Contaminant Removal from Water.. **2022**, 1
- 670 Linking Increased Isotope Fractionation at Low Concentrations to Enzyme Activity Regulation: 4-Cl Phenol Degradation by A6.. **2022**, 0
- 669 Can MoS2 membrane be used for removal of mineral pollutants from water? First-principle study. **2022**, 278, 115642 0
- 668 Electrospun nanofibrous membranes as promising materials for developing high-performance desalination technologies. **2022**, 528, 115639 1
- 667 Ultra-durable and highly-efficient hybrid capacitive deionization by MXene confined MoS2 heterostructure. **2022**, 528, 115616 2
- 666 A review on removal strategies of microorganisms from water environment using nanomaterials and their behavioural characteristics.. **2022**, 295, 133915 2
- 665 Hypercrosslinked triazine-phloroglucinol hierarchical porous polymers for the effective removal of organic micropollutants. **2022**, 435, 134990 1
- 664 A superwetting stainless steel mesh with Janus surface charges for efficient emulsion separation.. **2022**, 430, 128378 0
- 663 -Microorganism Composite Biosorbent for Lead Ion Removal from Aqueous Solutions. **2021**, 14, 3
- 662 Simulating Micropollutant Abatement During Cobalt Mediated Peroxymonosulfate Process by Probe-Based Kinetic Models. 0
- 661 Efficient Peroxymonosulfate Activation by N-Rich Pyridyl-Iron Phthalocyanine Derivative for the Elimination of Pharmaceutical Contaminants Under Solar Irradiation. 0
- 660 Hypercrosslinked Triazine-Phloroglucinol Hierarchical Porous Polymers for the Effective Removal of Organic Micropollutants. 0
- 659 Transport Behavior of Water and Ions Through Positively Charged Nanopores. 1
- 658 Solar Detoxification and Disinfection of Water. **2022**, 453-480 0
- 657 Long-Term Stability and High Flux Membrane Prepared Through Intramembrane Dopamine-Based Nanoparticle Assembly. 0
- 656 Metal Organic Frameworks as Photocatalyst for Water Purification. **2022**, 561-593 0

- 655 A Robust Air Superhydrophilic/Superoleophobic Diatomite Porous Ceramic for High-Performance Continuous Separation of Oil-in-Water Emulsion.
- 654 Nanocoated membranes for oil/water separation. **2022**, 207-230
- 653 A benzocoumarin-based fluorescent probe for ultra-sensitive and fast detection of endogenous/exogenous hypochlorous acid and its applications.. **2022**, 0
- 652 Biomass-Derived Nanostructured Coatings Based on Cellulose Nanofibers-Melanin Hybrids Toward Solar-Enabled Multifunctional Energy Management.
- 651 Tailoring the Micro-Structure of Pvc/Sma-G-Peg Blend Ultrafiltration Membrane with Simultaneously Enhanced Hydrophilicity and Toughness by in Situ Reaction-Controlled Phase Inversion.
- 650 Efficient Fog Harvesting by Asymmetric Microfibers from Microfluidics. **2022**, 157-175
- 649 Polymer-based nanofiltration membranes. **2022**, 159-196
- 648 Desalination Plant Performance Prediction Model Using Grey Wolf Optimizer Based ANN Approach. **2022**, 10, 34550-34561 2
- 647 Preparation of Nickel@Polyvinyl Alcohol (Pva) Conductive Membranes to Couple a Novel Electrocoagulation-Membrane Separation System for Efficient Oil-Water Separation.
- 646 Enhanced fluorescence quenching for -nitrophenol in imidazolium ionic liquids using a europium-based fluorescent probe.. **2022**, 12, 10915-10923 1
- 645 Critical Surface Density of Zwitterionic Polymer Chains Affect Antifouling Properties.
- 644 Preparation of Polyvinylidene Fluoride Nano-Filtration Membranes Modified with Functionalized Graphene Oxide for Textile Dye Removal.. **2022**, 12, 1
- 643 Graphene Oxide Composite Membranes for Water Purification. **2022**, 5, 3643-3653 0
- 642 Thermal Desalination Systems: From Traditionality to Modernity and Development. 0
- 641 Wood-Inspired Compressible Superhydrophilic Sponge for Efficient Removal of Micron-Sized Water Droplets from Viscous Oils.. **2022**, 2
- 640 Multifunctional Magnetic Porous Microspheres for Highly Efficient and Recyclable Water Disinfection and Dye Removal. **2022**, 4, 1576-1585 2
- 639 Construction of 2D layered phosphorus-doped graphitic carbon nitride/BiOBr heterojunction for highly efficient photocatalytic disinfection.. **2022**, 0
- 638 Crystalline nanocellulose based sustainable nanoscopic composite membrane production: removal of metal ions from water. 1

- 637 Ultra-Fast Click Modification of Self-Assembled Zwitterionic Copolymer Membranes for Enhanced Ion Selectivity. 2102496
- 636 A Novel Hybrid Reactor of Pressure-Retarded Osmosis Coupling with Activated Sludge Process for Simultaneously Treating Concentrated Seawater Brine and Wastewater and Recovering Energy.. **2022**, 12,
- 635 Fouling- and Chlorine-Resistant Nanofiltration Membranes Fabricated from Charged Zwitterionic Amphiphilic Copolymers. 1
- 634 Designing polymeric membranes with coordination chemistry for high-precision ion separations.. **2022**, 8, eabm9436 2
- 633 Synthesis of 3D graphene/MnO₂ nanocomposites with hierarchically porous structure for water purification. 1
- 632 Electrocatalytic degradation of sulfamethylthiadiazole by GAC@Ni/Fe three-dimensional particle electrode.. **2022**, 1 0
- 631 Metal organic frameworks as advanced extraction adsorbents for separation and analysis in proteomics and environmental research. **2022**, 65, 650-677 2
- 630 Improvement of hydrogen production performance by in situ doping of carbon nanotubes into TiO₂ materials. **2022**, 24, 1 0
- 629 Neutron Scattering in Polymers. 1-38
- 628 REMOVED: Water Structure, Properties and Some Applications [A review. **2022**, 6, 100053 4
- 627 Observation of Remote Electroconvection and Inert-Cation Concentration Valley within Supporting Electrolytes in a Microfluidic-Based Electrochemical Device.. **2022**, e2108037
- 626 Is Desalination a Solution to Freshwater Scarcity in Developing Countries?. **2022**, 12, 0
- 625 Electrochemically Mediated Sustainable Separations in Water. **2022**, 1-62
- 624 Upcycling Waste Pine nut Shell Membrane for Highly Efficient Separation of Crude Oil-in-Water Emulsion.. **2022**, 4
- 623 Thermoresponsive Polymers for Water Treatment and Collection. **2022**, 55, 1894-1909 2
- 622 Tweak in Puzzle: Tailoring Membrane Chemistry and Structure toward Targeted Removal of Organic Micropollutants for Water Reuse. 4
- 621 Systematic Design of a Flow-Through Titanium Electrode-Based Device with Strong Oil Droplet Rejection Property for Superior Oil-in-Water Emulsion Separation Performance.. **2022**, 0
- 620 Citrus lemon mediated green synthesis of ZnTiO₃ nanospheres for the degradation of petrochemical wastewater. 0

619	Carbon Nanoarchitectonics with Bi Nanoparticle Encapsulation for Improved Electrochemical Deionization Performance.. 2022 ,	2
618	Receptor Induced Doping of Conjugated Polymer Transistors: A Strategy for Selective and Ultrasensitive Phosphate Detection in Complex Aqueous Environments. 2101353	0
617	Enhanced Capacitive Deionization Exploiting Novel Functionalized Graphene Oxide Electrodes. 2101513	2
616	Biomimic Heterostructured Graphene Oxide Membranes via Supramolecular-Mediated Intercalation Assembly for Efficient Water Transport.. 2022 , e2200461	0
615	Two-Step Visible Light Photocatalytic Dye Degradation Phenomena in AgO-Impregnated ZnO Nanorods via Growth of Metallic Ag and Formation of ZnO/Ag/AgO Heterojunction Structures.. 2022 ,	3
614	Composite membranes with nanofilms assembled on nanofiber supports for high-performance nanofiltration with antibacterial property. 2022 , 31, 101113	0
613	Synthesis of covalent organic frameworks via Kabachnik-Fields reaction for water treatment.. 2022 , 433, 128831	3
612	Tuning transport in graphene oxide membrane with single-site copper (II) cations.. 2022 , 25, 104044	
611	Polydopamine-Coated Natural Rubber Sponge for Highly Efficient Vapor Generation.. 2022 , 14,	0
610	Hierarchically Structured Black Gold Film with Ultrahigh Porosity for Solar Steam Generation.. 2022 , e2200108	12
609	Tailoring the micro-structure of PVC/SMA-g-PEG blend ultrafiltration membrane with simultaneously enhanced hydrophilicity and toughness by in situ reaction-controlled phase inversion. 2022 , 120545	1
608	Quantitatively unveiling the activity-structure relationship of polyamide membrane: A molecular dynamics simulation study. 2022 , 528, 115640	2
607	A versatile hydrogel platform for oil/water separation, dye adsorption, and wastewater purification. 1	0
606	Hydrogels for the removal of the methylene blue dye from wastewater: a review. 1	0
605	Innovative Bacterial Removal Technique Using Green Synthetic Nano Curcumin Zinc (II) Complex for Sustainable Water Resource Management. 2022 , 14, 4289	
604	Preparation of nickel@polyvinyl alcohol (PVA) conductive membranes to couple a novel electrocoagulation-membrane separation system for efficient oil-water separation. 2022 , 120541	1
603	High-flux, efficient and reusable zeolite/stainless steel meshes for oil/water separation. 2022 , 336, 111870	0
602	Scaling-up of robust nanofiltration membrane of ultrathin-film-composite structure. 2022 , 530, 115650	0

601	Multifunctional cellulose paper-based materials and their application in complex wastewater treatment.. 2022 , 207, 414-423	0
600	Fouling-Resistant Membranes with Tunable Pore Size Fabricated Using Cross-Linkable Copolymers with High Zwitterion Content. 2022 , 2, 100019	0
599	In situ visualization of combined membrane fouling behaviors using multi-color light sheet fluorescence imaging: A study with BSA and dextran mixture. 2022 , 649, 120385	1
598	The preparation of core-shell Fe ₃ O ₄ @SiO ₂ magnetic nanoparticles with different surface carboxyl densities and their application in the removal of methylene blue. 2022 , 139, 109381	0
597	Iron oxide nanoparticles: Preparation methods, functions, adsorption and coagulation/flocculation in wastewater treatment. 2022 , 17, 100661	3
596	Point-of-use photocatalytic device for water disinfection under visible light using ZnO/Gypsum@alginate beads. 2022 , 10, 107520	0
595	Water desalination by charged multilayer graphene membrane: A molecular dynamics simulation. 2022 , 355, 118953	1
594	Polyvinylidene fluoride/boehmite nanocomposite membrane for effective removal of arsenate ion from water. 2022 , 47, 102652	1
593	A review of heavy metals removal from aqueous matrices by Metal-Organic Frameworks (MOFs): State-of-the art and recent advances. 2022 , 10, 107394	3
592	Optimizing interfacial polymerization with UV-introduced photo-fries rearrangement for enhancing RO membrane performance. 2022 , 437, 135380	0
591	Incorporating catalytic ceramic membrane into the integrated process of in situ ozonation, membrane filtration and biological degradation: Enhanced performance and underlying mechanisms. 2022 , 652, 120509	1
590	Photoelectrocatalytic sterilization on thorn-like ZIF-67/ZnO hybrid photoanodes. 2022 , 10, 107385	0
589	Water disinfection using Kaolinite supported magnetic silver nanoparticle. 2022 , 39, 100857	0
588	Manipulating hydrophobicity/hydrophilicity properties to achieve anti-corrosion copper-based membrane toward high-efficient solar water purification. 2022 , 643, 128755	2
587	Biobased mussel-inspired underwater superoleophobic chitosan derived complex hydrogel coated cotton fabric for oil/water separation.. 2022 , 209, 279-289	1
586	Biomass-derived nanostructured coatings based on cellulose nanofibers-melanin hybrids toward solar-enabled multifunctional energy management. 2022 , 97, 107180	2
585	Surface engineering design of polyamide membranes for enhanced boron removal in seawater desalination. 2022 , 651, 120425	1
584	Mechanism insight into gypsum scaling of differently wettable membrane surfaces with antiscalants in membrane distillation. 2022 , 652, 120499	0

583	Development of high-performance electrospun nanofiber based forward osmosis membrane by introducing graphene oxide-calcium carbonate particle composite intermediate layer. 2022 , 531, 115672	0
582	Construction of dual-functional membrane with novel structured Cyclodextrin hybridization for simultaneous oily wastewater separation and hazardous aromatics removal. 2022 , 47, 102756	
581	Preparation of Superhydrophobic/Superoleophilic nitrile rubber (NBR) nanocomposites contained silanized nano silica for efficient oil/water separation. 2022 , 291, 120854	2
580	Layered bismuth-based photocatalysts. 2022 , 463, 214515	4
579	A pilot-scale study of the integrated floc-ultrafiltration membrane-based drinking water treatment process.. 2022 , 154809	0
578	Efficient peroxymonosulfate activation by N-rich pyridyl-iron phthalocyanine derivative for the elimination of pharmaceutical contaminants under solar irradiation.. 2022 , 299, 134464	0
577	Household and community systems for groundwater remediation in Bihar, India: Arsenic and inorganic contaminant removal, controls and implications for remediation selection.. 2022 , 154580	
576	Simulating micropollutant abatement during cobalt mediated peroxymonosulfate process by probe-based kinetic models. 2022 , 441, 135970	1
575	Honeycomb-structured fabric with enhanced photothermal management and site-specific salt crystallization enables sustainable solar steam generation.. 2022 , 619, 322-330	1
574	A Review on Promising Membrane Technology Approaches for Heavy Metal Removal from Water and Wastewater to Solve Water Crisis. 2021 , 13, 3241	4
573	Fabrication, Structure, Performance, and Application of Graphene-Based Composite Aerogel.. 2021 , 15,	0
572	Degradation of SY095 modified with functional magnetic FeO nanoparticles.. 2021 , 8, 211172	0
571	A review on membrane distillation in process engineering: design and exergy equations, materials and wetting problems. 2022 , 16, 592-613	1
570	Effects of Particle Sizes on Growth Characteristics of Propane Hydrate in Uniform/Nonuniform Sands for Desalination Application. 2022 , 36, 1003-1014	1
569	On the effect of a penetrating recirculation region on the bifurcations of the flow past a permeable sphere. 2021 , 33, 124103	1
568	Photoresponsive Solid Nanochannels Membranes: Design and Applications.. 2021 , e2105019	1
567	Preparation and properties of substrate PVA-GO composite membrane for solar photothermal conversion. 2021 , 15, 632-642	1
566	Silicate based solar evaporator with self-cleaning and corrosion resistant properties for durable seawater desalination. 2021 , 30, e00362	1

565	Highly-Efficient Solar Steam Generation with Real Time Salinity Monitoring for Seawater Desalination. 2022 , 6, 2100430	1
564	Biomimetic Hybridization of Janus-like Graphene Oxide into Hierarchical Porous Hydrogels for Improved Mechanical Properties and Efficient Solar Desalination Devices. 2021 ,	7
563	Carbon Nanomaterial-Based Aerogels for Improved Removal of Copper (II), Zinc (II), and Lead (II) ions from Water.	0
562	Electrochemical membrane technology for fouling control. 2022 , 195-225	
561	Electrochemical membrane technology for disinfection. 2022 , 141-162	
560	Fabrication and prospective applications of graphene oxide-modified nanocomposites for wastewater remediation.. 2022 , 12, 11750-11768	5
559	Ultra-high permeable phenine nanotube membranes for water desalination.. 2022 ,	0
558	Inactivation of Escherichia coli Using Biogenic Silver Nanoparticles and Ultraviolet (UV) Radiation in Water Disinfection Processes. 2022 , 12, 430	1
557	Engineering a superhydrophilic TiC/C absorber with multiscale-pore-network for stable and efficient solar evaporation of high-salinity brine. 2022 , 101009	1
556	Photocatalysis-membrane integrated system for organic pollutants removal. 2022 , 101137	0
555	Recent developments of anaerobic membrane bioreactors for municipal wastewater treatment and bioenergy recovery: Focusing on novel configurations and energy balance analysis. 2022 , 131856	0
554	Performance investigation and evaluation of a new three-piston pump energy recovery device for small scale desalination system. 2022 , 260, 115576	0
553	One-step electrospinning PCL/ph-LPSQ nanofibrous membrane with excellent self-cleaning and oil-water separation performance. 2022 , 249, 124858	1
552	Alternating electric field-based ionic control and layer-by-layer assembly of anion exchange membranes for enhancing target anion selectivity. 2022 , 533, 115773	0
551	H2O2-assisted preparation of superhydrophilic polyacrylonitrile fabric and its application for the separation of oil/water mixture. 2022 , 646, 129004	2
550	Separation membranes with long-term stability and high flux prepared through intramembrane dopamine-based nanoparticle assembly. 2022 , 654, 120563	0
549	Data_Sheet_1.PDF. 2020 ,	
548	Data_Sheet_1.pdf. 2018 ,	

- 547 Humic acid-coated hydrated ferric oxides-polymer nanocomposites for heavy metal removal in water.. **2022**, 155427 0
- 546 New Graphitic Carbon Nitride-Based Composite Membranes: Fast Water Transport Through the Synergistic Effect of Ta and Tris.
- 545 Multifunctional Glass Fibre Filter Modified with Vertical Graphene for One-Step Dynamic Water Filtration and Disinfection. 1
- 544 One-Step Preparation of Omniphobic Membrane with Concurrent Anti-Scaling and Anti-Wetting Properties for Membrane Distillation.
- 543 Potential Application of Carbon Nanotubes Membranes in Water and Wastewater Treatment: A Review. **2022**, 429-442
- 542 A performance study of magnetite-lignin composites as photothermal materials in solar steam generation system. **2022**,
- 541 Sustainable Future with Nanoproducts. **2022**, 1409-1431
- 540 Highly Chlorine-Oxidation and Fouling Resistant Thin Film Nanocomposite Membrane Enhanced by Few-Layered Graphitic Carbon Nitride Nanosheets.
- 539 Amyloid-Based Carbon Aerogels for Water Purification.
- 538 Retention of oxyanions on biochar surface. **2022**, 233-276
- 537 Comparison of Disinfection-Residual-Bacteria (Drb) after Seven Different Kinds of Disinfection: Biofilm Formation, Membrane Fouling and Mechanisms.
- 536 Graphene-Based Materials for Water Treatment and Purification. **2022**, 375-399
- 535 Polymers in Water Purification. **2022**, 167-209
- 534 Continuous and efficient oil/water separation by special wettability granular filter media. 0
- 533 Trap Inlaid Cationic Hybrid Composite Material for Efficient Segregation of Toxic Chemicals from Water.
- 532 Highly stable cellulose nanofiber/polyacrylamide aerogel via in-situ physical/chemical double crosslinking for highly efficient Cu(II) ions removal.. **2022**, 4
- 531 Knowledge and Technology Used in Capacitive Deionization of Water. **2022**, 12, 459 3
- 530 Trap Inlaid Cationic Hybrid Composite Material for Efficient Segregation of Toxic Chemicals from Water.. **2022**, 0

- 529 Univariate imputation method for recovering missing data in wastewater treatment process. **2022**,
- 528 Green and sustainable applications of energetic plasmon-activated water. **2022**,
- 527 Rational Design of High-Performance Cationic Organic Network Adsorbents.. **2022**,
- 526 Fabrication of superhydrophobic Enteromorpha-derived carbon aerogels via NHHPO modification for multi-behavioral oil/water separation.. **2022**, 837, 155869 1
- 525 Re-thinking polyamide thin film formation: How does interfacial destabilization dictate film morphology?. **2022**, 120593 0
- 524 Nanofiltration. **2022**,
- 523 A robust air superhydrophilic/superoleophobic diatomite porous ceramic for high-performance continuous separation of oil-in-water emulsion.. **2022**, 134756 0
- 522 Poly(vinylidene fluoride) Substrate-Supported Polyamide Membrane for High-Temperature Water Nanofiltration. **2022**, 4, 3820-3832 0
- 521 Iron single atoms and clusters anchored on natural N-doped nanocarbon with dual reaction sites as superior Fenton-like catalysts. **2022**, 153625 1
- 520 Fish-scale-like nano-porous membrane based on zeolite nanosheets for long stable zinc-based flow battery. 0
- 519 Overview on the Evaluation of the Elastic Properties of Non-Carbon Nanotubes by Theoretical Approaches.. **2022**, 15, 0
- 518 Efficient transport system of cultivated mushroom mycelium enables its derived carbon with high performance electrochemical desalination capability. **2022**, 1
- 517 Regulation the reactive oxygen species on conjugated polymers for highly efficient photocatalysis. **2022**, 121488 0
- 516 Overflow Control for Sustainable Development by Superwetting Surface with Biomimetic Structure.. **2022**, 3
- 515 Nanofiltration as an Efficient Tertiary Wastewater Treatment: Elimination of Total Bacteria and Antibiotic Resistance Genes from the Discharged Effluent of a Full-Scale Wastewater Treatment Plant. **2022**, 11, 630 0
- 514 Watermelon Flesh-Derived Carbon Aerogel with Hierarchical Porous Structure for Interfacial Solar Steam Generation. 2200270 0
- 513 Preparation and adsorption performance of functionalization cellulose-based composite aerogel.. **2022**, 211, 1-14 2
- 512 Low-temperature welded PAN/TPU composite nanofiber membranes for water filtration. **2022**, 47, 102806 1

511	Study on the photothermal performance of polytetrafluoroethylene-based evaporation interface with solar-driven enhanced by graphite-clay. 2022 , 285, 126192	0
510	Mass transfer enhancement for rapid, selective extraction of pharmaceuticals by enlarging the microporous on isostructural zeolitic imidazolate Framework-8. 2022 , 293, 121102	0
509	Effect of disinfection on the photoreactivity of effluent organic matter and photodegradation of organic contaminants.. 2022 , 219, 118552	0
508	Long-term direct ultrafiltration without chemical cleaning for purification of micro-polluted water in rural regions: Feasibility and application prospects. 2022 , 443, 136531	
507	Critical surface density of zwitterionic polymer chains affect antifouling properties. 2022 , 153652	
506	Applying Transition-State Theory to Explore Transport and Selectivity in Salt-Rejecting Membranes: A Critical Review.. 2022 ,	4
505	Molecular ecological networks reveal the spatial-temporal variation of microbial communities in drinking water distribution systems. 2023 , 124, 176-186	1
504	The Future of Membrane Separation Processes: A Prospective Analysis. 2022 , 4,	0
503	Simulation of Water Flow in a Nanochannel with a Sudden Contraction or Expansion.. 2022 ,	1
502	Multimodal confined water dynamics in reverse osmosis polyamide membranes.. 2022 , 13, 2809	2
501	Nanoparticles-Based Adsorbents for Water Pollutants Removal. 2022 , 237-265	
500	Utilization of Block Copolymers to Understand Water Vaporization Enthalpy Reduction in Uniform Pores.	0
499	A Self-Detecting and Self-Cleaning Biomimetic Porous Metal-Based Hydrogel for Oil/Water Separation.	0
498	Facile fabrication of durable superhydrophobic fabrics by silicon polyurethane membrane for oil/water separation. 2022 ,	0
497	Electrocapacitive desalination with nitrogen-doped hierarchically structured carbon prepared using a sustainable salt-template method. 2022 , 137211	3
496	Vertical porous MoS ₂ /hectorite double-layered aerogel as superior salt resistant and highly efficient solar steam generators. 2022 , 194, 68-79	0
495	Bio-inspired molybdenum carbide/carbon-based aerogel with advanced thermal management as a solar evaporator. 2022 , 243, 111738	0
494	Revealing interfacial heating effects on water evaporation during surface distillation. 2022 , 537, 115867	

- 493 Adsorbent-to-Photocatalyst: Recycling Heavy Metal Cadmium by Natural Clay Mineral for Visible-Light-Driven Photocatalytic Antibacterial.
- 492 Data-Driven Design of a High-Performance, Two-Dimensional Graphene-Based Seawater Desalination Membrane.
- 491 Superwetting Photothermal Membranes Enabled by Polyphenol-Mediated Nanostructured Coating with Raspberry-Like Architectures for Solar-Driven Interfacial Evaporation.
- 490 Scalable Polyamide Nanofilms by a Sequential Process of Coating- Spraying-Interfacial Polymerization for Desalination Membranes.
- 489 Amine functional cellulose derived from wastepaper toward oily wastewater treatment and its demulsification mechanism. **2022**, 119459 0
- 488 Titanium-based photocatalytic coatings for bacterial disinfection: The shift from suspended powders to catalytic interfaces. **2022**, 102078 0
- 487 Influence of Temperature on Biofilm Formation Mechanisms Using a Gravity-Driven Membrane (GDM) System: Insights from Microbial Community Structures and Metabolomics. 0
- 486 Removal of emerging organic micropollutants via modified-reverse osmosis/nanofiltration membranes: A review. **2022**, 135151 1
- 485 Effect of Ultraviolet-C Light-Emitting Diode Treatment on Disinfection of Norovirus in Processing Water for Reuse of Brine Water. **2022**, 13,
- 484 Efficient Metal Cutting Fluid Wastewater Separation of Polyacrylonitrile Ultrafiltration Membranes Enabled by Metal Ion Cross-Linking. 1
- 483 Preparation of sepiolite modified MXene composite membrane for oil/water separation. 1
- 482 All-Day Freshwater Harvesting by Selective Solar Absorption and Radiative Cooling. 0
- 481 Occurrence of Emerging Contaminants in Southeast Asian Environments: Present Status, Challenges, and Future Prospects. 2
- 480 Simultaneous nanocatalytic surface activation of pollutants and oxidants for highly efficient water decontamination. **2022**, 13, 8
- 479 Zwitterion grafted forward osmosis membranes with superwetting property via atom transfer radical polymerization.
- 478 Recent Progress on Carbon-Nanotube-Based Materials for Photocatalytic Applications: A Review. 1
- 477 Modeling insights into the role of support layer in the enhanced separation performance and stability of nanofiltration membrane. **2022**, 120681 0
- 476 Indirect charring of carbon by aqueous redox mediators contributes to the enhanced desalination performance in flow-electrode CDI. **2022**, 220, 118688 0

475	Spatially dependent salinity effect in actively vacuumed spray flash desalination. 2022 , 537, 115868	1
474	Anion-kinetics-selective graphene anode and cation-energy-selective MXene cathode for high-performance capacitive deionization. 2022 , 50, 395-406	3
473	Asymmetric superwetting Janus structure for fouling- and scaling-resistant membrane distillation. 2022 , 657, 120697	1
472	Rapid and selective oxidation of refractory sulfur-containing micropollutants in water using Fe-TAML/H ₂ O ₂ . 2022 , 315, 121535	0
471	Strategies to improve electrocatalytic performance of MoS ₂ -based catalysts for hydrogen evolution reactions. 2022 , 12, 17959-17983	2
470	Enhanced Capacitive Deionization Properties of Activated Carbon Doped with Carbon Nanotube-Bridged Molybdenum Disulfide.	
469	High-Yielding and Stable Desalination Via Photothermal Membrane Distillation with Free-Flow Evaporation Channel.	
468	Comparative performance and ecotoxicity assessment of Y ₂ (CO ₃) ₃ , ZnO/TiO ₂ , and Fe ₃ O ₄ nanoparticles for arsenic removal from water.	
467	Utilization of a mixed matrix membrane modified by novel dendritic fibrous nanosilica (KCC-1-NH-CS ₂) toward water purification. 2022 , 12, 17514-17526	1
466	Separation mechanism, selectivity enhancement strategies and advanced materials for mono-/multivalent ion-selective nanofiltration membrane. 2022 , 2, 100032	3
465	Microstructure and Separation Performance of Mixed-Matrix Reverse Osmosis Membranes Filled with Cellulose Nanofibers-Hybridized Ti ₃ C ₂ T _x .	
464	Graphene-reinforced polymeric membranes for water desalination and gas separation/barrier applications. 2022 , 133-165	0
463	A Scoop Net Equipped with an Underwater Anti-Oil-Fouling Filter for Fast Cleanup of Low-Sulfur Fuel at Low Temperature.	
462	Permeability of Polymer Membranes beyond Linear Response.	1
461	In Situ Chemical Modification with Zwitterionic Copolymers of Nanofiltration Membranes: Cure for the Trade-Off between Filtration and Antifouling Performance.	0
460	Facile preparation of chitosan-modified magnetic metal-organic framework and its adsorption of Congo red and antibacterial activity. 2022 , 112042	1
459	Development of nitric acid-modified activated carbon electrode for removal of Co ²⁺ /Mn ²⁺ /Ni ²⁺ by electrosorption.	0
458	Mechanistic insights into Ca-alginate gel-associated membrane fouling affected by ethylene diamine tetraacetic acid (EDTA). 2022 , 156912	2

457	Fabrication of superhydrophobic stainless-steel mesh for oil-water separation by jet electrodeposition. 2022 , 129434	0
456	Influence of Magnetic Water on Concrete Properties with Different Magnetic Field Exposure Times. 2022 , 15, 4291	2
455	Fe-Mn Bimetallic Oxide-Enabled Facile Cleaning of Microfiltration Ceramic Membranes for Effluent Organic Matter Fouling Mitigation via Activation of Oxone.	0
454	Electroconvective instability and shocks in complex geometries. 2022 , 101604	
453	Effect of controlled aeration on COD and nitrogen removal in aerated constructed wetlands used for effluent polishing. 2022 , 10, 108043	0
452	A comprehensive review on membranes in microbial desalination cells; processes, utilization, and challenges.	0
451	Binary/Ternary MOF Nanocomposites for Multi-Environment Indoor Atmospheric Water Harvesting. 2203093	1
450	Gibbsian interpretation of Langmuir, Freundlich and Temkin isotherms for adsorption in solution. 1-15	0
449	Amyloid-based carbon aerogels for water purification. 2022 , 137703	1
448	Regulation pore size distribution for facilitating malachite green removal on carbon foam. 2022 , 113715	1
447	Antifouling Conductive Composite Membrane with Reversible Wettability for Wastewater Treatment. 2022 , 12, 626	1
446	In Situ Electron Microscopy Study of the Dynamics of Liquid Flow in Confined Cells.	
445	Selective absorber and emitter boost water evaporation and condensation toward water collection. 2022 , 101072	2
444	Potentiometric Sensor for the Ion Speciation in the Industrial Waters. 2023 , 41-50	
443	Treatment of contaminants by a cathode/FeIII/peroxydisulfate process: Formation of suspended solid organic-polymers. 2022 , 221, 118769	0
442	Transport behavior of water and ions through positively charged nanopores. 2022 , 360, 119546	0
441	Performance-guaranteed adaptive self-healing control for wastewater treatment processes. 2022 , 116, 147-158	1
440	Ultrafiltration membrane fouling control by two-stage coagulant dosing with moderate pH adjustment. 2022 , 537, 115893	1

439	New graphitic carbon nitride-based composite membranes: Fast water transport through the synergistic effect of tannic acid and tris(hydroxymethyl) aminomethane. 2022 , 658, 120736	0
438	Advances in fermentative production, purification, characterization and applications of gellan gum. 2022 , 359, 127498	1
437	Photo-assisted (waste)water treatment technologies [A scientometric-based critical review. 2022 , 538, 115905	1
436	Highly permeable composite nanofiltration membrane via β -cyclodextrin modulation for multiple applications. 2022 , 297, 121541	0
435	High performance polyamide TFC reverse osmosis membrane fabricated on co-deposition hydrophilic modified polyethylene substrate. 2022 , 538, 115909	0
434	Mechanism of Fe^{II} micro-electrolysis substrate to improve the performance of CW-MFC with different factors: Insights of microbes and metabolic function. 2022 , 304, 135410	0
433	Highly efficient and rapid purification of organic dye wastewater using lignin-derived hierarchical porous carbon. 2022 , 625, 158-168	3
432	Anion extractants constructed by macrocycle-based anion recognition.	2
431	Confinement of Nitrogen-Doped Porous Carbon between Graphene Layers as a Bifunctional Electrode for Zinc-Air Battery-Driven Capacitive Deionization.	
430	Behavior of Biopolymers in Integrated Membrane System for Reclamation of Municipal Wastewater Effluent. 2022 , 45, 159-169	
429	Plant Stratum Corneum Inspired Hydrogel Coating Modified Palm Skin for Self-Cleaning and Efficient Gravity-Driven Oil/Water Separation.	
428	Microbial ecology of biofiltration used for producing safe drinking water.	
427	Spatial assessment of tap-water safety in China.	0
426	Preparation of the hydrophilic coating layer on polypropylene microporous membrane surface by dip-coating the hydrophilic agent.	0
425	Donnan Dialysis Desalination with a Thermally Recoverable Solute.	
424	Microporous polymer adsorptive membranes with high processing capacity for molecular separation. 2022 , 13,	1
423	Electrochemical investigation of carbon paper/ZnO nanocomposite electrodes for capacitive anion capturing. 2022 , 12,	0
422	Sustainable, Biocompatible, and Mass-Produced Superwetting Water Caltrop Shell Biochars for Emulsion Separations. 2022 , 129567	

- 421 Facile preparation of CuMOF-modified multifunctional nanofiber membrane for high-efficient filtration/separation in complex environments. **2022**, 129656 0
- 420 Coupling solar-driven interfacial evaporation with forward osmosis for continuous water treatment. **2022**0054 1
- 419 Review Understanding and Controlling Charge Functions in Materials for Electrochemically Mediated Water Treatment. 0
- 418 Randomly Textured Absorber for Omnidirectional Light Absorption. **2200778** 2
- 417 Cobalt (II)-catalyzed oxidation of 2-aryl benzoic acids to access biaryl lactones. 0
- 416 Mathematical modeling and analysis of thermodynamic performance parameters of tubular solar still. **2022**, 44, 6129-6152 0
- 415 Ultrafast Interfacial Self-Assembly toward Supramolecular Metal-Organic Films for Water Desalination. **2201624** 1
- 414 Visible-Light-Driven Zr-MOF/BiOBr Heterojunction for the Efficient Synchronous Removal of Hexavalent Chromium and Rhodamine B from Wastewater. 0
- 413 Fabrication of polypyrrole coated superhydrophobic surfaces for effective oil/water separation. **2022**, 19, 4337-4349 0
- 412 Nanofibrous Kevlar Hydrogel Ultrafiltration Membrane with High Acid Resistance and Antifouling Properties for Wastewater Treatment. 0
- 411 Preparation of Complex Ratio-Dependent Nanomaterials from Polymerizable Hydrogen-Bonded Liquid Crystal. **2200132** 0
- 410 Nature-inspired pyramid-shaped 3-dimensional structure for cost-effective heat-localized solar evaporation with high efficiency and salt localization. **2022**, 215, 118950 0
- 409 Development of dual functional methodology for seawater desalination and salt manufacture by carbon dioxide hydrate formation. **2022**, 539, 115937 1
- 408 Comparison of disinfection-residual-bacteria (DRB) after seven different kinds of disinfection: Biofilm formation, membrane fouling and mechanisms. **2022**, 844, 157079 0
- 407 Laminar membranes assembled by ultrathin cobalt-copper oxide nanosheets for nanoconfined catalytic degradation of contaminants. **2022**, 449, 137811 0
- 406 Confinement of nitrogen-doped porous carbon between graphene layers as a bifunctional electrode for zinc-air battery-driven capacitive deionization. **2022**, 450, 138126 2
- 405 Fabrication of anti-fouling polyamide nanofiltration membrane by incorporating streptomycin as a novel co-monomer. **2022**, 0
- 404 Morphology-Controlled Synthesis of a Novel Cu₂ZnS₄ Nanocomposite for Pollutant Removal by Synergistic Effect of Adsorption and Photocatalysis. **2022**, 7, 0

- 403 Divergent accumulation of membrane biofouling by slight elevation of nitrogen and phosphorus in drinking water treatment: Performances and mechanisms. **2022**, 118898
- 402 Turning Dielectric MoO₃ Nanospheres from White to Black through Doping for Efficient Solar Seawater Desalination. 1584-1592 2
- 401 Micelle-mediated assembly of metals in Ag@MnO_x/m-SiO₂ for reinforced antimicrobial activity and photothermal water evaporation. **2022**, 166489 0
- 400 One-step preparation of omniphobic membrane with concurrent anti-scaling and anti-wetting properties for membrane distillation. **2022**, 660, 120846 1
- 399 In-Situ Assembly of Polyelectrolyte Via Surface Segregation of Titanium Oxide for Antifouling Membranes.
- 398 Electrospun Membrane with Ultrafine Fibers for Oil/Water Separation Application. **2022**, 366-380
- 397 Textile Wastewater Management by Ionizing Technology. **2022**, 150-179
- 396 Kanchan Arsenic Filters for Household Water Treatment: Unsuitable or Unsustainable?. **2022**, 14, 2318 1
- 395 Cell Membrane Mimetic Coating for Excellent Antifouling, Antibacterial Corrosion, and Self-Cleaning Separation of Massive Oil/Water Mixtures. 2201081 0
- 394 Correlation between cyclic topology and shape memory properties of an amine-based thermoset shape memory polymer: A coarse-grained molecular dynamics study. 1
- 393 Theory of Bipolar Connections in Capacitive Deionization and Principles of Structural Design. **2022**, 141066 1
- 392 Rechargeable nanofibrillated cellulose aerogel with excellent biocidal properties for efficient oil/water separation. **2022**, 121955 0
- 391 Positively Charged Poly(Piperazinamide) Nanofiltration Membranes for the Fast Removal of Metal Ions. 2201206 1
- 390 Hybrid Alkali Salt/Acid Electrochemical Device for Electricity-Efficient Desalination and H₂ Generation. **2022**, 10, 10781-10788 0
- 389 CuCo and sulfur doped carbon nitride composite as an effective Fenton-like catalyst in a wide pH range. 10,
- 388 Pulsed hydraulic-pressure-responsive self-cleaning membrane. **2022**, 608, 69-73 3
- 387 Enhanced photocatalytic property of visible light responsive cotton fabric functionalized by NiCrFe layered double hydroxide for rapid sterilization and degradation. **2022**, 154628
- 386 A Multiscale Porous 3D-Fabric Evaporator with Vertically Aligned Yarns Enables Ultra-Efficient and Continuous Water Desalination. 2205790 0

- 385 Leaf-structure-inspired photothermal evaporator for versatile oily wastewater purification. **2022**, 101020
- 384 Cost effective synthesis of $Cu_xBi_{2-x}Se_3$ photocatalysts by sol-gel method and their enhanced photodegradation and antibacterial activities. **2022**,
- 383 Preparation of Al_2O_3 Multichannel Cylindrical-Tube-Type Microfiltration Membrane with Surface Modification. **2022**, 12, 7993 1
- 382 Graphene Infrared Radiation Management Targeting Photothermal Conversion for Electric-Energy-Free Crude Oil Collection. 3
- 381 2D Nano-Mica Sheets Assembled Membranes for High-Efficiency Oil/Water Separation. **2022**, 12, 2895
- 380 Prospects for Simultaneously Capturing Carbon Dioxide and Harvesting Water from Air. 2204277 3
- 379 Purifying water with silver nanoparticles (AgNPs)-incorporated membranes: Recent advancements and critical challenges. **2022**, 222, 118901 2
- 378 Preparation and characterization of PVA-g-GO / PVA / PAN composite membrane for pervaporation desalination.
- 377 Treatment of Wastewater from a Grass Carp Pond with Multiple-Batch Forward Osmosis by Using Sucrose as a Draw Solution. **2022**, 14, 10329
- 376 Drinking Water Supply in Rural Africa Based on a Mini-Grid Energy System: A Socio-Economic Case Study for Rural Development. **2022**, 14, 9458 0
- 375 Heat recovery capacity and water desalination performance of passive solar vacuum tube distiller. **2022**, 244, 155-167 0
- 374 Surface modification of rGO with PEG for the improvement of water/salt selectivity of CTA/rGO nanocomposites for desalination membrane applications. **2022**, 256, 125228
- 373 Modeling and predicting of water production by capacitive deionization method using artificial neural networks. **2022**, 540, 115992 1
- 372 Regulation of bioinspired ion diodes: From fundamental study to blue energy harvesting. **2022**, 46, 101593 1
- 371 Recent advances in membrane filtration for heavy metal removal from wastewater: A mini review. **2022**, 49, 103023 8
- 370 Cavitating substrates to boost water permeance of reverse osmosis membranes. **2022**, 299, 121810 0
- 369 Covalent organic frameworks (COFs)-derived nitrogen-doped carbon/reduced graphene oxide nanocomposite as electrodes materials for supercapacitors. **2022**, 55, 105375 1
- 368 Porous graphene oxide surface-coated thin-film composite membrane for simultaneously increasing permeation performance and organic-fouling migration capacities. **2022**, 661, 120942 1

- 367 Fabrication of hydroxyapatite porous body with connective pores using the self-networking property of rice starch powder by heat treatment. **2022**, 326, 132939
- 366 In-situ assembled amino-quinone network of nanofiltration membrane for simultaneously enhanced trace organic contaminants separation and antifouling properties. **2022**, 661, 120891 ○
- 365 Tuning the surface functionality of polyamide films via termination reaction in molecular layer-by-layer deposition. **2022**, 661, 120855 ○
- 364 Review on 2D MXene and graphene electrodes in capacitive deionization. **2022**, 28, 102858 ○
- 363 Microgels based on 0D-3D carbon materials: Synthetic techniques, properties, applications, and challenges. **2022**, 307, 135981 ○
- 362 Superwetting photothermal membranes enabled by polyphenol-mediated nanostructured coating with raspberry-like architectures for solar-driven interfacial evaporation. **2022**, 542, 116046 ○
- 361 Coupling photocatalytic water oxidation on decahedron BiVO₄ crystals with catalytic wet peroxide oxidation for removing organic pollutions in wastewater. **2022**, 318, 121858 1
- 360 Phase equilibrium conditions in cyclopentane hydrate forming systems coexisting with sodium chloride aqueous solution under atmospheric pressure and vacuum condition. **2022**, 175, 106886 ○
- 359 A novel strategy for making adsorptive membranes with high-capacity and excellent antifouling performance. **2023**, 451, 138596 2
- 358 Exergetic improvement potential analysis of a new design of concentration based solar distiller. 1-13 ○
- 357 Rural Application of a Low-Pressure Reverse Osmosis Desalination System Powered by Solar Photovoltaic Energy for Mexican Arid Zones. **2022**, 14, 10958 1
- 356 High performance *Juncus effusus* cellulosic adsorbent modified with citric acid and magnetic Fe₃O₄ for dye wastewater. ○
- 355 Distinct impact of substrate hydrophilicity on performance and structure of TFC NF and RO polyamide membranes. **2022**, 662, 120966 1
- 354 Janus mesoporous wood-based membrane for simultaneous oil/water separation, aromatic dyes removal, and seawater desalination. **2022**, 188, 115643 ○
- 353 Impact of golden mussel (*Limnoperna fortunei*) colonization on bacterial communities and potential risk to water quality. **2022**, 144, 109499 ○
- 352 A novel method integrating response surface method with artificial neural network to optimize membrane fabrication for wastewater treatment. **2022**, 376, 134236 1
- 351 Selectivity toward heavier monovalent cations of carbon ultramicropores used for capacitive deionization. **2022**, 542, 116053 ○
- 350 Antibacterial waterborne polyacrylate coated fabric with underwater superoleophobicity and underoil superhydrophobicity for continuous oil/water separation. **2022**, 173, 107149 ○

- 349 Application of lignin adsorbent in wastewater Treatment: A review. **2022**, 302, 122116 2
- 348 High-yielding and stable desalination via photothermal membrane distillation with free-flow evaporation channel. **2022**, 543, 116103 0
- 347 Water disinfection by the UVA/electro-Fenton process under near neutral conditions: Performance and mechanisms. **2022**, 308, 136488 0
- 346 Adsorbent-to-photocatalyst: Recycling heavy metal cadmium by natural clay mineral for visible-light-driven photocatalytic antibacterial. **2023**, 629, 1055-1065 0
- 345 Photoreforming lignocellulosic biomass for hydrogen production: Optimized design of photocatalyst and photocatalytic system. **2023**, 452, 138980 2
- 344 Effects of Water Pollution on Biodiversity Along the Coastal Regions. **2022**, 345-367 0
- 343 Conductive nanofiltration membrane with a hydrogel coated stainless steel mesh support for electrically enhanced fouling mitigation potential. 0
- 342 Nanocomposite membranes for wastewater treatment via membrane distillation. **2022**, 279-309 0
- 341 Disinfection of water by using laser radiation. **2022**, 111, 766-769 0
- 340 Research progress of modified natural zeolites for removal of typical anions in water. **2022**, 8, 2170-2189 0
- 339 Use of bio-electrochemical system for industry effluents and resource recovery. **2022**, 109-130 0
- 338 Effect of Laser Parameters on Laser-Induced Graphene Filter Fabrication and its Performance for Desalination and Water Purification. 0
- 337 A multichannel photothermal rod for antigravity water transportation and high-flux solar steam generation. **2022**, 10, 18116-18125 0
- 336 Janus Membrane with Tailored Upper and Lower Surface Charges for Ion Penetration Manipulation in High-Performance Nanofiltrations. 0
- 335 The Basis for Contextual Engineering. **2022**, 1-26 0
- 334 Structures and Performance of Alcohol Activated Thin Film Composite Polyamide (Tfc-Pa) Nanofiltration (Nf) Membranes Prepared with and Without Co(Ii) Modulation. 0
- 333 Role of membrane filtration in modular drinking water treatment system. **2022**, 267-279 0
- 332 Laser-treated wood for high-efficiency solar thermal steam generation. **2022**, 12, 24861-24867 0

- 331 Comparison of water desalination performance of porous graphene and MoS₂ nanosheets. **2022**, 12, 27641-27647 0
- 330 A highly chlorine-oxidation and fouling resistant thin film nanocomposite membrane enhanced by few-layered graphitic carbon nitride nanosheets. **2022**, 8, 1976-1991 0
- 329 A Scoop Net Equipped with an Underwater Anti-Oil-Fouling Filter for Fast Cleanup of Low-Sulfur Fuel at Low Temperature. 0
- 328 Selective and rapid water transportation across a self-assembled peptide-diol channel via the formation of a dual water array. **2022**, 13, 9614-9623 0
- 327 Biofouling Control in Water Filtration Systems. **2022**, 521-551 0
- 326 3D macroporous CUPC/g-C₃N₄ heterostructured composites for highly efficient multifunctional solar evaporation. **2022**, 14, 13731-13739 0
- 325 Metal oxide nanocomposites in water and wastewater treatment. **2022**, 479-522 0
- 324 MgIn₂S₄@In₂O₃ hierarchical tubular heterostructures with expedited photocarrier separation for efficient visible-light-driven antimicrobial activity. **2023**, 452, 139559 0
- 323 Reduced graphene oxide/Ag nanoparticle aerogel for efficient solar water evaporation. **2023**, 930, 167404 1
- 322 Water Cleaning Adsorptive Membranes for Efficient Removal of Heavy Metals and Metalloids. **2022**, 14, 2718 2
- 321 Kinetic investigation of CO₂ & N₂ clathrate hydrate formation using Cyclopentane: Application in Desalination. 0
- 320 Sieving in order. **2022**, 21, 1106-1107 0
- 319 Integration of Membrane Bioreactors with Reverse Osmosis and Membrane Distillation Units for Wastewater Treatment: Recent Developments and Future Perspectives. 1-13 0
- 318 Recent Progress in Electrospun Nanofibers for the Membrane Distillation of Hypersaline Wastewaters. 0
- 317 Structural and charge transfer properties of ion intercalated 2D and bulk ice. 0
- 316 Roles of Anion-Cation Coupling Transport and Dehydration-Induced Ion-Membrane Interaction in Precise Separation of Ions by Nanofiltration Membranes. **2022**, 56, 14069-14079 3
- 315 Hybrid Star-Shaped Block Copolymers for Fabricating Fouling-Resistant Membranes. 0
- 314 Synthesis and Polyelectrolyte Functionalization of Hollow Fiber Membranes Formed by Solvent Transfer Induced Phase Separation. **2022**, 14, 43195-43206 0

313	A review on nature-inspired gating membranes: from concept to design and applications.	2
312	Minireview on Solar Desalination and Hydropower Generation by Water Evaporation: Recent Challenges and Perspectives in Materials Science. 2022 , 36, 11443-11456	1
311	Effectiveness Assessment of the Electrophysical and Acoustic Methods of Water Purification and Wastewater Treatment in the Food Industry. 2022 , 7, 65-82	0
310	Calcium Soft Sensor Based on the Combination of Support Vector Regression and 1-D Digital Filter for Water Quality Monitoring.	2
309	The Efficiency of Green Technology Innovation and Its Influencing Factors in Wastewater Treatment Companies. 2022 , 9, 263	1
308	Deviation from Darcy Law in Porous Media Due to Reverse Osmosis: Pore-Scale Approach. 2022 , 15, 6656	0
307	Catalytic membrane electrode with Co ₃ O ₄ nanoarrays for simultaneous recovery of water and generation of hydrogen from wastewater.	1
306	Surfactants: combating the fate, impact, and aftermath of their release in the environment.	0
305	Janus Carbon Nanotube@poly(butylene adipate-co-terephthalate) Fabric for Stable and Efficient Solar-Driven Interfacial Evaporation.	0
304	Nanofiltration Membranes with Crumpled Polyamide Films: A Critical Review on Mechanisms, Performances, and Environmental Applications. 2022 , 56, 12811-12827	3
303	Non-Covalent Bond-Regulated Solar Evaporation Modulator: Facilitative Hydration Domains Originated via a Homogeneous Polymeric Network.	0
302	Silicon Carbide Catalytic Ceramic Membranes with Nano-Wire Structure for Enhanced Anti-fouling Performance. 2022 , 119209	1
301	A passive-active combined strategy for ultrafiltration membrane fouling control in continuous oily wastewater purification. 2022 , 119219	1
300	Enhanced capacitive deionization properties of activated carbon doped with carbon nanotube-bridged molybdenum disulfide. 2022 , 136740	0
299	Innermost Ion Association Configuration Is a Key Structural Descriptor of Ionic Liquids at Electrified Interfaces. 9464-9472	0
298	Development of a novel poly-pseudorotaxane poly (m-phenylene isophthalamide) membrane with a biomimetic surface for effective oil-in-water emulsion separation. 2022 , 49, 103154	0
297	One-step rapid co-deposition of oxidant induced mussel-polyphenol coating on PVDF substrate for separating oily water. 2022 , 122304	0
296	One-step preparation of efficient SiO ₂ /PVDF membrane by sol-gel strategy for oil/water separation under harsh environments. 2022 , 260, 125402	0

295	Constructing A Janus membrane with extremely asymmetric wettability for water unidirectional permeation and switchable emulsion separation. 2022 , 303, 122254	1
294	Recent advancements in engineered biopolymeric-nanohybrids: A greener approach for adsorptive-remediation of noxious metals from aqueous matrices. 2022 , 215, 114398	0
293	pH-regulated interfacially polymerized nanofiltration membranes to achieve high separation of NOM and moderate desalination for purifying ground water. 2022 , 544, 116148	0
292	Synthesis of Ag-nanoparticles and their application in treatment of waste water. 2022 ,	0
291	Metal chalcogenide materials: Synthesis, structure and properties. 2022 ,	0
290	Highly efficient sorption and luminescence sensing of oxoanionic species by 8-connected alkyl-amino functionalized Zr ⁴⁺ MOFs.	0
289	A Critical Review on Economical and Sustainable Solutions for Wastewater Treatment Using Constructed Wetland. 2022 , 32, 260-284	0
288	Prospects of Polymeric Nanocomposite Membranes for Water Purification and Scalability and their Health and Environmental Impacts: A Review. 2022 , 12, 3637	2
287	Piezo-Catalytic Techniques in Environmental Remediation.	0
286	Fabrication of a Ternary Nanocomposite g-C ₃ N ₄ /Cu@CdS with Superior Charge Separation for Removal of Organic Pollutants and Bacterial Disinfection from Wastewater under Sunlight Illumination. 2022 , 10, 657	2
285	Post-synthetic modification of MOFs to enhance interfacial compatibility and selectivity of thin-film nanocomposite (TFN) membranes for water purification. 2022 , 121133	0
284	Nanostructured iron oxide thin films deposited by RF sputtering as catalysts for the heterogeneous solar photo-Fenton reaction. 2022 , 111646	0
283	Real-time and in situ monitoring of evaporation rate and salt precipitation during interfacial solar evaporation. 2022 , 107961	0
282	Ion Exchange Conversion of Na-Birnessite to Mg-Buserite for Enhanced and Preferential Cu ²⁺ Removal via Hybrid Capacitive Deionization. 2022 , 14, 46646-46656	0
281	PdRh Alloyed Nanoparticles on Zeolite Imidazolid Framework-67 for Methyl Orange Degradation.	0
280	Fully Lignocellulosic Biomass-Based Double-Layered Porous Hydrogel for Efficient Solar Steam Generation. 2209262	4
279	Piezoelectric Polyvinylidene Fluoride Membranes with Self-Powered and Electrified Antifouling Performance in Pressure-Driven Ultrafiltration Processes.	1
278	Iodide Removal by Resorcinol-Formaldehyde Carbon Aerogels. 2022 , 15, 6885	0

- 277 New insights into the cleaning mechanisms of conductive membrane by NaClO and electric field in terms of protein and polysaccharide degradation. **2022**, 139891 ○
- 276 Fabrication of a Highly Efficient Wood-Based Solar Interfacial Evaporator with Self-Desalting and Sterilization Performance. **2022**, 38, 12813-12821 ○
- 275 Iron Oxyhydroxide-Covalent Organic Framework Nanocomposite for Efficient As(III) Removal in Water. ○
- 274 Sulfonated Pentablock Copolymer Coating of Polypropylene Filters for Dye and Metal Ions Effective Removal by Integrated Adsorption and Filtration Process. **2022**, 23, 11777 ○
- 273 Robust nanoporous Cu/TiO₂ ceramic filter membrane with promoted bactericidal function. ○
- 272 Carbon Nanostructures, Nanomaterials and Energy Storage: A Critical Overview and the Visionary Future. **2023**, 35-53 ○
- 271 Biobased Materials and the Vast Domain of Environmental Pollution Control: A Critical Overview. **2023**, 121-135 ○
- 270 Microporous membranes for ultrafast and energy-efficient removal of antibiotics through polyphenol-mediated nanointerfaces. **2022**, ○
- 269 Engineered Wood with Hierarchically Tunable Microchannels toward Efficient Solar Vapor Generation. **2022**, 38, 12773-12784 1
- 268 Numerical and Experimental Performance Evaluation of a Photovoltaic Thermal Integrated Membrane Desalination System. **2022**, 15, 7417 ○
- 267 Piezo-Catalytic Techniques in Environmental Remediation. ○
- 266 High Li-Ion Selectivity of Five-Coordinate Layered Titanate K₂Ti₂O₅. **2022**, 38, 13288-13295 ○
- 265 Partial reduction of graphene oxide toward the facile fabrication of desalination membrane. ○
- 264 A Simple and Efficient Solar Interfacial Evaporation Device Based on Carbonized Cattail and Agarose Hydrogel for Water Evaporation and Purification. **2022**, 12, 1076 ○
- 263 Bio-Derived Photothermal Materials and Evaporators for Sustainable Solar Energy-Driven Water Process. **2022**, 38, 13187-13194 1
- 262 Inhibition of membrane biofouling by grafting quorum sensing inhibitors onto ultrafiltration membranes. **2022**, 8, 100182 ○
- 261 Fast removal of phenolic compounds from water using hierarchical porous carbon nanofibers membrane. **2022**, 463624 1
- 260 Recent Development of Multifunctional Nanocomposites Based on Bacterial Nanocellulose. **2023**, 75-105 ○

259	Easily separated and sustainable cellulose-based adsorbent using a facile two-steps modification for highly efficient methylene blue removal.	0
258	3D-printed solar evaporator with seashell ornamentation-inspired structure for zero liquid discharge desalination. 2022 , 226, 119279	1
257	A Highly Efficient Polystyrene-Based Cationic Resin to Reduce Bacterial Contaminations in Water. 2022 , 14, 4690	2
256	Biodegradable Chitosan-Based Membranes for Highly Effective Separation of Emulsified Oil/Water.	0
255	CFD simulation and optimization of an energy-efficient direct contact membrane distillation (DCMD) desalination system. 2022 , 188, 655-667	1
254	Facile self-assembly-based fabrication of a polyvinylidene fluoride nanofiber membrane with immobilized titanium dioxide nanoparticles for dye wastewater treatment. 2022 , 378, 134506	1
253	A scoop net equipped with an underwater anti-oil-fouling filter for fast cleanup of low-sulfur fuel at low temperature. 2022 , 10, 108826	0
252	Mitigation of protein fouling by magnesium ions and the related mechanisms in ultrafiltration process. 2023 , 310, 136817	0
251	Coupled adsorption and photocatalysis of g-C ₃ N ₄ based composites: Material synthesis, mechanism, and environmental applications. 2023 , 453, 139755	4
250	A new method for tailoring the surface pore size and internal pore structure of ultrafiltration membranes without using additivesAtomization-assisted nonsolvent induced phase separation method. 2023 , 304, 122334	0
249	Progress reports of mineralized membranes: Engineering strategies and multifunctional applications. 2023 , 304, 122379	5
248	Enhanced dew harvest with porous wind covers. 2023 , 250, 112099	0
247	In-situ silver recovery for biofouling mitigation with catechol-assisted nanofiltration membrane. 2023 , 547, 116233	0
246	Facet-induced charge transfer and photocatalytic performance of an S-scheme hybrid heterojunction composed of porous g-C ₃ N ₄ nanosheets and WO ₃ nanorods with exposed high-energy (0 0 1) facets. 2023 , 610, 155569	0
245	Recent Advances in Capacitive Deionization: Research Progress and Application Prospects. 2022 , 14, 14429	1
244	Mechanically Robust and Flexible GO/PI Hybrid Aerogels as Highly Efficient Oil Absorbents. 2022 , 14, 4903	1
243	Tannic acid/ethylenediamine/succinic acid graft modified PVDF anti-pollution membrane and its application in the field of organic pollutant separation.	0
242	Janus membrane with tailored upper and lower surface charges for ion penetration manipulation in high-performance nanofiltration. 2022 , 121191	0

241	Recent Advances in Plasmonic Chemically Modified Bioactive Membrane Applications for the Removal of Water Pollution. 2022 , 14, 3616	0
240	Superelastic 3D Assembled Clay/Graphene Aerogels for Continuous Solar Desalination and Oil/Organic Solvent Absorption. 2205202	3
239	Degradation of phenolic pollutants by persulfate-based advanced oxidation processes: metal and carbon-based catalysis. 2022 ,	0
238	Hofmeister Effect-Enhanced Hydration Chemistry of Hydrogel for High-Efficiency Solar-Driven Interfacial Desalination. 2207262	1
237	Antifouling Performance of a Membrane Modified by Phase-Transited Bovine Serum Albumin.	0
236	Energy Barriers for Steroid Hormone Transport in Nanofiltration.	0
235	Theoretical Pathway toward Improved Reverse Osmosis Membrane Selectivity for Neutral Solutes: Inspiration from Gas Separations. 2022 , 126, 19496-19506	0
234	Hierarchical optofluidic microreactor for water purification using an array of TiO ₂ nanostructures. 2022 , 5,	0
233	Polyvinyl alcohol formaldehyde three-dimensional composite sponges with hierarchical pore structure for W/O emulsion separation. 2022 , 155754	0
232	High-gravity-assisted controlled synthesis of lanthanum carbonate for highly-efficient adsorption of phosphate. 2022 , 122696	0
231	Polymeric Microcapsules as Robust Mimics of Emulsion Liquid Membranes for Selective Ion Separations.	0
230	Passive freezing desalination driven by radiative cooling. 2022 ,	0
229	Carbon Nanotubes for Environmental Remediation Applications. 2022 , 1845-1873	0
228	Stearic acid modified Co ²⁺ -doped ZnO: The construction of micro-nano structure for its superhydrophobic performance and visible-light photocatalytic degradation of methylene blue. 2023 , 382, 135391	1
227	Emulsifier-modulated covalent organic frameworks for photocatalytic degradation of organic dyes.	0
226	Zero emissions, low-energy water production system using clathrate hydrate: Engineering design and techno-economic assessment. 2023 , 383, 135425	0
225	Hydrophobic porous polymer containing isoxazoline and siloxane groups for 2,4,6-trinitrotoluene (TNT) adsorption via synergistic effect of Lewis acid-base, dipole-π and π-π interactions. 2023 , 602, 122079	0
224	Enhancement of N removal by electrification coupled by Feammox and Fe(II)/Fe(III) cycle in wastewater treatment. 2023 , 177, 105535	0

223	In-situ assembly of polyelectrolyte via surface segregation of titanium oxide for antifouling membranes. 2023 , 306, 122743	0
222	Structures and performance of alcohol activated thin film composite polyamide (TFC-PA) nanofiltration (NF) membranes prepared with and without Co(II) modulation. 2023 , 548, 116242	0
221	Tuning charge density in tethered electrolyte active-layer membranes for enhanced ion-ion selectivity. 2023 , 668, 121214	0
220	Microbial interaction energy and EPS composition influenced ultrafiltration membrane biofouling and the role of UV pretreatment. 2023 , 548, 116304	0
219	Electro-deionization (EDI) technology for enhanced water treatment and desalination: A review. 2023 , 548, 116254	0
218	FDM 3D-printed volcanic-shaped structure for ultrafast solar-driven interfacial evaporation and efficient energy utilization. 2023 , 548, 116275	0
217	The tailoring of nanofiltration membrane structure for mono/divalent anions separation via precisely adjusting the reaction site distance. 2023 , 668, 121252	0
216	Nanocomposite hydrogel engineered hierarchical membranes for efficient oil/water separation and heavy metal removal. 2023 , 668, 121243	5
215	Tailored ultra-low pressure nanofiltration membranes for advanced drinking water treatment. 2023 , 548, 116264	0
214	Highly permeable positively charged nanofiltration membranes with multilayer structures for multiple heavy metal removals. 2023 , 548, 116266	1
213	Direct visual observation of particle deposition in the different zones of MD flow field: Mechanisms of deposition and release. 2023 , 669, 121270	0
212	Three-dimensional structured electrode for electrocatalytic organic wastewater purification: Design, mechanism and role. 2023 , 445, 130524	0
211	Micro-macro-capillaries fabric-based evaporator for eliminating salt accumulation and highly efficient solar steam generation. 2023 , 308, 122852	1
210	Enhancement of reverse osmosis membranes for groundwater purification using cellulose acetate incorporated with ultrathin graphitic carbon nitride nanosheets. 2023 , 19, 100760	0
209	Tunable mass transport in the artificial smart membranes based on two-dimensional materials. 2022 , 2, 100045	0
208	PID Control Design Using AGPSO Technique and Its Application in TITO Reverse Osmosis Desalination Plant. 2022 , 10, 125881-125892	0
207	Development of Hydrophilic Polylactic Acid Hollow-Fiber Membranes for Water Remediation. 2022 , 61, 17479-17487	0
206	Effect of excessive doping of Ti on photocatalytic properties of Ti and Ga co-doped ZnO nanopowders.	0

205	Dyes removal from water using polymeric nanocomposites: a review.	0
204	Formation of Larger Molecular Weight Disinfection Byproducts from Acetaminophen in Chlorine Disinfection. 2022 , 56, 16929-16939	2
203	Charge-transfer-to-solvent states provide a sensitive spectroscopic probe of the local solvent structure around anions.	0
202	A bottom-up method to construct Ru-doped FeP nanosheets on foam iron with ultra-high activity for hydrogen evolution reaction. 2022 ,	0
201	Pickering Emulsion-Templated Nanocomposite Membranes for Excellent Demulsification and Oil/Water Separation. 2022 , 14, 54233-54244	1
200	Fabrication of novel zwitterionic copolymer high performance membrane applied for Oil/Water Mixtures and Emulsions Separation. 2022 , 130878	0
199	Flower-like bentonite-based Co ₃ O ₄ with oxygen vacancies-rich as highly efficient peroxymonosulfate activator for lomefloxacin hydrochloride degradation. 2022 , 140673	0
198	Synergistic Effect of Chitosan and Metal Oxide Additives on Improving the Organic and Biofouling Resistance of Polyethersulfone Ultrafiltration Membranes. 2022 , 7, 46066-46078	1
197	Cellulose-Based Photothermal Microspheres: A Sustainable Solution to Harvesting Freshwater Outdoor.	0
196	Coupling Microbial Fuel Cell and Hydroponic System for Electricity Generation, Organic Removal, and Nutrient Recovery via Plant Production from Wastewater. 2022 , 15, 9211	0
195	Functionalization of graphene nanostructures with inorganic nanoparticles and their use for the removal of pharmaceutical pollutants in water. 4,	0
194	Recent Advances in Stimuli-Responsive Smart Membranes for Nanofiltration. 2211983	0
193	Enhancing the Permeability and Fouling Resistance of Thin-Film Composite Forward Osmosis Membranes via Poly(ethylene glycol) Diamine as a Comonomer.	0
192	Porous Materials for Water Purification.	0
191	Facile, green approach for aqueous methylene blue dye adsorption: Coconut vinegar treated Trema orientalis wood biochar.	0
190	Synthesis and Structure of ZnO-Decorated Graphitic Carbon Nitride (g-C ₃ N ₄) with Improved Photocatalytic Activity under Visible Light. 2022 , 10, 249	3
189	Porous Materials for Water Purification.	0
188	Multifunction ZnO/carbon hybrid nanofiber mats for organic dyes treatment via photocatalysis with enhanced solar-driven evaporation. 2022 , 16,	0

- 187 Janus porous membranes with asymmetric wettability and self-floating properties for solar desalination. **2023**, 30, 0
- 186 A Weaving Method to Prepare Double-Layer Janus Fabric for Oil-Water Separation. **2022**, 23, 3624-3637 0
- 185 Microporous organic nanotube assisted design of high performance nanofiltration membranes. **2022**, 13, 0
- 184 Engineering Materials to Enhance Light-to-Heat Conversion for Efficient Solar Water Purification. **2022**, 61, 17783-17800 0
- 183 Modeling Microstructure Formation in Block Copolymer Membranes Using Dynamical Self-Consistent Field Theory. 8-13 0
- 182 Interfacial Wettability Regulation Enables One-Step Upcycling of the End-of-Life Polymeric Microfiltration Membrane. 0
- 181 Removal of heavy metals and dyes from its aqueous solution utilizing metal organic Frameworks (MOFs): Review. **2022**, 1 1
- 180 Enhanced Interfacial Electron Transfer by Asymmetric Cu-Ov-In Sites on In₂O₃ for Efficient Peroxymonosulfate Activation. 0
- 179 Adsorption of Methylene Blue Dye from aqueous solution using low cost adsorbent: Kinetic, Isotherm Adsorption and Thermodynamic Studies. 0
- 178 Facile Synthesis and Fabrication of NIPAM-Based Cryogels for Environmental Remediation. **2023**, 9, 64 3
- 177 Synergetic Pseudocapacitive Sodium Capture for Efficient Saline Water Desalination by Iron Oxide Hydroxide-Decorated Palladium Nanoparticle Anchored 3D Flowerlike Molybdenum Sulfide. **2023**, 141508 0
- 176 A novel post coordination modulation method to synthesize N/S functionalized ZIF-8 for removal of trace heavy metals from drinking water. **2023**, 156405 0
- 175 Recent Advancements in the Recovery and Reuse of Organic Solvents Using Novel Nanomaterial-Based Membranes for Renewable Energy Applications. **2023**, 13, 108 1
- 174 A Perspective Review on Microbial Fuel Cells in Treatment and Product Recovery from Wastewater. **2023**, 15, 316 1
- 173 Synthesis and Catalytic Study of NiAg Bimetallic CoreShell Nanoparticles. **2023**, 16, 659 0
- 172 Fabrication of Epitaxially Grown Mg₂Al-LDH-Modified Nanofiber Membranes for Efficient and Sustainable Separation of Water-in-Oil Emulsion. 0
- 171 High-performance nanofiltration membranes with a polyamide-polyester composite layer and a polydopamine surface layer for desalination and dye pollutant removal. **2023**, 125720 0
- 170 Ohmic charging in capacitive deionization: Efficient water desalination using capacitive spacers. 0

- 169 Application of natural zeolite clinoptilolite for the removal of ammonia in wastewater. **2023**, ○
- 168 Chitin nanocrystals scaffold by directional freezing for high-efficiency water purification. **2023**, 123177 ○
- 167 Enhanced Interfacial Electron Transfer by Asymmetric Cu-Ov-In Sites on In₂O₃ for Efficient Peroxymonosulfate Activation. ○
- 166 Classical Quantum Friction at Water-Carbon Interfaces. 1
- 165 Endocrine disruptors concentrations in drinking water samples from Mexico and their health implications. ○
- 164 A wood-inspired bimodal solar-driven evaporator for highly efficient and durable purification of high-salinity wastewater. ○
- 163 Silicic Acid Removal by Metal-Organic Frameworks for Silica-Scale Mitigation in Reverse Osmosis. **2023**, 13, 78 ○
- 162 Transition metal dichalcogenide-based functional membrane: Synthesis, modification, and water purification applications. **2023**, 6, 59-96 ○
- 161 Magnetic Confinement-Enabled Membrane Reactor for Enhanced Removal of Wide-Spectrum Contaminants in Water: Proof of Concept, Synergistic Decontamination Mechanisms, and Sustained Treatment Performance. **2023**, 119603 ○
- 160 Pd nanoparticle-modified TiO₂-x composites as efficient visible-light active photocatalysts for tetracycline degradation and microbial disinfection. **2023**, 136, 113396 ○
- 159 Metal-organic frameworks for high performance desalination through thickness control and structural fine-tuning. **2023**, 230, 119576 ○
- 158 Recent developments in microplastic contaminated water treatment: Progress and prospects of carbon-based two-dimensional materials for membranes separation. **2023**, 316, 137704 ○
- 157 MOF-derived 3D MnO₂@graphene/CNT and Ag@graphene/CNT hybrid electrode materials for dual-ion selective pseudocapacitive deionization. **2023**, 550, 116369 ○
- 156 Flexible nitrogen-doped carbon nanofiber-reinforced hierarchical hollow iron oxide nanorods as a binder-free electrode for efficient capacitive deionization. **2023**, 549, 116360 ○
- 155 Polyamide nanofilms synthesized by a sequential process of blade coating-spraying-interfacial polymerization toward reverse osmosis. **2023**, 310, 123122 ○
- 154 Ethylenediamine-oxidized sodium alginate hydrogel cross-linked graphene oxide nanofiltration membrane with self-healing property for efficient dye separation. **2023**, 670, 121366 ○
- 153 Low-cost, scalable, and durable coal-based composite aerogel beads solar evaporator for efficient seawater desalination and wastewater purification. **2023**, 550, 116401 ○
- 152 A comprehensive evaluation of PVA enhanced polyamide nanofiltration membranes: Additive versus interlayer. **2023**, 660, 130870 ○

- 151 Superwetting Ti₃C₂TX MXene membranes intercalated with sodium alginate for oil/water separation. **2023**, 5, 100278 ○
- 150 Enhanced formation of 2,6-dichloro-4-nitrophenol during chlorination after UV/chlorine process: Free amino acid versus oligopeptide. **2023**, 310, 123119 ○
- 149 Machine Learning Guided Polyamide Membrane with Exceptional Solute/Solute Selectivity and Permeance. 1
- 148 Environmental monitoring and membrane technologies: a possible marriage?. **2023**, 101-135 ○
- 147 Numerical study of the effect friction coefficient particles on morphological properties of separation membrane surface. ○
- 146 Effect of POSS Size on the Porosity and Adsorption Performance of Hybrid Porous Polymers. ○
- 145 pH-Responsive Carbon Foams with Switchable Wettability Made from Larch Sawdust for Oil Recovery. **2023**, 15, 638 ○
- 144 A Synergistic Approach to Atmospheric Water Scavenging. **2023**, 15, 7353-7358 ○
- 143 Electrodeposition of Ag/ZIF-8-Modified Membrane for Water Remediation. ○
- 142 Possible approaches for water purification in industries. **2023**, ○
- 141 Graphene Nanocomposite Membranes: Fabrication and Water Treatment Applications. **2023**, 13, 145 ○
- 140 New Insights into the Microbial Composition, Construction, and Their Influencing Factors During Drinking Water Treatment. ○
- 139 Molecular Dynamics Simulations of High-Performance, Dissipationless Desalination across Self-Assembled Amyloid Beta Nanotubes. 2205420 ○
- 138 Application of nanotechnology in water and wastewater treatment and the vast vision for the future. **2023**, 157-179 ○
- 137 3d Cross-Linked Capacitive Deionized Electrode Material from Bagasse for Effectively Treating Low Concentration Copper. ○
- 136 Synthesis and Characterization of Nanofiltration Membrane. **2023**, 17-35 ○
- 135 Efficient adsorption of trinitrotoluene by isoxazoline-based porous polymers prepared from room-temperature stable bis(nitrile oxide). ○
- 134 CaIn₂S₄In₂O₃ hybrid nanofibers with expedited photocarrier separation for fast photocatalytic bacterial inactivation under visible light. ○

- 133 ?????????????????MLP?????. **2023**, ○
- 132 Cross-Linked and Doped Graphene Oxide Membranes with Excellent Antifouling Capacity for Rejection of Antibiotics and Salts. ○
- 131 Sustainable Nanotechnology: Preparing Nanomaterials from Benign and Naturally Occurring Reagents. **2014**, 259-287 1
- 130 Graphene oxide enabled self-assembly of silver trimolybdate nanowires into robust membranes for nanosolid capture and molecular separation. **2023**, 15, 6607-6618 ○
- 129 Synthesis and application of graphene-based nanomaterials for microbial fuel cells. **2023**, 357-376 ○
- 128 Modified Whale Optimization Algorithm based ANN: a novel predictive model for RO desalination plant. **2023**, 13, ○
- 127 Enhanced electron density of the π -conjugated structure and in-plane charge transport to boost photocatalytic H₂ evolution of g-C₃N₄. ○
- 126 A 3D Corn-cob-based interfacial solar evaporator enhanced by environment energy with salt-rejecting and anti-corrosion for seawater distillation. **2023**, 252, 39-49 ○
- 125 Additive manufacturing of defect-healing polyamide membranes for fast and robust desalination. **2023**, 671, 121407 ○
- 124 Aquaporin-Based Biomimetic Membranes for Low Energy Water Desalination and Separation Applications. ○
- 123 Interface interaction between silica and organic macromolecule conditioned forward osmosis membranes: Insights into quantitative thermodynamics and dynamics. **2023**, 232, 119721 ○
- 122 Highly permeable and durable mixed-matrix reverse osmosis membranes filled with cellulose nanofibers-hybridized Ti₃C₂T. **2023**, 551, 116412 ○
- 121 Intelligent device composed of two membranes with opposite wettability for identification and purification of both water and oil phases from oil-in-water and water-in-oil emulsions. **2023**, 312, 123406 ○
- 120 Fine pore tailoring of PSf-b-PEG membrane in sub-5 nm via phase-inversion. **2023**, 672, 121427 1
- 119 Scalable and biomimetic anti-oil-fouling photothermal fabric for efficient solar-driven interfacial evaporation. **2023**, 312, 123289 ○
- 118 Creating anti-viral high-touch surfaces using photocatalytic transparent films. **2023**, 323, 138280 ○
- 117 Construction of anti-swelling circuit board-like activated graphene oxide lamellar nanofilms with functionalized heterostructured 2D nanosheets. **2023**, 313, 123431 ○
- 116 Construction of tunable silica molecular brush on the polyamide membrane surface for enhancing water permeability and antifouling performance. **2023**, 554, 116521 ○

- 115 Surface-treated carbon black for durable, efficient, continuous flow electrode capacitive deionization. **2023**, 313, 123444 ○
- 114 Evaluation of secondary effluent organic matter removal by an in-series forward osmosis-ultrafiltration hybrid process using parallel factor analysis with self-organizing maps. **2023**, 464, 142640 ○
- 113 Mechanistic insight into a graphene-like stimulus-responsive desalination membrane from molecular dynamics and first principles. **2023**, 136, 109910 ○
- 112 Modeling nanovoid-enhanced water permeance of thin film composite membranes. **2023**, 675, 121555 ○
- 111 Effect of functionalized nanodiamonds and surfactants mediation on the nanofiltration performance of polyamide thin-film nanocomposite membranes. **2023**, 555, 116540 ○
- 110 The effect of electrode thickness and electrode/electrolyte interface on the capacitive deionization behavior of the Ti3C2Tx MXene electrodes. **2023**, 947, 169701 ○
- 109 Cake layer 3D structure regulation to optimize water channels during Al-based coagulation-ultrafiltration process. **2023**, 236, 119941 ○
- 108 Molecular dynamics study on the structure and antifouling performance of aromatic polyamide membrane with sulfonamide group. **2023**, 35, 105674 ○
- 107 Novel covalently bound organic silicon-ferrum hybrid coagulant with excellent coagulation performance and bacteriostatic ability. **2023**, 315, 123695 ○
- 106 Continuous vapor generation for thermal-desalination applications using a thermosyphon based heat localization strategy. **2023**, 555, 116492 ○
- 105 Quantification of interfacial interaction related with adhesive membrane fouling by genetic algorithm back propagation (GABP) neural network. **2023**, 640, 110-120 ○
- 104 The Fe3O4@UiO-66-NH2/PVDF-co-CTFE mixed matrix membrane with enhanced anti-fouling and self-cleaning performances for effectively removing dyes by Fenton reaction. **2023**, 301, 127657 ○
- 103 Polarity reversal for enhanced in-situ electrochemical synthesis of H2O2 over banana-peel derived biochar cathode for water remediation. **2023**, 453, 142351 ○
- 102 High performance membrane distillation membranes with thermo-responsive self-cleaning capacities. **2023**, 555, 116544 ○
- 101 Mangrove root-inspired evaporator enables high-rate salt-resistant solar desalination. **2023**, 314, 123490 ○
- 100 Hydrogel-regulated interfacial polymerization: A gateway to effective nanostructure tuning of polyamide nanofiltration membranes. **2023**, 556, 116593 ○
- 99 Fenton induced microdefects enable fast water transfer of graphene oxide membrane for efficient water purification. **2023**, 675, 121542 ○
- 98 Nanovortenergie: Bactericidal polymer nanocomposite beads for carcinogenic dye removal from aqueous solution. **2023**, 1284, 135232 ○

- 97 An efficient co-solvent tailoring interfacial polymerization for nanofiltration: enhanced selectivity and mechanism. **2023**, 677, 121615 ○
- 96 The membrane-based desalination: Focus on MOFs and COFs. **2023**, 557, 116598 ○
- 95 Simultaneous removal of natural organic matters and copper (II) with ultrafiltration for drinking water treatment. **2023**, 671, 121408 ○
- 94 Polyamide layer modulation for PA-TFC membranes Optimization: Developments, Mechanisms, and implications. **2023**, 311, 123200 ○
- 93 Hybrid of pyrazine based π -conjugated organic molecule and MXene for hybrid capacitive deionization. **2023**, 315, 123628 ○
- 92 Diffusion of gold nanoparticles in porous silica monoliths determined by dynamic light scattering. **2023**, 641, 251-264 ○
- 91 Interfacial assembling of flexible silica membranes with high chlorine resistance for dye separation. **2023**, 677, 121628 ○
- 90 Hydrophilic-hydrophobic heterogeneous interface enables the formation of a high-performance polyamide membrane for water purification. **2023**, 316, 123752 ○
- 89 Heat rolling as a post-treatment technique to enhance the integrity of electrospun nanofibrous membranes. **2023**, 53, 103693 ○
- 88 Improved quantitative evaluation of the fouling potential in spacer-filled membrane filtration channels through a biofouling index based on the relative pressure drop. **2023**, 671, 121400 ○
- 87 Correlating the role of nanofillers with active layer properties and performance of thin-film nanocomposite membranes. **2023**, 550, 116370 ○
- 86 High-performance self-healing composite ultrafiltration membrane based on multiple molecular dynamic interactions. **2023**, 671, 121395 ○
- 85 Adsorptive removal of arsenic ions from contaminated water using low-cost schwertmannites and akaganites. **2023**, 297, 127411 1
- 84 Membrane Design Criteria and Practical Viability of Pressure-Driven Distillation. **2023**, 57, 2129-2137 ○
- 83 Thermal treated amidoxime modified polymer of intrinsic microporosity (AOPIM-1) membranes for high permselectivity reverse osmosis desalination. **2023**, 551, 116413 ○
- 82 Plant stratum corneum inspired high-strength hydrogel coating modified palm skin by freezing and salting out strategy for efficient gravity-driven oil/water separation. **2023**, 311, 123280 ○
- 81 Hybrid pseudocapacitive sodium titanate/rGO and MXene/rGO nanocomposite electrodes in capacitive deionization. **2023**, 551, 116435 ○
- 80 Tuning the Cation/Anion Adsorption Balance with a Multi-Electrode Capacitive-Deionization Process. **2023**, 170, 023502 ○

- 79 Carbon Dioxide-Mediated Desalination. **2023**, 145, 3499-3506 ○
- 78 Supercomputing and machine learning-aided optimal design of high permeability seawater reverse osmosis membrane systems. **2023**, 68, 397-407 1
- 77 Understanding lead and mercury adsorption by post-synthetically modified linkers in UiO-66 MOF. A computational theoretical study. **2023**, 49, 481-488 ○
- 76 A Novel AGPSO3-based ANN Prediction Approach: Application to the RO Desalination Plant. ○
- 75 Facile synthesis of V2CTx@RGO composite aerogel via hydrothermal reaction and its dye adsorption performance. **2023**, 34, ○
- 74 Rational Design of High-Flux, Eco-Friendly, and Versatile Superhydrophobic/Superoleophilic PDMS@ZIF-7/Cu₃(PO₄)₂ Mesh with Self-Cleaning Property for Oil/Water Mixture and Emulsion Separation. **2023**, 62, 3260-3270 ○
- 73 Analysis of Operational Parameters in Acid and Base Production Using an Electrodialysis with Bipolar Membranes Pilot Plant. **2023**, 13, 200 ○
- 72 Engineered Binding Microenvironments in Halogen Bonding Polymers for Enhanced Anion Sensing. **2023**, 135, ○
- 71 Membrane wettability manipulation via mixed-dimensional heterostructured surface towards highly efficient oil-in-water emulsion separation. **2023**, 672, 121472 ○
- 70 Engineered Binding Microenvironments in Halogen Bonding Polymers for Enhanced Anion Sensing. **2023**, 62, ○
- 69 Effect of Laser Parameters on Laser-Induced Graphene Filter Fabrication and Its Performance for Desalination and Water Purification. **2023**, 15, 7899-7910 ○
- 68 Stop-flow discharge operation aggravates spacer scaling in CDI treating brackish hard water. **2023**, 552, 116422 ○
- 67 Tailoring surface features and pore structure by carbon spiral fibers to construct the high-strength carbon foams for the fast and cyclic photo-thermal oil absorption. **2023**, 150, 190-200 ○
- 66 Feedback-controlled solute transport through chemo-responsive polymer membranes. **2023**, 158, 104903 ○
- 65 Peptide-mediated Aqueous Synthesis of NIR-II Emitting Ag₂S Quantum Dots for Rapid Photocatalytic Bacteria Disinfection. **2023**, 135, ○
- 64 Peptide-mediated Aqueous Synthesis of NIR-II Emitting Ag₂S Quantum Dots for Rapid Photocatalytic Bacteria Disinfection. **2023**, 62, ○
- 63 Nature-Inspired Pyrilyum Cation-Based Vinylene-Linked Two-Dimensional Covalent Organic Framework for Efficient Sunlight-Driven Water Purification. **2023**, 35, 1594-1600 ○
- 62 Membrane Life Cycle Management: An Exciting Opportunity for Advancing the Sustainability Features of Membrane Separations. **2023**, 57, 3013-3020 1

- 61 Bioinspired Redox-Responsive Graphene Oxide Membrane Based on Supramolecular Host-Guest Interaction for Tunable Molecular Separation.
- 60 Single-Atom Fe-N4 Sites for Catalytic Ozonation to Selectively Induce a Nonradical Pathway toward Wastewater Purification. **2023**, 57, 3623-3633
- 59 High-Performance Polyamide Reverse Osmosis Membrane Containing Flexible Aliphatic Ring for Water Purification. **2023**, 15, 944
- 58 A cost-effective DC microgrid system for resilient power supply to grid-connected societies.
- 57 Ion-Transfer Engineering via Janus Hydrogels Enables Ultrahigh Performance and Salt-Resistant Solar Desalination.
- 56 Insight into the synergistic effect of adsorption and photocatalysis for the removal of organic dye pollutants by novel BiFeO₃@GO fibers. **2023**, 34,
- 55 Leaf vein-biomimetic nanofibrous membrane with self-assembled nanonet for surface filtration of water contaminants. **2023**, 10, 1030-1039
- 54 Supramolecular framework membrane for precise sieving of small molecules, nanoparticles and proteins. **2023**, 14,
- 53 High-surface-area functionalized nanolaminated membranes for energy-efficient nanofiltration and desalination in forward osmosis. **2023**, 1, 187-197
- 52 Towards the realisation of high perm-selective MoS₂ membrane for water desalination. **2023**, 6,
- 51 Co-Assembly of Carbon Nanotube Porins into Biomimetic Peptoid Membranes. 2206810
- 50 Easily separated and sustainable cellulose-based adsorbent using a facile two-step modification for highly efficient methylene blue removal.
- 49 Research on Improved MOF Materials Modified by Functional Groups for Purification of Water. **2023**, 28, 2141
- 48 High mechanically enhanced and degradable polybenzoxazine/polyhexahydrotriazine IPN aerogels by atmospheric drying. **2023**, 4, 1671-1677
- 47 Chloride salt of oligourea ligand: Synthesis, crystal structure, thermal analyses, and chloride anion binding properties. **2023**, 151, 110568
- 46 Development of Superpermeable Wood-Based Forward Osmosis Membranes. **2023**, 11, 4155-4167
- 45 Superhydrophilic bacterial cellulose membranes efficiently separate oil-in-water emulsions. **2023**, 58, 5086-5103
- 44 In Situ Visualization of Membrane Fouling Evolution during Ultrafiltration Using Label-Free Hyperspectral Light Sheet Fluorescence Imaging. **2023**, 57, 4533-4542

- 43 A polyelectrolyte hydrogel coated loofah sponge evaporator based on Donnan effect for highly efficient solar-driven desalination. **2023**, 462, 142265 ○
- 42 Enhanced Photothermal Steam Generation and Gold Using the Efficiency of Ultralight Gold Foam with Hierarchical Porosity. **2023**, 39, 4190-4197 ○
- 41 Separation of Oil from an Oil/Water Mixed Drop under a Lamb Wave Field: A Review. **2023**, 10, 187 ○
- 40 Vertical Growth of WO₃ Nanosheets on TiO₂ Nanoribbons as 2D/1D Heterojunction Photocatalysts with Improved Photocatalytic Performance under Visible Light. **2023**, 13, 556 ○
- 39 Fluids and Electrolytes under Confinement in Single-Digit Nanopores. **2023**, 123, 2737-2831 ○
- 38 Chemical Sensors Based on Graphene and 2D Graphene Analogs. 2200057 ○
- 37 Long short-term memory-based modeling and controlling method for wastewater treatment process. 095965182311565 ○
- 36 Preparation and Characterization of PVDF/ TiO₂ Mixed-Matrix Membrane with PVP and PEG as Pore-Forming Agents for BSA Rejection. **2023**, 13, 1023 ○
- 35 Conceptual Design of a Compact Water Purification Unit Using Reed Bed Filtration. **2023**, 10, 194 ○
- 34 *Setaria viridis*-inspired hydrogels with multilevel structures for efficient all-day fresh water harvesting. **2023**, 11, 7702-7710 ○
- 33 Two-dimensional bimetallic cobalt-copper metal organic framework for improved desalination performance of capacitive deionization. **2023**, ○
- 32 Physical Separation: Reuse Pollutants and Thermal Energy from Water. **2023**, 15, 1196 ○
- 31 Hydrogel-based solar-driven interfacial evaporation: current progress and future challenges. **2023**, 100011 ○
- 30 Patterned Hybrid Wettability Surfaces for Fog Harvesting. **2023**, 39, 4642-4650 ○
- 29 Data-Driven Design of High-Performance Graphene-Based Seawater Desalination Membranes. **2023**, 6, 5889-5900 ○
- 28 Electrically Modulated Nanofiltration Membrane Based on an Arch-Bridged Graphene Structure for Multicomponent Molecular Separation. **2023**, 17, 6627-6637 ○
- 27 A Boronate Ester Driven Rechargeable Antibacterial Membrane for Fast Molecular Sieving. 2213471 ○
- 26 Efficient seawater desalination in lamellar nanochannel-based boridene filtration membrane. ○

- 25 Retarding the diffusion rate of piperazine through the interface of aqueous/organic phase: Bis-tris propane tuned the trans-state of ultra-low concentration piperazine. **2023**, 677, 121627 ○
- 24 Synergistic realization of high efficiency solar desalination and carbon dioxide reduction. ○
- 23 Solar steam-driven membrane filtration for high flux water purification. **2023**, 1, 391-398 ○
- 22 Smart superwetting COF membrane for controllable oil/water separation. **2023**, 317, 123825 ○
- 21 Integrated Water Management in Mountain Communities: The Case of Feutap in the Municipality of BangangtꞑCameroon. **2023**, 15, 1467 ○
- 20 Droplet interface in additive manufacturing: From process to application. **2023**, 2, ○
- 19 Tuning Mg-Al layered double hydroxides synthesized from the novel ionic liquid-based surfactant-free microemulsion for efficiently phosphate removal in aqueous solutions. **2023**, 382, 121826 ○
- 18 Biomimetic superwetting CuSxBased composite mesh for wastewater treatment: Reversible oil/water separation, photocatalytic degradation and photothermal sterilization. **2023**, 11, 109915 ○
- 17 Role of Biochar in the Adsorption of Heavy Metals. **2023**, 293-307 ○
- 16 Bio-fabricated bismuth-based materials for removal of emerging environmental contaminants from wastewater. **2023**, 115861 ○
- 15 Computational simulation of self-cleaning carbon-based membranes with zeolite porous structure for desalination. **2023**, 136, 109925 ○
- 14 Recent advances in multi-mode microfluidic separation of particles and cells. ○
- 13 MoS2/polyaniline (PANI)/polyacrylonitrile (PAN)@BiFeO3 bilayer hollow nanofiber membrane: photocatalytic filtration and piezoelectric effect enhancing degradation and disinfection. **2023**, ○
- 12 Janus 3D graphene based evaporator with controllable wettability for highly efficient solar desalination. **2023**, 116639 ○
- 11 Atomic regulations of single atom from metal-organic framework derived carbon for advanced water treatment. ○
- 10 Aqueous Pb(II) Removal Using ZIF-60: Adsorption Studies, Response Surface Methodology and Machine Learning Predictions. **2023**, 13, 1402 ○
- 9 Optimal detuning of multivariable proportional integral controller based on data-driven approach for an activated sludge process. ○
- 8 Carbon spheres modified titanium air diffusion cathode for boosting H2O2 and application in disinfection. **2023**, 11, 110012 ○

- 7 Unexpected Behavior in Thermal Conductivity of Confined Monolayer Water. **2023**, 127, 4090-4098 ○
- 6 Photothermal membranes for water treatment and anti-fouling performances: A review. **2023**, 412, 137335 ○
- 5 Acid-resistant supramolecular nanofibrous hydrogel membrane with core-shell structure for highly efficient oil/water separation. **2023**, 679, 121705 ○
- 4 Vapor-phase grafting of functional silanes on atomic layer deposited Al₂O₃. **2023**, 41, ○
- 3 Smart and innovative nanotechnology applications for water purification. **2023**, 3, 100044 ○
- 2 An integrated model based on transient flow and the nanoconfinement effect of water transport through nanopores. **2023**, 227, 211893 ○
- 1 Waterborne organic silicone polyurethane with excellent self-healing performance for oil/water-separation and oil-recovery applications. **2023**, e00631 ○