

Millennial- and orbital-scale changes in the East Asian monsoon

Nature

451, 1090-1093

DOI: [10.1038/nature06692](https://doi.org/10.1038/nature06692)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Asian summer monsoon precipitation recorded by stalagmite oxygen isotopic composition in the western Loess Plateau during AD1875–2003 and its linkage with ocean-atmosphere system. <i>Science Bulletin</i> , 2008, 53, 2041-2049.	4.3	22
2	Transmission of oxygen isotope signals of precipitation-soil water-drip water and its implications in Liangfeng Cave of Guizhou, China. <i>Science Bulletin</i> , 2008, 53, 3364-3370.	4.3	19
3	Detrital sediment supply in the southern Okinawa Trough and its relation to sea-level and Kuroshio dynamics during the late Quaternary. <i>Marine Geology</i> , 2008, 255, 83-95.	0.9	135
4	The rhythm of the rains. <i>Nature</i> , 2008, 451, 1062-1063.	13.7	14
5	Decoupling of stalagmite-derived Asian summer monsoon records from North Atlantic temperature change during marine oxygen isotope stage 5d. <i>Quaternary Research</i> , 2008, 70, 315-321.	1.0	18
6	A detailed comparison of Asian Monsoon intensity and Greenland temperature during the Allerød and Younger Dryas events. <i>Earth and Planetary Science Letters</i> , 2008, 272, 691-697.	1.8	50
7	East Asian monsoon variability since the Mid-Holocene recorded in a high-resolution, absolute-dated aragonite speleothem from eastern China. <i>Earth and Planetary Science Letters</i> , 2008, 275, 296-307.	1.8	150
8	A terrestrial U/Th-dated stable isotope record of the Penultimate Interglacial. <i>Earth and Planetary Science Letters</i> , 2008, 276, 283-292.	1.8	38
9	Processes controlling the geochemical composition of the South China Sea sediments during the last climatic cycle. <i>Chemical Geology</i> , 2008, 257, 240-246.	1.4	39
10	Southern Hemisphere forcing of Pliocene ^{18}O and the evolution of Indo-Asian monsoons. <i>Paleoceanography</i> , 2008, 23, .	3.0	139
11	Atmospheric CO_2 and Climate on Millennial Time Scales During the Last Glacial Period. <i>Science</i> , 2008, 322, 83-85.	6.0	250
12	Inferring climate change from stable isotope compositions of ancient speleothems on Earth: possible implications for climatic reconstructions elsewhere in the solar system. , 2008, , .		0
14	Individual and combined effects of ice sheets and precession on MIS-13 climate. <i>Climate of the Past</i> , 2009, 5, 229-243.	1.3	63
15	Pollen record in core MD01-2421 off Kashima, Northwest Pacific: correlation with the terrestrial pollen record since MIS 6. <i>Journal of the Geological Society of Japan</i> , 2009, 115, 357-366.	0.2	7
16	Ice Age Terminations. <i>Science</i> , 2009, 326, 248-252.	6.0	794
17	Is there a link between Earth's magnetic field and low-latitude precipitation?. <i>Geology</i> , 2009, 37, 71-74.	2.0	43
18	Basic mechanism for abrupt monsoon transitions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 20572-20577.	3.3	109
19	Planktonic foraminiferal records of East Asia monsoon changes in the southern South China Sea during the last 40,000years. <i>Marine Micropaleontology</i> , 2009, 73, 1-13.	0.5	24

#	ARTICLE	IF	CITATIONS
20	Luminescence-dated aeolian deposits of late Quaternary age in the southern Tibetan Plateau and their implications for landscape history. <i>Quaternary Research</i> , 2009, 72, 421-430.	1.0	75
21	Vegetation response to Holocene climate change in monsoon-influenced region of China. <i>Earth-Science Reviews</i> , 2009, 97, 242-256.	4.0	247
22	Response of mid-latitude North Pacific surface temperatures to orbital forcing and linkage to the East Asian summer monsoon and tropical ocean-atmosphere interactions. <i>Journal of Quaternary Science</i> , 2009, 24, 836-847.	1.1	33
23	Reconstruction of the East China Sea palaeoenvironment at 16 ka by comparison of fossil and modern <i>Faviidae</i> corals from the Ryukyus, southwestern Japan. <i>Journal of Quaternary Science</i> , 2009, 24, 928-936.	1.1	17
24	Eemian tropical and subtropical African moisture transport: an isotope modelling study. <i>Climate Dynamics</i> , 2009, 33, 1075-1088.	1.7	67
25	Climate changes in East China since the Late-glacial inferred from high-resolution mountain peat humification records. <i>Science in China Series D: Earth Sciences</i> , 2009, 52, 118-131.	0.9	62
26	An exceptionally strengthened East Asian summer monsoon event between 19.9 and 17.1 ka BP recorded in a Hulu stalagmite. <i>Science in China Series D: Earth Sciences</i> , 2009, 52, 360-368.	0.9	37
27	Global monsoon in a geological perspective. <i>Science Bulletin</i> , 2009, 54, 1113-1136.	4.3	182
28	Effect of precession on the Asian summer monsoon evolution: A systematic review. <i>Science Bulletin</i> , 2009, 54, 3720-3730.	1.7	32
29	Half-precessional dynamics of monsoon rainfall near the East African Equator. <i>Nature</i> , 2009, 462, 637-641.	13.7	280
30	Interglacial diversity. <i>Nature Geoscience</i> , 2009, 2, 751-755.	5.4	160
31	Dryland hydrology in a warmer world: Lessons from the Last Glacial period. <i>European Physical Journal: Special Topics</i> , 2009, 176, 21-36.	1.2	42
32	Oxygen-18 of O_2 Records the Impact of Abrupt Climate Change on the Terrestrial Biosphere. <i>Science</i> , 2009, 324, 1431-1434.	6.0	152
33	Atmospheric methane, southern European vegetation and low-mid latitude links on orbital and millennial timescales. <i>Earth and Planetary Science Letters</i> , 2009, 277, 307-317.	1.8	89
34	Strengthened East Asian summer monsoons during a period of high-latitude warmth? Isotopic evidence from Mio-Pliocene fossil mammals and soil carbonates from northern China. <i>Earth and Planetary Science Letters</i> , 2009, 277, 443-452.	1.8	161
35	A new age model for the sediment cores from Academician ridge (Lake Baikal) based on high-time-resolution AMS ^{14}C data sets over the last 30 kyr: Paleoclimatic and environmental implications. <i>Earth and Planetary Science Letters</i> , 2009, 286, 347-354.	1.8	27
36	Hydrothermal CO_2 degassing in seismically active zones during the late Quaternary. <i>Chemical Geology</i> , 2009, 265, 442-454.	1.4	142
37	Deglacial variations of Sr and $^{87}Sr/^{86}Sr$ ratio recorded by a stalagmite from Central China and their association with past climate and environment. <i>Chemical Geology</i> , 2009, 268, 233-247.	1.4	42

#	ARTICLE	IF	CITATIONS
38	Modelling $\delta^{13}\text{C}$ and $\delta^{18}\text{O}$ in the solution layer on stalagmite surfaces. <i>Geochimica Et Cosmochimica Acta</i> , 2009, 73, 2592-2602.	1.6	121
39	Modelling fractionation of stable isotopes in stalagmites. <i>Geochimica Et Cosmochimica Acta</i> , 2009, 73, 7275-7289.	1.6	133
40	East Asian summer monsoon intensity inferred from iron oxide mineralogy in the Xiashu Loess in southern China. <i>Quaternary Science Reviews</i> , 2009, 28, 345-353.	1.4	50
41	Synchronous climate anomalies in the western North Pacific and North Atlantic regions during the last 14,000 years. <i>Quaternary Science Reviews</i> , 2009, 28, 840-849.	1.4	72
42	Deglaciation and landscape history around Annapurna, Nepal, based on ^{10}Be surface exposure dating. <i>Quaternary Science Reviews</i> , 2009, 28, 1106-1118.	1.4	75
43	Holocene glacier fluctuations and migration of Neolithic yak pastoralists into the high valleys of northwest Bhutan. <i>Quaternary Science Reviews</i> , 2009, 28, 1217-1237.	1.4	55
44	Timing of massive "Fleuve Manche" discharges over the last 350kyr: insights into the European ice-sheet oscillations and the European drainage network from MIS 10 to 2. <i>Quaternary Science Reviews</i> , 2009, 28, 1238-1256.	1.4	173
45	Glacial and deglacial climatic patterns in Australia and surrounding regions from 35,000 to 10,000 years ago reconstructed from terrestrial and near-shore proxy data. <i>Quaternary Science Reviews</i> , 2009, 28, 2398-2419.	1.4	134
46	High-resolution isotope records of early Holocene rapid climate change from two coeval stalagmites of Katerloch Cave, Austria. <i>Quaternary Science Reviews</i> , 2009, 28, 2527-2538.	1.4	87
47	Controls on the East Asian monsoon during the last glacial cycle, based on comparison between Hulu Cave and polar ice-core records. <i>Quaternary Science Reviews</i> , 2009, 28, 3291-3302.	1.4	106
48	Hominin use of springs and wetlands: Paleoclimate and archaeological records from Olduvai Gorge (~1.79–1.74 Ma). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2009, 272, 1-16.	1.0	77
49	Holocene environmental changes in the Ugi Nuur basin, Mongolia. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2009, 279, 160-171.	1.0	42
50	Climatic and local effects on stalagmite $\delta^{13}\text{C}$ values at Lianhua Cave, China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2009, 280, 235-244.	1.0	88
51	Paleotemperature response to monsoon activity in the Japan Sea during the last 160kyr. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2009, 280, 350-360.	1.0	23
52	Summer monsoon precipitation variations in central China over the past 750years derived from a high-resolution absolute-dated stalagmite. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2009, 280, 432-439.	1.0	106
53	Vegetation response to East Asian monsoon fluctuations from the penultimate to last glacial period based on a terrestrial pollen record from the inland Kamiyoshi Basin, western Japan. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2009, 284, 246-256.	1.0	17
54	Monsoon hydrography and productivity changes in the East China Sea during the past 100,000 years: Okinawa Trough evidence (MD012404). <i>Paleoceanography</i> , 2009, 24, .	3.0	41
55	Relative timing and variability of atmospheric methane and GISP2 oxygen isotopes between 68 and 86 ka. <i>Global Biogeochemical Cycles</i> , 2009, 23, .	1.9	19

#	ARTICLE	IF	CITATIONS
56	Precipitation over South America during the Last Glacial Maximum: An analysis of the "amount effect" with a water isotope-enabled general circulation model. <i>Geophysical Research Letters</i> , 2009, 36, .	1.5	52
57	Delayed Sahel rainfall and global seasonal cycle in a warmer climate. <i>Geophysical Research Letters</i> , 2009, 36, .	1.5	135
58	Solar Arctic-Mediated Climate Variation on Multidecadal to Centennial Timescales: Empirical Evidence, Mechanistic Explanation, and Testable Consequences. <i>Physical Geography</i> , 2009, 30, 144-184.	0.6	38
59	High-precision ^{238}U - ^{234}U - ^{230}Th disequilibrium dating of the recent past: a review. <i>Quaternary Geochronology</i> , 2009, 4, 423-433.	0.6	90
60	Monsoon versus ocean circulation controls on paleoenvironmental conditions off southern Sumatra during the past 300,000 years. <i>Paleoceanography</i> , 2009, 24, .	3.0	55
61	African monsoon enhancement during the penultimate glacial period (MIS 6.5 \approx 170 ka) and its atmospheric impact. <i>Paleoceanography</i> , 2009, 24, .	3.0	21
62	Molecular fossil evidence for anaerobic ammonium oxidation in the Arabian Sea over the last glacial cycle. <i>Paleoceanography</i> , 2009, 24, .	3.0	32
63	Climate effect of dust aerosol in southern Chinese Loess Plateau over the last 140,000 years. <i>Geophysical Research Letters</i> , 2009, 36, .	1.5	4
64	The Role of Variations of the Earth's Orbital Characteristics in Climate Change. , 2009, , 103-123.		1
65	Evaluation of the "amount effect" at speleothem sites in the Asian monsoon region. <i>IOP Conference Series: Earth and Environmental Science</i> , 2010, 9, 012023.	0.2	2
66	Water vapour source impacts on oxygen isotope variability in tropical precipitation during Heinrich events. <i>Climate of the Past</i> , 2010, 6, 325-343.	1.3	102
67	Trace element variations in fossil corals from Tahiti collected by IODP Expedition 310: Reconstruction of marine environments during the last deglaciation (15 to 9ka). <i>Marine Geology</i> , 2010, 271, 303-306.	0.9	21
68	Changes of organic matter sources in sediment cores from a high-altitude lake (Pumoyum Co.) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 267 Research B, 2010, 268, 1070-1072.	0.6	8
69	Loess record of the evolution history of severe sandstorms in the Tengger Desert during the Last Interglacial Period (MIS5). <i>Geosciences Journal</i> , 2010, 14, 155-162.	0.6	9
70	Depositional environment in the southern Ulleung Basin, East Sea (Sea of Japan), during the last 48 000 years. <i>Acta Oceanologica Sinica</i> , 2010, 29, 52-64.	0.4	13
71	Precise dating of abrupt shifts in the Asian Monsoon during the last deglaciation based on stalagmite data from Yamen Cave, Guizhou Province, China. <i>Science China Earth Sciences</i> , 2010, 53, 633-641.	2.3	67
72	Orbital- and millennial-scale variability of the Asian monsoon during MIS8 from Sanbao Cave at Mount Shennongjia, central China. <i>Science Bulletin</i> , 2010, 55, 1041-1046.	1.7	4
73	On linking climate to Chinese dynastic change: Spatial and temporal variations of monsoonal rain. <i>Science Bulletin</i> , 2010, 55, 77-83.	1.7	54

#	ARTICLE	IF	CITATIONS
74	Archaeological records of Dadiwan in the past 60 ka and the origin of millet agriculture. <i>Science Bulletin</i> , 2010, 55, 1636-1642.	1.7	23
75	High-resolution climate change in mid-late Holocene on Tianchi Lake, Liupan Mountain in the Loess Plateau in central China and its significance. <i>Science Bulletin</i> , 2010, 55, 2118-2121.	1.7	44
76	Implications of stalagmite density for past climate change: An example from stalagmite growth during the last deglaciation from Wanxiang Cave, western Loess Plateau. <i>Science Bulletin</i> , 2010, 55, 3936-3943.	1.7	14
77	The causes and scope of political egalitarianism during the Last Glacial: a multi-disciplinary perspective. <i>Biology and Philosophy</i> , 2010, 25, 319-346.	0.7	24
78	The Prehistoric Development of Clothing: Archaeological Implications of a Thermal Model. <i>Journal of Archaeological Method and Theory</i> , 2010, 17, 15-80.	1.4	139
79	Optically stimulated luminescence dating of cave deposits at the Xiaogushan prehistoric site, northeastern China. <i>Journal of Human Evolution</i> , 2010, 59, 514-524.	1.3	71
80	Dating cave drip water by tritium. <i>Journal of Hydrology</i> , 2010, 394, 396-406.	2.3	67
81	Diatoms from the Pearl River estuary, China and their suitability as water salinity indicators for coastal environments. <i>Marine Micropaleontology</i> , 2010, 75, 38-49.	0.5	44
82	The variation of upper ocean structure and paleoproductivity in the Kuroshio source region during the last 200kyr. <i>Marine Micropaleontology</i> , 2010, 75, 50-61.	0.5	32
83	The East Asian Monsoon During MIS 2 Expressed in a Speleothem $\delta^{18}O$ Record From Jintanwan Cave, Hunan, China. <i>Quaternary Research</i> , 2010, 73, 541-549.	1.0	18
84	Glacial Paleooceanography off the Mouth of the Mekong River, Southern South China Sea, During the last 500 ka. <i>Quaternary Research</i> , 2010, 73, 563-572.	1.0	14
85	Textural and carbon isotopic evidence of monsoonal changes recorded in a composite-type speleothem from Korea since MIS 5a. <i>Quaternary Research</i> , 2010, 74, 100-112.	1.0	10
86	Millennial-scale vegetation changes during the last 40,000 yr based on a pollen record from Lake Biwa, Japan. <i>Quaternary Research</i> , 2010, 74, 91-99.	1.0	48
87	Did the Indo-Asian summer monsoon decrease during the Holocene following insolation?. <i>Journal of Quaternary Science</i> , 2010, 25, 1179-1188.	1.1	32
88	Paleoclimates: what do we learn from deep ice cores?. <i>Wiley Interdisciplinary Reviews: Climate Change</i> , 2010, 1, 654-669.	3.6	19
89	Ice-free conditions in Sweden during Marine Oxygen Isotope Stage 3?. <i>Boreas</i> , 2010, 39, 377-398.	1.2	55
90	Postglacial changes in the Asian summer monsoon system: a pollen record from the eastern margin of the Tibetan Plateau. <i>Boreas</i> , 2010, 39, 528-539.	1.2	57
91	The nature of millennial-scale climate variability during the past two glacial periods. <i>Nature Geoscience</i> , 2010, 3, 127-131.	5.4	169

#	ARTICLE	IF	CITATIONS
92	GGR Biennial Review: Isotope Ratio Determination in the Earth and Environmental Sciences 2008â€“2009. Geostandards and Geoanalytical Research, 2010, 34, 395-406.	1.7	6
93	Past dynamics of the Australian monsoon: precession, phase and links to the global monsoon concept. Climate of the Past, 2010, 6, 695-706.	1.3	46
94	Patterns of millennial variability over the last 500 ka. Climate of the Past, 2010, 6, 295-303.	1.3	26
95	¹⁴ C Dating of Holocene Soils from an Island in Lake Pumoyum Co (Southeastern Tibetan) Tj ETQq1 1 0.784314 rgBT /Over	0.8	4
96	High Arabian Sea productivity conditions during MIS 13 â€“ odd monsoon event or intensified overturning circulation at the end of the Mid-Pleistocene transition?. Climate of the Past, 2010, 6, 63-76.	1.3	36
97	Last Glacial Maximum East Asian Monsoon: Results of PMIP Simulations. Journal of Climate, 2010, 23, 5030-5038.	1.2	63
98	Marine records of East Asian monsoon variability over the past 5 Ma. Geological Society Special Publication, 2010, 342, 5-15.	0.8	4
99	Non-stationary response of Plio-Pleistocene East Asian winter monsoon variation to ice volume forcing. Geological Society Special Publication, 2010, 342, 79-86.	0.8	6
100	Millennial and sub-millennial scale climatic variations recorded in polar ice cores over the last glacial period. Climate of the Past, 2010, 6, 345-365.	1.3	143
101	A high-resolution stalagmite record of the Holocene East Asian monsoon from Mt Shennongjia, central China. Holocene, 2010, 20, 257-264.	0.9	242
102	Radiometric dating of the late Quaternary summer monsoon on the Loess Plateau, China. Geological Society Special Publication, 2010, 342, 87-108.	0.8	5
103	Abrupt change of Antarctic moisture origin at the end of Termination II. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 12091-12094.	3.3	71
104	Climate-driven environmental change in the Zhada basin, southwestern Tibetan Plateau. , 2010, 6, 74-92.		26
105	Large variations of oxygen isotopes in precipitation over south-central Tibet during Marine Isotope Stage 5. Geology, 2010, 38, 243-246.	2.0	73
106	Seasonal microclimate control of calcite fabrics, stable isotopes and trace elements in modern speleothem from St Michaels Cave, Gibraltar. Geological Society Special Publication, 2010, 336, 323-344.	0.8	66
107	Orographic Controls on Climate and Paleoclimate of Asia: Thermal and Mechanical Roles for the Tibetan Plateau. Annual Review of Earth and Planetary Sciences, 2010, 38, 77-102.	4.6	644
108	Waterâ€stable isotopes in the LMDZ4 general circulation model: Model evaluation for presentâ€day and past climates and applications to climatic interpretations of tropical isotopic records. Journal of Geophysical Research, 2010, 115, .	3.3	261
109	Effects of intraseasonal variation of summer monsoon rainfall on stable isotope and growth rate of a stalagmite from northwestern Thailand. Journal of Geophysical Research, 2010, 115, .	3.3	34

#	ARTICLE	IF	CITATIONS
110	Reconstructing the southern South China Sea upper water column structure since the Last Glacial Maximum: Implications for the East Asian winter monsoon development. <i>Paleoceanography</i> , 2010, 25, .	3.0	72
111	Precession phasing offset between Indian summer monsoon and Arabian Sea productivity linked to changes in Atlantic overturning circulation. <i>Paleoceanography</i> , 2010, 25, .	3.0	66
112	Variations of East Asian summer monsoon since the last deglaciation based on Mg/Ca and oxygen isotope of planktic foraminifera in the northern East China Sea. <i>Paleoceanography</i> , 2010, 25, n/a-n/a.	3.0	109
113	Dynamic millennial-scale climate changes in the northwestern Pacific over the past 40,000 years. <i>Geophysical Research Letters</i> , 2010, 37, .	1.5	27
114	Orbital-scale timing and mechanisms driving Late Pleistocene Indo-Asian summer monsoons: Reinterpreting cave speleothem $\delta^{18}O$. <i>Paleoceanography</i> , 2010, 25, n/a-n/a.	3.0	289
115	A warming interval during the MIS 5a/4 transition in two high-resolution loess sections from China. <i>Journal of Asian Earth Sciences</i> , 2010, 38, 255-261.	1.0	3
116	A 35ka pollen and isotope record of environmental change along the southern margin of the Kalahari from a stalagmite and animal dung deposits in Wonderwerk Cave, South Africa. <i>Journal of Arid Environments</i> , 2010, 74, 870-884.	1.2	79
117	Wet-dry seasonal and spatial variations in the $\delta^{13}C$ and $\delta^{18}O$ values of the modern endogenic travertine at Baishuitai, Yunnan, SW China and their paleoclimatic and paleoenvironmental implications. <i>Geochimica Et Cosmochimica Acta</i> , 2010, 74, 1016-1029.	1.6	26
118	Modern stalagmite $\delta^{18}O$: Instrumental calibration and forward modelling. <i>Global and Planetary Change</i> , 2010, 71, 201-206.	1.6	61
119	Orbital and millennial-scale environmental and sedimentological changes in the Okhotsk Sea during the last 350kyr. <i>Global and Planetary Change</i> , 2010, 72, 79-85.	1.6	29
120	Pattern of abrupt climatic fluctuation in the East Asian Monsoon during the Last Glacial: Evidence from Chinese loess records. <i>Comptes Rendus - Geoscience</i> , 2010, 342, 189-196.	0.4	2
121	Potential effects of climate change and variability on watershed biogeochemical processes and water quality in Northeast Asia. <i>Environment International</i> , 2010, 36, 212-225.	4.8	166
122	Impacts of post-depositional processes on rapid monsoon signals recorded by the last glacial loess deposits of northern China. <i>Earth and Planetary Science Letters</i> , 2010, 289, 171-179.	1.8	145
123	The seismic-stratigraphic record of lake-level fluctuations in Lake Challa: Hydrological stability and change in equatorial East Africa over the last 140 kyr. <i>Earth and Planetary Science Letters</i> , 2010, 290, 214-223.	1.8	132
124	The variation of summer monsoon precipitation in central China since the last deglaciation. <i>Earth and Planetary Science Letters</i> , 2010, 291, 21-31.	1.8	355
125	Glacial to Holocene surface hydrography of the tropical eastern Indian Ocean. <i>Earth and Planetary Science Letters</i> , 2010, 292, 89-97.	1.8	51
126	Strong influence of water vapor source dynamics on stable isotopes in precipitation observed in Southern Meghalaya, NE India. <i>Earth and Planetary Science Letters</i> , 2010, 292, 212-220.	1.8	272
127	Multi-proxy reconstruction of surface water pCO ₂ in the northern Arabian Sea since 29ka. <i>Earth and Planetary Science Letters</i> , 2010, 295, 49-57.	1.8	40

#	ARTICLE	IF	CITATIONS
128	Lessons learned from oxygen isotopes in modern precipitation applied to interpretation of speleothem records of paleoclimate from eastern Asia. <i>Earth and Planetary Science Letters</i> , 2010, 295, 219-230.	1.8	217
129	High-resolution stalagmite $\delta^{18}O$ records of Asian monsoon changes in central and southern China spanning the MIS 3/2 transition. <i>Earth and Planetary Science Letters</i> , 2010, 298, 191-198.	1.8	60
130	Stable isotope fractionation in speleothems: Laboratory experiments. <i>Chemical Geology</i> , 2010, 279, 31-39.	1.4	48
131	Clay mineral evolution in the central Okinawa Trough since 28ka: Implications for sediment provenance and paleoenvironmental change. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2010, 288, 108-117.	1.0	117
132	East Asian winter monsoon variability over the last glacial cycle: Insights from a latitudinal sea-surface temperature gradient across the South China Sea. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2010, 292, 319-324.	1.0	68
133	Comparison of stable isotope time series of stalagmite and meteorological data from West Java, Indonesia. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2010, 293, 90-97.	1.0	3
134	Vegetation history, climate change and human activities over the last 6200years on the Liupan Mountains in the southwestern Loess Plateau in central China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2010, 293, 197-205.	1.0	78
135	Evolution and variability of the East Asian summer monsoon during the Pliocene: Evidence from clay mineral records of the South China Sea. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2010, 293, 237-247.	1.0	73
136	Climate control of sulfate influx to Lake Hovsgol, northwest Mongolia, during the last glacial–postglacial transition: Constraints from sulfur geochemistry. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2010, 298, 278-285.	1.0	12
137	Biodiversity baselines, thresholds and resilience: testing predictions and assumptions using palaeoecological data. <i>Trends in Ecology and Evolution</i> , 2010, 25, 583-591.	4.2	297
138	Differences between East Asian and Indian monsoon climate records during MIS3 attributed to differences in their driving mechanisms: Evidence from the loess record in the Sichuan basin, southwestern China and other continental and marine climate records. <i>Quaternary International</i> , 2010, 218, 94-103.	0.7	18
139	Pleistocene environmental evolution in the Nihewan Basin and implication for early human colonization of North China. <i>Quaternary International</i> , 2010, 223-224, 472-478.	0.7	38
140	What drives the millennial and orbital variations of $\delta^{18}O_{atm}$?. <i>Quaternary Science Reviews</i> , 2010, 29, 235-246.	1.4	98
141	Synchronising EDML and NorthGRIP ice cores using $\delta^{18}O$ of atmospheric oxygen ($\delta^{18}O_{atm}$) and CH_4 measurements over MIS5 (80–123 kyr). <i>Quaternary Science Reviews</i> , 2010, 29, 222-234.	1.4	89
142	Millennial scale evolution of the Southern Ocean chemical divide. <i>Quaternary Science Reviews</i> , 2010, 29, 399-409.	1.4	29
143	EPICA Dome C record of glacial and interglacial intensities. <i>Quaternary Science Reviews</i> , 2010, 29, 113-128.	1.4	202
144	Late Pleistocene surface and thermocline conditions of the eastern tropical Indian Ocean. <i>Quaternary Science Reviews</i> , 2010, 29, 887-896.	1.4	51
145	Putting the Younger Dryas cold event into context. <i>Quaternary Science Reviews</i> , 2010, 29, 1078-1081.	1.4	218

#	ARTICLE	IF	CITATIONS
146	The precession phase of the boreal summer monsoon as viewed from the eastern Mediterranean (ODP Tj ETQq0 0.0rgBT /Overlock 10	1.4	141
147	Hydrological uncertainties in the modelling of cave drip-water $\delta^{18}O$ and the implications for stalagmite palaeoclimate reconstructions. <i>Quaternary Science Reviews</i> , 2010, 29, 2201-2214.	1.4	80
148	Isotopic characterization of rapid climatic events during OIS3 and OIS4 in Villars Cave stalagmites (SW-France) and correlation with Atlantic and Mediterranean pollen records. <i>Quaternary Science Reviews</i> , 2010, 29, 2799-2820.	1.4	64
149	Global patterns of vegetation response to millennial-scale variability and rapid climate change during the last glacial period. <i>Quaternary Science Reviews</i> , 2010, 29, 2957-2980.	1.4	121
150	East Asian monsoon evolution and reconciliation of climate records from Japan and Greenland during the last deglaciation. <i>Quaternary Science Reviews</i> , 2010, 29, 3327-3335.	1.4	57
151	Regionalization of Present-Day Precipitation in the Greater Monsoon Region of Asia*. <i>Journal of Climate</i> , 2011, 24, 4073-4095.	1.2	64
152	800,000 Years of Abrupt Climate Variability. <i>Science</i> , 2011, 334, 347-351.	6.0	310
153	Climatic Fluctuations and Early Farming in West and East Asia. <i>Current Anthropology</i> , 2011, 52, S175-S193.	0.8	139
154	Warm pool hydrological and terrestrial variability near southern Papua New Guinea over the past 50k. <i>Geophysical Research Letters</i> , 2011, 38, n/a-n/a.	1.5	20
155	Glacial to Holocene swings of the Australian-Indonesian monsoon. <i>Nature Geoscience</i> , 2011, 4, 540-544.	5.4	111
156	Abrupt Climate Change Revisited. <i>Geophysical Monograph Series</i> , 2011, , 1-14.	0.1	2
157	The Role of Hudson Strait Outlet in Younger Dryas Sedimentation in the Labrador Sea. <i>Geophysical Monograph Series</i> , 2011, , 93-110.	0.1	5
158	Toward a Regional and World Geography under a Changed Climate. <i>Eurasian Geography and Economics</i> , 2011, 52, 1-11.	1.7	6
159	Landscapes and Societies. , 2011, , .		7
160	Seasonal variation of fatty acids from drip water in Heshang Cave, central China. <i>Applied Geochemistry</i> , 2011, 26, 341-347.	1.4	17
161	$\delta^{13}C$ Values of loess total carbonate: A sensitive proxy for Asian summer monsoon in arid northwestern margin of the Chinese loess plateau. <i>Chemical Geology</i> , 2011, 284, 317-322.	1.4	67
162	Determination of Holocene cave temperatures from Kr and Xe concentrations in stalagmite fluid inclusions. <i>Chemical Geology</i> , 2011, 288, 61-66.	1.4	26
163	Liquid-vapour homogenisation of fluid inclusions in stalagmites: Evaluation of a new thermometer for palaeoclimate research. <i>Chemical Geology</i> , 2011, 289, 39-47.	1.4	41

#	ARTICLE	IF	CITATIONS
164	Oxygen and carbon isotopic systematics of aragonite speleothems and water in Furong Cave, Chongqing, China. <i>Geochimica Et Cosmochimica Acta</i> , 2011, 75, 4140-4156.	1.6	87
165	Speleothem calcite farmed in situ: Modern calibration of $\delta^{18}\text{O}$ and $\delta^{13}\text{C}$ paleoclimate proxies in a continuously-monitored natural cave system. <i>Geochimica Et Cosmochimica Acta</i> , 2011, 75, 4929-4950.	1.6	302
166	Responses of the upriver valley sediment to Holocene environmental changes in the Paju area of Korea. <i>Geomorphology</i> , 2011, 133, 80-89.	1.1	10
167	Past dynamics of the East Asian monsoon: No inverse behaviour between the summer and winter monsoon during the Holocene. <i>Global and Planetary Change</i> , 2011, 78, 170-177.	1.6	108
168	Decoupled warming and monsoon precipitation in East Asia over the last deglaciation. <i>Earth and Planetary Science Letters</i> , 2011, 301, 256-264.	1.8	204
169	Seismic cycles recorded in late Quaternary calcite veins: Geochronological, geochemical and microstructural evidence. <i>Earth and Planetary Science Letters</i> , 2011, 303, 84-96.	1.8	81
170	High-resolution stalagmite reconstructions of Australian-Indonesian monsoon rainfall variability during Heinrich stadial 3 and Greenland interstadial 4. <i>Earth and Planetary Science Letters</i> , 2011, 303, 133-142.	1.8	38
171	New Arabian Sea records help decipher orbital timing of Indo-Asian monsoon. <i>Earth and Planetary Science Letters</i> , 2011, 308, 433-444.	1.8	137
172	Spatial and temporal variations in C3 and C4 plant abundance over the Chinese Loess Plateau since the last glacial maximum. <i>Journal of Arid Environments</i> , 2011, 75, 881-889.	1.2	20
173	The paleolithic site of Longwangchan in the middle Yellow River, China: chronology, paleoenvironment and implications. <i>Journal of Archaeological Science</i> , 2011, 38, 1537-1550.	1.2	69
174	A critical examination of evidence for a Quaternary glaciation in Mt. Laoshan, Eastern China. <i>Journal of Asian Earth Sciences</i> , 2011, 40, 403-416.	1.0	10
175	Comparison of speleothem $\delta^{18}\text{O}$ records from eastern China with solar insolation, ice core and marine records: Similarities and discrepancies on different time scales. <i>Journal of Asian Earth Sciences</i> , 2011, 40, 1151-1163.	1.0	8
176	The $\delta^{18}\text{O}$ and $\delta^{13}\text{C}$ records in an aragonite stalagmite from Furong Cave, Chongqing, China: A-2000-year record of monsoonal climate. <i>Journal of Asian Earth Sciences</i> , 2011, 40, 1121-1130.	1.0	56
177	A prolonged warm and humid interval during marine isotope stage 13-15 as revealed by hydrographic reconstructions from the South China Sea (IMAGES MD972142). <i>Journal of Asian Earth Sciences</i> , 2011, 40, 1230-1237.	1.0	8
178	Changing color of Chinese loess: Geochemical constraint and paleoclimatic significance. <i>Journal of Asian Earth Sciences</i> , 2011, 40, 1131-1138.	1.0	74
179	Spatial variations of monsoonal rain in eastern China: Instrumental, historic and speleothem records. <i>Journal of Asian Earth Sciences</i> , 2011, 40, 1139-1150.	1.0	32
180	Tropical East African climate change and its relation to global climate: A record from Lake Tanganyika, Tropical East Africa, over the past 90+ kyr. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2011, 303, 155-167.	1.0	110
181	Bioturbational structures record environmental changes in the upwelling area off Vietnam (South) Tj ETQq1 1 0.784314 rgBT /Overlook 256-267.	1.0	30

#	ARTICLE	IF	CITATIONS
182	Abrupt change of sediment records in the southern South China Sea during the last glacial period and its environment significance. <i>Quaternary International</i> , 2011, 237, 109-122.	0.7	12
183	Human responses to the Younger Dryas in Japan. <i>Quaternary International</i> , 2011, 242, 416-433.	0.7	25
184	Late Pleistocene intensification technologies in Northern China. <i>Quaternary International</i> , 2011, 242, 401-415.	0.7	56
185	Speleothem record of the last 180 Åka in Villars cave (SW France): Investigation of a large $\delta^{18}O$ shift between MIS6 and MIS5. <i>Quaternary Science Reviews</i> , 2011, 30, 130-146.	1.4	99
186	The impact of varying ice sheets and greenhouse gases on the intensity and timing of boreal summer monsoons. <i>Quaternary Science Reviews</i> , 2011, 30, 469-479.	1.4	62
187	Last glacial pollen record from Lanzhou (Northwestern China) and possible forcing mechanisms for the MIS 3 climate change in Middle to East Asia. <i>Quaternary Science Reviews</i> , 2011, 30, 769-781.	1.4	48
188	Holocene vegetation and climate histories in the eastern Tibetan Plateau: controls by insolation-driven temperature or monsoon-derived precipitation changes?. <i>Quaternary Science Reviews</i> , 2011, 30, 1173-1184.	1.4	203
189	Holocene and Eemian climatic optima in the Korean Peninsula based on textural and carbon isotopic records from the stalagmite of the Daeya Cave, South Korea. <i>Quaternary Science Reviews</i> , 2011, 30, 1218-1231.	1.4	30
190	An updated astronomical timescale for the Plio-Pleistocene deposits from South China Sea and new insights into Asian monsoon evolution. <i>Quaternary Science Reviews</i> , 2011, 30, 1560-1575.	1.4	38
191	Holocene monsoon climate documented by oxygen and carbon isotopes from lake sediments and peat bogs in China: a review and synthesis. <i>Quaternary Science Reviews</i> , 2011, 30, 1973-1987.	1.4	226
192	Late Pleistocene monsoon variability in northwest Thailand: an oxygen isotope sequence from the bivalve <i>Margaritanopsis laosensis</i> excavated in Mae Hong Son province. <i>Quaternary Science Reviews</i> , 2011, 30, 3088-3098.	1.4	52
193	High-resolution ^{14}C dating of a 25,000-year lake-sediment record from equatorial East Africa. <i>Quaternary Science Reviews</i> , 2011, 30, 3043-3059.	1.4	68
194	Rapid climate change from north Andean Lake FÃquene pollen records driven by obliquity: implications for a basin-wide biostratigraphic zonation for the last 284 ka. <i>Quaternary Science Reviews</i> , 2011, 30, 3321-3337.	1.4	55
195	Speleothem magnetism. <i>Quaternary Science Reviews</i> , 2011, 30, 3306-3320.	1.4	58
196	Orbital timing of the Indian, East Asian and African boreal monsoons and the concept of a "global monsoon"™. <i>Quaternary Science Reviews</i> , 2011, 30, 3705-3715.	1.4	82
197	The precession phase of hydrological variability in the Western Pacific Warm Pool during the past 400 Åka. <i>Quaternary Science Reviews</i> , 2011, 30, 3716-3727.	1.4	66
198	Improving assessment and modelling of climate change impacts on global terrestrial biodiversity. <i>Trends in Ecology and Evolution</i> , 2011, 26, 249-259.	4.2	268
199	StalAge " An algorithm designed for construction of speleothem age models. <i>Quaternary Geochronology</i> , 2011, 6, 369-382.	0.6	292

#	ARTICLE	IF	CITATIONS
200	Closely-spaced recuperated OSL dating of the last interglacial paleosol in the southeastern margin of the Chinese Loess Plateau. <i>Quaternary Geochronology</i> , 2011, 6, 480-490.	0.6	41
201	Annual layering in the NGRIP ice core during the Eemian. <i>Climate of the Past</i> , 2011, 7, 1427-1437.	1.3	23
202	NALPS: a precisely dated European climate record 120±60 ka. <i>Climate of the Past</i> , 2011, 7, 1247-1259.	1.3	127
203	Distinct responses of East Asian summer and winter monsoons to astronomical forcing. <i>Climate of the Past</i> , 2011, 7, 1363-1370.	1.3	43
204	Methane variations on orbital timescales: a transient modeling experiment. <i>Climate of the Past</i> , 2011, 7, 635-648.	1.3	13
205	Sensitivity of Red Sea circulation to sea level and insolation forcing during the last interglacial. <i>Climate of the Past</i> , 2011, 7, 941-955.	1.3	16
206	Ultra-high resolution pollen record from the northern Andes reveals rapid shifts in montane climates within the last two glacial cycles. <i>Climate of the Past</i> , 2011, 7, 299-316.	1.3	89
207	Climate patterns in north central China during the last 1800 yr and their possible driving force. <i>Climate of the Past</i> , 2011, 7, 685-692.	1.3	75
208	PREHISTORIC CULTURE, CLIMATE AND AGRICULTURE AT YUCHISI, ANHUI PROVINCE, CHINA. <i>Archaeometry</i> , 2011, 53, 396-410.	0.6	7
209	Daily $\delta^{18}O$ and δ^2H of precipitations from 2007 to 2009 in Guangzhou, South China: Implications for changes of moisture sources. <i>Journal of Hydrology</i> , 2011, 400, 477-489.	2.3	100
210	Fir trees disappeared 500years ago in the Liupan Mountains on the southwestern Loess Plateau, China. <i>Review of Palaeobotany and Palynology</i> , 2011, 166, 69-75.	0.8	7
211	Sea level controls sedimentation and environments in coastal caves and sinkholes. <i>Marine Geology</i> , 2011, 286, 35-50.	0.9	83
212	Millennial-scale dynamics of the winter cold tongue in the southern South China Sea over the past 26 ka and the East Asian winter monsoon. <i>Quaternary Research</i> , 2011, 75, 196-204.	1.0	112
213	The monsoon imprint during the "atypical" MIS 13 as seen through north and equatorial Indian Ocean records. <i>Quaternary Research</i> , 2011, 76, 285-293.	1.0	9
214	Progress in the reconstruction of Quaternary climate dynamics in the Northwest Pacific: A new modern analogue reference dataset and its application to the 430-kyr pollen record from Lake Biwa. <i>Earth-Science Reviews</i> , 2011, 108, 64-79.	4.0	57
215	Sedimentary facies and evolution of aeolianites on Shidao Island, Xisha Islands. <i>Chinese Journal of Oceanology and Limnology</i> , 2011, 29, 398-413.	0.7	14
216	Stable carbon and oxygen isotopic study of carbonate along a loess/paleosol section in Lantian County, Shaanxi Province, on the southeastern edge of the Chinese Loess Plateau. <i>Environmental Earth Sciences</i> , 2011, 64, 237-246.	1.3	4
217	High lake levels on Alxa Plateau during the Late Quaternary. <i>Science Bulletin</i> , 2011, 56, 1799-1808.	1.7	46

#	ARTICLE	IF	CITATIONS
218	Running on empty: Does mitochondrial DNA mutation limit replicative lifespan in yeast?. <i>BioEssays</i> , 2011, 33, 742-748.	1.2	3
220	Chinese stalagmite $\delta^{18}O$ controlled by changes in the Indian monsoon during a simulated Heinrich event. <i>Nature Geoscience</i> , 2011, 4, 474-480.	5.4	505
221	Storm instigation from below. <i>Nature Geoscience</i> , 2011, 4, 427-428.	5.4	3
222	Long-distance relationship. <i>Nature Geoscience</i> , 2011, 4, 426-427.	5.4	18
223	Paleosol carbonate multiple isotopologue signature of active East Asian summer monsoons during the late Miocene and Pliocene. <i>Geology</i> , 2011, 39, 1151-1154.	2.0	49
225	Late Glacial to Holocene Indian Summer Monsoon Variability Based upon Sediment Records Taken from the Bay of Bengal. <i>Terrestrial, Atmospheric and Oceanic Sciences</i> , 2011, 22, 215-228.	0.3	133
226	A statistically predictive model for future monsoon failure in India. <i>Environmental Research Letters</i> , 2012, 7, 044023.	2.2	44
227	Interplay between the Westerlies and Asian monsoon recorded in Lake Qinghai sediments since 32 ka. <i>Scientific Reports</i> , 2012, 2, 619.	1.6	629
228	Asian monsoon precipitation changes and the Holocene methane anomaly. <i>Holocene</i> , 2012, 22, 731-738.	0.9	5
229	Climate Change Modeling Methodology. , 2012, , .		1
230	High-Latitude Forcing of the South American Summer Monsoon During the Last Glacial. <i>Science</i> , 2012, 335, 570-573.	6.0	196
231	From Foraging to Farming in Western and Eastern Asia. , 0, , 57-91.		6
232	Isotopic and lithologic variations of one precisely-dated stalagmite across the Medieval/LIA period from Heilong Cave, central China. <i>Climate of the Past</i> , 2012, 8, 1541-1550.	1.3	19
233	Growth of fissure ridge travertines from geothermal springs of Denizli Basin, western Turkey. <i>Bulletin of the Geological Society of America</i> , 2012, 124, 1629-1645.	1.6	79
234	Geomorphic and chronometric evidence for high lake level history in Gahai Lake and Toson Lake of north-eastern Qaidam Basin, north-eastern Qinghai-Tibetan Plateau. <i>Journal of Quaternary Science</i> , 2012, 27, 819-827.	1.1	31
235	Speleothem evidence for temporal-spatial variation in the East Asian Summer Monsoon since the Medieval Warm Period. <i>Journal of Quaternary Science</i> , 2012, 27, 901-910.	1.1	20
236	Paleoenvironmental changes in the East/Japan Sea during the last 48 ka: indications from high-resolution X-ray fluorescence core scanning. <i>Journal of Quaternary Science</i> , 2012, 27, 932-940.	1.1	17
237	Glacial-interglacial water cycle, global monsoon and atmospheric methane changes. <i>Climate Dynamics</i> , 2012, 39, 1073-1092.	1.7	45

#	ARTICLE	IF	CITATIONS
238	The Global Paleomonsoon as seen through speleothem records from Asia and the Americas. <i>Climate Dynamics</i> , 2012, 39, 1045-1062.	1.7	311
239	Beyond 500 ka: Progress and prospects in the U Pb chronology of speleothems, and their application to studies in palaeoclimate, human evolution, biodiversity and tectonics. <i>Chemical Geology</i> , 2012, 322-323, 290-299.	1.4	39
240	Major and trace elements of a peat core from Yunnan, Southwest China: Implications for paleoclimatic proxies. <i>Journal of Asian Earth Sciences</i> , 2012, 58, 64-77.	1.0	17
241	Hydrological control of the dead carbon fraction in a Holocene tropical speleothem. <i>Quaternary Geochronology</i> , 2012, 14, 81-93.	0.6	57
242	Luminescence chronology for late Quaternary lake levels of enclosed Huangqihai lake in East Asian monsoon marginal area in northern China. <i>Quaternary Geochronology</i> , 2012, 10, 123-128.	0.6	29
243	A statistical approach to construct composite climate records of dated archives. <i>Quaternary Geochronology</i> , 2012, 14, 48-56.	0.6	53
244	Molecular records of climate variability and vegetation response since the Late Pleistocene in the Lake Victoria basin, East Africa. <i>Quaternary Science Reviews</i> , 2012, 55, 59-74.	1.4	125
245	Modelling the climatic diversity of the warm interglacials. <i>Quaternary Science Reviews</i> , 2012, 56, 126-141.	1.4	45
246	Variable sequence of events during the past seven terminations in two deep-sea cores from the Southern Ocean. <i>Quaternary Research</i> , 2012, 77, 317-325.	1.0	12
247	Millennial-scale erosion rates in three inland drainage basins and their controlling factors since the Last Deglaciation, arid China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2012, 365-366, 263-275.	1.0	12
249	The Upper Paleolithic of Mongolia: Recent finds and new perspectives. <i>Quaternary International</i> , 2012, 281, 36-46.	0.7	30
250	The 73 ka Toba super-eruption and its impact: History of a debate. <i>Quaternary International</i> , 2012, 258, 19-29.	0.7	50
251	Kiloyear-scale climate events and evolution during the Last Interglacial, Mu Us Desert, China. <i>Quaternary International</i> , 2012, 263, 63-70.	0.7	7
252	The East Asian winter monsoon over the last 15,000 years: its links to high-latitudes and tropical climate systems and complex correlation to the summer monsoon. <i>Quaternary Science Reviews</i> , 2012, 32, 131-142.	1.4	180
253	Anti-phased response of northern and southern East Asian summer precipitation to ENSO modulation of orbital forcing. <i>Quaternary Science Reviews</i> , 2012, 40, 30-38.	1.4	64
254	Timing and structure of the Younger Dryas event in northern China. <i>Quaternary Science Reviews</i> , 2012, 41, 83-93.	1.4	96
255	Speleothem isotopic evidence of winter rainfall variability in northeast Turkey between 77 and 6 ka. <i>Quaternary Science Reviews</i> , 2012, 45, 60-72.	1.4	50
256	Response to the correspondence article by Dr. Winograd. <i>Quaternary Science Reviews</i> , 2012, 45, 129-133.	1.4	1

#	ARTICLE	IF	CITATIONS
257	Quantifying kinetic fractionation in Bunker Cave speleothems using $\delta^{47}\text{Ti}$. <i>Quaternary Science Reviews</i> , 2012, 49, 82-94.	1.4	75
258	Human used upper montane ecosystem in the Horton Plains, central Sri Lanka – a link to Lateglacial and early Holocene climate and environmental changes. <i>Quaternary Science Reviews</i> , 2012, 50, 23-42.	1.4	25
259	Changes in fire regimes on the Chinese Loess Plateau since the last glacial maximum and implications for linkages to paleoclimate and past human activity. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2012, 315-316, 61-74.	1.0	43
260	The importance of solar insolation on the temperature variations for the past 110 kyr on the Chinese Loess Plateau. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2012, 317-318, 128-133.	1.0	69
261	Speleothem deposition at the glaciation threshold – An attempt to constrain the age and paleoenvironmental significance of a detrital-rich flowstone sequence from Entrische Kirche Cave (Austria). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2012, 319-320, 93-106.	1.0	15
262	History of Asian eolian input to the West Philippine Sea over the last one million years. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2012, 326-328, 152-159.	1.0	71
263	Late Quaternary linkage of sedimentary records to three astronomical rhythms and the Asian monsoon, inferred from a coastal borehole in the south Bohai Sea, China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2012, 329-330, 101-117.	1.0	67
264	Asian monsoon hydrometeorology from TES and SCIAMACHY water vapor isotope measurements and LMDZ simulations: Implications for speleothem climate record interpretation. <i>Journal of Geophysical Research</i> , 2012, 117, .	3.3	87
265	A 750-kyr detrital-layer stratigraphy for the North Atlantic (IODP Sites U1302–U1303, Orphan Knoll,) Tj ETQq0 0.0 rgBT /Overlock 10	1.8	92
266	Evaluation of high-resolution elemental analyses of Chinese loess deposits measured by X-ray fluorescence core scanner. <i>Catena</i> , 2012, 92, 75-82.	2.2	37
267	Hydrogeochemistry and fractionation pathways of Mg isotopes in a continental weathering system: Lessons from field experiments. <i>Chemical Geology</i> , 2012, 300-301, 109-122.	1.4	42
268	Reconstruction of surface water conditions in the central region of the Okhotsk Sea during the last 180kyrs. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2012, 61-64, 63-72.	0.6	17
269	Responses of the Okhotsk Sea environment and sedimentology to global climate changes at the orbital and millennial scale during the last 350kyr. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2012, 61-64, 73-84.	0.6	34
270	Different orbital rhythms in the Asian summer monsoon records from North and South China during the Pleistocene. <i>Global and Planetary Change</i> , 2012, 80-81, 51-60.	1.6	37
271	Last glacial to post glacial climate changes in continental Asia inferred from multi-proxy records (geochemistry, clay mineralogy, and paleontology) from Lake Hovsgol, northwest Mongolia. <i>Global and Planetary Change</i> , 2012, 88-89, 53-63.	1.6	13
272	A diatom-based reconstruction of summer sea-surface salinity in the Southern Okinawa Trough, East China Sea, over the last millennium. <i>Journal of Quaternary Science</i> , 2012, 27, 771-779.	1.1	12
273	Fluctuations in the late Quaternary East Asian winter monsoon recorded in sediment records of surface water cooling in the northern Japan Sea. <i>Journal of Quaternary Science</i> , 2012, 27, 866-872.	1.1	9
274	Greenland climate change: from the past to the future. <i>Wiley Interdisciplinary Reviews: Climate Change</i> , 2012, 3, 427-449.	3.6	28

#	ARTICLE	IF	CITATIONS
275	Grain size records reveal variability of the East Asian Winter Monsoon since the Middle Holocene in the Central Yellow Sea mud area, China. <i>Science China Earth Sciences</i> , 2012, 55, 1656-1668.	2.3	71
276	Decoupled Holocene variability in surface and thermocline water temperatures of the Indo-Pacific Warm Pool. <i>Geophysical Research Letters</i> , 2012, 39, .	1.5	42
277	The climatic cyclicity in semiarid/ arid central Asia over the past 500,000 years. <i>Geophysical Research Letters</i> , 2012, 39, .	1.5	348
278	Interannual variability of $\delta^{18}O$ in precipitation over the Asian monsoon region. <i>Journal of Geophysical Research</i> , 2012, 117, .	3.3	52
279	Direct correlation of Chinese speleothem $\delta^{18}O$ and South China Sea planktonic $\delta^{18}O$: Transferring a speleothem chronology to the benthic marine chronology. <i>Paleoceanography</i> , 2012, 27, .	3.0	28
280	Antarctic Isotope Maxima events 24 and 25 identified in benthic marine $\delta^{18}O$. <i>Paleoceanography</i> , 2012, 27, .	3.0	6
281	Extratropical modulation on Asian summer monsoon at precessional bands. <i>Geophysical Research Letters</i> , 2012, 39, .	1.5	11
282	High-precision and high-resolution carbonate ^{230}Th dating by MC-ICP-MS with SEM protocols. <i>Geochimica Et Cosmochimica Acta</i> , 2012, 99, 71-86.	1.6	277
283	Sea-level rises at Heinrich stadials of early Marine Isotope Stage 3: Evidence of terrigenous n-alkane input in the southern South China Sea. <i>Global and Planetary Change</i> , 2012, 94-95, 1-12.	1.6	21
284	Holocene environmental change and archaeology, Yangtze River Valley, China: Review and prospects. <i>Geoscience Frontiers</i> , 2012, 3, 875-892.	4.3	51
285	A reconstruction of late Pleistocene relative sea level in the south Bohai Sea, China, based on sediment grain-size analysis. <i>Sedimentary Geology</i> , 2012, 281, 88-100.	1.0	51
286	Correlation of the KHS Tuff of the Kibish Formation to volcanic ash layers at other sites, and the age of early Homo sapiens (Omo I and Omo II). <i>Journal of Human Evolution</i> , 2012, 63, 577-585.	1.3	111
287	Factors controlling isotopic composition of precipitation on Okinawa Island, Japan: Implications for paleoclimate reconstruction in the East Asian Monsoon region. <i>Journal of Hydrology</i> , 2012, 475, 314-322.	2.3	38
289	Monsoon Systems, Modeling of. , 2012, , 303-329.		0
290	Transportation characteristics of $\delta^{13}C$ in the plants-soil-bedrock-cave system in Chongqing karst area. <i>Science China Earth Sciences</i> , 2012, 55, 685-694.	2.3	46
291	The monsoon and El Niño events during the last glaciation as recorded in core MD98-2182 from the western equatorial Pacific Ocean. <i>Science China Earth Sciences</i> , 2012, 55, 1706-1715.	2.3	2
292	Modern Origins. <i>Vertebrate Paleobiology and Paleoanthropology</i> , 2012, , .	0.1	10
293	A review of the South American monsoon history as recorded in stable isotopic proxies over the past two millennia. <i>Climate of the Past</i> , 2012, 8, 1309-1321.	1.3	233

#	ARTICLE	IF	CITATIONS
294	Principles and development of the stalagmite paleoclimatology. Journal of the Geological Society of Japan, 2012, 118, 157-171.	0.2	3
295	The Japan Sea sediments and variability of East Asian Monsoon : Toward the IODP drilling of the Japan Sea and East China Sea. The Quaternary Research, 2012, 51, 151-164.	0.2	4
296	How has climate responded to natural perturbations?. , 0, , 72-101.		1
297	Duration of Greenland Stadial 22 and ice-gas $\delta^{18}O$ age from counting of annual layers in Greenland NGRIP ice core. Climate of the Past, 2012, 8, 1839-1847.	1.3	20
298	Towards orbital dating of the EPICA Dome C ice core using $\delta^{18}O$ and $\delta^{15}N$. Climate of the Past, 2012, 8, 191-203.	1.3	43
299	A critical humidity threshold for monsoon transitions. Climate of the Past, 2012, 8, 535-544.	1.3	25
300	Stable isotope and trace element investigation of two contemporaneous annually-laminated stalagmites from northeastern China surrounding the "8.2 ka event". Climate of the Past, 2012, 8, 1497-1507.	1.3	31
301	Global climate evolution during the last deglaciation. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, E1134-42.	3.3	422
302	A global picture of the first abrupt climatic event occurring during the last glacial inception. Geophysical Research Letters, 2012, 39, .	1.5	33
303	Assembly of one dimensional inorganic nanostructures into functional 2D and 3D architectures. Synthesis, arrangement and functionality. Chemical Society Reviews, 2012, 41, 5285.	18.7	237
304	Time Series Reconstruction from Unequally Spaced Natural Archive Data. Mathematical Geosciences, 2012, 44, 283-307.	1.4	1
305	Paleoenvironmental changes in the northern Okinawa trough since 25 ka BP: REE and organic carbon evidence. Journal of Earth Science (Wuhan, China), 2012, 23, 297-310.	1.1	10
306	Vegetation response to Holocene climate change in East Asian monsoon-margin region. Earth-Science Reviews, 2012, 113, 1-10.	4.0	142
307	Reconstructions of annual summer precipitation and temperature in north-central China since 1470 AD based on drought/flood index and tree-ring records. Climatic Change, 2012, 110, 469-498.	1.7	95
308	Potential climatic transitions with profound impact on Europe. Climatic Change, 2012, 110, 845-878.	1.7	67
310	Environmental magnetic studies of sediment cores from Gonghai Lake: implications for monsoon evolution in North China during the late glacial and Holocene. Journal of Paleolimnology, 2013, 49, 447-464.	0.8	53
311	The Contribution of Radiative Feedbacks to Orbitally Driven Climate Change. Journal of Climate, 2013, 26, 5897-5914.	1.2	23
312	Holocene lake level variations on the Qinghai-Tibetan Plateau. International Journal of Earth Sciences, 2013, 102, 2007-2016.	0.9	40

#	ARTICLE	IF	CITATIONS
313	Analysis of Paleoclimate Records for Understanding the Tropical Hydrologic Cycle in Abrupt Climate Change. , 2013, , 127-139.		3
314	Vegetation and fire history with their implication for climatic change and fire events since the last deglacial in the Aso Valley, central Kyushu, southwestern Japan: new pollen and charcoal data. Vegetation History and Archaeobotany, 2013, 22, 285-298.	1.0	9
315	Global energy budget changes to high latitude North Atlantic cooling and the tropical ITCZ response. Climate Dynamics, 2013, 40, 1435-1452.	1.7	67
316	A $\frac{1}{4}$ 200 ka pollen record from Okinawa Trough: Paleoenvironment reconstruction of glacial-interglacial cycles. Science China Earth Sciences, 2013, 56, 1731-1747.	2.3	30
317	Independent variations of CH ₄ emissions and isotopic composition over the past 160,000 years. Nature Geoscience, 2013, 6, 885-890.	5.4	54
318	Speleothem trace element signatures: A hydrologic geochemical study of modern cave dripwaters and farmed calcite. Geochimica Et Cosmochimica Acta, 2013, 121, 522-545.	1.6	123
319	Limnetic and terrestrial responses to climate change during the onset of the penultimate glacial stage in NW Greece. Global and Planetary Change, 2013, 107, 213-225.	1.6	10
320	Palaeoenvironmental change in tropical Australasia over the last 30,000 years – a synthesis by the OZ-INTIMATE group. Quaternary Science Reviews, 2013, 74, 97-114.	1.4	142
321	Late Pleistocene vegetation change in Korea and its possible link to East Asian monsoon and Dansgaard-Oeschger (D-O) cycles. Quaternary Research, 2013, 79, 55-60.	1.0	8
322	Dust transport and synoptic conditions over the Sahara-Arabia deserts during the MIS6/5 and 2/1 transitions from grain-size, chemical and isotopic properties of Red Sea cores. Earth and Planetary Science Letters, 2013, 382, 125-139.	1.8	56
323	A 500,000 year record of Indian summer monsoon dynamics recorded by eastern equatorial Indian Ocean upper water-column structure. Quaternary Science Reviews, 2013, 77, 167-180.	1.4	69
324	Environmental Tipping Points. Annual Review of Environment and Resources, 2013, 38, 1-29.	5.6	162
325	Oxygen isotope signatures preserved in tree ring cellulose as a proxy for April-September precipitation in Fujian, the subtropical region of southeast China. Journal of Geophysical Research D: Atmospheres, 2013, 118, 12,805.	1.2	73
326	Mid-Holocene climate conditions and moisture source variations based on stable H, C and O isotope compositions of speleothems in Hungary. Quaternary International, 2013, 293, 150-156.	0.7	25
327	Prior calcite precipitation and source mixing process influence Sr/Ca, Ba/Ca and ⁸⁷ Sr/ ⁸⁶ Sr of a stalagmite developed in southwestern Japan during 18.0±4.5ka. Chemical Geology, 2013, 347, 190-198.	1.4	21
328	Late Quaternary coccolith records in the South China Sea and East Asian monsoon dynamics. Global and Planetary Change, 2013, 111, 88-96.	1.6	24
329	Phase evolution of Holocene paleoenvironmental changes in the southern Yellow Sea: Benthic foraminiferal evidence from core C02. Journal of Ocean University of China, 2013, 12, 629-638.	0.6	12
330	Retrospect and prospect of Geographical Sciences in China: A comparison with the Strategic Directions for Geography in the USA. Journal of Chinese Geography, 2013, 23, 963-977.	1.5	2

#	ARTICLE	IF	CITATIONS
331	Millennial-scale ice rafting events and Hudson Strait Heinrich(-like) Events during the late Pliocene and Pleistocene: a review. <i>Quaternary Science Reviews</i> , 2013, 80, 1-28.	1.4	98
332	High regional climate sensitivity over continental China constrained by glacial-recent changes in temperature and the hydrological cycle. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 8813-8818.	3.3	70
333	Bi-hemispheric forcing for Indo-Asian monsoon during glacial terminations. <i>Quaternary Science Reviews</i> , 2013, 59, 1-4.	1.4	14
334	Lake levels in Asia at the Last Glacial Maximum as indicators of hydrologic sensitivity to greenhouse gas concentrations. <i>Quaternary Science Reviews</i> , 2013, 60, 1-12.	1.4	45
335	Highly Variable El Niño Southern Oscillation Throughout the Holocene. <i>Science</i> , 2013, 339, 67-70.	6.0	373
336	The Chinese Upper Paleolithic: Geography, Chronology, and Techno-typology. <i>Journal of Archaeological Research</i> , 2013, 21, 1-73.	1.4	99
337	Comparison of the Quaternary travertine sites in the Denizli extensional basin based on their depositional and geochemical data. <i>Sedimentary Geology</i> , 2013, 294, 179-204.	1.0	119
338	Integrated multi-site U ¹⁴ C chronology of the last glacial Lake Lisan. <i>Geochimica Et Cosmochimica Acta</i> , 2013, 104, 210-231.	1.6	75
339	Vegetation responses to mid-Holocene extreme drought events and subsequent long-term drought on the southeastern Inner Mongolian Plateau, China. <i>Agricultural and Forest Meteorology</i> , 2013, 178-179, 3-9.	1.9	35
340	Australasian monsoon response to Dansgaard-Oeschger event 21 and teleconnections to higher latitudes. <i>Earth and Planetary Science Letters</i> , 2013, 369-370, 294-304.	1.8	15
341	Mid-Holocene East Asian summer monsoon strengthening: Insights from Paleoclimate Modeling Intercomparison Project (PMIP) simulations. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2013, 369, 422-429.	1.0	58
342	Paleoclimatic evolution of Holocene loess and discussion of the sensitivity of magnetic susceptibility and median diameter. <i>Quaternary International</i> , 2013, 296, 160-167.	0.7	18
343	Decreasing intensity of the last glacial stadials in low latitude terrestrial East Asia inferred by a new observation of pollen records in central Taiwan. <i>Journal of Asian Earth Sciences</i> , 2013, 69, 159-165.	1.0	5
344	Interhemispheric anti-phasing of orbitally driven monsoon intensity: Implications for ice-volume forcing in the high latitudes. <i>Earth and Planetary Science Letters</i> , 2013, 377-378, 34-42.	1.8	2
345	An isotopic and modelling study of flow paths and storage in Quaternary calcarenite, SW Australia: implications for speleothem paleoclimate records. <i>Quaternary Science Reviews</i> , 2013, 64, 90-103.	1.4	58
346	East Asian Summer Monsoon variations in the past 12.5ka: High-resolution $\delta^{18}O$ record from a precisely dated aragonite stalagmite in central China. <i>Journal of Asian Earth Sciences</i> , 2013, 73, 162-175.	1.0	63
347	Millennial climatic instability during penultimate glacial period recorded in a south-western France speleothem. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2013, 376, 122-131.	1.0	23
348	Improvements in ²³⁰ Th dating, ²³⁰ Th and ²³⁴ U half-life values, and ²³⁰ Th isotopic measurements by multi-collector inductively coupled plasma mass spectrometry. <i>Earth and Planetary Science Letters</i> , 2013, 371-372, 82-91.	1.8	1,007

#	ARTICLE	IF	CITATIONS
349	Persistent sea surface temperature and declined sea surface salinity in the northwestern tropical Pacific over the past 7500years. <i>Journal of Asian Earth Sciences</i> , 2013, 66, 234-239.	1.0	14
350	North Andean environmental and climatic change at orbital to submillennial time-scales: Vegetation, water levels and sedimentary regimes from Lake FÃ³quene 130â€“27ka. <i>Review of Palaeobotany and Palynology</i> , 2013, 197, 186-204.	0.8	24
351	Plateau versus fissure ridge travertines from Quaternary geothermal springs of Italy and Turkey: Interactions and feedbacks between fluid discharge, paleoclimate, and tectonics. <i>Earth-Science Reviews</i> , 2013, 123, 35-52.	4.0	96
352	Timing and climatic drivers for glaciation across semi-arid western Himalayanâ€“Tibetan orogen. <i>Quaternary Science Reviews</i> , 2013, 78, 188-208.	1.4	171
353	Paleoclimate variability in central Taiwan during the past 30Kyr reflected by pollen, Î´13CTOC, and n-alkane-Î´D records in a peat sequence from Toushe Basin. <i>Journal of Asian Earth Sciences</i> , 2013, 69, 166-176.	1.0	23
354	Millennial-scale Agulhas Current variability and its implications for salt-leakage through the Indianâ€“Atlantic Ocean Gateway. <i>Earth and Planetary Science Letters</i> , 2013, 383, 101-112.	1.8	55
355	Moroccan speleothem and tree ring records suggest a variable positive state of the North Atlantic Oscillation during the Medieval Warm Period. <i>Earth and Planetary Science Letters</i> , 2013, 375, 291-302.	1.8	82
356	Global biomass burning: a synthesis and review of Holocene paleofire records and their controls. <i>Quaternary Science Reviews</i> , 2013, 65, 5-25.	1.4	297
357	Holocene stalagmite oxygen isotopic record from the Japan Sea side of the Japanese Islands, as a new proxy of the East Asian winter monsoon. <i>Quaternary Science Reviews</i> , 2013, 75, 150-160.	1.4	40
358	Late Pleistocene glacial advances in the western Tibet interior. <i>Earth and Planetary Science Letters</i> , 2013, 381, 210-221.	1.8	32
359	Disequilibrium carbon and oxygen isotope fractionation in recent cave calcite: Comparison of cave precipitates and model data. <i>Geochimica Et Cosmochimica Acta</i> , 2013, 103, 232-244.	1.6	78
360	What caused the low-water phase of glacial Lake Agassiz?. <i>Quaternary Research</i> , 2013, 80, 370-382.	1.0	9
361	Speleothems Reveal 500,000-Year History of Siberian Permafrost. <i>Science</i> , 2013, 340, 183-186.	6.0	103
362	Frequencyâ€“dependent landscape response to climatic forcing. <i>Geophysical Research Letters</i> , 2013, 40, 859-863.	1.5	61
363	Climate change patterns in Amazonia and biodiversity. <i>Nature Communications</i> , 2013, 4, 1411.	5.8	422
364	Long-term east-west asymmetry in monsoon rainfall on the Tibetan Plateau. <i>Geology</i> , 2013, 41, 351-354.	2.0	92
365	Millennial-scale climate variability during the mid-Pleistocene transition period in the northern South China Sea. <i>Quaternary Science Reviews</i> , 2013, 70, 15-27.	1.4	8
366	Precisely dated AMS 14C marine cores reveal the complexity of millennial-scale Asian monsoon variability in the northern South China Sea (MD972146, MD972148). <i>Journal of Asian Earth Sciences</i> , 2013, 69, 93-101.	1.0	7

#	ARTICLE	IF	CITATIONS
367	Foraminiferal records of bottom-water oxygenation and surface-water productivity in the southern Japan Sea during 160â€“15ka: Associations with insolation changes. <i>Marine Micropaleontology</i> , 2013, 101, 10-27.	0.5	19
368	Development of Middle Stone Age innovation linked to rapid climate change. <i>Nature Communications</i> , 2013, 4, 1905.	5.8	154
369	Climatic stages recorded in sediments of the Gunang Cave, South Korea. <i>Quaternary International</i> , 2013, 313-314, 194-209.	0.7	8
370	High-resolution variability of the South American summer monsoon over the last seven millennia: insights from a speleothem record from the central Peruvian Andes. <i>Quaternary Science Reviews</i> , 2013, 75, 1-10.	1.4	124
371	Evidence of silicic acid leakage to the tropical Atlantic via Antarctic Intermediate Water during Marine Isotope Stage 4. <i>Paleoceanography</i> , 2013, 28, 307-318.	3.0	20
372	Wind as the primary driver of erosion in the Qaidam Basin, China. <i>Earth and Planetary Science Letters</i> , 2013, 374, 1-10.	1.8	78
373	Temperature dependence of oxygen isotope fractionation in coccolith calcite: A culture and core top calibration of the genus <i>Calcidiscus</i> . <i>Geochimica Et Cosmochimica Acta</i> , 2013, 100, 264-281.	1.6	33
374	Active faulting, mountain growth, and erosion at the margins of the Tibetan Plateau constrained by in situ-produced cosmogenic nuclides. <i>Tectonophysics</i> , 2013, 582, 1-24.	0.9	91
375	New progress in the Holocene climate and agriculture research in China. <i>Science China Earth Sciences</i> , 2013, 56, 2027-2036.	2.3	15
376	North Atlantic forcing of millennial-scale Indo-Australian monsoon dynamics during the Last Glacial period. <i>Quaternary Science Reviews</i> , 2013, 72, 159-168.	1.4	111
377	Carbonate leaching processes in the Red Clay Formation, Chinese Loess Plateau: Fingerprinting East Asian summer monsoon variability during the late Miocene and Pliocene. <i>Geophysical Research Letters</i> , 2013, 40, 194-198.	1.5	24
378	Westerly jetâ€“East Asian summer monsoon connection during the Holocene. <i>Geochemistry, Geophysics, Geosystems</i> , 2013, 14, 5041-5053.	1.0	56
379	Transient simulation of orbitalâ€“scale precipitation variation in monsoonal East Asia and arid central Asia during the last 150 ka. <i>Journal of Geophysical Research D: Atmospheres</i> , 2013, 118, 7481-7488.	1.2	47
380	The Antarctic ice core chronology (AICC2012): an optimized multi-parameter and multi-site dating approach for the last 120 thousand years. <i>Climate of the Past</i> , 2013, 9, 1733-1748.	1.3	362
381	Climatic and Anthropogenic Impacts on $\delta^{13}C$ Variations in a Stalagmite from Central China. <i>Terrestrial, Atmospheric and Oceanic Sciences</i> , 2013, 24, 333.	0.3	14
382	The Tropical Precipitation Response to Orbital Precession. <i>Journal of Climate</i> , 2013, 26, 2010-2021.	1.2	52
383	Precessional Cycles and Their Influence on the North Pacific and North Atlantic Summer Anticyclones. <i>Journal of Climate</i> , 2013, 26, 4596-4611.	1.2	22
384	Mechanisms of Mid-Holocene Precipitation Change in the South Pacific Convergence Zone. <i>Journal of Climate</i> , 2013, 26, 6937-6953.	1.2	12

#	ARTICLE	IF	CITATIONS
385	Variation of East Asian monsoon precipitation during the past 21 k.y. and potential CO ₂ forcing. <i>Geology</i> , 2013, 41, 1023-1026.	2.0	271
386	Southward Intertropical Convergence Zone Shifts and Implications for an Atmospheric Bipolar Seesaw. <i>Journal of Climate</i> , 2013, 26, 4121-4137.	1.2	21
387	Decoding the drivers of bank erosion on the Mekong river: The roles of the Asian monsoon, tropical storms, and snowmelt. <i>Water Resources Research</i> , 2013, 49, 2146-2163.	1.7	49
388	Varied Response of Western Pacific Hydrology to Climate Forcings over the Last Glacial Period. <i>Science</i> , 2013, 340, 1564-1566.	6.0	132
389	Two-phase change in CO ₂ , Antarctic temperature and global climate during Termination II. <i>Nature Geoscience</i> , 2013, 6, 1062-1065.	5.4	43
390	Quartz OSL chronology and dust accumulation rate changes since the Last Glacial at Weinan on the southeastern Chinese Loess Plateau. <i>Boreas</i> , 2013, 42, 815-829.	1.2	35
391	Late Pleistocene and Holocene lightness change of the sediment core MD179-3296 and -3304 from the eastern margin of Japan Sea. <i>Journal of the Japanese Association for Petroleum Technology</i> , 2013, 78, 210-213.	0.0	0
392	Hydrological modeling of stalagmite $\delta^{18}O$ response to glacial-interglacial transitions. <i>Geophysical Research Letters</i> , 2013, 40, 3207-3212.	1.5	16
393	The response of atmospheric nitrous oxide to climate variations during the last glacial period. <i>Geophysical Research Letters</i> , 2013, 40, 1888-1893.	1.5	14
394	Where to find 1.5 million yr old ice for the IPICS "Oldest-Ice" ice core. <i>Climate of the Past</i> , 2013, 9, 2489-2505.	1.3	123
395	The East Asian winter monsoon variability in response to precession during the past 150 000 yr. <i>Climate of the Past</i> , 2013, 9, 2777-2788.	1.3	35
396	Major dust events in Europe during marine isotope stage 5 (130-74 ka): a climatic interpretation of the "markers". <i>Climate of the Past</i> , 2013, 9, 2213-2230.	1.3	23
397	An optimized multi-proxy, multi-site Antarctic ice and gas orbital chronology (AICC2012): 120-800 ka. <i>Climate of the Past</i> , 2013, 9, 1715-1731.	1.3	324
398	Millennial-scale variability of marine productivity and terrigenous matter supply in the western Bering Sea over the past 180 kyr. <i>Climate of the Past</i> , 2013, 9, 1345-1373.	1.3	63
399	Evolutionary History of Lagomorphs in Response to Global Environmental Change. <i>PLoS ONE</i> , 2013, 8, e59668.	1.1	95
400	Global Speleothem Oxygen Isotope Measurements Since the Last Glacial Maximum. <i>Dataset Papers in Geosciences</i> , 2013, 2013, 1-9.	0.3	11
401	Direct linking of Greenland and Antarctic ice cores at the Toba eruption (74 ka BP). <i>Climate of the Past</i> , 2013, 9, 749-766.	1.3	70
402	Post-Pliocene establishment of the present monsoonal climate in SW China: evidence from the late Pliocene Longmen megaflora. <i>Climate of the Past</i> , 2013, 9, 1911-1920.	1.3	56

#	ARTICLE	IF	CITATIONS
403	The last interglacial (Eemian) climate simulated by LOVECLIM and CCSM3. <i>Climate of the Past</i> , 2013, 9, 1789-1806.	1.3	54
404	9. The Origin of Northern Hemisphere Glaciation and the Pleistocene Ice Ages. , 2013, , 172-234.		0
405	Dependence of the cyclization of branched tetraethers on soil moisture in alkaline soils from aridâ€“subhumid China: implications for palaeorainfall reconstructions on the Chinese Loess Plateau. <i>Biogeosciences</i> , 2014, 11, 6755-6768.	1.3	48
406	The global monsoon across timescales: coherent variability of regional monsoons. <i>Climate of the Past</i> , 2014, 10, 2007-2052.	1.3	152
407	Multiproxy reconstruction for Kuroshio responses to northern hemispheric oceanic climate and the Asian Monsoon since Marine Isotope Stage 5.1 (âˆ¼488 ka). <i>Climate of the Past</i> , 2014, 10, 1735-1750.	1.3	25
408	Stalagmite-inferred variability of the Asian summer monsoon during the penultimate glacialâ€“interglacial period. <i>Climate of the Past</i> , 2014, 10, 1211-1219.	1.3	33
409	Monitoring of a fast-growing speleothem site from the Han-sur-Lesse cave, Belgium, indicates equilibrium deposition of the seasonal $\delta^{18}\text{O}$ and $\delta^{13}\text{C}$ signals in the calcite. <i>Climate of the Past</i> , 2014, 10, 1871-1885.	1.3	33
410	NGRIP CH ₄ concentration from 120 to 10 kyr before present and its relation to a $\delta^{15}\text{N}$ temperature reconstruction from the same ice core. <i>Climate of the Past</i> , 2014, 10, 903-920.	1.3	61
411	Variation in the Asian monsoon intensity and dryâ€“wet conditions since the Little Ice Age in central China revealed by an aragonite stalagmite. <i>Climate of the Past</i> , 2014, 10, 1803-1816.	1.3	25
412	Water pH and temperature in Lake Biwa from MBT'/CBT indices during the last 280 000 years. <i>Climate of the Past</i> , 2014, 10, 1843-1855.	1.3	8
415	A climate threshold at the eastern edge of the Tibetan plateau. <i>Geophysical Research Letters</i> , 2014, 41, 5598-5604.	1.5	24
416	Holocene stalagmite $\delta^{18}\text{O}$ records in the East Asian monsoon region and their correlation with those in the Indian monsoon region. <i>Holocene</i> , 2014, 24, 1657-1664.	0.9	52
417	Paleoenvironmental changes during the late Quaternary as inferred from foraminifera assemblages in the Laizhou Bay. <i>Acta Oceanologica Sinica</i> , 2014, 33, 10-18.	0.4	7
418	Reconstructed moisture evolution of the deserts in northern China since the Last Glacial Maximum and its implications for the East Asian Summer Monsoon. <i>Global and Planetary Change</i> , 2014, 121, 101-112.	1.6	106
419	Changes in plant diversity on the Chinese Loess Plateau since the Last Glacial Maximum. <i>Science Bulletin</i> , 2014, 59, 4096-4100.	1.7	7
420	The Biological Pump in the Past. , 2014, , 485-517.		48
421	North Atlantic Paleoceanography from Integrated Ocean Drilling Program Expeditions (2003â€“2013). <i>Developments in Marine Geology</i> , 2014, 7, 359-393.	0.4	0
422	Water Stable Isotopes: Atmospheric Composition and Applications in Polar Ice Core Studies. , 2014, , 213-256.		7

#	ARTICLE	IF	CITATIONS
423	A compilation of Western European terrestrial records 60â€“8â€š: towards an understanding of latitudinal climatic gradients. <i>Quaternary Science Reviews</i> , 2014, 106, 167-185.	1.4	121
424	Response of the highâ€š-resolution Chinese loess grain size record to the 50â€šN integrated winter insolation during the last 500,000â€šyears. <i>Geophysical Research Letters</i> , 2014, 41, 6244-6251.	1.5	9
425	Diatomâ€š-based reconstruction of summer seaâ€š-surface salinity in the <sc>S</sc>outh <sc>C</sc>hina <sc>S</sc>ea over the last 15â€š000 years. <i>Boreas</i> , 2014, 43, 208-219.	1.2	11
426	Holocene vegetation history, precipitation changes and Indian Summer Monsoon evolution documented from sediments of Xingyun Lake, southâ€šwest China. <i>Journal of Quaternary Science</i> , 2014, 29, 661-674.	1.1	171
427	Precipitation variability within the West Pacific Warm Pool over the past 120â€ška: Evidence from the Davao Gulf, southern Philippines. <i>Paleoceanography</i> , 2014, 29, 1094-1110.	3.0	42
428	A highâ€š-resolution monsoon record of millennialâ€š-scale oscillations during Late <sc>MIS</sc> 3 from Wulu Cave, southâ€šwest China. <i>Journal of Quaternary Science</i> , 2014, 29, 83-90.	1.1	31
429	Climate variability and ice-sheet dynamics during the last three glaciations. <i>Earth and Planetary Science Letters</i> , 2014, 406, 198-212.	1.8	52
430	Geochemical Evidence for Quaternary Sea-Level Changes. , 2014, , 355-372.		0
431	¹⁴C Chronostratigraphy for Qinghai Lake in China. <i>Radiocarbon</i> , 2014, 56, 143-155.	0.8	52
432	Asian Monsoon Variability Recorded in Other Archives. <i>Developments in Paleoenvironmental Research</i> , 2014, , 145-337.	7.5	0
433	Millennial-scale alkenone sea surface temperature changes in the northern South China Sea during the past 45,000 years (MD972146). <i>Quaternary International</i> , 2014, 333, 207-215.	0.7	10
434	Late Quaternary climates of East Asia deduced from the total organic carbon contents of cored sediments (MD179-3304, 3312) off Joetsu City, Japan Sea. <i>Journal of Asian Earth Sciences</i> , 2014, 90, 209-217.	1.0	11
435	Climate changes for the past 52â€ška clarified by total organic carbon concentrations and pollen composition in Lake Biwa, Japan. <i>Quaternary International</i> , 2014, 333, 2-12.	0.7	18
436	Assessing influences on speleothem dead carbon variability over the Holocene: Implications for speleothem-based radiocarbon calibration. <i>Earth and Planetary Science Letters</i> , 2014, 394, 20-29.	1.8	45
437	Pleistocene paleoceanography of the South China Sea: Progress over the past 20years. <i>Marine Geology</i> , 2014, 352, 381-396.	0.9	58
438	Daily response of drip water isotopes to precipitation in Liangfeng Cave, Guizhou Province, SW China. <i>Quaternary International</i> , 2014, 349, 153-158.	0.7	23
439	Holocene monsoonal climate changes tracked by multiproxy approach from a lacustrine sediment core of the subalpine Retreat Lake in Taiwan. <i>Quaternary International</i> , 2014, 333, 69-76.	0.7	26
440	The response of the Okhotsk Sea environment to the orbital-millennium global climate changes during the Last Glacial Maximum, deglaciation and Holocene. <i>Global and Planetary Change</i> , 2014, 116, 76-90.	1.6	37

#	ARTICLE	IF	CITATIONS
441	Biological nitrate utilization in south Siberian lakes (Baikal and Hovsgol) during the Last Glacial period: the influence of climate change on primary productivity. <i>Quaternary Science Reviews</i> , 2014, 90, 69-79.	1.4	18
442	Molecular records of continental air temperature and monsoon precipitation variability in East Asia spanning the past 130,000 years. <i>Quaternary Science Reviews</i> , 2014, 83, 76-82.	1.4	118
443	Contrasts in variations of the carbon and oxygen isotopic composition of travertines formed in pools and a ramp stream at Huanglong Ravine, China: Implications for paleoclimatic interpretations. <i>Geochimica Et Cosmochimica Acta</i> , 2014, 125, 34-48.	1.6	33
444	Climate effects of the 74kya Toba super-eruption: Multiple interpretive errors in a high-precision $^{40}\text{Ar}/^{39}\text{Ar}$ age for the Young Toba Tuff and dating of ultra-distal tephra by D. Mark, et al.. <i>Quaternary Geochronology</i> , 2014, 21, 104-105.	0.6	4
445	Natural variability of summer rainfall over China in HadCM3. <i>Climate Dynamics</i> , 2014, 42, 417-432.	1.7	24
446	Circulation effect: response of precipitation $\delta^{18}\text{O}$ to the ENSO cycle in monsoon regions of China. <i>Climate Dynamics</i> , 2014, 42, 1067-1077.	1.7	271
447	Potential role of winter rainfall in explaining increased moisture in the Mediterranean and Middle East during periods of maximum orbitally-forced insolation seasonality. <i>Climate Dynamics</i> , 2014, 42, 1079-1095.	1.7	122
448	Trace-element variations in an annually layered stalagmite as recorders of climatic changes and anthropogenic pollution in Central China. <i>Quaternary Research</i> , 2014, 81, 181-188.	1.0	33
449	Mid-latitude interhemispheric hydrologic seesaw over the past 550,000 years. <i>Nature</i> , 2014, 508, 378-382.	13.7	54
450	Late Pleistocene paleoclimatic history documented by an oxygen isotope record from carbonate sediments in Qarhan Salt Lake, NE Qinghai-Tibetan Plateau. <i>Journal of Asian Earth Sciences</i> , 2014, 85, 202-209.	1.0	34
451	Millennial climate changes since MIS 3 revealed by element records in deep-sea sediments from northern South China Sea. <i>Science Bulletin</i> , 2014, 59, 776-784.	1.7	21
452	Speleothem based 1000-year high resolution record of Indian monsoon variability during the last deglaciation. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2014, 395, 1-8.	1.0	36
453	Sedimentary evolution and environmental history of Lake Van (Turkey) over the past 600,000 years. <i>Sedimentology</i> , 2014, 61, 1830-1861.	1.6	92
454	Conversion of GISP2-based sediment core age models to the GICC05 extended chronology. <i>Quaternary Geochronology</i> , 2014, 20, 1-7.	0.6	17
455	Land-ocean changes on orbital and millennial time scales and the penultimate glaciation. <i>Geology</i> , 2014, 42, 183-186.	2.0	65
456	Orbital Asian summer monsoon dynamics revealed using an isotope-enabled global climate model. <i>Nature Communications</i> , 2014, 5, 5371.	5.8	145
457	Temperature and leaf wax $\delta^2\text{H}$ records demonstrate seasonal and regional controls on Asian monsoon proxies. <i>Geology</i> , 2014, 42, 1075-1078.	2.0	46
458	Orbital and millennial scale climate and vegetation changes between 32.5 and 6.9k cal a BP from Hanon Maar paleolake on Jeju Island, South Korea. <i>Journal of Quaternary Science</i> , 2014, 29, 570-580.	1.1	13

#	ARTICLE	IF	CITATIONS
459	Chronostratigraphy of the 600,000 year old continental record of Lake Van (Turkey). <i>Quaternary Science Reviews</i> , 2014, 104, 8-17.	1.4	81
460	Variations of alkenone temperature in the Sea of Japan during the last 170 ka and its paleoceanographic implications. <i>Science Bulletin</i> , 2014, 59, 4498-4509.	1.7	6
461	Modelling glacier advances and related climate conditions during the last glaciation cycle in the Kuzigun Valley, Tashkurgan catchment, on the north-west Tibetan Plateau. <i>Journal of Quaternary Science</i> , 2014, 29, 279-288.	1.1	18
462	High-resolution multi-proxy evidence for millennial- and centennial-scale climate oscillations during the last deglaciation in Jeju Island, South Korea. <i>Quaternary Science Reviews</i> , 2014, 105, 112-125.	1.4	28
463	Spatial and temporal distributions of clay minerals in mud deposits on the inner shelf of the East China Sea: Implications for paleoenvironmental changes in the Holocene. <i>Quaternary International</i> , 2014, 349, 270-279.	0.7	54
464	Time-scale and astronomical forcing of Serbian loess paleosol sequences. <i>Global and Planetary Change</i> , 2014, 122, 89-106.	1.6	50
465	A 0.6 million year record of millennial-scale climate variability in the tropics. <i>Geophysical Research Letters</i> , 2014, 41, 969-975.	1.5	34
466	Weakening and strengthening of the Indian monsoon during Heinrich events and Dansgaard-Oeschger oscillations. <i>Paleoceanography</i> , 2014, 29, 99-114.	3.0	98
467	Fluvial incision history that controlled the distribution of landslides in the Central Range of Taiwan. <i>Geomorphology</i> , 2014, 226, 175-192.	1.1	13
468	Assessing the strength of the monsoon during the late Pleistocene in southwestern United States. <i>Quaternary Science Reviews</i> , 2014, 103, 81-90.	1.4	6
469	Rapid shifts in subarctic Pacific climate between 138 and 70 ka. <i>Geology</i> , 2014, 42, 899-902.	2.0	9
470	Origin and palaeoenvironmental significance of C25 and C27 n-alk-1-enes in a 25,000-year lake-sedimentary record from equatorial East Africa. <i>Geochimica Et Cosmochimica Acta</i> , 2014, 145, 89-102.	1.6	16
471	Migrations and dynamics of the intertropical convergence zone. <i>Nature</i> , 2014, 513, 45-53.	18.7	909
472	High resolution climate and environmental changes of the northern Japan (East) Sea for the last 40kyr inferred from sedimentary geochemical and pollen data. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2014, 414, 260-272.	1.0	18
473	A 249 kyr stack of eight loess grain size records from northern China documenting millennial-scale climate variability. <i>Geochemistry, Geophysics, Geosystems</i> , 2014, 15, 798-814.	1.0	73
474	Human influence as a potential source of bias in pollen-based quantitative climate reconstructions. <i>Quaternary Science Reviews</i> , 2014, 99, 112-121.	1.4	53
475	Sediment provenance and paleoenvironmental change in the Ulleung Basin of the East (Japan) Sea during the last 21kyr. <i>Journal of Asian Earth Sciences</i> , 2014, 93, 146-157.	1.0	15
476	Paleoceanography and Sea-Level Changes. <i>Developments in Marine Geology</i> , 2014, , 469-570.	0.4	3

#	ARTICLE	IF	CITATIONS
477	Sea-level variability over five glacial cycles. <i>Nature Communications</i> , 2014, 5, 5076.	5.8	325
478	Determination of carbon and oxygen isotopes of geological samples with a complicated matrix: comparison of different analytical methods. <i>Analytical Methods</i> , 2014, 6, 9173-9178.	1.3	8
479	A new technique to map groundwater recharge in irrigated areas using a SWAT model under changing climate. <i>Journal of Hydrology</i> , 2014, 519, 1368-1382.	2.3	77
480	Suborbital climatic variability and centres of biological diversity in the Cape region of southern Africa. <i>Journal of Biogeography</i> , 2014, 41, 1338-1351.	1.4	17
481	Abrupt deglaciation on the northeastern Tibetan Plateau: evidence from Lake Qinghai. <i>Journal of Paleolimnology</i> , 2014, 51, 223-240.	0.8	36
482	North Atlantic forcing of tropical Indian Ocean climate. <i>Nature</i> , 2014, 509, 76-80.	13.7	206
483	Glacial forcing of central Indonesian hydroclimate since 60,000 y B.P.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 5100-5105.	3.3	118
484	The Stable Isotopic Composition of Atmospheric O ₂ . , 2014, , 363-383.		6
485	Archaeological sites distribution and its physical environmental settings between ca 260âˆ’2.2 ka BP in Guizhou, Southwest China. <i>Journal of Chinese Geography</i> , 2014, 24, 526-538.	1.5	10
486	Seasonal variability of oxygen and hydrogen stable isotopes in precipitation and cave drip water at Guilin, southwest China. <i>Environmental Earth Sciences</i> , 2014, 72, 3183-3191.	1.3	26
487	Rare earth element composition of paleo-maar sediments (latest Pleistoceneâˆ’Early Holocene), Jeju Island, Korea: Implications for Asian dust record and monsoon climate. <i>Quaternary International</i> , 2014, 344, 32-42.	0.7	6
488	Response of vegetation in central Japan to precession during the last 147,000 years: A lignin record from Lake Biwa core BIW08-B. <i>Quaternary International</i> , 2014, 349, 59-67.	0.7	11
489	Timing and climatic drivers for glaciation across monsoon-influenced regions of the Himalayanâˆ’Tibetan orogen. <i>Quaternary Science Reviews</i> , 2014, 88, 159-182.	1.4	135
490	Abundant C4 plants on the Tibetan Plateau during the Lateglacial and early Holocene. <i>Quaternary Science Reviews</i> , 2014, 87, 24-33.	1.4	52
491	Palaeosol development in the Chinese Loess Plateau as an indicator of the strength of the East Asian summer monsoon: Evidence for a mid-Holocene maximum. <i>Quaternary International</i> , 2014, 334-335, 155-164.	0.7	129
492	Clay-sized sediment provenance change in the northern Okinawa Trough since 22kyrBP and its paleoenvironmental implication. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2014, 399, 236-245.	1.0	53
493	Modelling stable water isotopes in monsoon precipitation during the previous interglacial. <i>Quaternary Science Reviews</i> , 2014, 85, 119-135.	1.4	16
494	Landscape evolution of the Ulan Buh Desert in northern China during the late Quaternary. <i>Quaternary Research</i> , 2014, 81, 476-487.	1.0	53

#	ARTICLE	IF	CITATIONS
495	Holocene climate change inferred from stratigraphy and OSL chronology of aeolian sediments in the Qaidam Basin, northeastern Qinghai-Tibetan Plateau. <i>Quaternary Research</i> , 2014, 81, 488-499.	1.0	74
496	Reconstructing late Holocene vegetation and fire histories in monsoonal region of southeastern China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2014, 393, 102-110.	1.0	23
497	Holocene climate variation determined from rubidium and strontium contents and ratios of sediments collected from the Badainjaran Desert, Inner Mongolia, China. <i>Chemie Der Erde</i> , 2014, 74, 571-576.	0.8	9
498	Environmental humidity changes inferred from multi-indicators in the Jiangnan Plain, Central China during the last 12,700 years. <i>Quaternary International</i> , 2014, 349, 68-78.	0.7	13
499	Decoupling of the East Asian summer monsoon and Indian summer monsoon between 20 and 17 ka. <i>Quaternary Research</i> , 2014, 82, 146-153.	1.0	17
500	Monsoon-influenced variation in productivity and lithogenic sediment flux since 110 ka in the offshore Mahanadi Basin, northern Bay of Bengal. <i>Marine and Petroleum Geology</i> , 2014, 58, 502-525.	1.5	65
501	Vegetation history, climatic changes and Indian summer monsoon evolution during the Last Glaciation (36,400-13,400 calyr BP) documented by sediments from Xingyun Lake, Yunnan, China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2014, 410, 179-189.	1.0	54
502	Abrupt variations of Indian and East Asian summer monsoons during the last deglacial stadial and interstadial. <i>Quaternary Science Reviews</i> , 2014, 97, 58-70.	1.4	39
503	Late Quaternary valley infill and dissection in the Indus River, western Tibetan Plateau margin. <i>Quaternary Science Reviews</i> , 2014, 94, 102-119.	1.4	58
504	Quartz and K-feldspar optical dating chronology of eolian sand and lacustrine sequence from the southern Ulan Buh Desert, NW China: Implications for reconstructing late Pleistocene environmental evolution. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2014, 393, 111-121.	1.0	30
505	Information from Paleoclimate Archives. , 2014, , 383-464.		95
506	Disparate Stone Age Technological Evolution in North China. <i>Journal of Anthropological Research</i> , 2014, 70, 35-67.	0.1	27
507	The Iceland Basin excursion: Age, duration, and excursion field geometry. <i>Geochemistry, Geophysics, Geosystems</i> , 2014, 15, 4920-4935.	1.0	19
508	Rare earth elements in a stalagmite from southwestern Japan: A potential proxy for chemical weathering. <i>Geochemical Journal</i> , 2014, 48, 73-84.	0.5	11
509	East central North America climates during marine isotope stages 3-5. <i>Geophysical Research Letters</i> , 2014, 41, 3233-3237.	1.5	10
510	Pleistocene climatic and environmental variations inferred from a terrestrial sediment record at the Rodderberg Volcanic Complex near Bonn, Germany. <i>Zeitschrift Der Deutschen Gesellschaft Fur Geowissenschaften</i> , 2014, 165, 407-424.	0.1	2
511	Chronological constraints on Pleistocene sapropel depositions from high-resolution geochemical records of ODP Sites 967 and 968. <i>Newsletters on Stratigraphy</i> , 2014, 47, 263-282.	0.5	69
512	The last 130 ka precipitation reconstruction from Chinese loess ¹⁰ Be. <i>Journal of Geophysical Research: Solid Earth</i> , 2014, 119, 191-197.	1.4	42

#	ARTICLE	IF	CITATIONS
513	Spatial variation of amount effect over peninsular India and Sri Lanka: Role of seasonality. <i>Geophysical Research Letters</i> , 2015, 42, 5500-5507.	1.5	38
514	Persistent millennial-scale climate variability in the eastern tropical North Pacific over the last two glacial cycles. <i>Paleoceanography</i> , 2015, 30, 682-701.	3.0	6
515	Sequence of events from the onset to the demise of the Last Interglacial: Evaluating strengths and limitations of chronologies used in climatic archives. <i>Quaternary Science Reviews</i> , 2015, 129, 1-36.	1.4	126
516	An 80-kyr-long continuous speleothem record from Dim Cave, SW Turkey with paleoclimatic implications for the Eastern Mediterranean. <i>Scientific Reports</i> , 2015, 5, 13560.	1.6	64
517	Abrupt changes in Indian summer monsoon strength during 33,800 to 5500 years B.P.. <i>Geophysical Research Letters</i> , 2015, 42, 5526-5532.	1.5	198
518	The response of SST to insolation and ice sheet variability from MIS 3 to MIS 11 in the northwestern Mediterranean Sea (Gulf of Lions). <i>Geophysical Research Letters</i> , 2015, 42, 10,366.	1.5	17
519	Offset timing of climate oscillations during the last two glacial-interglacial transitions connected with large-scale freshwater perturbation. <i>Paleoceanography</i> , 2015, 30, 768-788.	3.0	38
520	Carbon isotope ratios suggest no additional methane from boreal wetlands during the rapid Greenland Interstadial 21.2. <i>Global Biogeochemical Cycles</i> , 2015, 29, 1962-1976.	1.9	9
521	Evaporative cooling of speleothem drip water. <i>Scientific Reports</i> , 2014, 4, 5162.	1.6	29
522	Eastern South African hydroclimate over the past 270,000 years. <i>Scientific Reports</i> , 2015, 5, 18153.	1.6	62
523	A Chinese cave links climate change, social impacts and human adaptation over the last 500 years. <i>Scientific Reports</i> , 2015, 5, 12284.	1.6	36
524	Was millennial scale climate change during the Last Glacial triggered by explosive volcanism?. <i>Scientific Reports</i> , 2015, 5, 17442.	1.6	55
525	Diatom response to climatic and tectonic forcing of a palaeolake at the southeastern margin of the Tibetan Plateau during the late Pleistocene, between 140 and 35ka BP. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015, 436, 123-134.	1.0	7
526	Speleothem annual layers revealed by seasonal SIMS $\delta^{18}O$ measurements. <i>Science China Earth Sciences</i> , 2015, 58, 1741-1747.	2.3	10
527	Hydrological variability over the Apennines during the Early Last Glacial precession minimum, as revealed by a stable isotope record from Sulmona basin, Central Italy. <i>Journal of Quaternary Science</i> , 2015, 30, 19-31.	1.1	64
528	Using Single-Forcing GCM Simulations to Reconstruct and Interpret Quaternary Climate Change. <i>Journal of Climate</i> , 2015, 28, 9746-9767.	1.2	17
529	On the timing and forcing mechanisms of late Pleistocene glacial terminations: Insights from a new high-resolution benthic stable oxygen isotope record of the eastern Mediterranean. <i>Quaternary Science Reviews</i> , 2015, 129, 308-320.	1.4	37
530	$\delta^{18}O_{sw}$ estimate for <i>Globigerinoides ruber</i> from core-top sediments in the East China Sea. <i>Progress in Earth and Planetary Science</i> , 2015, 2, .	1.1	22

#	ARTICLE	IF	CITATIONS
531	Progressive shoaling of the equatorial Pacific thermocline over the last eight glacial periods. <i>Paleoceanography</i> , 2015, 30, 439-455.	3.0	24
532	Two modes of climatic control in the Holocene stalagmite record from the Japan Sea side of the Japanese islands. <i>Island Arc</i> , 2015, 24, 342-358.	0.5	6
533	Evidence for sea level and monsoonally driven variations in terrigenous input to the northern East China Sea during the last 24.3â€‰ka. <i>Paleoceanography</i> , 2015, 30, 642-658.	3.0	23
534	LAâ€‰ICPMS Ba/Ca analyses of planktic foraminifera from the Bay of Bengal: Implications for late Pleistocene orbital control on monsoon freshwater flux. <i>Geochemistry, Geophysics, Geosystems</i> , 2015, 16, 2598-2618.	1.0	19
535	Visual Analytics for Correlation-Based Comparison of Time Series Ensembles. <i>Computer Graphics Forum</i> , 2015, 34, 411-420.	1.8	23
537	Abrupt termination of Marine Isotope Stage 16 (Termination VII) at 631.5â€‰ka in Santa Barbara Basin, California. <i>Paleoceanography</i> , 2015, 30, 1373-1390.	3.0	10
538	Response of the Equatorial Pacific Seasonal Cycle to Orbital Forcing. <i>Journal of Climate</i> , 2015, 28, 9258-9276.	1.2	20
539	Changes in East Asian summer monsoon precipitation during the Holocene deduced from a freshwater flux reconstruction of the Changjiang (Yangtze River) based on the oxygen isotope mass balance in the northern East China Sea. <i>Climate of the Past</i> , 2015, 11, 265-281.	1.3	41
540	Quantifying molecular oxygen isotope variations during a Heinrich stadial. <i>Climate of the Past</i> , 2015, 11, 1527-1551.	1.3	13
541	Early warnings and missed alarms for abrupt monsoon transitions. <i>Climate of the Past</i> , 2015, 11, 1621-1633.	1.3	14
542	Multiscale monsoon variability during the last two climatic cycles revealed by spectral signals in Chinese loess and speleothem records. <i>Climate of the Past</i> , 2015, 11, 1067-1075.	1.3	22
543	A tropical speleothem record of glacial inception, the South American Summer Monsoon from 125 to 115 ka. <i>Climate of the Past</i> , 2015, 11, 931-938.	1.3	5
544	Effects of changes in moisture source and the upstream rainout on stable isotopes in precipitation â€” a case study in Nanjing, eastern China. <i>Hydrology and Earth System Sciences</i> , 2015, 19, 4293-4306.	1.9	60
545	Climatic Factors Drive Population Divergence and Demography: Insights Based on the Phylogeography of a Riparian Plant Species Endemic to the Hengduan Mountains and Adjacent Regions. <i>PLoS ONE</i> , 2015, 10, e0145014.	1.1	16
546	Millennial-Scale Asian Monsoon Influenced Longjie Lake Evolution during Marine Isotope Stage 3, Upper Stream of Changjiang (Yangtze) River, China. <i>Advances in Meteorology</i> , 2015, 2015, 1-10.	0.6	1
547	Saline Indian Ocean waters invaded the South Atlantic thermocline during glacial termination II. <i>Geology</i> , 2015, 43, 139-142.	2.0	18
548	Non-linear regime shifts in Holocene Asian monsoon variability: potential impacts on cultural change and migratory patterns. <i>Climate of the Past</i> , 2015, 11, 709-741.	1.3	55
549	Quaternary climate modulation of Pb isotopes in the deep Indian Ocean linked to the Himalayan chemical weathering. <i>Earth and Planetary Science Letters</i> , 2015, 424, 256-268.	1.8	18

#	ARTICLE	IF	CITATIONS
550	Sr ⁸⁷ /Nd isotopic constraints on detrital sediment provenance and paleoenvironmental change in the northern Okinawa Trough during the late Quaternary. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015, 430, 74-84.	1.0	39
551	Geochemical multielement signatures of glacial and interglacial facies of the Okhotsk Sea deepwater sediments during the past 350 kyr: A response to global climate changes at the orbital and millennial scales. <i>Paleoceanography</i> , 2015, 30, 303-316.	3.0	9
552	Climate significance of speleothem $\delta^{18}O$ from central China on decadal timescale. <i>Journal of Asian Earth Sciences</i> , 2015, 106, 150-155.	1.0	31
553	Changes in climate and vegetation of central Guizhou in southwest China since the last glacial reflected by stalagmite records from Yelang Cave. <i>Journal of Asian Earth Sciences</i> , 2015, 114, 549-561.	1.0	29
554	Interactions among millennial-scale geomorphic processes in different parts of a drainage basin, arid China. <i>Physical Geography</i> , 2015, 36, 367-394.	0.6	2
555	Early interglacial carbonate-dilution events in the South China Sea: Implications for strengthened typhoon activities over subtropical East Asia. <i>Quaternary Science Reviews</i> , 2015, 125, 61-77.	1.4	18
556	Biomarker-derived phytoplankton community for summer monsoon reconstruction in the western South China Sea over the past 450ka. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2015, 122, 118-130.	0.6	13
557	Cooling trend over the past 4 centuries in northeastern Hong Kong waters as revealed by alkenone-derived SST records. <i>Journal of Asian Earth Sciences</i> , 2015, 114, 497-503.	1.0	16
558	Constraints on Paleoclimate from 11.5 to 5.0 ka from Shoreline dating and Hydrologic Budget Modeling of Baqan Tso, Southwestern Tibetan Plateau. <i>Quaternary Research</i> , 2015, 83, 80-93.	1.0	35
559	East Asian monsoon variations on millennial scale during 35,000–25,000 a BP from records of grain size, CaCO ₃ and organic matter in the Badain Jaran Desert, China. <i>Arabian Journal of Geosciences</i> , 2015, 8, 6545-6553.	0.6	5
560	Anatolia: A long-time plant refuge area documented by pollen records over the last 23 million years. <i>Review of Palaeobotany and Palynology</i> , 2015, 215, 1-22.	0.8	65
561	Late Quaternary Sea-Level Changes and the Palaeohistory of Palawan Island, Philippines. <i>Journal of Island and Coastal Archaeology</i> , 2015, 10, 76-96.	0.6	22
562	A 3000-yr Annually Laminated Stalagmite Record of the Last Glacial Maximum from Hulu Cave, China. <i>Quaternary Research</i> , 2015, 83, 360-369.	1.0	27
563	Mediterranean climate and oceanography, and the periodic development of anoxic events (sapropels). <i>Earth-Science Reviews</i> , 2015, 143, 62-97.	4.0	377
564	Hydrological variations on the Central Tibetan Plateau since the Last Glacial Maximum and their teleconnection to inter-regional and hemispheric climate variations. <i>Journal of Quaternary Science</i> , 2015, 30, 70-78.	1.1	48
565	Precessional changes in the western equatorial Pacific Hydroclimate: A 240 kyr marine record from the Halmahera Sea, East Indonesia. <i>Geochemistry, Geophysics, Geosystems</i> , 2015, 16, 148-164.	1.0	32
566	Hydroclimate Implications of Thermocline Variability in the Southern South China Sea Over the Past 180,000 yr. <i>Quaternary Research</i> , 2015, 83, 370-377.	1.0	18
567	Stalagmite $\delta^{18}O$ variations in southern India reveal divergent trends of Indian Summer Monsoon and East Asian Summer Monsoon during the last interglacial. <i>Quaternary International</i> , 2015, 371, 191-196.	0.7	6

#	ARTICLE	IF	CITATIONS
568	Lead isotope variability in speleothemsâ€”A promising new proxy for hydrological change? First results from a stalagmite from western Germany. <i>Chemical Geology</i> , 2015, 396, 143-151.	1.4	44
569	A preliminary quantitative reconstruction of precipitation in southern Mu Us sandy land at margin of Asian monsoon-dominated region during late Quaternary. <i>Journal of Chinese Geography</i> , 2015, 25, 301-310.	1.5	9
570	Variability of stalagmite-inferred Indian monsoon precipitation over the past 252,000 y. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 2954-2959.	3.3	233
571	Optical dating of a Paleolithic site near the eastern coastal region of Shandong, northern China. <i>Quaternary Geochronology</i> , 2015, 30, 466-471.	0.6	13
572	Hydrogeochemical and climatic interpretations of isotopic signals from precipitation to drip waters in Liangfeng Cave, Guizhou Province, China. <i>Environmental Earth Sciences</i> , 2015, 74, 1509-1519.	1.3	14
573	Centennial-scale monsoon climate fluctuations from a stalagmite record during the mid-Holocene Epoch in Fulu cave of Huaping, Yunnan, China. <i>Environmental Earth Sciences</i> , 2015, 74, 929-935.	1.3	5
574	Late Quaternary pollen records from the Yangtze River Delta, East China, and its implications for the Asian monsoon evolution. <i>Arabian Journal of Geosciences</i> , 2015, 8, 7845-7854.	0.6	12
575	Dynamics of the Australianâ€”Indonesian monsoon across Termination II: Implications of molecular-biomarker reconstructions from the Timor Sea. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015, 423, 32-43.	1.0	5
576	Evolving history of the East Asian summer monsoon intensity during the MIS5: inconsistent records from Chinese stalagmites and loess deposits. <i>Environmental Earth Sciences</i> , 2015, 73, 3937-3950.	1.3	24
577	A 94â€”10ka pollen record of vegetation change in Qaidam Basin, northeastern Tibetan Plateau. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015, 431, 43-52.	1.0	32
578	High-resolution OSL dating of a late Quaternary sequence from Xingkai Lake (NE Asia): Chronological challenge of the â€œMIS 3a Mega-paleolakeâ€”hypothesis in China. <i>Earth and Planetary Science Letters</i> , 2015, 428, 281-292.	1.8	53
579	Metabolomics: On the way to an integration of biochemistry, analytical chemistry, and informatics. <i>Biology Bulletin Reviews</i> , 2015, 5, 296-307.	0.3	7
580	Evidence of sea ice-driven terrigenous detritus accumulation and deep ventilation changes in the southern Okhotsk Sea during the last 180ka. <i>Journal of Asian Earth Sciences</i> , 2015, 114, 541-548.	1.0	17
581	Radiolarian responses of the central Okhotsk Sea to the global orbital and millennial scale climate oscillations over last 90kyr. <i>Journal of Asian Earth Sciences</i> , 2015, 114, 601-610.	1.0	2
582	Transient coupling relationships of the Holocene Australian monsoon. <i>Quaternary Science Reviews</i> , 2015, 121, 120-131.	1.4	18
583	Termination-II interstadial/stadial climate change recorded in two stalagmites from the north European Alps. <i>Quaternary Science Reviews</i> , 2015, 127, 229-239.	1.4	57
584	Recent progress of ¹⁰ Be tracer studies in Chinese loess. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2015, 361, 548-553.	0.6	4
585	Mass accumulation rate changes in Chinese loess during MIS 2, and asynchrony with records from Greenland ice cores and North Pacific Ocean sediments during the Last Glacial Maximum. <i>Aeolian Research</i> , 2015, 19, 251-258.	1.1	54

#	ARTICLE	IF	CITATIONS
586	Reconciliation of hydroclimate sequences from the Chinese Loess Plateau and low-latitude East Asian Summer Monsoon regions over the past 14,500years. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015, 435, 127-135.	1.0	82
587	East Asian summer monsoon precipitation variability since the last deglaciation. <i>Scientific Reports</i> , 2015, 5, 11186.	1.6	534
588	Millennial-scale tropical atmospheric and Atlantic Ocean circulation change from the Last Glacial Maximum and Marine Isotope Stage 3. <i>Earth and Planetary Science Letters</i> , 2015, 427, 47-56.	1.8	15
589	Abrupt warming events drove Late Pleistocene Holarctic megafaunal turnover. <i>Science</i> , 2015, 349, 602-606.	6.0	274
590	Glacial–interglacial contrast in MBT/CBT proxies in the South China Sea: Implications for marine production of branched GDGTs and continental teleconnection. <i>Organic Geochemistry</i> , 2015, 79, 74-82.	0.9	27
591	Holocene East Asian summer monsoon records in northern China and their inconsistency with Chinese stalagmite $\delta^{18}O$ records. <i>Earth-Science Reviews</i> , 2015, 148, 194-208.	4.0	275
592	Peatland evolution and associated environmental changes in central China over the past 40,000 years. <i>Quaternary Research</i> , 2015, 84, 255-261.	1.0	26
593	Stratigraphic continuity and fragmentary sedimentation: the success of cyclostratigraphy as part of integrated stratigraphy. <i>Geological Society Special Publication</i> , 2015, 404, 157-197.	0.8	66
594	Influence of past and future climate changes on the distribution of three Southeast Asian murine rodents. <i>Journal of Biogeography</i> , 2015, 42, 1714-1726.	1.4	21
595	A high-resolution fluid inclusion $\delta^{18}O$ record from a stalagmite in SW France: modern calibration and comparison with multiple proxies. <i>Quaternary Science Reviews</i> , 2015, 110, 152-165.	1.4	27
596	Late Quaternary vegetation and climate dynamics at the northern limit of the East Asian summer monsoon and its regional and global-scale controls. <i>Quaternary Science Reviews</i> , 2015, 116, 57-71.	1.4	38
597	Holocene changes in detrital sediment supply to the eastern part of the central Yellow Sea and their forcing mechanisms. <i>Journal of Asian Earth Sciences</i> , 2015, 105, 18-31.	1.0	39
598	A hydroclimate regime shift around 270ka in the western tropical Pacific inferred from a late Quaternary n-alkane chain-length record. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015, 427, 79-88.	1.0	12
599	Astronomical and glacial forcing of East Asian summer monsoon variability. <i>Quaternary Science Reviews</i> , 2015, 115, 132-142.	1.4	141
600	Paleo-hydrologic reconstruction based on stalagmite $\delta^{18}O$ and re-assessment of river flow above the Danjiangkou Dam, China. <i>Climatic Change</i> , 2015, 130, 619-634.	1.7	8
601	Reconstruction of deglaciation of Northern Mongolia for the last 330ka BP, inferred from ostracod stable isotope records from Lake Khubsugul. <i>Environmental Earth Sciences</i> , 2015, 74, 2041-2054.	1.3	5
602	Direct measurements of deglacial monsoon strength in a Chinese stalagmite. <i>Geology</i> , 2015, 43, 555-558.	2.0	56
603	An optimized scheme of lettered marine isotope substages for the last 1.0 million years, and the climatostratigraphic nature of isotope stages and substages. <i>Quaternary Science Reviews</i> , 2015, 111, 94-106.	1.4	442

#	ARTICLE	IF	CITATIONS
604	Climate variability on the south-eastern Tibetan Plateau since the Lateglacial based on a multiproxy approach from Lake Naleng – comparing pollen and non-pollen signals. <i>Quaternary Science Reviews</i> , 2015, 115, 112-122.	1.4	41
605	Measuring Quaternary time: A 50-year perspective. <i>Journal of Quaternary Science</i> , 2015, 30, 104-113.	1.1	8
606	“Study the past, if you would divine the future”: a retrospective on measuring and understanding Quaternary climate change. <i>Journal of Quaternary Science</i> , 2015, 30, 154-187.	1.1	36
607	Lead concentrations and isotope ratios in speleothems as proxies for atmospheric metal pollution since the industrial revolution. <i>Chemical Geology</i> , 2015, 401, 140-150.	1.4	41
608	Regionalized primary paleoproduction variability in the sea of Okhotsk during late Pleistocene and Holocene. <i>Journal of Asian Earth Sciences</i> , 2015, 114, 534-540.	1.0	5
609	Environmental changes in the Ulan Buh Desert, southern Inner Mongolia, China since the middle Pleistocene based on sedimentology, chronology and proxy indexes. <i>Quaternary Science Reviews</i> , 2015, 128, 69-80.	1.4	37
610	Differences in Late Quaternary primary productivity between the western tropical Pacific and the South China Sea: Evidence from coccoliths. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2015, 122, 131-141.	0.6	13
611	Tracking rainfall in the northern Mediterranean borderlands during sapropel deposition. <i>Quaternary Science Reviews</i> , 2015, 129, 178-195.	1.4	86
612	Great Basin hydrology, paleoclimate, and connections with the North Atlantic: A speleothem stable isotope and trace element record from Lehman Caves, NV. <i>Quaternary Science Reviews</i> , 2015, 127, 186-198.	1.4	21
613	Late Pleistocene montane vegetation and climate history from the Dajiuhu Basin in the western Hubei Province of Central China. <i>Review of Palaeobotany and Palynology</i> , 2015, 222, 22-32.	0.8	17
614	A 15,400-year record of climate variation from a subalpine lacustrine sedimentary sequence in the western Nanling Mountains in South China. <i>Quaternary Research</i> , 2015, 84, 246-254.	1.0	30
615	Simple Indices Provide Insight to Climate Attributes Delineating the Geographic Range of <i>Aedes albopictus</i> (Diptera: Culicidae) Prior to Worldwide Invasion. <i>Journal of Medical Entomology</i> , 2015, 52, 647-657.	0.9	13
616	Millennial changes in North American wildfire and soil activity over the last glacial cycle. <i>Nature Geoscience</i> , 2015, 8, 723-727.	5.4	53
617	Understanding the opposite electrical responses of an individual ZnO nanowire under different bending deformations. <i>RSC Advances</i> , 2015, 5, 34447-34450.	1.7	8
618	The concept of global monsoon applied to the last glacial maximum: A multi-model analysis. <i>Quaternary Science Reviews</i> , 2015, 126, 126-139.	1.4	32
619	Geomorphological and palaeoclimate dynamics recorded by the formation of aeolian archives on the Tibetan Plateau. <i>Earth-Science Reviews</i> , 2015, 150, 393-408.	4.0	82
620	Fine structure of dark layers in the central Japan Sea and their relationship with the abrupt climate and sea level changes over the last 75ka inferred from lithophysical, geochemical and pollen results. <i>Journal of Asian Earth Sciences</i> , 2015, 114, 476-487.	1.0	15
621	Obliquity pacing of the western Pacific Intertropical Convergence Zone over the past 282,000 years. <i>Nature Communications</i> , 2015, 6, 10018.	5.8	124

#	ARTICLE	IF	CITATIONS
622	Quartz and K-feldspar luminescence dating of a Marine Isotope Stage 5 megalake in the Juyanze Basin, central Gobi Desert, China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015, 440, 96-109.	1.0	23
623	Deglacial and Holocene Archaeal Lipid-Inferred Paleohydrology and Paleotemperature History of Lake Qinghai, Northeastern Qinghai-Tibetan Plateau. <i>Quaternary Research</i> , 2015, 83, 116-126.	1.0	43
625	<i>Speleothems.</i> , 2015, , 291-318.		0
626	Holocene wildfire history and human activity from high-resolution charcoal and elemental black carbon records in the Guanzhong Basin of the Loess Plateau, China. <i>Quaternary Science Reviews</i> , 2015, 109, 76-87.	1.4	53
627	Role of seasonal transitions and westerly jets in East Asian paleoclimate. <i>Quaternary Science Reviews</i> , 2015, 108, 111-129.	1.4	245
628	Integrated Analysis of Interglacial Climate Dynamics (INTERDYNAMIC). <i>SpringerBriefs in Earth System Sciences</i> , 2015, , .	0.0	1
629	Mid-Holocene global monsoon area and precipitation from PMIP simulations. <i>Climate Dynamics</i> , 2015, 44, 2493-2512.	1.7	36
630	Global Monsoon Dynamics and Climate Change. <i>Annual Review of Earth and Planetary Sciences</i> , 2015, 43, 29-77.	4.6	331
631	<i>Loess.</i> , 2015, , 279-290.		6
632	Impact of Climate Change and Human Activity on the Eco-environment. <i>Springer Theses</i> , 2015, , .	0.0	10
633	The climate reconstruction in Shandong Peninsula, northern China, during the last millennium based on stalagmite laminae together with a comparison to $\delta^{18}O$. <i>Climate of the Past</i> , 2016, 12, 871-881.	1.3	14
634	Quantitative reconstruction of summer precipitation using a mid-Holocene $\delta^{13}C$ common millet record from Guanzhong Basin, northern China. <i>Climate of the Past</i> , 2016, 12, 2229-2240.	1.3	10
635	Phase relationships between orbital forcing and the composition of air trapped in Antarctic ice cores. <i>Climate of the Past</i> , 2016, 12, 729-748.	1.3	13
636	Modeling precipitation $\delta^{18}O$ variability in East Asia since the Last Glacial Maximum: temperature and amount effects across different timescales. <i>Climate of the Past</i> , 2016, 12, 2077-2085.	1.3	6
637	Sedimentological processes and environmental variability at Lake Ohrid (Macedonia, Albania) between 637 ka and the present. <i>Biogeosciences</i> , 2016, 13, 1179-1196.	1.3	90
638	Climate Change and Drought Events in the Geochemical Records of the Lacustrine Deposits in the Southeastern Tibetan Plateau. <i>PLoS ONE</i> , 2016, 11, e0168928.	1.1	9
639	Glacial-interglacial changes in H_2O , HDO and deuterium excess δ^2H results from the fully coupled ECHAM5/MPI-OM Earth system model. <i>Geoscientific Model Development</i> , 2016, 9, 647-670.	1.3	63
640	Lake level reconstruction of Huangqihai Lake in northern China since MIS 3 based on pulsed optically stimulated luminescence dating. <i>Journal of Quaternary Science</i> , 2016, 31, 225-238.	1.1	23

#	ARTICLE	IF	CITATIONS
641	Climate-driven sediment aggradation and incision since the late Pleistocene in the NW Himalaya, India. <i>Earth and Planetary Science Letters</i> , 2016, 449, 321-331.	1.8	50
642	Abrupt sand-dune accumulation at the northeastern margin of the Tibetan Plateau challenges the wet MIS3a inferred from numerous lake-highstands. <i>Scientific Reports</i> , 2016, 6, 25820.	1.6	16
643	Relative roles of land- and ocean-atmosphere interactions in Asian-Pacific thermal contrast variability at the precessional band. <i>Scientific Reports</i> , 2016, 6, 28349.	1.6	6
644	Correlation and anti-correlation of the East Asian summer and winter monsoons during the last 21,000 years. <i>Nature Communications</i> , 2016, 7, 11999.	5.8	135
645	Strong coupling of Asian Monsoon and Antarctic climates on sub-orbital timescales. <i>Scientific Reports</i> , 2016, 6, 32995.	1.6	44
647	Response of chironomid assemblages to East Asian summer monsoon precipitation variability in northern China since the last deglaciation. <i>Journal of Quaternary Science</i> , 2016, 31, 967-982.	1.1	12
648	Sources and burial of organic carbon in the middle Okinawa Trough during late Quaternary paleoenvironmental change. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2016, 118, 46-56.	0.6	20
649	Tropical/Subtropical Peatland Development and Global CH ₄ during the Last Glaciation. <i>Scientific Reports</i> , 2016, 6, 30431.	1.6	6
650	A multiproxy approach to the climate and marine productivity variations along MIS 5 in SE Brazil: A comparison between major components of calcareous nannofossil assemblages and geochemical records. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 449, 275-288.	1.0	13
651	High plant endemism in China is partially linked to reduced glacial-interglacial climate change. <i>Journal of Biogeography</i> , 2016, 43, 145-154.	1.4	79
652	Interglacials of the last 800,000 years. <i>Reviews of Geophysics</i> , 2016, 54, 162-219.	9.0	359
653	Asynchronous evolution of the isotopic composition and amount of precipitation in north China during the Holocene revealed by a record of compound-specific carbon and hydrogen isotopes of long-chain n-alkanes from an alpine lake. <i>Earth and Planetary Science Letters</i> , 2016, 446, 68-76.	1.8	65
654	Precisely dated multidecadally resolved Asian summer monsoon dynamics 113.5–86.6 thousand years ago. <i>Quaternary Science Reviews</i> , 2016, 143, 1-12.	1.4	21
655	Paleoenvironmental changes recorded in a luminescence dated loess/paleosol sequence from the Tianshan Mountains, arid central Asia, since the Penultimate Glaciation. <i>Earth and Planetary Science Letters</i> , 2016, 448, 1-12.	1.8	57
656	Potential influence of temperature changes in the Southern Hemisphere on the evolution of the Asian summer monsoon during the last glacial period. <i>Quaternary International</i> , 2016, 392, 239-250.	0.7	29
657	Abrupt monsoon transitions as seen in paleorecords can be explained by moisture-advection feedback. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E2348-9.	3.3	15
658	Changes in monsoon-driven upwelling in the South China Sea over glacial Terminations I and II: a multi-proxy record. <i>International Journal of Earth Sciences</i> , 2016, 105, 1273-1285.	0.9	6
659	Inter- and intra-annual tree-ring cellulose oxygen isotope variability in response to precipitation in Southeast China. <i>Trees - Structure and Function</i> , 2016, 30, 785-794.	0.9	33

#	ARTICLE	IF	CITATIONS
660	Multi-decadal periods of enhanced aeolian activity on the north-eastern Tibet Plateau during the last 2ka. <i>Quaternary Science Reviews</i> , 2016, 149, 91-101.	1.4	30
661	Recycling of Pleistocene valley fills dominates 135 ka of sediment flux, upper Indus River. <i>Quaternary Science Reviews</i> , 2016, 149, 122-134.	1.4	12
662	Heterodynes dominate precipitation isotopes in the East Asian monsoon region, reflecting interaction of multiple climate factors. <i>Earth and Planetary Science Letters</i> , 2016, 455, 196-206.	1.8	46
663	Regional and global benthic $\delta^{18}O$ stacks for the last glacial cycle. <i>Paleoceanography</i> , 2016, 31, 1368-1394.	3.0	121
664	Using natural archives to detect climate and environmental tipping points in the Earth System. <i>Quaternary Science Reviews</i> , 2016, 152, 60-71.	1.4	33
665	Cave use and palaeoecology at Maludong (Red Deer Cave), Yunnan, China. <i>Journal of Archaeological Science: Reports</i> , 2016, 8, 277-283.	0.2	4
666	Geological record of meltwater events at Qinghai Lake, China from the past 40 ka. <i>Quaternary Science Reviews</i> , 2016, 149, 279-287.	1.4	41
667	Peatland development and climate changes in the Dajiuhu basin, central China, over the last 14,100 years. <i>Quaternary International</i> , 2016, 425, 273-281.	0.7	29
668	Antarctic link with East Asian summer monsoon variability during the Heinrich Stadial-Bölling interstadial transition. <i>Earth and Planetary Science Letters</i> , 2016, 453, 243-251.	1.8	36
669	Raw material economies and mobility patterns in the Late Paleolithic at Shuidonggou locality 2, north China. <i>Journal of Anthropological Archaeology</i> , 2016, 43, 83-93.	0.7	15
670	Palaeoclimatic records of the loess/palaeosol sequences of the Chinese Loess Plateau. <i>Quaternary Science Reviews</i> , 2016, 154, 23-84.	1.4	211
671	Droughts in the East Asian summer monsoon margin during the last 6 kyrs: Link to the North Atlantic cooling events. <i>Quaternary Science Reviews</i> , 2016, 151, 88-99.	1.4	34
672	Evolution of the Indian summer monsoon during the interval 32.7–11.4 cal. ka BP: Evidence from the Baoxiu peat, Yunnan, southwest China. <i>Journal of Asian Earth Sciences</i> , 2016, 131, 72-80.	1.0	12
673	Variation in 6-methyl branched glycerol dialkyl glycerol tetraethers in Lantian loess paleosol sequence and effect on paleotemperature reconstruction. <i>Organic Geochemistry</i> , 2016, 100, 10-17.	0.9	29
674	Tracking regional and global teleconnections recorded by western North American speleothem records. <i>Quaternary Science Reviews</i> , 2016, 149, 18-33.	1.4	17
675	Paleoceanographic conditions in the western Bering Sea as a response to global sea level changes and remote climatic signals during the last 180 kyr. <i>Dołady Earth Sciences</i> , 2016, 468, 557-560.	0.2	0
676	The transfer of seasonal isotopic variability between precipitation and drip water at eight caves in the monsoon regions of China. <i>Geochimica Et Cosmochimica Acta</i> , 2016, 183, 250-266.	1.6	92
677	Hydrological changes of DOM composition and biodegradability of rivers in temperate monsoon climates. <i>Journal of Hydrology</i> , 2016, 540, 538-548.	2.3	47

#	ARTICLE	IF	CITATIONS
678	Interannual controls on oxygen isotope variability in Asian monsoon precipitation and implications for paleoclimate reconstructions. <i>Journal of Geophysical Research D: Atmospheres</i> , 2016, 121, 8410-8428.	1.2	77
679	Contrasting responses to orbital precession on Titan and Earth. <i>Geophysical Research Letters</i> , 2016, 43, 7774-7780.	1.5	4
680	U Kâ€² 37 temperature estimates from Eemian marine sediments in the southern coast of Hainan Island, tropical China. <i>Journal of Asian Earth Sciences</i> , 2016, 127, 91-99.	1.0	12
681	Isotopic ordering in atmospheric O₂ as a tracer of ozone photochemistry and the tropical atmosphere. <i>Journal of Geophysical Research D: Atmospheres</i> , 2016, 121, 12,541.	1.2	15
682	Indian monsoon variability on millennial-orbital timescales. <i>Scientific Reports</i> , 2016, 6, 24374.	1.6	194
683	Precessional control on ocean productivity in the <sc>W</sc>estern <sc>P</sc>acific <sc>W</sc>arm <sc>P</sc>ool for the last 400 kyr: Insight from biogenic magnetite. <i>Geochemistry, Geophysics, Geosystems</i> , 2016, 17, 4399-4412.	1.0	12
684	On the timing of the East Asian summer monsoon maximum during the Holoceneâ€”Does the speleothem oxygen isotope record reflect monsoon rainfall variability?. <i>Science China Earth Sciences</i> , 2016, 59, 2328-2338.	2.3	76
685	Beyond bifurcation: using complex models to understand and predict abrupt climate change. <i>Dynamics and Statistics of the Climate System</i> , 0, , dzw004.	0.8	30
686	Environmental processes derived from peatland geochemistry since the last deglaciation in Dajiuhu, Shennongjia, central China. <i>Boreas</i> , 2016, 45, 423-438.	1.2	20
687	Spatial patterns in the oxygen isotope composition of daily rainfall in the British Isles. <i>Climate Dynamics</i> , 2016, 47, 1971-1987.	1.7	20
688	Investigating the long-term palaeoclimatic controls on the ÎD and Î18O of precipitation during the Holocene in the Indian and East Asian monsoonal regions. <i>Earth-Science Reviews</i> , 2016, 159, 292-305.	4.0	98
689	Mechanisms rectifying the annual mean response of tropical Atlantic rainfall to precessional forcing. <i>Climate Dynamics</i> , 2016, 47, 271-293.	1.7	6
690	New insights into upper MOW variability over the last 150kyr from IODP 339 Site U1386 in the Gulf of Cadiz. <i>Marine Geology</i> , 2016, 377, 136-145.	0.9	37
691	Quantitative paleoclimate reconstruction based on a 130Åka pollen record from the C9001C core off NE Japan. <i>Quaternary International</i> , 2016, 397, 404-416.	0.7	5
692	Monsoon influence on planktic Î18O records from the South China Sea. <i>Quaternary Science Reviews</i> , 2016, 142, 26-39.	1.4	27
693	Evolution and variability of the Asian monsoon and its potential linkage with uplift of the Himalaya and Tibetan Plateau. <i>Progress in Earth and Planetary Science</i> , 2016, 3, .	1.1	143
694	Late Quaternary climatic influences on megalake Jilantaiâ€”Hetao, North China, inferred from a water balance model. <i>Journal of Paleolimnology</i> , 2016, 55, 223-240.	0.8	7
695	The broad-spectrum adaptations of hominins in the later period of Late Pleistocene of Chinaâ€”Perspectives from the zooarchaeological studies. <i>Science China Earth Sciences</i> , 2016, 59, 1529-1539.	2.3	10

#	ARTICLE	IF	CITATIONS
696	Holocene millennial-scale climate variations from the record of primary chemical elements in Badain Jaran Desert, China. <i>Arabian Journal of Geosciences</i> , 2016, 9, 1.	0.6	1
697	High-resolution scanning XRF investigation of Chinese loess and its implications for millennial-scale monsoon variability. <i>Journal of Quaternary Science</i> , 2016, 31, 191-202.	1.1	28
698	A persistent Holocene wetting trend in arid central Asia, with wettest conditions in the late Holocene, revealed by multi-proxy analyses of loess-paleosol sequences in Xinjiang, China. <i>Quaternary Science Reviews</i> , 2016, 146, 134-146.	1.4	261
699	The Asian monsoon over the past 640,000 years and ice age terminations. <i>Nature</i> , 2016, 534, 640-646.	13.7	956
700	The Late Cryogenian Warm Interval, NE Svalbard: Chemostratigraphy and genesis. <i>Precambrian Research</i> , 2016, 281, 128-154.	1.2	29
701	Surface nitrate utilization in the Bering sea since 180 ka BP: Insight from sedimentary nitrogen isotopes. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2016, 125-126, 163-176.	0.6	20
702	Orbital control of the western North Pacific summer monsoon. <i>Climate Dynamics</i> , 2016, 46, 897-911.	1.7	16
703	East Asian summer monsoon precipitation variations in China over the last 9500 years: A comparison of pollen-based reconstructions and model simulations. <i>Holocene</i> , 2016, 26, 592-602.	0.9	20
704	Investigation of peat sediments from Daiyun Mountain in southeast China: late Holocene vegetation, climate and human impact. <i>Vegetation History and Archaeobotany</i> , 2016, 25, 359-373.	1.0	20
705	Response of Asian summer monsoon duration to orbital forcing under glacial and interglacial conditions: Implication for precipitation variability in geological records. <i>Quaternary Science Reviews</i> , 2016, 139, 30-42.	1.4	20
706	Holocene millennial-scale erosion and deposition processes in the middle reaches of inland drainage basins, arid China. <i>Environmental Earth Sciences</i> , 2016, 75, 1.	1.3	0
707	Isotope amount effects in hydrologic and climate reconstructions of monsoon climates: Implications of some long-term data sets for precipitation. <i>Chemical Geology</i> , 2016, 430, 78-89.	1.4	48
708	Coral-reef records of Quaternary changes in climate and sea-level. <i>Earth-Science Reviews</i> , 2016, 156, 137-154.	4.0	25
709	Constraint on the penultimate glacial maximum Northern Hemisphere ice topography (~ 140 kyr BP). <i>Quaternary Science Reviews</i> , 2016, 137, 97-112.	1.4	71
710	Quantitative woody cover reconstructions from eastern continental Asia of the last 22 kyr reveal strong regional peculiarities. <i>Quaternary Science Reviews</i> , 2016, 137, 33-44.	1.4	39
711	Grain size of Lake Qinghai sediments: Implications for riverine input and Holocene monsoon variability. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 449, 41-51.	1.0	104
712	Terrigenous supplies variability over the past 22,000yr in the southern South China Sea slope: Relation to sea level and monsoon rainfall changes. <i>Journal of Asian Earth Sciences</i> , 2016, 117, 317-327.	1.0	24
713	Changes in dominant moisture sources and the consequences for hydroclimate on the northeastern Tibetan Plateau during the past 32 kyr. <i>Quaternary Science Reviews</i> , 2016, 131, 157-167.	1.4	87

#	ARTICLE	IF	CITATIONS
714	Northern Borneo stalagmite records reveal West Pacific hydroclimate across MIS 5 and 6. <i>Earth and Planetary Science Letters</i> , 2016, 439, 182-193.	1.8	61
715	Lacustrine record of centennial- and millennial-scale rainfall variability of the East Asian summer monsoon during the last deglaciation: Multi-proxy evidence from Taiwan. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 450, 38-49.	1.0	14
716	The Variation of the Earth's Movements (Orbital, Tilt and Precession). , 2016, , 399-418.		1
717	Natural attrition and growth frequency variations of stalagmites in southwest Sulawesi over the past 530,000 years. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 441, 823-833.	1.0	26
718	Precise oxygen and hydrogen isotope determination in nanoliter quantities of speleothem inclusion water by cavity ring-down spectroscopic techniques. <i>Geochimica Et Cosmochimica Acta</i> , 2016, 172, 159-176.	1.6	28
719	Five-Year Monitoring of Bacterial Communities in Dripping Water from the Heshang Cave in Central China: Implication for Paleoclimate Reconstruction and Ecological Functions. <i>Geomicrobiology Journal</i> , 2016, 33, 1-11.	1.0	46
720	Weak monsoon event at 4.2Âka recorded in sediment from Lake Rara, Himalayas. <i>Quaternary International</i> , 2016, 397, 349-359.	0.7	65
721	East Asian monsoon evolution during the Eemian, as recorded in the western Chinese Loess Plateau. <i>Quaternary International</i> , 2016, 399, 156-164.	0.7	11
722	Sandy beach ridges from Xingkai Lake (NE Asia): Timing and response to palaeoclimate. <i>Quaternary International</i> , 2017, 430, 21-31.	0.7	12
723	Highly negative oxygen isotopes in precipitation in southwest China and their significance in paleoclimatic studies. <i>Quaternary International</i> , 2017, 440, 64-71.	0.7	11
724	The stable isotope record in cervid tooth enamel from Tantang Cave, Guangxi: Implications for the Quaternary East Asian monsoon. <i>Quaternary International</i> , 2017, 434, 156-162.	0.7	15
725	Modeling Developmental Plasticity in Human Growth: Buffering the Past or Predicting the Future?. , 2017, , 21-39.		10
726	A high resolution record of rare earth element compositional changes from the mud deposit on the inner shelf of the East China Sea: Implications for paleoenvironmental changes. <i>Quaternary International</i> , 2017, 447, 35-45.	0.7	13
727	Hydrological and vegetation shifts in the Wallacean region of central Indonesia since the Last Glacial Maximum. <i>Quaternary Science Reviews</i> , 2017, 157, 152-163.	1.4	40
728	Seasonal Transitions and the Westerly Jet in the Holocene East Asian Summer Monsoon. <i>Journal of Climate</i> , 2017, 30, 3343-3365.	1.2	72
729	Climate changes at millennium scale in East Asian monsoon during OIS3a in Badain Jaran Desert, China. <i>Environmental Earth Sciences</i> , 2017, 76, 1.	1.3	2
730	Holocene moisture changes in western China, Central Asia, inferred from stalagmites. <i>Quaternary Science Reviews</i> , 2017, 158, 15-28.	1.4	124
731	Evaluating the skills of isotope-enabled general circulation models against in situ atmospheric water vapor isotope observations. <i>Journal of Geophysical Research D: Atmospheres</i> , 2017, 122, 246-263.	1.2	54

#	ARTICLE	IF	CITATIONS
732	Glacial terminations and the Last Interglacial in the Okhotsk Sea; Their implication to global climatic changes. <i>Global and Planetary Change</i> , 2017, 152, 51-63.	1.6	5
733	Vegetation and endemic tree response to orbital-scale climate changes in the Japanese archipelago during the last glacial–interglacial cycle based on pollen records from Lake Biwa, western Japan. <i>Review of Palaeobotany and Palynology</i> , 2017, 241, 85-97.	0.8	14
734	Late Pleistocene glaciations at Lake Donggi Cona, eastern Kunlun Shan (<sc>NE</sc> Tibet): early maxima and a diminishing trend of glaciation during the last glacial cycle. <i>Boreas</i> , 2017, 46, 503-524.	1.2	17
735	Northward extent of East Asian monsoon covaries with intensity on orbital and millennial timescales. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 1817-1821.	3.3	192
736	Stalagmite-inferred centennial variability of the Asian summer monsoon in southwest China between 58 and 79 Åka BP. <i>Quaternary Science Reviews</i> , 2017, 160, 1-12.	1.4	26
737	State dependence of climatic instability over the past 720,000 years from Antarctic ice cores and climate modeling. <i>Science Advances</i> , 2017, 3, e1600446.	4.7	86
738	Broken speleothems reveal Holocene and Late Pleistocene paleoearthquakes in Northern Calabria, Italy. <i>Quaternary International</i> , 2017, 451, 176-184.	0.7	10
739	Climate and environmental changes for the past 44 ka clarified by pollen and algae composition in the Ulleung Basin, East Sea (Japan Sea). <i>Quaternary International</i> , 2017, 441, 162-173.	0.7	14
740	Reconstruction of silicate weathering intensity and paleoenvironmental change during the late Quaternary in the Zhuoshui River catchment in Taiwan. <i>Quaternary International</i> , 2017, 452, 43-53.	0.7	12
741	Clay mineralogical and geochemical proxies of the East Asian summer monsoon evolution in the South China Sea during Late Quaternary. <i>Scientific Reports</i> , 2017, 7, 42083.	1.6	27
742	Records of East Asian monsoon activities in Northeastern China since 15.6 ka, based on grain size analysis of peaty sediments in the Changbai Mountains. <i>Quaternary International</i> , 2017, 447, 158-169.	0.7	51
743	Speleothem records of glacial/interglacial climate from Iran forewarn of future Water Availability in the interior of the Middle East. <i>Quaternary Science Reviews</i> , 2017, 164, 187-198.	1.4	32
744	Late Pleistocene changes in vegetation and the associated human activity at Beiyao Site, Central China. <i>Review of Palaeobotany and Palynology</i> , 2017, 244, 107-112.	0.8	5
745	The responses of benthic foraminifera to paleoceanographic changes during the last glacial maximum, deglaciation, and the Holocene in the northwestern Pacific. <i>Russian Journal of Marine Biology</i> , 2017, 43, 65-75.	0.2	3
746	Late Quaternary water temperature variations of the Northwest Pacific based on the lipid paleothermometers TEXH86, UKÁ37 and LDI. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2017, 125, 81-93.	0.6	28
747	AMS 14C dating of the hominin archaeological site Chuandong Cave in Guizhou Province, southwestern China. <i>Quaternary International</i> , 2017, 447, 102-110.	0.7	14
748	Quantitative precipitation estimates for the northeastern Qinghai–Tibetan Plateau over the last 18,000 Åyears. <i>Journal of Geophysical Research D: Atmospheres</i> , 2017, 122, 5132-5143.	1.2	63
749	Radiocarbon Chronology of the DSDDP Core at the Deepest Floor of the Dead Sea. <i>Radiocarbon</i> , 2017, 59, 383-394.	0.8	29

#	ARTICLE	IF	CITATIONS
750	Testing monsoonal controls on bedrock river incision in the Himalaya and Eastern Tibet with a stochastic threshold stream power model. <i>Journal of Geophysical Research F: Earth Surface</i> , 2017, 122, 1389-1429.	1.0	54
751	Radiocarbon dating of the Pleistocene/Holocene climatic transition across the Chinese Loess Plateau. <i>Quaternary Geochronology</i> , 2017, 41, 112-118.	0.6	1
752	Branched GDGT-based paleotemperature reconstruction of the last 30,000 years in humid monsoon region of Southeast China. <i>Chemical Geology</i> , 2017, 463, 94-102.	1.4	46
753	A new middle Pleistocene (Marine Oxygen Isotope Stage 6) cold herpetofaunal assemblage from the central Iberian Peninsula (Manzanares Valley, Madrid). <i>Quaternary Research</i> , 2017, 87, 499-515.	1.0	13
754	Modern pollen-climate relationships in north Xinjiang, northwestern China: Implications for pollen-based reconstruction of Holocene climate. <i>Holocene</i> , 2017, 27, 951-966.	0.9	17
755	Geochemical characterization of the middle and late Pleistocene alluvial fan-dominated infill of the northern part of the Weihe Basin, Central China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 482, 57-69.	1.0	8
756	Human-induced changes in the distribution of rainfall. <i>Science Advances</i> , 2017, 3, e1600871.	4.7	88
757	The Preboreal-like Asian monsoon climate in the early last interglacial period recorded from the Dark Cave, Southwest China. <i>Journal of Asian Earth Sciences</i> , 2017, 143, 39-44.	1.0	7
758	Toxicometabolomics: Identification of markers of chronic exposure to low doses of aliphatic hydrocarbons. <i>Journal of Evolutionary Biochemistry and Physiology</i> , 2017, 53, 25-36.	0.2	12
759	Climate-deduced diatom changes elucidated in a sediment core TKN2004 of the late Pleistocene Takano formation in Nagano, central Japan. <i>Quaternary International</i> , 2017, 440, 55-63.	0.7	2
760	Deglacial variability in Okhotsk Sea Intermediate Water ventilation and biogeochemistry: Implications for North Pacific nutrient supply and productivity. <i>Quaternary Science Reviews</i> , 2017, 160, 116-137.	1.4	19
761	Extending the record of lacustrine phases beyond the last interglacial for Lake Eyre in central Australia using luminescence dating. <i>Quaternary Science Reviews</i> , 2017, 162, 88-110.	1.4	31
762	The 5400 a BP extreme weakening event of the Asian summer monsoon and cultural evolution. <i>Science China Earth Sciences</i> , 2017, 60, 1171-1182.	2.3	25
763	Penultimate and last glacial oceanographic variations in the Bering Sea on millennial timescales: Links to North Atlantic climate. <i>Quaternary Science Reviews</i> , 2017, 163, 135-151.	1.4	9
764	Quantitative reconstruction of precipitation and runoff during MIS 5a, MIS 3a, and Holocene, arid China. <i>Theoretical and Applied Climatology</i> , 2017, 130, 747-754.	1.3	2
765	Reconstructing terrestrial temperatures in the Australian sub-tropics and tropics: A chironomid based transfer function approach. <i>Quaternary International</i> , 2017, 449, 136-148.	0.7	8
766	Hemispherically in-phase precipitation variability over the last 1700 years in a Madagascar speleothem record. <i>Quaternary Science Reviews</i> , 2017, 164, 25-36.	1.4	47
767	Change in dust seasonality as the primary driver for orbital-scale dust storm variability in East Asia. <i>Geophysical Research Letters</i> , 2017, 44, 3796-3805.	1.5	17

#	ARTICLE	IF	CITATIONS
768	Travertines associated with the Alhama-Jaraba thermal waters (NE, Spain): Genesis and geochemistry. <i>Sedimentary Geology</i> , 2017, 347, 100-116.	1.0	10
769	Quantitative reconstruction of temperature at a JÅmon site in the Incipient JÅmon Period in northern Japan and its implications for the production of early pottery and stone arrowheads. <i>Quaternary Science Reviews</i> , 2017, 157, 66-79.	1.4	13
770	The Arc of Life. , 2017, , .		2
771	Enhanced silicate weathering of tropical shelf sediments exposed during glacial lowstands: A sink for atmospheric CO ₂ . <i>Geochimica Et Cosmochimica Acta</i> , 2017, 200, 123-144.	1.6	85
772	Climate-related response of dust flux to the central equatorial Pacific over the past 150 kyr. <i>Earth and Planetary Science Letters</i> , 2017, 457, 160-172.	1.8	36
773	Tropical and high latitude forcing of enhanced megadroughts in Northern China during the last four terminations. <i>Earth and Planetary Science Letters</i> , 2017, 479, 98-107.	1.8	29
774	Hydrographic variability in the northern South China Sea over the past 45,000 years: New insights based on temperature reconstructions by U kâ€™ 37 and TEX H 86 proxies from a marine sediment core (MD972146). <i>Quaternary International</i> , 2017, 459, 1-16.	0.7	12
775	Decoupling of monsoon activity across the northern and southern Indo-Pacific during the Late Glacial. <i>Quaternary Science Reviews</i> , 2017, 176, 101-105.	1.4	22
776	Yardang geometries in the Qaidam Basin and their controlling factors. <i>Geomorphology</i> , 2017, 299, 142-151.	1.1	18
777	Registration of Precession Signal in the Last Interglacial Paleosol (S 1) on the Chinese Loess Plateau. <i>Geochemistry, Geophysics, Geosystems</i> , 2017, 18, 3964-3975.	1.0	19
778	Transient simulation of the Tibetan Plateau modulated distinct orbital-scale precipitation variation in East and South Asia. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 485, 899-905.	1.0	6
779	Last glacial and Holocene stable isotope record of fossil dripwater from subtropical Brazil based on analysis of fluid inclusions in stalagmites. <i>Chemical Geology</i> , 2017, 468, 84-96.	1.4	9
780	Mid-Holocene palaeoflood events recorded at the Zhongqiao Neolithic cultural site in the Jiangnan Plain, middle Yangtze River Valley, China. <i>Quaternary Science Reviews</i> , 2017, 173, 145-160.	1.4	49
781	High-resolution diatom record of paleoceanographic variations across the Earlyâ€™Middle Pleistocene boundary in the Chiba Section, central Japan. <i>Quaternary International</i> , 2017, 455, 141-148.	0.7	4
782	Chronology of a late Neolithic Age site near the southern coastal region of Fujian, China. <i>Holocene</i> , 2017, 27, 1265-1272.	0.9	12
783	A penultimate glacial climate record from southern Hungary. <i>Journal of Quaternary Science</i> , 2017, 32, 946-956.	1.1	21
784	A chronological framework connecting the early Upper Palaeolithic across the Central Asian piedmont. <i>Journal of Human Evolution</i> , 2017, 113, 107-126.	1.3	32
785	The global monsoon across time scales: Mechanisms and outstanding issues. <i>Earth-Science Reviews</i> , 2017, 174, 84-121.	4.0	290

#	ARTICLE	IF	CITATIONS
786	High-resolution $\delta^{18}\text{O}$ and $\delta^{13}\text{C}$ records of an AMS ^{14}C and $^{230}\text{Th}/\text{U}$ dated stalagmite from Xinya Cave in Chongqing: Climate and vegetation change during the late Holocene. <i>Quaternary International</i> , 2017, 447, 75-88.	0.7	13
787	Quantitative reconstruction of paleoclimate in central Japan for the past 158,000 years based on a modern analogue technique of pollen composition. <i>Quaternary International</i> , 2017, 455, 126-140.	0.7	16
788	Intensified aridity in northern China during the middle Piacenzian warm period. <i>Journal of Asian Earth Sciences</i> , 2017, 147, 222-225.	1.0	11
789	Paleoenvironmental implications and drainage adjustment in the middle reaches of the Sabarmati river, Gujarat: Implications towards hydrological variability. <i>Quaternary International</i> , 2017, 454, 1-14.	0.7	7
790	Organic carbon preservation in <i>Southeastern Arabian Sea</i> sediments since mid-Holocene: Implications to South Asian summer monsoon variability. <i>Geochemistry, Geophysics, Geosystems</i> , 2017, 18, 3438-3451.	1.0	11
791	Coupled European and Greenland last glacial dust activity driven by North Atlantic climate. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E10632-E10638.	3.3	77
792	8000-year monsoonal record from Himalaya revealing reinforcement of tropical and global climate systems since mid-Holocene. <i>Scientific Reports</i> , 2017, 7, 14515.	1.6	79
793	Contrasting early Holocene temperature variations between monsoonal East Asia and westerly dominated Central Asia. <i>Quaternary Science Reviews</i> , 2017, 178, 14-23.	1.4	70
794	A Conceptual Model for the Response of Tropical Rainfall to Orbital Variations. <i>Journal of Climate</i> , 2017, 30, 8375-8391.	1.2	17
795	Indian summer monsoon variability in southern India during the last deglaciation: Evidence from a high resolution stalagmite $\delta^{18}\text{O}$ record. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 485, 476-485.	1.0	10
796	Glacial/interglacial wetland, biomass burning, and geologic methane emissions constrained by dual stable isotopic CH_4 ice core records. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E5778-E5786.	3.3	58
797	Orbitally-paced variations of water availability in the SE Asian Monsoon region following the Miocene Climate Transition. <i>Earth and Planetary Science Letters</i> , 2017, 474, 272-282.	1.8	15
798	A high-resolution hydrogen isotope record of behenic acid for the past 16 kyr in the northeastern United States. <i>Quaternary International</i> , 2017, 449, 1-11.	0.7	5
799	Continued obliquity pacing of East Asian summer precipitation after the mid-Pleistocene transition. <i>Earth and Planetary Science Letters</i> , 2017, 457, 181-190.	1.8	54
800	Records of Environmental Changes in Physical Geography. <i>Springer Geography</i> , 2017, , 481-494.	0.3	0
801	High-resolution $\delta^{18}\text{O}$ and $\delta^{13}\text{C}$ records during the past 65 ka from Fengyu Cave in Guilin: Variation of monsoonal climates in south China. <i>Quaternary International</i> , 2017, 441, 117-128.	0.7	11
802	Sediment provenance and paleoenvironmental change in the middle Okinawa Trough during the last 18.5 kyr: Clay mineral and geochemical evidence. <i>Quaternary International</i> , 2017, 440, 139-149.	0.7	10
803	$\delta^{18}\text{O}$, $\delta^{13}\text{C}$, elemental content and depositional features of a stalagmite from Yelang Cave reflecting climate and vegetation changes since late Pleistocene in central Guizhou, China. <i>Quaternary International</i> , 2017, 452, 102-115.	0.7	11

#	ARTICLE	IF	CITATIONS
804	Proxy-based Northern Hemisphere temperature reconstruction for the mid-to-late Holocene. <i>Theoretical and Applied Climatology</i> , 2017, 130, 1043-1053.	1.3	15
805	Investigating the Direct Meltwater Effect in Terrestrial Oxygen-18 Isotope Paleoclimate Records Using an Isotope-Enabled Earth System Model. <i>Geophysical Research Letters</i> , 2017, 44, 12,501.	1.5	10
806	Non-linear intensification of Sahel rainfall as a possible dynamic response to future warming. <i>Earth System Dynamics</i> , 2017, 8, 495-505.	2.7	18
807	Does $\delta^{18}O$ of $\delta^{22}O$ record meridional shifts in tropical rainfall?. <i>Climate of the Past</i> , 2017, 13, 1323-1338.	1.3	26
808	A chironomid-based mean July temperature inference model from the south-east margin of the Tibetan Plateau, China. <i>Climate of the Past</i> , 2017, 13, 185-199.	1.3	30
810	Is there 1.5-million-year-old ice near Dome C, Antarctica?. <i>Cryosphere</i> , 2017, 11, 2427-2437.	1.5	36
811	Centennial to millennial climate variability in the far northwestern Pacific (off Kamchatka) and its linkage to the East Asian monsoon and North Atlantic from the Last Glacial Maximum to the early Holocene. <i>Climate of the Past</i> , 2017, 13, 1063-1080.	1.3	7
812	Eurasian contribution to the last glacial dust cycle: how are loess sequences built?. <i>Climate of the Past</i> , 2017, 13, 1181-1197.	1.3	25
813	Ice-volume-forced erosion of the Chinese Loess Plateau global Quaternary stratotype site. <i>Nature Communications</i> , 2018, 9, 983.	5.8	117
814	Changes in vegetation type on the Chinese Loess Plateau since 75 ka related to East Asian Summer Monsoon variation. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 510, 124-139.	1.0	10
815	High spatial resolution investigation of nucleation, growth and early diagenesis in speleothems as exemplar for sedimentary carbonates. <i>Earth-Science Reviews</i> , 2018, 178, 68-91.	4.0	44
816	Abrupt Climate Change in an Oscillating World. <i>Scientific Reports</i> , 2018, 8, 5040.	1.6	35
817	Late Holocene anti-phase change in the East Asian summer and winter monsoons. <i>Quaternary Science Reviews</i> , 2018, 188, 28-36.	1.4	46
818	Response of carbon cycle to drier conditions in the mid-Holocene in central China. <i>Nature Communications</i> , 2018, 9, 1369.	5.8	60
819	Response of the Asian summer monsoons to idealized precession and obliquity forcing in a set of GCMs. <i>Quaternary Science Reviews</i> , 2018, 188, 121-135.	1.4	55
820	Evidence of thermophilisation and elevation-dependent warming during the Last Interglacial in the Italian Alps. <i>Scientific Reports</i> , 2018, 8, 2680.	1.6	25
821	Changes in detrital input, ventilation and productivity in the central Okhotsk Sea during the marine isotope stage 5e, penultimate interglacial period. <i>Journal of Asian Earth Sciences</i> , 2018, 156, 189-200.	1.0	4
822	Contrasting Patterns in Abrupt Asian Summer Monsoon Changes in the Last Glacial Period and the Holocene. <i>Paleoceanography and Paleoclimatology</i> , 2018, 33, 214-226.	1.3	24

#	ARTICLE	IF	CITATIONS
823	Aeolian dust supply from the Yellow River floodplain to the Pleistocene loess deposits of the Mangshan Plateau, central China: Evidence from zircon U-Pb age spectra. <i>Quaternary Science Reviews</i> , 2018, 182, 131-143.	1.4	25
824	Speleothems and Climate. Springer Theses, 2018, , 21-37.	0.0	0
825	Distinct responses of East Asian and Indian summer monsoons to astronomical insolation during Marine Isotope Stages 5c and 5e. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 510, 40-48.	1.0	5
826	Diatom-based inference of Asian monsoon precipitation from a volcanic lake in southwest China for the last 18.5 ka. <i>Quaternary Science Reviews</i> , 2018, 182, 109-120.	1.4	41
827	Decoupling of Climatic Drying and Asian Dust Export During the Holocene. <i>Journal of Geophysical Research D: Atmospheres</i> , 2018, 123, 915-928.	1.2	39
828	Precession and glacial-cycle controls of monsoon precipitation isotope changes over East Asia during the Pleistocene. <i>Earth and Planetary Science Letters</i> , 2018, 494, 1-11.	1.8	23
829	Transition from a warm and dry to a cold and wet climate in NE China across the Holocene. <i>Earth and Planetary Science Letters</i> , 2018, 493, 36-46.	1.8	80
830	200,000 years of monsoonal history recorded on the lower Bengal Fan - strong response to insolation forcing. <i>Global and Planetary Change</i> , 2018, 166, 107-119.	1.6	25
831	Climate dynamics during the penultimate glacial period recorded in a speleothem from Kanaan Cave, Lebanon (central Levant). <i>Quaternary Research</i> , 2018, 90, 10-25.	1.0	13
832	Geochemical characteristics of cave drip water respond to ENSO based on a 6-year monitoring work in Yangkou Cave, Southwest China. <i>Journal of Hydrology</i> , 2018, 561, 896-907.	2.3	48
833	Loess correlations – Between myth and reality. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 509, 4-23.	1.0	31
834	Nam Lot (MIS 5) and Duoi U'O'i (MIS 4) Southeast Asian sites revisited: Zooarchaeological and isotopic evidences. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 512, 132-144.	1.0	33
835	Abrupt monsoonal shifts over the precessional cycles documented in Yongxing Cave in China during the antepenultimate glacial period. <i>Environmental Earth Sciences</i> , 2018, 77, 1.	1.3	4
836	On the use of $\delta^{18}O_{atm}$ for ice core dating. <i>Quaternary Science Reviews</i> , 2018, 185, 244-257.	1.4	32
837	Divergent influences of the Greenland and Antarctica climates on the Asian monsoon during a stadial to interstadial cycle. <i>Journal of Asian Earth Sciences</i> , 2018, 159, 69-73.	1.0	5
838	Potential forcings of summer temperature variability of the southeastern Tibetan Plateau in the past 12 ka. <i>Journal of Asian Earth Sciences</i> , 2018, 159, 34-41.	1.0	4
839	Loess accumulation in the Tian Shan piedmont: Implications for palaeoenvironmental change in arid Central Asia. <i>Quaternary International</i> , 2018, 469, 30-43.	0.7	42
840	Environmental changes during the late Pleistocene and the Holocene in the Gonghe Basin, north-eastern Tibetan Plateau. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 509, 144-155.	1.0	24

#	ARTICLE	IF	CITATIONS
841	Linking environmental changes with human occupations between 900 and 400 ka in Western Europe. <i>Quaternary International</i> , 2018, 480, 78-94.	0.7	50
842	Holocene water-level changes inferred from a section of fluvio-lacustrine sediments in the southeastern Mu Us Desert, China. <i>Quaternary International</i> , 2018, 469, 58-67.	0.7	12
843	Quantitative Holocene climatic reconstructions for the lower Yangtze region of China. <i>Climate Dynamics</i> , 2018, 50, 1101-1113.	1.7	60
844	The 9.2ka event in Asian summer monsoon area: the strongest millennial scale collapse of the monsoon during the Holocene. <i>Climate Dynamics</i> , 2018, 50, 2767-2782.	1.7	37
845	Orbital-scale nonlinear response of East Asian summer monsoon to its potential driving forces in the late Quaternary. <i>Climate Dynamics</i> , 2018, 50, 2183-2197.	1.7	14
846	Evidence of Holocene climatic change and human impact in northwestern Yunnan Province: High-resolution pollen and charcoal records from Chenghai Lake, southwestern China. <i>Holocene</i> , 2018, 28, 127-139.	0.9	42
847	The mid-Holocene decline of the East Asian summer monsoon indicated by a lake-to-wetland transition in the Sanjiang Plain, Northeast China. <i>Holocene</i> , 2018, 28, 246-253.	0.9	10
848	Late Quaternary optically stimulated luminescence (OSL) chronology and environmental changes in the Hobq Desert, northern China. <i>Quaternary International</i> , 2018, 470, 18-25.	0.7	9
849	Evolution of sandstone peak-forest landscapes – insights from quantifying erosional processes with cosmogenic nuclides. <i>Earth Surface Processes and Landforms</i> , 2018, 43, 639-653.	1.2	6
850	Rapid retreat of the East Asian summer monsoon in the middle Holocene and a millennial weak monsoon interval at 9ka in northern China. <i>Journal of Asian Earth Sciences</i> , 2018, 151, 31-39.	1.0	37
851	A lacustrine record of East Asian summer monsoon and atmospheric dust loading since the last interglaciation from Lake Xingkai, northeast China. <i>Quaternary Research</i> , 2018, 89, 270-280.	1.0	19
852	Lag and mixing during sediment transfer across the Tian Shan piedmont caused by climate-driven aggradation-incision cycles. <i>Basin Research</i> , 2018, 30, 613-635.	1.3	39
853	Multi-scale variability of the Asian monsoon recorded in an annually-banded stalagmite during the Neoglacial from Qixing Cave, Southwestern China. <i>Quaternary International</i> , 2018, 487, 78-86.	0.7	9
854	The vegetation feature and palaeoenvironment significance in the mountainous interior of southern China from the Last Glacial Maximum. <i>Science China Earth Sciences</i> , 2018, 61, 71-81.	2.3	15
855	Bathyal records of enhanced silicate erosion and weathering on the exposed Luzon shelf during glacial lowstands and their significance for atmospheric CO ₂ sink. <i>Chemical Geology</i> , 2018, 476, 302-315.	1.4	25
856	Late Pleistocene paleolake evolution in the Hetao Basin, Inner Mongolia, China. <i>Quaternary International</i> , 2018, 464, 386-395.	0.7	14
857	Hydroclimatic variability in loess δD _{wax} records from the central Chinese Loess Plateau over the past 250ka. <i>Journal of Asian Earth Sciences</i> , 2018, 155, 49-57.	1.0	17
858	East Asian summer monsoon variations during the last deglaciation, recorded from a stalagmite at Linyi, northern China. <i>Quaternary International</i> , 2018, 464, 327-335.	0.7	7

#	ARTICLE	IF	CITATIONS
859	Microcodium in Chinese loess as a recorder for the oxygen isotopic composition of monsoonal rainwater. <i>Quaternary International</i> , 2018, 464, 364-369.	0.7	10
860	Paleolakes in the Gobi region of southern Mongolia. <i>Quaternary Science Reviews</i> , 2018, 179, 1-23.	1.4	54
861	Stable carbon isotope records of black carbon on Chinese Loess Plateau since last glacial maximum: An evaluation on their usefulness for paleorainfall and paleovegetation reconstruction. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 509, 98-104.	1.0	21
862	Impact of Convective Activity on Precipitation $\delta^{18}\text{O}$ in Isotope-Enabled General Circulation Models. <i>Journal of Geophysical Research D: Atmospheres</i> , 2018, 123, 13,595.	1.2	22
863	Seasonal variation in isotopic composition and the origin of precipitation over Bangladesh. <i>Progress in Earth and Planetary Science</i> , 2018, 5, .	1.1	22
864	Southern Hemisphere forcing of South Asian monsoon precipitation over the past ~1 million years. <i>Nature Communications</i> , 2018, 9, 4702.	5.8	62
865	The Indian Summer Monsoon from a Speleothem $\delta^{18}\text{O}$ Perspective—A Review. <i>Quaternary</i> , 2018, 1, 29.	1.0	39
866	The paleoclimatic implication of oxygen isotopes of authigenic carbonates in loess on the Northeastern Tibetan Plateau since Last Glacial Maximum. <i>Progress in Physical Geography</i> , 2018, 42, 826-840.	1.4	2
867	The turnover of continental planktonic diatoms near the middle/late Miocene boundary and their Cenozoic evolution. <i>PLoS ONE</i> , 2018, 13, e0198003.	1.1	12
868	Review and Exploration of China Subtropical Climate Change Research Based on Scientometric Analysis. <i>Tropical Conservation Science</i> , 2018, 11, 194008291880679.	0.6	11
869	Temporal and spatial characteristics of sediment sources on the southern Yangtze Shoal over the Holocene. <i>Scientific Reports</i> , 2018, 8, 15577.	1.6	10
870	Regional-scale Precipitation Anomalies in Northern China During the Holocene and Possible Impact on Prehistoric Demographic Changes. <i>Geophysical Research Letters</i> , 2018, 45, 12,477.	1.5	12
871	East Asian hydroclimate modulated by the position of the westerlies during Termination I. <i>Science</i> , 2018, 362, 580-583.	6.0	190
872	Millennial-scale East Asian monsoon variability of the last glacial deduced from annually laminated sediments from Lake Sihailongwan, N.E. China. <i>Quaternary Science Reviews</i> , 2018, 201, 57-76.	1.4	45
873	Distribution of glycerol ethers in Turpan soils: implications for use of GDGT-based proxies in hot and dry regions. <i>Frontiers of Earth Science</i> , 2018, 12, 862-876.	0.9	16
874	Natural and anthropogenic impacts on environmental changes over the past 7500 years based on the multi-proxy study of shelf sediments in the northern South China Sea. <i>Quaternary Science Reviews</i> , 2018, 197, 35-48.	1.4	31
875	The magnetic susceptibility recorded millennial-scale variability in central Asia during last glacial and interglacial. <i>Geophysical Journal International</i> , 2018, 215, 1781-1788.	1.0	13
876	Rapid precipitation changes in the tropical West Pacific linked to North Atlantic climate forcing during the last deglaciation. <i>Quaternary Science Reviews</i> , 2018, 197, 288-306.	1.4	18

#	ARTICLE	IF	CITATIONS
877	A Tianshan Mountains loess-paleosol sequence indicates anti-phase climatic variations in arid central Asia and in East Asia. <i>Earth and Planetary Science Letters</i> , 2018, 494, 153-163.	1.8	48
878	Asian monsoon dynamics at Dansgaard/Oeschger events 14â€“8 and Heinrich events 5â€“4 in northern China. <i>Quaternary Geochronology</i> , 2018, 47, 72-80.	0.6	19
879	Palaeogeography and voyage modeling indicates early human colonization of Australia was likely from Timor-Roti. <i>Quaternary Science Reviews</i> , 2018, 191, 431-439.	1.4	52
880	Interpreting Precessionâ€Driven $\delta^{18}O$ Variability in the South Asian Monsoon Region. <i>Journal of Geophysical Research D: Atmospheres</i> , 2018, 123, 5927-5946.	1.2	49
881	Fluctuations in the East Asian monsoon recorded by pollen assemblages in sediments from the Japan Sea off the southwestern coast of Hokkaido, Japan, from 4.3â€Ma to the present. <i>Global and Planetary Change</i> , 2018, 163, 1-9.	1.6	17
882	Timing and duration of the East Asian summer monsoon maximum during the Holocene based on stalagmite data from North China. <i>Holocene</i> , 2018, 28, 1631-1641.	0.9	36
883	The transfer of oxygen isotopic signals from precipitation to drip water and modern calcite on the seasonal time scale in Yongxing Cave, central China. <i>Environmental Earth Sciences</i> , 2018, 77, 1.	1.3	13
884	Alluvial fan aggradation/incision history of the eastern Tibetan plateau margin and implications for debris flow/debris-charged flood hazard. <i>Geomorphology</i> , 2018, 318, 203-216.	1.1	13
885	Nonlagged Response of Vegetation to Climate Change During the Younger Dryas: Evidence from Highâ€Resolution Multiproxy Records from an Alpine Lake in Northern China. <i>Journal of Geophysical Research D: Atmospheres</i> , 2018, 123, 7065-7075.	1.2	7
886	A Centennial Episode of Weak East Asian Summer Monsoon in the Midst of the Medieval Warming. <i>Paleoceanography and Paleoclimatology</i> , 2018, 33, 1035-1048.	1.3	0
887	Linkage between Lake Xingkai sediment geochemistry and Asian summer monsoon since the last interglacial period. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 512, 71-79.	1.0	21
888	Pollen from the Deep-Sea: A Breakthrough in the Mystery of the Ice Ages. <i>Frontiers in Plant Science</i> , 2018, 9, 38.	1.7	35
889	Stable Isotopic Characteristics and Influencing Factors in Precipitation in the Monsoon Marginal Region of Northern China. <i>Atmosphere</i> , 2018, 9, 97.	1.0	20
890	Assessing tectonic and climatic controls for Late Quaternary fluvial terraces in Guide, Jianzha, and Xunhua Basins along the Yellow River on the northeastern Tibetan Plateau. <i>Quaternary Science Reviews</i> , 2018, 195, 109-121.	1.4	12
891	Late Pleistocene to Holocene productivity changes in the western equatorial Pacific (Sulu Sea). <i>Journal of Geophysical Research</i> , 2018, 123, 1050-1060.	0.5	3
892	The spatial extent of the East Asian summer monsoon in arid NW China during the Holocene and Last Interglaciation. <i>Global and Planetary Change</i> , 2018, 169, 48-65.	1.6	23
893	Orbital- and suborbital-scale changes in the East Asian summer monsoon since the last deglaciation. <i>Holocene</i> , 2018, 28, 1216-1224.	0.9	14
894	Geochemical provenance of sediments from the northern East China Sea document a gradual migration of the Asian Monsoon belt over the past 400,000 years. <i>Quaternary Science Reviews</i> , 2018, 190, 161-175.	1.4	16

#	ARTICLE	IF	CITATIONS
895	Sandy Loess Records of Precipitation Changes and Monsoon Migrations in the Hunshandake Sandy Land Since the Last Glacial Maximum. <i>Paleoceanography and Paleoclimatology</i> , 2018, 33, 945-957.	1.3	10
896	Millennial-scale Asian monsoon variability during the late Marine Isotope Stage 6 from Hulu Cave, China. <i>Quaternary Research</i> , 2018, 90, 394-405.	1.0	8
897	Precession-band variance missing from East Asian monsoon runoff. <i>Nature Communications</i> , 2018, 9, 3364.	5.8	112
898	Lacustrine mineral magnetic record of postglacial environmental changes from Dahu Swamp, southern China. <i>Global and Planetary Change</i> , 2018, 170, 62-75.	1.6	8
899	Temperature and seawater isotopic controls on two stalagmite records since 83 ka from maritime Japan. <i>Quaternary Science Reviews</i> , 2018, 192, 47-58.	1.4	12
900	Long-lived radionuclides as chronometers and tracers of environmental processes at the Xi'an Accelerator Mass Spectrometry Center. <i>Chemical Geology</i> , 2018, 493, 258-265.	1.4	0
901	Evidence for solar influence in a Holocene speleothem record (PÃ're NoÃ«l cave, SE Belgium). <i>Quaternary Science Reviews</i> , 2018, 192, 249-262.	1.4	9
902	Late Middle Pleistocene ecology and climate in Northeastern Thailand inferred from the stable isotope analysis of Khok Sung herbivore tooth enamel and the land mammal cenogram. <i>Quaternary Science Reviews</i> , 2018, 193, 24-42.	1.4	33
903	Precession-paced thermocline water temperature changes in response to upwelling conditions off southern Sumatra over the past 300,000 years. <i>Quaternary Science Reviews</i> , 2018, 192, 123-134.	1.4	19
904	Strengthening of the East Asian winter monsoon during the mid-Holocene. <i>Holocene</i> , 2018, 28, 1443-1451.	0.9	7
905	Responses of the East Asian Summer Monsoon in the Lowâ€Latitude South China Sea to Highâ€Latitude Millennialâ€Scale Climatic Changes During the Last Glaciation: Evidence From a Highâ€Resolution Clay Mineralogical Record. <i>Paleoceanography and Paleoclimatology</i> , 2018, 33, 745-765.	1.3	35
906	Using Holo-Hilbert spectral analysis to quantify the modulation of Dansgaard-Oeschger events by obliquity. <i>Quaternary Science Reviews</i> , 2018, 192, 282-299.	1.4	7
907	Ensemble-based CMIP5 simulations of West African summer monsoon rainfall: current climate and future changes. <i>Theoretical and Applied Climatology</i> , 2019, 136, 1021-1031.	1.3	23
908	Luminescence characteristics of quartz from Holocene delta deposits of the Yangtze River and their provenance implications. <i>Quaternary Geochronology</i> , 2019, 49, 131-137.	0.6	26
909	Quaternary integrative stratigraphy and timescale of China. <i>Science China Earth Sciences</i> , 2019, 62, 324-348.	2.3	57
910	East Asian summer monsoon climates and cave hydrological cycles over Dansgaard-Oeschger events 14 to 11 revealed by a new stalagmite record from Hulu Cave. <i>Quaternary Research</i> , 2019, 92, 725-737.	1.0	7
911	The coupled evolution of mid- to late Holocene temperature and moisture in the southeast Qaidam Basin. <i>Chemical Geology</i> , 2019, 528, 119282.	1.4	14
912	Millennial-scale pulsebeat of glaciation in the Southern Alps of New Zealand. <i>Quaternary Science Reviews</i> , 2019, 220, 165-177.	1.4	30

#	ARTICLE	IF	CITATIONS
913	Paleoceanographic changes in the Northern East China Sea during the last 400 kyr as inferred from radiolarian assemblages (IODP Site U1429). <i>Progress in Earth and Planetary Science</i> , 2019, 6, .	1.1	27
914	Millennial-scale variability of East Asian summer monsoon inferred from sea surface salinity in the northern East China Sea (ECS) and its impact on the Japan Sea during Marine Isotope Stage (MIS) 3. <i>Progress in Earth and Planetary Science</i> , 2019, 6, .	1.1	15
915	Major hydrological shifts in the Black Sea "Lake" in response to ice sheet collapses during MIS 6 (130-184 ka BP). <i>Quaternary Science Reviews</i> , 2019, 219, 126-144.	1.4	20
916	Lacustrine carbon cycling since the last interglaciation in northeast China: Evidence from n-alkanes in the sediments of Lake Xinghai. <i>Quaternary International</i> , 2019, 523, 101-108.	0.7	9
917	A southern and northern control on speleothem-based Asian summer monsoon variability during MIS 4. <i>Quaternary Research</i> , 2019, 92, 738-753.	1.0	1
918	Millennial scale cycles in the Bering Sea during penultimate and last glacials; their similarities and differences. <i>Quaternary International</i> , 2019, 525, 151-158.	0.7	7
919	Climate, sea level and tectonic controls on sediment discharge from the Sepik River, Papua New Guinea during the Mid- to Late Pleistocene. <i>Marine Geology</i> , 2019, 415, 105954.	0.9	11
920	The Asian Summer Monsoon: Teleconnections and Forcing Mechanisms" A Review from Chinese Speleothem $\delta^{18}O$ Records. <i>Quaternary</i> , 2019, 2, 26.	1.0	68
921	Constraining the transgression history in the Bohai Coast China since the Middle Pleistocene by luminescence dating. <i>Marine Geology</i> , 2019, 416, 105980.	0.9	25
922	Western Mediterranean Climate Response to Dansgaard/Oeschger Events: New Insights From Speleothem Records. <i>Geophysical Research Letters</i> , 2019, 46, 9042-9053.	1.5	15
923	Fluvial response to climate change inferred from sediment cores from the Ghaggar-Hakra paleochannel in NW Indo-Gangetic plains. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 532, 109247.	1.0	15
924	A Transient Modeling Study of the Latitude Dependence of East Asian Winter Monsoon Variations on Orbital Timescales. <i>Geophysical Research Letters</i> , 2019, 46, 7565-7573.	1.5	12
925	Strata sequence and paleochannel response to tectonic, sea-level, and Asian monsoon variability since the late Pleistocene in the South Yellow Sea. <i>Quaternary Research</i> , 2019, 92, 450-468.	1.0	5
926	SISAL: Bringing Added Value to Speleothem Research. <i>Quaternary</i> , 2019, 2, 7.	1.0	17
927	Tracking Spread of the Agulhas Leakage Into the Western South Atlantic and Its Northward Transmission During the Last Interglacial. <i>Paleoceanography and Paleoclimatology</i> , 2019, 34, 1744-1760.	1.3	9
928	Calcium carbonate precipitation mediated by bacterial carbonic anhydrase in a karst cave: Crystal morphology and stable isotopic fractionation. <i>Chemical Geology</i> , 2019, 530, 119331.	1.4	15
929	$\delta^{15}N$ and $\delta^{18}O$ changes from the Last Glacial Maximum to the preindustrial " Part 1: Quantitative reconstruction of terrestrial and marine emissions using $\delta^{15}N$ and $\delta^{18}O$ stable isotopes in ice cores. <i>Biogeosciences</i> , 2019, 16, 3997-4021.	1.3	12
930	A High-Resolution Speleothem Record of Marine Isotope Stage 11 as a Natural Analog to Holocene Asian Summer Monsoon Variations. <i>Geophysical Research Letters</i> , 2019, 46, 9949-9957.	1.5	12

#	ARTICLE	IF	CITATIONS
931	Phylogeographic Analyses of the East Asian Endemic Genus <i>Prinsepia</i> and the Role of the East Asian Monsoon System in Shaping a North-South Divergence Pattern in China. <i>Frontiers in Genetics</i> , 2019, 10, 128.	1.1	11
932	Evolution of the Asian–African Monsoonal Precipitation over the last 21 kyr and the Associated Dynamic Mechanisms. <i>Journal of Climate</i> , 2019, 32, 6551-6569.	1.2	27
933	Mid to late Holocene environmental change and human impact: A view from Central China. <i>Quaternary Science Reviews</i> , 2019, 223, 105953.	1.4	15
934	Chinese stalagmite paleoclimate researches: A review and perspective. <i>Science China Earth Sciences</i> , 2019, 62, 1489-1513.	2.3	96
935	Sea-surface temperature, productivity and hydrological changes in the Northern Indian Ocean (Maldives) during the interval ~575-175 ka (MIS 14 to 7). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 536, 109376.	1.0	10
936	Evidence for wetter climate recorded in the Jingxian red clay section since approximately 840 ka ago and its relationship with the East Asian summer monsoon intensity. <i>Quaternary International</i> , 2019, 532, 57-65.	0.7	2
937	Northern Hemisphere Monsoon Response to Mid–Holocene Orbital Forcing and Greenhouse Gas–Induced Global Warming. <i>Geophysical Research Letters</i> , 2019, 46, 1591-1601.	1.5	56
938	Volcanic glass as a proxy for Cenozoic elevation and climate in the Cascade Mountains, Oregon, USA. <i>Journal of Volcanology and Geothermal Research</i> , 2019, 381, 157-167.	0.8	8
939	Factors controlling frequency of turbidites in the Bengal fan during the last 248 kyr cal BP: Clues from a presently inactive channel. <i>Marine Geology</i> , 2019, 415, 105965.	0.9	10
940	Stable carbon and oxygen isotopic composition of modern land snails along a precipitation gradient in the mid-latitude East Asian monsoon region of China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 533, 109236.	1.0	19
941	REEs and Sr-Nd isotope variations in a 20 ky-sediment core from the middle Okinawa Trough, East China Sea: An in-depth provenance analysis of siliciclastic components. <i>Marine Geology</i> , 2019, 415, 105970.	0.9	16
942	Middle to Late Miocene Eccentricity Forcing on Lake Expansion in NE Tibet. <i>Geophysical Research Letters</i> , 2019, 46, 6926-6935.	1.5	17
943	Mineralogical and isotopic evidence for the sediment provenance of the western South Yellow Sea since MIS 3 and implications for paleoenvironmental evolution. <i>Marine Geology</i> , 2019, 414, 103-117.	0.9	10
944	Correlation between oxygen and carbon isotopes of speleothems from Tian–e Cave, central China: Insights into the phase relationship between Asian summer and winter monsoons. <i>Journal of Asian Earth Sciences</i> , 2019, 180, 103884.	1.0	6
945	Large dry-humid fluctuations in Asia during the Late Cretaceous due to orbital forcing: A modeling study. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 533, 109230.	1.0	17
946	Magnetism Signals in a Stalagmite From Southern China and Reconstruction of Paleorainfall During the Interglacial–Glacial Transition. <i>Geophysical Research Letters</i> , 2019, 46, 6918-6925.	1.5	9
947	Quantitative precipitation reconstruction in the east-central monsoonal China since the late glacial period. <i>Quaternary International</i> , 2019, 521, 175-184.	0.7	28
948	Regional sediment sources versus the Indus River system: The Plio-Pleistocene of the Peshawar Basin (NW-Pakistan). <i>Sedimentary Geology</i> , 2019, 389, 26-41.	1.0	6

#	ARTICLE	IF	CITATIONS
949	Temperature Evolution of the Indo-Pacific Warm Pool Over the Holocene and the Last Deglaciation. <i>Paleoceanography and Paleoclimatology</i> , 2019, 34, 1107-1123.	1.3	19
950	Impact of glacial-lake paleofloods on valley development since glacial termination II: A conundrum of hydrology and scale for the lowstand Brahmaputra-Jamuna paleovalley system. <i>Bulletin of the Geological Society of America</i> , 2019, 131, 58-70.	1.6	12
951	Holocene changes in biome size and tropical cyclone activity around the Northern South China Sea. <i>Quaternary Science Reviews</i> , 2019, 215, 45-63.	1.4	8
952	Decadal-scale progression of the onset of Dansgaard-Oeschger warming events. <i>Climate of the Past</i> , 2019, 15, 811-825.	1.3	31
953	Timing and structure of the weak Asian Monsoon event about 73,000 years ago. <i>Quaternary Geochronology</i> , 2019, 53, 101003.	0.6	11
954	Linking CO ₂ degassing in active fault zones to long-term changes in water balance and surface water circulation, an example from SW Turkey. <i>Quaternary Science Reviews</i> , 2019, 214, 164-177.	1.4	15
955	Montane peat bog records of vegetation, climate, and human impacts in Fujian Province, China, over the last 1330 years. <i>Quaternary International</i> , 2019, 528, 53-62.	0.7	7
956	Episodic coral growth in China's subtropical coral communities linked to broad-scale climatic change. <i>Geology</i> , 2019, 47, 79-82.	2.0	14
957	Changes in the Asian monsoon climate during the late last interglacial recorded in oxygen isotopes of a stalagmite from the Yongxing Cave, central China. <i>Journal of Asian Earth Sciences</i> , 2019, 179, 211-218.	1.0	9
958	Southern Ocean sea ice and frontal changes during the Late Quaternary and their linkages to Asian summer monsoon. <i>Quaternary Science Reviews</i> , 2019, 213, 93-104.	1.4	24
959	Aridity-controlled hydrogen isotope fractionation between soil n-alkanes and precipitation in China. <i>Organic Geochemistry</i> , 2019, 133, 53-64.	0.9	12
960	The Penultimate Glacial Termination and Variability of the Pacific Intertropical Convergence Zone. <i>Geophysical Research Letters</i> , 2019, 46, 4826-4835.	1.5	6
961	The response of tropical precipitation to Earth's precession: the role of energy fluxes and vertical stability. <i>Climate of the Past</i> , 2019, 15, 449-462.	1.3	18
962	Early-Holocene monsoon instability and climatic optimum recorded by Chinese stalagmites. <i>Holocene</i> , 2019, 29, 1059-1067.	0.9	56
963	Late onset of the Holocene rainfall maximum in northeastern China inferred from a pollen record from the sediments of Tianchi Crater Lake. <i>Quaternary Research</i> , 2019, 92, 133-145.	1.0	16
964	Global chronostratigraphical correlation table for the last 2.7 million years, version 2019 QI-500. <i>Quaternary International</i> , 2019, 500, 20-31.	0.7	119
965	A new speleothem record of the penultimate deglacial: Insights into spatial variability and centennial-scale instabilities of East Asian monsoon. <i>Quaternary Science Reviews</i> , 2019, 210, 113-124.	1.4	14
966	Multiscale analysis of Asian Monsoon over the past 640 ka. <i>Science China Earth Sciences</i> , 2019, 62, 843-852.	2.3	3

#	ARTICLE	IF	CITATIONS
967	Application of Avaatech X-ray fluorescence core-scanning in Sr/Ca analysis of speleothems. <i>Science China Earth Sciences</i> , 2019, 62, 964-973.	2.3	9
968	Unveiling the anatomy of Termination 3 using water and air isotopes in the Dome C ice core, East Antarctica. <i>Quaternary Science Reviews</i> , 2019, 211, 156-165.	1.4	5
969	The isotopic composition of meteoric water along altitudinal transects in the Tian Shan of Central Asia. <i>Chemical Geology</i> , 2019, 516, 68-78.	1.4	22
970	Reconstruction of palaeoclimate in Shalaih Cave, SE of Sangaw, Kurdistan Province of Iraq. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 524, 262-272.	1.0	4
971	Formation age of Jiudong Sandy Land, in the western Hexi Corridor, NW China. <i>Quaternary International</i> , 2019, 513, 47-55.	0.7	1
972	Isotopes in the Water Cycle: Regional- to Global-Scale Patterns and Applications. <i>Annual Review of Earth and Planetary Sciences</i> , 2019, 47, 453-479.	4.6	168
973	Millennial and orbital scale variability of the South American Monsoon during the penultimate glacial period. <i>Scientific Reports</i> , 2019, 9, 1234.	1.6	15
974	Is Chinese stalagmite $\delta^{18}O$ solely controlled by the Indian summer monsoon?. <i>Climate Dynamics</i> , 2019, 53, 2969-2983.	1.7	23
975	Seasonal and interannual variations of hydrochemical characteristics and stable isotopic compositions of drip waters in Furong Cave, southwest China based on ^{12}C -years monitoring. <i>Journal of Hydrology</i> , 2019, 572, 40-50.	2.3	36
976	Timing and structure of Termination II in north China constrained by a precisely dated stalagmite record. <i>Earth and Planetary Science Letters</i> , 2019, 512, 1-7.	1.8	10
978	Water isotopes – climate relationships for the mid-Holocene and preindustrial period simulated with an isotope-enabled version of MPI-ESM. <i>Climate of the Past</i> , 2019, 15, 1913-1937.	1.3	41
979	Agreement between reconstructed and modeled boreal precipitation of the Last Interglacial. <i>Science Advances</i> , 2019, 5, eaax7047.	4.7	46
980	Modulation of Indian monsoon by water vapor and cloud feedback over the past 22,000 years. <i>Nature Communications</i> , 2019, 10, 5701.	5.8	29
981	Deciphering Oxygen Isotope Records From Chinese Speleothems With an Isotope-Enabled Climate Model. <i>Paleoceanography and Paleoclimatology</i> , 2019, 34, 2098-2112.	1.3	66
982	Late Tortonian – Piacenzian multi-proxy record of Asian southwest monsoon intensification: evidence from Coastal Makran, southeast Iran. <i>Canadian Journal of Earth Sciences</i> , 2019, 56, 347-362.	0.6	2
983	The East Asian Monsoon since the Last Glacial Maximum: Evidence from geological records in northern China. <i>Science China Earth Sciences</i> , 2019, 62, 1181-1192.	2.3	15
984	Calcareous nannofossil palaeoenvironmental reconstruction and preservation in sapropel S1 at the Eratosthenes Seamount (Eastern Mediterranean). <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2019, 164, 206-215.	0.6	10
985	Stable isotopes and trace elements of drip waters at DeSoto Caverns during rainfall-contrasting years. <i>Chemical Geology</i> , 2019, 504, 96-104.	1.4	5

#	ARTICLE	IF	CITATIONS
986	Archaeal ammonia oxidation plays a part in late Quaternary nitrogen cycling in the South China Sea. <i>Earth and Planetary Science Letters</i> , 2019, 509, 38-46.	1.8	19
987	Speleothem U/Th age constraints for the Last Glacial conditions in the Apuan Alps, northwestern Italy. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 518, 62-71.	1.0	20
988	Asynchronous Holocene Climate Optimum across mid-latitude Asia. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 518, 206-214.	1.0	35
989	Organic matter isotopes reveal enhanced rainfall activity in Northwestern Mediterranean borderland during warm substages of the last 200 kyr. <i>Quaternary Science Reviews</i> , 2019, 205, 182-192.	1.4	6
990	Late-Quaternary dynamics and palaeoclimatic implications of an alluvial fan-lake system on the southern Alxa Plateau, NW China. <i>Geomorphology</i> , 2019, 327, 1-13.	1.1	14
991	Vegetation and climate evolution during the Last Glaciation at Tengchong in Yunnan Province, Southwest China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 514, 441-452.	1.0	13
992	Late Holocene lacustrine environmental and ecological changes caused by anthropogenic activities in the Chinese Loess Plateau. <i>Quaternary Science Reviews</i> , 2019, 203, 266-277.	1.4	33
993	Mid-late Holocene rainfall variation in Taiwan: A high-resolution multi-proxy record unravels the dual influence of the Asian monsoon and ENSO. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 516, 139-151.	1.0	14
994	A multi-proxy quantitative record of Holocene hydrological regime on the Heixiazi Island (NE China): indications for the evolution of East Asian summer monsoon. <i>Climate Dynamics</i> , 2019, 52, 6773-6786.	1.7	8
995	Holocene fire in relation to environmental change and human activity reconstructed from sedimentary charcoal of Chaohu Lake, East China. <i>Quaternary International</i> , 2019, 507, 62-73.	0.7	12
996	Reconstructing the western boundary variability of the Western Pacific Subtropical High over the past 2000 years via Chinese cave oxygen isotope records. <i>Climate Dynamics</i> , 2019, 52, 3741-3757.	1.7	31
997	Interpreting historical, botanical, and geological evidence to aid preparations for future floods. <i>Wiley Interdisciplinary Reviews: Water</i> , 2019, 6, e1318.	2.8	77
998	Testing Pollen Sorted by Flow Cytometry as the Basis for High-Resolution Lacustrine Chronologies. <i>Radiocarbon</i> , 2019, 61, 359-374.	0.8	15
999	In-site pollen record from the Dadiwan archaeological site and the human-environment relationship during Marine Oxygen Isotope Stage 3. <i>Quaternary Research</i> , 2019, 91, 289-300.	1.0	4
1000	Sub-decadally-resolved Asian monsoon dynamics during Chinese interstadial 21 in response to northern high-latitude climate. <i>Journal of Asian Earth Sciences</i> , 2019, 172, 243-248.	1.0	6
1001	Climate change in arid central Asia since MIS 2 revealed from a loess sequence in Yili Basin, Xinjiang, China. <i>Quaternary International</i> , 2019, 502, 258-266.	0.7	14
1002	Sedimentary responses to the East Asian monsoon and sea level variations recorded in the northern South China Sea over the past 36 kyr. <i>Journal of Asian Earth Sciences</i> , 2019, 171, 213-224.	1.0	37
1003	Multiproxy records of Holocene millennial-scale climatic variations from the aeolian deposit in eastern Horqin dune field, northeastern China. <i>Geological Journal</i> , 2019, 54, 351-363.	0.6	2

#	ARTICLE	IF	CITATIONS
1004	Sedimentation and glaciations during the Pleistocene: Palaeoclimate reconstruction in the Peshawar Basin, Pakistan. <i>Geological Journal</i> , 2020, 55, 671-693.	0.6	7
1005	Isotope exchange rates in dissolved inorganic carbon between 40â€°C and 90â€°C. <i>Geochimica Et Cosmochimica Acta</i> , 2020, 268, 56-72.	1.6	12
1006	¹⁰ Be and OSL dating of Pleistocene fluvial terraces along the Hongshuiba River: Constraints on tectonic and climatic drivers for fluvial downcutting across the NE Tibetan Plateau margin, China. <i>Geomorphology</i> , 2020, 348, 106884.	1.1	25
1007	Comparison of climate and environment on the edge of the Palaeo-Agulhas Plain to the Little Karoo (South Africa) in Marine Isotope Stages 5â€³ as indicated by speleothems. <i>Quaternary Science Reviews</i> , 2020, 235, 105803.	1.4	30
1008	Glacialâ€“Interglacial Precipitation Changes. <i>Annual Review of Marine Science</i> , 2020, 12, 525-557.	5.1	23
1009	Differential ice volume and orbital modulation of Quaternary moisture patterns between Central and East Asia. <i>Earth and Planetary Science Letters</i> , 2020, 530, 115901.	1.8	53
1010	Possible linkage between the long-eccentricity marine carbon cycle and the deep-Pacific circulation: Western equatorial Pacific benthic foraminifera evidences of the last 4â€“Ma. <i>Marine Micropaleontology</i> , 2020, 155, 101797.	0.5	9
1011	Hydrological regime responses to Holocene East Asian summer monsoon circulation in marshes of the Sanjiang Plain, NE China. <i>Land Degradation and Development</i> , 2020, 31, 240-250.	1.8	6
1012	A stalagmite $\delta^{18}O$ record from Jinfo Cave, southern China reveals early-mid holocene variations in the East Asian Summer Monsoon. <i>Quaternary International</i> , 2020, 537, 61-68.	0.7	6
1013	Middle to late Pleistocene record of explosive volcanic eruptions in marine sediments offshore Kamchatka (Meiji Rise, NW Pacific). <i>Journal of Quaternary Science</i> , 2020, 35, 362-379.	1.1	11
1014	Sixty-year quasi-period of the Asian monsoon around the Last Interglacial derived from an annually resolved stalagmite $\delta^{18}O$ record. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2020, 541, 109545.	1.0	4
1015	History of moisture change indicated by aeolian deposit in the Horqin sandy land, Northeastern China since the Last Glacial Maximum. <i>Quaternary International</i> , 2020, 547, 50-62.	0.7	2
1016	Landscape dynamics and human-environment interactions in the northern foothills of Cho Oyu and Mount Everest (southern Tibet) during the Late Pleistocene and Holocene. <i>Quaternary Science Reviews</i> , 2020, 229, 106127.	1.4	4
1017	Rapid Pleistocene desiccation and the future of Africa's Lake Victoria. <i>Earth and Planetary Science Letters</i> , 2020, 530, 115883.	1.8	25
1018	Sedimentary source area and paleoenvironmental reconstruction since late Miocene in the southern South China Sea. <i>Chemie Der Erde</i> , 2020, 80, 125567.	0.8	4
1019	Global ocean heat content in the Last Interglacial. <i>Nature Geoscience</i> , 2020, 13, 77-81.	5.4	31
1020	Spatial contrasts of the Holocene hydroclimate trend between North and East Asia. <i>Quaternary Science Reviews</i> , 2020, 227, 106036.	1.4	8
1021	Response of heterogeneous rainfall variability in East Asia to Hadley circulation reorganization during the late Quaternary. <i>Quaternary Science Reviews</i> , 2020, 247, 106562.	1.4	14

#	ARTICLE	IF	CITATIONS
1022	Increasing effective moisture during the Holocene in the semiarid regions of the Yili Basin, Central Asia: Evidence from loess sections. <i>Quaternary Science Reviews</i> , 2020, 246, 106553.	1.4	36
1023	Pollen reconstructed Holocene vegetation response to climate change and human activity in a semi-arid mountain area of north China. <i>Catena</i> , 2020, 195, 104878.	2.2	7
1024	Late Cenozoic climate change paces landscape adjustments to Yukon River capture. <i>Nature Geoscience</i> , 2020, 13, 571-575.	5.4	21
1025	Impact of Eurasian Ice Sheet and North Atlantic Climate Dynamics on Black Sea Temperature Variability During the Penultimate Glacial (MIS 6, 130â€“184 ka BP). <i>Paleoceanography and Paleoclimatology</i> , 2020, 35, e2020PA003882.	1.3	5
1026	Millennial-scale summer monsoon oscillations over the last 260 ka revealed by high-resolution elemental results of the Mangshan loess-palaeosol sequence from the southeastern Chinese Loess Plateau. <i>Quaternary International</i> , 2020, 552, 164-174.	0.7	15
1027	Insolation and Greenhouse Gas Forcing of the South American Monsoon System Across Three Glacialâ€”Interglacial Cycles. <i>Geophysical Research Letters</i> , 2020, 47, e2020GL087948.	1.5	14
1028	Deuterium excess and $\delta^{17}O$ -excess variability in meteoric water across the Pacific Northwest, USA. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2022, 72, 1773722.	0.8	32
1029	Century-scale climatic oscillations during the Last Glacial Maximum revealed by stalagmite isotopic records from Longfugong Cave, China. <i>Environmental Earth Sciences</i> , 2020, 79, 1.	1.3	0
1030	Holocene paleoenvironmental changes in mud area southwest off Cheju Island, East China Sea: Evidence from benthic foraminiferal assemblages and stable isotope records. <i>Marine Geology</i> , 2020, 429, 106319.	0.9	4
1031	Multiple glacial maxima of similar extent at ~ 45 ka on Mt. Usborne, East Falkland, South Atlantic region. <i>Quaternary Science Reviews</i> , 2020, 250, 106677.	1.4	5
1032	Revisiting growth and decline of late Quaternary mega-lakes across the south-central Tibetan Plateau. <i>Quaternary Science Reviews</i> , 2020, 248, 106475.	1.4	24
1033	Holocene and deglaciation hydroclimate changes in northern China as inferred from stalagmite growth frequency. <i>Global and Planetary Change</i> , 2020, 195, 103360.	1.6	10
1034	A late Pleistocene dataset of Agulhas Current variability. <i>Scientific Data</i> , 2020, 7, 385.	2.4	6
1035	Orbital and millennial-scale environmental and hydrological changes of the central Okhotsk Sea over the last 136 kyr inferred from micropaleontological (radiolarian and benthic foraminifera), geochemical and lithological proxies and the mechanisms responsible for them. <i>Quaternary Science Reviews</i> , 2020, 247, 106569.	1.4	4
1036	East Asian monsoon changes early in the last deglaciation and insights into the interpretation of oxygen isotope changes in the Chinese stalagmite record. <i>Quaternary Science Reviews</i> , 2020, 250, 106699.	1.4	20
1037	Migration of Afro-Asian Monsoon Fringe Since Last Glacial Maximum. <i>Frontiers in Earth Science</i> , 2020, 8, .	0.8	4
1038	Holocene tephrostratigraphic framework and monsoon evolution of East Asia: Key tephra beds for synchronising palaeoclimate records. <i>Quaternary Science Reviews</i> , 2020, 242, 106467.	1.4	7
1039	Understanding the overestimated impact of the Toba volcanic super-eruption on global environments and ancient hominins. <i>Quaternary International</i> , 2020, 559, 24-33.	0.7	4

#	ARTICLE	IF	CITATIONS
1040	Linear enamel hypoplasia in large-bodied mammals of Pleistocene northern Vietnam, with a special focus on Pongo. <i>Quaternary International</i> , 2020, 563, 38-50.	0.7	4
1041	Multi-proxy records of Holocene fluvio-lacustrine sediments in the southern Liaodong Peninsula, China. <i>E3S Web of Conferences</i> , 2020, 165, 03023.	0.2	1
1042	What Controls the Water Vapor Isotopic Composition Near the Surface of Tropical Oceans? Results From an Analytical Model Constrained by Large-Eddy Simulations. <i>Journal of Advances in Modeling Earth Systems</i> , 2020, 12, e2020MS002106.	1.3	19
1043	Variability of the Indian Monsoon in the Andaman Sea Across the Miocene-Pliocene Transition. <i>Paleoceanography and Paleoclimatology</i> , 2020, 35, e2020PA003923.	1.3	13
1044	A multiple-proxy stalagmite record reveals historical deforestation in central Shandong, northern China. <i>Science China Earth Sciences</i> , 2020, 63, 1622-1632.	2.3	15
1045	Synchronous timing of abrupt climate changes during the last glacial period. <i>Science</i> , 2020, 369, 963-969.	6.0	62
1046	Millennial-scale Changes in Terrestrial and Marine Nitrous Oxide Emissions at the Onset and Termination of Marine Isotope Stage 4. <i>Geophysical Research Letters</i> , 2020, 47, e2020GL089110.	1.5	0
1047	A link triggered by tropical Pacific sea surface temperature between the East Asian and North American summer monsoon marginal zone precipitation at various time scales. <i>Global and Planetary Change</i> , 2020, 195, 103318.	1.6	1
1048	Millennial-scale environmental changes in the northwestern Japan Sea during the last glacial cycle. <i>Boreas</i> , 2020, , .	1.2	2
1049	Profiling interactions between the Westerlies and Asian summer monsoons since 45 ka: Insights from biomarker, isotope, and numerical modeling studies in the Qaidam Basin. <i>Bulletin of the Geological Society of America</i> , 2021, 133, 1531-1541.	1.6	2
1050	Sr-Nd isotopes indicating the provenance of siliciclastic sediments and paleoenvironmental changes in the middle Okinawa Trough during the last deglaciation. <i>Continental Shelf Research</i> , 2020, 210, 104277.	0.9	5
1051	Regional impacts of climate change and its relevance to human evolution. <i>Evolutionary Human Sciences</i> , 2020, 2, .	0.9	14
1052	Speleothem record from Pentadactylos cave (Cyprus): new insights into climatic variations during MIS 6 and MIS 5 in the Eastern Mediterranean. <i>Quaternary Science Reviews</i> , 2020, 250, 106663.	1.4	11
1053	Mineralogical Record for Stepwise Hydroclimatic Changes in Lake Qinghai Sediments Since the Last Glacial Period. <i>Minerals (Basel, Switzerland)</i> , 2020, 10, 963.	0.8	4
1054	A detailed East Asian monsoon history of Greenland Interstadial 21 in southeastern China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2020, 552, 109752.	1.0	6
1055	Indo-Pacific Hydroclimate in Response to Changes of the Intertropical Convergence Zone: Discrepancy on Precession and Obliquity Bands Over the Last 410 kyr. <i>Journal of Geophysical Research D: Atmospheres</i> , 2020, 125, e2019JD032125.	1.2	9
1056	New insights on Chinese cave $\delta^{18}O$ records and their paleoclimatic significance. <i>Earth-Science Reviews</i> , 2020, 207, 103216.	4.0	67
1057	Quantifying the potential causes of Neanderthal extinction: Abrupt climate change versus competition and interbreeding. <i>Quaternary Science Reviews</i> , 2020, 238, 106331.	1.4	38

#	ARTICLE	IF	CITATIONS
1058	Response to Comments by Daniel Gebregiorgis et al. "A Brief Commentary on the Interpretation of Chinese Speleothem $\delta^{18}\text{O}$ Records as Summer Monsoon Intensity Tracers" Quaternary 2020, 3, 7. Quaternary, 2020, 3, 8.	1.0	8
1059	Paleoclimatic changes and modulation of East Asian summer monsoon by high-latitude forcing over the last 130,000 years as revealed by independently dated loess-paleosol sequences on the NE Tibetan Plateau. Quaternary Science Reviews, 2020, 237, 106283.	1.4	47
1060	Asymmetric response of the subtropical western South Atlantic thermocline to the Dansgaard-Oeschger events of Marine Isotope Stages 5 and 3. Quaternary Science Reviews, 2020, 237, 106307.	1.4	9
1061	Quantitative precipitation reconstructions from Chagan Nur revealed lag response of East Asian summer monsoon precipitation to summer insolation during the Holocene in arid northern China. Quaternary Science Reviews, 2020, 239, 106365.	1.4	44
1062	East Asian Precipitation $\delta^{18}\text{O}$ Relationship With Various Monsoon Indices. Journal of Geophysical Research D: Atmospheres, 2020, 125, e2019JD032282.	1.2	6
1063	Middle to late Holocene changes in climate, hydrology, vegetation and culture on the Hangjiahu Plain, southeast China. Journal of Paleolimnology, 2020, 64, 211-223.	0.8	18
1064	Enriched East Asian oxygen isotope of precipitation indicates reduced summer seasonality in regional climate and westerlies. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 14745-14750.	3.3	50
1065	Pollen record in the northwestern continental shelf of the South China sea in the past 82 kya: Paleoenvironmental changes in the last glacial period. Journal of Asian Earth Sciences, 2020, 199, 104457.	1.0	6
1066	Exploring the roles of climate and tectonics in the geomorphic evolution of the Chitwan Intermontane valley, Central Himalaya. Geomorphology, 2020, 367, 107298.	1.1	11
1067	Reconstruction of the East Asian Summer monsoon rainfall distribution at centennial scale during the Last Glacial Maximum. Palaeogeography, Palaeoclimatology, Palaeoecology, 2020, 556, 109879.	1.0	2
1068	Holocene carbon accumulation in lakes of the current east Asian monsoonal margin: Implications under a changing climate. Science of the Total Environment, 2020, 737, 139723.	3.9	7
1069	A decadal-resolution stalagmite record of strong Asian summer monsoon from northwestern Vietnam over the Dansgaard-Oeschger events 2-4. Journal of Asian Earth Sciences: X, 2020, 3, 100027.	0.6	4
1070	Dansgaard-Oeschger-like events of the penultimate climate cycle: the loess point of view. Climate of the Past, 2020, 16, 713-727.	1.3	19
1071	Last glacial climate oscillations and sudden environmental changes investigated in stalagmites from southwest Sulawesi, western Pacific. Turkish Journal of Earth Sciences, 2020, 29, 221-241.	0.4	1
1072	A tree-ring $\delta^{18}\text{O}$ based reconstruction of East Asia summer monsoon over the past two centuries. PLoS ONE, 2020, 15, e0234421.	1.1	9
1073	Paleoceanographic changes in the East China Sea during the last ~400 kyr reconstructed using planktic foraminifera. Global and Planetary Change, 2020, 189, 103173.	1.6	17
1074	Beach ridges of Dali Lake in Inner Mongolia reveal precipitation variation during the Holocene. Journal of Quaternary Science, 2020, 35, 716-725.	1.1	23
1075	Altitudinal climatic index changes in subtropical China indicated from branched glycerol dialkyl glycerol tetraethers proxies. Chemical Geology, 2020, 541, 119579.	1.4	7

#	ARTICLE	IF	CITATIONS
1076	A transient simulation of precession-scale spring dust activity over northern China and its relation to mid-latitude atmospheric circulation. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2020, 542, 109585.	1.0	10
1077	Millennial-scale Asian monsoon variability during MIS 9 revealed by a high-resolution stalagmite $\delta^{18}O$ record in Luoshui Cave, central China. <i>Quaternary Science Reviews</i> , 2020, 234, 106218.	1.4	10
1078	A Brief Commentary on the Interpretation of Chinese Speleothem $\delta^{18}O$ Records as Summer Monsoon Intensity Tracers. <i>Quaternary</i> , 2020, 3, 7.	1.0	11
1079	Response of the Asian summer Monsoons to a high-latitude thermal forcing: mechanisms and nonlinearities. <i>Climate Dynamics</i> , 2020, 54, 3927-3944.	1.7	2
1080	Obliquity-driven changes in East Asian seasonality. <i>Global and Planetary Change</i> , 2020, 189, 103161.	1.6	4
1081	NALPS19: sub-orbital-scale climate variability recorded in northern Alpine speleothems during the last glacial period. <i>Climate of the Past</i> , 2020, 16, 29-50.	1.3	39
1082	Reconstruction of the chaotic behavior of the Solar System from geologic records. <i>Earth and Planetary Science Letters</i> , 2020, 537, 116168.	1.8	12
1083	The paleolake hydrology and climate change since the ~40 ka in the Hetao Basin, Inner Mongolia, China. <i>Quaternary International</i> , 2020, 553, 73-82.	0.7	8
1084	Late Pleistocene-Holocene vegetation history and anthropogenic activities deduced from pollen spectra and archaeological data at Guxu Lake, eastern China. <i>Scientific Reports</i> , 2020, 10, 9306.	1.6	19
1085	The deglaciation of the Americas during the Last Glacial Termination. <i>Earth-Science Reviews</i> , 2020, 203, 103113.	4.0	60
1086	Asian monsoon and oceanic circulation paced sedimentary evolution over the past 1,500 years in the central mud area of the Bohai Sea, China. <i>Geological Journal</i> , 2020, 55, 5606-5618.	0.6	7
1087	Inter-relationship and environmental significance of stalagmite $\delta^{13}C$ and $\delta^{18}O$ records from Zhenzhu Cave, north China, over the last 130 ka. <i>Earth and Planetary Science Letters</i> , 2020, 536, 116149.	1.8	33
1088	Late Holocene monsoon precipitation changes in southern China and their linkage to Northern Hemisphere temperature. <i>Quaternary Science Reviews</i> , 2020, 232, 106191.	1.4	18
1089	Moisture variations in Lacustrine~eolian sequence from the Hunshandake sandy land associated with the East Asian Summer Monsoon changes since the late Pleistocene. <i>Quaternary Science Reviews</i> , 2020, 233, 106210.	1.4	28
1091	The potential of groundwater as a geochemical archive of past environments. <i>Chemical Geology</i> , 2020, 539, 119505.	1.4	3
1092	East Asian summer monsoon and topography co-determine the Holocene migration of forest-steppe ecotone in northern China. <i>Global and Planetary Change</i> , 2020, 187, 103135.	1.6	19
1093	Optically stimulated luminescence chronology and geomorphic imprint of Xiazangtan landslide upon the upper Yellow River valley on the northeastern Tibetan Plateau. <i>Geological Journal</i> , 2020, 55, 5498-5507.	0.6	3
1094	Climate-influenced cave deposition and human occupation during the Pleistocene in Zhiren Cave, southwest China. <i>Quaternary International</i> , 2020, 559, 14-23.	0.7	16

#	ARTICLE	IF	CITATIONS
1095	Effect of precipitation seasonality on annual oxygen isotopic composition in the area of spring persistent rain in southeastern China and its paleoclimatic implication. <i>Climate of the Past</i> , 2020, 16, 211-225.	1.3	25
1096	Vegetation, climate and human impact since 20 ka in central Yunnan Province based on high-resolution pollen and charcoal records from Dianchi, southwestern China. <i>Quaternary Science Reviews</i> , 2020, 236, 106297.	1.4	58
1097	Pollen records of vegetation dynamics, climate change and ISM variability since the LGM from Chhattisgarh State, central India. <i>Review of Palaeobotany and Palynology</i> , 2020, 278, 104237.	0.8	15
1098	Asian monsoon dynamics and sediment transport in SE Asia. <i>Journal of Asian Earth Sciences</i> , 2020, 195, 104352.	1.0	21
1099	Climate changes in the Qaidam Basin in NW China over the past 40 kyr. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2020, 551, 109679.	1.0	17
1100	Climate-driven formation of fluvial terraces across the Tibetan Plateau since 200 ka: A review. <i>Quaternary Science Reviews</i> , 2020, 237, 106303.	1.4	32
1101	The Impact of Astronomical Forcing on Surface and Thermocline Variability Within the Western Pacific Warm Pool Over the Past 160 kyr. <i>Paleoceanography and Paleoclimatology</i> , 2020, 35, e2019PA003832.	1.3	9
1102	Iron in the NEMO ice core relative to Asian loess records over the last glacial-interglacial cycle. <i>National Science Review</i> , 2021, 8, nwa144.	4.6	6
1103	Significant influence of Northern Hemisphere high latitude climate on appeared precession rhythm of East Asian summer monsoon after Mid-Brunhes Transition interglacials recorded in the Chinese loess. <i>Catena</i> , 2021, 197, 105002.	2.2	14
1104	Monsoon variations inferred from high-resolution geochemical records of the Linxia loess/paleosol sequence, western Chinese Loess Plateau. <i>Catena</i> , 2021, 198, 105019.	2.2	14
1105	Distinct periods of fan aggradation and incision for tributary valleys of different sizes along the Bailong River, eastern margin of the Tibetan Plateau. <i>Geomorphology</i> , 2021, 373, 107490.	1.1	5
1106	Temperature signals of ice core and speleothem isotopic records from Asian monsoon region as indicated by precipitation $\delta^{18}O$. <i>Earth and Planetary Science Letters</i> , 2021, 554, 116665.	1.8	31
1107	Sea surface temperature and salinity variations from the end of Last Glacial Maximum (LGM) to the Holocene in the northern South China Sea. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 562, 110102.	1.0	6
1108	Holocene climatic optimum in the East Asian monsoon region of China defined by climatic stability. <i>Earth-Science Reviews</i> , 2021, 212, 103450.	4.0	41
1109	Persistent millennial-scale climate variability in Southern Europe during Marine Isotope Stage 6. <i>Quaternary Science Advances</i> , 2021, 3, 100016.	1.1	7
1110	Penetration of monsoonal water vapour into arid central Asia during the Holocene: An isotopic perspective. <i>Quaternary Science Reviews</i> , 2021, 251, 106713.	1.4	28
1111	Palaeoenvironmental conditions during MIS 6/MIS 5 transition recorded in speleothems from the Tatra Mountains. <i>Boreas</i> , 2021, 50, 224-241.	1.2	5
1112	Organic carbon isotope record since the Late Glacial period from peat in the North Bank of the Yangtze River, China. <i>European Journal of Remote Sensing</i> , 2021, 54, 341-347.	1.7	0

#	ARTICLE	IF	CITATIONS
1113	In-phase and out-of-phase behavior of the East Asian summer and winter monsoons recorded in the South Yellow Sea sediment over the past 9.5 ka. <i>Quaternary Research</i> , 2021, 99, 96-113.	1.0	3
1114	Variability and environmental significance of organic carbon isotopes in Ganzi loess since the last interglacial on the eastern Tibetan Plateau. <i>Catena</i> , 2021, 196, 104866.	2.2	17
1115	Holocene fire history in China: Responses to climate change and human activities. <i>Science of the Total Environment</i> , 2021, 753, 142019.	3.9	36
1116	Causes and climatic influence of centennial-scale denitrification variability in the southeastern Arabian Sea since the last glacial period. <i>Quaternary Research</i> , 2021, 101, 156-168.	1.0	5
1117	The variation of the Earth's movements (orbital, tilt, and precession) and climate change. , 2021, , 583-606.		4
1118	Central Pacific hydroclimate over the last 45,000 years: Molecular-isotopic evidence from leaf wax in a Hawai'i peatland. <i>Quaternary Science Reviews</i> , 2021, 253, 106744.	1.4	3
1119	Responses of global monsoon and seasonal cycle of precipitation to precession and obliquity forcing. <i>Climate Dynamics</i> , 2021, 56, 3733-3747.	1.7	7
1120	Stalagmite evidence for East Asian winter monsoon variability and ^{18}O -depleted surface water in the Japan Sea during the last glacial period. <i>Progress in Earth and Planetary Science</i> , 2021, 8, .	1.1	3
1121	A gradual transition into Greenland interstadial 14 in southeastern China based on a sub-decadally-resolved stalagmite record. <i>Quaternary Science Reviews</i> , 2021, 253, 106769.	1.4	9
1122	Responses of fluvial terrace formation to monsoon climate changes in the north-eastern Tibetan Plateau: Evidence from pollen and sedimentary records. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 564, 110196.	1.0	8
1123	Hydroclimate variability of central Indo-Pacific region during the Holocene. <i>Quaternary Science Reviews</i> , 2021, 253, 106779.	1.4	13
1124	New insights towards an integrated understanding of NE Asian monsoon during mid to late Holocene. <i>Quaternary Science Reviews</i> , 2021, 254, 106793.	1.4	22
1125	Cyclostratigraphy and paleoenvironmental inference from downhole logging of sediments in tropical Lake Towuti, Indonesia. <i>Journal of Paleolimnology</i> , 2021, 65, 377-392.	0.8	7
1126	Orbital-scale Asian summer monsoon variations: Paradox and exploration. <i>Science China Earth Sciences</i> , 2021, 64, 529-544.	2.3	71
1127	Joint insolation and ice sheet/ CO_2 forcing on northern China precipitation during Pliocene warmth. <i>Science Bulletin</i> , 2021, 66, 319-322.	4.3	9
1128	âœ‰Influences of temperature and the meteoric water $\delta^{18}\text{O}$ value on a stalagmite record in the last deglacial to middle Holocene period from southwestern Japanâœ‰. <i>Quaternary Science Reviews</i> , 2021, 253, 106746.	1.4	6
1129	Assessing proxy system models of cave dripwater $\delta^{18}\text{O}$ variability. <i>Quaternary Science Reviews</i> , 2021, 254, 106799.	1.4	4
1130	An updated chronology and paleoenvironmental background for the Paleolithic Loufangzi site, North China. <i>Journal of Human Evolution</i> , 2021, 152, 102948.	1.3	2

#	ARTICLE	IF	CITATIONS
1131	Dipole patterns in tropical precipitation were pervasive across landmasses throughout Marine Isotope Stage 5. <i>Communications Earth & Environment</i> , 2021, 2, .	2.6	7
1132	Diverse Regional Sensitivity of Summer Precipitation in East Asia to Ice Volume, CO ₂ and Astronomical Forcing. <i>Geophysical Research Letters</i> , 2021, 48, e2020GL092005.	1.5	25
1133	New chronology of the Chinese loess-paleosol sequence by leaf wax δD records during the past 800 k.y.. <i>Geology</i> , 2021, 49, 847-850.	2.0	15
1134	Orbital and suborbital environmental changes in the Western Bering Sea during the last 172 ka inferred from Diatom and Productivity Proxies. <i>Global and Planetary Change</i> , 2021, 198, 103405.	1.6	6
1135	Evolution of paleo-climate and seawater pH from the late Permian to postindustrial periods recorded by boron isotopes and B/Ca in biogenic carbonates. <i>Earth-Science Reviews</i> , 2021, 215, 103546.	4.0	6
1136	Monitoring Australian Monsoon variability over the past four glacial cycles. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 568, 110280.	1.0	14
1137	Robust increase of Indian monsoon rainfall and its variability under future warming in CMIP6 models. <i>Earth System Dynamics</i> , 2021, 12, 367-386.	2.7	90
1138	Interstadial conditions over the Southern Alps during the early penultimate glacial (MIS 6): a multiproxy record from Rio Martino Cave (Italy). <i>Quaternary Science Reviews</i> , 2021, 257, 106856.	1.4	4
1139	Asian paleomonsoon variation linked to $\delta^{18}O$ environmental changes. , 2021, , .		0
1140	The Zealandia Switch: Ice age climate shifts viewed from Southern Hemisphere moraines. <i>Quaternary Science Reviews</i> , 2021, 257, 106771.	1.4	59
1141	High precise dating on the variation of the Asian summer monsoon since 37 ka BP. <i>Scientific Reports</i> , 2021, 11, 9375.	1.6	13
1142	Sedimentary environment of a dammed lake buried in the modern riverbed of the Yalong River during the Last Glacial Maximum and its implication for fluvial geomorphic evolution. <i>Geomorphology</i> , 2021, 378, 107588.	1.1	7
1143	Changes in Paleovegetation and Paleoclimate in China since the Late Middle Pleistocene: A Case Study of the Dajiuhe Basin. <i>Sustainability</i> , 2021, 13, 4848.	1.6	1
1144	Early Permian during the Variscan orogen collapse in the equatorial realm: insights from the Cantabrian Mountains (N Iberia) into climatic and environmental changes. <i>International Journal of Earth Sciences</i> , 2021, 110, 1355-1387.	0.9	7
1145	The connection of east Asia and southwestern north America in climate change mode since the last glacial maximum at various timescales. <i>Quaternary Science Reviews</i> , 2021, 260, 106935.	1.4	2
1146	Vegetation Determines Lake Sediment Carbon Accumulation during Holocene in the Forest-Steppe Ecotone in Northern China. <i>Forests</i> , 2021, 12, 696.	0.9	6
1147	Paleoenvironmental evolution of South Asia and its link to Himalayan uplift and climatic change since the late Eocene. <i>Global and Planetary Change</i> , 2021, 200, 103459.	1.6	14
1148	Timing and Mechanisms of the Formation of the Dark Layers in the Sea of Japan During the Last 40 kyr. <i>Frontiers in Earth Science</i> , 2021, 9, .	0.8	3

#	ARTICLE	IF	CITATIONS
1149	A data-driven model approach to interpreting speleothem oxygen isotope records from monsoon regions. <i>Climate of the Past</i> , 2021, 17, 1119-1138.	1.3	14
1150	Vegetation and climate change since the late glacial period on the southern Tibetan Plateau. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 572, 110403.	1.0	9
1151	Centennial- to millennial-scale Asian summer monsoon changes during the MIS 5/4 transition revealed by high-resolution stalagmite records from southwestern China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 571, 110390.	1.0	1
1152	Paleolake evolution in response to climate change since middle MIS 3 inferred from Jilantai Salt Lake in the marginal regions of the ASM domain. <i>Quaternary International</i> , 2022, 607, 48-57.	0.7	9
1153	Astronomical forcing of vegetation and climate change during the Late Pliocene–Early Pleistocene of the Nihewan Basin, North China. <i>Quaternary International</i> , 2022, 613, 1-13.	0.7	5
1155	Co-variations of climate and silicate weathering in the Nile Basin during the Late Pleistocene. <i>Quaternary Science Reviews</i> , 2021, 264, 107012.	1.4	10
1156	Typhoon Control of Precipitation Dual Isotopes in Southern China and Its Palaeoenvironmental Implications. <i>Journal of Geophysical Research D: Atmospheres</i> , 2021, 126, e2020JD034336.	1.2	21
1157	The spatio-temporal structure of the Lateglacial to early Holocene transition reconstructed from the pollen record of Lake Suigetsu and its precise correlation with other key global archives: Implications for palaeoclimatology and archaeology. <i>Global and Planetary Change</i> , 2021, 202, 103493.	1.6	21
1158	Hydrodynamic processes and source changes caused elevated ^{14}C ages of organic carbon in the East China Sea over the last 14.3 kyr. <i>Geochimica Et Cosmochimica Acta</i> , 2021, 304, 347-363.	1.6	9
1160	Indication of paleoecological evidence on the evolution of alpine vegetation productivity and soil erosion in central China since the mid-Holocene. <i>Science China Earth Sciences</i> , 2021, 64, 1774-1783.	2.3	5
1161	Variation of summer precipitation $\delta^{18}\text{O}$ on the Chinese Loess Plateau since the last interglacial. <i>Journal of Quaternary Science</i> , 2021, 36, 1214-1220.	1.1	6
1162	Sedimentary Dynamics of the Central South Yellow Sea Revealing the Relation Between East Asian Summer and Winter Monsoon Over the Past 6000 years. <i>Frontiers in Earth Science</i> , 2021, 9, .	0.8	1
1163	Observation-based early-warning signals for a collapse of the Atlantic Meridional Overturning Circulation. <i>Nature Climate Change</i> , 2021, 11, 680-688.	8.1	163
1164	OSL chronology of a Palaeolithic site in a humid subtropical mountainous area of southeast China. <i>Journal of Mountain Science</i> , 2021, 18, 2012-2023.	0.8	2
1165	Stadial–Interstadial Temperature and Aridity Variations in East Central Europe Preceding the Last Glacial Maximum. <i>Paleoceanography and Paleoclimatology</i> , 2021, 36, e2020PA004170.	1.3	5
1166	Luminescence chronology for the Paleolithic site of Xinmiaozihuang Locality 1 (XMZ1) in the Nihewan Basin, northern China, and its paleoenvironmental and archaeological implications. <i>Journal of Human Evolution</i> , 2021, 157, 103033.	1.3	1
1167	Speleothem-based chronology and environmental context of deposits from the Mishin Kamik Cave, NW Bulgaria – A contribution to the archaeological study of the Late Pleistocene human occupation in the Balkans. <i>Journal of Quaternary Science</i> , 2021, 36, 1221.	1.1	1
1168	Millennial Resolution Late Miocene Northern China Precipitation Record Spanning Astronomical Analogue Interval to the Future. <i>Geophysical Research Letters</i> , 2021, 48, e2021GL093942.	1.5	5

#	ARTICLE	IF	CITATIONS
1169	Sedimentary signatures of the abrupt deglacial rise in sea level from the East China Sea inner shelf. <i>Estuarine, Coastal and Shelf Science</i> , 2021, 258, 107423.	0.9	1
1170	Migration of the Northern Boundary of the East Asian Summer Monsoon Over the Last 21,000 Years. <i>Journal of Geophysical Research D: Atmospheres</i> , 2021, 126, e2021JD035078.	1.2	17
1171	An appraisal of seasonal precipitation dynamics over the North-West Himalayan region under future warming scenarios. <i>International Journal of Climatology</i> , 0, , .	1.5	2
1172	Paleolithic-Neolithic transition and late-to-postglacial climate change in East Asia: A review of archaeological data from karst caves in Southern China. <i>Quaternary International</i> , 2021, , .	0.7	0
1173	High-sedimentation-rate loess records: A new window into understanding orbital- and millennial-scale monsoon variability. <i>Earth-Science Reviews</i> , 2021, 220, 103731.	4.0	24
1174	Astronomical dating of Quaternary strata in the South Yellow Sea and its indication for paleoclimatic evolution. <i>Marine Geology</i> , 2021, 439, 106557.	0.9	8
1175	Hydrological Changes Related to ENSO-Like States During the Last Deglaciation in Central Eastern China. <i>Paleoceanography and Paleoclimatology</i> , 2021, 36, e2021PA004279.	1.3	5
1176	Coupled Effects of Moisture Transport Pathway and Convection on Stable Isotopes in Precipitation across the East Asian Monsoon Region: Implications for Paleoclimate Reconstruction. <i>Journal of Climate</i> , 2021, , 1-41.	1.2	2
1177	Monsoon driven ecosystem and landscape change in the 'Top End' of Australia during the past 35 kyr. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 583, 110659.	1.0	3
1178	Tectonic Accretion Controls Erosional Cyclicity in the Himalaya. <i>AGU Advances</i> , 2021, 2, e2021AV000487.	2.3	14
1179	Rapid humidity changes across the Northern South China Sea during the last ~40 kyrs. <i>Marine Geology</i> , 2021, 440, 106579.	0.9	5
1180	Early-Mid Holocene climatic changes inferred from colors of eolian deposits in the Mu Us Desert. <i>Geoderma</i> , 2021, 401, 115172.	2.3	11
1181	Quantitative estimations of iron oxide minerals in the Late Pleistocene paleosol of the Yangtze River Delta: Implications for the chemical weathering, sedimentary environment, and burial conditions. <i>Catena</i> , 2021, 207, 105662.	2.2	8
1182	Holocene terrestrialization process on the Sanjiang Plain (China) and its significance to the East Asian summer monsoon circulation. <i>Science of the Total Environment</i> , 2022, 806, 150578.	3.9	0
1183	Midlatitude land surface temperature impacts the timing and structure of glacial maxima. <i>Geophysical Research Letters</i> , 2017, 44, 984-992.	1.5	19
1185	Upper Water Structure and Paleo-Monsoon. <i>Developments in Paleoenvironmental Research</i> , 2009, , 297-394.	7.5	8
1186	<i>The Changing Climate: Past, Present, Future.</i> , 2010, , 9-56.		13
1187	Noble Gases as Environmental Tracers in Sediment Porewaters and Stalagmite Fluid Inclusions. <i>Advances in Isotope Geochemistry</i> , 2013, , 123-153.	1.4	14

#	ARTICLE	IF	CITATIONS
1189	Holocene Environmental Changes and the Evolution of the Neolithic Cultures in China. , 2010, , 299-319.		5
1191	A Multiproxy Paleoclimate Reconstruction over the Last 250 kyr from Marine Sediments: The Northwest African Margin and the Western Mediterranean Sea. Vertebrate Paleobiology and Paleoanthropology, 2012, , 3-17.	0.1	6
1193	Chinese Loess and the East Asian Monsoon. Developments in Paleoenvironmental Research, 2014, , 23-143.	7.5	11
1194	Late Cenozoic Climate Change in Monsoon-Arid Asia and Global Changes. Developments in Paleoenvironmental Research, 2014, , 491-581.	7.5	22
1195	Holocene Large Mammal Extinctions in Palawan Island, Philippines. Vertebrate Paleobiology and Paleoanthropology, 2017, , 69-86.	0.1	16
1196	Evidence of Southern Ocean influence into the far Northwest Pacific (Northern Emperor Rise) since the BÅllingÅd warming. Global and Planetary Change, 2020, 195, 103315.	1.6	5
1197	Abrupt climate change and its influences on hominin evolution during the early Pleistocene in the Turkana Basin, Kenya. Quaternary Science Reviews, 2020, 245, 106531.	1.4	22
1199	An iceÅclimate oscillatory framework for DansgaardÅOeschger cycles. Nature Reviews Earth & Environment, 2020, 1, 677-693.	12.2	38
1200	Geological support for the Umbrella Effect as a link between geomagnetic field and climate. Scientific Reports, 2017, 7, 40682.	1.6	19
1201	On the glacial-interglacial variability of the Asian monsoon in speleothem $\delta^{18}O$ records. Science Advances, 2020, 6, eaay8189.	4.7	41
1203	Contrasting Southern Hemisphere Monsoon Response: MidHolocene Orbital Forcing versus Future Greenhouse GasÅInduced Global Warming. Journal of Climate, 2020, 33, 9595-9613.	1.2	20
1204	The Meridional Shift of the Midlatitude Westerlies over Arid Central Asia during the Past 21 000 Years Based on the TraCE-21ka Simulations. Journal of Climate, 2020, 33, 7455-7478.	1.2	15
1205	The Pace of Cultural Evolution. PLoS ONE, 2012, 7, e45150.	1.1	98
1206	Vegetation and Climate Change during the Last Deglaciation in the Great Khingan Mountain, Northeastern China. PLoS ONE, 2016, 11, e0146261.	1.1	35
1209	Expedition 353 summary. Proceedings of the International Ocean Discovery Program, 0, , .	0.0	14
1210	Expedition 361 summary. Proceedings of the International Ocean Discovery Program, 0, , .	0.0	14
1211	FormaciÅn de espeleotemas en el noreste peninsular y su relaciÅn con las condiciones climÅticas durante los Åltimos ciclos glaciares. Cuadernos De Investigacion Geografica, 2013, 39, 25-47.	0.6	15
1212	Variations and driving forces of the relative abundance of C_3/C_4 plants in the northern Leizhou Peninsula since the Last Glacial Age. Hupo Kexue/Journal of Lake Sciences, 2014, 26, 464-472.	0.3	1

#	ARTICLE	IF	CITATIONS
1214	Global monsoon in observations, simulations and geological records. PAGES News, 2009, 17, 82-83.	0.3	9
1215	Title is missing!. ScienceAsia, 2011, 37, 262.	0.2	9
1216	GEOCHEMICAL RECORD OF TERRIGENOUS SEDIMENTS FROM THE SEA OF JAPAN SINCE LAST GLACIAL AND ITS RESPONSE TO SEA LEVEL AND CLIMATE CHANGE. Marine Geology & Quaternary Geology, 2010, 30, 75-86.	0.1	8
1217	PROVENANCE OF SEDIMENTS IN THE NORTHERN OKINAWA TROUGH OVER THE LAST 24 KA: HIGH RESOLUTION RECORD FROM MAJOR ELEMENTS. Marine Geology & Quaternary Geology, 2013, 32, 73-82.	0.1	4
1219	Reconstruction of Asian monsoon intensity changes using a lacustrine sediment core from Lake Biwa, Japan : Contradiction of Milankovitch=Kutzbach theory and solution. The Quaternary Research, 2009, 48, 207-225.	0.2	6
1220	Present status of pollen-based palaeoclimate reconstruction from Lake Biwa sediment. The Quaternary Research, 2010, 49, 133-146.	0.2	4
1221	Fossil diatom assemblages for the past 280,000 years from the BIW08-B core in Lake Biwa, Japan. The Quaternary Research, 2014, 53, 297-309.	0.2	3
1222	Variations of the stable isotopic composition of precipitation and cave drip water at zhenzhu cave, north China: a two-year monitoring study. Journal of Cave and Karst Studies, 2019, 81, 123-135.	0.3	4
1225	Terrestrial biosphere changes over the last 120 kyr. Climate of the Past, 2016, 12, 51-73.	1.3	43
1226	CMIP6/PMIP4 simulations of the mid-Holocene and Last Interglacial using HadGEM3: comparison to the pre-industrial era, previous model versions and proxy data. Climate of the Past, 2020, 16, 1429-1450.	1.3	19
1227	Three exceptionally strong East-Asian summer monsoon events during glacial times in the past 470 kyr. Climate of the Past, 2009, 5, 157-169.	1.3	23
1228	Stalagmite water content as a proxy for drip water supply in tropical and subtropical areas. Climate of the Past, 2013, 9, 1-12.	1.3	16
1256	The SISAL database: a global resource to document oxygen and carbon isotope records from speleothems. Earth System Science Data, 2018, 10, 1687-1713.	3.7	62
1257	SISALv2: a comprehensive speleothem isotope database with multiple age-depth models. Earth System Science Data, 2020, 12, 2579-2606.	3.7	53
1258	A global mean sea surface temperature dataset for the Last Interglacial (129-116 ka) and contribution of thermal expansion to sea level change. Earth System Science Data, 2020, 12, 3341-3356.	3.7	26
1260	Pacific climate reflected in Waipuna Cave drip water hydrochemistry. Hydrology and Earth System Sciences, 2020, 24, 3361-3380.	1.9	12
1262	DeepCHALLA: Two Glacial Cycles of Climate and Ecosystem Dynamics from Equatorial East Africa. Scientific Drilling, 0, 15, 72-76.	1.0	10
1263	The Towuti Drilling Project: paleoenvironments, biological evolution, and geomicrobiology of a tropical Pacific lake. Scientific Drilling, 0, 21, 29-40.	1.0	34

#	ARTICLE	IF	CITATIONS
1264	Global Wet/Dry Patterns and Mechanisms Since the Last Glacial Maximum: A Key to Future Projection. Earth's Future, 2021, 9, e2020EF001907.	2.4	3
1265	Changes in Paleovegetation and Climate Seasonality in Central China Over Last Two Glacial Cycles: A Stable Isotope Perspective From Land Snails. Paleoceanography and Paleoclimatology, 2021, 36, e2021PA004295.	1.3	3
1266	Spatio-temporal expressions of precessional-scale stalagmite $\delta^{18}O$ variations from the Asian monsoon area. Palaeogeography, Palaeoclimatology, Palaeoecology, 2022, 585, 110720.	1.0	7
1267	Seasonality of Response to Millennial-scale Climate Events of the Last Glacial: Evidence From Loess Records Over Mid-latitude Asia. Geochemistry, Geophysics, Geosystems, 2021, 22, e2021GC009903.	1.0	7
1268	Tropical forcing orbital-scale precipitation variations revealed by a maar lake record in South China. Climate Dynamics, 2022, 58, 2269-2280.	1.7	4
1269	Color Reflectance of Coastal Sediments in the South Bohai Sea and its Implication to Orbital Forcing of East Asian Summer Monsoon. Frontiers in Earth Science, 2021, 9, .	0.8	2
1271	Cave deposits: Hard rain. Nature China, 2008, , .	0.0	0
1272	Glacial-interglacial variation in the North Pacific subtropical gyre circulation: Linkage to tropical ocean-atmosphere interactions and the East Asian summer monsoon. The Quaternary Research, 2009, 48, 195-206.	0.2	0
1273	The Law of Cosmic Unification. Social-environmental Sustainability Series, 2009, , 26-56.	0.0	0
1277	History and Prediction of the Asian Monsoon and Glacial Terminations, Based on Records from the South China Sea. , 0, , .		0
1281	Lake-level changes and their factors during the last 45,000 years in Lake Nojiri, Central Japan. The Quaternary Research, 2013, 52, 203-212.	0.2	1
1282	RESEARCH PROGRESS OF ENVIRONMENTAL MECHANISMS FOR SPELEOTHEM $\delta^{18}O$ IN ASIAN MONSOON AREA. Marine Geology & Quaternary Geology, 2013, 32, 155-162.	0.1	0
1296	TrendVis: an Elegant Interface for dense, sparkline-like, quantitative visualizations of multiple series using matplotlib. , 2015, , .		0
1301	Research Area and Research Methods. Springer Theses, 2018, , 17-29.	0.0	0
1302	Research Advancement on the Paleofire Occurrences and Its Significance of Global Change since the Last Deglaciation. Advances in Geosciences, 2018, 08, 106-119.	0.0	0
1303	A CONTINUOUS 100 THOUSAND-YEAR STALAGMITE $\delta^{18}O$ RECORD FROM THE YUCATAN PENINSULA: IMPLICATIONS FOR CARIBBEAN HYDROCLIMATE ON ORBITAL AND MILLENNIAL TIMESCALES. , 2019, , .		0
1305	Geochemical characteristics of Holocene loess-paleosol sequences in central Chinese Loess Plateau and their implications for East Asian monsoon evolution. Quaternary International, 2022, 616, 99-108.	0.7	8
1306	Limit of monsoonal precipitation in southern Tibet during the Last Glacial Maximum from relative moraine extents. Geomorphology, 2022, 397, 108012.	1.1	13

#	ARTICLE	IF	CITATIONS
1307	A multi-proxy approach to exploring Homo sapiens TM arrival, environments and adaptations in Southeast Asia. <i>Scientific Reports</i> , 2021, 11, 21080.	1.6	12
1308	Luminescence dating of a dammed lake formed by Ashegong landslide on the northeastern Tibetan Plateau. <i>Quaternary International</i> , 2022, 629, 74-80.	0.7	3
1309	Climate-tectonic imprints on the Late Quaternary Ravi River Valley Terraces of the Chamba region in the NW Himalaya. <i>Journal of Asian Earth Sciences</i> , 2022, 223, 104990.	1.0	9
1310	The response of stalagmite $\delta^{18}O$ and isotopes to the climatic events during the last glacial period. <i>Journal of Natural Resources</i> , 2020, 35, 3064.	0.4	0
1312	High-Resolution Nudged Isotope Modeling With ECHAM6-Wiso: Impacts of Updated Model Physics and ERA5 Reanalysis Data. <i>Journal of Advances in Modeling Earth Systems</i> , 2021, 13, .	1.3	14
1313	Coastal geology and oceanography. , 0, , 409-430.		5
1315	Kızılırmak Nehrinin Denizel İzotop Katmanları ve İklim Değişimlerine Tepkisi. <i>Jeomorfolojik Araştırmalar Dergisi</i> , 2020, , 48-63.	0.6	1
1316	Air-Ground Interface: Reconstruction of Paleoclimates Using Speleothems. <i>Frontiers in Earth Sciences</i> , 2021, , 169-177.	0.1	0
1317	Synergy of the westerly winds and monsoons in the lake evolution of global closed basins since the Last Glacial Maximum and implications for hydrological change in central Asia. <i>Climate of the Past</i> , 2020, 16, 2239-2254.	1.3	6
1319	General characteristics of climate change over China and associated dynamic mechanisms during the Last Interglacial based on PMIP4 simulations. <i>Global and Planetary Change</i> , 2022, 208, 103700.	1.6	5
1320	The European glacial landscapes prior to the Last Glacial Maximum - synthesis. , 2022, , 341-351.		1
1321	Dating of the late Quaternary high lake levels in the Jilantai area, northwestern China, using optical luminescence of quartz and K-feldspar. <i>Journal of Asian Earth Sciences</i> , 2022, 224, 105024.	1.0	7
1322	Insolation control of millennial-scale Asian summer monsoon changes evidenced by Chinese stalagmites $\delta^{18}O$ records. <i>Quaternary International</i> , 2022, 616, 30-39.	0.7	1
1323	Penultimate deglaciation Asian monsoon response to North Atlantic circulation collapse. <i>Nature Geoscience</i> , 2021, 14, 937-941.	5.4	21
1324	Global warming-induced Asian hydrological climate transition across the Miocene-Pliocene boundary. <i>Nature Communications</i> , 2021, 12, 6935.	5.8	31
1325	Reconstruction of Climate Changes Based on $\delta^{18}O$ carb on the Northeastern Tibetan Plateau: A 16.1-cal kyr BP Record From Hurlig Lake. <i>Frontiers in Earth Science</i> , 2021, 9, .	0.8	4
1326	Mid-Late Holocene Stalagmite $\delta^{18}O$ and $\delta^{13}C$ Records in Naduo Cave, Guizhou Province, China. <i>Journal of Chemistry</i> , 2021, 2021, 1-11.	0.9	0
1327	Automatic detection of abrupt transitions in paleoclimate records. <i>Chaos</i> , 2021, 31, 113129.	1.0	12

#	ARTICLE	IF	CITATIONS
1328	Hydroclimate response in Texas and Gulf of Mexico to rapid warming during the last deglacial: High-resolution speleothem proxy and monitoring evidence. <i>Quaternary Science Reviews</i> , 2021, 273, 107244.	1.4	2
1329	FROG: A global machine-learning temperature calibration for branched GDGTs in soils and peats. <i>Geochimica Et Cosmochimica Acta</i> , 2022, 318, 468-494.	1.6	27
1330	Sea-level changes in the Bohai Sea, northern China, constrained by coastal loess accumulation over the past 200 ka. <i>Quaternary Science Reviews</i> , 2022, 277, 107368.	1.4	6
1331	Influences on Asian summer monsoon during Dansgaard-Oeschger events 19 to 25 (70â€“115 kyr B.P.). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 587, 110798.	1.0	4
1332	Rock-magnetic characteristics and mechanisms of the Titel loess-paleosol sequence in northern Serbia since late Middle Pleistocene. <i>Science China Earth Sciences</i> , 2022, 65, 503-517.	2.3	3
1333	Palaeoceanography of the Japan Sea Across the Midâ€“Pleistocene Transition: Insights From IODP Exp. 346, Site U1427. <i>Paleoceanography and Paleoclimatology</i> , 2022, 37, .	1.3	5
1334	Active Faulting of Landforms along the Tuosuhu-Maoniushan Fault and Its Seismotectonic Implications in Eastern Qaidam Basin, China. <i>Seismological Research Letters</i> , 2022, 93, 897-913.	0.8	2
1335	Magnetic Properties of the Ganzi Loess and Their Implications for Precipitation History in the Eastern Tibetan Plateau Since the Last Interglacial. <i>Paleoceanography and Paleoclimatology</i> , 2022, 37, .	1.3	10
1336	Global Last Glacial Maximum climate inferred from reconstructing the Eryehai Valley, Mount Taibai, Qinling Mountains, eastern China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 590, 110858.	1.0	6
1337	Variation of sediment magnetic properties and their paleoenvironmental implications in Yangtze River Delta during 30â€“50â€“B.P.. <i>Journal of Applied Geophysics</i> , 2022, 197, 104543.	0.9	0
1338	Emergence of wet conditions in the Mono Basin of the Western USA coincident with inception of the Last Glaciation. <i>Bulletin of the Geological Society of America</i> , 2022, 134, 2267-2279.	1.6	3
1339	Indian Summer Monsoon variability 140â€“70 thousand years ago based on multi-proxy records from the Bay of Bengal. <i>Quaternary Science Reviews</i> , 2022, 279, 107403.	1.4	10
1340	East Asian summer monsoon changes in subtropical China since late Pleistocene: Evidence from the Ailuro-poda-Stegodon fauna. <i>Journal of Mountain Science</i> , 2022, 19, 418-432.	0.8	0
1341	A Jurassic record encodes an analogous Dansgaardâ€“Oeschger climate periodicity. <i>Scientific Reports</i> , 2022, 12, 1968.	1.6	2
1342	Fast valley landscape response to climate change in the Lower Jinsha River, Southeastern Tibetan Plateau: Field investigations and numerical modeling. <i>Geomorphology</i> , 2022, 403, 108158.	1.1	6
1343	Spatial variation of precipitation in eastern China over the past 150 years based on speleothem multi-proxy analysis. <i>Quaternary International</i> , 2022, , .	0.7	2
1344	Sea level rise and climate change acting as interactive stressors on development and dynamics of tropical peatlands in coastal Sumatra and South Borneo since the Last Glacial Maximum. <i>Global Change Biology</i> , 2022, 28, 3459-3479.	4.2	9
1345	Past fires and post-fire impacts reconstructed from a southwest Australian stalagmite. <i>Geochimica Et Cosmochimica Acta</i> , 2022, 325, 258-277.	1.6	7

#	ARTICLE	IF	CITATIONS
1346	Local Insolation Drives Afro-Asian Monsoon at Orbital Scale in Holocene. <i>Geophysical Research Letters</i> , 2022, 49, .	1.5	13
1347	Multicentennial to millennial-scale changes in the East Asian summer monsoon during Greenland interstadial 25. <i>Quaternary Research</i> , 2022, 109, 195-206.	1.0	1
1348	Environmental changes clarified by pollen and diatom proxy records in the sedimentary archive of the northwestern Japan Sea during last 21.0 kyr. <i>Palaeoworld</i> , 2022, , .	0.5	0
1349	EC-Earth Simulations Reveal Enhanced Inter-Hemispheric Thermal Contrast During the Last Interglacial Further Intensified the Indian Monsoon. <i>Geophysical Research Letters</i> , 2022, 49, .	1.5	5
1350	A quantitative reconstruction of Holocene annual precipitation in the marginal zone of the East Asian summer monsoon. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 596, 110968.	1.0	5
1351	A high-resolution stalagmite record from Luoshui Cave, Central China over the past 23.5 kyr. <i>Quaternary Science Reviews</i> , 2022, 282, 107443.	1.4	10
1352	A new stalagmite oxygen isotope record over the last 1350 years: Insights into spatial variation in Asian summer monsoon and temperature forcing. <i>Quaternary Science Reviews</i> , 2022, 284, 107499.	1.4	3
1353	Precipitation response to Heinrich Event-3 in the northern Indochina as revealed in a high-resolution speleothem record. <i>Journal of Asian Earth Sciences: X</i> , 2022, 7, 100090.	0.6	1
1354	Delineation of terrestrial and marine productivity in the southwestern continental margin of India. <i>Journal of Asian Earth Sciences</i> , 2022, 230, 105203.	1.0	1
1355	Modulation of Effective Precipitation by Temperature in the East Asian Monsoon Margins During Marine Isotope Stage 5. <i>Geophysical Research Letters</i> , 2021, 48, .	1.5	2
1356	Seasonal and Inter-Annual Variations of Stable Isotopic Characteristics of Rainfall and Cave Water in Shennong Cave, Southeast China, and Its Paleoclimatic Implication. <i>Frontiers in Earth Science</i> , 2021, 9, .	0.8	6
1357	Contrasting Sensitivity of Weathering Proxies to Quaternary Climate and Sea Level Fluctuations on the Southern Slope of the South China Sea. <i>Geophysical Research Letters</i> , 2021, 48, .	1.5	8
1358	Millennial-Scale Monsoon Variability Modulated by Low-Latitude Insolation During the Last Glaciation. <i>Geophysical Research Letters</i> , 2022, 49, .	1.5	7
1359	New REE-Constrained Terrigenous Depositional Changes in the Central Okinawa Trough and their Responses to Climate since 92 Millennia. <i>Lithosphere</i> , 2022, 2022, .	0.6	1
1360	Asian Summer Monsoon Changes Inferred From a Stalagmite $\delta^{18}O$ Record in Central China During the Last Glacial Period. <i>Frontiers in Earth Science</i> , 2022, 10, .	0.8	1
1361	Investigating the palaeoenvironmental context of Late Pleistocene human dispersals into Southeast Asia: a review of stable isotope applications. <i>Archaeological and Anthropological Sciences</i> , 2022, 14, 1.	0.7	3
1362	Luminescence dating reveals a rapid response to climate change of fluvial terrace formation along the Ani River, northeastern Japan, during the last glacial period. <i>Quaternary Geochronology</i> , 2022, 70, 101307.	0.6	3
1370	Testing the isotopic equilibrium fractionation on active speleothem based on cave monitoring. <i>Journal of Earth System Science</i> , 2022, 131, .	0.6	1

#	ARTICLE	IF	CITATIONS
1371	Attribution of Last Glacial Maximum precipitation change in Northern Hemisphere monsoon and arid regions. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 599, 111053.	1.0	1
1372	Reconstruction of Chemical Weathering Intensity and Asian Summer Monsoon Evolution in the Red River Basin Over the Past 36Åyr. <i>Paleoceanography and Paleoclimatology</i> , 2022, 37, .	1.3	7
1373	An exceptional record of millennial-scale climate variability in the southern Iberian Margin during MIS 6: Impact on the formation of sapropel S6. <i>Quaternary Science Reviews</i> , 2022, 286, 107527.	1.4	2
1374	Asian summer monsoon variability, global teleconnections, and dynamics during the last 1,000 years. <i>Earth-Science Reviews</i> , 2022, 230, 104041.	4.0	10
1375	Responses of East Asian winter monsoon&Australasian summer monsoon to Local and Remote orbital forcing during Holocene. <i>Geophysical Research Letters</i> , 0, , .	1.5	2
1376	The response of the hydrological cycle to temperature changes in recent and distant climatic history. <i>Progress in Earth and Planetary Science</i> , 2022, 9, .	1.1	8
1377	Records of Organic Carbon Isotopic Composition and Its Paleoenvironmental Implications in Shengshan Island Loess Deposition in the East China Sea during the Last Glacial Period. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 5724.	1.3	1
1378	Multiproxy records of temperature, precipitation and vegetation on the central Chinese Loess Plateau over the past 200,000 years. <i>Quaternary Science Reviews</i> , 2022, 288, 107579.	1.4	6
1380	Climate sustained the evolution of a stable postglacial woody cover over the Tibetan Plateau. <i>Global and Planetary Change</i> , 2022, 215, 103880.	1.6	3
1381	A fossil diatom-based reconstruction of sea-level changes for the Late Pleistocene and Holocene period in the NW South China Sea. <i>Oceanologia</i> , 2023, 65, 211-229.	1.1	2
1382	A review of orbital-scale monsoon variability and dynamics in East Asia during the Quaternary. <i>Quaternary Science Reviews</i> , 2022, 288, 107593.	1.4	13
1383	Aeolian landform processes since the last deglaciation revealed by OSL chronology and stratigraphy in the Hulunbuir dune field in NE China. <i>Quaternary Geochronology</i> , 2022, 72, 101352.	0.6	3
1384	Millennial-Scale Paleotemperature Change in the Japan Sea During Marine Isotope Stage 3: Impact of Meridional Oscillation of the Subpolar Front. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
1385	Monsoon- and ENSO-driven surface-water pCO ₂ variation in the tropical West Pacific since the Last Glacial Maximum. <i>Quaternary Science Reviews</i> , 2022, 289, 107621.	1.4	4
1386	Indian summer monsoon variability during the last 20 kyr: Evidence from peat record from the Baspa Valley, northwest Himalaya, India. <i>Journal of Earth System Science</i> , 2022, 131, .	0.6	1
1387	Greenhouse gases modulate the strength of millennial-scale subtropical rainfall, consistent with future predictions. <i>Climate of the Past</i> , 2022, 18, 1675-1684.	1.3	1
1388	Variable Phase Relationship Between Monsoon and Temperature in East Asia During Termination II Revealed by Oxygen and Clumped Isotopes of a Northern Chinese Stalagmite. <i>Geophysical Research Letters</i> , 2022, 49, .	1.5	2
1389	Yilong lake level record documents coherent regional-scale changes in Holocene water balance in Yunnan, southwestern China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 601, 111148.	1.0	4

#	ARTICLE	IF	CITATIONS
1390	Age and Causes of the Yellow River Dissecting the Zoige Basin in the Eastern Tibetan Plateau, China1. SSRN Electronic Journal, 0, , .	0.4	0
1391	Fluvial Sedimentary Response to Late Quaternary Climate and Tectonics at the Himalayan Frontal Thrust, Central Nepal. <i>Geochemistry, Geophysics, Geosystems</i> , 2022, 23, .	1.0	2
1392	Decoupled Land and Ocean Temperature Trends in the Earlyâ€Middle Pleistocene. <i>Geophysical Research Letters</i> , 2022, 49, .	1.5	6
1393	Distinctive Sedimentary Evolution at the East Edge of the Central Yellow Sea Mud Over the Past 45Âkyr: Evidence From Detrital Mineralogy. <i>Frontiers in Earth Science</i> , 0, 10, .	0.8	0
1394	Contributions of climate, vegetation andÂsoil to the alpine sediment carbon accumulation rate in central China since the Middle Holocene. <i>Boreas</i> , 2023, 52, 99-108.	1.2	1
1395	Possible linkage between Paleolithic site occurrence and past climate change in the central Korean Peninsula. <i>Geoarchaeology - an International Journal</i> , 0, , .	0.7	0
1396	Paleoclimate evolution of the North Pacific Ocean during the late Quaternary: Progress and challenges. <i>Geosystems and Geoenvironment</i> , 2023, 2, 100124.	1.7	2
1397	Occurrence and Distribution Patterns of Magnetic Particles Within Stalagmite Growth Laminae. <i>Geochemistry, Geophysics, Geosystems</i> , 2022, 23, .	1.0	1
1398	The response of the Dajiuhu Peatland ecosystem to hydrological variations: Implications for carbon sequestration and peatlands conservation. <i>Journal of Hydrology</i> , 2022, 612, 128307.	2.3	2
1399	Orbital-scale hydroclimate variations in the southern Tibetan Plateau over the past 414,000 years. <i>Quaternary Science Reviews</i> , 2022, 291, 107658.	1.4	4
1400	The Dome Fuji ice core DF2021 chronology (0â€207 kyr BP). <i>Quaternary Science Reviews</i> , 2022, 294, 107754.	1.4	3
1401	Late Pleistocene large-bodied mammalian fauna from Mocun cave in south China: Palaeontological, chronological and biogeographical implications. <i>Quaternary Science Reviews</i> , 2022, 294, 107741.	1.4	4
1403	Amplified and suppressed regional imprints of global warming events on the southeastern Tibetan Plateau during MIS 3â€2. <i>Quaternary Science Reviews</i> , 2022, 294, 107736.	1.4	5
1404	Timing and climatic drivers for the MIS 6 glaciation in the central Himalaya: 10Be surface exposure dating of hummocky moraine northwest of Mt. Gang Benchen, Paiku Gangri. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 605, 111230.	1.0	5
1405	Quantifying sensitivity of groundwater recharge to land use and land cover changes by improving model performance on the wetland dominated Tikur Wuha Watershed, Ethiopia. <i>Water Cycle</i> , 2022, 3, 112-125.	2.1	5
1406	Late Quaternary Glaciations in the Taniantaweng Mountains. SSRN Electronic Journal, 0, , .	0.4	0
1407	Model-based orbital-scale precipitation Î18O variations and distinct mechanisms in Asian monsoon and arid regions. <i>National Science Review</i> , 2022, 9, .	4.6	10
1408	Variability of indian monsoon and its forcing mechanisms since late quaternary. <i>Frontiers in Earth Science</i> , 0, 10, .	0.8	2

#	ARTICLE	IF	CITATIONS
1409	å€°ç~ã,%æ~jât°æœÿât°é†ê'Œãé~³è¾â°,,ã~1ä,ã½ä,œéf~æ°æ~†æ°"ã€™çš,,ã½±ã“: SCIENTIA SINICA Terraes2022, , . 0		
1410	Variations of Stable Isotopes in Daily Precipitation in a Monsoon Region. <i>Water</i> (Switzerland), 2022, 14, 2891.	1.2	6
1411	Decoupled Asian monsoon intensity and precipitation during glacial-interglacial transitions on the Chinese Loess Plateau. <i>Nature Communications</i> , 2022, 13, .	5.8	9
1412	Theoretical and paleoclimatic evidence for abrupt transitions in the Earth system. <i>Environmental Research Letters</i> , 2022, 17, 093006.	2.2	13
1413	Ice-volume and insolation influences on hydroclimate changes in central eastern China during the antepenultimate glacial period. <i>Science China Earth Sciences</i> , 0, , .	2.3	1
1414	Chinese Interstadials 14â€“17 recorded in a precisely U-Th dated stalagmite from the northern edge of the Asian summer monsoon during the MIS 4/3 boundary. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, , 111265.	1.0	0
1415	Millennial-scale climate oscillations over the last two climatic cycles revealed by a loessâ€“paleosol sequence from central Asia. <i>Journal of Asian Earth Sciences</i> , 2022, 240, 105435.	1.0	3
1416	Coupled atmosphere-ice-ocean dynamics during Heinrich Stadial 2. <i>Nature Communications</i> , 2022, 13, .	5.8	11
1417	Spatiotemporal patterns and drivers of net primary production in the terrestrial ecosystem of the Dajiuhu Basin, China, between 1990 and 2018. <i>Ecological Informatics</i> , 2022, 72, 101839.	2.3	6
1419	Subtropical forest vegetation development and climate change in Baishanzu area of Zhejiang Province, China, since the Holocene. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 608, 111293.	1.0	4
1420	After the blades: The late MIS3 flake-based technology at Shuidonggou Locality 2, North China. <i>PLoS ONE</i> , 2022, 17, e0274777.	1.1	2
1421	Paleoenvironmental changes and East Asian winter monsoon evolution: evidence from coastal sedimentary sequence of the Last Glacial in the Shandong Peninsula, China. <i>Frontiers of Earth Science</i> , 0, , .	0.9	2
1422	Bond events in the Tarim Basin: The loess record. <i>Quaternary International</i> , 2022, , .	0.7	1
1423	Climatic and hydrological variations on the southwestern Tibetan Plateau during the last 30,000 years inferred from a sediment core of Lake Zabuye. <i>Quaternary International</i> , 2023, 643, 22-33.	0.7	2
1424	Climatic implication of stalagmite $\delta^{13}C$ in the middle reaches of the Yangtze River since the Last Glacial Maximum and coupling with $\delta^{18}O$. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 608, 111290.	1.0	4
1425	Precession-driven changes in air-sea CO ₂ exchange by East Asian summer monsoon in the Western Tropical Pacific since MIS 6. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 607, 111267.	1.0	2
1426	Geochemistry of ferromanganese nodules in the soil of Okinawa Island, Japan: Paleoclimatic implications and discrimination scheme of the nodule origins. <i>Journal of Asian Earth Sciences: X</i> , 2022, 8, 100127.	0.6	0
1427	Spatial pattern of orbital-to millennial-scale East Asian stalagmite $\delta^{18}O$ variations during MIS 3. <i>Quaternary Science Reviews</i> , 2022, 298, 107844.	1.4	1

#	ARTICLE	IF	CITATIONS
1428	Age and causes of the Yellow River dissecting the Zoige Basin in the eastern Tibetan Plateau, China. <i>Science of the Total Environment</i> , 2023, 857, 159481.	3.9	5
1429	The structure of marine isotope Stage 11 and its alignment with the Holocene. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2023, 609, 111311.	1.0	2
1430	Millennial-scale glacier fluctuations on the southeastern Tibetan Plateau during MIS 2. <i>Earth and Planetary Science Letters</i> , 2023, 601, 117903.	1.8	12
1431	Simulated Mid-Holocene and Last Interglacial Climate Using Two Generations of AWI-ESM. <i>Journal of Climate</i> , 2022, 35, 7811-7831.	1.2	3
1432	è½´é“é©±âŠ“â¹é«~â½Žçº→æ°â³⁄⁴çŽ-çš,,â½±â“ç%°¹â³⁄⁴⁄⁴šæµ·â†°â’Ĉé™æº. <i>Chinese Science Bulletin</i> , 2022, , . 0.4	0.4	0
1433	Orbital forcing of tropical climate dynamics in the Early Cambrian. <i>Global and Planetary Change</i> , 2022, 219, 103985.	1.6	1
1434	Spatial-temporal Characteristics of Holocene Paleosols in the Chinese Loess Plateau and Paleoclimatic Significance. <i>Chinese Geographical Science</i> , 2022, 32, 1110-1118.	1.2	0
1435	Meltwater Contribution to Lake Water Budget in Midâ€ˆLatitude Asia During the Deglaciation and Early Holocene. <i>Geophysical Research Letters</i> , 2022, 49, .	1.5	2
1436	Evolution of Influence Ranges of Neolithic-Bronze Age Cities in the Songshan Mountain Region of Central China Based on GIS Spatial Analysis. <i>Remote Sensing</i> , 2022, 14, 5631.	1.8	0
1437	Two annual cycles of the Pacific cold tongue under orbital precession. <i>Nature</i> , 2022, 611, 295-300.	13.7	2
1438	Continuous technological and behavioral development of late Pleistocene hominins in central South China: Multidisciplinary analysis at Sandinggai. <i>Quaternary Science Reviews</i> , 2022, 298, 107850.	1.4	3
1439	What Controls the Skill of General Circulation Models to Simulate the Seasonal Cycle in Water Isotopic Composition in the Tibetan Plateau Region?. <i>Journal of Geophysical Research D: Atmospheres</i> , 2022, 127, .	1.2	3
1440	Phytoplankton productivity and community structure changes in the middle Okinawa Trough since the last deglaciation. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2023, 610, 111349.	1.0	2
1441	Detailed notes in Japanese language on â€œNakagawa <i>et al</i>; (2021) <i>Global and Planetary Change</i> 202, 103493â€œ. <i>The Quaternary Research</i> , 2023, 62, 1-31.	0.2	0
1442	Highly resolved East Asian monsoon changes inferred from Sea of Japan sediments. <i>Global and Planetary Change</i> , 2023, 220, 103996.	1.6	1
1443	Orbitally and galactic cosmic forced abrupt climate events during the last glacial period. <i>Quaternary Science Reviews</i> , 2023, 301, 107921.	1.4	0
1444	Asian monsoon intensity coupled to Antarctic climate during Dansgaardâ€œOeschger 8 and Heinrich 4 glacial intervals. <i>Communications Earth & Environment</i> , 2022, 3, .	2.6	1
1445	Simulated Cycles of East Asian Temperature and Precipitation Over the Past 425 ka. <i>Journal of Geophysical Research D: Atmospheres</i> , 2022, 127, .	1.2	2

#	ARTICLE	IF	CITATIONS
1446	éè—é«~ãŽÿä,œéf“MIS5eæ—©æceÿä°šæ²ââ£é£Žæ°”â€™ä,ç³â°šæ€šçš,,â¹ç¹â±,çÿ³ç¬«â²èè¹. SCIENTIA SINICA Terrae, 2022), .		
1448	Precipitation in eastern China over the past millennium varied with large-scale climate patterns. <i>Communications Earth & Environment</i> , 2022, 3, .	2.6	14
1449	Changes in Summer Precipitation Modes over Eastern China in Simulated Warm Intervals of the Last Interglacial, Mid-Holocene, and Twenty-First Century. <i>Journal of Climate</i> , 2023, 36, 2401-2420.	1.2	0
1450	100 k.y. pacing of the East Asian summer monsoon over the past five glacial cycles inferred from land snails. <i>Geology</i> , 2023, 51, 179-183.	2.0	6
1451	Orbitalâ€to millennialâ€scale variation of the speleothem Î¹⁸O record during Marine Isotope Stages 5 to 3 on the southeast Chinese Loess Plateau and its climatic and environmental implications. <i>Journal of Quaternary Science</i> , 2023, 38, 295-307.	1.1	1
1452	Grain Size Characteristics of MIS 5 Sediments and Evolution of the East Asian Summer Monsoon in the Zhifu Section, Yantai City, Shandong Province, China. <i>Atmosphere</i> , 2023, 14, 153.	1.0	0
1453	Precipitation variations of western equatorial pacific during glacialâ€interglacial cycles since MIS8: Evidence from multiâ€proxies of abyssal sediment. <i>Frontiers in Earth Science</i> , 0, 10, .	0.8	0
1454	Tephrostratigraphy of Pleistocene-Holocene deposits from the Detroit Rise eastern slope (northwestern Pacific). <i>Frontiers in Earth Science</i> , 0, 10, .	0.8	4
1455	Sedimentary records and implications for the evolution of sedimentary environments inferred from BH1302 during the late Quaternary in the Bohai Sea, China. <i>Marine Geology</i> , 2023, 456, 106986.	0.9	3
1456	A continuous paleorecord of vegetation and environmental change from Exianyan Wetland over the past 60,000Âyears in central China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2023, 613, 111399.	1.0	4
1457	Holocene sea level change and paleoenvironmental evolution off the Shandong Peninsula: Evidence of benthic foraminifera assemblages from core LHSD-1 in a subaqueous clinof orm. <i>Journal of Sea Research</i> , 2023, 192, 102338.	0.6	0
1458	Karst-ecological changes during the middle and late Holocene in Southwest China revealed by Î¹18O and Î¹13C records in a stalagmite. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2023, 615, 111437.	1.0	0
1459	Late Pleistocene to Holocene sedimentary history in the Pearl River Delta revealed by OSL and radiocarbon dating. <i>Catena</i> , 2023, 224, 106972.	2.2	3
1460	A new chronological framework for Chuandong Cave and its implications for the appearance of modern humans in southern China. <i>Journal of Human Evolution</i> , 2023, 178, 103344.	1.3	1
1461	Holocene sea surface temperature and salinity variations in the central South China Sea. <i>Marine Micropaleontology</i> , 2023, 181, 102229.	0.5	0
1462	Timing and extent of late Quaternary glaciations on Karlik Mountain, eastern Tianshan range, China. <i>Quaternary Science Reviews</i> , 2023, 306, 108038.	1.4	7
1463	Late Quaternary modeling and paleoclimate evolution of the Mount Taibai glacier (Qinling Mountains,) Tj ETQq0 0 0 rgBT /Overlock 10 T Palaeoecology, 2023, 618, 111529.	1.0	1
1464	Terrestrial paleoclimate changes recorded by Pleistocene red earth deposits at the Gaolingpo Paleolithic site, Bose Basin, South China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2023, 614, 111438.	1.0	1

#	ARTICLE	IF	CITATIONS
1465	Provenance and paleoenvironmental significance of sediments in the Beipo seamount of the northern South China Sea during the last deglaciation. <i>Frontiers in Marine Science</i> , 0, 10, .	1.2	1
1466	Ice Volume and Insolation Forcing of Abrupt Strengthening of East Asian Winter Monsoon During Glacial Inceptions. <i>Geophysical Research Letters</i> , 2023, 50, .	1.5	0
1469	Sedimentary provenance and age of the Shengshan Island loess on the continental shelf of the East China Sea: Implications for windblown dust transport during the Last Glaciation. <i>Geomorphology</i> , 2023, 427, 108624.	1.1	2
1470	Desertification and Related Climate Change in the Alashan Plateau since the Last 40 ka of the Last Glacial Period. <i>Atmosphere</i> , 2023, 14, 384.	1.0	1
1471	Mechanisms and Impacts of Earth System Tipping Elements. <i>Reviews of Geophysics</i> , 2023, 61, .	9.0	10
1472	Arctic climate-Indian monsoon teleconnection during the last millennium revealed through geochemical proxies from an Arctic fjord. <i>Global and Planetary Change</i> , 2023, 222, 104075.	1.6	1
1473	Orbital and Millennial-Scale Climate Variability over the Past 76 ka in the Western Tarim Basin, Northwest China. <i>Journal of Earth Science (Wuhan, China)</i> , 2023, 34, 173-180.	1.1	3
1474	Interactions Between Depositional Regime and Climate Proxies in the Northern South China Sea Since the Last Glacial Maximum. <i>Paleoceanography and Paleoclimatology</i> , 2023, 38, .	1.3	3
1475	Quantification of Asian monsoon variability from 68Åka BP through pollen-based climate reconstruction. <i>Science Bulletin</i> , 2023, 68, 713-722.	4.3	16
1476	Determination of respiration and photosynthesis fractionation factors for atmospheric dioxygen inferred from a vegetationâ€“soilâ€“atmosphere analogue of the terrestrial biosphere in closed chambers. <i>Biogeosciences</i> , 2023, 20, 1047-1062.	1.3	1
1477	The Paleojump database for abrupt transitions in past climates. <i>Scientific Reports</i> , 2023, 13, .	1.6	6
1478	Eccentricity-paced geomagnetic field and monsoon rainfall variations over the last 870 kyr. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2023, 120, .	3.3	5
1555	Speleothems. <i>Encyclopedia of Earth Sciences Series</i> , 2024, , 1-11.	0.1	0