CDK8 is a colorectal cancer oncogene that regulates \hat{I}^2 -c

Nature 455, 547-551 DOI: 10.1038/nature07179

Citation Report

#	Article	IF	CITATIONS
1	E2F1 represses β-catenin transcription and is antagonized by both pRB and CDK8. Nature, 2008, 455, 552-556.	13.7	269
2	Entangled pathways. Nature, 2008, 455, 479-480.	13.7	14
3	RNAi Delivers Insights into Liver Cancer. Cell, 2008, 135, 793-795.	13.5	3
4	Highly parallel identification of essential genes in cancer cells. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 20380-20385.	3.3	499
5	The human CDK8 subcomplex is a molecular switch that controls Mediator coactivator function. Genes and Development, 2009, 23, 439-451.	2.7	290
6	Revving the Throttle on an Oncogene: CDK8 Takes the Driver Seat. Cancer Research, 2009, 69, 7899-7901.	0.4	42
7	Integrative Analysis of Genome-Wide RNA Interference Screens. Science Signaling, 2009, 2, pt4.	1.6	8
8	Vascular Endothelial Growth Factor Receptor-1 Is Synthetic Lethal to Aberrant β-Catenin Activation in Colon Cancer. Clinical Cancer Research, 2009, 15, 7529-7537.	3.2	67
9	Development and Applications of a Broad-Coverage, TR-FRET-Based Kinase Binding Assay Platform. Journal of Biomolecular Screening, 2009, 14, 924-935.	2.6	74
10	Bruton's Tyrosine Kinase Revealed as a Negative Regulator of Wnt–β-Catenin Signaling. Science Signaling, 2009, 2, ra25.	1.6	56
11	A Common Biological Mechanism in Cancer and Alzheimers Disease?. Current Alzheimer Research, 2009, 6, 196-204.	0.7	165
12	A Transposon-Based Genetic Screen in Mice Identifies Genes Altered in Colorectal Cancer. Science, 2009, 323, 1747-1750.	6.0	321
13	Deciphering the genetic landscape of cancer – from genes to pathways. Trends in Genetics, 2009, 25, 455-462.	2.9	35
14	PARsing the Phrase "All in for Axinâ€â€" Wnt Pathway Targets in Cancer. Cancer Cell, 2009, 16, 366-368.	7.7	32
15	Integrative approach for prioritizing cancer genes in sporadic colon cancer. Genes Chromosomes and Cancer, 2009, 48, 953-962.	1.5	47
17	Cortistatinâ€A is a Highâ€Affinity Ligand of Protein Kinases ROCK, CDK8, and CDK11. Angewandte Chemie - International Edition, 2009, 48, 8952-8957.	7.2	89
18	Functional Evolution of Cyclin-Dependent Kinases. Molecular Biotechnology, 2009, 42, 14-29.	1.3	73
19	Telomerase modulates Wnt signalling by association with target gene chromatin. Nature, 2009, 460, 66-72.	13.7	590

ATION RED

#	Article	IF	CITATIONS
20	In vivo RNAi screening identifies regulators of actin dynamics as key determinants of lymphoma progression. Nature Genetics, 2009, 41, 1133-1137.	9.4	122
21	Cell cycle, CDKs and cancer: a changing paradigm. Nature Reviews Cancer, 2009, 9, 153-166.	12.8	3,070
22	Emerging roles of E2Fs in cancer: an exit from cell cycle control. Nature Reviews Cancer, 2009, 9, 785-797.	12.8	824
23	Loss-of-function genetic screens as a tool to improve the diagnosis and treatment of cancer. Oncogene, 2009, 28, 4409-4420.	2.6	73
24	Wnt/ \hat{l}^2 -Catenin Signaling: Components, Mechanisms, and Diseases. Developmental Cell, 2009, 17, 9-26.	3.1	4,757
25	The E2F family and the role of E2F1 in apoptosis. International Journal of Biochemistry and Cell Biology, 2009, 41, 2389-2397.	1.2	57
26	Synthetic Lethal Interaction between Oncogenic KRAS Dependency and STK33 Suppression in Human Cancer Cells. Cell, 2009, 137, 821-834.	13.5	510
27	Cyfip1 Is a Putative Invasion Suppressor in Epithelial Cancers. Cell, 2009, 137, 1047-1061.	13.5	77
28	Nuclear CDKs Drive Smad Transcriptional Activation and Turnover in BMP and TGF-Î ² Pathways. Cell, 2009, 139, 757-769.	13.5	627
29	Integrative genomic approaches to understanding cancer. Biochimica Et Biophysica Acta - General Subjects, 2009, 1790, 478-484.	1.1	7
29 30		1.1 0.9	7 30
	Subjects, 2009, 1790, 478-484. A conserved Six–Eya cassette acts downstream of Wnt signaling to direct non-myogenic versus		
30	Subjects, 2009, 1790, 478-484. A conserved Six–Eya cassette acts downstream of Wnt signaling to direct non-myogenic versus myogenic fates in the C. elegans postembryonic mesoderm. Developmental Biology, 2009, 331, 350-360. E2F1: A colon cancer specific putative tumor suppressor and a valuable therapeutic target. Bioscience	0.9	30
30 31	 Subjects, 2009, 1790, 478-484. A conserved Six–Eya cassette acts downstream of Wnt signaling to direct non-myogenic versus myogenic fates in the C. elegans postembryonic mesoderm. Developmental Biology, 2009, 331, 350-360. E2F1: A colon cancer specific putative tumor suppressor and a valuable therapeutic target. Bioscience Hypotheses, 2009, 2, 313-315. The Human CDK8 Subcomplex Is a Histone Kinase That Requires Med12 for Activity and Can Function 	0.9	30 2
30 31 32	 Subjects, 2009, 1790, 478-484. A conserved Six–Eya cassette acts downstream of Wnt signaling to direct non-myogenic versus myogenic fates in the C. elegans postembryonic mesoderm. Developmental Biology, 2009, 331, 350-360. E2F1: A colon cancer specific putative tumor suppressor and a valuable therapeutic target. Bioscience Hypotheses, 2009, 2, 313-315. The Human CDK8 Subcomplex Is a Histone Kinase That Requires Med12 for Activity and Can Function Independently of Mediator. Molecular and Cellular Biology, 2009, 29, 650-661. XPG mRNA Expression Levels Modulate Prognosis in Resected Non–Small-Cell Lung Cancer in 	0.9 0.2 1.1	30 2 193
30 31 32 33	Subjects, 2009, 1790, 478-484. A conserved Sixâ€"Eya cassette acts downstream of Wnt signaling to direct non-myogenic versus myogenic fates in the C. elegans postembryonic mesoderm. Developmental Biology, 2009, 331, 350-360. E2F1: A colon cancer specific putative tumor suppressor and a valuable therapeutic target. Bioscience Hypotheses, 2009, 2, 313-315. The Human CDK8 Subcomplex Is a Histone Kinase That Requires Med12 for Activity and Can Function Independently of Mediator. Molecular and Cellular Biology, 2009, 29, 650-661. XPG mRNA Expression Levels Modulate Prognosis in Resected Nonâ€"Small-Cell Lung Cancer in Conjunction with BRCA1 and ERCC1 Expression. Clinical Lung Cancer, 2009, 10, 47-52. Association of survival and disease progression with chromosomal instability: A genomic exploration of colorectal cancer. Proceedings of the National Academy of Sciences of the United States of	0.9 0.2 1.1 1.1	30 2 193 61
30 31 32 33 34	Subjects, 2009, 1790, 478-484. A conserved Six〓Eya cassette acts downstream of Wnt signaling to direct non-myogenic versus myogenic fates in the C. elegans postembryonic mesoderm. Developmental Biology, 2009, 331, 350-360. E2F1: A colon cancer specific putative tumor suppressor and a valuable therapeutic target. Bioscience Hypotheses, 2009, 2, 313-315. The Human CDK8 Subcomplex Is a Histone Kinase That Requires Med12 for Activity and Can Function Independently of Mediator. Molecular and Cellular Biology, 2009, 29, 650-661. XPG mRNA Expression Levels Modulate Prognosis in Resected Non〓Small-Cell Lung Cancer in Conjunction with BRCA1 and ERCC1 Expression. Clinical Lung Cancer, 2009, 10, 47-52. Association of survival and disease progression with chromosomal instability: A genomic exploration of colorectal cancer. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 7131-7136. RNA interference screening for the discovery of oncology targets. Expert Opinion on Therapeutic	0.9 0.2 1.1 3.3	 30 2 193 61 326

	СПАНОК	KEPORT	
#	Article	IF	CITATIONS
38	CDK Inhibitors: From the Bench to Clinical Trials. Current Drug Targets, 2010, 11, 279-290.	1.0	71
39	Automated identification of pathways from quantitative genetic interaction data. Molecular Systems Biology, 2010, 6, 379.	3.2	70
40	High Expression of Claudin-1 Protein in Papillary Thyroid Tumor and its Regional Lymph Node Metastasis. Pathology and Oncology Research, 2010, 16, 19-27.	0.9	26
41	The human Mediator complex: a versatile, genome-wide regulator of transcription. Trends in Biochemical Sciences, 2010, 35, 315-322.	3.7	281
42	JISTIC: Identification of Significant Targets in Cancer. BMC Bioinformatics, 2010, 11, 189.	1.2	41
43	Kinases as targets in the treatment of solid tumors. Cellular Signalling, 2010, 22, 984-1002.	1.7	88
44	CDK8 expression in 470 colorectal cancers in relation to $\hat{l}^2 \hat{a} \in \epsilon$ atenin activation, other molecular alterations and patient survival. International Journal of Cancer, 2010, 126, 2863-2873.	2.3	88
45	Senescent vs. non-senescent cells in the human annulus in vivo: Cell harvest with laser capture microdissection and gene expression studies with microarray analysis. BMC Biotechnology, 2010, 10, 5.	1.7	31
46	Biology-driven cancer drug development: back to the future. BMC Biology, 2010, 8, 38.	1.7	40
47	CDK8 is a positive regulator of transcriptional elongation within the serum response network. Nature Structural and Molecular Biology, 2010, 17, 194-201.	3.6	303
48	The histone variant macroH2A suppresses melanoma progression through regulation of CDK8. Nature, 2010, 468, 1105-1109.	13.7	345
49	The metazoan Mediator co-activator complex as an integrative hub for transcriptional regulation. Nature Reviews Genetics, 2010, 11, 761-772.	7.7	606
50	CK1Î μ Is Required for Breast Cancers Dependent on Î 2 -Catenin Activity. PLoS ONE, 2010, 5, e8979.	1.1	64
51	Positive Feedback Regulation between Phospholipase D and Wnt Signaling Promotes Wnt-Driven Anchorage-Independent Growth of Colorectal Cancer Cells. PLoS ONE, 2010, 5, e12109.	1.1	44
52	Interleukin-1R–Associated Kinase 2 Is a Novel Modulator of the Transforming Growth Factor β Signaling Cascade. Molecular Cancer Research, 2010, 8, 592-603.	1.5	3
53	A Genome-Wide RNA Interference Screen Identifies a Differential Role of the Mediator CDK8 Module Subunits for GATA/ RUNX-Activated Transcription in <i>Drosophila</i> . Molecular and Cellular Biology, 2010, 30, 2837-2848.	1.1	34
54	Identification of PP2A Complexes and Pathways Involved in Cell Transformation. Cancer Research, 2010, 70, 10474-10484.	0.4	153
55	High-Resolution Array Comparative Genomic Hybridization in Sporadic and Celiac Disease–Related Small Bowel Adenocarcinomas. Clinical Cancer Research, 2010, 16, 1391-1401.	3.2	64

#	Article	IF	CITATIONS
56	Stem cells in gastrointestinal cancers: a matter of choice in cell fate determination. Expert Review of Anticancer Therapy, 2010, 10, 1621-1633.	1.1	9
57	Loss of dyskerin reduces the accumulation of a subset of H/ACA snoRNA-derived miRNA. Cell Cycle, 2010, 9, 2467-2469.	1.3	19
58	Differential Roles of Transcriptional Mediator Subunits in Regulation of Multidrug Resistance Gene Expression in <i>Saccharomyces cerevisiae</i> . Molecular Biology of the Cell, 2010, 21, 2469-2482.	0.9	49
59	Using Functional Genetics to Understand Breast Cancer Biology. Cold Spring Harbor Perspectives in Biology, 2010, 2, a003327-a003327.	2.3	29
60	CDK8. Transcription, 2010, 1, 4-12.	1.7	184
61	Silibinin Suppresses Growth of Human Colorectal Carcinoma SW480 Cells in Culture and Xenograft through Down-regulation of β-Catenin-Dependent Signaling. Neoplasia, 2010, 12, 415-424.	2.3	98
62	Overexpression of Elafin in Ovarian Carcinoma Is Driven by Genomic Gains and Activation of the Nuclear Factor κB Pathway and Is Associated with Poor Overall Survival. Neoplasia, 2010, 12, 161-IN15.	2.3	56
63	Discovery of Dinaciclib (SCH 727965): A Potent and Selective Inhibitor of Cyclin-Dependent Kinases. ACS Medicinal Chemistry Letters, 2010, 1, 204-208.	1.3	134
64	Linking H3K79 trimethylation to Wnt signaling through a novel Dot1-containing complex (DotCom). Genes and Development, 2010, 24, 574-589.	2.7	272
65	<i>Drosophila</i> as a Novel Therapeutic Discovery Tool for Thyroid Cancer. Thyroid, 2010, 20, 689-695.	2.4	33
66	RORα Attenuates Wnt/β-Catenin Signaling by PKCα-Dependent Phosphorylation in Colon Cancer. Molecular Cell, 2010, 37, 183-195.	4.5	147
67	Long-Term Efficacy and Safety of Human Umbilical Cord Mesenchymal Stromal Cells in Rotenone-Induced Hemiparkinsonian Rats. Biology of Blood and Marrow Transplantation, 2010, 16, 1519-1529.	2.0	48
68	Homeodomain-interacting protein kinase 2 (HIPK2) targets β-catenin for phosphorylation and proteasomal degradation. Biochemical and Biophysical Research Communications, 2010, 394, 966-971.	1.0	33
69	Establishment and Genomic Characterization of Mouse Xenografts of Human Primary Prostate Tumors. American Journal of Pathology, 2010, 176, 1901-1913.	1.9	59
72	High-throughput screens in diploid cells identify factors that contribute to the acquisition of chromosomal instability. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 15455-15460.	3.3	12
73	Clinical Activity of mTOR Inhibition With Sirolimus in Malignant Perivascular Epithelioid Cell Tumors: Targeting the Pathogenic Activation of mTORC1 in Tumors. Journal of Clinical Oncology, 2010, 28, 835-840.	0.8	362
74	Dysregulation of CDK8 and Cyclin C in tumorigenesis. Journal of Genetics and Genomics, 2011, 38, 439-452.	1.7	64
75	Knockdown of <i>MED19</i> by Short Hairpin RNA-Mediated Gene Silencing Inhibits Pancreatic Cancer	0.7	12

#	Article	IF	CITATIONS
76	Molecular Genetics of Colorectal Cancer. Annual Review of Pathology: Mechanisms of Disease, 2011, 6, 479-507.	9.6	1,424
77	Targeted Therapies for Hepatocellular Carcinoma. Gastroenterology, 2011, 140, 1410-1426.	0.6	408
78	Effects of cyclin-dependent kinase 8 specific siRNA on the proliferation and apoptosis of colon cancer cells. Journal of Experimental and Clinical Cancer Research, 2011, 30, 109.	3.5	28
79	GISTIC2.0 facilitates sensitive and confident localization of the targets of focal somatic copy-number alteration in human cancers. Genome Biology, 2011, 12, R41.	3.8	2,546
80	Genomic sequencing of colorectal adenocarcinomas identifies a recurrent VTI1A-TCF7L2 fusion. Nature Genetics, 2011, 43, 964-968.	9.4	270
81	The Structure of CDK8/CycC Implicates Specificity in the CDK/Cyclin Family and Reveals Interaction with a Deep Pocket Binder. Journal of Molecular Biology, 2011, 412, 251-266.	2.0	108
82	Interactions between subunits of the Mediator complex with gene-specific transcription factors. Seminars in Cell and Developmental Biology, 2011, 22, 759-768.	2.3	113
83	Mediator and human disease. Seminars in Cell and Developmental Biology, 2011, 22, 776-787.	2.3	76
84	Control of gene transcription by Mediator in chromatin. Seminars in Cell and Developmental Biology, 2011, 22, 735-740.	2.3	12
85	Roles of cyclin-dependent kinase 8 and β-catenin in the oncogenesis and progression of gastric adenocarcinoma. International Journal of Oncology, 2011, 38, 1375-83.	1.4	36
86	On target? Strategies and progress in the development of therapies for colorectal cancer targeted against WNT signalling. Colorectal Disease, 2011, 13, 360-369.	0.7	4
87	Towards systematic functional characterization of cancer genomes. Nature Reviews Genetics, 2011, 12, 487-498.	7.7	77
88	E2F1 suppresses Wnt/β-catenin activity through transactivation of β-catenin interacting protein ICAT. Oncogene, 2011, 30, 3979-3984.	2.6	33
89	The retroviral cyclin of walleye dermal sarcoma virus binds cyclin-dependent kinases 3 and 8. Virology, 2011, 409, 299-307.	1.1	13
90	New avenues to target Wnt/ \hat{l}^2 -catenin signaling. Drug Discovery Today, 2011, 16, 35-41.	3.2	52
91	Disturbance of the microRNA pathway by commonly used lentiviral shRNA libraries limits the application for screening host factors involved in hepatitis C virus infection. FEBS Letters, 2011, 585, 1025-1030.	1.3	25
92	Developing a library of authenticated Traditional Chinese Medicinal (TCM) plants for systematic biological evaluation — Rationale, methods and preliminary results from a Sino-American collaboration. Fìtoterapì¢, 2011, 82, 17-33.	1.1	42
93	Control of the Embryonic Stem Cell State. Cell, 2011, 144, 940-954.	13.5	1,050

ARTICLE IF CITATIONS A Boolean-based systems biology approach to predict novel genes associated with cancer: Application 3.0 59 94 to colorectal cancer. BMC Systems Biology, 2011, 5, 35. Targets downstream of Cdk8 in Dictyostelium development. BMC Developmental Biology, 2011, 11, 2. 2.1 Postgenomic technologies targeting the Wnt signaling network. Wiley Interdisciplinary Reviews: 96 6.6 3 Systems Biology and Medicine, 2011, 3, 649-665. Requirements for mediator complex subunits distinguish three classes of notch target genes at the Drosophila wing margin. Developmental Dynamics, 2011, 240, 2051-2059. Frequent genomic loss at chr16p13.2 is associated with poor prognosis in colorectal cancer. 98 2.3 41 International Journal of Cancer, 2011, 129, 1848-1858. Wht Signaling. Current Topics in Developmental Biology, 2011, 97, 21-53. 1.0 Novel, Selective CDK9 Inhibitors for the Treatment of HIV Infection. Current Medicinal Chemistry, 2011, 100 1.2 30 18, 342-358. Maintenance of tumor initiating cells of defined genetic composition by nucleostemin. Proceedings of 3.3 104 the National Academy of Sciences of the United States of America, 2011, 108, 20388-20393. Insertional mutagenesis identifies multiple networks of cooperating genes driving intestinal 102 9.4 172 tumorigenesis. Nature Genetics, 2011, 43, 1202-1209. Forced Activation of Î²-Catenin Signaling Supports the Transformation of <i>hTERT</i>-Immortalized 1.5 Human Fetal Hepatocytes. Molecular Cancer Research, 2011, 9, 1222-1231. Making sense of cancer genomic data. Genes and Development, 2011, 25, 534-555. 104 313 2.7 Integrative Genomic Analysis of Medulloblastoma Identifies a Molecular Subgroup That Drives Poor 0.8 609 Clinical Outcome. Journal of Clinical Oncology, 2011, 29, 1424-1430. Phospholipase D Meets Wht Signaling: A New Target for Cancer Therapy: Figure 1.. Cancer Research, 106 0.4 61 2011, 71, 293-297. Newly identified aspects of tumor suppression by RB. DMM Disease Models and Mechanisms, 2011, 4, 581-585. 1.2 Somatic deletions of genes regulating MSH2 protein stability cause DNA mismatch repair deficiency 108 15.2133 and drug resistance in human leukemia cells. Nature Medicine, 2011, 17, 1298-1303. Physiological Relevance of Cell Cycle Kinases. Physiological Reviews, 2011, 91, 973-1007. 109 13.1 173 Mixed Effects Modeling of Proliferation Rates in Cell-Based Models: Consequence for 110 1.526 Pharmacogenomics and Cancer. PLoS Genetics, 2012, 8, e1002525. Cdk8 Regulates Stability of the Transcription Factor Phd1 To Control Pseudohyphal Differentiation of 1.1 Saccharomyces cerevisiae. Molecular and Cellular Biology, 2012, 32, 664-674.

#	Article	IF	CITATIONS
112	CDK8 Maintains Tumor Dedifferentiation and Embryonic Stem Cell Pluripotency. Cancer Research, 2012, 72, 2129-2139.	0.4	94
113	Differential WNT Activity in Colorectal Cancer Confers Limited Tumorigenic Potential and Is Regulated by MAPK Signaling. Cancer Research, 2012, 72, 1547-1556.	0.4	108
114	Emerging nanodelivery strategies of RNAi molecules for colon cancer therapy: preclinical developments. Therapeutic Delivery, 2012, 3, 1117-1130.	1.2	6
115	Cyclin-Dependent Kinase 8 Regulates Mitotic Commitment in Fission Yeast. Molecular and Cellular Biology, 2012, 32, 2099-2109.	1.1	15
116	The retinoblastoma protein (Rb) as an anti-apoptotic factor: expression of Rb is required for the anti-apoptotic function of BAG-1 protein in colorectal tumour cells. Cell Death and Disease, 2012, 3, e408-e408.	2.7	35
117	NF-κB inducing kinase (NIK) modulates melanoma tumorigenesis by regulating expression of pro-survival factors through the β-catenin pathway. Oncogene, 2012, 31, 2580-2592.	2.6	40
118	<i>CDX2</i> is an amplified lineage-survival oncogene in colorectal cancer. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, E3196-205.	3.3	69
119	Castrointestinal Adenocarcinomas of the Esophagus, Stomach, and Colon Exhibit Distinct Patterns of Genome Instability and Oncogenesis. Cancer Research, 2012, 72, 4383-4393.	0.4	242
120	Guidance for Life, Cell Death, and Colorectal Neoplasia by Netrin Dependence Receptors. Advances in Cancer Research, 2012, 114, 87-186.	1.9	5
121	Selective requirement for Mediator MED23 in Ras-active lung cancer. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, E2813-22.	3.3	46
122	Regulation of lipogenesis by cyclin-dependent kinase 8–mediated control of SREBP-1. Journal of Clinical Investigation, 2012, 122, 2417-2427.	3.9	163
123	Cyclin-dependent kinase 8 mediates chemotherapy-induced tumor-promoting paracrine activities. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 13799-13804.	3.3	146
124	Activation of canonical WNT/l²-catenin signaling enhances in vitro motility of glioblastoma cells by activation of ZEB1 and other activators of epithelial-to-mesenchymal transition. Cancer Letters, 2012, 325, 42-53.	3.2	191
125	MED12 Controls the Response to Multiple Cancer Drugs through Regulation of TGF-Î ² Receptor Signaling. Cell, 2012, 151, 937-950.	13.5	371
126	Retroviral Cyclin Enhances Cyclin-Dependent Kinase-8 Activity. Journal of Virology, 2012, 86, 5742-5751.	1.5	7
127	CDK8 inhibitor: Senex's best thing. Science-Business EXchange, 2012, 5, 858-858.	0.0	0
128	Targeting Wnt Pathways in Disease. Cold Spring Harbor Perspectives in Biology, 2012, 4, a008086-a008086.	2.3	93
129	Regulation of RAP1B by miR-139 suppresses human colorectal carcinoma cell proliferation. International Journal of Biochemistry and Cell Biology, 2012, 44, 1465-1472.	1.2	65

#	Article	IF	Citations
130	Unraveling framework of the ancestral Mediator complex in human diseases. Biochimie, 2012, 94, 579-587.	1.3	46
131	Beyond differential expression: the quest for causal mutations and effector molecules. BMC Genomics, 2012, 13, 356.	1.2	93
132	A systems biology approach to the global analysis of transcription factors in colorectal cancer. BMC Cancer, 2012, 12, 331.	1.1	24
133	Cancer core modules identification through genomic and transcriptomic changes correlation detection at network level. BMC Systems Biology, 2012, 6, 64.	3.0	2
134	A role for Mediator complex subunit MED13L in Rb/E2F-induced growth arrest. Oncogene, 2012, 31, 4709-4717.	2.6	24
135	Drugging Wnt signalling in cancer. EMBO Journal, 2012, 31, 2737-2746.	3.5	199
136	Casein kinase I epsilon interacts with mitochondrial proteins for the growth and survival of human ovarian cancer cells. EMBO Molecular Medicine, 2012, 4, 952-963.	3.3	50
137	Transcriptional regulation by coactivators in embryonic stem cells. Trends in Cell Biology, 2012, 22, 292-298.	3.6	22
138	Potential mechanisms underlying the associations between liver enzymes and risk for type 2 diabetes. Hepatology, 2012, 55, 968-970.	3.6	8
139	Cell cycle–related kinase links androgen receptor and β-catenin signaling in hepatocellular carcinoma: Why are men at a loss?. Hepatology, 2012, 55, 970-974.	3.6	19
140	Histone deacetylase inhibition in colorectal cancer cells reveals competing roles for members of the oncogenic miRâ€17â€92 cluster. Molecular Carcinogenesis, 2013, 52, 459-474.	1.3	97
141	Cdks, cyclins and CKIs: roles beyond cell cycle regulation. Development (Cambridge), 2013, 140, 3079-3093.	1.2	1,164
142	An Aberrant Transcription Factor Network Essential for Wnt Signaling and Stem Cell Maintenance in Glioblastoma. Cell Reports, 2013, 3, 1567-1579.	2.9	236
143	Emerging roles of Cdk8 in cell cycle control. Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms, 2013, 1829, 916-920.	0.9	26
144	Genetic Amplification of the NOTCH Modulator LNX2 Upregulates the WNT/ \hat{l}^2 -Catenin Pathway in Colorectal Cancer. Cancer Research, 2013, 73, 2003-2013.	0.4	68
145	Mediator links transcription and DNA repair by facilitating Rad2/XPG recruitment. Genes and Development, 2013, 27, 2549-2562.	2.7	37
146	Physiological β-catenin signaling controls self-renewal networks and generation of stem-like cells from nasopharyngeal carcinoma. BMC Cell Biology, 2013, 14, 44.	3.0	38
147	Structural flexibility and functional interaction of mediator Cdk8 module. Protein and Cell, 2013, 4, 911-920.	4.8	20

Article	IF	CITATIONS
The Mediator complex and transcription regulation. Critical Reviews in Biochemistry and Molecular Biology, 2013, 48, 575-608.	2.3	301
The SCF–Fbw7 ubiquitin ligase degrades MED13 and MED13L and regulates CDK8 module association with Mediator. Genes and Development, 2013, 27, 151-156.	2.7	96
Topoisomerase 1(<i>TOP1</i>) gene copy number in stage III colorectal cancer patients and its relation to prognosis. Molecular Oncology, 2013, 7, 101-111.	2.1	20
Expression profiling of cell cycle genes in human pancreatic islets with and without type 2 diabetes. Molecular and Cellular Endocrinology, 2013, 375, 35-42.	1.6	47
Mediator Complex Dependent Regulation of Cardiac Development and Disease. Genomics, Proteomics and Bioinformatics, 2013, 11, 151-157.	3.0	14
Glucagon-like peptide 2 in colon carcinogenesis: Possible target for anti-cancer therapy?. , 2013, 139, 87-94.		17
The multitalented Mediator complex. Trends in Biochemical Sciences, 2013, 38, 531-537.	3.7	83
CDK8 Kinase Phosphorylates Transcription Factor STAT1 to Selectively Regulate the Interferon Response. Immunity, 2013, 38, 250-262.	6.6	220
Transcriptional Regulation and Its Misregulation in Disease. Cell, 2013, 152, 1237-1251.	13.5	1,205
<i>BCL2A1</i> is a lineage-specific antiapoptotic melanoma oncogene that confers resistance to BRAF inhibition. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 4321-4326.	3.3	200
Dysregulation of the basal RNA polymerase transcription apparatus in cancer. Nature Reviews Cancer, 2013, 13, 299-314.	12.8	187
Baculovirus expression: tackling the complexity challenge. Current Opinion in Structural Biology, 2013, 23, 357-364.	2.6	28
MacroH2A – An epigenetic regulator of cancer. Cancer Letters, 2013, 336, 247-252.	3.2	55
The C. elegans CDK8 Mediator module regulates axon guidance decisions in the ventral nerve cord and during dorsal axon navigation. Developmental Biology, 2013, 377, 385-398.	0.9	13
HIF1A Employs CDK8-Mediator to Stimulate RNAPII Elongation in Response to Hypoxia. Cell, 2013, 153, 1327-1339.	13.5	300
Wogonin induced G1 cell cycle arrest by regulating Wnt/β-catenin signaling pathway and inactivating CDK8 in human colorectal cancer carcinoma cells. Toxicology, 2013, 312, 36-47.	2.0	92
Molecular Pathways Involved in Colorectal Cancer: Implications for Disease Behavior and Prevention. International Journal of Molecular Sciences, 2013, 14, 16365-16385.	1.8	354
<i>Inonotus Obliquus</i> Suppresses Proliferation of Colorectal Cancer Cells and Tumor Growth in Mice Models by Downregulation of β-Catenin/NF-κB-Signaling Pathways. European Journal of Inflammation, 2013, 11, 615-629.	0.2	20
	The Mediator complex and transcription regulation. Citical Reviews in Biochemistry and Molecular Biology, 2013, 48, 575-608. The SCF26"Thw7 ubiquitin ligase degrades MED13 and MED131 and regulates CDK8 module association with Mediator. Genes and Development, 2013, 27, 151-156. Topoisomerase 1(4)-TOP1(1):) gene copy number in stage III colorectal cancer patients and its relation prognosis. Molecular Oncology, 2013, 7, 101-111. Expression profiling of cell cycle genes in human pancreatic islets with and without type 2 diabetes. Molecular and Cellular Endocrinology, 2013, 375, 35-42. Mediator Complex Dependent Regulation of Cardiac Development and Disease. Genomics, Proteomics and Bioinformatics, 2013, 11, 151-157. Clucagon-like peptide 2 in colon carcinogenesis: Possible target for anti-cancer therapy?., 2013, 139, 279-44. CNK8 Kinase Phosphorylates Transcription Factor STAT1 to Selectively Regulate the Interferon Response. Immunity, 2013, 38, 250-262. Transcriptional Regulation and its Misregulation in Disease. Cell, 2013, 152, 1237-1251. CybR8 Kinase Phosphorylates Transcription genes transcription apparatus in cancer. Nature Reviews Cancer, 2013, 13, 239-244. Dysregulation of the basial RNA polymerase transcription apparatus in cancer. Nature Reviews Cancer, 2013, 13, 239-314. Dysregulation of the basial RNA polymerase transcription apparatus in cancer. Nature Reviews Cancer, 2013, 13, 239-314. Disculovirus expression: tackling the complexity challenge. Current Opinion in Structu	Libb Mediator complex and transcription regulation. Critical Reviews in Biochemistry and Molecular 2.3 The SCF4C*Fbw7 ubiquitin ligsace degrades MED13 and MED131 and regulates CDk8 module association 2.7 Topolsomerase If (4) FOP1 (b) gene copy number in stage III colorectal cancer patients and its relation 2.1 Expression profiling of cell cycle genes in human parcreatic islets with and without type 2 diabetes. 1.6 Medicator Complex Dependent Regulation of Cardiac Development and Disease. Genomics, Proteomics 3.0 Glucagon filice peptide 2 in colon carcinogenesis: Possible target for anti-cancer therapy?., 2013, 139, 579-50. 3.7 CbK8 Kinase Phosphorylates Transcription Factor STAT1 to Selectively Regulate the Interferon 6.4 Transcriptional Regulation of the Netropulation in Disease. Cell, 2013, 152, 1237-1251. 3.3 CbK8 Kinase Phosphorylates Transcription Factor STAT1 to Selectively Regulate the Interferon 6.4 Pyregulation of the Netropulation in Disease. Cell, 2013, 152, 1237-1251. 3.3 Dysregulation of the Netropulation in Disease. Cell, 2013, 152, 1237-1251. 3.3 Dysregulation of the Netropulation of Cardiac Development and Disease. Cell, 2013, 152, 1237-1251. 3.3 Dysregulation of the Netropulation in Disease. Cell, 2013, 152, 1237-1251. 3.4 ChS8 Kinase Phosphorylates Transcription apparatus in cancer. Nature Reviews Cancer, 2013, 110, 1313, 299-314.

#	Article	IF	CITATIONS
167	Gastric estradiol-17β (E2) and liver ERα correlate with serum E2 in the cholestatic male rat. Journal of Endocrinology, 2013, 219, 39-49.	1.2	16
168	CDK8 regulates E2F1 transcriptional activity through S375 phosphorylation. Oncogene, 2013, 32, 3520-3530.	2.6	54
169	Structure–kinetic relationship study of CDK8/CycC specific compounds. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 8081-8086.	3.3	115
170	Tumor-suppressive effects of CDK8 in endometrial cancer cells. Cell Cycle, 2013, 12, 987-999.	1.3	39
171	Genomic analysis of diffuse pediatric low-grade gliomas identifies recurrent oncogenic truncating rearrangements in the transcription factor <i>MYBL1</i> . Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 8188-8193.	3.3	188
172	An explorative analysis of ERCC1-19q13 copy number aberrations in a chemonaive stage III colorectal cancer cohort. BMC Cancer, 2013, 13, 489.	1.1	5
173	Silencing of pancreatic adenocarcinoma upregulated factor by RNA interference inhibits the malignant phenotypes of human colorectal cancer cells. Oncology Reports, 2013, 30, 213-220.	1.2	11
174	WNT5A Encodes Two Isoforms with Distinct Functions in Cancers. PLoS ONE, 2013, 8, e80526.	1.1	49
175	Cross-Talk of Phosphorylation and Prolyl Isomerization of the C-terminal Domain of RNA Polymerase II. Molecules, 2014, 19, 1481-1511.	1.7	8
176	MicroRNA-107 promotes proliferation of gastric cancer cells by targeting cyclin dependent kinase 8. Diagnostic Pathology, 2014, 9, 164.	0.9	26
177	Comparative sequencing analysis reveals high genomic concordance between matched primary and metastatic colorectal cancer lesions. Genome Biology, 2014, 15, 454.	3.8	296
178	Recurrent somatic mutations in ACVR1 in pediatric midline high-grade astrocytoma. Nature Genetics, 2014, 46, 462-466.	9.4	381
179	FOXO3a loss is a frequent early event in high-grade pelvic serous carcinogenesis. Oncogene, 2014, 33, 4424-4432.	2.6	29
180	Analysis of Candida albicans Mutants Defective in the Cdk8 Module of Mediator Reveal Links between Metabolism and Biofilm Formation. PLoS Genetics, 2014, 10, e1004567.	1.5	51
181	<i>EGFR</i> Variant Heterogeneity in Glioblastoma Resolved through Single-Nucleus Sequencing. Cancer Discovery, 2014, 4, 956-971.	7.7	251
182	Multilayerâ€omics analysis of renal cell carcinoma, including the whole exome, methylome and transcriptome. International Journal of Cancer, 2014, 135, 1330-1342.	2.3	58
183	Geneâ€dosage dependent overexpression at the 13q amplicon identifies <i>DIS3</i> as candidate oncogene in colorectal cancer progression. Genes Chromosomes and Cancer, 2014, 53, 339-348.	1.5	31
184	Impact of <i>Phytolacca americana</i> Extracts on Gene Expression of Colon Cancer Cells. Phytotherapy Research, 2014, 28, 219-223.	2.8	8

	Сітат	CITATION REPORT	
# 185	ARTICLE An Investigation of the Effects of the Core Protein Telomerase Reverse Transcriptase on Wnt Signaling in Breast Cancer Cells. Molecular and Cellular Biology, 2014, 34, 280-289.	IF 1.1	CITATIONS
186	Optic Nerve Glioma. Ophthalmic Plastic and Reconstructive Surgery, 2014, 30, 372-376.	0.4	8
187	STAT1-S727 - the license to kill. Oncolmmunology, 2014, 3, e955441.	2.1	9
188	All-atomic molecular dynamic studies of human CDK8: Insight into the A-loop, point mutations and binding with its partner CycC. Computational Biology and Chemistry, 2014, 51, 1-11.	1.1	21
189	The two faces of Cdk8, a positive/negative regulator of transcription. Biochimie, 2014, 97, 22-27.	1.3	102
190	Genomic insights into WNT/β-catenin signaling. Trends in Pharmacological Sciences, 2014, 35, 103-109.	4.0	99
191	Involvement of Mediator complex in malignancy. Biochimica Et Biophysica Acta: Reviews on Cancer, 2014, 1845, 66-83.	3.3	67
192	Cyclin C surprises in tumour suppression. Nature Cell Biology, 2014, 16, 1031-1033.	4.6	11
193	Upregulation of mediator MED23 in non-small-cell lung cancer promotes the growth, migration, and metastasis of cancer cells. Tumor Biology, 2014, 35, 12005-12013.	0.8	9
194	Cyclin C is a haploinsufficient tumour suppressor. Nature Cell Biology, 2014, 16, 1080-1091.	4.6	124
195	Integrated exome and transcriptome sequencing reveals ZAK isoform usage in gastric cancer. Nature Communications, 2014, 5, 3830.	5.8	77
196	Oncogenic transformation of diverse gastrointestinal tissues in primary organoid culture. Nature Medicine, 2014, 20, 769-777.	15.2	349
197	Cyclin-dependent Kinase 8 Module Expression Profiling Reveals Requirement of Mediator Subunits 12 and 13 for Transcription of Serpent-dependent Innate Immunity Genes in Drosophila. Journal of Biological Chemistry, 2014, 289, 16252-16261.	1.6	19
198	A Novel CDK9 Inhibitor Shows Potent Antitumor Efficacy in Preclinical Hematologic Tumor Models. Molecular Cancer Therapeutics, 2014, 13, 1442-1456.	1.9	83
199	Mutation analysis of components of the Mediator kinase module in MED12 mutation-negative uterine leiomyomas. British Journal of Cancer, 2014, 110, 2246-2249.	2.9	19
200	Modern Cancer Drug Discovery. , 2014, , 3-53.		8
201	Amplification of MPZL1/PZR promotes tumor cell migration through Src-mediated phosphorylation of cortactin in hepatocellular carcinoma. Cell Research, 2014, 24, 204-217.	5.7	61
203	BET Bromodomain Inhibition Triggers Apoptosis of NF1-Associated Malignant Peripheral Nerve Sheath Tumors through Bim Induction. Cell Reports, 2014, 6, 81-92.	2.9	69

#	Article	IF	CITATIONS
204	The Wnt/Planar Cell Polarity Pathway Component Vangl2 Induces Synapse Formation through Direct Control of N-Cadherin. Cell Reports, 2014, 6, 916-927.	2.9	68
205	Uterine Leiomyoma-Linked MED12 Mutations Disrupt Mediator-Associated CDK Activity. Cell Reports, 2014, 7, 654-660.	2.9	125
206	An integrative analysis of colon cancer identifies an essential function for PRPF6 in tumor growth. Genes and Development, 2014, 28, 1068-1084.	2.7	95
208	Histone variants: emerging players in cancer biology. Cellular and Molecular Life Sciences, 2014, 71, 379-404.	2.4	141
209	Antidepressant fluoxetine and its potential against colon tumors. World Journal of Gastrointestinal Oncology, 2014, 6, 11.	0.8	17
211	Cyclin-dependent kinases. Genome Biology, 2014, 15, 122.	13.9	1,103
212	MED12 methylation by CARM1 sensitizes human breast cancer cells to chemotherapy drugs. Science Advances, 2015, 1, e1500463.	4.7	67
213	MicroRNA-101 is a potential prognostic indicator of laryngeal squamous cell carcinoma and modulates CDK8. Journal of Translational Medicine, 2015, 13, 271.	1.8	43
214	<i>Cdk8</i> deletion in the <i><scp>Apc^{Min}</scp></i> murine tumour model represses <scp>EZH2</scp> activity and accelerates tumourigenesis. Journal of Pathology, 2015, 237, 508-519.	2.1	54
215	Kinase Inhibitors $\hat{a} \in \mathbb{C}$ Targeted Personalized Cancer Therapy. , 2015, , .		0
216	Oncogenic Role of miR-15a-3p in 13q Amplicon-Driven Colorectal Adenoma-to-Carcinoma Progression. PLoS ONE, 2015, 10, e0132495.	1.1	22
218	Ellagic acid regulates Wnt/β-catenin signaling pathway and CDK8 in HCT 116 and HT 29 colon cancer cells. Bangladesh Journal of Pharmacology, 2015, 10, .	0.1	5
219	Common variants at 10p12.31, 10q21.1 and 13q12.13 are associated with sporadic pituitary adenoma. Nature Genetics, 2015, 47, 793-797.	9.4	43
220	CDK8 kinase—An emerging target in targeted cancer therapy. Biochimica Et Biophysica Acta - Proteins and Proteomics, 2015, 1854, 1617-1629.	1.1	56
221	FOXP1 potentiates Wnt/β-catenin signaling in diffuse large B cell lymphoma. Science Signaling, 2015, 8, ra12.	1.6	71
222	Targeting cell cycle regulators in hematologic malignancies. Frontiers in Cell and Developmental Biology, 2015, 3, 16.	1.8	93
223	Ovarian carcinoma CDK12 mutations misregulate expression of DNA repair genes via deficient formation and function of the Cdk12/CycK complex. Nucleic Acids Research, 2015, 43, 2575-2589.	6.5	107
224	Mediator independently orchestrates multiple steps of preinitiation complex assembly <i>in vivo</i> . Nucleic Acids Research, 2015, 43, 9214-9231.	6.5	34

#	Article	IF	CITATIONS
225	Regulators of carcinogenesis: Emerging roles beyond their primary functions. Cancer Letters, 2015, 357, 75-82.	3.2	13
226	The Mediator complex: a central integrator of transcription. Nature Reviews Molecular Cell Biology, 2015, 16, 155-166.	16.1	707
227	Endocrineâ€disrupting potentials of equine estrogens equilin, equilenin, and their metabolites, in the medaka <i>Oryzias latipes</i> : <i>in silico</i> and DNA microarray studies. Journal of Applied Toxicology, 2015, 35, 1040-1048.	1.4	8
228	The Candidate Cancer Gene Database: a database of cancer driver genes from forward genetic screens in mice. Nucleic Acids Research, 2015, 43, D844-D848.	6.5	109
229	The history and future of targeting cyclin-dependent kinases in cancer therapy. Nature Reviews Drug Discovery, 2015, 14, 130-146.	21.5	1,316
230	Fine-Tuning of Histone H3 Lys4 Methylation During Pseudohyphal Differentiation by the CDK Submodule of RNA Polymerase II. Genetics, 2015, 199, 435-453.	1.2	19
231	The Mediator complex of Caenorhabditis elegans: insights into the developmental and physiological roles of a conserved transcriptional coregulator. Nucleic Acids Research, 2015, 43, 2442-2453.	6.5	39
232	Targeting phospholipase D1 attenuates intestinal tumorigenesis by controlling β-catenin signaling in cancer-initiating cells. Journal of Experimental Medicine, 2015, 212, 1219-1237.	4.2	47
233	Cyclin-Dependent Kinase Inhibitors as Anticancer Therapeutics. Molecular Pharmacology, 2015, 88, 846-852.	1.0	79
234	Targeting Cyclin-Dependent Kinases in Human Cancers: From Small Molecules to Peptide Inhibitors. Cancers, 2015, 7, 179-237.	1.7	257
235	Mediator complex cooperatively regulates transcription of retinoic acid target genes with Polycomb Repressive Complex 2 during neuronal differentiation. Journal of Biochemistry, 2015, 158, 373-384.	0.9	19
236	MED12 and uterine smooth muscle oncogenesis: State of the art and perspectives. European Journal of Cancer, 2015, 51, 1603-1610.	1.3	54
237	An integrated suite of modeling tools that empower scientists in structure- and property-based drug design. Journal of Computer-Aided Molecular Design, 2015, 29, 511-523.	1.3	19
238	Next Generation Sequencing in Cancer Research, Volume 2. , 2015, , .		4
239	Skp2–MacroH2A1–CDK8 axis orchestrates G2/M transition and tumorigenesis. Nature Communications, 2015, 6, 6641.	5.8	87
240	Genome-wide identification of phospho-regulators of Wnt signaling in <i>Drosophila</i> . Development (Cambridge), 2015, 142, 1502-1515.	1.2	28
241	Clinical implementation of integrated whole-genome copy number and mutation profiling for glioblastoma. Neuro-Oncology, 2015, 17, 1344-1355.	0.6	40
242	Mediator kinase inhibition further activates super-enhancer-associated genes in AML. Nature, 2015, 526, 273-276.	13.7	307

#	Article	IF	CITATIONS
243	Retroviral Cyclin Controls Cyclin-Dependent Kinase 8-Mediated Transcription Elongation and Reinitiation. Journal of Virology, 2015, 89, 5450-5461.	1.5	9
244	Downregulation of CDK-8 inhibits colon cancer hepatic metastasis by regulating Wnt/β-catenin pathway. Biomedicine and Pharmacotherapy, 2015, 74, 153-157.	2.5	21
245	A selective chemical probe for exploring the role of CDK8 and CDK19 in human disease. Nature Chemical Biology, 2015, 11, 973-980.	3.9	114
246	Patterns of Chromosomal Aberrations in Solid Tumors. Recent Results in Cancer Research, 2015, 200, 115-142.	1.8	44
247	Mutated K-ras activates CDK8 to stimulate the epithelial-to-mesenchymal transition in pancreatic cancer in part via the Wnt/β-catenin signaling pathway. Cancer Letters, 2015, 356, 613-627.	3.2	115
248	Signaling pathways in anchoring junctions of epithelial cells: cell-to-cell and cell-to-extracellular matrix interactions. Journal of Receptor and Signal Transduction Research, 2015, 35, 67-75.	1.3	12
249	The emerging roles and therapeutic potential of cyclin-dependent kinase 11 (CDK11) in human cancer. Oncotarget, 2016, 7, 40846-40859.	0.8	61
250	Retroviruses of Fish. , 2016, , 193-204.		1
251	Assessing the mechanism and therapeutic potential of modulators of the human Mediator complex-associated protein kinases. ELife, 2016, 5, .	2.8	69
252	Targeting NK Cells for Anticancer Immunotherapy: Clinical and Preclinical Approaches. Frontiers in Immunology, 2016, 7, 152.	2.2	80
253	Inverse Association Between Cancer and Dementia. Alzheimer Disease and Associated Disorders, 2016, 30, 118-122.	0.6	18
254	All <i>Trans</i> -Retinoic Acid Mediates MED28/HMG Box-Containing Protein 1 (HBP1)/β-Catenin Signaling in Human Colorectal Cancer Cells. Journal of Cellular Physiology, 2016, 231, 1796-1803.	2.0	11
255	A Computational Protein Phenotype Prediction Approach to Analyze the Deleterious Mutations of Human MED12 Gene. Journal of Cellular Biochemistry, 2016, 117, 2023-2035.	1.2	27
256	H19 Noncoding RNA, an Independent Prognostic Factor, Regulates Essential Rb-E2F and CDK8-β-Catenin Signaling in Colorectal Cancer. EBioMedicine, 2016, 13, 113-124.	2.7	106
257	Identification of cancer-driver genes in focal genomic alterations from whole genome sequencing data. Scientific Reports, 2016, 6, 25582.	1.6	4
258	OncoScape: Exploring the cancer aberration landscape by genomic data fusion. Scientific Reports, 2016, 6, 28103.	1.6	10
259	2,8-Disubstituted-1,6-Naphthyridines and 4,6-Disubstituted-Isoquinolines with Potent, Selective Affinity for CDK8/19. ACS Medicinal Chemistry Letters, 2016, 7, 573-578.	1.3	39
260	Treating cancer with selective CDK4/6 inhibitors. Nature Reviews Clinical Oncology, 2016, 13, 417-430.	12.5	806

#	Article	IF	CITATIONS
261	Pro-apoptotic activity against cancer stem cells differs between different parts of sweet sorghum. Journal of Functional Foods, 2016, 23, 601-613.	1.6	6
262	Design and Development of a Series of Potent and Selective Type II Inhibitors of CDK8. ACS Medicinal Chemistry Letters, 2016, 7, 595-600.	1.3	44
263	Defining the essential function of FBP/KSRP proteins: <i>Drosophila</i> Psi interacts with the mediator complex to modulate <i>MYC</i> transcription and tissue growth. Nucleic Acids Research, 2016, 44, 7646-7658.	6.5	16
264	Identification of Mediator Kinase Substrates in Human Cells using Cortistatin A and Quantitative Phosphoproteomics. Cell Reports, 2016, 15, 436-450.	2.9	117
265	Characterizing genomic alterations in cancer by complementary functional associations. Nature Biotechnology, 2016, 34, 539-546.	9.4	78
266	Reduced-representation Phosphosignatures Measured by Quantitative Targeted MS Capture Cellular States and Enable Large-scale Comparison of Drug-induced Phenotypes. Molecular and Cellular Proteomics, 2016, 15, 1622-1641.	2.5	92
267	Structure-Based Optimization of Potent, Selective, and Orally Bioavailable CDK8 Inhibitors Discovered by High-Throughput Screening. Journal of Medicinal Chemistry, 2016, 59, 9337-9349.	2.9	86
268	Investigational drugs targeting cyclin-dependent kinases for the treatment of cancer: an update on recent findings (2013-2016). Expert Opinion on Investigational Drugs, 2016, 25, 1215-1230.	1.9	24
269	Multi-omics "upstream analysis―of regulatory genomic regions helps identifying targets against methotrexate resistance of colon cancer. EuPA Open Proteomics, 2016, 13, 1-13.	2.5	31
270	Recent progress of cyclin-dependent kinase inhibitors as potential anticancer agents. Future Medicinal Chemistry, 2016, 8, 2047-2076.	1.1	10
271	A Prospective Evaluation of Circulating Tumor Cells and Cell-Free DNA in <i>EGFR</i> -Mutant Non–Small Cell Lung Cancer Patients Treated with Erlotinib on a Phase II Trial. Clinical Cancer Research, 2016, 22, 6010-6020.	3.2	100
272	Discovery of potent and selective CDK8 inhibitors from an HSP90 pharmacophore. Bioorganic and Medicinal Chemistry Letters, 2016, 26, 1443-1451.	1.0	34
273	Discovery of Potent, Selective, and Orally Bioavailable Small-Molecule Modulators of the Mediator Complex-Associated Kinases CDK8 and CDK19. Journal of Medicinal Chemistry, 2016, 59, 1078-1101.	2.9	89
274	The roles and therapeutic potential of cyclin-dependent kinases (CDKs) in sarcoma. Cancer and Metastasis Reviews, 2016, 35, 151-163.	2.7	33
275	Evolution of disorder in Mediator complex and its functional relevance. Nucleic Acids Research, 2016, 44, 1591-1612.	6.5	55
276	Cyclin-dependent protein kinase inhibitors including palbociclib as anticancer drugs. Pharmacological Research, 2016, 107, 249-275.	3.1	179
277	MYB-QKI rearrangements in angiocentric glioma drive tumorigenicity through a tripartite mechanism. Nature Genetics, 2016, 48, 273-282.	9.4	214
278	The Mediator Kinase Module Restrains Epidermal Growth Factor Receptor Signaling and Represses Vulval Cell Fate Specification in <i>Caenorhabditis elegans</i> . Genetics, 2016, 202, 583-599.	1.2	19

#	Article	IF	Citations
279	Less is more (or less). Nature Chemical Biology, 2016, 12, 4-5.	3.9	7
280	Development of a Potent, Specific CDK8 Kinase Inhibitor Which Phenocopies CDK8/19 Knockout Cells. ACS Medicinal Chemistry Letters, 2016, 7, 223-228.	1.3	73
281	The MAP3K ZAK, a novel modulator of ERK-dependent migration, is upregulated in colorectal cancer. Oncogene, 2016, 35, 3190-3200.	2.6	28
282	Molecular signalling pathways in canine gliomas. Veterinary and Comparative Oncology, 2017, 15, 133-150.	0.8	34
283	Aberrant expression of CDK8 regulates the malignant phenotype and associated with poor prognosis in human laryngeal squamous cell carcinoma. European Archives of Oto-Rhino-Laryngology, 2017, 274, 2205-2213.	0.8	12
284	Design and synthesis of selective CDK8/19 dual inhibitors: Discovery of 4,5-dihydrothieno[3′,4′:3,4]benzo[1,2- d]isothiazole derivatives. Bioorganic and Medicinal Chemistry, 2017, 25, 2336-2350.	1.4	30
285	The CDK8 Complex and Proneural Proteins Together Drive Neurogenesis from a Mesodermal Lineage. Current Biology, 2017, 27, 661-672.	1.8	18
286	Inhibitors of cyclin-dependent kinases as cancer therapeutics. , 2017, 173, 83-105.		278
287	Discovery of novel CDK8 inhibitors using multiple crystal structures in docking-based virtual screening. European Journal of Medicinal Chemistry, 2017, 129, 275-286.	2.6	27
288	In Search of Novel CDK8 Inhibitors by Virtual Screening. Journal of Chemical Information and Modeling, 2017, 57, 413-416.	2.5	17
289	A Kinase-Independent Role for Cyclin-Dependent Kinase 19 in p53 Response. Molecular and Cellular Biology, 2017, 37, .	1.1	57
290	Early detection: the impact of genomics. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2017, 471, 165-173.	1.4	10
291	Controlled in-cell activation of RNA therapeutics using bond-cleaving bio-orthogonal chemistry. Chemical Science, 2017, 8, 5705-5712.	3.7	30
292	Studies of CDK 8/19 inhibitors: Discovery of novel and selective CDK8/19 dual inhibitors and elimination of their CYP3A4 time-dependent inhibition potential. Bioorganic and Medicinal Chemistry, 2017, 25, 3018-3033.	1.4	16
293	Associations between genetic variants in mRNA splicing-related genes and risk of lung cancer: a pathway-based analysis from published GWASs. Scientific Reports, 2017, 7, 44634.	1.6	10
294	Clinical relevance of colorectal cancer molecular subtypes. Critical Reviews in Oncology/Hematology, 2017, 109, 9-19.	2.0	109
295	Search for Master Regulators in Walking Cancer Pathways. Methods in Molecular Biology, 2017, 1613, 161-191.	0.4	4
296	CDK8/19 Mediator kinases potentiate induction of transcription by NFκB. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 10208-10213.	3.3	89

#	Article	IF	CITATIONS
297	Structural insights of cyclin dependent kinases: Implications in design of selective inhibitors. European Journal of Medicinal Chemistry, 2017, 142, 424-458.	2.6	56
298	Discovery of potent and selective CDK8 inhibitors through FBDD approach. Bioorganic and Medicinal Chemistry Letters, 2017, 27, 4488-4492.	1.0	24
299	<i><scp>MED</scp>12</i> mutations and <scp>NOTCH</scp> signalling in chronic lymphocytic leukaemia. British Journal of Haematology, 2017, 179, 421-429.	1.2	29
300	The Mediator Complex: At the Nexus of RNA Polymerase II Transcription. Trends in Cell Biology, 2017, 27, 765-783.	3.6	158
301	CDK8 Kinase Activity Promotes Glycolysis. Cell Reports, 2017, 21, 1495-1506.	2.9	67
302	Phospholipase D1 Acts through Akt/TopBP1 and RB1 to Regulate the E2F1-Dependent Apoptotic Program in Cancer Cells. Cancer Research, 2017, 77, 142-152.	0.4	26
303	A CDK2 activity signature predicts outcome in CDK2-low cancers. Oncogene, 2017, 36, 2491-2502.	2.6	32
304	Pan-Cancer Analysis of the Mediator Complex Transcriptome Identifies CDK19 and CDK8 as Therapeutic Targets in Advanced Prostate Cancer. Clinical Cancer Research, 2017, 23, 1829-1840.	3.2	74
305	Landscape of Genomic Alterations in Pituitary Adenomas. Clinical Cancer Research, 2017, 23, 1841-1851.	3.2	94
306	CDKL1 promotes tumor proliferation and invasion in colorectal cancer. OncoTargets and Therapy, 2017, Volume 10, 1613-1624.	1.0	13
307	To Wnt or Lose: The Missing Non-Coding Linc in Colorectal Cancer. International Journal of Molecular Sciences, 2017, 18, 2003.	1.8	48
308	Mediator Complex Subunit MED1 Protein Expression Is Decreased during Bladder Cancer Progression. Frontiers in Medicine, 2017, 4, 30.	1.2	13
309	Synergistic interactions with PI3K inhibition that induce apoptosis. ELife, 2017, 6, .	2.8	25
310	Controlling the Master: Chromatin Dynamics at the MYC Promoter Integrate Developmental Signaling. Genes, 2017, 8, 118.	1.0	25
311	Wnt3a expression is associated with poor prognosis of esophageal squamous cell carcinoma. Oncology Letters, 2017, 15, 3100-3108.	0.8	9
312	The regulation of β-catenin activity and function in cancer: therapeutic opportunities. Oncotarget, 2017, 8, 33972-33989.	0.8	465
313	Inhibition of CDK8 mediator kinase suppresses estrogen dependent transcription and the growth of estrogen receptor positive breast cancer. Oncotarget, 2017, 8, 12558-12575.	0.8	92
314	Depletion of Mediator Kinase Module Subunits Represses Superenhancer-Associated Genes in Colon Cancer Cells. Molecular and Cellular Biology, 2018, 38, .	1.1	18

#	Article	IF	CITATIONS
315	Nonâ€Cell Cycle Functions of the CDK Network in Ciliogenesis: Recycling the Cell Cycle Oscillator. BioEssays, 2018, 40, e1800016.	1.2	11
316	MicroRNA-26a is a key regulon that inhibits progression and metastasis of c-Myc/EZH2 double high advanced hepatocellular carcinoma. Cancer Letters, 2018, 426, 98-108.	3.2	45
317	Mixed lineage kinase ZAK promotes epithelial–mesenchymal transition in cancer progression. Cell Death and Disease, 2018, 9, 143.	2.7	16
318	NK Cell–Specific CDK8 Deletion Enhances Antitumor Responses. Cancer Immunology Research, 2018, 6, 458-466.	1.6	40
319	Cyclin-Dependent Kinase 8: A New Hope in Targeted Cancer Therapy?. Journal of Medicinal Chemistry, 2018, 61, 5073-5092.	2.9	79
320	Adenocarcinoma and polyposis of the colon in a 20-year-old patient with Trisomy 13: a case report. Journal of Medical Case Reports, 2018, 12, 56.	0.4	1
322	Resistance Mechanisms to Cyclin-Dependent Kinase Inhibitors. Resistance To Targeted Anti-cancer Therapeutics, 2018, , 181-210.	0.1	3
323	Clinical, pathologic, cytogenetic, and molecular profiling in self-identified black women with uterine leiomyomata. Cancer Genetics, 2018, 222-223, 1-8.	0.2	12
324	Development of Highly Potent and Selective Steroidal Inhibitors and Degraders of CDK8. ACS Medicinal Chemistry Letters, 2018, 9, 540-545.	1.3	67
325	Grain and sweet sorghum (<i>Sorghum bicolor</i> L. Moench) serves as a novel source of bioactive compounds for human health. Critical Reviews in Food Science and Nutrition, 2018, 58, 2867-2881.	5.4	58
326	Therapeutic potential of Mediator complex subunits in metabolic diseases. Biochimie, 2018, 144, 41-49.	1.3	14
327	CDK8 Expression in Extrauterine Leiomyosarcoma Correlates With Tumor Stage and Progression. Applied Immunohistochemistry and Molecular Morphology, 2018, 26, 161-164.	0.6	3
328	Transcription regulation by the Mediator complex. Nature Reviews Molecular Cell Biology, 2018, 19, 262-274.	16.1	398
329	MicroRNA-770 affects proliferation and cell cycle transition by directly targeting CDK8 in glioma. Cancer Cell International, 2018, 18, 195.	1.8	20
330	Emerging paradigms in the treatment of liver metastases in colorectal cancer. Critical Reviews in Oncology/Hematology, 2018, 132, 39-50.	2.0	22
331	The Emerging Role of Cyclin-Dependent Kinases (CDKs) in Pancreatic Ductal Adenocarcinoma. International Journal of Molecular Sciences, 2018, 19, 3219.	1.8	60
332	CDK8 Selectively Promotes the Growth of Colon Cancer Metastases in the Liver by Regulating Gene Expression of TIMP3 and Matrix Metalloproteinases. Cancer Research, 2018, 78, 6594-6606.	0.4	65
333	An insight into the emerging role of cyclin-dependent kinase inhibitors as potential therapeutic agents for the treatment of advanced cancers. Biomedicine and Pharmacotherapy, 2018, 107, 1326-1341.	2.5	74

#	Article	IF	CITATIONS
334	Mediator kinase CDK8/CDK19 drives YAP1-dependent BMP4-induced EMT in cancer. Oncogene, 2018, 37, 4792-4808.	2.6	49
335	CDK8 regulates the angiogenesis of pancreatic cancer cells in part via the CDK8-β-catenin-KLF2 signal axis. Experimental Cell Research, 2018, 369, 304-315.	1.2	22
336	Zyxin promotes colon cancer tumorigenesis in a mitotic phosphorylation-dependent manner and through CDK8-mediated YAP activation. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E6760-E6769.	3.3	34
337	Integrative analysis of oncogenic fusion genes and their functional impact in colorectal cancer. British Journal of Cancer, 2018, 119, 230-240.	2.9	27
338	βâ€catenin regulates IRF3â€mediated innate immune signalling in colorectal cancer. Cell Proliferation, 2018, 51, e12464.	2.4	17
339	Multipronged activity of combinatorial miR-143 and miR-506 inhibits Lung Cancer cell cycle progression and angiogenesis in vitro. Scientific Reports, 2018, 8, 10495.	1.6	25
340	Chemical and Biological Sensing Using Hybridization Chain Reaction. ACS Sensors, 2018, 3, 878-902.	4.0	70
341	Recent advances in CDK inhibitors for cancer therapy. Future Medicinal Chemistry, 2018, 10, 1369-1388.	1.1	35
342	Recent Advances in the Development of Indazoleâ€based Anticancer Agents. ChemMedChem, 2018, 13, 1490-1507.	1.6	101
343	Identifying Cancers Impacted by CDK8/19. Cells, 2019, 8, 821.	1.8	31
343 344	Identifying Cancers Impacted by CDK8/19. Cells, 2019, 8, 821. The landscape of genomic copy number alterations in colorectal cancer and their consequences on gene expression levels and disease outcome. Molecular Aspects of Medicine, 2019, 69, 48-61.	1.8 2.7	31 40
	The landscape of genomic copy number alterations in colorectal cancer and their consequences on		
344	The landscape of genomic copy number alterations in colorectal cancer and their consequences on gene expression levels and disease outcome. Molecular Aspects of Medicine, 2019, 69, 48-61.	2.7	40
344 345	The landscape of genomic copy number alterations in colorectal cancer and their consequences on gene expression levels and disease outcome. Molecular Aspects of Medicine, 2019, 69, 48-61. CDK8-Novel Therapeutic Opportunities. Pharmaceuticals, 2019, 12, 92.	2.7 1.7	40 29
344 345 346	The landscape of genomic copy number alterations in colorectal cancer and their consequences on gene expression levels and disease outcome. Molecular Aspects of Medicine, 2019, 69, 48-61. CDK8-Novel Therapeutic Opportunities. Pharmaceuticals, 2019, 12, 92. A kinase-independent role for CDK8 in BCR-ABL1+ leukemia. Nature Communications, 2019, 10, 4741. Transcriptional activation of CBFÎ ² by CDK11p110 is necessary to promote osteosarcoma cell	2.7 1.7 5.8	40 29 33
344 345 346 347	The landscape of genomic copy number alterations in colorectal cancer and their consequences on gene expression levels and disease outcome. Molecular Aspects of Medicine, 2019, 69, 48-61. CDK8-Novel Therapeutic Opportunities. Pharmaceuticals, 2019, 12, 92. A kinase-independent role for CDK8 in BCR-ABL1+ leukemia. Nature Communications, 2019, 10, 4741. Transcriptional activation of CBFÎ ² by CDK11p110 is necessary to promote osteosarcoma cell proliferation. Cell Communication and Signaling, 2019, 17, 125. N6-methyladenosine modification of circNSUN2 facilitates cytoplasmic export and stabilizes HMGA2 to	2.7 1.7 5.8 2.7	40 29 33 8
344 345 346 347 348	The landscape of genomic copy number alterations in colorectal cancer and their consequences on gene expression levels and disease outcome. Molecular Aspects of Medicine, 2019, 69, 48-61. CDK8-Novel Therapeutic Opportunities. Pharmaceuticals, 2019, 12, 92. A kinase-independent role for CDK8 in BCR-ABL1+ leukemia. Nature Communications, 2019, 10, 4741. Transcriptional activation of CBFÎ ² by CDK11p110 is necessary to promote osteosarcoma cell proliferation. Cell Communication and Signaling, 2019, 17, 125. N6-methyladenosine modification of circNSUN2 facilitates cytoplasmic export and stabilizes HMGA2 to promote colorectal liver metastasis. Nature Communications, 2019, 10, 4695. Mouse Model of Congenital Heart Defects, Dysmorphic Facial Features and Intellectual Developmental Disorders as a Result of Non-functional CDK13. Frontiers in Cell and Developmental Biology, 2019, 7,	2.7 1.7 5.8 2.7 5.8	40 29 33 8 418

#	Article	IF	CITATIONS
352	The Drosophila Model in Cancer. Advances in Experimental Medicine and Biology, 2019, , .	0.8	4
353	Inhibition of Cdk8/Cdk19 Activity Promotes Treg Cell Differentiation and Suppresses Autoimmune Diseases. Frontiers in Immunology, 2019, 10, 1988.	2.2	25
354	Characterizing CDK8/19 Inhibitors through a NFκB-Dependent Cell-Based Assay. Cells, 2019, 8, 1208.	1.8	11
355	Sine oculis homeobox 1 promotes proliferation and migration of human colorectal cancer cells through activation of Wnt/ $\hat{l}^2 \hat{a} \in c$ atenin signaling. Cancer Science, 2019, 110, 608-616.	1.7	16
356	Loss of whole chromosome X predicts prognosis of neuroblastoma patients with numerical genomic profile. Pediatric Blood and Cancer, 2019, 66, e27635.	0.8	9
357	Molecular and in vivo Functions of the CDK8 and CDK19 Kinase Modules. Frontiers in Cell and Developmental Biology, 2018, 6, 171.	1.8	56
358	The potential therapeutic actions of melatonin in colorectal cancer. Hormone Molecular Biology and Clinical Investigation, 2019, 39, .	0.3	9
359	Role of transcription-regulating kinase CDK8 in colon cancer metastasis. Oncotarget, 2019, 10, 622-623.	0.8	6
360	Cyclin C Regulated Oxidative Stress Responsive Transcriptome in <i>Mus musculus</i> Embryonic Fibroblasts. G3: Genes, Genomes, Genetics, 2019, 9, 1901-1908.	0.8	13
361	Perturbing Enhancer Activity in Cancer Therapy. Cancers, 2019, 11, 634.	1.7	14
362	Macro Histone Variants: Emerging Rheostats of Gastrointestinal Cancers. Cancers, 2019, 11, 676.	1.7	16
363	Cyclin-dependent Kinase 18 Promotes Oligodendrocyte Precursor Cell Differentiation through Activating the Extracellular Signal-Regulated Kinase Signaling Pathway. Neuroscience Bulletin, 2019, 35, 802-814.	1.5	9
364	De Novo Missense Substitutions in the Gene Encoding CDK8, a Regulator of the Mediator Complex, Cause a Syndromic Developmental Disorder. American Journal of Human Genetics, 2019, 104, 709-720.	2.6	41
365	Comparable Genomic Copy Number Aberrations Differ across Astrocytoma Malignancy Grades. International Journal of Molecular Sciences, 2019, 20, 1251.	1.8	14
366	Targeting transcriptional machinery to inhibit enhancer-driven gene expression in heart failure. Heart Failure Reviews, 2019, 24, 725-741.	1.7	6
367	miR-152-3p Modulates hepatic carcinogenesis by targeting cyclin-dependent kinase 8. Pathology Research and Practice, 2019, 215, 152406.	1.0	22
368	Cyclinâ€dependent kinase 8/19 inhibition suppresses osteoclastogenesis by downregulating RANK and promotes osteoblast mineralization and cancellous bone healing. Journal of Cellular Physiology, 2019, 234, 16503-16516.	2.0	16
369	PROTACs: great opportunities for academia and industry. Signal Transduction and Targeted Therapy, 2019, 4, 64.	7.1	367

	CHAIR	JN REPORT	
#	Article	IF	CITATIONS
370	Synergistic repression of thyroid hyperplasia by cyclin C and Pten. Journal of Cell Science, 2019, 132, .	1.2	9
371	Regulatory functions of the Mediator kinases CDK8 and CDK19. Transcription, 2019, 10, 76-90.	1.7	79
372	Shape-based virtual screen for the discovery of novel CDK8 inhibitor chemotypes. Bioorganic and Medicinal Chemistry Letters, 2019, 29, 549-555.	1.0	8
373	CDK8 as a therapeutic target for cancers and recent developments in discovery of CDK8 inhibitors. European Journal of Medicinal Chemistry, 2019, 164, 77-91.	2.6	49
374	Therapeutic targeting of transcriptional cyclin-dependent kinases. Transcription, 2019, 10, 118-136.	1.7	78
376	Cyclin C: The Story of a Non-Cycling Cyclin. Biology, 2019, 8, 3.	1.3	28
377	Stage-Dependent Gene Expression Profiling in Colorectal Cancer. IEEE/ACM Transactions on Computational Biology and Bioinformatics, 2019, 16, 1685-1692.	1.9	7
378	The Mediator complex and the role of protein-protein interactions in the gene regulation machinery. Seminars in Cell and Developmental Biology, 2020, 99, 20-30.	2.3	8
379	Increased mediator complex subunit CDK19 expression associates with aggressive prostate cancer. International Journal of Cancer, 2020, 146, 577-588.	2.3	23
380	Defining the "Metastasome†Perspectives from the genome and molecular landscape in colorectal cancer for metastasis evolution and clinical consequences. Seminars in Cancer Biology, 2020, 60, 1-13.	4.3	20
382	Genome-Scale Metabolic Modeling with Protein Expressions of Normal and Cancerous Colorectal Tissues for Oncogene Inference. Metabolites, 2020, 10, 16.	1.3	16
383	Pathogenesis of CDK8-associated disorder: two patients with novel CDK8 variants and in vitro and in vivo functional analyses of the variants. Scientific Reports, 2020, 10, 17575.	1.6	7
384	Genes regulating membrane-associated E-cadherin and proliferation in adenomatous polyposis coli mutant colon cancer cells: High content siRNA screen. PLoS ONE, 2020, 15, e0240746.	1.1	6
385	Transcriptional Regulation of Wnt/ \hat{l}^2 -Catenin Pathway in Colorectal Cancer. Cells, 2020, 9, 2125.	1.8	131
386	Cancer biology functional genomics: From small RNAs to big dreams. Molecular Carcinogenesis, 2020, 59, 1343-1361.	1.3	6
387	A comprehensive insight on the recent development of Cyclic Dependent Kinase inhibitors as anticancer agents. European Journal of Medicinal Chemistry, 2020, 203, 112571.	2.6	34
388	Mediator's Kinase Module: A Modular Regulator of Cell Fate. Stem Cells and Development, 2020, 29, 1535-1551.	1.1	6
389	Steroid receptorâ€associated and regulated protein is a biomarker in predicting the clinical outcome and treatment response in malignancies. Cancer Reports, 2020, 3, e1267.	0.6	2

#	Article	IF	CITATIONS
390	Molecular modeling studies of novel naphthyridine and isoquinoline derivatives as CDK8 inhibitors. Journal of Biomolecular Structure and Dynamics, 2020, 39, 1-15.	2.0	1
391	CDK19 as a Potential HPV-Independent Biomarker for Recurrent Disease in HNSCC. International Journal of Molecular Sciences, 2020, 21, 5508.	1.8	6
392	Genetic markers and phosphoprotein forms of beta-catenin pβ-Cat552 and pβ-Cat675 are prognostic biomarkers of cervical cancer. EBioMedicine, 2020, 61, 103049.	2.7	10
393	All-Atomic Molecular Dynamic Studies of Human and Drosophila CDK8: Insights into Their Kinase Domains, the LXXLL Motifs, and Drug Binding Site. International Journal of Molecular Sciences, 2020, 21, 7511.	1.8	6
394	The extent of cyclin C promoter occupancy directs changes in stress-dependent transcription. Journal of Biological Chemistry, 2020, 295, 16280-16291.	1.6	6
395	<p>Circ_0005576 Promotes Malignant Progression Through miR-874/CDK8 Axis in Colorectal Cancer</p> . OncoTargets and Therapy, 2020, Volume 13, 7793-7805.	1.0	11
396	CircRNA-1926 Promotes the Differentiation of Goat SHF Stem Cells into Hair Follicle Lineage by miR-148a/b-3p/CDK19 Axis. Animals, 2020, 10, 1552.	1.0	16
397	Pharmacological Inhibition of CDK8 in Triple-Negative Breast Cancer Cell Line MDA-MB-468 Increases E2F1 Protein, Induces Phosphorylation of STAT3 and Apoptosis. Molecules, 2020, 25, 5728.	1.7	6
398	Rebelled epigenome: histone H3S10 phosphorylation and H3S10 kinases in cancer biology and therapy. Clinical Epigenetics, 2020, 12, 147.	1.8	49
399	De Novo Variants in CDK19 Are Associated with a Syndrome Involving Intellectual Disability and Epileptic Encephalopathy. American Journal of Human Genetics, 2020, 106, 717-725.	2.6	23
400	Selective and Potent CDK8/19 Inhibitors Enhance NK-Cell Activity and Promote Tumor Surveillance. Molecular Cancer Therapeutics, 2020, 19, 1018-1030.	1.9	33
401	Expression and Prognostic Significance of CDK8 and β-Catenin in Hepatocellular Carcinoma. In Vivo, 2020, 34, 1387-1394.	0.6	5
402	Quantifying CDK inhibitor selectivity in live cells. Nature Communications, 2020, 11, 2743.	5.8	64
403	The Mediator CDK8-Cyclin C complex modulates Dpp signaling in Drosophila by stimulating Mad-dependent transcription. PLoS Genetics, 2020, 16, e1008832.	1.5	8
404	Antagonizing CDK8 Sensitizes Colorectal Cancer to Radiation Through Potentiating the Transcription of e2f1 Target Gene apaf1. Frontiers in Cell and Developmental Biology, 2020, 8, 408.	1.8	14
405	Pyrido[2,3-b][1,5]benzoxazepin-5(6H)-one derivatives as CDK8 inhibitors. European Journal of Medicinal Chemistry, 2020, 201, 112443.	2.6	7
406	A Novel SS18-SSX Fusion-specific Antibody for the Diagnosis of Synovial Sarcoma. American Journal of Surgical Pathology, 2020, 44, 922-933.	2.1	131
407	Cyclin-Dependent Kinases 8 and 19 Regulate Host Cell Metabolism during Dengue Virus Serotype 2 Infection. Viruses, 2020, 12, 654.	1.5	7

#	Article	IF	Citations
408	The Roles of Cyclin-Dependent Kinases in Cell-Cycle Progression and Therapeutic Strategies in Human Breast Cancer. International Journal of Molecular Sciences, 2020, 21, 1960.	1.8	270
409	A General Approach to Stereospecific Cross-Coupling Reactions of Nitrogen-Containing Stereocenters. CheM, 2020, 6, 781-791.	5.8	13
410	Novel Insights into Pituitary Tumorigenesis: Genetic and Epigenetic Mechanisms. Endocrine Reviews, 2020, 41, 821-846.	8.9	61
411	Transcription-Associated Cyclin-Dependent Kinases as Targets and Biomarkers for Cancer Therapy. Cancer Discovery, 2020, 10, 351-370.	7.7	162
412	Long non-coding RNA DLGAP1-AS1 facilitates tumorigenesis and epithelial–mesenchymal transition in hepatocellular carcinoma via the feedback loop of miR-26a/b-5p/IL-6/JAK2/STAT3 and Wnt/β-catenin pathway. Cell Death and Disease, 2020, 11, 34.	2.7	69
413	Binding patterns and structure–activity relationship of CDK8 inhibitors. Bioorganic Chemistry, 2020, 96, 103624.	2.0	6
414	A precisely positioned MED12 activation helix stimulates CDK8 kinase activity. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 2894-2905.	3.3	47
415	New CDK8 inhibitors as potential anti-leukemic agents – Design, synthesis and biological evaluation. Bioorganic and Medicinal Chemistry, 2020, 28, 115461.	1.4	20
416	USP44 suppresses proliferation and enhances apoptosis in colorectal cancer cells by inactivating the Wnt/β atenin pathway via Axin1 deubiquitination. Cell Biology International, 2020, 44, 1651-1659.	1.4	27
417	Unique microRNA alterations in hepatocellular carcinomas arising either spontaneously or due to chronic exposure to Ginkgo biloba extract (GBE) in B6C3F1/N mice. Archives of Toxicology, 2020, 94, 2523-2541.	1.9	5
418	Insights into the regulatory role and clinical relevance of mediator subunit, MED12, in human diseases. Journal of Cellular Physiology, 2021, 236, 3163-3177.	2.0	16
419	Angel or Devil ? - CDK8 as the new drug target. European Journal of Medicinal Chemistry, 2021, 213, 113043.	2.6	15
420	The WNT/βâ€catenin dependent transcription: A tissueâ€specific business. WIREs Mechanisms of Disease, 2021, 13, e1511.	1.5	52
421	The kinase module of the Mediator complex: an important signalling processor for the development and survival of plants. Journal of Experimental Botany, 2021, 72, 224-240.	2.4	15
422	The Inhibition of CDK8/19 Mediator Kinases Prevents the Development of Resistance to EGFR-Targeting Drugs. Cells, 2021, 10, 144.	1.8	16
423	Association between CDK8 gene polymorphisms and dilated cardiomyopathy in a Chinese Han population. Cardiovascular Diagnosis and Therapy, 2021, 11, 0-0.	0.7	1
424	Structure and noncanonical Cdk8 activation mechanism within an Argonaute-containing Mediator kinase module. Science Advances, 2021, 7, .	4.7	26
425	Selective inhibition of CDK4/6: A safe and effective strategy for developing anticancer drugs. Acta Pharmaceutica Sinica B, 2021, 11, 30-54.	5.7	66

#	Article	IF	CITATIONS
426	Super-Enhancers in the Regulation of Gene Transcription: General Aspects and Antitumor Targets. Acta Naturae, 2021, 13, 4-15.	1.7	7
427	The Less Known Cyclins—Uncovered. Applied Sciences (Switzerland), 2021, 11, 2320.	1.3	1
428	MicroRNA-101 Promotes the Proliferation, Migration, and Invasion of Uterine Cervix Cancer Cells by Targeting Cyclin-Dependent Kinase 8. Journal of Biomaterials and Tissue Engineering, 2021, 11, 507-512.	0.0	0
429	Expression and prognostic value of transcription-associated cyclin-dependent kinases in human breast cancer. Aging, 2021, 13, 8095-8114.	1.4	2
430	CDK8 maintains stemness and tumorigenicity of glioma stem cells by regulating the c-MYC pathway. Oncogene, 2021, 40, 2803-2815.	2.6	33
431	Potent and orally bioavailable CDK8 inhibitors: Design, synthesis, structure-activity relationship analysis and biological evaluation. European Journal of Medicinal Chemistry, 2021, 214, 113248.	2.6	13
432	Mediator Roles Going Beyond Transcription. Trends in Genetics, 2021, 37, 224-234.	2.9	16
433	MicroRNA-567 inhibits cell proliferation and induces cell apoptosis in A549 NSCLC cells by regulating cyclin-dependent kinase 8. Saudi Journal of Biological Sciences, 2021, 28, 2581-2590.	1.8	74
434	Roles of microRNAs in Regulating Cancer Stemness in Head and Neck Cancers. Cancers, 2021, 13, 1742.	1.7	10
435	XIST: A Meaningful Long Noncoding RNA in NSCLC Process. Current Pharmaceutical Design, 2021, 27, 1407-1417.	0.9	4
436	Enhancer rewiring in tumors: an opportunity for therapeutic intervention. Oncogene, 2021, 40, 3475-3491.	2.6	10
437	Genome-scale CRISPR-Cas9 screen of Wnt/ \hat{l}^2 -catenin signaling identifies therapeutic targets for colorectal cancer. Science Advances, 2021, 7, .	4.7	28
438	Discovery of a potent, highly selective, and orally bioavailable inhibitor of CDK8 through a structure-based optimisation. European Journal of Medicinal Chemistry, 2021, 218, 113391.	2.6	5
439	The Mediator complex kinase module is necessary for fructose regulation of liver glycogen levels through induction of glucose-6-phosphatase catalytic subunit (G6pc). Molecular Metabolism, 2021, 48, 101227.	3.0	5
440	Targeting Protein Kinases Degradation by PROTACs. Frontiers in Chemistry, 2021, 9, 679120.	1.8	28
441	NOP14 regulates the growth, migration, and invasion of colorectal cancer cells by modulating the NRIP1/GSK-3β/β-catenin signaling pathway. European Journal of Histochemistry, 2021, 65, .	0.6	4
442	The Cyclin-Dependent Kinase 8 (CDK8) Inhibitor DCA Promotes a Tolerogenic Chemical Immunophenotype in CD4 ⁺ T Cells via a Novel CDK8-GATA3-FOXP3 Pathway. Molecular and Cellular Biology, 2021, 41, e0008521.	1.1	3
443	Wnt/β-catenin signaling in cancers and targeted therapies. Signal Transduction and Targeted Therapy, 2021, 6, 307.	7.1	186

#	Article	IF	CITATIONS
444	1,5â€Benzoxazepines as a unique and potent scaffold for activity drugs: A review. Archiv Der Pharmazie, 2021, 354, e2100224.	2.1	5
445	Cyclin-Dependent Kinase as a Novel Therapeutic Target: An Endless Story. Current Chemical Biology, 2021, 15, 139-162.	0.2	0
446	Hypoxic stress suppresses lung tumor-secreted exosomal miR101 to activate macrophages and induce inflammation. Cell Death and Disease, 2021, 12, 776.	2.7	14
447	Identification and characterization of the mediator kinase-dependent myometrial stem cell phosphoproteome. F&S Science, 2021, 2, 383-395.	0.5	2
448	A CRISPR knockout screen reveals new regulators of canonical Wnt signaling. Oncogenesis, 2021, 10, 63.	2.1	4
449	FEPrepare: A Web-Based Tool for Automating the Setup of Relative Binding Free Energy Calculations. Journal of Chemical Information and Modeling, 2021, 61, 4131-4138.	2.5	15
450	CDK19 as a diagnostic marker for high-grade prostatic intraepithelial neoplasia. Human Pathology, 2021, 117, 60-67.	1.1	3
451	Identification of 3, 4-disubstituted pyridine derivatives as novel CDK8 inhibitors. European Journal of Medicinal Chemistry, 2021, 223, 113634.	2.6	4
452	Developments of CRBN-based PROTACs as potential therapeutic agents. European Journal of Medicinal Chemistry, 2021, 225, 113749.	2.6	64
453	Use of signals of positive and negative selection to distinguish cancer genes and passenger genes. ELife, 2021, 10, .	2.8	12
454	Highâ€Throughput Assessment of Mammalian Cell Viability by Determination of Adenosine Triphosphate Levels. Current Protocols in Chemical Biology, 2010, 2, 153-161.	1.7	19
455	Interplay Between Cyclin-Dependent Kinases and E2F-Dependent Transcription. , 2010, , 23-41.		6
456	Molecular Mechanisms of Colorectal Carcinogenesis. , 2013, , 25-65.		7
457	Understanding Obesity as a Risk Factor for Uterine Tumors Using Drosophila. Advances in Experimental Medicine and Biology, 2019, 1167, 129-155.	0.8	5
458	The Structures of Eukaryotic Transcription Pre-initiation Complexes and Their Functional Implications. Sub-Cellular Biochemistry, 2019, 93, 143-192.	1.0	27
462	Wilms tumor 1 (WT1) regulates KRAS-driven oncogenesis and senescence in mouse and human models. Journal of Clinical Investigation, 2010, 120, 3940-3952.	3.9	120
463	Cell cycle–related kinase is a direct androgen receptor–regulated gene that drives β-catenin/T cell factor–dependent hepatocarcinogenesis. Journal of Clinical Investigation, 2011, 121, 3159-3175.	3.9	121
464	Tyrosine kinase pathways modulate tumor susceptibility to natural killer cells. Journal of Clinical Investigation, 2012, 122, 2369-2383.	3.9	32

#	Article	IF	CITATIONS
465	Casein kinase 1α–dependent feedback loop controls autophagy in RAS-driven cancers. Journal of Clinical Investigation, 2015, 125, 1401-1418.	3.9	52
467	Control of Cyclin C Levels during Development of Dictyostelium. PLoS ONE, 2010, 5, e10543.	1.1	7
468	INMAP Overexpression Inhibits Cell Proliferation, Induces Genomic Instability and Functions through p53/p21 Pathways. PLoS ONE, 2015, 10, e0115704.	1.1	3
469	Mediator Subunit Med28 Is Essential for Mouse Peri-Implantation Development and Pluripotency. PLoS ONE, 2015, 10, e0140192.	1.1	19
470	Narrowing the focus: a toolkit to systematically connect oncogenic signaling pathways with cancer phenotypes. Genes and Cancer, 2016, 7, 218-228.	0.6	5
471	SEL120-34A is a novel CDK8 inhibitor active in AML cells with high levels of serine phosphorylation of STAT1 and STAT5 transactivation domains. Oncotarget, 2017, 8, 33779-33795.	0.8	70
472	CDK8/19 inhibition induces premature G1/S transition and ATR-dependent cell death in prostate cancer cells. Oncotarget, 2018, 9, 13474-13487.	0.8	33
473	Comprehensive analysis of the transcriptional profile of the Mediator complex across human cancer types. Oncotarget, 2016, 7, 23043-23055.	0.8	24
474	Discovery and Development of Cyclin-Dependent Kinase 8 Inhibitors. Current Medicinal Chemistry, 2020, 27, 5429-5443.	1.2	5
475	The Rb Pathway and Cancer Therapeutics. Current Drug Targets, 2009, 10, 581-589.	1.0	57
476	Expression of CDK8 and CDK8-interacting Genes as Potential Biomarkers in Breast Cancer. Current Cancer Drug Targets, 2015, 15, 739-749.	0.8	67
477	Mediator kinase module and human tumorigenesis. Critical Reviews in Biochemistry and Molecular Biology, 2015, 50, 393-426.	2.3	88
478	Molecular Mechanisms of Colon Cancer Progression and Metastasis: Recent Insights and Advancements. International Journal of Molecular Sciences, 2021, 22, 130.	1.8	160
479	Capsaicin suppresses breast cancer cell viability by regulating the CDK8/PI3K/Akt/Wnt/β‑catenin signaling pathway. Molecular Medicine Reports, 2020, 22, 4868-4876.	1.1	25
480	Wnt signaling and colon carcinogenesis: Beyond APC. Journal of Carcinogenesis, 2011, 10, 5.	2.5	162
481	Erk1/2, CDK8, Src and Ck1e Mediate <i>Evodia rutaecarpa</i> Induced Hepatotoxicity in Mice. Chinese Medicine, 2015, 06, 97-108.	1.0	3
482	Molecular Docking of Known Carcinogen 4-(Methyl-nitrosamino)-1-(3-pyridyl)-1-butanone (NNK) with Cyclin Dependent Kinases towards Its Potential Role in Cell Cycle Perturbation. Bioinformation, 2014, 10, 526-532.	0.2	5
483	FBXL19 recruits CDK-Mediator to CpG islands of developmental genes priming them for activation during lineage commitment. ELife, 2018, 7, .	2.8	22

#	Article	IF	CITATIONS
484	Synthesis and biological evaluation of small molecule modulators of CDK8/Cyclin C complex with phenylaminoquinoline scaffold. PeerJ, 2020, 8, e8649.	0.9	4
485	Cyclin-dependent kinase 19 upregulation correlates with an unfavorable prognosis in hepatocellular carcinoma. BMC Gastroenterology, 2021, 21, 377.	0.8	2
486	Analyzing the scaffold diversity of cyclinâ€dependent kinase inhibitors and revisiting the clinical and preclinical pipeline. Medicinal Research Reviews, 2022, 42, 654-709.	5.0	21
487	Cdk8 Kinase Module: A Mediator of Life and Death Decisions in Times of Stress. Microorganisms, 2021, 9, 2152.	1.6	9
488	Targeting Cyclin-Dependent Kinases for Cancer Therapy. , 2010, , 167-185.		0
489	With or Without them: Essential Roles of Cofactors in ES Cells. Journal of Stem Cell Research & Therapy, 2012, 01, .	0.3	0
490	Cellular Growth Control and Cancer. , 2012, , 307-331.		0
491	Targeting the Cell Cycle for Cancer Treatment and Neuroprotection. , 2013, , 591-654.		0
492	Copy-Number Alterations in the Colorectal Cancer Genome. , 2013, , 267-287.		0
493	Elucidation of Cancer Drivers Through Comparative Omic Data Analyses. , 2014, , 113-147.		Ο
494	Abstract 3117: BET bromodomain inhibition triggers apoptosis of NF1-associated malignant peripheral nerve sheath tumors through Bim induction. , 2014, , .		1
495	Using Next-Generation Sequencing to Reveal Patterns of Chromosomal Alterations in Oral Verrucous Lesions. , 2015, , 317-343.		1
499	Increased Expression of the YPEL3 Gene in Human Colonic Adenocarcinoma Tissue and the Effects on Proliferation, Migration, and Invasion of Colonic Adenocarcinoma Cells In Vitro via the Wnt/b-Catenin Signaling Pathway. Medical Science Monitor, 2018, 24, 4767-4775.	0.5	7
505	Development of Highly Potent and Selective Pyrazolopyridine Inhibitor of CDK8/19. ACS Medicinal Chemistry Letters, 2021, 12, 1689-1693.	1.3	7
506	Inhibitors, PROTACs and Molecular Glues as Diverse Therapeutic Modalities to Target Cyclin-Dependent Kinase. Cancers, 2021, 13, 5506.	1.7	17
507	MiRNAs: A New Approach to Predict and Overcome Resistance to Anticancer Drugs. Clinical Cancer Drugs, 2020, 7, 65-77.	0.3	0
510	The Mediator Complex and Lipid Metabolism. Journal of Biochemical and Pharmacological Research, 2013, 1, 51-55.	1.7	10
511	siRNA-mediated silencing of CDK8 inhibits proliferation and growth in breast cancer cells. International Journal of Clinical and Experimental Pathology, 2014, 7, 92-100.	0.5	17

#	Article	IF	CITATIONS
512	MiRNA-107 inhibits proliferation and migration by targeting CDK8 in breast cancer. International Journal of Clinical and Experimental Medicine, 2014, 7, 32-40.	1.3	48
513	MiRNA-26b inhibits cellular proliferation by targeting CDK8 in breast cancer. International Journal of Clinical and Experimental Medicine, 2014, 7, 558-65.	1.3	32
514	miR-107 regulates cisplatin chemosensitivity of A549 non small cell lung cancer cell line by targeting cyclin dependent kinase 8. International Journal of Clinical and Experimental Pathology, 2014, 7, 7236-41.	0.5	29
516	Tumor-suppressive microRNA-195-5p regulates cell growth and inhibits cell cycle by targeting cyclin dependent kinase 8 in colon cancer. American Journal of Translational Research (discontinued), 2016, 8, 2088-96.	0.0	22
517	XIST promote the proliferation and migration of non-small cell lung cancer cells via sponging miR-16 and regulating CDK8 expression. American Journal of Translational Research (discontinued), 2019, 11, 6196-6206.	0.0	15
518	Effect of Batissa violacea celebensis Martens, 1897, Extract on Î ² -Catenin Gene in Mice (Mus musculus) Induced by Azoxymethane and Dextran Sulfate Sodium using Polymerase Chain Reaction-restriction Fragment Length Polymorphism Method. Open Access Macedonian Journal of Medical Sciences, 2021, 9, 964-970.	0.1	0
519	Machine learning of genomic features in organotropic metastases stratifies progression risk of primary tumors. Nature Communications, 2021, 12, 6692.	5.8	16
520	MED12 and BRD4 cooperate to sustain cancer growth upon loss of mediator kinase. Molecular Cell, 2022, 82, 123-139.e7.	4.5	17
521	Swelling-induced upregulation of miR-141-3p inhibits hepatocyte proliferation. JHEP Reports, 2022, 4, 100440.	2.6	5
523	Strategies for designing proteolysis targeting chimaeras (PROTACs). Medicinal Research Reviews, 2022, 42, 1280-1342.	5.0	48
524	Ergosterol analogs as inhibitors of cyclin dependent kinase 8. Steroids, 2022, 178, 108965.	0.8	1
525	Combined effects of host genetics and diet on human gut microbiota and incident disease in a single population cohort. Nature Genetics, 2022, 54, 134-142.	9.4	164
526	A Selective and Orally Bioavailable Quinoline-6-Carbonitrile-Based Inhibitor of CDK8/19 Mediator Kinase with Tumor-Enriched Pharmacokinetics. Journal of Medicinal Chemistry, 2022, 65, 3420-3433.	2.9	14
527	Inhibition of Cyclin-Dependent Kinase 8/Cyclin-Dependent Kinase 19 Suppresses ItsÂPro-Oncogenic Effects in Prostate Cancer. American Journal of Pathology, 2022, 192, 813-823.	1.9	4
528	Colorectal liver metastasis: molecular mechanism and interventional therapy. Signal Transduction and Targeted Therapy, 2022, 7, 70.	7.1	88
529	Phosphorylated MED1 links transcription recycling and cancer growth. Nucleic Acids Research, 2022, 50, 4450-4463.	6.5	2
530	The Mediator kinase module: an interface between cell signaling and transcription. Trends in Biochemical Sciences, 2022, 47, 314-327.	3.7	26
531	Cyclin-Dependent Kinase Inhibitors and Their Therapeutic Potential in Colorectal Cancer Treatment. Frontiers in Pharmacology, 2021, 12, 757120.	1.6	32

#	Article	IF	CITATIONS
532	Co-expression patterns explain how a basic transcriptional role for MYC modulates <i>Wnt</i> and MAPK pathways in colon and lung adenocarcinomas. Cell Cycle, 2022, 21, 1619-1638.	1.3	1
538	Copyâ€number heterogeneity as highâ€risk feature of stage <scp>II</scp> colon cancer ^{â€} . Journal of Pathology, 2022, , .	2.1	1
539	Exploitation of the Mediator complex by viruses. PLoS Pathogens, 2022, 18, e1010422.	2.1	3
540	Long noncoding RNA XIST: Mechanisms for X chromosome inactivation, roles in sex-biased diseases, and therapeutic opportunities. Genes and Diseases, 2022, 9, 1478-1492.	1.5	19
541	Copy Number Alterations as Novel Biomarkers and Therapeutic Targets in Colorectal Cancer. Cancers, 2022, 14, 2223.	1.7	9
542	Cyclin-dependent kinase 8 is an independent prognosticator in uterine leiomyosarcoma. Pathology Research and Practice, 2022, 235, 153920.	1.0	1
543	Cyclin-dependent kinases as potential targets for colorectal cancer: past, present and future. Future Medicinal Chemistry, 2022, 14, 1087-1105.	1.1	3
544	Cyclins and cyclin-dependent kinases: from biology to tumorigenesis and therapeutic opportunities. Journal of Cancer Research and Clinical Oncology, 2023, 149, 1585-1606.	1.2	9
545	CDK8 and CDK19 regulate intestinal differentiation and homeostasis via the chromatin remodeling complex SWI/SNF. Journal of Clinical Investigation, 2022, 132, .	3.9	4
546	Inhibition of CDK8/19 Mediator kinase potentiates HER2-targeting drugs and bypasses resistance to these agents inÂvitro and inÂvivo. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, .	3.3	12
549	Transcriptomic and Proteomic Effects of CDK8 and CDK19 Mediator Kinases. SSRN Electronic Journal, O, , .	0.4	0
551	MED16 Promotes Tumour Progression and Tamoxifen Sensitivity by Modulating Autophagy through the mTOR Signalling Pathway in ER-Positive Breast Cancer. Life, 2022, 12, 1461.	1.1	3
552	Discovery of the Novel 1 <i>H</i> -Pyrrolo[2,3- <i>b</i>]pyridine Derivative as a Potent Type II CDK8 Inhibitor against Colorectal Cancer. Journal of Medicinal Chemistry, 2022, 65, 12095-12123.	2.9	2
553	Design and Synthesis of a 2-Amino-pyridine Derivative as a Potent CDK8 Inhibitor for Anti-colorectal Cancer Therapy. Journal of Medicinal Chemistry, 2022, 65, 13216-13239.	2.9	3
554	MK256 is a novel CDK8 inhibitor with potent antitumor activity in AML through downregulation of the STAT pathway. Oncotarget, 2022, 13, 1217-1236.	0.8	2
555	Proliferating Pilar Tumors Are Characterized by Recurrent 15q, 6q, and 6p22.2 Alterations. American Journal of Dermatopathology, 2023, 45, 217-226.	0.3	2
556	Enhanced T cell effector activity by targeting the Mediator kinase module. Science, 2022, 378, .	6.0	37
557	Emerging approaches to CDK inhibitor development, a structural perspective. RSC Chemical Biology, 2023, 4, 146-164.	2.0	4

#	Article	IF	CITATIONS
558	CDK8 and CDK19 act redundantly to control the CFTR pathway in the intestinal epithelium. EMBO Reports, 2023, 24, .	2.0	2
559	An integrated analysis of the cancer genome atlas data discovers a hierarchical association structure across thirty three cancer types. , 2022, 1, e0000151.		0
560	Decidual natural killer cells and trophoblast cells: cellular, humoral and molecular mechanisms of interaction. Medical Immunology (Russia), 2022, 24, 1085-1108.	0.1	2
561	A Synthetic Overview of Benzoxazines and Benzoxazepines as Anticancer Agents. ChemMedChem, 2023, 18, .	1.6	6
562	E3-ligase TRIM31 regulates hematopoietic stem cell homeostasis and MLL-AF9 leukemia. Haematologica, 0, , .	1.7	1
563	Copy Number Variations as Determinants of Colorectal Tumor Progression in Liquid Biopsies. International Journal of Molecular Sciences, 2023, 24, 1738.	1.8	2
564	Transgenic mice for study of the CDK8/19 cyclin-dependent kinase kinase-independent mechanisms of action. Bulletin of Russian State Medical University, 2022, , 69-73.	0.3	0
565	Identification and Characterization of Circular RNAs (circRNAs) Using RNA-Seq in Two Breeds of Cashmere Goats. Genes, 2023, 14, 331.	1.0	1
566	Discovery of a novel oral type â CDK8 inhibitor against acute myeloid leukemia. European Journal of Medicinal Chemistry, 2023, 251, 115214.	2.6	3
567	The study of a novel CDK8 inhibitor E966-0530–45418 that inhibits prostate cancer metastasis in vitro and in vivo. Biomedicine and Pharmacotherapy, 2023, 162, 114667.	2.5	3
568	CDK8 mediates coelomocyte proliferation via promoting \hat{l}^2 -catenin nuclear translocation in Vibrio splendidus-challenged Apostichopus japonicus. Aquaculture, 2023, 567, 739276.	1.7	1
569	<i>ALK</i> Amplification and Rearrangements Are Recurrent Targetable Events in Congenital and Adult Glioblastoma. Clinical Cancer Research, 2023, 29, 2651-2667.	3.2	2
570	Therapeutic Implications of CDKs in Breast Cancer. , 2023, , 233-252.		0
571	Cell Cycle Dysregulation in Breast Cancer. , 2023, , 103-131.		2
572	Non-hippo kinases: indispensable roles in YAP/TAZ signaling and implications in cancer therapy. Molecular Biology Reports, 2023, 50, 4565-4578.	1.0	1
573	Discovery of LL-K8-22 : A Selective, Durable, and Small-Molecule Degrader of the CDK8-Cyclin C Complex. Journal of Medicinal Chemistry, 2023, 66, 4932-4951.	2.9	7
574	Molecular pharmacology of multitarget cyclin-dependent kinase inhibitors in human colorectal carcinoma cells. Expert Opinion on Therapeutic Targets, 0, , 1-11.	1.5	0
575	Discovery of Potent, Selective, and Orally Bioavailable Small-Molecule Inhibitors of CDK8 for the Treatment of Cancer. Journal of Medicinal Chemistry, 2023, 66, 5439-5452.	2.9	5

#	Article	IF	CITATIONS
590	Discovery of small molecule degraders for modulating cell cycle. Frontiers of Medicine, 2023, 17, 823-854.	1.5	0