

E2F1 represses β -catenin transcription and is antagonized by

Nature

455, 552-556

DOI: 10.1038/nature07310

Citation Report

#	ARTICLE	IF	CITATIONS
1	CDK8 is a colorectal cancer oncogene that regulates β^2 -catenin activity. <i>Nature</i> , 2008, 455, 547-551.	27.8	594
2	Entangled pathways. <i>Nature</i> , 2008, 455, 479-480.	27.8	14
3	Oncoviruses and Pathogenic MicroRNAs in Humans. <i>The Open Virology Journal</i> , 2009, 3, 37-51.	1.8	13
4	Cyclin E-dependent protein kinase activity regulates niche retention of <i>Drosophila</i> ovarian follicle stem cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 21701-21706.	7.1	34
5	The human CDK8 subcomplex is a molecular switch that controls Mediator coactivator function. <i>Genes and Development</i> , 2009, 23, 439-451.	5.9	290
6	Revving the Throttle on an Oncogene: CDK8 Takes the Driver Seat. <i>Cancer Research</i> , 2009, 69, 7899-7901.	0.9	42
7	Regulation of CLU Gene Expression by Oncogenes and Epigenetic Factors. <i>Advances in Cancer Research</i> , 2009, 105, 115-132.	5.0	40
8	Development and Applications of a Broad-Coverage, TR-FRET-Based Kinase Binding Assay Platform. <i>Journal of Biomolecular Screening</i> , 2009, 14, 924-935.	2.6	74
9	Phenotypic inheritance induced by hairpin RNA in <i>Drosophila</i> . <i>Acta Biochimica Et Biophysica Sinica</i> , 2009, 41, 922-928.	2.0	0
10	Functional Evolution of Cyclin-Dependent Kinases. <i>Molecular Biotechnology</i> , 2009, 42, 14-29.	2.4	73
11	Cell cycle, CDKs and cancer: a changing paradigm. <i>Nature Reviews Cancer</i> , 2009, 9, 153-166.	28.4	3,070
12	Genetic inactivation of ApoJ/clusterin: effects on prostate tumourigenesis and metastatic spread. <i>Oncogene</i> , 2009, 28, 4344-4352.	5.9	42
13	A putative role for cell cycle-related proteins in microtubule-based neuroplasticity. <i>European Journal of Neuroscience</i> , 2009, 29, 1096-1107.	2.6	30
14	Wnt/ β^2 -Catenin Signaling: Components, Mechanisms, and Diseases. <i>Developmental Cell</i> , 2009, 17, 9-26.	7.0	4,757
15	The E2F family and the role of E2F1 in apoptosis. <i>International Journal of Biochemistry and Cell Biology</i> , 2009, 41, 2389-2397.	2.8	57
16	Nuclear CDKs Drive Smad Transcriptional Activation and Turnover in BMP and TGF- β^2 Pathways. <i>Cell</i> , 2009, 139, 757-769.	28.9	627
17	Retinoblastoma family protein promotes normal R8-photoreceptor differentiation in the absence of rhinoceros by inhibiting dE2F1 activity. <i>Developmental Biology</i> , 2009, 335, 228-236.	2.0	12
18	E2F1: A colon cancer specific putative tumor suppressor and a valuable therapeutic target. <i>Bioscience Hypotheses</i> , 2009, 2, 313-315.	0.2	2

#	ARTICLE	IF	CITATIONS
19	The Human CDK8 Subcomplex Is a Histone Kinase That Requires Med12 for Activity and Can Function Independently of Mediator. <i>Molecular and Cellular Biology</i> , 2009, 29, 650-661.	2.3	193
20	Clusterin (CLU) and Prostate Cancer. <i>Advances in Cancer Research</i> , 2009, 105, 1-19.	5.0	34
21	Expression profiling of a hemopoietic cell survival transcriptome implicates osteopontin as a functional prognostic factor in AML. <i>Blood</i> , 2009, 114, 4859-4870.	1.4	52
22	Role of CDK8 and β -catenin in colorectal adenocarcinoma. <i>Oncology Reports</i> , 2010, 24, .	2.6	20
23	The guardians of the genome (p53, TA-p73, and TA-p63) are regulators of tumor suppressor miRNAs network. <i>Cancer and Metastasis Reviews</i> , 2010, 29, 613-639.	5.9	104
24	The human Mediator complex: a versatile, genome-wide regulator of transcription. <i>Trends in Biochemical Sciences</i> , 2010, 35, 315-322.	7.5	281
25	Study of the in vivo phosphorylation of E2F1 on Ser403. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2010, 1803, 912-918.	4.1	12
26	Short rare MUC6 minisatellites-5 alleles influence susceptibility to gastric carcinoma by regulating gene. <i>Human Mutation</i> , 2010, 31, 942-949.	2.5	33
27	CDK8 expression in 470 colorectal cancers in relation to β -catenin activation, other molecular alterations and patient survival. <i>International Journal of Cancer</i> , 2010, 126, 2863-2873.	5.1	88
28	CDK8 is a positive regulator of transcriptional elongation within the serum response network. <i>Nature Structural and Molecular Biology</i> , 2010, 17, 194-201.	8.2	303
29	Accelerated DNA replication in E2F1- and E2F2-deficient macrophages leads to induction of the DNA damage response and p21CIP1-dependent senescence. <i>Oncogene</i> , 2010, 29, 5579-5590.	5.9	23
30	The histone variant macroH2A suppresses melanoma progression through regulation of CDK8. <i>Nature</i> , 2010, 468, 1105-1109.	27.8	345
31	The metazoan Mediator co-activator complex as an integrative hub for transcriptional regulation. <i>Nature Reviews Genetics</i> , 2010, 11, 761-772.	16.3	606
32	Loss of pRB causes centromere dysfunction and chromosomal instability. <i>Genes and Development</i> , 2010, 24, 1364-1376.	5.9	213
33	The clusterin paradigm in prostate and breast carcinogenesis. <i>Endocrine-Related Cancer</i> , 2010, 17, R1-R17.	3.1	93
34	Identification of E2F1 as an Important Transcription Factor for the Regulation of Tapasin Expression. <i>Journal of Biological Chemistry</i> , 2010, 285, 30419-30426.	3.4	34
35	Walleye Dermal Sarcoma Virus: Molecular Biology and Oncogenesis. <i>Viruses</i> , 2010, 2, 1984-1999.	3.3	33
36	CDK8. <i>Transcription</i> , 2010, 1, 4-12.	3.1	184

#	ARTICLE	IF	CITATIONS
37	Silibinin Suppresses Growth of Human Colorectal Carcinoma SW480 Cells in Culture and Xenograft through Down-regulation of β^2 -Catenin-Dependent Signaling. <i>Neoplasia</i> , 2010, 12, 415-424.	5.3	98
38	Discovery of Dinaciclib (SCH 727965): A Potent and Selective Inhibitor of Cyclin-Dependent Kinases. <i>ACS Medicinal Chemistry Letters</i> , 2010, 1, 204-208.	2.8	134
39	MicroRNA roles in beta-catenin pathway. <i>Molecular Cancer</i> , 2010, 9, 252.	19.2	98
40	<i>Drosophila</i> as a Novel Therapeutic Discovery Tool for Thyroid Cancer. <i>Thyroid</i> , 2010, 20, 689-695.	4.5	33
41	e2f1 gene is a new member of Wnt/ β^2 -catenin/Tcf-regulated genes. <i>Biochemical and Biophysical Research Communications</i> , 2010, 391, 142-146.	2.1	15
43	Dysregulation of CDK8 and Cyclin C in tumorigenesis. <i>Journal of Genetics and Genomics</i> , 2011, 38, 439-452.	3.9	64
44	Effects of cyclin-dependent kinase 8 specific siRNA on the proliferation and apoptosis of colon cancer cells. <i>Journal of Experimental and Clinical Cancer Research</i> , 2011, 30, 109.	8.6	28
45	Function and regulation of the Mediator complex. <i>Current Opinion in Genetics and Development</i> , 2011, 21, 225-230.	3.3	258
46	The Structure of CDK8/CycC Implicates Specificity in the CDK/Cyclin Family and Reveals Interaction with a Deep Pocket Binder. <i>Journal of Molecular Biology</i> , 2011, 412, 251-266.	4.2	108
47	Mediator and human disease. <i>Seminars in Cell and Developmental Biology</i> , 2011, 22, 776-787.	5.0	76
48	Roles of cyclin-dependent kinase 8 and β^2 -catenin in the oncogenesis and progression of gastric adenocarcinoma. <i>International Journal of Oncology</i> , 2011, 38, 1375-83.	3.3	36
49	E2F1 suppresses Wnt/ β^2 -catenin activity through transactivation of β^2 -catenin interacting protein ICAT. <i>Oncogene</i> , 2011, 30, 3979-3984.	5.9	33
50	The retroviral cyclin of walleye dermal sarcoma virus binds cyclin-dependent kinases 3 and 8. <i>Virology</i> , 2011, 409, 299-307.	2.4	13
51	New avenues to target Wnt/ β^2 -catenin signaling. <i>Drug Discovery Today</i> , 2011, 16, 35-41.	6.4	52
52	Upregulation of E2F1 in cerebellar neuroprogenitor cells and cell cycle arrest during postnatal brain development. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2011, 47, 492-499.	1.5	10
53	Proteomic patterns of cervical cancer cell lines, a network perspective. <i>BMC Systems Biology</i> , 2011, 5, 96.	3.0	52
54	Adenovirus E2F1 Overexpression Sensitizes LNCaP and PC3 Prostate Tumor Cells to Radiation In Vivo. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011, 79, 549-558.	0.8	12
55	Multiple pathways counteract cell death induced by RB1 loss: Implications for cancer. <i>Cell Cycle</i> , 2011, 10, 1533-1539.	2.6	18

#	ARTICLE	IF	CITATIONS
56	Overlapping and distinct pRb pathways in the mammalian auditory and vestibular organs. <i>Cell Cycle</i> , 2011, 10, 337-351.	2.6	29
57	Newly identified aspects of tumor suppression by RB. <i>DMM Disease Models and Mechanisms</i> , 2011, 4, 581-585.	2.4	69
58	A kinase shRNA screen links LATS2 and the pRB tumor suppressor. <i>Genes and Development</i> , 2011, 25, 814-830.	5.9	107
59	Physiological Relevance of Cell Cycle Kinases. <i>Physiological Reviews</i> , 2011, 91, 973-1007.	28.8	173
60	E2F1 and RNA binding protein QKI comprise a negative feedback in the cell cycle regulation. <i>Cell Cycle</i> , 2011, 10, 2703-2713.	2.6	26
61	Polyvalent DP1 keeps the Wnt pathway neat and tidy. <i>EMBO Journal</i> , 2012, 31, 3377-3379.	7.8	1
62	CDK8 Maintains Tumor Dedifferentiation and Embryonic Stem Cell Pluripotency. <i>Cancer Research</i> , 2012, 72, 2129-2139.	0.9	94
63	<i>In Vivo</i> Regulation of E2F1 by Polycomb Group Genes in <i>Drosophila</i> . <i>G3: Genes, Genomes, Genetics</i> , 2012, 2, 1651-1660.	1.8	14
64	The retinoblastoma protein (Rb) as an anti-apoptotic factor: expression of Rb is required for the anti-apoptotic function of BAG-1 protein in colorectal tumour cells. <i>Cell Death and Disease</i> , 2012, 3, e408-e408.	6.3	35
65	Pumilio facilitates miRNA regulation of the E2F3 oncogene. <i>Genes and Development</i> , 2012, 26, 356-368.	5.9	140
66	Guidance for Life, Cell Death, and Colorectal Neoplasia by Netrin Dependence Receptors. <i>Advances in Cancer Research</i> , 2012, 114, 87-186.	5.0	5
67	Cyclin Dependent Kinase as Significant Target for Cancer Treatment. <i>Current Cancer Therapy Reviews</i> , 2012, 8, 225-235.	0.3	10
68	Regulation of lipogenesis by cyclin-dependent kinase mediated control of SREBP-1. <i>Journal of Clinical Investigation</i> , 2012, 122, 2417-2427.	8.2	163
69	<i>Drosophila</i> GAGA factor is required for full activation of the dE2f1-Yki/Sd transcriptional program. <i>Cell Cycle</i> , 2012, 11, 4191-4202.	2.6	23
70	Cyclin-dependent kinase 8 mediates chemotherapy-induced tumor-promoting paracrine activities. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 13799-13804.	7.1	146
71	Retroviral Cyclin Enhances Cyclin-Dependent Kinase-8 Activity. <i>Journal of Virology</i> , 2012, 86, 5742-5751.	3.4	7
72	Regeneration-associated WNT Signaling Is Activated in Long-term Reconstituting AC133bright Acute Myeloid Leukemia Cells. <i>Neoplasia</i> , 2012, 14, 1236-1245.	5.3	26
73	Dual functions of DP1 promote biphasic Wnt-on and Wnt-off states during anteroposterior neural patterning. <i>EMBO Journal</i> , 2012, 31, 3384-3397.	7.8	20

#	ARTICLE	IF	CITATIONS
74	Cyclin-dependent kinase inhibitor 3 is overexpressed in hepatocellular carcinoma and promotes tumor cell proliferation. <i>Biochemical and Biophysical Research Communications</i> , 2012, 420, 29-35.	2.1	48
75	Identification of E2F target genes that are rate limiting for dE2F1-dependent cell proliferation. <i>Developmental Dynamics</i> , 2012, 241, 1695-1707.	1.8	6
76	A role for Mediator complex subunit MED13L in Rb/E2F-induced growth arrest. <i>Oncogene</i> , 2012, 31, 4709-4717.	5.9	24
77	Transcriptional regulation by coactivators in embryonic stem cells. <i>Trends in Cell Biology</i> , 2012, 22, 292-298.	7.9	22
78	<i>Drosophila</i> cancer models. <i>Developmental Dynamics</i> , 2012, 241, 107-118.	1.8	108
79	The Mediator complex and transcription elongation. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2013, 1829, 69-75.	1.9	110
80	Emerging roles of Cdk8 in cell cycle control. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2013, 1829, 916-920.	1.9	26
81	Mechanistic insight into ALK receptor tyrosine kinase in human cancer biology. <i>Nature Reviews Cancer</i> , 2013, 13, 685-700.	28.4	538
82	The Mediator complex and transcription regulation. <i>Critical Reviews in Biochemistry and Molecular Biology</i> , 2013, 48, 575-608.	5.2	301
83	NEDDylation controls the target specificity of E2F1 and apoptosis induction. <i>Oncogene</i> , 2013, 32, 3954-3964.	5.9	39
84	E2F1 effects on osteoblast differentiation and mineralization are mediated through up-regulation of frizzled-1. <i>Bone</i> , 2013, 56, 234-241.	2.9	24
85	<i>Drosophila melanogaster</i> : a model and a tool to investigate malignancy and identify new therapeutics. <i>Nature Reviews Cancer</i> , 2013, 13, 172-183.	28.4	246
86	CDK8 Kinase Phosphorylates Transcription Factor STAT1 to Selectively Regulate the Interferon Response. <i>Immunity</i> , 2013, 38, 250-262.	14.3	220
87	Transcriptional Regulation and Its Misregulation in Disease. <i>Cell</i> , 2013, 152, 1237-1251.	28.9	1,205
88	Dysregulation and crosstalk of cellular signaling pathways in colon carcinogenesis. <i>Critical Reviews in Oncology/Hematology</i> , 2013, 86, 251-277.	4.4	83
89	Wnt/ β^2 -catenin signalling: from plasma membrane to nucleus. <i>Biochemical Journal</i> , 2013, 450, 9-21.	3.7	269
90	MacroH2A – An epigenetic regulator of cancer. <i>Cancer Letters</i> , 2013, 336, 247-252.	7.2	55
91	Wogonin induced G1 cell cycle arrest by regulating Wnt/ β^2 -catenin signaling pathway and inactivating CDK8 in human colorectal cancer carcinoma cells. <i>Toxicology</i> , 2013, 312, 36-47.	4.2	92

#	ARTICLE	IF	CITATIONS
92	Nuclear Expression of β -Catenin Promotes RB Stability and Resistance to TNF-Induced Apoptosis in Colon Cancer Cells. <i>Molecular Cancer Research</i> , 2013, 11, 207-218.	3.4	26
93	E2F2 and CREB cooperatively regulate transcriptional activity of cell cycle genes. <i>Nucleic Acids Research</i> , 2013, 41, 10185-10198.	14.5	45
94	CDK8 regulates E2F1 transcriptional activity through S375 phosphorylation. <i>Oncogene</i> , 2013, 32, 3520-3530.	5.9	54
95	Structure-kinetic relationship study of CDK8/CycC specific compounds. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 8081-8086.	7.1	115
96	Tumor-suppressive effects of CDK8 in endometrial cancer cells. <i>Cell Cycle</i> , 2013, 12, 987-999.	2.6	39
97	E2F1 loss induces spontaneous tumour development in Rb-deficient epidermis. <i>Oncogene</i> , 2013, 32, 2937-2951.	5.9	19
98	An Integrated and Disease-Oriented Growth Factor-Regulated Signal Transduction Network. <i>Current Molecular Medicine</i> , 2013, 13, 86-93.	1.3	0
99	Silencing of pancreatic adenocarcinoma upregulated factor by RNA interference inhibits the malignant phenotypes of human colorectal cancer cells. <i>Oncology Reports</i> , 2013, 30, 213-220.	2.6	11
100	WNT5A Encodes Two Isoforms with Distinct Functions in Cancers. <i>PLoS ONE</i> , 2013, 8, e80526.	2.5	49
101	MicroRNA-107 promotes proliferation of gastric cancer cells by targeting cyclin dependent kinase 8. <i>Diagnostic Pathology</i> , 2014, 9, 164.	2.0	26
102	The Response of Secondary Genes to Lipopolysaccharides in Macrophages Depends on Histone Deacetylase and Phosphorylation of C/EBP β . <i>Journal of Immunology</i> , 2014, 192, 418-426.	0.8	41
103	Hyperactivated Wnt Signaling Induces Synthetic Lethal Interaction with Rb Inactivation by Elevating TORC1 Activities. <i>PLoS Genetics</i> , 2014, 10, e1004357.	3.5	15
104	Dying Cells Protect Survivors from Radiation-Induced Cell Death in <i>Drosophila</i> . <i>PLoS Genetics</i> , 2014, 10, e1004220.	3.5	41
105	Viral Oncogene Expression in the Stem/Progenitor Cell Compartment of the Mouse Intestine Induces Adenomatous Polyps. <i>Molecular Cancer Research</i> , 2014, 12, 1355-1364.	3.4	3
106	All-atomic molecular dynamic studies of human CDK8: Insight into the A-loop, point mutations and binding with its partner CycC. <i>Computational Biology and Chemistry</i> , 2014, 51, 1-11.	2.3	21
107	The two faces of Cdk8, a positive/negative regulator of transcription. <i>Biochimie</i> , 2014, 97, 22-27.	2.6	102
108	Genomic insights into WNT/ β -catenin signaling. <i>Trends in Pharmacological Sciences</i> , 2014, 35, 103-109.	8.7	99
109	Involvement of Mediator complex in malignancy. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2014, 1845, 66-83.	7.4	67

#	ARTICLE	IF	CITATIONS
110	Cyclin C surprises in tumour suppression. Nature Cell Biology, 2014, 16, 1031-1033.	10.3	11
111	Cyclin C is a haploinsufficient tumour suppressor. Nature Cell Biology, 2014, 16, 1080-1091.	10.3	124
112	Cyclin-dependent Kinase 8 Module Expression Profiling Reveals Requirement of Mediator Subunits 12 and 13 for Transcription of Serpent-dependent Innate Immunity Genes in Drosophila. Journal of Biological Chemistry, 2014, 289, 16252-16261.	3.4	19
113	The basal transcription machinery as a target for cancer therapy. Cancer Cell International, 2014, 14, 18.	4.1	56
114	Uterine Leiomyoma-Linked MED12 Mutations Disrupt Mediator-Associated CDK Activity. Cell Reports, 2014, 7, 654-660.	6.4	125
117	Cyclin-dependent kinases. Genome Biology, 2014, 15, 122.	9.6	1,103
118	<scp>AIF</scp> inhibits tumor metastasis by protecting <scp>PTEN</scp> from oxidation. EMBO Reports, 2015, 16, 1563-1580.	4.5	41
119	MicroRNA-101 is a potential prognostic indicator of laryngeal squamous cell carcinoma and modulates CDK8. Journal of Translational Medicine, 2015, 13, 271.	4.4	43
120	<i>Cdk8</i> deletion in the <i><scp>Apc^{Min}</scp></i> murine tumour model represses <scp>EZH2</scp> activity and accelerates tumourigenesis. Journal of Pathology, 2015, 237, 508-519.	4.5	54
121	Kinase Inhibitors â€” Targeted Personalized Cancer Therapy. , 2015, , .		0
122	CDK8-Cyclin C Mediates Nutritional Regulation of Developmental Transitions through the Ecdysone Receptor in Drosophila. PLoS Biology, 2015, 13, e1002207.	5.6	38
123	Ellagic acid regulates Wnt/Î²-catenin signaling pathway and CDK8 in HCT 116 and HT 29 colon cancer cells. Bangladesh Journal of Pharmacology, 2015, 10, .	0.4	5
124	RB loss in resistant EGFR mutant lung adenocarcinomas that transform to small-cell lung cancer. Nature Communications, 2015, 6, 6377.	12.8	498
125	Common variants at 10p12.31, 10q21.1 and 13q12.13 are associated with sporadic pituitary adenoma. Nature Genetics, 2015, 47, 793-797.	21.4	43
126	CDK8 kinaseâ€”An emerging target in targeted cancer therapy. Biochimica Et Biophysica Acta - Proteins and Proteomics, 2015, 1854, 1617-1629.	2.3	56
127	Targeting cell cycle regulators in hematologic malignancies. Frontiers in Cell and Developmental Biology, 2015, 3, 16.	3.7	93
128	Regulators of carcinogenesis: Emerging roles beyond their primary functions. Cancer Letters, 2015, 357, 75-82.	7.2	13
129	The Mediator complex: a central integrator of transcription. Nature Reviews Molecular Cell Biology, 2015, 16, 155-166.	37.0	707

#	ARTICLE	IF	CITATIONS
130	E2F1 and E2F2 prevent replicative stress and subsequent p53-dependent organ involution. <i>Cell Death and Differentiation</i> , 2015, 22, 1577-1589.	11.2	26
131	The Mediator complex of <i>Caenorhabditis elegans</i> : insights into the developmental and physiological roles of a conserved transcriptional coregulator. <i>Nucleic Acids Research</i> , 2015, 43, 2442-2453.	14.5	39
132	Inactivation of the retinoblastoma gene yields a mouse model of malignant colorectal cancer. <i>Oncogene</i> , 2015, 34, 5890-5899.	5.9	17
133	Redeployment of Myc and E2f1 β 3 drives Rb-deficient cell cycles. <i>Nature Cell Biology</i> , 2015, 17, 1036-1048.	10.3	62
134	Targeting phospholipase D1 attenuates intestinal tumorigenesis by controlling β -catenin signaling in cancer-initiating cells. <i>Journal of Experimental Medicine</i> , 2015, 212, 1219-1237.	8.5	47
135	MED12 and uterine smooth muscle oncogenesis: State of the art and perspectives. <i>European Journal of Cancer</i> , 2015, 51, 1603-1610.	2.8	54
136	bHLH proteins involved in <i>Drosophila</i> neurogenesis are mutually regulated at the level of stability. <i>Nucleic Acids Research</i> , 2015, 43, 2543-2559.	14.5	17
137	Skp2 β MacroH2A1 β CDK8 axis orchestrates G2/M transition and tumorigenesis. <i>Nature Communications</i> , 2015, 6, 6641.	12.8	87
138	Retroviral Cyclin Controls Cyclin-Dependent Kinase 8-Mediated Transcription Elongation and Reinitiation. <i>Journal of Virology</i> , 2015, 89, 5450-5461.	3.4	9
139	Molecular Biology of Retinoblastoma. <i>Essentials in Ophthalmology</i> , 2015, , 1-13.	0.1	0
140	Downregulation of CDK-8 inhibits colon cancer hepatic metastasis by regulating Wnt/ β -catenin pathway. <i>Biomedicine and Pharmacotherapy</i> , 2015, 74, 153-157.	5.6	21
141	A selective chemical probe for exploring the role of CDK8 and CDK19 in human disease. <i>Nature Chemical Biology</i> , 2015, 11, 973-980.	8.0	114
142	Mutated K-ras activates CDK8 to stimulate the epithelial-to-mesenchymal transition in pancreatic cancer in part via the Wnt/ β -catenin signaling pathway. <i>Cancer Letters</i> , 2015, 356, 613-627.	7.2	115
143	Signaling pathways in anchoring junctions of epithelial cells: cell-to-cell and cell-to-extracellular matrix interactions. <i>Journal of Receptor and Signal Transduction Research</i> , 2015, 35, 67-75.	2.5	12
144	Assessing the mechanism and therapeutic potential of modulators of the human Mediator complex-associated protein kinases. <i>ELife</i> , 2016, 5, .	6.0	69
145	E2F function in muscle growth is necessary and sufficient for viability in <i>Drosophila</i> . <i>Nature Communications</i> , 2016, 7, 10509.	12.8	36
146	2,8-Disubstituted-1,6-Naphthyridines and 4,6-Disubstituted-Isoquinolines with Potent, Selective Affinity for CDK8/19. <i>ACS Medicinal Chemistry Letters</i> , 2016, 7, 573-578.	2.8	39
147	Identification of Mediator Kinase Substrates in Human Cells using Cortistatin A and Quantitative Phosphoproteomics. <i>Cell Reports</i> , 2016, 15, 436-450.	6.4	117

#	ARTICLE	IF	CITATIONS
148	Transgenic Mouse Models of SV40-Induced Cancer. <i>ILAR Journal</i> , 2016, 57, 44-54.	1.8	11
149	Interrupted E2F1-miR-34c-SCF negative feedback loop by hyper-methylation promotes colorectal cancer cell proliferation. <i>Bioscience Reports</i> , 2016, 36, e00293.	2.4	10
150	Structure-Based Optimization of Potent, Selective, and Orally Bioavailable CDK8 Inhibitors Discovered by High-Throughput Screening. <i>Journal of Medicinal Chemistry</i> , 2016, 59, 9337-9349.	6.4	86
151	Recent progress of cyclin-dependent kinase inhibitors as potential anticancer agents. <i>Future Medicinal Chemistry</i> , 2016, 8, 2047-2076.	2.3	10
152	Regulatory Enhancerâ€“Core-Promoter Communication via Transcription Factors and Cofactors. <i>Trends in Genetics</i> , 2016, 32, 801-814.	6.7	153
153	Type I interferon inhibits varicella-zoster virus replication by interfering with the dynamic interaction between mediator and IE62 within replication compartments. <i>Cell and Bioscience</i> , 2016, 6, 21.	4.8	10
154	Discovery of potent and selective CDK8 inhibitors from an HSP90 pharmacophore. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016, 26, 1443-1451.	2.2	34
155	Discovery of Potent, Selective, and Orally Bioavailable Small-Molecule Modulators of the Mediator Complex-Associated Kinases CDK8 and CDK19. <i>Journal of Medicinal Chemistry</i> , 2016, 59, 1078-1101.	6.4	89
156	The Mediator Kinase Module Restrains Epidermal Growth Factor Receptor Signaling and Represses Vulval Cell Fate Specification in <i>Caenorhabditis elegans</i> . <i>Genetics</i> , 2016, 202, 583-599.	2.9	19
157	Molecular signalling pathways in canine gliomas. <i>Veterinary and Comparative Oncology</i> , 2017, 15, 133-150.	1.8	34
158	Modeling Human Cancers in <i>Drosophila</i> . <i>Current Topics in Developmental Biology</i> , 2017, 121, 287-309.	2.2	120
159	Aberrant expression of CDK8 regulates the malignant phenotype and associated with poor prognosis in human laryngeal squamous cell carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017, 274, 2205-2213.	1.6	12
160	Design and synthesis of selective CDK8/19 dual inhibitors: Discovery of 4,5-dihydrothieno[3,4-b]isothiazole derivatives. <i>Bioorganic and Medicinal Chemistry</i> , 2017, 25, 2336-2350.	3.0	30
161	Inhibitors of cyclin-dependent kinases as cancer therapeutics. , 2017, 173, 83-105.		278
162	SKP2 Activation by Thyroid Hormone Receptor β 2 Bypasses Rb-Dependent Proliferation in Rb-Deficient Cells. <i>Cancer Research</i> , 2017, 77, 6838-6850.	0.9	8
163	Phospholipase D1 Inhibition Linked to Upregulation of ICAT Blocks Colorectal Cancer Growth Hyperactivated by Wnt/ β 2-Catenin and PI3K/Akt Signaling. <i>Clinical Cancer Research</i> , 2017, 23, 7340-7350.	7.0	41
164	Discovery of potent and selective CDK8 inhibitors through FBDD approach. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 4488-4492.	2.2	24
165	A Balance of Yki/Sd Activator and E2F1/Sd Repressor Complexes Controls Cell Survival and Affects Organ Size. <i>Developmental Cell</i> , 2017, 43, 603-617.e5.	7.0	32

#	ARTICLE	IF	CITATIONS
166	Phospholipase D1 Acts through Akt/TopBP1 and RB1 to Regulate the E2F1-Dependent Apoptotic Program in Cancer Cells. <i>Cancer Research</i> , 2017, 77, 142-152.	0.9	26
167	A CDK2 activity signature predicts outcome in CDK2-low cancers. <i>Oncogene</i> , 2017, 36, 2491-2502.	5.9	32
168	Cell Cycle Regulation in Treatment of Breast Cancer. <i>Advances in Experimental Medicine and Biology</i> , 2017, 1026, 251-270.	1.6	20
169	Transcription factor E2F1 promotes EMT by regulating ZEB2 in small cell lung cancer. <i>BMC Cancer</i> , 2017, 17, 719.	2.6	68
170	Chromatin Remodeling Factor LSH is Upregulated by the LRP6-GSK3 β -E2F1 Axis Linking Reversely with Survival in Gliomas. <i>Theranostics</i> , 2017, 7, 132-143.	10.0	54
171	The regulation of β -catenin activity and function in cancer: therapeutic opportunities. <i>Oncotarget</i> , 2017, 8, 33972-33989.	1.8	465
172	MicroRNA-26a is a key regulon that inhibits progression and metastasis of c-Myc/EZH2 double high advanced hepatocellular carcinoma. <i>Cancer Letters</i> , 2018, 426, 98-108.	7.2	45
173	Cyclin-Dependent Kinase 8: A New Hope in Targeted Cancer Therapy?. <i>Journal of Medicinal Chemistry</i> , 2018, 61, 5073-5092.	6.4	79
174	Mediator complex component MED13 regulates zygotic genome activation and is required for postimplantation development in the mouse. <i>Biology of Reproduction</i> , 2018, 98, 449-464.	2.7	23
176	Resistance Mechanisms to Cyclin-Dependent Kinase Inhibitors. <i>Resistance To Targeted Anti-cancer Therapeutics</i> , 2018, , 181-210.	0.1	3
177	Clinical, pathologic, cytogenetic, and molecular profiling in self-identified black women with uterine leiomyomata. <i>Cancer Genetics</i> , 2018, 222-223, 1-8.	0.4	12
178	MicroRNA-770 affects proliferation and cell cycle transition by directly targeting CDK8 in glioma. <i>Cancer Cell International</i> , 2018, 18, 195.	4.1	20
179	Androgen receptor suppresses prostate cancer cell invasion via altering the miR-4496/ β -catenin signals. <i>Biochemical and Biophysical Research Communications</i> , 2018, 504, 82-88.	2.1	9
180	Zyxin promotes colon cancer tumorigenesis in a mitotic phosphorylation-dependent manner and through CDK8-mediated YAP activation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E6760-E6769.	7.1	34
181	A molecular dynamics investigation of CDK8/CycC and ligand binding: conformational flexibility and implication in drug discovery. <i>Journal of Computer-Aided Molecular Design</i> , 2018, 32, 671-685.	2.9	12
182	Antitumor Activity of Vanicoside B Isolated from <i>Persicaria dissitiflora</i> by Targeting CDK8 in Triple-Negative Breast Cancer Cells. <i>Journal of Natural Products</i> , 2019, 82, 3140-3149.	3.0	22
183	657 Induction of IL-11 expression leads to persistent abnormal fibroblast activity in cutaneous wound healing. <i>Journal of Investigative Dermatology</i> , 2019, 139, S327.	0.7	0
184	Mo1608 " Altered Intestinal Permeability and Effect of Mosapride on Postoperative Ileus in a Guinea Pig Model. <i>Gastroenterology</i> , 2019, 156, S-799.	1.3	0

#	ARTICLE	IF	CITATIONS
185	Mediator function in plant metabolism revealed by large-scale biology. <i>Journal of Experimental Botany</i> , 2019, 70, 5995-6003.	4.8	10
186	The Drosophila Model in Cancer. <i>Advances in Experimental Medicine and Biology</i> , 2019, , .	1.6	4
187	Characterizing CDK8/19 Inhibitors through a NF κ B-Dependent Cell-Based Assay. <i>Cells</i> , 2019, 8, 1208.	4.1	11
188	Synthesis of novel S-linked dihydroartemisinin derivatives and evaluation of their anticancer activity. <i>European Journal of Medicinal Chemistry</i> , 2019, 178, 552-570.	5.5	13
189	Targeting transcriptional machinery to inhibit enhancer-driven gene expression in heart failure. <i>Heart Failure Reviews</i> , 2019, 24, 725-741.	3.9	6
190	Cyclinâ€dependent kinase 8/19 inhibition suppresses osteoclastogenesis by downregulating RANK and promotes osteoblast mineralization and cancellous bone healing. <i>Journal of Cellular Physiology</i> , 2019, 234, 16503-16516.	4.1	16
191	Proteasomal deubiquitinase UCH37 inhibits degradation of β -catenin and promotes cell proliferation and motility. <i>Acta Biochimica Et Biophysica Sinica</i> , 2019, 51, 277-284.	2.0	5
192	Cell cycle regulation and hematologic malignancies. <i>Blood Science</i> , 2019, 1, 34-43.	0.9	16
193	VGLL4 interacts with STAT3 to function as a tumor suppressor in triple-negative breast cancer. <i>Experimental and Molecular Medicine</i> , 2019, 51, 1-13.	7.7	16
194	PTEN Inhibition Protects Against Experimental Intracerebral Hemorrhage-Induced Brain Injury Through PTEN/E2F1/ β -Catenin Pathway. <i>Frontiers in Molecular Neuroscience</i> , 2019, 12, 281.	2.9	12
195	Regulatory functions of the Mediator kinases CDK8 and CDK19. <i>Transcription</i> , 2019, 10, 76-90.	3.1	79
196	CDK8 as a therapeutic target for cancers and recent developments in discovery of CDK8 inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2019, 164, 77-91.	5.5	49
197	Cyclin C: The Story of a Non-Cycling Cyclin. <i>Biology</i> , 2019, 8, 3.	2.8	28
198	Transcriptional Regulation of Wnt/ β -Catenin Pathway in Colorectal Cancer. <i>Cells</i> , 2020, 9, 2125.	4.1	131
199	Multimomics global landscape of stemness-related gene clusters in adipose-derived mesenchymal stem cells. <i>Stem Cell Research and Therapy</i> , 2020, 11, 310.	5.5	8
200	All-Atomic Molecular Dynamic Studies of Human and Drosophila CDK8: Insights into Their Kinase Domains, the LXXLL Motifs, and Drug Binding Site. <i>International Journal of Molecular Sciences</i> , 2020, 21, 7511.	4.1	6
201	Proteomic Profiling Change and Its Implies in the Early Mycosis Fungoides (MF) Using Isobaric Tags for Relative and Absolute Quantification (iTRAQ). <i>BioMed Research International</i> , 2020, 2020, 1-13.	1.9	3
202	Pharmacological Inhibition of CDK8 in Triple-Negative Breast Cancer Cell Line MDA-MB-468 Increases E2F1 Protein, Induces Phosphorylation of STAT3 and Apoptosis. <i>Molecules</i> , 2020, 25, 5728.	3.8	6

#	ARTICLE	IF	CITATIONS
203	Rebelled epigenome: histone H3S10 phosphorylation and H3S10 kinases in cancer biology and therapy. <i>Clinical Epigenetics</i> , 2020, 12, 147.	4.1	49
204	Expression and Prognostic Significance of CDK8 and β -Catenin in Hepatocellular Carcinoma. <i>In Vivo</i> , 2020, 34, 1387-1394.	1.3	5
205	The Mediator CDK8-Cyclin C complex modulates Dpp signaling in <i>Drosophila</i> by stimulating Mad-dependent transcription. <i>PLoS Genetics</i> , 2020, 16, e1008832.	3.5	8
206	Antagonizing CDK8 Sensitizes Colorectal Cancer to Radiation Through Potentiating the Transcription of e2f1 Target Gene apaf1. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 408.	3.7	14
207	Dissecting the Pol II transcription cycle and derailing cancer with CDK inhibitors. <i>Nature Chemical Biology</i> , 2020, 16, 716-724.	8.0	56
208	Transcription-Associated Cyclin-Dependent Kinases as Targets and Biomarkers for Cancer Therapy. <i>Cancer Discovery</i> , 2020, 10, 351-370.	9.4	162
209	Binding patterns and structure-activity relationship of CDK8 inhibitors. <i>Bioorganic Chemistry</i> , 2020, 96, 103624.	4.1	6
210	E2F1 Regulates Adipocyte Differentiation and Adipogenesis by Activating ICAT. <i>Cells</i> , 2020, 9, 1024.	4.1	11
211	Angel or Devil ? - CDK8 as the new drug target. <i>European Journal of Medicinal Chemistry</i> , 2021, 213, 113043.	5.5	15
212	The kinase module of the Mediator complex: an important signalling processor for the development and survival of plants. <i>Journal of Experimental Botany</i> , 2021, 72, 224-240.	4.8	15
213	Niclosamide sensitizes triple-negative breast cancer cells to ionizing radiation in association with the inhibition of Wnt/ β -catenin signaling. <i>Oncotarget</i> , 0, 7, 42126-42138.	1.8	40
214	MicroRNA-9 facilitates hypoxia-induced injury and apoptosis in H9c2 cells via targeting CDK8. <i>Journal of Biosciences</i> , 2021, 46, 1.	1.1	4
215	Challenges and advances in clinical applications of mesenchymal stromal cells. <i>Journal of Hematology and Oncology</i> , 2021, 14, 24.	17.0	247
216	Small-Molecule Inhibitors Targeting the Canonical WNT Signaling Pathway for the Treatment of Cancer. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 4257-4288.	6.4	23
217	Significance and Mechanisms Analyses of RB1 Mutation in Bladder Cancer Disease Progression and Drug Selection by Bioinformatics Analysis. <i>Bladder Cancer</i> , 2021, 7, 133-142.	0.4	2
218	Interplay Between Cyclin-Dependent Kinases and E2F-Dependent Transcription. , 2010, , 23-41.		6
219	<i>Drosophila</i> Model in Cancer: An Introduction. <i>Advances in Experimental Medicine and Biology</i> , 2019, 1167, 1-14.	1.6	21
220	Understanding Obesity as a Risk Factor for Uterine Tumors Using <i>Drosophila</i> . <i>Advances in Experimental Medicine and Biology</i> , 2019, 1167, 129-155.	1.6	5

#	ARTICLE	IF	CITATIONS
221	Modeling human brain tumors in flies, worms, and zebrafish: From proof of principle to novel therapeutic targets. <i>Neuro-Oncology</i> , 2021, 23, 718-731.	1.2	5
223	CDK8/19 inhibition induces premature G1/S transition and ATR-dependent cell death in prostate cancer cells. <i>Oncotarget</i> , 2018, 9, 13474-13487.	1.8	33
224	Discovery and Development of Cyclin-Dependent Kinase 8 Inhibitors. <i>Current Medicinal Chemistry</i> , 2020, 27, 5429-5443.	2.4	5
225	The Rb Pathway and Cancer Therapeutics. <i>Current Drug Targets</i> , 2009, 10, 581-589.	2.1	57
226	Mediator kinase module and human tumorigenesis. <i>Critical Reviews in Biochemistry and Molecular Biology</i> , 2015, 50, 393-426.	5.2	88
227	Tumor Suppressors Having Oncogenic Functions: The Double Agents. <i>Cells</i> , 2021, 10, 46.	4.1	43
228	Erk1/2, CDK8, Src and Ck1e Mediate <i>Evodia rutaecarpa</i> Induced Hepatotoxicity in Mice. <i>Chinese Medicine</i> , 2015, 06, 97-108.	0.3	3
229	FBXL19 recruits CDK-Mediator to CpG islands of developmental genes priming them for activation during lineage commitment. <i>ELife</i> , 2018, 7, .	6.0	22
230	Targeting transcription cycles in cancer. <i>Nature Reviews Cancer</i> , 2022, 22, 5-24.	28.4	59
231	Targeting Cyclin-Dependent Kinases for Cancer Therapy. , 2010, , 167-185.		0
232	With or Without them: Essential Roles of Cofactors in ES Cells. <i>Journal of Stem Cell Research & Therapy</i> , 2012, 01, .	0.3	0
233	Copy-Number Alterations in the Colorectal Cancer Genome. , 2013, , 267-287.		0
237	Transcriptional signature of prion-induced neurotoxicity in a <i>Drosophila</i> model of transmissible mammalian prion disease. <i>Biochemical Journal</i> , 2020, 477, 833-852.	3.7	8
238	Synthetic molecular sensors based on CRISPR-Cas9 redirect anticancer signal flows to treat retinoblastomas. <i>Clinical and Translational Medicine</i> , 2021, 11, e618.	4.0	1
240	MiRNA-107 inhibits proliferation and migration by targeting CDK8 in breast cancer. <i>International Journal of Clinical and Experimental Medicine</i> , 2014, 7, 32-40.	1.3	48
241	MiRNA-26b inhibits cellular proliferation by targeting CDK8 in breast cancer. <i>International Journal of Clinical and Experimental Medicine</i> , 2014, 7, 558-65.	1.3	32
242	miR-107 regulates cisplatin chemosensitivity of A549 non small cell lung cancer cell line by targeting cyclin dependent kinase 8. <i>International Journal of Clinical and Experimental Pathology</i> , 2014, 7, 7236-41.	0.5	29
244	Ergosterol analogs as inhibitors of cyclin dependent kinase 8. <i>Steroids</i> , 2022, 178, 108965.	1.8	1

#	ARTICLE	IF	CITATIONS
245	A Selective and Orally Bioavailable Quinoline-6-Carbonitrile-Based Inhibitor of CDK8/19 Mediator Kinase with Tumor-Enriched Pharmacokinetics. <i>Journal of Medicinal Chemistry</i> , 2022, 65, 3420-3433.	6.4	14
246	Unravelling the Role of Kinases That Underpin Androgen Signalling in Prostate Cancer. <i>Cells</i> , 2022, 11, 952.	4.1	4
247	Novel Nexus with NF κ B, β -catenin, and RB1 empowers PSMD10/Gankyrin to counteract TNF- α induced apoptosis establishing its oncogenic role. <i>International Journal of Biochemistry and Cell Biology</i> , 2022, , 106209.	2.8	4
251	Exploitation of the Mediator complex by viruses. <i>PLoS Pathogens</i> , 2022, 18, e1010422.	4.7	3
252	CDK1 promotes the proliferation of melanocytes in Rex rabbits. <i>Genes and Genomics</i> , 2022, 44, 1191-1199.	1.4	1
253	Transcriptomic and Proteomic Effects of CDK8 and CDK19 Mediator Kinases. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
254	Targeting the Heterogeneous Genomic Landscape in Triple-Negative Breast Cancer through Inhibitors of the Transcriptional Machinery. <i>Cancers</i> , 2022, 14, 4353.	3.7	3
255	Design and Synthesis of a 2-Amino-pyridine Derivative as a Potent CDK8 Inhibitor for Anti-colorectal Cancer Therapy. <i>Journal of Medicinal Chemistry</i> , 2022, 65, 13216-13239.	6.4	3
256	Knockout of ICAT in Adipose Tissue Alleviates Fibro-inflammation in Obese Mice. <i>Inflammation</i> , 2023, 46, 404-417.	3.8	2
257	A Common Variant in the CDK8 Gene Is Associated with Sporadic Pituitary Adenomas in the Portuguese Population: A Case-Control Study. <i>International Journal of Molecular Sciences</i> , 2022, 23, 11749.	4.1	0
258	Role of m6A modification in dysregulation of Wnt/ β -catenin pathway in cancer. <i>Biomedicine and Pharmacotherapy</i> , 2023, 157, 114023.	5.6	6
259	CDK8 and CDK19 act redundantly to control the CFTR pathway in the intestinal epithelium. <i>EMBO Reports</i> , 2023, 24, .	4.5	2
260	The study of a novel CDK8 inhibitor E966-0530-45418 that inhibits prostate cancer metastasis in vitro and in vivo. <i>Biomedicine and Pharmacotherapy</i> , 2023, 162, 114667.	5.6	3
261	CDK8 mediates coelomocyte proliferation via promoting β -catenin nuclear translocation in <i>Vibrio splendidus</i> -challenged <i>Apostichopus japonicus</i> . <i>Aquaculture</i> , 2023, 567, 739276.	3.5	1
262	Discovery of LL-K8-22: A Selective, Durable, and Small-Molecule Degradator of the CDK8-Cyclin C Complex. <i>Journal of Medicinal Chemistry</i> , 2023, 66, 4932-4951.	6.4	7
263	STEM CELLS AND THEIR PARACRINE FACTORS. <i>Immunology and Allergy Science and Practice</i> , 2023, , 13-19.	0.1	0
264	CDK8 and CDK19: positive regulators of signal-induced transcription and negative regulators of Mediator complex proteins. <i>Nucleic Acids Research</i> , 2023, 51, 7288-7313.	14.5	7
265	MicroRNA PC-3p-2869 Regulates Antler Growth and Inhibits Proliferation and Migration of Human Osteosarcoma and Chondrosarcoma Cells by Targeting CDK8, EEF1A1, and NTN1. <i>International Journal of Molecular Sciences</i> , 2023, 24, 10840.	4.1	0

#	ARTICLE	IF	CITATIONS
266	MED12 mutation activates the tryptophan/kynurenine/AHR pathway to promote growth of uterine leiomyomas. JCI Insight, 2023, 8, .	5.0	0