

CITATION REPORT

List of articles citing

Synaptotagmin arrests the SNARE complex before triggering fast, efficient membrane fusion in response to Ca^{2+}

DOI: 10.1038/nsmb.1463

Nature Structural and Molecular Biology, 2008, 15, 827-35.

Source: <https://exaly.com/paper-pdf/43656298/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
172	The Janus-faced nature of the C(2)B domain is fundamental for synaptotagmin-1 function. <i>Nature Structural and Molecular Biology</i> , 2008 , 15, 1160-8	17.6	97
171	Synaptotagmin C2B domain regulates Ca ²⁺ -triggered fusion in vitro: critical residues revealed by scanning alanine mutagenesis. <i>Journal of Biological Chemistry</i> , 2008 , 283, 31763-75	5.4	54
170	Synaptotagmin 2 couples mucin granule exocytosis to Ca ²⁺ signaling from endoplasmic reticulum. <i>Journal of Biological Chemistry</i> , 2009 , 284, 9781-7	5.4	43
169	Autapses and networks of hippocampal neurons exhibit distinct synaptic transmission phenotypes in the absence of synaptotagmin I. <i>Journal of Neuroscience</i> , 2009 , 29, 7395-403	6.6	85
168	Minimal membrane docking requirements revealed by reconstitution of Rab GTPase-dependent membrane fusion from purified components. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 17626-33	11.5	83
167	Investigation of SNARE-Mediated Membrane Fusion Mechanism Using Atomic Force Microscopy. 2009 , 48, 8JA03-8JA0310		3
166	The carboxy-terminal domain of complexin I stimulates liposome fusion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 2001-6	11.5	50
165	De novo STXBP1 mutations in mental retardation and nonsyndromic epilepsy. 2009 , 65, 748-53		118
164	Synaptotagmin I stabilizes synaptic vesicles via its C(2)A polylysine motif. 2009 , 47, 337-45		12
163	Conflicting views on the membrane fusion machinery and the fusion pore. 2009 , 25, 513-37		87
162	Concurrent binding of complexin and synaptotagmin to liposome-embedded SNARE complexes. 2009 , 48, 657-9		28
161	Synaptotagmin-mediated bending of the target membrane is a critical step in Ca(2+)-regulated fusion. 2009 , 138, 709-21		214
160	Lipid mixing and content release in single-vesicle, SNARE-driven fusion assay with 1-5 ms resolution. <i>Biophysical Journal</i> , 2009 , 96, 4122-31	2.9	62
159	Single-molecule studies of the neuronal SNARE fusion machinery. 2009 , 78, 903-28		87
158	Pulling force generated by interacting SNAREs facilitates membrane hemifusion. 2009 , 1, 301-10		17
157	Cholesterol, regulated exocytosis and the physiological fusion machine. 2009 , 423, 1-14		55
156	Rat and Drosophila synaptotagmin 4 have opposite effects during SNARE-catalyzed membrane fusion. <i>Journal of Biological Chemistry</i> , 2010 , 285, 30759-66	5.4	23

155	SNARE complex zipping as a driving force in the dilation of proteinaceous fusion pores. 2010 , 235, 89-100		33
154	Molecular neurobiology of lead (Pb(2+)): effects on synaptic function. 2010 , 42, 151-60		140
153	A manual collection of Syt, Esyt, Rph3a, Rph3al, Doc2, and Dblc2 genes from 46 metazoan genomes--an open access resource for neuroscience and evolutionary biology. 2010 , 11, 37		41
152	. 2010 ,		6
151	Synaptic mitochondria in synaptic transmission and organization of vesicle pools in health and disease. 2010 , 2, 139		160
150	References. 2010 , 459-565		
149	Differential regulation of synchronous versus asynchronous neurotransmitter release by the C2 domains of synaptotagmin 1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 14869-74	11.5	44
148	Lead exposure during synaptogenesis alters vesicular proteins and impairs vesicular release: potential role of NMDA receptor-dependent BDNF signaling. 2010 , 116, 249-63		85
147	The diversity of calcium sensor proteins in the regulation of neuronal function. <i>Cold Spring Harbor Perspectives in Biology</i> , 2010 , 2, a004085	10.2	65
146	Otoferlin is a calcium sensor that directly regulates SNARE-mediated membrane fusion. 2010 , 191, 187-97		102
145	Calcium-dependent regulation of SNARE-mediated membrane fusion by calmodulin. <i>Journal of Biological Chemistry</i> , 2010 , 285, 23665-75	5.4	36
144	Synaptobrevin N-terminally bound to syntaxin-SNAP-25 defines the primed vesicle state in regulated exocytosis. 2010 , 188, 401-13		96
143	Interaction of synaptotagmin with lipid bilayers, analyzed by single-molecule force spectroscopy. <i>Biophysical Journal</i> , 2010 , 99, 2550-8	2.9	21
142	EHD1 is a synaptic protein that modulates exocytosis through binding to snapin. 2010 , 45, 418-29		15
141	SNARE conformational changes that prepare vesicles for exocytosis. 2010 , 12, 19-29		56
140	Loss of synaptotagmin IV results in a reduction in synaptic vesicles and a distortion of the Golgi structure in cultured hippocampal neurons. <i>Neuroscience</i> , 2010 , 167, 135-42	3.9	21
139	Doc2b is a high-affinity Ca ²⁺ sensor for spontaneous neurotransmitter release. 2010 , 327, 1614-8		229
138	Synaptotagmin-1 may be a distance regulator acting upstream of SNARE nucleation. <i>Nature Structural and Molecular Biology</i> , 2011 , 18, 805-12	17.6	98

137	Single vesicle assaying of SNARE-synaptotagmin-driven fusion reveals fast and slow modes of both docking and fusion and intrasample heterogeneity. <i>Biophysical Journal</i> , 2011 , 100, 957-67	2.9	19
136	Docking, not fusion, as the rate-limiting step in a SNARE-driven vesicle fusion assay. <i>Biophysical Journal</i> , 2011 , 100, 2141-50	2.9	24
135	Spontaneous glutamate release is independent of calcium influx and tonically activated by the calcium-sensing receptor. <i>Journal of Neuroscience</i> , 2011 , 31, 4593-606	6.6	70
134	Mechanism and function of synaptotagmin-mediated membrane apposition. <i>Nature Structural and Molecular Biology</i> , 2011 , 18, 813-21	17.6	60
133	Complexin cross-links prefusion SNAREs into a zigzag array. <i>Nature Structural and Molecular Biology</i> , 2011 , 18, 927-33	17.6	118
132	Doc2 is a Ca ²⁺ sensor required for asynchronous neurotransmitter release. 2011 , 147, 666-77		148
131	Effects of synaptotagmin 2 on membrane fusion between liposomes that contain SNAREs involved in exocytosis in mast cells. 2011 , 1808, 2435-9		6
130	Stress, glucocorticoids and glutamate release: effects of antidepressant drugs. 2011 , 59, 138-49		82
129	Multiple Ca ²⁺ sensors in secretion: teammates, competitors or autocrats?. 2011 , 34, 487-97		59
128	Synaptotagmin increases the dynamic range of synapses by driving Ca ²⁺ -evoked release and by clamping a near-linear remaining Ca ²⁺ sensor. <i>Neuron</i> , 2011 , 69, 736-48	13.9	80
127	A role for V-ATPase subunits in synaptic vesicle fusion?. <i>Journal of Neurochemistry</i> , 2011 , 117, 603-12	6	40
126	Proteomic investigations of the synaptic vesicle interactome. 2011 , 8, 211-20		13
125	Membrane penetration by synaptotagmin is required for coupling calcium binding to vesicle fusion in vivo. <i>Journal of Neuroscience</i> , 2011 , 31, 2248-57	6.6	63
124	Reluctance to membrane binding enables accessibility of the synaptobrevin SNARE motif for SNARE complex formation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 12723-8	11.5	36
123	In vitro system capable of differentiating fast Ca ²⁺ -triggered content mixing from lipid exchange for mechanistic studies of neurotransmitter release. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, E304-13	11.5	127
122	Reconstituted synaptotagmin I mediates vesicle docking, priming, and fusion. 2011 , 195, 1159-70		77
121	Adhesion energy can regulate vesicle fusion and stabilize partially fused states. 2012 , 9, 1555-67		11
120	Complexin arrests a pool of docked vesicles for fast Ca ²⁺ -dependent release. 2012 , 31, 3270-81		72

119	The expression of a naturally occurring, truncated allele of an β SNAP gene suppresses plant parasitic nematode infection. 2012 , 80, 131-55		51
118	Uncoupling the roles of synaptotagmin I during endo- and exocytosis of synaptic vesicles. 2011 , 15, 243-9		90
117	The importance of an asymmetric distribution of acidic lipids for synaptotagmin 1 function as a Ca ²⁺ sensor. 2012 , 443, 223-9		14
116	G β inhibits exocytosis via interaction with critical residues on soluble N-ethylmaleimide-sensitive factor attachment protein-25. <i>Molecular Pharmacology</i> , 2012 , 82, 1136-49	4.3	25
115	Calcium sensing in exocytosis. 2012 , 740, 731-57		14
114	Molecular machines governing exocytosis of synaptic vesicles. 2012 , 490, 201-7		668
113	Ca(2+)-independent syntaxin binding to the C(2)B effector region of synaptotagmin. 2012 , 49, 1-8		10
112	Distinct initial SNARE configurations underlying the diversity of exocytosis. 2012 , 92, 1915-64		105
111	Synaptotagmin1 is required for spindle stability and metaphase-to-anaphase transition in mouse oocytes. 2012 , 11, 818-26		9
110	Developmental expression and subcellular distribution of synaptotagmin 11 in rat hippocampus. <i>Neuroscience</i> , 2012 , 225, 35-43	3.9	6
109	The stressed synapse: the impact of stress and glucocorticoids on glutamate transmission. 2011 , 13, 22-37		907
108	Greasing the synaptic vesicle cycle by membrane lipids. 2013 , 23, 493-503		67
107	Potential molecular mechanisms for decreased synaptic glutamate release in dysbindin-1 mutant mice. 2013 , 146, 254-63		24
106	Synaptotagmin interaction with SNAP-25 governs vesicle docking, priming, and fusion triggering. <i>Journal of Neuroscience</i> , 2013 , 33, 14417-30	6.6	58
105	Reconstitution of the vital functions of Munc18 and Munc13 in neurotransmitter release. 2013 , 339, 421-5		261
104	Neuroscience. Chaperones that SNARE neurotransmitter release. 2013 , 339, 406-7		8
103	Synaptotagmin-1 promotes the formation of axonal filopodia and branches along the developing axons of forebrain neurons. 2013 , 73, 27-44		21
102	Botulinum toxins: mechanisms of action, antinociception and clinical applications. 2013 , 306, 124-46		113

101	The voltage-gated calcium channel functions as the molecular switch of synaptic transmission. 2013 , 82, 607-35		45
100	Fusion pore formation and expansion induced by Ca ²⁺ and synaptotagmin 1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 1333-8	11.5	80
99	A sequential vesicle pool model with a single release sensor and a Ca(2+)-dependent priming catalyst effectively explains Ca(2+)-dependent properties of neurosecretion. 2013 , 9, e1003362		24
98	Prevalent mechanism of membrane bridging by synaptotagmin-1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, E3243-52	11.5	42
97	Genetic analysis of synaptotagmin C2 domain specificity in regulating spontaneous and evoked neurotransmitter release. <i>Journal of Neuroscience</i> , 2013 , 33, 187-200	6.6	50
96	Control of membrane gaps by synaptotagmin-Ca ²⁺ measured with a novel membrane distance ruler. <i>Nature Communications</i> , 2014 , 5, 5859	17.4	34
95	Calcium sensitive ring-like oligomers formed by synaptotagmin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 13966-71	11.5	59
94	Linker mutations reveal the complexity of synaptotagmin 1 action during synaptic transmission. 2014 , 17, 670-7		34
93	Innervation by a GABAergic neuron depresses spontaneous release in glutamatergic neurons and unveils the clamping phenotype of synaptotagmin-1. <i>Journal of Neuroscience</i> , 2014 , 34, 2100-10	6.6	28
92	Molecular mechanisms for synchronous, asynchronous, and spontaneous neurotransmitter release. 2014 , 76, 333-63		257
91	The morphological and molecular nature of synaptic vesicle priming at presynaptic active zones. <i>Neuron</i> , 2014 , 84, 416-31	13.9	235
90	Fast, Ca ²⁺ -dependent exocytosis at nerve terminals: shortcomings of SNARE-based models. <i>Progress in Neurobiology</i> , 2014 , 121, 55-90	10.9	12
89	Characterization of the lipid binding properties of Otoferlin reveals specific interactions between PI(4,5)P ₂ and the C2C and C2F domains. 2014 , 53, 5023-33		29
88	Presynaptic Terminals. 2015 ,		1
87	Transmembrane tethering of synaptotagmin to synaptic vesicles controls multiple modes of neurotransmitter release. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 3793-8	11.5	22
86	Molecular mechanisms governing Ca(2+) regulation of evoked and spontaneous release. 2015 , 18, 935-41		64
85	The Synaptic Vesicle Release Machinery. 2015 , 44, 339-67		214
84	Calcium binding promotes conformational flexibility of the neuronal Ca(2+) sensor synaptotagmin. <i>Biophysical Journal</i> , 2015 , 108, 2507-2520	2.9	10

83	Direct quantitative detection of Doc2b-induced hemifusion in optically trapped membranes. <i>Nature Communications</i> , 2015 , 6, 8387	17.4	24
82	Complexins: small but capable. 2015 , 72, 4221-35		36
81	Synaptotagmin-1 binds to PIP(2)-containing membrane but not to SNAREs at physiological ionic strength. <i>Nature Structural and Molecular Biology</i> , 2015 , 22, 815-23	17.6	66
80	An Engineered Metal Sensor Tunes the Kinetics of Synaptic Transmission. <i>Journal of Neuroscience</i> , 2015 , 35, 11769-79	6.6	11
79	The mechanisms and functions of spontaneous neurotransmitter release. 2015 , 16, 5-16		263
78	Synaptotagmin-7 Functions to Replenish Insulin Granules for Exocytosis in Human Islet β -Cells. 2016 , 65, 1962-76		32
77	Role of Munc13-4 as a Ca ²⁺ -dependent tether during platelet secretion. 2016 , 473, 627-39		18
76	C2-domain mediated nano-cluster formation increases calcium signaling efficiency. <i>Scientific Reports</i> , 2016 , 6, 36028	4.9	13
75	Interactions Between SNAP-25 and Synaptotagmin-1 Are Involved in Vesicle Priming, Clamping Spontaneous and Stimulating Evoked Neurotransmission. <i>Journal of Neuroscience</i> , 2016 , 36, 11865-11880	6.6	27
74	Different states of synaptotagmin regulate evoked versus spontaneous release. <i>Nature Communications</i> , 2016 , 7, 10971	17.4	32
73	Exocytotic fusion pores are composed of both lipids and proteins. <i>Nature Structural and Molecular Biology</i> , 2016 , 23, 67-73	17.6	57
72	A Chemical Controller of SNARE-Driven Membrane Fusion That Primes Vesicles for Ca ²⁺ -Triggered Millisecond Exocytosis. <i>Journal of the American Chemical Society</i> , 2016 , 138, 4512-21	16.4	13
71	Functional analysis of the interface between the tandem C2 domains of synaptotagmin-1. <i>Molecular Biology of the Cell</i> , 2016 , 27, 979-89	3.5	14
70	G β 1 binds to the Extreme C Terminus of SNAP25 to Mediate the Action of Gi/o-Coupled G Protein-Coupled Receptors. <i>Molecular Pharmacology</i> , 2016 , 89, 75-83	4.3	20
69	Lipid-anchored Synaptobrevin Provides Little or No Support for Exocytosis or Liposome Fusion. <i>Journal of Biological Chemistry</i> , 2016 , 291, 2848-57	5.4	27
68	Synaptotagmin 2 Is the Fast Ca Sensor at a Central Inhibitory Synapse. <i>Cell Reports</i> , 2017 , 18, 723-736	10.6	39
67	Green fluorescence protein-based content-mixing assay of SNARE-driven membrane fusion. <i>Biochemical and Biophysical Research Communications</i> , 2017 , 488, 53-59	3.4	1
66	The Mechanisms and Functions of Synaptic Facilitation. <i>Neuron</i> , 2017 , 94, 447-464	13.9	174

65	GLI directly modulates vesicle fusion by competing with synaptotagmin for binding to neuronal SNARE proteins embedded in membranes. <i>Journal of Biological Chemistry</i> , 2017 , 292, 12165-12177	5.4	21
64	The SARS-CoV Fusion Peptide Forms an Extended Bipartite Fusion Platform that Perturbs Membrane Order in a Calcium-Dependent Manner. <i>Journal of Molecular Biology</i> , 2017 , 429, 3875-3892	6.5	109
63	Simultaneous lipid and content mixing assays for in vitro reconstitution studies of synaptic vesicle fusion. <i>Nature Protocols</i> , 2017 , 12, 2014-2028	18.8	12
62	The calcium sensor synaptotagmin 1 is expressed and regulated in hippocampal postsynaptic spines. <i>Hippocampus</i> , 2017 , 27, 1168-1177	3.5	11
61	Vesicle Fusion Mediated by Solanesol-Anchored DNA. <i>Biophysical Journal</i> , 2017 , 113, 1260-1268	2.9	23
60	A Stimulation Function of Synaptotagmin-1 in Ternary SNARE Complex Formation Dependent on Munc18 and Munc13. <i>Frontiers in Molecular Neuroscience</i> , 2017 , 10, 256	6.1	10
59	Productive and Non-productive Pathways for Synaptotagmin 1 to Support Ca-Triggered Fast Exocytosis. <i>Frontiers in Molecular Neuroscience</i> , 2017 , 10, 380	6.1	8
58	The quantum physics of synaptic communication via the SNARE protein complex. <i>Progress in Biophysics and Molecular Biology</i> , 2018 , 135, 16-29	4.7	15
57	Vesicle release site organization at synaptic active zones. <i>Neuroscience Research</i> , 2018 , 127, 3-13	2.9	16
56	The Dual Function of the Polybasic Juxtamembrane Region of Syntaxin 1A in Clamping Spontaneous Release and Stimulating Ca-Triggered Release in Neuroendocrine Cells. <i>Journal of Neuroscience</i> , 2018 , 38, 220-231	6.6	6
55	Focused clamping of a single neuronal SNARE complex by complexin under high mechanical tension. <i>Nature Communications</i> , 2018 , 9, 3639	17.4	9
54	The high-affinity calcium sensor synaptotagmin-7 serves multiple roles in regulated exocytosis. <i>Journal of General Physiology</i> , 2018 , 150, 783-807	3.4	22
53	Models of synaptotagmin-1 to trigger Ca ²⁺ -dependent vesicle fusion. <i>FEBS Letters</i> , 2018 , 592, 3480-3492	3.8	21
52	Excitatory and Inhibitory Neurons Utilize Different Ca Sensors and Sources to Regulate Spontaneous Release. <i>Neuron</i> , 2018 , 98, 977-991.e5	13.9	41
51	New Insights Into Interactions of Presynaptic Calcium Channel Subtypes and SNARE Proteins in Neurotransmitter Release. <i>Frontiers in Molecular Neuroscience</i> , 2018 , 11, 213	6.1	13
50	Search for a minimal machinery for Ca-triggered millisecond neuroexocytosis. <i>Neuroscience</i> , 2019 , 420, 4-11	3.9	2
49	Synaptotagmin-1 enables frequency coding by suppressing asynchronous release in a temperature dependent manner. <i>Scientific Reports</i> , 2019 , 9, 11341	4.9	3
48	Synaptotagmin 17 controls neurite outgrowth and synaptic physiology via distinct cellular pathways. <i>Nature Communications</i> , 2019 , 10, 3532	17.4	11

47	Synaptotagmin 1 clamps synaptic vesicle fusion in mammalian neurons independent of complexin. <i>Nature Communications</i> , 2019 , 10, 4076	17.4	26
46	Structural basis for the clamping and Ca activation of SNARE-mediated fusion by synaptotagmin. <i>Nature Communications</i> , 2019 , 10, 2413	17.4	20
45	Calcium Sensors in Neuronal Function and Dysfunction. <i>Cold Spring Harbor Perspectives in Biology</i> , 2019 , 11,	10.2	30
44	Synaptotagmin oligomers are necessary and can be sufficient to form a Ca ²⁺ -sensitive fusion clamp. <i>FEBS Letters</i> , 2019 , 593, 154-162	3.8	20
43	Disabling the Gβγ-SNARE interaction disrupts GPCR-mediated presynaptic inhibition, leading to physiological and behavioral phenotypes. <i>Science Signaling</i> , 2019 , 12,	8.8	16
42	Fusion assays for model membranes: a critical review. <i>Advances in Biomembranes and Lipid Self-Assembly</i> , 2019 , 229-270	1	2
41	The role of the C2A domain of synaptotagmin 1 in asynchronous neurotransmitter release. <i>PLoS ONE</i> , 2020 , 15, e0232991	3.7	2
40	Cytotoxic Granule Trafficking and Fusion in Synaptotagmin7-Deficient Cytotoxic T Lymphocytes. <i>Frontiers in Immunology</i> , 2020 , 11, 1080	8.4	1
39	Resolving kinetic intermediates during the regulated assembly and disassembly of fusion pores. <i>Nature Communications</i> , 2020 , 11, 231	17.4	18
38	Disorders of synaptic vesicle fusion machinery. <i>Journal of Neurochemistry</i> , 2021 , 157, 130-164	6	16
37	SARS-CoV-2 Fusion Peptide has a Greater Membrane Perturbating Effect than SARS-CoV with Highly Specific Dependence on Ca ²⁺ .		
36	SNARE complex alters the interactions of the Ca sensor synaptotagmin 1 with lipid bilayers. <i>Biophysical Journal</i> , 2021 , 120, 642-661	2.9	4
35	Synaptotagmin rings as high sensitivity regulators of synaptic vesicle docking and fusion.		1
34	Lipid Membranes: Fusion, Instabilities, and Cubic Structure Formation. 2021 , 115-152		
33	The role of PI(4,5)P ₂ and synaptotagmin in membrane fusion - an in vitro study.		
32	SARS-CoV-2 Fusion Peptide has a Greater Membrane Perturbating Effect than SARS-CoV with Highly Specific Dependence on Ca. <i>Journal of Molecular Biology</i> , 2021 , 433, 166946	6.5	20
31	Coupling of Ca ²⁺ -triggered unclamping and membrane fusion during neurotransmitter release.		0
30	SNAREs and Synaptotagmin cooperatively determine the Ca ²⁺ sensitivity of neurotransmitter release in fixed stoichiometry modules.		

29	βSynuclein kinetically regulates the nascent fusion pore dynamics. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	1
28	Role of phosphoinositides at the neuronal synapse. <i>Sub-Cellular Biochemistry</i> , 2012 , 59, 131-75	5.5	31
27	Disabling GβSNARE interaction in transgenic mice disrupts GPCR-mediated presynaptic inhibition leading to physiological and behavioral phenotypes.		3
26	Quasiparticle Tunneling in Neurotransmitter Release. <i>The Electrical Engineering Handbook</i> , 2012 , 983-1016		1
25	A synaptotagmin suppressor screen indicates SNARE binding controls the timing and Ca cooperativity of vesicle fusion. <i>ELife</i> , 2017 , 6,	8.9	19
24	Plant Alkaloids Inhibit Membrane Fusion Mediated by Calcium and Fragments of MERS-CoV and SARS-CoV/SARS-CoV-2 Fusion Peptides. <i>Biomedicines</i> , 2021 , 9,	4.8	3
23	Electrostatic Interactions in Membrane Fusion. <i>Springer Theses</i> , 2014 , 29-48	0.1	
22	Ca ²⁺ Sensors: Synaptotagmins. 2015 , 167-194		
21	In Vivo Analysis of Membrane Fusion. 1-21		
20	Dynamic Control of Ca ²⁺ Binding in the C2 Domains of Synaptotagmin 1.		
19	Structural Basis for the Clamping and Ca ²⁺ Activation of SNARE-mediated Fusion by Synaptotagmin.		
18	The role of the C2A domain of synaptotagmin 1 in asynchronous neurotransmitter release.		
17	SNARE Complex Alters the Interactions of the Ca ²⁺ sensor Synaptotagmin 1 with Lipid Bilayers.		
16	Post-tetanic potentiation lowers the energy barrier for synaptic vesicle fusion independently of Synaptotagmin-1. <i>ELife</i> , 2020 , 9,	8.9	0
15	Post-tetanic potentiation lowers the energy barrier for synaptic vesicle fusion independently of Synaptotagmin-1.		
14	Importance of Negatively Charged Residues in the Membrane Ordering Activity of SARS-CoV-1 and -2 Fusion Peptides.. <i>Biophysical Journal</i> , 2021 ,	2.9	0
13	Forces, Kinetics, and Fusion Efficiency Altered by the Full-Length Synaptotagmin-1 -PI(4,5)P Interaction in Constrained Geometries. <i>Nano Letters</i> , 2021 ,	11.5	0
12	Deconstructing Synaptotagmin-1's Distinct Roles in Synaptic Vesicle Priming and Neurotransmitter Release.. <i>Journal of Neuroscience</i> , 2022 ,	6.6	0

11	Critical Negatively Charged Residues Are Important for the Activity of SARS-CoV-1 and SARS-CoV-2 Fusion Peptides.. 2021 ,		
10	Synaptotagmin 9 modulates spontaneous neurotransmitter release in striatal neurons by regulating substance P secretion.		
9	Data_Sheet_1.docx. 2020 ,		
8	Image_1.JPEG. 2020 ,		
7	Image_2.JPEG. 2020 ,		
6	Image_3.JPEG. 2020 ,		
5	Revisiting the molecular basis of synaptic transmission. <i>Progress in Neurobiology</i> , 2022 , 102312	10.9	o
4	Synaptotagmin rings as high-sensitivity regulators of synaptic vesicle docking and fusion. 2022 , 119,		o
3	Synaptotagmin-9 and Tomosyn-1 molecular complex regulates Stx1A SNAREs to inhibit insulin secretion from pancreatic β -cells.		o
2	The Mechanisms of Lipid Vesicle Fusion Inhibition by Extracts of Chaga and Buckthorn Leaves. 2022 , 16, 311-319		1
1	A de novo missense mutation in synaptotagmin-1 associated with neurodevelopmental disorder desynchronizes neurotransmitter release.		o