

CITATION REPORT

List of articles citing

Strong magneto-chiral dichroism in enantiopure chiral ferro

DOI: 10.1038/nmat2256

Nature Materials, 2008, 7, 729-34.

Source: <https://exaly.com/paper-pdf/43661187/citation-report.pdf>

Version: 2024-04-09

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
468	Biological materials: Fishing for compliance. <i>Nature Materials</i> , 2008 , 7, 692-3	27	23
467	Magnetic molecules: Chirality and magnetism shake hands. <i>Nature Materials</i> , 2008 , 7, 691-2	27	58
466	Selective monosulfoxidation of tetrathiafulvalenes into chiral TTF-sulfoxides. <i>Chirality</i> , 2009 , 21, 818-25	2.1	17
465	Chirality and magnetism: Free electron on an infinite helix, NCD, MCD, and magnetochiral dichroism. 2009 , 481, 166-168		21
464	Chiral transfer in coordination complexes: towards molecular materials. 2009 , 38, 830-45		337
463	One-dimensional cyanide-bridged Mn(III)W(V) bimetallic complexes: metamagnetism, spontaneous resolution, and slow magnetic relaxation. <i>Inorganic Chemistry</i> , 2009 , 48, 9066-8	5.1	38
462	Functional coordination nanoparticles. <i>Inorganic Chemistry</i> , 2009 , 48, 3360-70	5.1	84
461	Trinuclear C ₃ -symmetric extension of Jacobsen's catalyst: synthesis, characterization, and catalytic properties of a chiral trinuclear Mn(III) triplesalen complex. <i>Inorganic Chemistry</i> , 2009 , 48, 9476-84	5.1	36
460	Preface for the forum on molecular magnetism: the role of inorganic chemistry. <i>Inorganic Chemistry</i> , 2009 , 48, 3293-5	5.1	84
459	Strategies towards chiral molecular conductors. 2009 , 19, 4061		103
458	Magnetic compensation and ordering in the bimetallic oxalates: why are the 2D and 3D series so different?. <i>Inorganic Chemistry</i> , 2009 , 48, 3039-46	5.1	18
457	Large magnetization-induced second harmonic generation in an enantiopure chiral magnet. <i>Journal of the American Chemical Society</i> , 2009 , 131, 16838-43	16.4	194
456	Oxalate-bridged bimetallic complexes {NH(prot) ₃ }[MCr(ox) ₃] (M = Mn(II), Fe(II), Co(II); NH(prot) ₃ (+) = tri(3-hydroxypropyl)ammonium) exhibiting coexistent ferromagnetism and proton conduction. <i>Journal of the American Chemical Society</i> , 2009 , 131, 13516-22	16.4	215
455	Bulk homochirality of a 3-D inorganic framework: ligand control of inorganic network chirality. 2009 , 4551-3		26
454	Constructions of 1D helical chains with left-handed/right-handed helicity: a correlation between the helicity of 1D chains and the chirality of building blocks. <i>Dalton Transactions</i> , 2009 , 6802-8	4.3	25
453	Homochiral, helical metal-organic framework structures organized by strong, non-covalent pi-pi stacking interactions. 2009 , 6219-21		34
452	Single chain magnet behaviour in an enantiopure chiral cobalt(II)-copper(II) one-dimensional compound. 2010 , 46, 2322-4		98

451	Synthesis, characterization, structures and magnetic property of chiral oxalate-bridged dicopper(II) complexes. 2010 , 53, 1255-1260		3
450	Engineering homochiral metal-organic frameworks for heterogeneous asymmetric catalysis and enantioselective separation. 2010 , 22, 4112-35		743
449	Multifunctional magnetic materials obtained by insertion of a spin-crossover Fe(III) complex into bimetallic oxalate-based ferromagnets. <i>Chemistry - A European Journal</i> , 2010 , 16, 2207-19	4.8	75
448	Electroactive benzothiazole hydrazones and their [Mo6O19]2- derivatives: promising building blocks for conducting molecular materials. <i>Chemistry - A European Journal</i> , 2010 , 16, 8390-9	4.8	29
447	A Liquid-Crystalline Single-Molecule Magnet with Variable Magnetic Properties. <i>Angewandte Chemie</i> , 2010 , 122, 1667-1670	3.6	14
446	A liquid-crystalline single-molecule magnet with variable magnetic properties. <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 1623-6	16.4	133
445	Magnetic properties and circular dichroism of 1D chains built from chiral mononuclear and non-chiral trinuclear Cu(II) complexes with α -aminocarboxylates. 2010 , 363, 3453-3460		15
444	Electrical conduction property of molecular magnetic material $[N(n-C_4H_9)_4[Fe(II)Fe(III)(C_2O_4)_3]]$ Before and after thermal degradation. 2010 , 405, 1546-1550		6
443	Solvent control on the structural versatility and properties of manganese(II) complexes surrounded by the flexible hinge-like ligand. 2010 , 13, 636-640		5
442	Band theory of spatial dispersion in magnetoelectrics. <i>Physical Review B</i> , 2010 , 82,	3.3	15
441	Synthesis, crystal structure and magnetic properties of two oxalato-bridged dimetallic trinuclear complexes combined with a polar cation. <i>Dalton Transactions</i> , 2010 , 39, 4951-8	4.3	34
440	Probing molecular chirality via electronic transport. <i>Physical Review B</i> , 2010 , 81,	3.3	6
439	Giant spin and orbital moment anisotropies of a Cu-phthalocyanine monolayer. <i>Physical Review B</i> , 2010 , 82,	3.3	91
438	Spin selective electron transmission through monolayers of chiral molecules. 2011 , 298, 237-57		6
437	Synthesis, structures, and magnetism of three 1D Mn(III) chains with oxazoline-based ligands. <i>Inorganic Chemistry</i> , 2010 , 49, 5868-75	5.1	27
436	[Cu3(Hmesox)3]3-: a precursor for the rational design of chiral molecule-based magnets (H4mesox = 2-dihydroxymalonic acid). <i>Inorganic Chemistry</i> , 2010 , 49, 7880-9	5.1	17
435	XAS and XMCD of Single Molecule Magnets. 2010 , 279-311		10
434	Chiral magnetic metal-organic frameworks of Mn(II) with achiral tetrazolate-based ligands by spontaneous resolution. 2010 , 46, 8543-5		130

433	Achiral single molecule magnet and chiral single chain magnet. 2010 , 46, 6117-9		70
432	Experimental and theoretical studies on photophysical properties: tuning redox-active amido-tetrathiafulvalene derivatives in paramagnetic coordination complexes. <i>Inorganic Chemistry</i> , 2010 , 49, 1947-60	5.1	34
431	Extraction of magnetic coupling parameters in 2-dimensional magnetic honeycomb layers. 2010 , 114, 7553-60		8
430	2D and 3D bimetallic oxalate-based ferromagnets prepared by insertion of different Fe(III) spin crossover complexes. <i>Dalton Transactions</i> , 2010 , 39, 4903-10	4.3	43
429	Nature of magnetic interactions in 3D {[M(II)(pyrazole) ₄] ₂ [Nb(IV)(CN) ₈].4H ₂ O} _n (M = Mn, Fe, Co, Ni) molecular magnets. <i>Inorganic Chemistry</i> , 2010 , 49, 7565-76	5.1	48
428	Single-ion magnets based on mononuclear lanthanide complexes with chiral Schiff base ligands [Ln(FTA) ₃ L] (Ln = Sm, Eu, Gd, Tb and Dy). 2010 , 46, 2929-31		220
427	Solid-state transformation of [Co(NCS) ₂ (pyridine) ₄] into [Co(NCS) ₂ (pyridine) ₂] _n : from Curie-Weiss paramagnetism to single chain magnetic behaviour. <i>Dalton Transactions</i> , 2010 , 39, 11019-26	4.3	101
426	A chiral ferromagnetic molecular metal. <i>Journal of the American Chemical Society</i> , 2010 , 132, 9271-3	16.4	81
425	Chiral transition metal clusters from two enantiomeric schiff base ligands. Synthesis, structures, CD spectra and magnetic properties. <i>Dalton Transactions</i> , 2010 , 39, 1771-80	4.3	54
424	Polymetallic oxalate-based 2D magnets: soluble molecular precursors for the nanostructuration of magnetic oxides. <i>Journal of the American Chemical Society</i> , 2010 , 132, 5456-68	16.4	59
423	Rational synthesis of chiral layered magnets by functionalization of metal simple hydroxides with chiral and non-chiral Ni(II) Schiff base complexes. <i>Dalton Transactions</i> , 2010 , 39, 10577-80	4.3	26
422	Intercalation of two-dimensional oxalate-bridged molecule-based magnets into layered double hydroxide hosts. 2010 , 20, 9476		25
421	[Fe(II)LSCo(III)LS] ₂ <=> [Fe(III)LSCo(II)HS] ₂ photoinduced conversion in a cyanide-bridged heterobimetallic molecular square. 2010 , 46, 8995-7		100
420	An enantiopure Fe(III) ₄ single-molecule magnet. 2011 , 47, 8049-51		70
419	Enantiopure sandwich-type nonanuclear Ln(III) ₃ Mn(III) ₆ clusters. <i>Dalton Transactions</i> , 2011 , 40, 4035-7	4.3	36
418	Binuclear heterometallic M(III)Mn(II) (M = Fe, Cr) oxalate-bridged complexes associated with a bisamidinium dication: a structural and magnetic study. 2011 , 35, 1254		15
417	A 2D homochiral inorganic-organic framework exhibiting a spin-flop transition. <i>Dalton Transactions</i> , 2011 , 40, 7147-52	4.3	20
416	Chiral crystalline solids of ammonium-templated ErIIIformate frameworks assembled from three achiral acentric components. <i>CrystEngComm</i> , 2011 , 13, 5285	3.3	33

4 ¹⁵	An Enantiopair of Organic Ferromagnet Crystals Based on Helical Molecular Packing of Achiral Organic Radicals. 2011 , 2, 3036-3039		8
4 ¹⁴	Influence of Alkali Metal Cation (Li(I), Na(I), K(I)) on the Construction of Chiral and Achiral Heterometallic Coordination Polymers. 2011 , 11, 2485-2492		32
4 ¹³	Homochiral, helical supramolecular metal-organic frameworks organized by strong π - π stacking interactions: single-crystal to single-crystal transformations in closely packed solids. <i>Inorganic Chemistry</i> , 2011 , 50, 686-704	5.1	69
4 ¹²	Microporous, Homochiral Structures Containing Iron Oxo-Clusters Supported by Antimony(III) Tartrate Scaffolds. 2011 , 11, 4632-4638		15
4 ¹¹	Cyano-Bridged Homochiral Heterometallic Helical Complexes: Synthesis, Structures, Magnetic and Dielectric Properties. 2011 , 11, 302-310		37
4 ¹⁰	Structural and electronic modulation of magnetic properties in a family of chiral iron coordination polymers. <i>Inorganic Chemistry</i> , 2011 , 50, 5925-35	5.1	16
4 ⁰⁹	Capturing Axially Chiral Conformations of 2,2'-bipyridine in [Mn(II)(2,2'-bpy)(HCO ₂) ₂ (N ₃) _x] via Spontaneous Resolution. 2011 , 11, 2398-2403		27
4 ⁰⁸	Enantiopure chiral coordination polymers of tetrahedral and octahedral cobalt(II) alternate chains exhibiting slow magnetic relaxation behavior. <i>Dalton Transactions</i> , 2011 , 40, 5680-3	4.3	37
4 ⁰⁷	Enhancing the magnetic coupling of oxalato-bridged Re(IV) ₂ M(II) (M=Mn, Co, Ni, and Cu) trinuclear complexes via peripheral halide ligand effects. <i>Inorganic Chemistry</i> , 2011 , 50, 5731-9	5.1	40
4 ⁰⁶	High proton conduction in a chiral ferromagnetic metal-organic quartz-like framework. <i>Journal of the American Chemical Society</i> , 2011 , 133, 15328-31	16.4	270
4 ⁰⁵	Multifunctionality in hybrid magnetic materials based on bimetallic oxalate complexes. 2011 , 40, 473-97		272
4 ⁰⁴	Multifunctional magnetic materials obtained by insertion of spin-crossover Fe(III) complexes into chiral 3D bimetallic oxalate-based ferromagnets. <i>Inorganic Chemistry</i> , 2011 , 50, 9122-30	5.1	49
4 ⁰³	A hybrid magnet with coexistence of ferromagnetism and photoinduced Fe(III) spin-crossover. 2011 , 2, 1121		80
4 ⁰²	Synthesis, crystal structure and magnetic properties of an oxalato-bridged Re(IV)Mo(VI) heterobimetallic complex. <i>Dalton Transactions</i> , 2011 , 40, 4818-20	4.3	20
4 ⁰¹	Chiral single-molecule magnets: a partial Mn(III) supertetrahedron from achiral components. 2011 , 47, 3090-2		47
4 ⁰⁰	Molecular asymmetry in extraterrestrial organic chemistry: An analytical perspective. 2011 , 75, 645-656		61
399	The fruitful introduction of chirality and control of absolute configurations in molecular magnets. 2011 , 40, 3297-312		252
398	Isomeric Fe(II) MOFs: from a diamond-framework spin-crossover material to a 2D hard magnet. 2011 , 47, 12646-8		15

397	Focus Issue Introduction: Chiral Optical Materials. 2011 , 1, 3		4
396	Multifunctional Magnetic Molecular {[MnII(urea)2(H2O)]2[NbIV(CN)8]} _n System: Magnetization-Induced SHG in the Chiral Polymorph. 2011 , 23, 21-31		76
395	Hybrid magnetic/superconducting materials obtained by insertion of a single-molecule magnet into TaS ₂ layers. 2011 , 23, 5021-6		29
394	Syntheses and characterization of copper(II) carboxylate dimers formed from enantiopure ligands containing a strong π - π stacking synthon: enantioselective single-crystal to single-crystal gas/solid-mediated transformations. <i>Inorganic Chemistry</i> , 2011 , 50, 10225-40	5.1	32
393	An invitation to molecular magnetism. 2011 , 94, 139-83		11
392	Synthesis of a Chiral-structured Molecular Magnet Based on a Cyano-bridged Co ^{II} Bimetal Assembly. 2011 , 40, 586-587		15
391	Metal-directed and ligand-distorted assembly of chiral/achiral one-dimensional coordination polymers: Syntheses, structures and physical properties. 2011 , 379, 135-139		10
390	Layered hydroxide hybrid nanostructures: a route to multifunctionality. 2011 , 40, 1031-58		120
389	Metal-organic niccolite: synthesis, structures, phase transition, and magnetic properties of [CH ₃ NH ₂ (CH ₂) ₂ NH ₂ CH ₃][M ₂ (HCOO) ₆] (M=divalent Mn, Fe, Co, Ni, Cu and Zn). 2011 , 6, 3084-96		50
388	Effect of chirality on domain wall dynamics in molecular ferrimagnet [MnII(HL-pn)(H ₂ O)][MnIII(CN) ₆] \cdot 2H ₂ O. 2011 , 84, 219-225		12
387	Organic-inorganic Hybrid Lanthanide-Silver Heterometallic Coordination Frameworks Constructed from Oxalate and Sulfate Anion: Syntheses, Structures, and Photoluminescent Properties. 2011 , 637, 741-747		6
386	Two mononuclear octahedral complexes with benzimidazole-2-carboxylate: supramolecular networks constructed by hydrogen bonds. 2011 , 67, m346-50		5
385	A Decade of Octacyanides in Polynuclear Molecular Materials. <i>European Journal of Inorganic Chemistry</i> , 2011 , 2011, 305-326	2.3	92
384	A Rare μ -O Centred Dy ₄ Tetrahedron with Coordination-Induced Local Chirality and Single-Molecule Magnet Behaviour. <i>European Journal of Inorganic Chemistry</i> , 2011 , 2011, 1535-1539	2.3	61
383	1D Coll and Nill Chiral Polymers That Exhibit Ferromagnetic Interactions. <i>European Journal of Inorganic Chemistry</i> , 2011 , 2011, 4869-4877	2.3	15
382	Double Switching of a Magnetic Coordination Framework through Intraskelatal Molecular Rearrangement. <i>Angewandte Chemie</i> , 2011 , 123, 4059-4063	3.6	10
381	Magneto-Chiral Dichroism of Organic Compounds. <i>Angewandte Chemie</i> , 2011 , 123, 9299-9302	3.6	23
380	Ion-Induced Transformation of Magnetism in a Bimetallic CuFe Prussian Blue Analogue. <i>Angewandte Chemie</i> , 2011 , 123, 6393-6397	3.6	18

379	Magnetochirale Effekte in amphiphilen J-Aggregaten von Porphyrin. <i>Angewandte Chemie</i> , 2011 , 123, 12608-12610	3.6	1
378	Double switching of a magnetic coordination framework through intraskeletal molecular rearrangement. <i>Angewandte Chemie - International Edition</i> , 2011 , 50, 3973-7	16.4	71
377	Magneto-chiral dichroism of organic compounds. <i>Angewandte Chemie - International Edition</i> , 2011 , 50, 9133-6	16.4	80
376	Ion-induced transformation of magnetism in a bimetallic CuFe Prussian blue analogue. <i>Angewandte Chemie - International Edition</i> , 2011 , 50, 6269-73	16.4	80
375	Magnetochiral effects in amphiphilic porphyrin J-aggregates. <i>Angewandte Chemie - International Edition</i> , 2011 , 50, 12402-4	16.4	9
374	Ferromagnetic versus antiferromagnetic exchange interactions in tetrathiafulvalene-based 3d/4f heterobimetallic complexes. <i>Chemistry - A European Journal</i> , 2011 , 17, 12502-11	4.8	38
373	Rational enantioselective design of chiral heterobimetallic single-chain magnets: synthesis, crystal structures and magnetic properties of oxamato-bridged M(II)Cu(II) chains (M=Mn, Co). <i>Chemistry - A European Journal</i> , 2011 , 17, 12482-94	4.8	77
372	Bis(oxalato)chromium(III) complexes: Versatile tectons in designing heterometallic coordination compounds. <i>Coordination Chemistry Reviews</i> , 2011 , 255, 161-185	23.2	84
371	Magnetic diagnostics using the third-harmonic magnetic response for a molecule-based magnet networked by a single chiral ligand. 2012 , 111, 103914		17
370	Polarization-independent magnetic control of the light phase in a chiral optical fiber. 2012 , 285, 4344-4346		1
369	Synthesis, structure, circular dichroism of a 1546-di- π -hydroxo-tetrakis(S-prolinato)dnicobalt(III) complex and NMR study of its interaction with chiral and non-chiral probes in solutions. 2012 , 36, 2070		2
368	A new series of chiral metal formate frameworks of [HONH ₃][M(II)(HCOO) ₃] (M = Mn, Co, Ni, Zn, and Mg): synthesis, structures, and properties. <i>Inorganic Chemistry</i> , 2012 , 51, 13363-72	5.1	70
367	Magnetic Liquid Crystals. 2012 , 83-110		6
366	Modulation of homochiral Dy(III) complexes: single-molecule magnets with ferroelectric properties. <i>Chemistry - A European Journal</i> , 2012 , 18, 14632-7	4.8	79
365	Homochiral 1D-helical coordination polymers from achiral cucurbit[5]uril: hydroquinone-induced spontaneous resolution. 2012 , 2, 3217		37
364	A homochiral diamond framework constructed from Fe(III) and Mn(II) oxo-clusters supported by Sb(III) tartrate scaffolds. 2012 , 48, 3990-2		10
363	Evidence for magnetic anisotropy of [Nb(IV)(CN) ₈] ⁴⁻ in a pillared-layered Mn ₂ Nb framework showing spin-flop transition. 2012 , 48, 8323-5		30
362	Ligand effects on the dimensionality of oxamato-bridged mixed-metal open-framework magnets. 2012 , 48, 3539-41		15

361	Influence of the alkaline earth cations on the topology of MII/CuII mixed-metal organic frameworks (M = Ca, Sr and Ba). <i>CrystEngComm</i> , 2012 , 14, 761-764	3.3	16
360	Magnetochiral Dichroism and Birefringence. 2012 , 433-455		
359	X-Ray Detected Optical Activity. 2012 , 457-491		2
358	Chiral cyanide-bridged Cr(III)-Mn(III) heterobimetallic chains based on [(Tp)Cr(CN)3]-: synthesis, structures, and magnetic properties. <i>Inorganic Chemistry</i> , 2012 , 51, 2140-9	5.1	67
357	Conjunction of chirality and slow magnetic relaxation in the supramolecular network constructed of crossed cyano-bridged Co(II)-W(V) molecular chains. <i>Journal of the American Chemical Society</i> , 2012 , 134, 16151-4	16.4	66
356	The impact of ligands upon topology and functionality of octacyanidometallate-based assemblies. <i>Coordination Chemistry Reviews</i> , 2012 , 256, 1946-1971	23.2	148
355	Molecular magnetism: A three-headed Janus material. 2012 , 4, 871-2		7
354	Highly selective chemical sensing in a luminescent nanoporous magnet. 2012 , 24, 5625-9		121
353	Chirality of matter shows up via spin excitations. 2012 , 8, 734-738		103
352	Field-induced slow magnetic relaxation in chiral seven-coordinated mononuclear lanthanide complexes. <i>Dalton Transactions</i> , 2012 , 41, 13682-90	4.3	48
351	A heteropentanuclear oxalato-bridged [Re(IV)4Gd(III)] complex: synthesis, crystal structure and magnetic properties. 2012 , 48, 9242-4		24
350	On the Interaction of Light with Molecules: Pathways to the Theoretical Interpretation of Chiroptical Phenomena. 2012 , 1-34		1
349	Homochiral lanthanoid(III) mesoxalate metal organic frameworks: synthesis, crystal growth, chirality, magnetic and luminescent properties. <i>CrystEngComm</i> , 2012 , 14, 2635	3.3	71
348	Topological versatility of oxalate-based bimetallic one-dimensional (1D) compounds associated with ammonium cations. <i>Inorganic Chemistry</i> , 2012 , 51, 11582-93	5.1	32
347	Three-way switching in a cyanide-bridged [CoFe] chain. 2012 , 4, 921-6		235
346	High-pressure single-crystal XRD and magnetic study of a octacyanonitobate-based magnetic sponge. <i>CrystEngComm</i> , 2012 , 14, 5224	3.3	23
345	Two-dimensional (6,3) networks obtained with the {Cu3(Hmesox)3}3 secondary building unit (H4mesox = mesoxalic acid). <i>CrystEngComm</i> , 2012 , 14, 4289	3.3	10
344	Synthesis, crystal structure and characterization of chiral, three-dimensional anhydrous potassium tris(oxalato)ferrate(III). 2012 , 407, 4208-4213		17

343	Assembly of Chiral/Achiral Coordination Polymers Based on 2-(Pyridine-3-yl)-1H-4,5-imidazoledicarboxylic Acid: Chirality Transfer between Chiral Two-Dimensional Networks Containing Helical Chains. 2012 , 12, 2355-2361		54
342	Spontaneous resolution of a coordination polymer containing stereogenic five-coordinate Zn(II) centers and achiral ligands with axially chiral conformation. <i>CrystEngComm</i> , 2012 , 14, 6241	3.3	13
341	Electric Field Dependence of Molecular Orientation and Anisotropic Magnetic Interactions in the Ferroelectric Liquid Crystalline Phase of an Organic Radical Compound by EPR Spectroscopy. 2012 , 82, 50-54		4
340	Selective gas and vapor sorption and magnetic sensing by an isorecticular mixed-metal-organic framework. <i>Journal of the American Chemical Society</i> , 2012 , 134, 15301-4	16.4	102
339	Theoretical insights into the ferromagnetic coupling in oxalato-bridged chromium(III)-cobalt(II) and chromium(III)-manganese(II) dinuclear complexes with aromatic diimine ligands. <i>Inorganic Chemistry</i> , 2012 , 51, 3289-301	5.1	17
338	Slow relaxation of the magnetization in a 4,2-wavelike Fe(III)2Co(II) heterobimetallic chain. <i>Inorganic Chemistry</i> , 2012 , 51, 1216-8	5.1	32
337	Magneto-chiral dichroism of artificial light-harvesting antenna. 2012 , 48, 5091-3		35
336	3d4f heterobimetallic dinuclear and tetranuclear complexes involving tetrathiafulvalene as ligands: X-ray structures and magnetic and photophysical investigations. <i>Inorganic Chemistry</i> , 2012 , 51, 8488-501	5.1	42
335	Lanthanide-Based Dinuclear Complexes Involving an o-QuinoneTetrathiafulvaleneQ-Quinone Bridging Ligand: X-ray Structures, Magnetic and Photophysical Properties. <i>European Journal of Inorganic Chemistry</i> , 2012 , 2012, 4708-4718	2.3	21
334	Strong hard X-ray magnetochiral dichroism in paramagnetic enantiopure molecules. 2012 , 24, 3120-3		23
333	Multiferroics by Rational Design: Implementing Ferroelectricity in Molecule-Based Magnets. <i>Angewandte Chemie</i> , 2012 , 124, 8481-8485	3.6	34
332	Multiferroics by rational design: implementing ferroelectricity in molecule-based magnets. <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 8356-60	16.4	147
331	Zinc-diluted magnetic metal formate perovskites: synthesis, structures, and magnetism of [CH3NH3][Mn(x)Zn(1-x)(HCOO)3] (x = 0-1). 2012 , 7, 1697-707		26
330	Chiral cyanide-bridged 1D FeIII-MnIII heterobimetallic chains: Synthesis, structures and magnetic properties. 2012 , 55, 1022-1030		10
329	Bottom-up synthesis of three heterometallic coordination polymers with layered structures constructed from presynthesized [Sb2(tart)2]2 metalloligands. 2012 , 14, 62-71		5
328	Effect of chirality on the dynamics of domain walls in the molecular ferrimagnet [MnII(HL-pn)(H2O)][MnIII(CN)6] · 2H2O. 2012 , 54, 754-760		1
327	[Co(Ebx)(Hpmtz)] · A New Coil Zig-Zag Chain Complex with the In Situ Generated Oxalate Bridging and Hpmtz Chelating Ligands (Hpmtz = 5-pyrimidyltetrazole) Exhibiting Spin-Canted Antiferromagnetism. <i>European Journal of Inorganic Chemistry</i> , 2012 , 2012, 203-207	2.3	20
326	Two-dimensional supramolecular electron spin arrays. 2013 , 25, 2404-8		36

325	Fundamentals, Principles, and Concepts of Molecular Magnetism and Spintronics. 2013 , 131-189		6
324	Homochiral iron(II) complexes based on imidazole Schiff-base ligands: Syntheses, structures, and spin-crossover properties. 2013 , 35, 164-168		15
323	Synthesis and crystal structures of complexes based on the ligand meso-1,4-phenylenebis(hydroxyacetic acid). 2013 , 401, 24-29		2
322	Natural and magnetic optical activity of 2-D chiral cyanido-bridged Mn(II)-Nb(IV) molecular ferrimagnets. 2013 , 49, 6731-3		48
321	2D and 3D bimetallic oxalate-based ferromagnets prepared by insertion of Mn(III)-salen type complexes. <i>Dalton Transactions</i> , 2013 , 42, 5100-10	4.3	22
320	Synthesis and Crystal Structures of Various Phases of the Microporous Three-Dimensional Coordination Polymer [Zr(OH) ₂ (C ₂ O ₄) _n]. 2013 , 13, 5100-5106		11
319	A family of layered chiral porous magnets exhibiting tunable ordering temperatures. <i>Inorganic Chemistry</i> , 2013 , 52, 10031-40	5.1	90
318	Insertion of FeII complexes with Schiff base ligands derived from imidazole or pyridine into 3D bimetallic oxalate-based ferromagnets. 2013 , 64, 142-150		13
317	Thermal switching between blue and red luminescence in magnetic chiral cyanido-bridged EuIII/IV coordination helices. 2013 , 3, 1065-1068		26
316	The odd association of a C(3h) trisamidinium cation and tosylate anion with a series of linear oxalate-bridged trinuclear heterometallic complexes. <i>Dalton Transactions</i> , 2013 , 42, 4704-13	4.3	12
315	Chiral one-dimensional O-P-O bridged Mn(III)-Schiff base complexes. <i>Dalton Transactions</i> , 2013 , 42, 18424-73		12
314	Proton-conductive magnetic metal-organic frameworks, {NR ₃ (CH ₂ COOH)}[M(a)(II)M(b)(III)(ox) ₃]: effect of carboxyl residue upon proton conduction. <i>Journal of the American Chemical Society</i> , 2013 , 135, 2256-62	16.4	181
313	A theoretical analysis of chemical bonding, vibronic coupling, and magnetic anisotropy in linear iron(II) complexes with single-molecule magnet behavior. 2013 , 4, 139-156		213
312	Paramagnetic 3d coordination complexes involving redox-active tetrathiafulvalene derivatives: an efficient approach to elaborate multi-properties materials. <i>Dalton Transactions</i> , 2013 , 42, 1949-60	4.3	41
311	Ferromagnetic coupling and spin canting behaviour in heterobimetallic Re(IV)M(II/III) (M = Co(II/III), Ni(II)) species. <i>Dalton Transactions</i> , 2013 , 42, 1687-95	4.3	23
310	2D Bimetallic Oxalate-Based Ferromagnets with Inserted [Fe(4-Br-sal2-trien)] ⁺ and [Fe(3-R-sal2-trien)] ⁺ (R = Br, Cl and CH ₃ O) FeIII Spin-Crossover Complexes. <i>European Journal of Inorganic Chemistry</i> , 2013 , 2013, 753-762	2.3	18
309	Magnetism of a 3-D network of trigonal Co ₆ clusters. 2013 , 52, 650-657		2
308	Chromium(III)-trisoxalate, a versatile building block for luminescent materials. 2013 , 133, 15-20		7

307	Spiral Configuration of Nitroxide Radicals Along the Polypeptide Helix and Their Magnetic Properties. 2013 , 46, 1713-1722		5
306	Single-chain magnets: beyond the Glauber model. 2013 , 3, 3772		195
305	Radical-Functionalised Gel: A Building-Block Strategy for Magnetochiral Assembly. 2013 , 78, 149-156		4
304	Antimony tartrate transition-metal-oxo chiral clusters. <i>Inorganic Chemistry</i> , 2013 , 52, 6610-6	5.1	12
303	Constructing a Series of Azide-Bridged CuII Magnetic Low-Dimensional Coordination Polymers by using Pybox Ligands. <i>European Journal of Inorganic Chemistry</i> , 2013 , 2013, 3101-3111	2.3	23
302	Stimuli responsive hybrid magnets: tuning the photoinduced spin-crossover in Fe(III) complexes inserted into layered magnets. <i>Journal of the American Chemical Society</i> , 2013 , 135, 8655-67	16.4	51
301	Self-assembly of a chiral three-dimensional manganese(II)–copper(II) coordination polymer with a double helical architecture. <i>CrystEngComm</i> , 2013 , 15, 9312	3.3	17
300	Field-induced single-ion magnets based on enantiopure chiral β -diketonate ligands. <i>Inorganic Chemistry</i> , 2013 , 52, 8933-40	5.1	110
299	Incorporation of trinuclear lanthanide(III) hydroxo bridged clusters in macrocyclic frameworks. <i>Inorganic Chemistry</i> , 2013 , 52, 12893-903	5.1	25
298	Strong magnetochiral dichroism of helical structures of garnet particles. 2013 , 38, 4629-31		7
297	(S)-(-)-(2-MeBu)N(Pr)Me salt as template in the enantioselective synthesis of the enantiopure two-dimensional (S)-(-)-(2-MeBu)N(Pr)Me[MnCr(CO)] ferromagnet. <i>Chirality</i> , 2013 , 25, 444-8	2.1	10
296	Multifunctional Single-Molecule Magnets and Single-Chain Magnets. 2013 , 105-131		
295	Direct observation of magnetochiral effects through a single metamolecule in microwave regions. <i>Physical Review Letters</i> , 2014 , 113, 235501	7.4	36
294	Magneto-chiral dichroism of aromatic π -conjugated systems. 2014 , 4, 2423		10
293	Metal–Organic Frameworks: Functional Magnetic Materials with Formate. 2014 , 1-23		1
292	Magnetic Properties of Organic Radical Liquid Crystals and Metallomesogens*. 2014 , 1-28		4
291	Insertion of a single-molecule magnet inside a ferromagnetic lattice based on a 3D bimetallic oxalate network: towards molecular analogues of permanent magnets. <i>Chemistry - A European Journal</i> , 2014 , 20, 1669-76	4.8	45
290	Multifunctionality in bimetallic Ln(III)[W(V)(CN) ₈] ₃ - (Ln = Gd, Nd) coordination helices: optical activity, luminescence, and magnetic coupling. <i>Chemistry - A European Journal</i> , 2014 , 20, 7144-59	4.8	47

- 289 Homochiral Layered Coordination Polymers from Chiral N-Carbamylglutamate and Achiral Flexible Bis(pyridine) Ligands: Syntheses, Crystal Structures, and Properties. **2014**, 14, 6230-6238 32
- 288 Enantioselective self-assembly of triangular Dy₃ clusters with single-molecule magnet behavior. **2014**, 9, 3558-64 26
- 287 Homochiral cobalt phosphonates containing E-type chains with a tunable interlayer distance and a field-induced phase transition. *Chemistry - A European Journal*, **2014**, 20, 17137-42 4.8 23
- 286 Chirality Transfer in Magnetic Coordination Complexes Monitored by Vibrational and Electronic Circular Dichroism. **2014**, 79, 698-707 9
- 285 Chiral [NaMnIIMnIII₃] and [Na₂MnII₂MnIII₆] clusters constructed by chiral multidentate Schiff-base ligands: synthesis, structures, CD spectra and magnetic properties. *Dalton Transactions*, **2014**, 43, 3880-7 4.3 13
- 284 Hysteretic spin crossover above room temperature and magnetic coupling in trinuclear transition-metal complexes with anionic 1,2,4-triazole ligands. *Chemistry - A European Journal*, **2014**, 20, 5369-79 4.8 29
- 283 Optical fiber Sagnac interferometer for sensing scalar directional refraction: application to magnetochiral birefringence. **2014**, 85, 043109
- 282 A racemic and enantiopure unsymmetric diiron(III) complex with a chiral o-carborane-based pyridylalcohol ligand: combined chiroptical, magnetic, and nonlinear optical properties. *Chemistry - A European Journal*, **2014**, 20, 1081-90 4.8 18
- 281 Oxamato-based coordination polymers: recent advances in multifunctional magnetic materials. **2014**, 50, 7569-85 94
- 280 90-degree optical switching of output second-harmonic light in chiral photomagnet. **2014**, 8, 65-71 218
- 279 Magnetic interactions in molecules and highly correlated materials: physical content, analytical derivation, and rigorous extraction of magnetic Hamiltonians. **2014**, 114, 429-92 279
- 278 Determination of structural characteristics of all-organic radical liquid crystals based on analysis of the dipole-dipole broadened EPR spectra. **2014**, 118, 1932-42 19
- 277 New metal phthalocyanines/metal simple hydroxide multilayers: experimental evidence of dipolar field-driven magnetic behavior. *Inorganic Chemistry*, **2014**, 53, 1184-94 5.1 15
- 276 Syntheses, structures and magnetic properties of two-dimensional chiral coordination polymers based on a tetradentate chiral ligand. **2014**, 38, 1946-1949 9
- 275 A Pair of Enantiopure Cubane-Type Cu₁₄O₄ Clusters: Synthesis, Structure, Chirality and Magnetism. *European Journal of Inorganic Chemistry*, **2014**, 2014, 5385-5390 2.3 7
- 274 Solid-state cis/trans isomerism in bis(oxamato)palladate(II) complexes: synthesis, structural studies and catalytic activity. *CrystEngComm*, **2014**, 16, 6971 3.3 14
- 273 Chiral Nanomagnets. **2014**, 1, 1231-1236 57
- 272 The supramolecular interaction mediated chiral 1D cyanide-bridged metamagnet: synthesis, crystal structures and magnetic properties. *Dalton Transactions*, **2014**, 43, 945-9 4.3 32

271	One-dimensional and two-dimensional anilate-based magnets with inserted spin-crossover complexes. <i>Inorganic Chemistry</i> , 2014 , 53, 12014-26	5.1	42
270	Magneto-chiral dichroism in chiral mixed (phthalocyaninato)(porphyrinato) rare earth triple-decker SMMs. <i>Inorganic Chemistry Frontiers</i> , 2014 , 1, 167	6.8	62
269	Microwave-assisted post-synthesis modification of layered simple hydroxides. 2014 , 38, 2016-2023		12
268	Magnetochiral dichroism resonant with electromagnons in a helimagnet. <i>Nature Communications</i> , 2014 , 5, 4583	17.4	45
267	Green to Red Luminescence Switchable by Excitation Light in Cyanido-Bridged TbIII/V Ferromagnet. 2014 , 26, 4072-4075		49
266	Obtaining chiral metal-organic frameworks via a prochirality synthetic strategy with achiral ligands step-by-step. <i>Inorganic Chemistry</i> , 2014 , 53, 3434-40	5.1	17
265	Control of the single-molecule magnet behavior of lanthanide-diarylethene photochromic assemblies by irradiation with light. <i>Chemistry - A European Journal</i> , 2014 , 20, 12502-13	4.8	69
264	Copper(II) Clusters of Two Pairs of 2,3-Dihydroxybutanedioyl Dihydrazones: Synthesis, Structure, and Magnetic Properties. <i>European Journal of Inorganic Chemistry</i> , 2014 , 2014, 5783-5792	2.3	2
263	Synthesis, Structure and Luminescence Properties of a Three-Dimensional Heterobimetallic Chiral Metal-Organic Framework Based on Sodium(I), Lead(II) and (S)-5,5'-Bis(4-carboxyphenyl)-2,2'-bis(diphenylphosphinoyl)-1,1'-binaphthyl as Linker. <i>European Journal of Inorganic Chemistry</i> , 2014 , 2014, 1775-1782	2.3	18
262	Multiferroics of spin origin. 2014 , 77, 076501		520
261	A family of enantiopure Fe(III) ₄ single molecule magnets: fine tuning of energy barrier by remote substituent. <i>Dalton Transactions</i> , 2014 , 43, 11897-907	4.3	21
260	Synthesis and Magnetic Properties of Nitronyl Nitroxides with an Adjacent Chiral Group. 2014 , 87, 314-322		3
259	Nanometer-size hard magnetic ferrite exhibiting high optical-transparency and nonlinear optical-magnetoelectric effect. 2015 , 5, 14414		55
258	Cobalt(II) complexes with bis-2,4-[N-(S)-phenylalanyl]-6-chlorotriazine: synthesis, structure, and application for separation of enantiomers of butan-2-ol. 2015 , 64, 630-635		
257	A High-Temperature Molecular Ferroelectric Zn/Dy Complex Exhibiting Single-Ion-Magnet Behavior and Lanthanide Luminescence. <i>Angewandte Chemie</i> , 2015 , 127, 2264-2268	3.6	38
256	Postsynthetic Improvement of the Physical Properties in a Metal-Organic Framework through a Single Crystal to Single Crystal Transmetalation. <i>Angewandte Chemie</i> , 2015 , 127, 6621-6625	3.6	13
255	Graphene related magnetic materials: micromechanical exfoliation of 2D layered magnets based on bimetallic anilate complexes with inserted [Fe(acac-trien)] and [Fe(sal-trien)] molecules. 2015 , 6, 4665-4673		97
254	Towards a better understanding of honeycomb alternating magnetic networks. <i>Dalton Transactions</i> , 2015 , 44, 11040-51	4.3	19

253	Magnetochirality in hierarchical magnetoplasmonic clusters. 2015 , 217, 47-52		10
252	Observation of Magnetoelectric Effect in All-Organic Ferromagnetic and Ferroelectric Liquid Crystals in an Applied Magnetic Field. 2015 , 689-706		
251	Homochiral luminescent lanthanide dinuclear complexes derived from a chiral carboxylate. 2015 , 5, 98097-98104		
250	Multifunctionality in molecular magnetism. 2015 , 98, 346-78		11
249	Synthesis and magnetic properties of a hybrid molecular salt [Fe(qsal) ₂][Fe(CA)(qsal)Cl]·MeNO ₂ . 2015 , 208, 35-38		
248	Large directional optical anisotropy in multiferroic ferroborate. <i>Physical Review B</i> , 2015 , 92,	3.3	15
247	A high-temperature molecular ferroelectric Zn/Dy complex exhibiting single-ion-magnet behavior and lanthanide luminescence. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 2236-40	16.4	174
246	Palladium(II)/Copper(II) Assembling with Bis(2-pyridylcarbonyl)amidate and Bis(oxamate) Type Ligands. 2015 , 15, 1325-1335		18
245	Magnetic clusters based on octacyanidometallates. <i>Inorganic Chemistry Frontiers</i> , 2015 , 2, 10-27	6.8	63
244	Toward chiral iron(II) spin-crossover grafted resins with imidazole Schiff-base ligands. 2015 , 53, 55-59		8
243	Fe(II) spin-crossover phenomenon in the pentadecanuclear {Fe ₉ [Re(CN) ₈] ₆ } spherical cluster. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 5093-7	16.4	43
242	Fell Spin-Crossover Phenomenon in the Pentadecanuclear {Fe ₉ [Re(CN) ₈] ₆ } Spherical Cluster. <i>Angewandte Chemie</i> , 2015 , 127, 5182-5186	3.6	6
241	A family of nickel/lanthanide heterometallic dinuclear complexes derived from a chiral Schiff-base ligand exhibiting single-molecule magnet behaviors. 2015 , 435, 274-282		8
240	A new room-temperature ultraviolet emission material: K ₂ [Ni(C ₂ O ₄) ₂ (H ₂ O) ₂]·4H ₂ O. 2015 , 472, 45-48		6
239	Field and dilution effects on the magnetic relaxation behaviours of a 1D dysprosium(iii)-carboxylate chain built from chiral ligands. <i>Dalton Transactions</i> , 2015 , 44, 13480-4	4.3	24
238	Enforcing Multifunctionality: A Pressure-Induced Spin-Crossover Photomagnet. <i>Journal of the American Chemical Society</i> , 2015 , 137, 8795-802	16.4	121
237	Implementation of Chirality into High-Spin Ferromagnetic CoII ₉ WV ₆ and NiII ₉ WV ₆ Cyanido-Bridged Clusters. 2015 , 15, 3573-3581		27
236	Strong Magnetochiral Dichroism in Suspensions of Magnetoplasmonic Nanohelices. 2015 , 2, 1030-1038		28

235	Postsynthetic Improvement of the Physical Properties in a Metal-Organic Framework through a Single Crystal to Single Crystal Transmetalation. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 6521-5	16.4	84
234	Spontaneous Magnetization in Homometallic β -Oxalate Coordination Polymers. <i>Inorganic Chemistry</i> , 2015 , 54, 4678-87	5.1	5
233	2D and 3D Anilato-Based Heterometallic M(I)M(III) Lattices: The Missing Link. <i>Inorganic Chemistry</i> , 2015 , 54, 5410-8	5.1	42
232	Development of a Photoresponsive Organic-Inorganic Hybrid Magnet: Layered Cobalt Hydroxides Intercalated with Spiropyran Anions. 2015 , 88, 1150-1155		6
231	Visible to Near-Infrared Emission from Ln(III)(Bis-oxazoline)-[Mo(V)(CN) ₈] (Ln = Ce-Yb) Magnetic Coordination Polymers Showing Unusual Lanthanide-Dependent Sliding of Cyanido-Bridged Layers. <i>Inorganic Chemistry</i> , 2015 , 54, 4724-36	5.1	40
230	Temperature-controlled polymorphism of chiral Cu(II)-Ln(III) dinuclear complexes exhibiting slow magnetic relaxation. <i>Dalton Transactions</i> , 2015 , 44, 11191-201	4.3	19
229	A Chiral, Photoluminescent, and Spin-Canted {Cu(I)Re(IV) ₂ } _n Branched Chain. <i>Inorganic Chemistry</i> , 2015 , 54, 4594-6	5.1	14
228	Cation Exchange in Dynamic 3D Porous Magnets: Improvement of the Physical Properties. <i>Inorganic Chemistry</i> , 2015 , 54, 10834-40	5.1	17
227	Solvent-Free Synthesis of a Pillared Three-Dimensional Coordination Polymer with Magnetic Ordering. <i>Inorganic Chemistry</i> , 2015 , 54, 10490-6	5.1	18
226	Advances in Organic Crystal Chemistry. 2015 ,		9
225	Hybrid interfaces in layered hydroxides: magnetic and multifunctional superstructures by design. 2015 , 4,		11
224	Double interpenetration in a chiral three-dimensional magnet with a (10,3)-a structure. <i>Inorganic Chemistry</i> , 2015 , 54, 8890-2	5.1	14
223	A two-dimensional Cu(II)Mn(II) heterometallic coordination polymer: structure determination using synchrotron X-ray powder diffraction and magnetic properties. <i>CrystEngComm</i> , 2015 , 17, 7423-7429	3.3	5
222	Break it up. 2015 , 11, 8-9		
221	Strong magneto-chiral dichroism in a paramagnetic molecular helix observed by hard X-ray. 2015 , 11, 69-74		156
220	Towards multifunctional magnetic systems through molecular-programmed self assembly of Re(IV) metalloligands. <i>Coordination Chemistry Reviews</i> , 2015 , 289-290, 215-237	23.2	49
219	Bring to light. 2015 , 11, 7-8		16
218	Chirality determination of quartz crystals using electron backscatter diffraction. 2015 , 149, 58-63		30

217	Chiral mononuclear lanthanide complexes and the field-induced single-ion magnet behaviour of a Dy analogue. <i>Dalton Transactions</i> , 2015 , 44, 223-9	4.3	46
216	Chiral tetrahedral iron(II) cages: diastereoselective subcomponent self-assembly, structure interconversion and spin-crossover properties. 2015 , 51, 788-91		68
215	Applications of chiroptical spectroscopy to coordination compounds. <i>Coordination Chemistry Reviews</i> , 2015 , 284, 1-18	23.2	63
214	White Light Emissive Dy(III) Single-Molecule Magnets Sensitized by Diamagnetic [Co(III) (CN) ₆](3-) Linkers. <i>Chemistry - A European Journal</i> , 2016 , 22, 7371-5	4.8	72
213	Molecular Design Guidelines for Large Magnetic Circular Dichroism Intensities in Lanthanide Complexes. 2016 , 17, 845-9		7
212	Insertion of a [FeII(pyimH) ₃] ²⁺ [pyimH = 2-(1H-Imidazol-2-yl)pyridine] Spin-Crossover Complex Inside a Ferromagnetic Lattice Based on a Chiral 3D Bimetallic Oxalate Network. <i>European Journal of Inorganic Chemistry</i> , 2016 , 2016, 2187-2192	2.3	12
211	Chiral Influences in Functional Molecular Materials. 2016 , 159-189		1
210	Effective Hamiltonian theory for nonreciprocal light propagation in magnetic Rashba conductor. <i>Physical Review B</i> , 2016 , 94,	3.3	10
209	Spin crossover properties of enantiomers, co-enantiomers, racemates, and co-racemates. <i>Dalton Transactions</i> , 2016 , 45, 7340-8	4.3	17
208	Synthesis, crystal structure, and magnetic characteristics of chiral cyanide-bridged FeIII complex. 2016 , 86, 953-957		
207	Magnetic materials based on 3d metal phosphonates. <i>Coordination Chemistry Reviews</i> , 2016 , 319, 63-85	23.2	89
206	Spin-crossover complex encapsulation within a magnetic metal-organic framework. 2016 , 52, 7360-3		33
205	Observation of nonreciprocal directional dichroism via electromagnon resonance in a chiral-lattice helimagnet Ba ₃ NbFe ₃ Si ₂ O ₁₄ . <i>Physical Review B</i> , 2016 , 94,	3.3	15
204	Biomimetic Transformation by a Crystal of a Chiral MnII/CrIII Ferrimagnetic Prussian Blue Analogue. 2016 , 28, 7029-7038		18
203	Yellow to greenish-blue colour-tunable photoluminescence and 4f-centered slow magnetic relaxation in a cyanido-bridged Dy(III)(4-hydroxypyridine)-Co(III) layered material. 2016 , 52, 10795-8		47
202	Syntheses, structures, and magnetic properties of three new cyano-bridged heterobimetallic chains based on [Fe(Tp*)(CN) ₃]. 2016 , 40, 8451-8458		5
201	Ferromagnetic Resonance of a Single Magnetochiral Metamolecule of Permalloy. 2016 , 6,		7
200	Amidinium-Containing 2D [MnCr] Dimetallic Oxalate-Based Networks – The Influence on Structure and Magnetism Explored by Combining Experience and Theory. <i>European Journal of Inorganic Chemistry</i> , 2016 , 2016, 4185-4193	2.3	2

199	Improved slow magnetic relaxation in optically pure helicene-based Dy single molecule magnets. 2016 , 52, 14474-14477		41
198	Enantioenriched Cobalt Phosphonate Containing π -Type Chains and Showing Slow Magnetization Relaxation. <i>Inorganic Chemistry</i> , 2016 , 55, 9521-9523	5.1	10
197	Oxalate-bridged heterometallic chains with monocationic dabco derivatives. <i>Dalton Transactions</i> , 2016 , 45, 16182-16189	4.3	2
196	Versatile optical magnetoelectric effects by electromagnons in MnWO ₄ with canted spin-spiral plane. <i>Physical Review B</i> , 2016 , 93,	3.3	9
195	Magnetochiral nonreciprocity of volume spin wave propagation in chiral-lattice ferromagnets. <i>Physical Review B</i> , 2016 , 93,	3.3	67
194	Spin Helicity in Chiral Lanthanide Chains. <i>Inorganic Chemistry</i> , 2016 , 55, 10068-10074	5.1	18
193	Electrochemical Li-Ion Intercalation in Octacyanotungstate-Bridged Coordination Polymer with Evidence of Three Magnetic Regimes. <i>Inorganic Chemistry</i> , 2016 , 55, 7637-46	5.1	17
192	Ligand dependent topology and spontaneous resolution in high-spin cyano-bridged Ni ₃ W ₂ clusters. <i>Dalton Transactions</i> , 2016 , 45, 12423-31	4.3	4
191	Non-Centrosymmetric Molecular Magnets. 2016 , 301-322		1
190	Single-Chain Magnets. 2016 , 131-159		2
189	High-T _c Ordered Molecular Magnets. 2016 , 161-186		1
188	Spin-Delocalization in a Helical Open-Shell Hydrocarbon. 2016 , 81, 12303-12317		22
187	Selective Guest Inclusion in Oxalate-Based Iron(III) Magnetic Coordination Polymers. <i>Inorganic Chemistry</i> , 2016 , 55, 11160-11169	5.1	5
186	Synthesis, properties and surface self-assembly of a pentanuclear cluster based on the new π -conjugated TTF-triazole ligand. 2016 , 6, 25544		9
185	A Perspective on Designing Chiral Organic Magnetic Molecules with Unusual Behavior in Magnetic Exchange Coupling. 2016 , 81, 5623-30		21
184	Chiral heterobimetallic chains from a dicyanideferrite building block including a π -conjugated TTF annulated ligand. <i>Dalton Transactions</i> , 2016 , 45, 16575-16584	4.3	6
183	4-Bromopyridine-Induced Chirality in Magnetic MII-[NbIV(CN) ₈] ₄ [M = Zn, Mn, Ni] Coordination Networks. 2016 , 16, 4119-4128		13
182	Tuning of Charge Transfer Assisted Phase Transition and Slow Magnetic Relaxation Functionalities in {Fe(9-x)Co(x)[W(CN) ₈] ₆ } (x = 0-9) Molecular Solid Solution. <i>Journal of the American Chemical Society</i> , 2016 , 138, 1635-46	16.4	61

- ¹⁸¹ Synthesis, Crystal Structure, and Magnetic Properties of a Chiral Cyanide-Bridged Bimetallic Framework $K_3[Mn(II)(L-asp)]_6[Cr(III)(CN)_6] \cdot 2H_2O$. *Inorganic Chemistry*, **2016**, 55, 300-6 5.1 6
- ¹⁸⁰ Homochiral mononuclear Dy-Schiff base complexes showing field-induced double magnetic relaxation processes. *Dalton Transactions*, **2016**, 45, 690-5 4.3 16
- ¹⁷⁹ Special Features of the Template Effect in the Formation of Porous Coordination Polymers. **2016**, 51, 380-386 4
- ¹⁷⁸ Progressive Transformation between Two Magnetic Ground States for One Crystal Structure of a Chiral Molecular Magnet. *Inorganic Chemistry*, **2016**, 55, 3047-57 5.1 8
- ¹⁷⁷ The structure of $[M(H_2O)_6][LiFe(III)(ox)_3]$ ($M=Mn(II), Fe(II)$) Δ a heterobimetallic 2-D tris(oxalato) framework compound. **2016**, 69, 365-374
- ¹⁷⁶ Chiral all-organic nitroxide biradical liquid crystals showing remarkably large positive magneto-LC effects. **2016**, 52, 3935-8 9
- ¹⁷⁵ Multiscale study of mononuclear Co SMMs based on curcuminoid ligands. **2016**, 7, 2793-2803 43
- ¹⁷⁴ Key Role of the Cation in the Crystallization of Chiral Tris(Anilato)Metalate Magnetic Anions. **2016**, 16, 518-526 19
- ¹⁷³ Chirality in metals: an asymmetrical journey among advanced functional materials. **2017**, 33, 795-808 7
- ¹⁷² Circular and Chainlike Copper(II)-Lanthanide(III) Complexes Generated by Assembly Reactions of Racemic and Chiral Copper(II) Cross-Linking Ligand Complexes with $Ln(NO)_3 \cdot 6H_2O$ ($Ln = Gd, Tb, Dy$). *Inorganic Chemistry*, **2017**, 56, 1679-1695 5.1 16
- ¹⁷¹ Dinuclear lanthanide complexes based on amino alcoholate ligands: Structure, magnetic and fluorescent properties. **2017**, 1135, 106-111 4
- ¹⁷⁰ Photomagnetic properties of an Fe(II) spin-crossover complex of 6-(3,5-diamino-2,4,6-triazinyl)-2,2'-bipyridine and its insertion into 2D and 3D bimetallic oxalate-based networks. *Dalton Transactions*, **2017**, 46, 2680-2689 4.3 8
- ¹⁶⁹ Synthesis, Structure, and Magnetic Properties of a Mononuclear Chiral (Acetato)bis(aminoalkoxido)manganese(III) Complex. *European Journal of Inorganic Chemistry*, **2017**, 2017, 1392-1395 2.3 1
- ¹⁶⁸ Self-Enhancement of Rotating Magnetocaloric Effect in Anisotropic Two-Dimensional (2D) Cyanido-Bridged Mn-Nb Molecular Ferrimagnet. *Inorganic Chemistry*, **2017**, 56, 2777-2783 5.1 11
- ¹⁶⁷ New Cu(II) coordination polymer by chiral tridentate Schiff base ligand. **2017**, 1137, 349-353 5
- ¹⁶⁶ Molecular magnetism, quo vadis? A historical perspective from a coordination chemist viewpoint?. *Coordination Chemistry Reviews*, **2017**, 339, 17-103 23.2 218
- ¹⁶⁵ Magneto-chiral dichroism measurements using a pulsed electromagnet. **2017**, 674, 38-41 7
- ¹⁶⁴ Photophysical and Magnetic Properties in Complexes Containing 3d/4f Elements and Chiral Phenanthroline-Based Helicate-Like Ligands. *European Journal of Inorganic Chemistry*, **2017**, 2017, 2100-2111 2.3 19

163	Magneto-Optical (MO) Characterization Tools for Chemically Prepared Magnetic Nanomaterials. 2017 , 457-509		
162	Photo-physical properties of donor-acceptor-radical triad based on functionalized tetrathiafulvalene and nitronyl nitroxide radical. 2017 , 145, 285-293		3
161	Magnetoelectrical control of nonreciprocal microwave response in a multiferroic helimagnet. <i>Nature Communications</i> , 2017 , 8, 15252	17.4	16
160	Synthesis, structures and magnetic properties of chiral 3d ^{3d} heterotrimetallic complexes based on [(Tp*)Fe(CN) ₃] 2017 , 41, 5988-5994		7
159	Noncentrosymmetric Magnets Hosting Magnetic Skyrmions. 2017 , 29, 1603227		101
158	From isolated to 2D coordination polymers based on 6-aminonicotinate and 3d-metal ions: towards field-induced single-ion-magnets. <i>CrystEngComm</i> , 2017 , 19, 2229-2242	3.3	23
157	Crystal Structures and Spin-Crossover Behavior of Iron(II) Complexes with Chiral and Racemic Ligands. <i>European Journal of Inorganic Chemistry</i> , 2017 , 2017, 1049-1053	2.3	11
156	Dehydration of Octacyanido-Bridged Ni-W Framework toward Negative Thermal Expansion and Magneto-Colorimetric Switching. <i>Inorganic Chemistry</i> , 2017 , 56, 179-185	5.1	22
155	Influence of Proton Conducting Cations on the Structure and Properties of 2D Anilate-Based Magnets. <i>Inorganic Chemistry</i> , 2017 , 56, 13865-13877	5.1	14
154	A novel oxalate-based three-dimensional coordination polymer showing magnetic ordering and high proton conductivity. <i>Dalton Transactions</i> , 2017 , 46, 15130-15137	4.3	13
153	Magneto-chiral dichroism of CsCuCl ₃ . <i>Physical Review B</i> , 2017 , 96,	3.3	16
152	Cobalt(II) Ions Connecting [Co] Helicates into a 2-D Coordination Polymer Showing Slow Relaxation of the Magnetization. <i>Inorganic Chemistry</i> , 2017 , 56, 11668-11675	5.1	8
151	Layered Simple Hydroxides Functionalized by Fluorene-Phosphonic Acids: Synthesis, Interface Theoretical Insights, and Magnetoelectric Effect. 2017 , 27, 1703576		13
150	Octahedral Yb(III) complexes embedded in [Co(CN)]-bridged coordination chains: combining sensitized near-infrared fluorescence with slow magnetic relaxation. <i>Dalton Transactions</i> , 2017 , 46, 13668-13672	4.3	20
149	Twisting induces ferromagnetism in homometallic clusters. <i>Dalton Transactions</i> , 2017 , 46, 11154-11158	4.3	1
148	Octacyanidotungstate(IV) Coordination Chains Demonstrate a Light-Induced Excited Spin State Trapping Behavior and Magnetic Exchange Photoswitching. <i>Angewandte Chemie</i> , 2017 , 129, 13468-13472	3.6	14
147	Octacyanidotungstate(IV) Coordination Chains Demonstrate a Light-Induced Excited Spin State Trapping Behavior and Magnetic Exchange Photoswitching. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 13283-13287	16.4	42
146	Co-Crystallization of Achiral Components into Chiral Network by Supramolecular Interactions: Coordination Complexes Organic Radical. 2017 , 17, 4893-4899		10

145	Suppression of Magnetic Quantum Tunneling in a Chiral Single-Molecule Magnet by Ferromagnetic Interactions. <i>Inorganic Chemistry</i> , 2017 , 56, 15119-15129	5.1	19
144	Ferromagnetism of localized and itinerant electrons in two-dimensional organometallic networks. 2017 , 81, 855-859		2
143	Photoelectron distribution of nonresonant two-photon ionization of neutral atoms. 2017 , 96,		9
142	A chiral mononuclear DyIII complex with field-induced single molecule magnet behavior. 2017 , 85, 66-69		5
141	SHG-active LnIII[Mol(CN)5(NO)]3[Ln = Gd, Eu] magnetic coordination chains: a new route towards non-centrosymmetric molecule-based magnets. <i>CrystEngComm</i> , 2017 , 19, 18-22	3.3	10
140	Synthesis and application of dynamic self-supported enantioselective catalysts. <i>Coordination Chemistry Reviews</i> , 2017 , 332, 38-47	23.2	23
139	Slow Magnetic Relaxation in Chiral Helicene-Based Coordination Complex of Dysprosium. <i>Magnetochemistry</i> , 2017 , 3, 2	3.1	13
138	Recent Advances on Anilato-Based Molecular Materials with Magnetic and/or Conducting Properties. <i>Magnetochemistry</i> , 2017 , 3, 17	3.1	59
137	Versatile synthesis of chiral 6-oxoverdazyl radical ligands - new building blocks for multifunctional molecule-based magnets. <i>Dalton Transactions</i> , 2018 , 47, 4785-4789	4.3	15
136	Magnetic Switching by the In Situ Electrochemical Control of Quasi-Spin-Peierls Singlet States in a Three-Dimensional Spin Lattice Incorporating TTF-TCNQ Salts. <i>Chemistry - A European Journal</i> , 2018 , 24, 4294-4303	4.8	11
135	Chiral bis(phthalocyaninato) terbium double-decker compounds with enhanced single-ion magnetic behavior. <i>Inorganic Chemistry Frontiers</i> , 2018 , 5, 939-943	6.8	15
134	Theory of electromagnetic wave propagation in ferromagnetic Rashba conductor. 2018 , 123, 063902		7
133	Ultrathin Chiral Metal-Organic-Framework Nanosheets for Efficient Enantioselective Separation. <i>Angewandte Chemie</i> , 2018 , 130, 6989-6993	3.6	17
132	Ultrathin Chiral Metal-Organic-Framework Nanosheets for Efficient Enantioselective Separation. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 6873-6877	16.4	76
131	Chiral induction in covalent organic frameworks. <i>Nature Communications</i> , 2018 , 9, 1294	17.4	105
130	Chiral LnIII(tetramethylurea)[WV(CN)8] Coordination Chains Showing Slow Magnetic Relaxation. 2018 , 18, 1848-1856		8
129	Metamaterials with magnetism and chirality. 2018 , 51, 083001		19
128	Chiro-magnetic nanoparticles and gels. 2018 , 359, 309-314		122

127	Chiral mononuclear Dy(III) complex based on pyrrolidine-dithiocarboxylate S-donors with field-induced single-ion magnet behavior. 2018 , 473, 145-151		5
126	Towards oxalate-bridged iron(II), cobalt(II), nickel(II) and zinc(II) complexes through oxotris(oxalato)niobate(V): an open air non-oxidizing synthetic route. <i>Inorganic Chemistry Frontiers</i> , 2018 , 5, 1294-1306	6.8	8
125	Recent advances in luminescent lanthanide based Single-Molecule Magnets. <i>Coordination Chemistry Reviews</i> , 2018 , 363, 57-70	23.2	169
124	Synthesis of a pair of homochiral manganese-based coordination polymers as stable catalyst for the selective oxidation of cis-cyclooctene. 2018 , 91, 81-84		2
123	Design of Magnetic Coordination Polymers Built from Polyoxalamide Ligands: A Thirty Year Story. <i>European Journal of Inorganic Chemistry</i> , 2018 , 2018, 228-247	2.3	30
122	Achieving white light emission and increased magnetic anisotropy by transition metal substitution in functional materials based on dinuclear DyIII(4-pyridone)[MIII(CN)6]3[M = Co, Rh] molecules. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 473-481	7.1	39
121	Chiral cyanido-bridged MnNb magnets including halogen-bonds. <i>CrystEngComm</i> , 2018 , 20, 7236-7241	3.3	6
120	A Chiral Bipyrimidine-Bridged Dy SMM: A Comparative Experimental and Theoretical Study of the Correlation Between the Distortion of the DyO6N2 Coordination Sphere and the Anisotropy Barrier. 2018 , 6, 537		12
119	Effective Hamiltonian Approach to Optical Activity in Weyl SpinOrbit System. 2018 , 87, 064002		2
118	Rational Design and Synthesis of a Chiral Lanthanide-Radical Single-Chain Magnet. <i>Inorganic Chemistry</i> , 2018 , 57, 13409-13414	5.1	24
117	Unique Superparamagnetic-like Behavior Observed in Non-Delocalized Nitroxide Diradical Compounds Showing Discotic Liquid Crystalline Phase. <i>Chemistry - A European Journal</i> , 2018 , 24, 17293-17302	4.8	9
116	Conducting Anilate-Based Mixed-Valence Fe(II)Fe(III) Coordination Polymer: Small-Polaron Hopping Model for Oxalate-Type Fe(II)Fe(III) 2D Networks. <i>Journal of the American Chemical Society</i> , 2018 , 140, 12611-12621	16.4	40
115	Nanosized Chiral [MnLn] Clusters Modeled by Enantiomeric Schiff Base Derivatives: Synthesis, Crystal Structures, and Magnetic Properties. <i>Inorganic Chemistry</i> , 2018 , 57, 8639-8645	5.1	19
114	2D and 3D mixed M/Cu metal-organic frameworks (M = Ca and Sr) with N,N',N'',6-pyridinebis(oxamate) and oxalate: preparation and magneto-structural study. <i>Dalton Transactions</i> , 2018 , 47, 11539-11553	4.3	11
113	Tuning of High Spin Ground State and Slow Magnetic Relaxation within Trimetallic Cyanide-Bridged {Ni Co [W (CN)] } and {Mn Co [W (CN)] } Clusters. <i>Chemistry - A European Journal</i> , 2018 , 24, 15533-15542	4.8	13
112	Chiral and kryptoracemic Dy(III) complexes with field-induced single molecule magnet behavior. <i>CrystEngComm</i> , 2018 , 20, 4582-4589	3.3	6
111	A pair of mononuclear Dy(III) enantiomers showing single-ion magnetic and ferroelectric properties. 2018 , 42, 10906-10911		16
110	Two Pairs of Chiral "Tower-Like" Ln Cr (Ln=Gd, Dy) Clusters: Syntheses, Structure, and Magnetocaloric Effect. <i>Chemistry - A European Journal</i> , 2018 , 24, 15295-15302	4.8	15

- 109 A fluorescent layered oxalato-based canted antiferromagnet. *Dalton Transactions*, **2018**, 47, 11909-11916. 4.3 4
- 108 TbCo and Tb_{0.5}Dy_{0.5}Co layered cyanido-bridged frameworks for construction of colorimetric and ratiometric luminescent thermometers. *Journal of Materials Chemistry C*, **2018**, 6, 8372-8384 7.1 35
- 107 Enantiopure Magnetic Heterometallic Coordination Cubic Cages [MII₈CuII₆] (M = Ni, Co). **2018**, 18, 4555-4561 11
- 106 Redox-Active Dysprosium Single-Molecule Magnet: Spectro-Electrochemistry and Theoretical Investigations. *Magnetochemistry*, **2019**, 5, 46 3.1 2
- 105 Chiral Resolution of a Mn³⁺ Spin Crossover Complex. *European Journal of Inorganic Chemistry*, **2019**, 2019, 4405-4411 2.3 10
- 104 Dehydration-Hydration Switching of Single-Molecule Magnet Behavior and Visible Photoluminescence in a Cyanido-Bridged DyCo Framework. *Journal of the American Chemical Society*, **2019**, 141, 18211-18220 16.4 55
- 103 Polarized Light-Manipulated Magnetization of Organic Chiral Magnets. *Advanced Optical Materials*, **2019**, 7, 1900578 8.1 3
- 102 Spin-Photon Coupling in Organic Chiral Crystals. **2019**, 19, 9008-9012 7
- 101 Molecular Technology for Chirality Control: From Structure to Circular Polarization. **2019**, 129-154 1
- 100 Humidity-A Powerful Tool to Customize the Physical Properties of Molecular Magnets. *Chemistry - A European Journal*, **2019**, 25, 15963 4.8 11
- 99 Electromagnetic Metamaterials. *Springer Series in Materials Science*, **2019**, 0.9 7
- 98 Molecular multifunctionality preservation upon surface deposition for a chiral single-molecule magnet. **2019**, 10, 3065-3073 13
- 97 Optical and Magnetic Functionalities on Molecule-Based Magnetic Materials. *Springer Series in Chemical Physics*, **2019**, 453-469 0.3 1
- 96 Magneto-structural studies of two MDM bridged homochiral mixed valence Co(II)/Co(III) complexes. **2019**, 170, 34-40 2
- 95 Photoluminescent Lanthanide(III) Single-Molecule Magnets in Three-Dimensional Polycyanidocuprate(I)-Based Frameworks. *Chemistry - A European Journal*, **2019**, 25, 11820-11825 4.8 25
- 94 High-Nuclearity Chiral 3 d-4 f Heterometallic Clusters LnCu and LnCu. *Inorganic Chemistry*, **2019**, 58, 8494-8499 13
- 93 Humidity-Induced Switching between Two Magnetic and Structural Phases in a Co-[W(CN)] Molecular Magnet. *Chemistry - A European Journal*, **2019**, 25, 11066-11073 4.8 11
- 92 Quantization of magnetoelectric fields. **2019**, 66, 909-928 5

91	Trinuclear and Hexanuclear Lanthanide(III) Complexes of the Chiral 3+3 Macrocyclic: X-ray Crystal Structures and Magnetic Properties. <i>Inorganic Chemistry</i> , 2019 , 58, 4201-4213	5.1	12
90	Organic Chiral Charge Transfer Magnets. 2019 , 13, 4705-4711		16
89	Phonon Magnetochiral Effect. <i>Physical Review Letters</i> , 2019 , 122, 145901	7.4	35
88	Main-Group-Based Electro- and Photoactive Chiral Materials. 2019 , 119, 8435-8478		102
87	Local-Site Dependency of Magneto-Chiral Dichroism in Enantiopure One-Dimensional Copper(II)Chromium(III) Coordination Polymers. 2019 , 88, 093708		7
86	A Chiral Prussian Blue Analogue Pushes Magneto-Chiral Dichroism Limits. <i>Journal of the American Chemical Society</i> , 2019 , 141, 20022-20025	16.4	28
85	Ferromagnetic coupling through the oxalate bridge in heterobimetallic Cr(III)M(II) (M = Mn and Co) assemblies. 2019 , 22, 452-465		7
84	Colloidal magnetic metal oxide nanocrystals and their applications. 2020 , 289-335		3
83	Magneto-optical Properties of Chiral [CoLn] Clusters. <i>Inorganic Chemistry</i> , 2020 , 59, 193-197	5.1	3
82	Recent advances in studies on the magneto-chiral dichroism of organic compounds. 2020 , 19, 8-19		11
81	Network-Selectivity, Magnetism, and Proton Conduction of 2-D and 3-D Metal-Organic Frameworks of the Constituents {P(CHOH)} _n /M (Mn, Fe, or Co)/[Cr(ox)]. <i>Inorganic Chemistry</i> , 2020 , 59, 623-628	5.1	10
80	Molecular magnetism: from chemical design to spin control in molecules, materials and devices. 2020 , 5, 87-104		282
79	Decorated Tetrathiafulvalene-Based Ligands: Powerful Chemical Tools for the Design of Single-Molecule Magnets. <i>European Journal of Inorganic Chemistry</i> , 2020 , 2020, 148-164	2.3	11
78	Concomitant emergence of circularly polarized luminescence and single-molecule magnet behavior in chiral-at-metal Dy complex. <i>Inorganic Chemistry Frontiers</i> , 2020 , 7, 4527-4534	6.8	11
77	Octacyanidometallates for multifunctional molecule-based materials. 2020 ,		43
76	Magnetic Anisotropy Drives Magnetochiral Dichroism in a Chiral Molecular Helix Probed with Visible Light. <i>Journal of the American Chemical Society</i> , 2020 , 142, 13908-13916	16.4	14
75	Spin Symmetry Breaking: Superparamagnetic and Spin Glass-Like Behavior Observed in Rod-Like Liquid Crystalline Organic Compounds Contacting Nitroxide Radical Spins. 2020 , 12, 1910		3
74	Canting angle dependence of single-chain magnet behaviour in chirality-introduced antiferromagnetic chains of acetate-bridged manganese(III) salen-type complexes. <i>Dalton Transactions</i> , 2020 , 49, 16970-16978	4.3	0

73	External stimuli modulate the magnetic relaxation of lanthanide single-molecule magnets. <i>Inorganic Chemistry Frontiers</i> , 2020 , 7, 3315-3326	6.8	29
72	Hard X-ray magnetochiral dichroism in a paramagnetic molecular 4f complex. 2020 , 11, 8306-8311		6
71	Chiral Cd(II) Coordination Polymers Based on Amino Acid Derivatives: The Effect of Side Chain on Structure. 2020 , 20, 5843-5853		9
70	Two-Dimensional Perovskite Chiral Ferromagnets. 2020 , 32, 8914-8920		37
69	Extremely low-frequency phonon material and its temperature- and photo-induced switching effects. 2020 , 11, 8989-8998		13
68	Tuning the Optical Properties of Magnetic Materials. <i>European Journal of Inorganic Chemistry</i> , 2020 , 2020, 2669-2678	2.3	10
67	Magnetochiral Dichroism in a Collinear Antiferromagnet with No Magnetization. <i>Physical Review Letters</i> , 2020 , 124, 217402	7.4	12
66	Nonreciprocal directional dichroism of a chiral magnet in the visible range. <i>Npj Quantum Materials</i> , 2020 , 5,	5	10
65	Smart Ligands for Efficient 3d-, 4d- and 5d-Metal Single-Molecule Magnets and Single-Ion Magnets. <i>Inorganics</i> , 2020 , 8, 39	2.9	12
64	1D metal-oxalates H ₂ DABCO[M(C ₂ O ₄) ₂](BH ₂ O) (M(II): Co, Mg, Zn): phase transitions and magnetic, dielectric, and phonon properties. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 6254-6263	7.1	4
63	Magneto-Chiral Dichroism: A Playground for Molecular Chemists. <i>Chemistry - A European Journal</i> , 2020 , 26, 9784-9791	4.8	14
62	Spontaneous Magnetization and Optical Activity in the Chiral Series {(L-proline) _n V[Cr(CN) ₆] _x } (0	3.1	2
61	Magnetochemistry, 2020 , 6, 12		
61	Semi-conductive chiral Co-CPs with helices based on lactic acid derivatives: Synthesis, structures and photocatalytic properties. <i>Journal of Solid State Chemistry</i> , 2020 , 289, 121524	3.3	0
60	Magnetism: Molecules to Build Solids. <i>European Journal of Inorganic Chemistry</i> , 2020 , 2020, 723-731	2.3	5
59	Proton Conductive Luminescent Thermometer Based on Near-Infrared Emissive {YbCo} Molecular Nanomagnets. <i>Journal of the American Chemical Society</i> , 2020 , 142, 3970-3979	16.4	58
58	Chiral Photomagnets Based on Copper(II) complexes of 1,2-Diaminocyclohexane and Octacyanidomolybdate(IV) Ions. <i>Inorganic Chemistry</i> , 2020 , 59, 5872-5882	5.1	6
57	Solid-state versus solution investigation of a luminescent chiral BINOL-derived bisphosphate single-molecule magnet. <i>Inorganic Chemistry Frontiers</i> , 2021 , 8, 947-962	6.8	5
56	Chromium(III) Complexes. 2021 , 508-551		0

55	1D Mn(III) coordination polymers exhibiting chiral symmetry breaking and weak ferromagnetism. <i>Dalton Transactions</i> , 2021 , 50, 5428-5432	4.3	
54	Chirality-induced linear response properties in noncoplanar Mn ₃ Ge. <i>Physical Review B</i> , 2021 , 103,	3.3	0
53	Insertion of single-ion magnets based on mononuclear Co(II) complexes into ferromagnetic oxalate-based networks. <i>Dalton Transactions</i> , 2021 , 50, 5931-5942	4.3	1
52	Supramolecular chirality in the crystals of mononuclear and polymeric cobalt(II) complexes with enantiopure and racemic N-thiophosphorylated thioureas. <i>CrystEngComm</i> , 2021 , 23, 2081-2090	3.3	1
51	Computer and network applications. 2021 , 473-577		
50	Observation of strong excitonic magneto-chiral anisotropy in twisted bilayer van der Waals crystals. <i>Nature Communications</i> , 2021 , 12, 2088	17.4	2
49	Validation of microscopic magnetochiral dichroism theory. <i>Science Advances</i> , 2021 , 7,	14.3	4
48	Detection of the Faraday Chiral Anisotropy. <i>Physical Review Letters</i> , 2021 , 126, 177401	7.4	9
47	Crystal-chirality-dependent control of magnetic domains in a time-reversal-broken antiferromagnet. <i>Npj Quantum Materials</i> , 2021 , 6,	5	6
46	Magneto-Electric Directional Anisotropy in Polar Soft Ferromagnets of Two-Dimensional Organic-Inorganic Hybrid Perovskites. <i>Angewandte Chemie</i> , 2021 , 133, 14471-14475	3.6	1
45	Organic chiral ferromagnets with strong spin-chiroptical interactions. <i>Cell Reports Physical Science</i> , 2021 , 2, 100442	6.1	1
44	Synthetic strategies towards chiral coordination polymers. <i>Coordination Chemistry Reviews</i> , 2021 , 435, 213763	23.2	9
43	Magneto-Electric Directional Anisotropy in Polar Soft Ferromagnets of Two-Dimensional Organic-Inorganic Hybrid Perovskites. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 14350-14354	16.4	7
42	Cadmium-Inspired Self-Polymerization of {LnCd} Units: Structure, Magnetic and Photoluminescent Properties of Novel Trimethylacetate 1D-Polymers (Ln = Sm, Eu, Tb, Dy, Ho, Er, Yb). <i>Molecules</i> , 2021 , 26,	4.8	2
41	Engineering of the Magnetic Layered System with Adeninium Cations: Monocrystalline Angle-Resolved Studies of Nonlinear Magnetic Susceptibility. <i>Inorganic Chemistry</i> , 2021 , 60, 10186-10198	5.1	0
40	Chiral Resolution of Spin-Crossover Active Iron(II) [2x2] Grid Complexes. <i>Chemistry - A European Journal</i> , 2021 , 27, 15171-15179	4.8	2
39	Homochiral Ferromagnetic Coupling Dy Single-Molecule Magnets with Strong Magneto-Optical Faraday Effects at Room Temperature. <i>Inorganic Chemistry</i> , 2021 , 60, 12039-12048	5.1	4
38	Thermal conductivity of micro/nano-porous polymers: Prediction models and applications. <i>Frontiers of Physics</i> , 2022 , 17, 1	3.7	3

37	Magneto-chiral anisotropy: From fundamentals to perspectives. <i>Chirality</i> , 2021 , 33, 844-857	2.1	2
36	Organic Chiral Spin-Optics: The Interaction between Spin and Photon in Organic Chiral Materials. <i>Advanced Optical Materials</i> , 2101201	8.1	2
35	Second harmonic generation on chiral cyanido-bridged Fe-Nb spin-crossover complexes. <i>Dalton Transactions</i> , 2021 , 50, 8524-8532	4.3	0
34	Contemporary Discoveries in the Copper Octacyanidometallate Photomagnetic Assemblies. <i>Springer Series in Chemical Physics</i> , 2021 , 149-168	0.3	0
33	Observation of the correlation between the phonon frequency and long-range magnetic ordering on a MnW octacyanide molecule-based magnet. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 10689-10696	7.1	2
32	Magnetochiral Metamolecules for Microwaves. <i>Springer Series in Materials Science</i> , 2019 , 219-234	0.9	1
31	Strong magnetochiral dichroism for visible light emission in a rationally designed paramagnetic enantiopure molecule. <i>Physical Review Materials</i> , 2019 , 3,	3.2	15
30	Multifunctional Materials of Interest in Molecular Electronics. 2013 , 219-280		2
29	A Chiral Three Dimensional Potassium(I)/Strontium(II)/Chromium(III) Oxalato-Bridged Coordination Polymer: Synthesis, Characterization and Thermal Analysis. <i>Crystal Structure Theory and Applications</i> , 2014 , 03, 67-75	0.3	2
28	Tunable magnetic anisotropy in luminescent cyanido-bridged {DyPt} molecules incorporating heteroligand Pt linkers. <i>Dalton Transactions</i> , 2021 , 50, 16242-16253	4.3	0
27	Tuning the dynamic magnetic behaviour and proton conductivity via water-induced reversible single-crystal to single-crystal structural transformation. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 15858-15867	7.1	0
26	The Underexplored Field of Lanthanide Complexes with Helicene Ligands: Towards Chiral Lanthanide Single Molecule Magnets. <i>Magnetochemistry</i> , 2021 , 7, 138	3.1	1
25	Breaking Symmetry Relaxes Structural and Magnetic Restraints, Suppressing QTM in Enantiopure Butterfly Fe Dy SMMs*. <i>Chemistry - A European Journal</i> , 2021 , 27, 15102-15108	4.8	1
24	Molecular Magnetism: New Trends. 2010 , 1-9		0
23	Unique Ferromagnetic Properties Observed in All-Organic Radical Liquid Crystals. <i>NATO Science for Peace and Security Series A: Chemistry and Biology</i> , 2017 , 409-424	0.1	
22	Graphene and Fullerenene Clusters. <i>Advances in Chemical and Materials Engineering Book Series</i> , 2017 , 569-599		
21	Functional Molecular Materials. <i>Open Chemistry Journal</i> , 2019 , 6, 8-9	2.3	
20	Detection of Sub-Terahertz Raman Response and Nonlinear Optical Effects for Luminescent Yb(III) Complexes. <i>Advanced Optical Materials</i> , 2101721	8.1	4

19	Counterintuitive Single-Molecule Magnet Behaviour in Two Polymorphs of One-Dimensional Compounds Involving Chiral BINOL-Derived Bisphosphate Ligands. <i>Magnetochemistry</i> , 2021 , 7, 150	3.1	0
18	Ratiometric and Colorimetric Optical Thermometers Using Emissive Dimeric and Trimeric {[Au(SCN) ₂]} _n Moieties Generated in d-f Heterometallic Assemblies. <i>Angewandte Chemie</i> ,	3.6	1
17	Ratiometric and Colorimetric Optical Thermometers Using Emissive Dimeric and Trimeric {[Au(SCN) ₂]} _n Moieties Generated in d-f Heterometallic Assemblies.. <i>Angewandte Chemie - International Edition</i> , 2022 , e202201265	16.4	1
16	Nonreciprocal directional dichroism at telecom wavelengths. <i>Npj Quantum Materials</i> , 2022 , 7,	5	1
15	Comprehensive thermodynamic study of three Co(II)- and Fe(II)-based octacyanonitobates. <i>Physical Review B</i> , 2021 , 104,	3.3	
14	Data_Sheet_1.pdf. 2018 ,		
13	Ambi-chiral anomalous Hall effect in magnetically doped topological insulators. <i>Science China: Physics, Mechanics and Astronomy</i> , 2022 , 65, 1	3.6	
12	Magnetic 3d-4f Chiral Clusters Showing Multimetal Site Magneto-Chiral Dichroism.. <i>Journal of the American Chemical Society</i> , 2022 ,	16.4	4
11	Asymmetric Assembly of Chiral Lanthanide(III) Tetranuclear Cluster Complexes Using Achiral Mixed Ligands: Single-molecule Magnet Behavior and Magnetic Entropy Change. <i>ACS Omega</i> ,	3.9	1
10	Solvent Dependence of Crystal Structure and Dielectric Relaxation in Ferromagnetic [MnCr(oxalate) ₃] ₃ Salt. <i>Dalton Transactions</i> ,	4.3	
9	Role of structural dimensionality in the magneto-chiral dichroism of chiral molecular ferrimagnets. <i>Journal of Materials Chemistry C</i> ,	7.1	
8	Chiral 2D Cu(I) Halide Frameworks. 2022 , 34, 8262-8270		2
7	Ratiometric Raman and Luminescent Thermometers Constructed from Dysprosium Thiocyanidometallate Molecular Magnets. 2201675		2
6	Chiral weak ferromagnets formed in one-dimensional organic/inorganic hybrid manganese chloride hydrates.		0
5	Homochiral SCM Built of Tetrahedral and Pentagonal Bipyramidal Fe(II) Units Bridged by Chlorine.		0
4	Nonlinear Optical and Magnetic Properties of FeII-SCN-HgII Isomers: Centrosymmetric Layers and Chiral Networks.		0
3	Fermiology of Chiral Cadmium Diarsenide CdAs ₂ , a Candidate for Hosting Kramers/Weyl Fermions. 2023 , 14, 3120-3125		0
2	Crystal structure, photomagnetic and dielectric properties of a cyanido-bridged Cu-Mo assembly film. 2023 , 550, 121434		0

- 1 Chiral Magnetic Oxide Nanomaterials: Magnetism Meets Chirality.

o