

# Printable ion-gel gate dielectrics for low-voltage polym

Nature Materials

7, 900-906

DOI: [10.1038/nmat2291](https://doi.org/10.1038/nmat2291)

Citation Report

#	ARTICLE	IF	CITATIONS
4	Doped defects tracked down. Nature Materials, 2008, 7, 840-841.	13.3	9
5	Gels excel. Nature Materials, 2008, 7, 839-840.	13.3	32
6	Solution-processed flexible organic transistors showing very-low subthreshold slope with a bilayer polymeric dielectric on plastic. Applied Physics Letters, 2009, 94, 203301.	1.5	37
7	Control of threshold voltage and hysteresis in organic field-effect transistors. Applied Physics Letters, 2009, 94, .	1.5	18
8	Low-voltage electric-double-layer paper transistors gated by microporous SiO <sub>2</sub> processed at room temperature. Applied Physics Letters, 2009, 95, 222108.	1.5	52
9	Comparison of the Mobility-Carrier Density Relation in Polymer and Single-Crystal Organic Transistors Employing Vacuum and Liquid Gate Dielectrics. Advanced Materials, 2009, 21, 2174-2179.	11.1	140
10	Carbon-Based Field-Effect Transistors for Nanoelectronics. Advanced Materials, 2009, 21, 2586-2600.	11.1	235
11	Toward the Development of Printable Nanowire Electronics and Sensors. Advanced Materials, 2009, 21, 3730-3743.	11.1	363
12	A change of direction. Nature Materials, 2009, 8, 853-854.	13.3	14
13	Solution-deposited sodium beta-alumina gate dielectrics for low-voltage and transparent field-effect transistors. Nature Materials, 2009, 8, 898-903.	13.3	270
14	High-performance organic field-effect transistors with binary ionic liquids. Organic Electronics, 2009, 10, 1579-1582.	1.4	15
15	Thermoreversible Morphology Transition from Block-Type Supramacromolecules via Hydrogen Bonding in an Ionic Liquid. Macromolecules, 2009, 42, 6335-6338.	2.2	17
16	High Carrier Densities Achieved at Low Voltages in Ambipolar PbSe Nanocrystal Thin-Film Transistors. Nano Letters, 2009, 9, 3848-3852.	4.5	111
17	Large Electric Field Effect in Electrolyte-Gated Manganites. Physical Review Letters, 2009, 102, 136402.	2.9	170
18	High Electron Mobility in Vacuum and Ambient for PDIF-CN <sub>2</sub> Single-Crystal Transistors. Journal of the American Chemical Society, 2009, 131, 2462-2463.	6.6	257
19	Paper transistor made with covalently bonded multiwalled carbon nanotube and cellulose. Applied Physics Letters, 2009, 95, .	1.5	91
20	Microporous SiO <sub>2</sub> with huge electric-double-layer capacitance for low-voltage indium tin oxide thin-film transistors. Applied Physics Letters, 2009, 95, .	1.5	55
21	Correlation and confinement induced itinerant ferromagnetism in chain structures. Philosophical Magazine, 2009, 89, 1953-1974.	0.7	13

#	ARTICLE	IF	CITATIONS
22	Photoisomerization-Induced Tunable LCST Phase Separation of Azobenzene-Containing Polymers in an Ionic Liquid. <i>Langmuir</i> , 2009, 25, 8845-8848.	1.6	55
23	Ion Gel-Gated Polymer Thin-Film Transistors: Operating Mechanism and Characterization of Gate Dielectric Capacitance, Switching Speed, and Stability. <i>Journal of Physical Chemistry C</i> , 2009, 113, 8972-8981.	1.5	325
24	Gelation Mechanism of Thermoreversible Supramacromolecular Ion Gels via Hydrogen Bonding. <i>Macromolecules</i> , 2009, 42, 5802-5810.	2.2	104
25	Correlation of on-state conductance with referenced electrochemical potential in ion gel gated polymer transistors. <i>Applied Physics Letters</i> , 2009, 94, 013304.	1.5	60
26	An Organic Nanoparticle Transistor Behaving as a Biological Spiking Synapse. <i>Advanced Functional Materials</i> , 2010, 20, 330-337.	7.8	320
27	Printed Sub-2 V Gel-Electrolyte-Gated Polymer Transistors and Circuits. <i>Advanced Functional Materials</i> , 2010, 20, 587-594.	7.8	180
28	The Effects of Moisture in Low-Voltage Organic Field-Effect Transistors Gated with a Hydrated Solid Electrolyte. <i>Advanced Functional Materials</i> , 2010, 20, 2605-2610.	7.8	25
29	Recent Progress in n-Channel Organic Thin-Film Transistors. <i>Advanced Materials</i> , 2010, 22, 1331-1345.	11.1	277
30	Low-Voltage Ring Oscillators Based on Polyelectrolyte-Gated Polymer Thin-Film Transistors. <i>Advanced Materials</i> , 2010, 22, 72-76.	11.1	78
31	Pentacene Transistors Fabricated on Photocurable Polymer Gate Dielectrics: Tuning Surface Viscoelasticity and Device Response. <i>Advanced Materials</i> , 2010, 22, 342-346.	11.1	31
32	Functional Organic Field-Effect Transistors. <i>Advanced Materials</i> , 2010, 22, 4427-4447.	11.1	526
33	Tunable Carbon Nanotube Thin-Film Transistors Produced Exclusively via Inkjet Printing. <i>Advanced Materials</i> , 2010, 22, 3981-3986.	11.1	201
34	Rollable Transparent Glass-Fabric Reinforced Composite Substrate for Flexible Devices. <i>Advanced Materials</i> , 2010, 22, 4510-4515.	11.1	77
35	A Practical Approach to the Development of Inkjet Printable Functional Ionogels—Bendable, Foldable, Transparent, and Conductive Electrode Materials. <i>Macromolecular Rapid Communications</i> , 2010, 31, 1970-1976.	2.0	22
36	Polythiophene-based field-effect transistors with enhanced air stability. <i>Organic Electronics</i> , 2010, 11, 351-355.	1.4	35
37	Organic field-effect transistors with cross-linked high-k cyanoethylated pullulan polymer as a gate insulator. <i>Organic Electronics</i> , 2010, 11, 996-1004.	1.4	46
38	Fabrication of organic thin-film transistors by spray-deposition for low-cost, large-area electronics. <i>Organic Electronics</i> , 2010, 11, 1960-1965.	1.4	134
39	High performance and the low voltage operating InGaZnO thin film transistor. <i>Current Applied Physics</i> , 2010, 10, e157-e160.	1.1	22

#	ARTICLE	IF	CITATIONS
40	Laser-assisted additive fabrication of micro-sized coatings. , 2010, , 735-762.		6
41	Materials for organic and hybrid inorganic/organic electronics. MRS Bulletin, 2010, 35, 1018-1027.	1.7	54
42	SELF-ASSEMBLED CORE-SHELL POLYMER DIELECTRIC PREPARED BY SOLUTION CASTING PROCESS. Integrated Ferroelectrics, 2010, 113, 1-8.	0.3	0
43	High-mobility low-temperature ZnO transistors with low-voltage operation. Applied Physics Letters, 2010, 96, .	1.5	110
44	Vertical polyelectrolyte-gated organic field-effect transistors. Applied Physics Letters, 2010, 97, .	1.5	23
45	Low-voltage transparent electric-double-layer ZnO-based thin-film transistors for portable transparent electronics. Applied Physics Letters, 2010, 96, .	1.5	52
46	High-performance n-type organic field-effect transistors with ionic liquid gates. Applied Physics Letters, 2010, 97, .	1.5	58
47	Photocurable Polyimide Gate Insulator for Pentacene Thin-Film Transistor With Excellent Chemical Resistance by Low Temperature Processing. Molecular Crystals and Liquid Crystals, 2010, 519, 192-198.	0.4	4
48	Microporous SiO <sub>2</sub> -based solid electrolyte with improved polarization response for 0.8 V transparent thin-film transistors. Journal Physics D: Applied Physics, 2010, 43, 295103.	1.3	2
49	Study on the Charge Injection Barrier in Solution-Processed 6,13-bis(triisopropylsilylethynyl) Pentacene Based Schottky Diodes. Molecular Crystals and Liquid Crystals, 2010, 530, 97/[253]-102/[258].	0.4	0
50	Polymorphic transformation induced by nanoimprinted technology in pentacene-film early-stage growth. Applied Physics Letters, 2010, 97, .	1.5	4
51	Low-Voltage Operation of Ink-Jet-Printed Single-Walled Carbon Nanotube Thin Film Transistors. Japanese Journal of Applied Physics, 2010, 49, 02BD09.	0.8	21
52	High- <i>k</i> Organic, Inorganic, and Hybrid Dielectrics for Low-Voltage Organic Field-Effect Transistors. Chemical Reviews, 2010, 110, 205-239.	23.0	801
53	High-Performance Flexible Graphene Field Effect Transistors with Ion Gel Gate Dielectrics. Nano Letters, 2010, 10, 3464-3466.	4.5	390
54	Inkjet-printed Cu source/drain electrodes for solution-deposited thin film transistors. Journal of Materials Chemistry, 2010, 20, 3877.	6.7	51
55	Organic thin-film transistors. Chemical Society Reviews, 2010, 39, 2643.	18.7	1,177
56	Thermoreversible ionogels with tunable properties via aqueous gelation of an amphiphilic quaternary ammonium oligoether-based ionic liquid. Journal of Materials Chemistry, 2010, 20, 8279.	6.7	39
57	Periodic Array of Polyelectrolyte-Gated Organic Transistors from Electrospun Poly(3-hexylthiophene) Nanofibers. Nano Letters, 2010, 10, 347-351.	4.5	191

#	ARTICLE	IF	CITATIONS
58	Polymer Brush As a Facile Dielectric Surface Treatment for High-Performance, Stable, Soluble Acene-Based Transistors. <i>Chemistry of Materials</i> , 2010, 22, 5377-5382.	3.2	41
59	Water-Processable Polymer-Nanocrystal Hybrids for Thermoelectrics. <i>Nano Letters</i> , 2010, 10, 4664-4667.	4.5	458
60	Hybrid electronics and electrochemistry with conjugated polymers. <i>Chemical Society Reviews</i> , 2010, 39, 2633.	18.7	61
61	Size-Dependent Electrical Transport in CdSe Nanocrystal Thin Films. <i>Nano Letters</i> , 2010, 10, 3727-3732.	4.5	134
62	Effect of an Ionic Liquid Solvent on the Phase Behavior of Block Copolymers. <i>Macromolecules</i> , 2010, 43, 5417-5423.	2.2	61
63	Printed, Sub-3V Digital Circuits on Plastic from Aqueous Carbon Nanotube Inks. <i>ACS Nano</i> , 2010, 4, 4388-4395.	7.3	362
64	Mixing at the Charged Interface of a Polymer Semiconductor and a Polyelectrolyte Dielectric. <i>Journal of Physical Chemistry Letters</i> , 2010, 1, 862-867.	2.1	15
65	A field-cycle-induced high-dielectric phase in ferroelectric copolymer. <i>Journal of Applied Physics</i> , 2010, 107, 114506.	1.1	17
66	Hydrogenation-Induced Surface Polarity Recognition and Proton Memory Behavior at Protic-Ionic-Liquid/Oxide Electric-Double-Layer Interfaces. <i>Journal of the American Chemical Society</i> , 2010, 132, 6672-6678.	6.6	151
67	Electrostatic and Electrochemical Nature of Liquid-Gated Electric-Double-Layer Transistors Based on Oxide Semiconductors. <i>Journal of the American Chemical Society</i> , 2010, 132, 18402-18407.	6.6	227
68	Materials and Applications for Large Area Electronics: Solution-Based Approaches. <i>Chemical Reviews</i> , 2010, 110, 3-24.	23.0	1,646
69	Improving polymer transistor performance via morphology control. <i>Chemical Society Reviews</i> , 2010, 39, 2372.	18.7	238
70	Hysteresis-free organic field-effect transistors with high dielectric strength cross-linked polyacrylate copolymer as a gate insulator. <i>Organic Electronics</i> , 2010, 11, 836-845.	1.4	38
71	Ultralow contact resistance in electrolyte-gated organic thin film transistors. <i>Applied Physics Letters</i> , 2010, 97, .	1.5	85
72	Transition from Tunneling to Hopping Transport in Long, Conjugated Oligo-imine Wires Connected to Metals. <i>Journal of the American Chemical Society</i> , 2010, 132, 4358-4368.	6.6	217
73	Engineering of the dielectric-semiconductor interface in organic field-effect transistors. <i>Journal of Materials Chemistry</i> , 2010, 20, 2599.	6.7	153
74	Flexible Low-Voltage Organic Thin-Film Transistors Enabled by Low-Temperature, Ambient Solution-Processable Inorganic/Organic Hybrid Gate Dielectrics. <i>Journal of the American Chemical Society</i> , 2010, 132, 17426-17434.	6.6	112
75	Lower Critical Solution Temperature (LCST) Phase Behavior of Poly(ethylene oxide) in Ionic Liquids. <i>Journal of Physical Chemistry Letters</i> , 2010, 1, 1962-1966.	2.1	129

#	ARTICLE	IF	CITATIONS
76	Pluronic Micelle Shuttle between Water and an Ionic Liquid. <i>Langmuir</i> , 2010, 26, 8887-8892.	1.6	55
77	Tuning surface properties in photosensitive polyimide. Material design for high performance organic thin-film transistors. <i>Journal of Materials Chemistry</i> , 2010, 20, 5474.	6.7	21
78	Control of mesoscale and nanoscale ordering of organic semiconductors at the gate dielectric/semiconductor interface for organic transistors. <i>Journal of Materials Chemistry</i> , 2010, 20, 2549.	6.7	97
79	Solution processed organic field-effect transistors and their application in printed logic circuits. <i>Journal of Materials Chemistry</i> , 2010, 20, 7059.	6.7	82
80	Aqueous gelation of ionic liquids: reverse thermoresponsive ion gels. <i>Chemical Communications</i> , 2010, 46, 6971.	2.2	48
81	Random network transistor arrays of embedded ZnO nanorods in ion-gel gate dielectric. <i>Journal of Materials Chemistry</i> , 2010, 20, 7393.	6.7	34
82	Transparent, flexible and highly conductive ion gels from ionic liquid compatible cyclic carbonate network. <i>Chemical Communications</i> , 2010, 46, 1488.	2.2	57
83	Low-voltage transparent SnO <sub>2</sub> nanowire transistors gated by microporous SiO <sub>2</sub> solid-electrolyte with improved polarization response. <i>Journal of Materials Chemistry</i> , 2010, 20, 8010.	6.7	31
84	Fluoroalkylphosphonic acid self-assembled monolayer gate dielectrics for threshold-voltage control in low-voltage organic thin-film transistors. <i>Journal of Materials Chemistry</i> , 2010, 20, 6416.	6.7	42
85	Organic thin-film transistors with a photo-patternable semiconducting polymer blend. <i>Journal of Materials Chemistry</i> , 2011, 21, 15637.	6.7	29
86	Anomalous Threshold Voltage Shift and Surface Passivation of Transparent Indium-Zinc Oxide Electric-Double-Layer TFTs. <i>IEEE Electron Device Letters</i> , 2011, 32, 910-912.	2.2	6
87	A complementary organic inverter of porphyrazine thin films: low-voltage operation using ionic liquid gate dielectrics. <i>Chemical Communications</i> , 2011, 47, 5837.	2.2	29
88	Low-voltage solution-processed graphene transistors based on chemically and solvothermally reduced graphene oxide. <i>Journal of Materials Chemistry</i> , 2011, 21, 13068.	6.7	25
89	Liquid-Gated Ambipolar Transport in Ultrathin Films of a Topological Insulator Bi <sub>2</sub> Te <sub>3</sub> . <i>Nano Letters</i> , 2011, 11, 2601-2605.	4.5	81
90	Length and Temperature Dependent Conduction of Ruthenium-Containing Redox-Active Molecular Wires. <i>Journal of Physical Chemistry C</i> , 2011, 115, 19955-19961.	1.5	104
91	Nanophase-Separated Supramolecular Assemblies of Two Functionalized Polymers via Acid-Base Complexation. <i>Macromolecules</i> , 2011, 44, 6241-6244.	2.2	48
92	Organic Electrical Double Layer Transistors Based on Rubrene Single Crystals: Examining Transport at High Surface Charge Densities above $10^{13} \text{ cm}^{-2}$ . <i>Journal of Physical Chemistry C</i> , 2011, 115, 14360-14368.	1.5	81
93	Viscoelastic Properties, Ionic Conductivity, and Materials Design Considerations for Poly(styrene- <i>b</i> -ethylene oxide- <i>b</i> -styrene)-Based Ion Gel Electrolytes. <i>Macromolecules</i> , 2011, 44, 8981-8989.	2.2	97

#	ARTICLE	IF	CITATIONS
94	Probing Hopping Conduction in Conjugated Molecular Wires Connected to Metal Electrodes. <i>Chemistry of Materials</i> , 2011, 23, 631-645.	3.2	163
95	Solubility-driven polythiophene nanowires and their electrical characteristics. <i>Journal of Materials Chemistry</i> , 2011, 21, 2338-2343.	6.7	59
96	Bithiophene-Imide-Based Polymeric Semiconductors for Field-Effect Transistors: Synthesis, Structure-Property Correlations, Charge Carrier Polarity, and Device Stability. <i>Journal of the American Chemical Society</i> , 2011, 133, 1405-1418.	6.6	231
97	Pulsed Laser Deposition and Ionic Liquid Gate Control of Epitaxial Bi <sub>2</sub> Se <sub>3</sub> Thin Films. <i>Applied Physics Express</i> , 2011, 4, 083001.	1.1	52
98	Ionic Conductivity, Capacitance, and Viscoelastic Properties of Block Copolymer-Based Ion Gels. <i>Macromolecules</i> , 2011, 44, 940-949.	2.2	183
99	Stretchable Graphene Transistors with Printed Dielectrics and Gate Electrodes. <i>Nano Letters</i> , 2011, 11, 4642-4646.	4.5	351
100	Poly( <i>n</i> -butyl methacrylate) in Ionic Liquids with Tunable Lower Critical Solution Temperatures (LCST). <i>Journal of Physical Chemistry B</i> , 2011, 115, 1971-1977.	1.2	74
101	Charge Injection Engineering of Ambipolar Field-Effect Transistors for High-Performance Organic Complementary Circuits. <i>ACS Applied Materials &amp; Interfaces</i> , 2011, 3, 3205-3214.	4.0	150
103	Functional ionic gels formed by supramolecular assembly of a novel low molecular weight anticorrosive/antioxidative gelator. <i>Journal of Materials Chemistry</i> , 2011, 21, 13399.	6.7	71
104	Effect of Carboxylic Acid on Sintering of Inkjet-Printed Copper Nanoparticulate Films. <i>ACS Applied Materials &amp; Interfaces</i> , 2011, 3, 2377-2382.	4.0	104
105	Picoliter Printing. , 2011, , 117-143.		1
106	Solution-Deposited Organic-Inorganic Hybrid Multilayer Gate Dielectrics. Design, Synthesis, Microstructures, and Electrical Properties with Thin-Film Transistors. <i>Journal of the American Chemical Society</i> , 2011, 133, 10239-10250.	6.6	108
107	Effect of Concentration on the Glass Transition and Viscoelastic Properties of Poly(methyl) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 262 Td	2.2	47
108	Fully Printed Separated Carbon Nanotube Thin Film Transistor Circuits and Its Application in Organic Light Emitting Diode Control. <i>Nano Letters</i> , 2011, 11, 5301-5308.	4.5	189
109	High performance foldable polymer thin film transistors with a side gate architecture. <i>Journal of Materials Chemistry</i> , 2011, 21, 18804.	6.7	18
110	Paper transistor made with regenerated cellulose and covalently bonded single-walled carbon nanotubes. , 2011, , .		0
111	Ink-jet printed thin-film transistors with carbon nanotube channels shaped in long strips. <i>Journal of Applied Physics</i> , 2011, 109, 084915.	1.1	20
112	Low-temperature fabrication of high-performance metal oxide thin-film electronics via combustion processing. <i>Nature Materials</i> , 2011, 10, 382-388.	13.3	1,093

#	ARTICLE	IF	CITATIONS
113	Controlling inelastic light scattering quantum pathways in graphene. <i>Nature</i> , 2011, 471, 617-620.	13.7	492
114	Low-Voltage Transparent Indium-Zinc Oxide Coplanar Homo Junction TFTs Self-Assembled on Inorganic Proton Conductors. <i>IEEE Transactions on Electron Devices</i> , 2011, 58, 764-768.	1.6	9
115	Compromise of electrical leakage and capacitance density effects: a facile route for high mobility and sharp subthreshold slope in low-voltage operable organic field-effect transistors. <i>Journal of Materials Chemistry</i> , 2011, 21, 998-1004.	6.7	25
116	Graphene plasmonics for tunable terahertz metamaterials. <i>Nature Nanotechnology</i> , 2011, 6, 630-634.	15.6	2,566
117	Thieno[3,4- <i>c</i> ]pyrrole-4,6-dione-Based Polymer Semiconductors: Toward High-Performance, Air-Stable Organic Thin-Film Transistors. <i>Journal of the American Chemical Society</i> , 2011, 133, 13685-13697.	6.6	232
118	High speeds complementary integrated circuits fabricated with all-printed polymeric semiconductors. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2011, 49, 62-67.	2.4	102
119	Patterning of Flexible Transparent Thin-Film Transistors with Solution-Processed ZnO Using the Binary Solvent Mixture. <i>Advanced Functional Materials</i> , 2011, 21, 3546-3553.	7.8	48
120	A 4 V Operation, Flexible Braille Display Using Organic Transistors, Carbon Nanotube Actuators, and Organic Static Random-Access Memory. <i>Advanced Functional Materials</i> , 2011, 21, 4019-4027.	7.8	128
121	Supramolecular Order of Solution-Processed Perylene diimide Thin Films: High-Performance Small-Channel n-Type Organic Transistors. <i>Advanced Functional Materials</i> , 2011, 21, 4479-4486.	7.8	38
122	Flexible Organic Thin-Film Transistors with Silk Fibroin as the Gate Dielectric. <i>Advanced Materials</i> , 2011, 23, 1630-1634.	11.1	225
123	Paper Electronics. <i>Advanced Materials</i> , 2011, 23, 1935-1961.	11.1	1,141
124	Controlling the Dimensionality of Charge Transport in an Organic Electrochemical Transistor by Capacitive Coupling. <i>Advanced Materials</i> , 2011, 23, 4764-4769.	11.1	52
125	Use of poly(3-hexylthiophene)/poly(methyl methacrylate) (P3HT/PMMA) blends to improve the performance of water-gated organic field-effect transistors. <i>Organic Electronics</i> , 2011, 12, 1253-1257.	1.4	56
126	Threshold voltage shifting for memory and tuning in printed transistor circuits. <i>Materials Science and Engineering Reports</i> , 2011, 72, 49-80.	14.8	40
127	An analytical study on electronic density of states and conductance of typical nanowires. <i>Solid State Communications</i> , 2011, 151, 928-932.	0.9	16
128	Patterned electrode vertical field effect transistor: Theory and experiment. <i>Journal of Applied Physics</i> , 2011, 110, .	1.1	61
129	Density-of-State and Trap Modeling of Low-Voltage Electric-Double-Layer TFTs. <i>IEEE Electron Device Letters</i> , 2011, 32, 512-514.	2.2	2
130	Tuning the Threshold Voltage of Double-Gate Low-Voltage Transparent Oxide-Based TFTs by a Lateral In-Plane Gate. <i>IEEE Electron Device Letters</i> , 2011, 32, 1710-1712.	2.2	3



#	ARTICLE	IF	CITATIONS
131	Electrolyte Gate-Controlled Kondo Effect in $\text{SrTiO}_3$ . Physical Review Letters, 2011, 107, 256601.	2.9	139
132	Electrostatic modification of oxide semiconductors by electric double layers of microporous SiO <sub>2</sub> -based solid electrolyte. Journal of Applied Physics, 2011, 109, .	1.1	7
133	Liquid-gated electric-double-layer transistor on layered metal dichalcogenide, SnS <sub>2</sub> . Applied Physics Letters, 2011, 98, 012102.	1.5	54
134	Modeling of low-voltage oxide-based electric-double-layer thin-film transistors fabricated at room temperature. Applied Physics Letters, 2011, 98, .	1.5	8
135	Low-voltage organic transistor with subfemtoliter inkjet source-drain contacts. MRS Communications, 2011, 1, 3-6.	0.8	32
136	Ultra-low voltage, organic thin film transistors fabricated on plastic substrates by a highly reproducible process. Applied Physics Letters, 2012, 100, .	1.5	68
137	Remanent polarization in a cryptand-polyanion bilayer implemented in an organic field effect transistor. Applied Physics Letters, 2012, 100, 023305.	1.5	1
138	Electrical properties of <i>in vitro</i> biomineralized recombinant silicatein deposited by microfluidics. Applied Physics Letters, 2012, 101, 193702.	1.5	4
139	Electrical control of Curie temperature in cobalt using an ionic liquid film. Applied Physics Letters, 2012, 100, .	1.5	128
140	Solvent Effects on the Transient Characteristics of Liquid-Gate Field Effect Transistors with Silicon Substrate. Japanese Journal of Applied Physics, 2012, 51, 111803.	0.8	0
141	Electroresistance Effect in Gold Thin Film Induced by Ionic-Liquid-Gated Electric Double Layer. Applied Physics Express, 2012, 5, 023002.	1.1	29
142	Electric Field Effect on Magnetization of an Fe Ultrathin Film. Applied Physics Express, 2012, 5, 063007.	1.1	15
144	Polymers in Ionic Liquids: Dawn of Neoteric Solvents and Innovative Materials. Bulletin of the Chemical Society of Japan, 2012, 85, 33-50.	2.0	146
145	The application of a high- <i>k</i> polymer in flexible low-voltage organic thin-film transistors. Journal of Materials Chemistry, 2012, 22, 15998.	6.7	65
146	Highly Efficient and Specific Gelation of Ionic Liquids by Polymeric Electrolytes to Form Ionogels with Substantially High Gel-Sol Transition Temperatures and Rheological Properties Like Self-Standing Ability and Rapid Recovery. ACS Macro Letters, 2012, 1, 1108-1112.	2.3	30
147	All-Solid-State Flexible Supercapacitors Fabricated with Bacterial Nanocellulose Papers, Carbon Nanotubes, and Triblock-Copolymer Ion Gels. ACS Nano, 2012, 6, 6400-6406.	7.3	440
148	Porous silicon micro- and nanoparticles for printed humidity sensors. Applied Physics Letters, 2012, 101, .	1.5	29
149	Ultra-flexible solution-processed organic field-effect transistors. Nature Communications, 2012, 3, 1259.	5.8	274

#	ARTICLE	IF	CITATIONS
150	One-Step Synthesis of Thermosensitive Nanogels Based on Highly Cross-Linked Poly(ionic liquid)s. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 9114-9118.	7.2	92
151	Large-Scale Graphene Micropatterns via Self-Assembly-Mediated Process for Flexible Device Application. <i>Nano Letters</i> , 2012, 12, 743-748.	4.5	68
152	Fabrication of single crystal silicon micro-/nanostructures and transferring them to flexible substrates. <i>Microelectronic Engineering</i> , 2012, 98, 502-507.	1.1	55
153	Knitting up the inter-dipole gaps in dielectric surfaces: an efficient route for high performance organic field-effect transistors. <i>Journal of Materials Chemistry</i> , 2012, 22, 6597.	6.7	18
154	Low-Voltage Oxide-Based Electric-Double-Layer TFTs Gated by Stacked $\text{SiO}_2$ Electrolyte/Chitosan Hybrid Dielectrics. <i>IEEE Electron Device Letters</i> , 2012, 33, 848-850.	2.2	12
155	Quasi-ordering in spontaneously associated surface dipoles: an intrinsic interfacial factor for high-k-polymer insulated organic field-effect transistors. <i>Journal of Materials Chemistry</i> , 2012, 22, 1482-1488.	6.7	20
156	Printed thin-film transistors with functionalized single-walled carbon nanotube inks. <i>Journal of Materials Chemistry</i> , 2012, 22, 2051-2056.	6.7	39
157	Crystalline nanostructure and morphology of TriF-IF-dione for high-performance stable n-type field-effect transistors. <i>Journal of Materials Chemistry</i> , 2012, 22, 14617.	6.7	6
158	Low-temperature melt processed polymer blend for organic thin-film transistors. <i>Journal of Materials Chemistry</i> , 2012, 22, 18887.	6.7	17
159	Effects of component molecular weight on the viscoelastic properties of thermoreversible supramolecular ion gels via hydrogen bonding. <i>Soft Matter</i> , 2012, 8, 2110.	1.2	40
160	Ionic Liquids for Electrolyte-Gating of ZnO Field-Effect Transistors. <i>Journal of Physical Chemistry C</i> , 2012, 116, 13536-13544.	1.5	111
161	Inkjet Printed Organic Thin Film Transistors: Achievements and Challenges. <i>Materials Science Forum</i> , 2012, 736, 250-274.	0.3	7
162	Driving Mechanisms of Ionic Polymer Actuators Having Electric Double Layer Capacitor Structures. <i>Journal of Physical Chemistry B</i> , 2012, 116, 5080-5089.	1.2	79
163	Doping Effect of Organosulfonic Acid in Poly(3-hexylthiophene) Films for Organic Field-Effect Transistors. <i>ACS Applied Materials &amp; Interfaces</i> , 2012, 4, 1281-1288.	4.0	97
164	Electroluminescence in Ion-Gel Gated Conjugated Polymer Field-Effect Transistors. <i>Chemistry of Materials</i> , 2012, 24, 4060-4067.	3.2	29
165	Highly efficient organic optoelectronic conversion induced by electric double layers in ionic liquids. <i>Applied Physics Letters</i> , 2012, 100, 163304.	1.5	18
166	Coplanar-Gate Transparent Graphene Transistors and Inverters on Plastic. <i>ACS Nano</i> , 2012, 6, 8646-8651.	7.3	110
167	Light-Controlled Reversible Micellization of a Diblock Copolymer in an Ionic Liquid. <i>Macromolecules</i> , 2012, 45, 7566-7573.	2.2	71

#	ARTICLE	IF	CITATIONS
168	New Pentacene Crystalline Phase Induced by Nanoimprinted Polyimide Gratings. <i>Journal of Physical Chemistry C</i> , 2012, 116, 8619-8626.	1.5	15
169	'Cut and stick' ion gels. <i>Nature</i> , 2012, 489, 510-511.	13.7	30
170	When more is less. <i>Nature</i> , 2012, 489, 511-512.	13.7	25
171	Controlled Charge Transport by Polymer Blend Dielectrics in Top-Gate Organic Field-Effect Transistors for Low-Voltage-Operating Complementary Circuits. <i>ACS Applied Materials &amp; Interfaces</i> , 2012, 4, 6176-6184.	4.0	77
173	Nanocasting nanoporous inorganic and organic materials from polymeric bicontinuous microemulsion templates. <i>Polymer Journal</i> , 2012, 44, 131-146.	1.3	43
175	Fabrication and electrical properties of all-printed carbon nanotube thin film transistors on flexible substrates. <i>Journal of Materials Chemistry</i> , 2012, 22, 20747.	6.7	41
176	Graphene-based flexible and stretchable thin film transistors. <i>Nanoscale</i> , 2012, 4, 4870.	2.8	135
177	A novel method for soluble hydrophilic anthracene derivative self-assembled on APTES in air. <i>Organic Electronics</i> , 2012, 13, 2417-2421.	1.4	4
178	ABA-triblock copolymer ion gels for CO <sub>2</sub> separation applications. <i>Journal of Membrane Science</i> , 2012, 423-424, 20-26.	4.1	79
179	83 Electrochemical Organic Electronics Based on Robust Thin-Films of Porphyrazines. <i>Handbook of Porphyrin Science</i> , 2012, , 213-238.	0.3	0
180	Low-voltage SnO <sub>2</sub> nanowire transistors gated by solution-processed chitosan-based proton conductors. <i>Nanoscale</i> , 2012, 4, 4481.	2.8	23
181	Hopping transport and the Hall effect near the insulator-metal transition in electrochemically gated poly(3-hexylthiophene) transistors. <i>Nature Communications</i> , 2012, 3, 1210.	5.8	153
182	Direct writing of electronics based on alloy and metal (DREAM) ink: A newly emerging area and its impact on energy, environment and health sciences. <i>Frontiers in Energy</i> , 2012, 6, 311-340.	1.2	87
184	Synthesis and characterization of Al- and In-doped CdSe nanocrystals. <i>Journal of Materials Chemistry</i> , 2012, 22, 6335.	6.7	37
186	Nanoporous Poly(3,4-ethylenedioxythiophene) Derived from Polymeric Bicontinuous Microemulsion Templates. <i>Macromolecules</i> , 2012, 45, 599-601.	2.2	22
187	Printing conformal electronics on 3D structures with Aerosol Jet technology. , 2012, , .		129
188	Inkjet-Printed Reduced Graphene Oxide/Poly(Vinyl Alcohol) Composite Electrodes for Flexible Transparent Organic Field-Effect Transistors. <i>Journal of Physical Chemistry C</i> , 2012, 116, 7520-7525.	1.5	95
189	Polymer Actuators Using Ion-Gel Electrolytes Prepared by Self-Assembly of ABA-Triblock Copolymers. <i>Macromolecules</i> , 2012, 45, 401-409.	2.2	159

#	ARTICLE	IF	CITATIONS
190	Fabrication and Modification of Ordered Nanoporous Structures from Nanophase-Separated Block Copolymer/Metal Salt Hybrids. <i>Langmuir</i> , 2012, 28, 17524-17529.	1.6	19
191	Highly Flexible MoS <sub>2</sub> Thin-Film Transistors with Ion Gel Dielectrics. <i>Nano Letters</i> , 2012, 12, 4013-4017.	4.5	746
193	Design and properties of supramolecular polymer gels. <i>Soft Matter</i> , 2012, 8, 6416.	1.2	151
194	Unusual Lower Critical Solution Temperature Phase Behavior of Poly(ethylene oxide) in Ionic Liquids. <i>Macromolecules</i> , 2012, 45, 3627-3633.	2.2	103
195	A Review on Aerosol-Based Direct-Write and Its Applications for Microelectronics. <i>Journal of Nanotechnology</i> , 2012, 2012, 1-22.	1.5	114
196	High-Performance Inkjet Printed Carbon Nanotube Thin Film Transistors with High-κ HfO <sub>2</sub> Dielectric on Plastic Substrate. <i>Small</i> , 2012, 8, 2941-2947.	5.2	28
197	Electronic Impurity Doping in CdSe Nanocrystals. <i>Nano Letters</i> , 2012, 12, 2587-2594.	4.5	335
198	Delayed Ignition of Autocatalytic Combustion Precursors: Low-Temperature Nanomaterial Binder Approach to Electronically Functional Oxide Films. <i>Journal of the American Chemical Society</i> , 2012, 134, 11583-11593.	6.6	63
199	Amphiphilic oligoether-based ionic liquids as functional materials for thermoresponsive ion gels with tunable properties via aqueous gelation. <i>Soft Matter</i> , 2012, 8, 1025-1032.	1.2	26
200	High-Transconductance Organic Thin-Film Electrochemical Transistors for Driving Low-Voltage Red-Green-Blue Active Matrix Organic Light-Emitting Devices. <i>Advanced Functional Materials</i> , 2012, 22, 1623-1631.	7.8	54
201	Inversion of Dominant Polarity in Ambipolar Polydiketopyrrolopyrrole with Thermally Removable Groups. <i>Advanced Functional Materials</i> , 2012, 22, 4128-4138.	7.8	87
202	Ambipolar Organic Single-Crystal Transistors Based on Ion Gels. <i>Advanced Materials</i> , 2012, 24, 4392-4397.	11.1	82
203	“Cut and Stick” Rubbery Ion Gels as High Capacitance Gate Dielectrics. <i>Advanced Materials</i> , 2012, 24, 4457-4462.	11.1	383
204	The Electrode's Effect on the Stability of Organic Transistors and Circuits. <i>Advanced Materials</i> , 2012, 24, 3053-3058.	11.1	24
206	A ring oscillator based on HIFETs. <i>Organic Electronics</i> , 2012, 13, 84-89.	1.4	3
207	Low-Voltage Oxide-Based TFTs Self-Assembled on Paper Substrates With Tunable Threshold Voltage. <i>IEEE Transactions on Electron Devices</i> , 2012, 59, 380-384.	1.6	4
208	Structure and Morphology of PDI8-CN <sub>2</sub> for n-Type Thin-Film Transistors. <i>Advanced Functional Materials</i> , 2012, 22, 943-953.	7.8	50
209	Low-Temperature, Solution-Processed and Alkali Metal Doped ZnO for High-Performance Thin-Film Transistors. <i>Advanced Materials</i> , 2012, 24, 834-838.	11.1	202

#	ARTICLE	IF	CITATIONS
210	Charge Injection in Solution-Processed Organic Field-Effect Transistors: Physics, Models and Characterization Methods. <i>Advanced Materials</i> , 2012, 24, 1357-1387.	11.1	389
211	Zeeman-type spin splitting controlled by an electric field. <i>Nature Physics</i> , 2013, 9, 563-569.	6.5	462
212	29.4: <i>Invited Paper</i> : Paper Electronics: A Challenge for the Future. Digest of Technical Papers SID International Symposium, 2013, 44, 365-367.	0.1	4
213	Flexible Low-Voltage Organic Transistors with High Thermal Stability at 250 °C. <i>Advanced Materials</i> , 2013, 25, 3639-3644.	11.1	101
214	Fabrication of stretchable MoS <sub>2</sub> thin-film transistors using elastic ion-gel gate dielectrics. <i>Applied Physics Letters</i> , 2013, 103, .	1.5	96
215	High transconductance organic electrochemical transistors. <i>Nature Communications</i> , 2013, 4, 2133.	5.8	612
216	Polymeric Thin Films for Organic Electronics: Properties and Adaptive Structures. <i>Materials</i> , 2013, 6, 1159-1190.	1.3	34
217	Proton conducting zeolite films for low-voltage oxide-based electric-double-layer thin-film transistors and logic gates. <i>Journal of Materials Chemistry C</i> , 2013, 1, 5669.	2.7	21
218	Correlation between Crystallinity, Charge Transport, and Electrical Stability in an Ambipolar Polymer Field-Effect Transistor Based on Poly(naphthalene-diketopyrrolopyrrole). <i>Journal of Physical Chemistry C</i> , 2013, 117, 11479-11486.	1.5	25
219	Electric-double-layer field-effect transistors with ionic liquids. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 8983.	1.3	319
220	Microstructural Control over Soluble Pentacene Deposited by Capillary Pen Printing for Organic Electronics. <i>ACS Applied Materials &amp; Interfaces</i> , 2013, 5, 7838-7844.	4.0	17
221	Suppression of Metal-Insulator Transition in VO <sub>2</sub> by Electric Field-Induced Oxygen Vacancy Formation. <i>Science</i> , 2013, 339, 1402-1405.	6.0	924
222	Vibration-Assisted Crystallization Improves Organic/Dielectric Interface in Organic Thin-Film Transistors. <i>Advanced Materials</i> , 2013, 25, 6956-6962.	11.1	65
223	Inkjet printing of palladium source and drain electrodes on individual single-wall carbon nanotubes to fabricate field effect transistors. <i>RSC Advances</i> , 2013, 3, 23658.	1.7	1
224	Manipulating the Hysteresis in Poly(vinyl alcohol)-Dielectric Organic Field-Effect Transistors Toward Memory Elements. <i>Advanced Functional Materials</i> , 2013, 23, 4206-4214.	7.8	113
225	Strain sensitivity and durability in p-type and n-type organic thin-film transistors with printed silver electrodes. <i>Scientific Reports</i> , 2013, 3, 2048.	1.6	50
226	Electrical and Photoresponse Properties of Printed Thin-Film Transistors Based on Poly(9,9-dioctylfluorene-co-bithiophene) Sorted Large-Diameter Semiconducting Carbon Nanotubes. <i>Journal of Physical Chemistry C</i> , 2013, 117, 18243-18250.	1.5	76
227	Large modulation of zero-dimensional electronic states in quantum dots by electric-double-layer gating. <i>Nature Communications</i> , 2013, 4, 2664.	5.8	22

#	ARTICLE	IF	CITATIONS
228	Control of magnetism in Co by an electric field. <i>Journal Physics D: Applied Physics</i> , 2013, 46, 213001.	1.3	41
229	Aerosol-Jet-Printed, 1 Volt H-Bridge Drive Circuit on Plastic with Integrated Electrochromic Pixel. <i>ACS Applied Materials &amp; Interfaces</i> , 2013, 5, 13198-13206.	4.0	40
230	Coupling of channel conductance and gate-to-channel capacitance in electric double layer transistors. <i>Applied Physics Letters</i> , 2013, 103, 193304.	1.5	9
231	Quantum dot field effect transistors. <i>Materials Today</i> , 2013, 16, 312-325.	8.3	188
232	Carbon nanotube based pressure sensor for flexible electronics. <i>Materials Research Bulletin</i> , 2013, 48, 5036-5039.	2.7	46
233	Plain Poly(acrylic acid) Gated Organic Field-Effect Transistors on a Flexible Substrate. <i>ACS Applied Materials &amp; Interfaces</i> , 2013, 5, 10819-10823.	4.0	31
234	Self-stratified semiconductor/dielectric polymer blends: vertical phase separation for facile fabrication of organic transistors. <i>Journal of Materials Chemistry C</i> , 2013, 1, 3989.	2.7	59
235	High-Mobility n-Type Conjugated Polymers Based on Electron-Deficient Tetraazabenzodifluoranthene Diimide for Organic Electronics. <i>Journal of the American Chemical Society</i> , 2013, 135, 14920-14923.	6.6	140
236	Graphene based field effect transistors: Efforts made towards flexible electronics. <i>Solid-State Electronics</i> , 2013, 89, 177-188.	0.8	85
237	Transfer Printing of Thermoreversible Ion Gels for Flexible Electronics. <i>ACS Applied Materials &amp; Interfaces</i> , 2013, 5, 9522-9527.	4.0	56
238	Ambipolar Carrier Injections Governed by Electrochemical Potentials of Ionic Liquids in Electric-Double-Layer Thin-Film Transistors of Lead- and Titanyl-Phthalocyanine. <i>Journal of Physical Chemistry C</i> , 2013, 117, 5552-5557.	1.5	18
239	Bendable Ultra-Thin Chips on Flexible Foils. <i>IEEE Sensors Journal</i> , 2013, 13, 4030-4037.	2.4	88
240	Aerosol-Printed Strain Sensor Using PEDOT:PSS. <i>IEEE Sensors Journal</i> , 2013, 13, 4256-4263.	2.4	60
241	Thermal and electrical characterization of Polyvinyl Alcohol focusing on organic electronics applications. , 2013, , .		0
242	Water adsorption effects of nitrate ion coordinated Al <sub>2</sub> O <sub>3</sub> dielectric for high performance metal-oxide thin-film transistor. <i>Journal of Materials Chemistry C</i> , 2013, 1, 7166.	2.7	66
243	In vivo recordings of brain activity using organic transistors. <i>Nature Communications</i> , 2013, 4, 1575.	5.8	776
244	From Paper to Structured Carbon Electrodes by Inkjet Printing. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 2355-2358.	7.2	90
245	New opportunities for organic electronics and bioelectronics: ions in action. <i>Chemical Science</i> , 2013, 4, 1395.	3.7	140

#	ARTICLE	IF	CITATIONS
246	Nonstandard Inkjets. Annual Review of Fluid Mechanics, 2013, 45, 85-113.	10.8	244
247	Flexible Complementary Logic Gates Using Inkjet-Printed Polymer Field-Effect Transistors. IEEE Electron Device Letters, 2013, 34, 126-128.	2.2	44
248	A review of fabrication and applications of carbon nanotube film-based flexible electronics. Nanoscale, 2013, 5, 1727.	2.8	1,037
249	Synthesis and characterization of a novel ambipolar polymer semiconductor based on a fumaronitrile core as an electron-withdrawing group. Journal of Polymer Science Part A, 2013, 51, 1029-1039.	2.5	10
250	Comparison between different architectures of an electrolyte-gated Organic Thin-Film Transistor fabricated on flexible Kapton substrates. , 2013, , .		0
251	Work-Function-Tuned Reduced Graphene Oxide via Direct Surface Functionalization as Source/Drain Electrodes in Bottom-Contact Organic Transistors. Advanced Materials, 2013, 25, 5856-5862.	11.1	102
252	Enhanced mobility and environmental stability in all organic field-effect transistors: The role of high dipole moment solvent. Journal of Polymer Science, Part B: Polymer Physics, 2013, 51, 1533-1542.	2.4	14
253	Lower Critical Solution Temperature Phase Behavior of Poly( <i>n</i> -butyl methacrylate) in Ionic Liquid Mixtures. Macromolecules, 2013, 46, 9464-9472.	2.2	41
254	Gated Tunability and Hybridization of Localized Plasmons in Nanostructured Graphene. ACS Nano, 2013, 7, 2388-2395.	7.3	622
255	Aerosol Jet Printed, Low Voltage, Electrolyte Gated Carbon Nanotube Ring Oscillators with Sub-5 $\mu$ s Stage Delays. Nano Letters, 2013, 13, 954-960.	4.5	207
256	Electrical Control of Silicon Photonic Crystal Cavity by Graphene. Nano Letters, 2013, 13, 515-518.	4.5	193
257	Recent Advances in Organic Transistor Printing Processes. ACS Applied Materials & Interfaces, 2013, 5, 2302-2315.	4.0	331
258	Ordering of conjugated polymer molecules: recent advances and perspectives. Polymer Chemistry, 2013, 4, 5197.	1.9	101
259	High-Performance Partially Aligned Semiconductive Single-Walled Carbon Nanotube Transistors Achieved with a Parallel Technique. Small, 2013, 9, 2960-2969.	5.2	21
260	Morphological Change and Mobility Enhancement in PEDOT:PSS by Adding Co-solvents. Advanced Materials, 2013, 25, 2831-2836.	11.1	380
261	Wafer-Scale Patterning of Reduced Graphene Oxide Electrodes by Transfer and Reverse Stamping for High Performance OFETs. Small, 2013, 9, 2817-2825.	5.2	17
262	Ambipolar, low-voltage and low-hysteresis PbSe nanowire field-effect transistors by electrolyte gating. Nanoscale, 2013, 5, 4230.	2.8	18
263	High-Speed, Low-Voltage, and Environmentally Stable Operation of Electrochemically Gated Zinc Oxide Nanowire Field-Effect Transistors. Advanced Functional Materials, 2013, 23, 1750-1758.	7.8	86

#	ARTICLE	IF	CITATIONS
264	Electrolyte-Gated Transistors for Organic and Printed Electronics. <i>Advanced Materials</i> , 2013, 25, 1822-1846.	11.1	797
265	Amphiphilic semiconducting copolymer as compatibility layer for printing polyelectrolyte-gated OFETs. <i>Organic Electronics</i> , 2013, 14, 790-796.	1.4	11
266	Large-scale organic nanowire lithography and electronics. <i>Nature Communications</i> , 2013, 4, 1773.	5.8	262
267	High-Mobility ZnO Nanorod Field-Effect Transistors by Self-Alignment and Electrolyte-Gating. <i>ACS Applied Materials &amp; Interfaces</i> , 2013, 5, 1656-1662.	4.0	67
269	High performance thin film transistors based on regioregular poly(3-dodecylthiophene)-sorted large diameter semiconducting single-walled carbon nanotubes. <i>Nanoscale</i> , 2013, 5, 4156.	2.8	49
270	Ambient-Processable High Capacitance Hafnia-Organic Self-Assembled Nanodielectrics. <i>Journal of the American Chemical Society</i> , 2013, 135, 8926-8939.	6.6	69
271	Optimization of Aerosol Jet Printing for High-Resolution, High-Aspect Ratio Silver Lines. <i>ACS Applied Materials &amp; Interfaces</i> , 2013, 5, 4856-4864.	4.0	296
272	Amphiphilic Poly(3-hexylthiophene)-Based Semiconducting Copolymers for Printing of Polyelectrolyte-Gated Organic Field-Effect Transistors. <i>Macromolecules</i> , 2013, 46, 4548-4557.	2.2	14
273	High Toughness, High Conductivity Ion Gels by Sequential Triblock Copolymer Self-Assembly and Chemical Cross-Linking. <i>Journal of the American Chemical Society</i> , 2013, 135, 9652-9655.	6.6	177
274	Low-voltage, high speed inkjet-printed flexible complementary polymer electronic circuits. <i>Organic Electronics</i> , 2013, 14, 1407-1418.	1.4	63
275	Electrochemically Oxidized Electronic and Ionic Conducting Nanostructured Block Copolymers for Lithium Battery Electrodes. <i>ACS Nano</i> , 2013, 7, 6056-6068.	7.3	66
276	Field effect transistors and RC filters from pencil-trace on paper. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 8367.	1.3	81
277	Pencil-on-paper: electronic devices. <i>Lab on A Chip</i> , 2013, 13, 2866.	3.1	181
278	Directly Drawn Organic Transistors by Capillary Pen: A New Facile Patterning Method using Capillary Action for Soluble Organic Materials. <i>Advanced Materials</i> , 2013, 25, 4117-4122.	11.1	43
279	High performance organic field-effect transistors using cyanoethyl pullulan (CEP) high-k polymer cross-linked with trimethylolpropane triglycidyl ether (TTE) at low temperatures. <i>Journal of Materials Chemistry C</i> , 2013, 1, 3955.	2.7	44
280	Toward Printed Integrated Circuits based on Unipolar or Ambipolar Polymer Semiconductors. <i>Advanced Materials</i> , 2013, 25, 4210-4244.	11.1	473
281	Use of side chain thiophene containing copolymer as a non-ionic gel-dielectric material for sandwich OFET assembly. <i>Microelectronic Engineering</i> , 2013, 103, 111-117.	1.1	5
282	25th Anniversary Article: The Evolution of Electronic Skin (E <sup>2</sup> Skin): A Brief History, Design Considerations, and Recent Progress. <i>Advanced Materials</i> , 2013, 25, 5997-6038.	11.1	2,001



#	ARTICLE	IF	CITATIONS
283	Microscopic Characterization of Printable Low-Voltage Electrolyte-Gated Transistors by Electron Spin Resonance. Japanese Journal of Applied Physics, 2013, 52, 05DC05.	0.8	1
284	Utilizing Carbon Nanotube Electrodes to Improve Charge Injection and Transport in Bis(trifluoromethyl)-dimethyl-rubrene Ambipolar Single Crystal Transistors. ACS Nano, 2013, 7, 10245-10256.	7.3	56
285	Transparent Junctionless Electric-Double-Layer Transistors Gated by a Reinforced Chitosan-Based Biopolymer Electrolyte. IEEE Transactions on Electron Devices, 2013, 60, 1951-1957.	1.6	22
286	Electron Spin Resonance Study of Organic Interfaces in Ion Gel-Gated Rubrene Single-Crystal Transistors. Applied Physics Express, 2013, 6, 041603.	1.1	9
287	In Situ Raman Mapping of Charge Carrier Distribution in Electrolyte-Gated Carbon Nanotube Network Field-Effect Transistors. Journal of Physical Chemistry C, 2013, 117, 26361-26370.	1.5	17
288	Polyelectrolyte Interlayer for Ultra-Sensitive Organic Transistor Humidity Sensors. ACS Applied Materials & Interfaces, 2013, 5, 8591-8596.	4.0	48
289	Performance and Stability of Aerosol-Jet-Printed Electrolyte-Gated Transistors Based on Poly(3-hexylthiophene). ACS Applied Materials & Interfaces, 2013, 5, 6580-6585.	4.0	116
290	Degradation of polymer films. Soft Matter, 2013, 9, 344-358.	1.2	39
291	Self-Assembled in-Plane-Gate Thin-Film Transistors Gated by WO <sub>x</sub> Solid-State Electrolytes. Chinese Physics Letters, 2013, 30, 087302.	1.3	3
292	Electrolyte gated single-crystal organic transistors to examine transport in the high carrier density regime. MRS Bulletin, 2013, 38, 43-50.	1.7	33
293	Conductivity measurements of organic materials using field-effect transistors (FETs) and space-charge-limited current (SCLC) technique. , 2013, , 377-397.		4
294	Conductance modulation in topological insulator Bi <sub>2</sub> Se <sub>3</sub> thin films with ionic liquid gating. Applied Physics Letters, 2013, 103, .	1.5	32
295	Electronic transport in sub-micron square area organic field-effect transistors. Applied Physics Letters, 2013, 102, 103301.	1.5	2
296	Two-dimensional magnetic interactions and magnetism of high-density charges in a polymer transistor. Applied Physics Letters, 2013, 102, .	1.5	20
297	All-printed and transparent single walled carbon nanotube thin film transistor devices. Applied Physics Letters, 2013, 103, 143303.	1.5	37
298	Wigner crystallization in two dimensions: Evolution from long- to short-ranged forces. Physical Review B, 2013, 87, .	1.1	4
299	Printed, sub-2V ZnO Electrolyte Gated Transistors and Inverters on Plastic. Advanced Materials, 2013, 25, 3413-3418.	11.1	140
300	Simultaneous Enhancement of Brightness, Efficiency, and Switching in RGB Organic Light Emitting Transistors. Advanced Materials, 2013, 25, 6213-6218.	11.1	77

#	ARTICLE	IF	CITATIONS
301	High-Performance Organic Field-Effect Transistors with Ionic Liquids. Hyomen Kagaku, 2013, 34, 204-209.	0.0	0
303	Physical gels of [BMIM][BF <sub>4</sub> ] by <i>N</i> -tert-butylacrylamide/ethylene oxide based triblock copolymer self-assembly: Synthesis, thermomechanical, and conducting properties. Journal of Applied Polymer Science, 2013, 128, 3982-3992.	1.3	7
304	Chemically Tunable Ultrathin Silsesquiazane Interlayer for n-Type and p-Type Organic Transistors on Flexible Plastic. ACS Applied Materials & Interfaces, 2014, 6, 22807-22814.	4.0	10
305	Tailoring and patterning of dielectric interfaces for the development of advanced organic field-effect transistors. Liquid Crystals, 2014, 41, 310-319.	0.9	1
306	Achieving low-voltage thin-film transistors using carbon nanotubes. Applied Physics Letters, 2014, 105, 063111.	1.5	11
307	Screen Printing as a Scalable and Low-Cost Approach for Rigid and Flexible Thin-Film Transistors Using Separated Carbon Nanotubes. ACS Nano, 2014, 8, 12769-12776.	7.3	179
308	Strategies for Fast Switching in All-Polymer Field Effect Transistors. Advanced Functional Materials, 2014, 24, 3324-3331.	7.8	22
309	Diels-Alder Crosslinked Block-Copolymer Gate Dielectrics for Low Voltage Operated Top-Gate Organic Field-Effect Transistors. Molecular Crystals and Liquid Crystals, 2014, 598, 69-77.	0.4	1
310	Transport Properties of Polymer Semiconductor Controlled by Ionic Liquid as a Gate Dielectric and a Pressure Medium. Advanced Functional Materials, 2014, 24, 2005-2012.	7.8	23
311	Self-Recovering Tough Gel Electrolyte with Adjustable Supercapacitor Performance. Advanced Materials, 2014, 26, 4370-4375.	11.1	172
312	Transparent, Low-Power Pressure Sensor Matrix Based on Coplanar-Gate Graphene Transistors. Advanced Materials, 2014, 26, 4735-4740.	11.1	185
313	Low-voltage solid electrolyte-gated OFETs for gas sensing applications. Microelectronics Journal, 2014, 45, 1679-1683.	1.1	13
314	Aerosol Jet Printed, Sub-2 V Complementary Circuits Constructed from <i>p</i> - and <i>n</i> -Type Electrolyte Gated Transistors. Advanced Materials, 2014, 26, 7032-7037.	11.1	90
315	Insulating characteristics of polyvinyl alcohol for integrated electronics. Thin Solid Films, 2014, 568, 111-116.	0.8	88
316	Exciton complexes in low dimensional transition metal dichalcogenides. Journal of Applied Physics, 2014, 116, .	1.1	66
317	Plasma Jet Printing of Electronic Materials on Flexible and Nonconformal Objects. ACS Applied Materials & Interfaces, 2014, 6, 20860-20867.	4.0	40
318	Junctionless Coplanar-Gate Oxide-Based Thin-Film Transistors Gated by Al <sub>2</sub> O <sub>3</sub> Proton Conducting Films on Paper Substrates. Chinese Physics Letters, 2014, 31, 108505.	1.3	1
319	Transparent pentacene organic thin film transistors with polyimide dielectrics. , 2014, , .		0

#	ARTICLE	IF	CITATIONS
320	Cellulose-Based Ionogels for Paper Electronics. <i>Advanced Functional Materials</i> , 2014, 24, 625-634.	7.8	158
321	Selective silencing of the electrical properties of metallic single-walled carbon nanotubes by 4-nitrobenzenediazonium tetrafluoroborate. <i>Journal of Materials Science</i> , 2014, 49, 2054-2062.	1.7	11
322	Tunable Charge Transport in Single-Molecule Junctions via Electrolytic Gating. <i>Nano Letters</i> , 2014, 14, 1400-1404.	4.5	107
323	Low-voltage protonic/electronic hybrid indium zinc oxide synaptic transistors on paper substrates. <i>Nanotechnology</i> , 2014, 25, 094001.	1.3	16
324	Mobility enhancement of SnO <sub>2</sub> nanowire transistors gated with a nanogranular SiO <sub>2</sub> solid electrolyte. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 1084-1088.	1.3	10
325	Solution-processed single-crystalline organic transistors on patterned ultrathin gate insulators. <i>Organic Electronics</i> , 2014, 15, 1184-1188.	1.4	15
326	A high-temperature resistant polyimide gate insulator surface-modified with a YOx interlayer for high-performance, solution-processed Li-doped ZnO thin-film transistors. <i>Journal of Materials Chemistry C</i> , 2014, 2, 2191.	2.7	19
327	25th Anniversary Article: Organic Electronics Marries Photochromism: Generation of Multifunctional Interfaces, Materials, and Devices. <i>Advanced Materials</i> , 2014, 26, 1827-1845.	11.1	259
328	Fabrication of a planar water gated organic field effect transistor using a hydrophilic polythiophene for improved digital inverter performance. <i>Organic Electronics</i> , 2014, 15, 646-653.	1.4	23
329	Water-Gel for Gating Graphene Transistors. <i>Nano Letters</i> , 2014, 14, 2610-2616.	4.5	25
330	High-Mobility, Aligned Crystalline Domains of TIPS-Pentacene with Metastable Polymorphs Through Lateral Confinement of Crystal Growth. <i>Advanced Materials</i> , 2014, 26, 487-493.	11.1	186
331	Iontronic microdroplet array for flexible ultrasensitive tactile sensing. <i>Lab on A Chip</i> , 2014, 14, 1107.	3.1	123
332	Electrospray aerosol deposition of water soluble polymer thin films. <i>Applied Surface Science</i> , 2014, 289, 150-154.	3.1	13
333	Sorting of large-diameter semiconducting carbon nanotube and printed flexible driving circuit for organic light emitting diode (OLED). <i>Nanoscale</i> , 2014, 6, 1589-1595.	2.8	107
334	UV-Patterning of Ion Conducting Negative Tone Photoresists Using Azide-Functionalized Poly(Ionic) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	2.3	27
335	Patterning technology for solution-processed organic crystal field-effect transistors. <i>Science and Technology of Advanced Materials</i> , 2014, 15, 024203.	2.8	39
336	Flexible logic circuits based on top-gate thin film transistors with printed semiconductor carbon nanotubes and top electrodes. <i>Nanoscale</i> , 2014, 6, 14891-14897.	2.8	72
337	P3HT and Other Polythiophene Field-Effect Transistors. <i>Advances in Polymer Science</i> , 2014, , 107-137.	0.4	26

#	ARTICLE	IF	CITATIONS
338	Aerosol Jet Printed p- and n-type Electrolyte-Gated Transistors with a Variety of Electrode Materials: Exploring Practical Routes to Printed Electronics. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 18704-18711.	4.0	73
339	Electron-Beam Patterning of Polymer Electrolyte Films To Make Multiple Nanoscale Gates for Nanowire Transistors. <i>Nano Letters</i> , 2014, 14, 94-100.	4.5	27
340	Transparent and flexible capacitor fabricated using a metal wire network as a transparent conducting electrode. <i>RSC Advances</i> , 2014, 4, 31108-31112.	1.7	22
341	Tuning of the Thermoelectric Properties of One-Dimensional Material Networks by Electric Double Layer Techniques Using Ionic Liquids. <i>Nano Letters</i> , 2014, 14, 6437-6442.	4.5	137
342	Ion-dependent gate dielectric characteristics of ion-conducting SiO <sub>2</sub> solid-electrolytes in oxide field-effect transistors. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 7455.	1.3	5
343	Poly(imide-benzoxazole) gate insulators with high thermal resistance for solution-processed flexible indium-zinc oxide thin-film transistors. <i>Journal of Materials Chemistry C</i> , 2014, 2, 6395-6401.	2.7	25
344	Spray-coatable ionogels based on silane-ionic liquids for low voltage, flexible, electrolyte-gated organic transistors. <i>Journal of Materials Chemistry C</i> , 2014, 2, 2423-2430.	2.7	28
345	High Capacitance, Photo-Patternable Ion Gel Gate Insulators Compatible with Vapor Deposition of Metal Gate Electrodes. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 19275-19281.	4.0	30
346	Surface modification using ionic liquid ion beams. <i>Nuclear Instruments &amp; Methods in Physics Research B</i> , 2014, 341, 32-36.	0.6	3
347	Ion-Selective Organic Electrochemical Transistors. <i>Advanced Materials</i> , 2014, 26, 4803-4807.	11.1	136
348	Modulation of surface solubility and wettability for high-performance inkjet-printed organic transistors. <i>Organic Electronics</i> , 2014, 15, 3101-3110.	1.4	10
349	Low operational voltage and high performance organic field effect memory transistor with solution processed graphene oxide charge storage media. <i>Organic Electronics</i> , 2014, 15, 2775-2782.	1.4	13
350	Ferroelectric Polarization Induces Electric Double Layer Bistability in Electrolyte-Gated Field-Effect Transistors. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 438-442.	4.0	52
351	Solution-Processable Electrochemiluminescent Ion Gels for Flexible, Low-Voltage, Emissive Displays on Plastic. <i>Journal of the American Chemical Society</i> , 2014, 136, 3705-3712.	6.6	204
352	Highly Stretchable Carbon Nanotube Transistors with Ion Gel Gate Dielectrics. <i>Nano Letters</i> , 2014, 14, 682-686.	4.5	152
353	Generation and electric control of spin-valley-coupled circular photogalvanic current in WSe <sub>2</sub> . <i>Nature Nanotechnology</i> , 2014, 9, 851-857.	15.6	278
354	High Crystalline Dithienosilole-Cored Small Molecule Semiconductor for Ambipolar Transistor and Nonvolatile Memory. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 6589-6597.	4.0	31
355	Flexible and stretchable thin-film transistors based on molybdenum disulphide. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 14996.	1.3	56

#	ARTICLE	IF	CITATIONS
356	Hybrid Gate Dielectric Materials for Unconventional Electronic Circuitry. <i>Accounts of Chemical Research</i> , 2014, 47, 1019-1028.	7.6	103
357	DC-Driven, Sub-2 V Solid-State Electrochemiluminescent Devices by Incorporating Redox Coreactants into Emissive Ion Gels. <i>Chemistry of Materials</i> , 2014, 26, 5358-5364.	3.2	52
358	Effect of Surface Wettability Properties on the Electrical Properties of Printed Carbon Nanotube Thin-Film Transistors on SiO <sub>2</sub> /Si Substrates. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 9997-10004.	4.0	55
359	Critical Factors to Achieve Low Voltage and Capacitance Based Organic Field Effect Transistors. <i>Advanced Materials</i> , 2014, 26, 288-292.	11.1	39
360	Hybrid Nanodielectrics for Low Voltage Organic Electronics. <i>Advanced Functional Materials</i> , 2014, 24, 1790-1798.	7.8	41
361	A novel method to prepare Cu@Ag core-shell nanoparticles for printed flexible electronics. <i>Powder Technology</i> , 2014, 263, 1-6.	2.1	99
362	Acene-Containing Donor-Acceptor Conjugated Polymers: Correlation between the Structure of Donor Moiety, Charge Carrier Mobility, and Charge Transport Dynamics in Electronic Devices. <i>Macromolecules</i> , 2014, 47, 3747-3754.	2.2	39
363	25th Anniversary Article: Microstructure Dependent Bias Stability of Organic Transistors. <i>Advanced Materials</i> , 2014, 26, 1660-1680.	11.1	156
364	Tough BMIMCl-based ionogels exhibiting excellent and adjustable performance in high-temperature supercapacitors. <i>Journal of Materials Chemistry A</i> , 2014, 2, 11569.	5.2	91
365	Recent advances in upscalable wet methods and ink formulations for printed electronics. <i>Journal of Materials Chemistry C</i> , 2014, 2, 6436-6453.	2.7	183
366	Impact of humidity on functionality of on-paper printed electronics. <i>Nanotechnology</i> , 2014, 25, 094003.	1.3	33
367	Engineering semiconducting polymers for efficient charge transport. <i>MRS Communications</i> , 2015, 5, 383-395.	0.8	78
368	Impact of the Capacitance of the Dielectric on the Contact Resistance of Organic Thin-Film Transistors. <i>Physical Review Applied</i> , 2015, 4, .	1.5	31
369	Electronic mobility in the high-carrier-density limit of ion gel gated IDTBT thin film transistors. <i>Chinese Physics B</i> , 2015, 24, 098103.	0.7	0
370	Understanding Solidification of Polythiophene Thin Films during Spin-Coating: Effects of Spin-Coating Time and Processing Additives. <i>Scientific Reports</i> , 2015, 5, 13288.	1.6	111
371	Electrical Double Layer Capacitance in a Graphene-embedded Al <sub>2</sub> O <sub>3</sub> Gate Dielectric. <i>Scientific Reports</i> , 2015, 5, 16001.	1.6	34
372	Significance of the double-layer capacitor effect in polar rubbery dielectrics and exceptionally stable low-voltage high transconductance organic transistors. <i>Scientific Reports</i> , 2015, 5, 17849.	1.6	66
373	Electrically induced ambipolar spin vanishments in carbon nanotubes. <i>Scientific Reports</i> , 2015, 5, 11859.	1.6	10

#	ARTICLE	IF	CITATIONS
374	Strategy for improved frequency response of electric double-layer capacitors. <i>Applied Physics Letters</i> , 2015, 107, .	1.5	4
375	Electrolyte-gated Graphene Schottky Barrier Transistors. <i>Advanced Materials</i> , 2015, 27, 5875-5881.	11.1	47
376	Graphene Nanoribbons from Tetraphenylethene-based Polymeric Precursor: Chemical Synthesis and Application in Thin-film Field-effect Transistor. <i>Chinese Journal of Chemistry</i> , 2015, 33, 1380-1388.	2.6	4
377	Fully Drawn All-organic Flexible Transistors Prepared by Capillary Pen Printing on Flexible Planar and Curvilinear Substrates. <i>Advanced Electronic Materials</i> , 2015, 1, 1500301.	2.6	26
378	A High-capacitance Salt-free Dielectric for Self-healable, Printable, and Flexible Organic Field Effect Transistors and Chemical Sensor. <i>Advanced Functional Materials</i> , 2015, 25, 3745-3755.	7.8	113
379	Modulation of transport properties of optimally doped $\text{La}_{1.85}\text{Sr}_{0.15}\text{CuO}_4$ thin films via electric field modification of the grain boundaries. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2015, 212, 2037-2043.	0.8	3
380	Self-assembled Nanodielectrics for High-speed, Low-voltage Solution-processed Polymer Logic Circuits. <i>Advanced Electronic Materials</i> , 2015, 1, 1500226.	2.6	23
381	Flexible Transparent Iontronic Film for Interfacial Capacitive Pressure Sensing. <i>Advanced Materials</i> , 2015, 27, 6055-6062.	11.1	354
382	Wettability Contrast Gravure Printing. <i>Advanced Materials</i> , 2015, 27, 7420-7425.	11.1	26
383	Polarization-sensitive broadband photodetector using a black phosphorus vertical p-n junction. <i>Nature Nanotechnology</i> , 2015, 10, 707-713.	15.6	1,007
384	Versatile Organic Transistors by Solution Processing. <i>ChemPhysChem</i> , 2015, 16, 1118-1132.	1.0	54
385	Ladder-type conjugated oligomers prepared by the Scholl oxidative cyclodehydrogenation reaction: synthesis, characterization and application in field effect transistors. <i>Journal of Materials Chemistry C</i> , 2015, 3, 6200-6208.	2.7	18
386	Printed organic thin-film transistor-based integrated circuits. <i>Semiconductor Science and Technology</i> , 2015, 30, 064003.	1.0	38
387	Preventing Electrical Shorts in Parallel-Plate Capacitors with Single-Printed Dielectric Layer. <i>Journal of Electronic Materials</i> , 2015, 44, 2488-2496.	1.0	0
388	Electric double-layer transistors: a review of recent progress. <i>Journal of Materials Science</i> , 2015, 50, 5641-5673.	1.7	182
389	A robust ionic liquid-polymer gate insulator for high-performance flexible thin film transistors. <i>Journal of Materials Chemistry C</i> , 2015, 3, 4239-4243.	2.7	25
390	An all-organic active pixel photosensor featuring ion-gel transistors. <i>Journal of Organic Semiconductors</i> , 2015, 3, 8-13.	1.2	5
391	Sorting semiconducting single walled carbon nanotubes by poly(9,9-dioctylfluorene) derivatives and application for ammonia gas sensing. <i>Carbon</i> , 2015, 94, 903-910.	5.4	36

#	ARTICLE	IF	CITATIONS
392	Paste-type thin-film transistors based on self-supported chitosan membranes. <i>RSC Advances</i> , 2015, 5, 105084-105089.	1.7	5
393	High performance solid state supercapacitor based on a 2-mercaptopyridine redox-mediated gel polymer. <i>RSC Advances</i> , 2015, 5, 22419-22425.	1.7	37
394	Photoreversible Gelation of a Triblock Copolymer in an Ionic Liquid. <i>Angewandte Chemie</i> , 2015, 127, 3061-3065.	1.6	12
395	Air-Stable, High-Performance, Flexible Microsupercapacitor with Patterned Ionogel Electrolyte. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 4608-4615.	4.0	83
396	Synthetic Tailoring of Solid-State Order in Diketopyrrolopyrrole-Based Copolymers via Intramolecular Noncovalent Interactions. <i>Chemistry of Materials</i> , 2015, 27, 829-838.	3.2	125
397	Solution Processable, Electrochromic Ion Gels for Sub-1 V, Flexible Displays on Plastic. <i>Chemistry of Materials</i> , 2015, 27, 1420-1425.	3.2	219
398	Low-Voltage Large-Current Ion Gel Gated Polymer Transistors Fabricated by a "Cut and Bond" Process. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 4759-4762.	4.0	8
399	Thermo-Resistant Soft Glassy Suspensions of Polymeric Micellar Nanoparticles in Ionic Liquid. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 12411-12421.	4.0	5
400	Modulation of the Dirac Point Voltage of Graphene by Ion-Gel Dielectrics and Its Application to Soft Electronic Devices. <i>ACS Nano</i> , 2015, 9, 602-611.	7.3	28
405	Highly transparent triethoxysilane-terminated copolyimide and its SiO <sub>2</sub> composite with enhanced thermal stability and reduced thermal expansion. <i>European Polymer Journal</i> , 2015, 64, 206-214.	2.6	27
406	Photoreversible Gelation of a Triblock Copolymer in an Ionic Liquid. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 3018-3022.	7.2	68
407	Silver Nanoparticles in Comparison with Ionic Liquid and rGO as Gate Dopant for Paper-Based Flexible Field-Effect Transistors. <i>Journal of Electronic Materials</i> , 2015, 44, 6-12.	1.0	15
408	Flexible organic field-effect transistors on biodegradable cellulose paper with efficient reusable ion gel dielectrics. <i>RSC Advances</i> , 2015, 5, 14567-14574.	1.7	49
409	Ultra-Flexible, "Invisible" Thin-Film Transistors Enabled by Amorphous Metal Oxide/Polymer Channel Layer Blends. <i>Advanced Materials</i> , 2015, 27, 2390-2399.	11.1	116
410	Excitonic polarons in low-dimensional transition metal dichalcogenides. <i>Physica B: Condensed Matter</i> , 2015, 464, 44-50.	1.3	22
411	Monolithic Metal Oxide Transistors. <i>ACS Nano</i> , 2015, 9, 4288-4295.	7.3	29
412	Silicon Surface Modification and Characterization for Emergent Photovoltaic Applications Based on Energy Transfer. <i>Chemical Reviews</i> , 2015, 115, 12764-12796.	23.0	81
413	Temperature and light-induced self-assembly changes of a tetra-arm diblock copolymer in an ionic liquid. <i>Polymer Journal</i> , 2015, 47, 739-746.	1.3	8

#	ARTICLE	IF	CITATIONS
414	Synergistic Increase in Ionic Conductivity and Modulus of Triblock Copolymer Ion Gels. <i>Macromolecules</i> , 2015, 48, 4942-4950.	2.2	89
415	High performance electric-double-layer amorphous IGZO thin-film transistors gated with hydrated bovine serum albumin protein. <i>Organic Electronics</i> , 2015, 24, 200-204.	1.4	15
416	Defining the light emitting area for displays in the unipolar regime of highly efficient light emitting transistors. <i>Scientific Reports</i> , 2015, 5, 8818.	1.6	35
417	Surface-Order Mediated Assembly of $\pi$ -Conjugated Molecules on Self-Assembled Monolayers with Controlled Grain Structures. <i>Chemistry of Materials</i> , 2015, 27, 4669-4676.	3.2	33
418	Direct Imaging of Nanoscale Conductance Evolution in Ion-Gel-Gated Oxide Transistors. <i>Nano Letters</i> , 2015, 15, 4730-4736.	4.5	28
419	Single-walled carbon nanotube networks for flexible and printed electronics. <i>Semiconductor Science and Technology</i> , 2015, 30, 074001.	1.0	91
420	Lateral-Coupled Junctionless IZO-Based Electric-Double-Layer Thin-Film Transistors Gated by Solid-State Phosphosilicate Glass Electrolyte. <i>Chinese Physics Letters</i> , 2015, 32, 038502.	1.3	0
421	Spray-combustion synthesis: Efficient solution route to high-performance oxide transistors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 3217-3222.	3.3	175
422	Uniform Aerosol Jet printed polymer lines with 30 $\mu$ m width for 140ppi resolution RGB organic light emitting diodes. <i>Organic Electronics</i> , 2015, 22, 40-43.	1.4	77
423	Review of a solution-processed vertical organic transistor as a solid-state vacuum tube. <i>Semiconductor Science and Technology</i> , 2015, 30, 054003.	1.0	11
424	Environmentally Friendly Transistors and Circuits on Paper. <i>ChemPhysChem</i> , 2015, 16, 1286-1294.	1.0	16
425	Development of high-performance printed organic field-effect transistors and integrated circuits. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 26553-26574.	1.3	100
426	Flexible supercapacitors based on paper substrates: a new paradigm for low-cost energy storage. <i>Chemical Society Reviews</i> , 2015, 44, 5181-5199.	18.7	546
427	Active Matrix Electronic Skin Strain Sensor Based on Piezopotentialâ€Powered Graphene Transistors. <i>Advanced Materials</i> , 2015, 27, 3411-3417.	11.1	287
428	Organic thin-film transistors with novel high-k polymers as dielectric layers. <i>Polymer Chemistry</i> , 2015, 6, 3685-3693.	1.9	14
429	Modulated Thermoelectric Properties of Organic Semiconductors Using Fieldâ€Effect Transistors. <i>Advanced Functional Materials</i> , 2015, 25, 3004-3012.	7.8	94
430	Single Ion Conducting, Polymerized Ionic Liquid Triblock Copolymer Films: High Capacitance Electrolyte Gates for n-type Transistors. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 7294-7302.	4.0	93
431	Low-cost and broadband terahertz antireflection coatings based on DMSO-doped PEDOT/PSS. <i>Optics Letters</i> , 2015, 40, 2886.	1.7	20



#	ARTICLE	IF	CITATIONS
432	Effects of Ambient Air and Temperature on Ionic Gel Gated Single-Walled Carbon Nanotube Thin-Film Transistor and Circuits. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 22881-22887.	4.0	26
433	Enhancing the pH sensitivity by laterally synergic modulation in dual-gate electric-double-layer transistors. <i>Applied Physics Letters</i> , 2015, 106, .	1.5	30
434	Low-voltage polymer/small-molecule blend organic thin-film transistors and circuits fabricated via spray deposition. <i>Applied Physics Letters</i> , 2015, 106, .	1.5	33
435	Functional Nanomaterial Devices. , 2015, , 155-193.		0
436	All-Printed, Foldable Organic Thin-Film Transistors on Glassine Paper. <i>Advanced Materials</i> , 2015, 27, 7058-7064.	11.1	133
437	Broadly tunable graphene plasmons using an ion-gel top gate with low control voltage. <i>Nanoscale</i> , 2015, 7, 19493-19500.	2.8	90
438	Thermally Reversible Ion Gels with Photohealing Properties Based on Triblock Copolymer Self-Assembly. <i>Macromolecules</i> , 2015, 48, 5928-5933.	2.2	65
439	Ionic Liquid versus SiO <sub>2</sub> Gated a-IGZO Thin Film Transistors: A Direct Comparison. <i>ECS Journal of Solid State Science and Technology</i> , 2015, 4, Q105-Q109.	0.9	23
440	Electrospun ion gel nanofibers for flexible triboelectric nanogenerator: electrochemical effect on output power. <i>Nanoscale</i> , 2015, 7, 16189-16194.	2.8	79
441	Boronate ester post-functionalization of PPEs: versatile building blocks for poly(2,2'-((1-(4-(1,2-di(thiophen-2-yl)vinyl)phenyl)-2-(2,5-dioctylphenyl)ethene-1,2-diyl)dithiophene) and application in field effect transistors. <i>Journal of Materials Chemistry C</i> , 2015, 3, 10074-10078.	2.7	17
442	Highly stretchable carbon nanotube transistors enabled by buckled ion gel gate dielectrics. <i>Applied Physics Letters</i> , 2015, 107, .	1.5	29
443	Organic Electronics Materials and Devices. , 2015, , .		35
444	Low-voltage transparent thin-film transistors with ZnO/ITO double-channel layers. <i>Japanese Journal of Applied Physics</i> , 2015, 54, 106502.	0.8	4
445	New materials and advances in making electronic skin for interactive robots. <i>Advanced Robotics</i> , 2015, 29, 1359-1373.	1.1	155
446	Charge Saturation and Intrinsic Doping in Electrolyte-Gated Organic Semiconductors. <i>Journal of Physical Chemistry Letters</i> , 2015, 6, 4840-4844.	2.1	15
447	2D crystals of transition metal dichalcogenide and their iontronic functionalities. <i>2D Materials</i> , 2015, 2, 044004.	2.0	28
448	Contact engineering in organic field-effect transistors. <i>Materials Today</i> , 2015, 18, 79-96.	8.3	407
449	Dielectric surface-polarity tuning and enhanced operation stability of solution-processed organic field-effect transistors. <i>Organic Electronics</i> , 2015, 17, 87-93.	1.4	14

#	ARTICLE	IF	CITATIONS
450	Oligo(ethylene glycol)-incorporated hybrid linear alkyl side chains for n-channel polymer semiconductors and their effect on the thin-film crystalline structure. <i>Chemical Communications</i> , 2015, 51, 1524-1527.	2.2	46
451	Poly(vinyl alcohol) gate dielectric surface treatment with vitamin C for poly(3-hexylthiophene-2,5-diyl) based field effect transistors performance improvement. <i>Organic Electronics</i> , 2015, 17, 22-27.	1.4	25
452	Fully Solution-Processed Flexible Organic Thin Film Transistor Arrays with High Mobility and Exceptional Uniformity. <i>Scientific Reports</i> , 2014, 4, 3947.	1.6	187
453	High-Resolution Patterning of Graphene by Screen Printing with a Silicon Stencil for Highly Flexible Printed Electronics. <i>Advanced Materials</i> , 2015, 27, 109-115.	11.1	430
454	Nanostructured ion gels from liquid crystalline block copolymers and gold nanoparticles in ionic liquids: manifestation of mechanical and electrochemical properties. <i>Journal of Materials Chemistry C</i> , 2015, 3, 399-408.	2.7	17
456	Picoliter Printing. , 2016, , 229-252.		0
457	Electrolytic Gated Organic Field-Effect Transistors for Application in Biosensors—A Review. <i>Electronics (Switzerland)</i> , 2016, 5, 9.	1.8	119
458	Flexible CMOS-Like Circuits Based on Printed p-Type and n-Type Carbon Nanotube Thin-Film Transistors. <i>Small</i> , 2016, 12, 5066-5073.	5.2	51
459	P-99: Pneumatic Nozzle Printing as a Versatile Approach to Crystal Growth Management and Patterning of Printed Organic Thin Film Transistors. <i>Digest of Technical Papers SID International Symposium</i> , 2016, 47, 1502-1505.	0.1	6
460	Highly Flexible Organic Nanofiber Phototransistors Fabricated on a Textile Composite for Wearable Photosensors. <i>Advanced Functional Materials</i> , 2016, 26, 1445-1453.	7.8	103
461	Synergetic Enhancement of Permittivity and Breakdown Strength in All-Polymeric Dielectrics toward Flexible Energy Storage Devices. <i>Advanced Materials Interfaces</i> , 2016, 3, 1600016.	1.9	35
462	Organic Light-Emitting Transistors: Materials, Device Configurations, and Operations. <i>Small</i> , 2016, 12, 1252-1294.	5.2	171
463	Calcination-free micropatterning of upconversion luminescent layers consisting of rare-earth-doped ceramic nanoparticles on wettability-patterned flexible plastic sheets by soft-liquid phase adsorption. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2016, 506, 210-219.	2.3	3
464	Highly Flexible and High-Performance Complementary Inverters of Large-Area Transition Metal Dichalcogenide Monolayers. <i>Advanced Materials</i> , 2016, 28, 4111-4119.	11.1	112
465	High-density carrier-accumulated and electrically stable oxide thin-film transistors from ion-gel gate dielectric. <i>Scientific Reports</i> , 2016, 5, 18168.	1.6	24
466	Mechanism and modulation of terahertz generation from a semimetal - graphite. <i>Scientific Reports</i> , 2016, 6, 22798.	1.6	4
467	Direct observation of electrically induced Pauli paramagnetism in single-layer graphene using ESR spectroscopy. <i>Scientific Reports</i> , 2016, 6, 34966.	1.6	12
468	Exciton formation assisted by longitudinal optical phonons in monolayer transition metal dichalcogenides. <i>Journal of Applied Physics</i> , 2016, 120, .	1.1	34

#	ARTICLE	IF	CITATIONS
469	Printed unmanned aerial vehicles using paper-based electroactive polymer actuators and organic ion gel transistors. <i>Microsystems and Nanoengineering</i> , 2016, 2, 16032.	3.4	22
470	2D materials advances: from large scale synthesis and controlled heterostructures to improved characterization techniques, defects and applications. <i>2D Materials</i> , 2016, 3, 042001.	2.0	408
471	Multi-layer stretchable pressure sensors using ionic liquids and carbon nanotubes. <i>Applied Physics Letters</i> , 2016, 108, 061908.	1.5	21
472	Determination of optimal ionic liquid for organic single-crystal field-effect transistors. <i>Applied Physics Letters</i> , 2016, 108, .	1.5	15
473	Ultrafast exciton relaxation in monolayer transition metal dichalcogenides. <i>Journal of Applied Physics</i> , 2016, 119, .	1.1	17
474	Charge Transport in 4 nm Molecular Wires with Interrupted Conjugation: Combined Experimental and Computational Evidence for Thermally Assisted Polaron Tunneling. <i>ACS Nano</i> , 2016, 10, 4372-4383.	7.3	56
475	A perovskite based plug and play AC photovoltaic device with ionic liquid induced transient opto-electronic conversion. <i>Journal of Materials Chemistry A</i> , 2016, 4, 9019-9028.	5.2	12
476	Dopamine Detection Based on Low-Voltage Oxide Homo Junction Electric-Double-Layer Thin-Film Transistors. <i>IEEE Electron Device Letters</i> , 2016, , 1-1.	2.2	5
477	3-V Solid-State Flexible Supercapacitors with Ionic-Liquid-Based Polymer Gel Electrolyte for AC Line Filtering. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 13909-13917.	4.0	76
478	A Thin-Film Transistor With High Drain Current Induced by a Trap-Assisted Electric Double Layer. <i>IEEE Transactions on Electron Devices</i> , 2016, 63, 4776-4781.	1.6	1
479	Mechanically Tunable, Readily Processable Ion Gels by Self-Assembly of Block Copolymers in Ionic Liquids. <i>Accounts of Chemical Research</i> , 2016, 49, 2107-2114.	7.6	138
481	Solution-processed natural gelatin was used as a gate dielectric for the fabrication of oxide field-effect transistors. <i>Organic Electronics</i> , 2016, 38, 357-361.	1.4	42
482	Electrostatic <i>versus</i> Electrochemical Doping and Control of Ferromagnetism in Ion-Gel-Gated Ultrathin $\text{La}_{0.5}\text{Sr}_{0.5}\text{CoO}_3$ . <i>ACS Nano</i> , 2016, 10, 7799-7810.	7.3	81
483	Graphene Transistors Gated by Salted Proton Conductor. <i>Advanced Electronic Materials</i> , 2016, 2, 1600122.	2.6	12
484	Electrolyte-gated organic synapse transistor interfaced with neurons. <i>Organic Electronics</i> , 2016, 38, 21-28.	1.4	69
485	Ionic Liquids Containing Block Copolymer Based Supramolecules. <i>Macromolecules</i> , 2016, 49, 6075-6083.	2.2	8
486	High mobility organic field-effect transistors based on defect-free regioregular poly(3-hexylthiophene-2,5-diyl). <i>Organic Electronics</i> , 2016, 38, 89-96.	1.4	34
487	An Organic Mixed Ion-Electron Conductor for Power Electronics. <i>Advanced Science</i> , 2016, 3, 1500305.	5.6	188

#	ARTICLE	IF	CITATIONS
488	Gram-scale carbon nanotubes as semiconducting material for highly versatile route of integration in plastic electronics. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2016, 213, 183-192.	0.8	2
489	Three-Dimensional Printing of Highly Conductive Carbon Nanotube Microarchitectures with Fluid Ink. <i>ACS Nano</i> , 2016, 10, 8879-8887.	7.3	109
490	Tunable light trapping and absorption enhancement with graphene ring arrays. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 26661-26669.	1.3	164
491	Polyfluorinated Electrolyte for Fully Printed Carbon Nanotube Electronics. <i>Advanced Functional Materials</i> , 2016, 26, 6914-6920.	7.8	44
492	Electrochemiluminescent displays based on ion gels: correlation between device performance and choice of electrolyte. <i>Journal of Materials Chemistry C</i> , 2016, 4, 8448-8453.	2.7	48
493	From Staple Food to Flexible Substrate to Electronics: Rice as a Biocompatible Precursor for Flexible Electronic Components. <i>Chemistry of Materials</i> , 2016, 28, 8475-8479.	3.2	5
494	High-resolution electrohydrodynamic inkjet printing of stretchable metal oxide semiconductor transistors with high performance. <i>Nanoscale</i> , 2016, 8, 17113-17121.	2.8	97
495	High Performance OTFTs Fabricated Using a Calamitic Liquid Crystalline Material of 2-(4-Dodecyl) Tj ETQq1 1 0.784314 rgBT /Over	2.6	44
496	Solid-State Dual Function Electrochemical Devices: Energy Storage and Light-Emitting Applications. <i>Advanced Energy Materials</i> , 2016, 6, 1600651.	10.2	27
497	Self-Assembly of Pluronic F127 Diacrylate in Ethylammonium Nitrate: Structure, Rheology, and Ionic Conductivity before and after Photo-Cross-Linking. <i>Macromolecules</i> , 2016, 49, 5179-5189.	2.2	23
498	Evaluation of disorder introduced by electrolyte gating through transport measurements in graphene. <i>Applied Physics Express</i> , 2016, 9, 065102.	1.1	11
500	Graphene Synthesis. , 2016, , 43-80.		0
501	Ion-gel gated field-effect transistors with solution-processed oxide semiconductors for bioinspired artificial synapses. <i>Organic Electronics</i> , 2016, 39, 64-70.	1.4	62
502	Lithium-ion-based solid electrolyte tuning of the carrier density in graphene. <i>Scientific Reports</i> , 2016, 6, 34816.	1.6	15
503	Disorder engineering and conductivity dome in ReS <sub>2</sub> with electrolyte gating. <i>Nature Communications</i> , 2016, 7, 12391.	5.8	109
504	Printed, Self-Aligned Side-Gate Organic Transistors with a Sub-5 Åm Gate-Channel Distance on Imprinted Plastic Substrates. <i>Advanced Electronic Materials</i> , 2016, 2, 1600293.	2.6	33
505	Artificial Synaptic Devices Based on Natural Chicken Albumen Coupled Electric-Double-Layer Transistors. <i>Scientific Reports</i> , 2016, 6, 23578.	1.6	97
506	Proton Conducting Graphene Oxide/Chitosan Composite Electrolytes as Gate Dielectrics for New-Concept Devices. <i>Scientific Reports</i> , 2016, 6, 34065.	1.6	32

#	ARTICLE	IF	CITATIONS
507	Extremely Stretchable Electroluminescent Devices with Ionic Conductors. <i>Advanced Materials</i> , 2016, 28, 4490-4496.	11.1	193
508	Capacitance Characterization of Elastomeric Dielectrics for Applications in Intrinsically Stretchable Thin Film Transistors. <i>Advanced Functional Materials</i> , 2016, 26, 4680-4686.	7.8	77
509	Large Enhancement of Carrier Transport in Solution-Processed Field-Effect Transistors by Fluorinated Dielectric Engineering. <i>Advanced Materials</i> , 2016, 28, 518-526.	11.1	87
510	Precisely Controlled Ultrathin Conjugated Polymer Films for Large Area Transparent Transistors and Highly Sensitive Chemical Sensors. <i>Advanced Materials</i> , 2016, 28, 2752-2759.	11.1	179
511	Low-Voltage Complementary Electronics from Ion-Gel-Gated Vertical Van der Waals Heterostructures. <i>Advanced Materials</i> , 2016, 28, 3742-3748.	11.1	91
512	Electrical Characterization of PEDOT:PSS Strips Deposited by Inkjet Printing on Plastic Foil for Sensor Manufacturing. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2016, 65, 2137-2144.	2.4	14
513	Performance Enhancement of Polymer Electrolyte MEIS Hydrogen Sensor by DC-Biasing. <i>IEEE Sensors Journal</i> , 2016, 16, 5292-5297.	2.4	3
514	X-band printed phased array antennas using high-performance CNT/ion gel/Ag transistors. , 2016, , .		6
515	Low-power organic field-effect transistors and complementary inverter based on low-temperature processed Al <sub>2</sub> O <sub>3</sub> dielectric. <i>Organic Electronics</i> , 2016, 34, 118-123.	1.4	18
516	Percolation threshold-inspired design of hierarchical multiscale hybrid architectures based on carbon nanotubes and silver nanoparticles for stretchable and printable electronics. <i>Journal of Materials Chemistry C</i> , 2016, 4, 6666-6674.	2.7	58
517	Brush polymer ion gels. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2016, 54, 292-300.	2.4	24
518	Hybrid Organic/Photochromic Approaches to Generate Multifunctional Materials, Interfaces, and Devices. , 2016, , 243-280.		0
519	Vapor-Phase Deposited Ultrathin Polymer Gate Dielectrics for High-Performance Organic Thin Film Transistors. <i>Advanced Electronic Materials</i> , 2016, 2, 1500209.	2.6	34
520	Molecular Orientation-Dependent Bias Stress Stability in Bottom-Gate Organic Transistors Based on an <i>n</i> -Type Semiconducting Polymer. <i>Advanced Electronic Materials</i> , 2016, 2, 1500380.	2.6	16
521	Side-Chain-Induced Rigid Backbone Organization of Polymer Semiconductors through Semifluoroalkyl Side Chains. <i>Journal of the American Chemical Society</i> , 2016, 138, 3679-3686.	6.6	229
522	Low contact resistance in solid electrolyte-gated ZnO field-effect transistors with ferromagnetic contacts. <i>Journal of Materials Chemistry C</i> , 2016, 4, 150-156.	2.7	6
523	(Poly(3,4-ethylenedioxythiophene):Polystyrene Sulfonate):Polytetrafluoroethylene for Use in High-Performance and Stable Bottom-Contact Organic Field-Effect Transistors. <i>Journal of Physical Chemistry C</i> , 2016, 120, 956-962.	1.5	12
524	Ladder-Type Silsesquioxane Copolymer Gate Dielectrics for High-Performance Organic Transistors and Inverters. <i>Journal of Physical Chemistry C</i> , 2016, 120, 3501-3508.	1.5	24

#	ARTICLE	IF	CITATIONS
525	Hierarchical Sol-Gel Transition Induced by Thermosensitive Self-Assembly of an ABC Triblock Polymer in an Ionic Liquid. <i>Macromolecules</i> , 2016, 49, 1414-1423.	2.2	45
526	Operating and Sensing Mechanism of Electrolyte-Gated Transistors with Floating Gates: Building a Platform for Amplified Biodetection. <i>Journal of Physical Chemistry C</i> , 2016, 120, 108-117.	1.5	46
527	Emission-Tunable Multicolor Graphene Molecules with Controllable Synthesis, Excellent Optical Properties, and Specific Applications. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 7938-7947.	4.0	6
528	A novel polymer as a functional dielectric layer for OTFTs to improve the grain size of the pentacene semiconductor. <i>Polymer Chemistry</i> , 2016, 7, 2143-2150.	1.9	11
529	Enhanced pH sensitivity over the Nernst limit of electrolyte gated a-IGZO thin film transistor using branched polyethylenimine. <i>RSC Advances</i> , 2016, 6, 10810-10815.	1.7	28
530	Flexible electronics under strain: a review of mechanical characterization and durability enhancement strategies. <i>Journal of Materials Science</i> , 2016, 51, 2771-2805.	1.7	295
531	Electrical properties of patterned photoactive layers in organic photovoltaic modules. <i>Solar Energy Materials and Solar Cells</i> , 2016, 144, 493-499.	3.0	7
532	Low-Field Transport in Bovine Serum Albumin Conjugated ZnO Nanoparticle Networks. <i>IEEE Electron Device Letters</i> , 2016, 37, 100-102.	2.2	0
533	Facile preparation of supramolecular ionogels exhibiting high temperature durability as solid electrolytes. <i>New Journal of Chemistry</i> , 2016, 40, 1169-1174.	1.4	10
534	The synthesis, characterization and flexible OFET application of three (Z)-1,2-bis(4-(tert-butyl)phenyl)ethane based copolymers. <i>Polymer Chemistry</i> , 2016, 7, 538-545.	1.9	4
535	2D Insulator-Metal Transition in Aerosol-Printed Electrolyte-Gated Indium Oxide Thin Film Transistors. <i>Advanced Electronic Materials</i> , 2017, 3, 1600369.	2.6	38
536	Tunable terahertz reflection of graphene via ionic liquid gating. <i>Nanotechnology</i> , 2017, 28, 095201.	1.3	5
537	Materials and devices for transparent stretchable electronics. <i>Journal of Materials Chemistry C</i> , 2017, 5, 2202-2222.	2.7	118
538	Schottky Barrier in Organic Transistors. <i>IEEE Transactions on Electron Devices</i> , 2017, 64, 1932-1943.	1.6	42
540	<i>50th Anniversary Perspective</i>: Dielectric Phenomena in Polymers and Multilayered Dielectric Films. <i>Macromolecules</i> , 2017, 50, 2239-2256.	2.2	251
541	Highly Sensitive, Gate-Tunable, Room-Temperature Mid-Infrared Photodetection Based on Graphene-Bi <sub>2</sub> Se <sub>3</sub> Heterostructure. <i>ACS Photonics</i> , 2017, 4, 482-488.	3.2	70
542	Physically Cross-Linked Homopolymer Ion Gels for High Performance Electrolyte-Gated Transistors. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 8813-8818.	4.0	66
543	Conductivity Modulation of Gold Thin Film at Room Temperature via All-Solid-State Electric-Double-Layer Gating Accelerated by Nonlinear Ionic Transport. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 5056-5061.	4.0	8

#	ARTICLE	IF	CITATIONS
544	Multifunctional Hybrid Multilayer Gate Dielectrics with Tunable Surface Energy for Ultralow-Power Organic and Amorphous Oxide Thin-Film Transistors. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 7347-7354.	4.0	22
545	Multifunctional Logic Demonstrated in a Flexible Multigate Oxide-Based Electric-Double-Layer Transistor on Paper Substrate. <i>Advanced Electronic Materials</i> , 2017, 3, 1600509.	2.6	36
546	Controlling and assessing the quality of aerosol jet printed features for large area and flexible electronics. <i>Flexible and Printed Electronics</i> , 2017, 2, 015004.	1.5	121
547	Three-dimensional microarchitected materials and devices using nanoparticle assembly by pointwise spatial printing. <i>Science Advances</i> , 2017, 3, e1601986.	4.7	141
548	Recent progress in voltage control of magnetism: Materials, mechanisms, and performance. <i>Progress in Materials Science</i> , 2017, 87, 33-82.	16.0	357
549	Ultrahigh Mobility in Solution-Processed Solid-State Electrolyte-Gated Transistors. <i>Advanced Materials</i> , 2017, 29, 1605685.	11.1	95
550	Trap Healing for High-Performance Low-Voltage Polymer Transistors and Solution-Based Analog Amplifiers on Foil. <i>Advanced Materials</i> , 2017, 29, 1606938.	11.1	36
551	Low temperature flash light curing of spray coated zirconium oxide gate dielectric for flexible, fully patterned and low voltage operated organic thin film transistor. <i>MRS Advances</i> , 2017, 2, 1273-1278.	0.5	2
552	A Versatile and Simple Approach to Generate Light Emission in Semiconductors Mediated by Electric Double Layers. <i>Advanced Materials</i> , 2017, 29, 1606918.	11.1	37
553	Needs and Enabling Technologies for Stretchable Electronics Commercialization. <i>MRS Advances</i> , 2017, 2, 1721-1729.	0.5	11
554	Flexible and Highly Photosensitive Electrolyte-Gated Organic Transistors with Ionogel/Silver Nanowire Membranes. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 18134-18141.	4.0	22
555	Low-Voltage 2D Material Field-Effect Transistors Enabled by Ion Gel Capacitive Coupling. <i>Chemistry of Materials</i> , 2017, 29, 4008-4013.	3.2	14
556	Electrostatic Screening of Charged Defects in Monolayer MoS <sub>2</sub> . <i>Journal of Physical Chemistry Letters</i> , 2017, 8, 2148-2152.	2.1	40
557	Surface-Mediated Solidification of a Semiconducting Polymer during Time-Controlled Spin-Coating. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 9871-9879.	4.0	30
558	Raman spectroscopy and microscopy of electrochemically and chemically doped high-mobility semiconducting polymers. <i>Journal of Materials Chemistry C</i> , 2017, 5, 6176-6184.	2.7	57
559	A pressure sensitive ionic gel FET for tactile sensing. <i>Applied Physics Letters</i> , 2017, 110, .	1.5	19
560	Three-dimensional Printing of Silver Microarchitectures Using Newtonian Nanoparticle Inks. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 18918-18924.	4.0	46
561	Large-Area Schottky Barrier Transistors Based on Vertically Stacked Graphene-Metal Oxide Heterostructures. <i>Advanced Functional Materials</i> , 2017, 27, 1700651.	7.8	26

#	ARTICLE	IF	CITATIONS
562	Printed Organic Inverter Circuits with Ultralow Operating Voltages. <i>Advanced Electronic Materials</i> , 2017, 3, 1600557.	2.6	67
563	Photodetecting and light-emitting devices based on two-dimensional materials. <i>Chinese Physics B</i> , 2017, 26, 036801.	0.7	30
564	Assemblies of Colloidal CdSe Tetrapod Nanocrystals with Lengthy Arms for Flexible Thin-Film Transistors. <i>Nano Letters</i> , 2017, 17, 2433-2439.	4.5	20
565	Current Status and Opportunities of Organic Thin-Film Transistor Technologies. <i>IEEE Transactions on Electron Devices</i> , 2017, 64, 1906-1921.	1.6	224
566	Micropatterned Pyramidal Ionic Gels for Sensing Broad-Range Pressures with High Sensitivity. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 10128-10135.	4.0	272
567	Synthesis, characterization and theoretical studies on novel organic-inorganic hybrid ion-gel polymer thin films from a $\text{Fe}^{2+}$ - $\text{O}^{3-}$ -doped polyvinylpyrrolidone-N-butylpyridinium tetrafluoroborate composite via intramolecular thermal polymerization. <i>RSC Advances</i> , 2017, 7, 16623-16636.	1.7	8
568	Reusable Cellulose-Based Hydrogel Sticker Film Applied as Gate Dielectric in Paper Electrolyte-Gated Transistors. <i>Advanced Functional Materials</i> , 2017, 27, 1606755.	7.8	90
569	Hybrid Nanowire Ion-to-Electron Transducers for Integrated Bioelectronic Circuitry. <i>Nano Letters</i> , 2017, 17, 827-833.	4.5	26
570	A Transparent, Self-Healing, Highly Stretchable Ionic Conductor. <i>Advanced Materials</i> , 2017, 29, 1605099.	11.1	447
571	<i>50th Anniversary Perspective</i>: Block Polymers' Pure Potential. <i>Macromolecules</i> , 2017, 50, 3-22.	2.2	593
572	A review: additive manufacturing for active electronic components. <i>Virtual and Physical Prototyping</i> , 2017, 12, 31-46.	5.3	119
573	3D-Printed Autonomous Sensory Composites. <i>Advanced Materials Technologies</i> , 2017, 2, 1600257.	3.0	13
574	Role of Electrical Double Layer Structure in Ionic Liquid Gated Devices. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 40949-40958.	4.0	24
575	Preparation of High-Performance Ionogels with Excellent Transparency, Good Mechanical Strength, and High Conductivity. <i>Advanced Materials</i> , 2017, 29, 1704253.	11.1	308
576	A Hybrid Gate Dielectrics of Ion Gel with Ultra-Thin Passivation Layer for High-Performance Transistors Based on Two-Dimensional Semiconductor Channels. <i>Scientific Reports</i> , 2017, 7, 14194.	1.6	9
577	Ultra-high mobility in defect-free poly(3-hexylthiophene-2,5-diyl) field-effect transistors through supra-molecular alignment. <i>Organic Electronics</i> , 2017, 51, 94-102.	1.4	26
578	Coil Dimensions of Poly(ethylene oxide) in an Ionic Liquid by Small-Angle Neutron Scattering. <i>Macromolecules</i> , 2017, 50, 8739-8744.	2.2	26
579	Solid-State Gels of Poly(p-phenyleneethynylene)s by Solvent Exchange. <i>Macromolecules</i> , 2017, 50, 7880-7886.	2.2	5



#	ARTICLE	IF	CITATIONS
580	Self-Assembly of Block Copolymers in Ionic Liquids. ACS Symposium Series, 2017, , 83-142.	0.5	5
581	Self-Supporting, Hydrophobic, Ionic Liquid-Based Reference Electrodes Prepared by Polymerization-Induced Microphase Separation. ACS Sensors, 2017, 2, 1498-1504.	4.0	24
582	High-Performance Polymer Semiconductor-Based Nonvolatile Memory Cells with Nondestructive Read-Out. Journal of Physical Chemistry C, 2017, 121, 24352-24357.	1.5	7
583	Dynamically tunable extraordinary light absorption in monolayer graphene. Physical Review B, 2017, 96, .	1.1	43
584	Self-propelled ion gel at air-water interface. Scientific Reports, 2017, 7, 9323.	1.6	14
585	Enhanced electrical stability of nitrate ligand-based hexaaqua complexes solution-processed ultrathin a-IGZO transistors. Journal Physics D: Applied Physics, 2017, 50, 485107.	1.3	6
587	Laser-Printed Organic Thin-Film Transistors. Advanced Materials Technologies, 2017, 2, 1700167.	3.0	17
588	Printable, Degradable, and Biocompatible Ion Gels from a Renewable ABA Triblock Polyester and a Low Toxicity Ionic Liquid. ACS Macro Letters, 2017, 6, 1083-1088.	2.3	41
589	Rubbery electronics and sensors from intrinsically stretchable elastomeric composites of semiconductors and conductors. Science Advances, 2017, 3, e1701114.	4.7	229
590	Rapid Fabrication of Graphene Field-Effect Transistors with Liquid-metal Interconnects and Electrolytic Gate Dielectric Made of Honey. Scientific Reports, 2017, 7, 10171.	1.6	18
591	Terahertz spectroscopy of graphene complementary split ring resonators with gate tunability. Japanese Journal of Applied Physics, 2017, 56, 095102.	0.8	2
592	Engineering of Amorphous Polymeric Insulators for Organic Field-Effect Transistors. Advanced Electronic Materials, 2017, 3, 1700157.	2.6	38
593	Enhancement of thermal transport in Gel Polymer Electrolytes with embedded BN/Al <sub>2</sub> O <sub>3</sub> nano- and micro-particles. Journal of Power Sources, 2017, 362, 219-227.	4.0	32
594	Ionic liquid gel gated electro-spun poly(3,4-ethylenedioxythiophene) doped with poly(styrene sulfonic) Tj ETQq1 1 0.784314 ggBT /Over	0.8	9
595	Structural Effects of Gating Poly(3-hexylthiophene) through an Ionic Liquid. Advanced Functional Materials, 2017, 27, 1701791.	7.8	70
596	Low-voltage complementary inverters based on ion gel-gated ReS <sub>2</sub> and BP transistors. FlatChem, 2017, 5, 33-39.	2.8	8
597	Ultralow voltage operation of biologically assembled all carbon nanotube nanomesh transistors with ion-gel gate dielectrics. Scientific Reports, 2017, 7, 5981.	1.6	5
598	Ink wells for on-demand deposition rate measurement in aerosol-jet based 3D printing. Journal of Micromechanics and Microengineering, 2017, 27, 097001.	1.5	36

#	ARTICLE	IF	CITATIONS
599	Self-assembly and lower critical solution temperature properties of supramolecular block copolymer/ionic liquid complexes depending on the alkyl chain length of imidazolium rings. <i>Journal of Polymer Science Part A</i> , 2017, 55, 3587-3596.	2.5	1
600	Electronic Muscles and Skins: A Review of Soft Sensors and Actuators. <i>Chemical Reviews</i> , 2017, 117, 11239-11268.	23.0	418
601	Area-Controllable Stamping of Semicrystalline Copolymer Ionogels for Solid-State Electrolyte-Gated Transistors and Light-Emitting Devices. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 42978-42985.	4.0	15
602	Localized Conversion of Metal-Organic Frameworks into Polymer Gels via Light-Induced Click Chemistry. <i>Chemistry of Materials</i> , 2017, 29, 5982-5989.	3.2	26
603	Flexible, Low-Power Thin-Film Transistors Made of Vapor-Phase Synthesized High- <i>k</i> , Ultrathin Polymer Gate Dielectrics. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 20808-20817.	4.0	61
604	Solvent-gated thin-film-transistors. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 20573-20581.	1.3	4
605	High-Resolution Transfer Printing of Graphene Lines for Fully Printed, Flexible Electronics. <i>ACS Nano</i> , 2017, 11, 7431-7439.	7.3	116
606	Stretchable Polymer Dielectrics for Low-Voltage-Driven Field-Effect Transistors. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 25522-25532.	4.0	76
607	Recent Progress in the Development of Printed Thin-Film Transistors and Circuits with High-Resolution Printing Technology. <i>Advanced Materials</i> , 2017, 29, 1602736.	11.1	243
608	Low operating voltage organic transistors and circuits with anodic titanium oxide and phosphonic acid self-assembled monolayer dielectrics. <i>Organic Electronics</i> , 2017, 40, 58-64.	1.4	36
609	Low-cost fabrication of paper-based systems: Microfluidics, sensors, electronics and deployment. , 2017, , .		4
610	Flexible vertical field-effect transistor based on graphene/silicon heterostructure with ion-gel gate. , 2017, , .		0
612	A Study of Dip-Coatable, High-Capacitance Ion Gel Dielectrics for 3D EWOD Device Fabrication. <i>Materials</i> , 2017, 10, 41.	1.3	9
613	Transparent Thin-Film Transistors Based on Sputtered Electric Double Layer. <i>Materials</i> , 2017, 10, 429.	1.3	6
614	Frequency-Stable Ionic-Type Hybrid Gate Dielectrics for High Mobility Solution-Processed Metal-Oxide Thin-Film Transistors. <i>Materials</i> , 2017, 10, 612.	1.3	9
616	Diffusion-Controlled Faradaic Charge Storage in High-Performance Solid Electrolyte-Gated Zinc Oxide Thin-Film Transistors. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 9782-9791.	4.0	51
617	Nonvolatile Electric Double-Layer Transistor Memory Devices Embedded with Au Nanoparticles. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 9563-9570.	4.0	22
618	Electrical properties of ion gels based on PVDF-HFP applicable as gate stacks for flexible devices. <i>Current Applied Physics</i> , 2018, 18, 500-504.	1.1	7

#	ARTICLE	IF	CITATIONS
619	Monitoring the Swelling Behavior of PEDOT:PSS Electrodes under High Humidity Conditions. ACS Applied Materials & Interfaces, 2018, 10, 9865-9872.	4.0	83
620	Printed Thin-Film Transistors: Research from China. ACS Applied Materials & Interfaces, 2018, 10, 25902-25924.	4.0	65
621	Nano-Alignment in Semiconducting Polymer Films: A Path to Achieve High Current Density and Brightness in Organic Light Emitting Transistors. ACS Photonics, 2018, 5, 2137-2144.	3.2	38
622	Frequency-Independent and Colossal Dielectric Permittivity of Platy Alumina/Few-Layer Graphene Multilayered Composites. Bulletin of the Korean Chemical Society, 2018, 39, 442-447.	1.0	2
623	Simple fabrication method of flexible carbon nanotube electrodes using inkjet and transfer printing methods for dopamine detection. Journal of the Taiwan Institute of Chemical Engineers, 2018, 92, 63-71.	2.7	14
624	Solution-Processed Perovskite Gate Insulator for Sub-2 V Electrolyte-Gated Transistors. Journal of Physical Chemistry C, 2018, 122, 10552-10558.	1.5	5
625	Electrical modulation of a photonic crystal band-edge laser with a graphene monolayer. Nanoscale, 2018, 10, 8496-8502.	2.8	7
626	Mechanically Robust, Highly Ionic Conductive Gels Based on Random Copolymers for Bending Durable Electrochemical Devices. Advanced Functional Materials, 2018, 28, 1706948.	7.8	71
627	Graphene-Silver Hybrid Metamaterial for Tunable and High Absorption at Mid-Infrared Waveband. IEEE Photonics Technology Letters, 2018, 30, 475-478.	1.3	17
628	Organic electrochemical transistors. Nature Reviews Materials, 2018, 3, .	23.3	1,143
629	Electrical Contacts in SOI MEMS Using Aerosol Jet Printing. IEEE Journal of the Electron Devices Society, 2018, 6, 34-40.	1.2	16
630	Will We See Gigahertz Organic Transistors?. Advanced Electronic Materials, 2018, 4, 1700474.	2.6	144
631	Photocurable ABA triblock copolymer-based ion gels utilizing photodimerization of coumarin. RSC Advances, 2018, 8, 3418-3422.	1.7	19
632	Large capacitance and fast polarization response of thin electrolyte dielectrics by spin coating for two-dimensional MoS2 devices. Nano Research, 2018, 11, 3739-3745.	5.8	10
633	3D printed high performance strain sensors for high temperature applications. Journal of Applied Physics, 2018, 123, .	1.1	30
634	Complementary Logic Circuits Based on High-Performance n-Type Organic Electrochemical Transistors. Advanced Materials, 2018, 30, 1704916.	11.1	206
635	Polymer/Silicon Nanoparticle Hybrid Layer as High- <i>k</i> Dielectrics in Organic Thin-Film Transistors. Journal of Physical Chemistry C, 2018, 122, 11214-11221.	1.5	6
636	Employing Pneumatic Nozzle Printing for Controlling the Crystal Growth of Small Molecule Organic Semiconductor for Field-Effect Transistors. Advanced Electronic Materials, 2018, 4, 1700534.	2.6	20

#	ARTICLE	IF	CITATIONS
637	The Effect of Droplet Sizes on Overspray in Aerosol Jet Printing. <i>Advanced Engineering Materials</i> , 2018, 20, 1701084.	1.6	67
638	Dry aerosol jet printing of conductive silver lines on a heated silicon substrate. <i>IOP Conference Series: Materials Science and Engineering</i> , 2018, 307, 012082.	0.3	12
639	Fast switching polymeric electrochromics with facile processed water dispersed nanoparticles. <i>Nano Energy</i> , 2018, 47, 123-129.	8.2	23
640	Solution-processable organic and hybrid gate dielectrics for printed electronics. <i>Materials Science and Engineering Reports</i> , 2018, 127, 1-36.	14.8	79
641	Printed ion-gel transistor using electrohydrodynamic (EHD) jet printing process. <i>Organic Electronics</i> , 2018, 52, 123-129.	1.4	38
642	Organic thin-film transistors with sub-10-micrometer channel length with printed polymer/carbon nanotube electrodes. <i>Organic Electronics</i> , 2018, 52, 165-171.	1.4	14
643	Low-voltage operated solid-state electrolyte-gated ambipolar organic field-effect transistors. <i>Organic Electronics</i> , 2018, 52, 257-263.	1.4	10
644	Nanometric building blocks for robust multifunctional molecular junctions. <i>Nanoscale Horizons</i> , 2018, 3, 45-52.	4.1	20
645	Flexible integrated diode-transistor logic (DTL) driving circuits based on printed carbon nanotube thin film transistors with low operation voltage. <i>Nanoscale</i> , 2018, 10, 614-622.	2.8	23
646	On the Working Mechanisms of Solid-State Double-Layer-Dielectric-Based Organic Field-Effect Transistors and Their Implication for Sensors. <i>Advanced Electronic Materials</i> , 2018, 4, 1700326.	2.6	7
647	Solution processed $\text{Li}_5\text{AlO}_4$ dielectric for low voltage transistor fabrication and its application in metal oxide/quantum dot heterojunction phototransistors. <i>Journal of Materials Chemistry C</i> , 2018, 6, 790-798.	2.7	30
648	Uniaxial Alignment of Conjugated Polymer Films for High-Performance Organic Field-Effect Transistors. <i>Advanced Materials</i> , 2018, 30, e1705463.	11.1	147
650	Stretchable organic optoelectronic sensorimotor synapse. <i>Science Advances</i> , 2018, 4, eaat7387.	4.7	359
651	Systematic Study of Ferromagnetism in $\text{Cr}_x\text{Sb}_{2-x}\text{Te}_3$ Topological Insulator Thin Films using Electrical and Optical Techniques. <i>Scientific Reports</i> , 2018, 8, 17024.	1.6	12
652	Pulse Dynamics of Electric Double Layer Formation on All-Solid-State Graphene Field-Effect Transistors. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 43166-43176.	4.0	25
653	Functionalization-Induced Self-Assembly of Block Copolymers for Nanoparticle Synthesis. <i>ACS Macro Letters</i> , 2018, 7, 1503-1508.	2.3	26
654	Guided ink and process design for aerosol jet printing based on annular drying effects. <i>Flexible and Printed Electronics</i> , 2018, 3, 035007.	1.5	37
655	Triazolinedione-based Alder-ene modification of eucommia ulmoides gum to flexible polyelectrolyte and ion gel. <i>Reactive and Functional Polymers</i> , 2018, 132, 104-111.	2.0	10

#	ARTICLE	IF	CITATIONS
656	Sub-2 V, Transfer-Stamped Organic/Inorganic Complementary Inverters Based on Electrolyte-Gated Transistors. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 40672-40680.	4.0	39
658	Self-aligned inkjet printing of resistors and low-pass resistorâ€“capacitor filters on roll-to-roll imprinted plastics with resistances ranging from 10 to 10 <sup>6</sup> Î©. <i>Flexible and Printed Electronics</i> , 2018, 3, 045003.	1.5	18
659	Gelatin Hydrogel-Based Organic Electrochemical Transistors and Their Integrated Logic Circuits. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 39083-39090.	4.0	71
660	Output voltage modulation in triboelectric nanogenerator by printed ion gel capacitors. <i>Nano Energy</i> , 2018, 54, 367-374.	8.2	21
661	Realization and AC modeling of electronic circuits with water-gated field effect transistors (WG-FETs) based on gate probe distance. <i>Journal of Micromechanics and Microengineering</i> , 2018, 28, 115017.	1.5	3
662	Blending Electronics with the Human Body: A Pathway toward a Cybernetic Future. <i>Advanced Science</i> , 2018, 5, 1700931.	5.6	83
663	Highly conductive, binary ionic liquidâ€“solvent mixture ion gels for effective switching of electrolyte-gated transistors. <i>Journal of Materials Chemistry C</i> , 2018, 6, 10987-10993.	2.7	26
664	Mechanosensation-Active Matrix Based on Direct-Contact Tribotronic Planar Graphene Transistor Array. <i>ACS Nano</i> , 2018, 12, 9381-9389.	7.3	64
665	Photo/thermoreponsive ABC triblock copolymer-based ion gels: photoinduced structural transitions. <i>Soft Matter</i> , 2018, 14, 9088-9095.	1.2	18
666	Flexible terahertz modulators based on graphene FET with organic high-k dielectric layer. <i>Materials Research Express</i> , 2018, 5, 115607.	0.8	7
667	Recent Progress on Highâ€“Capacitance Polymer Gate Dielectrics for Flexible Lowâ€“Voltage Transistors. <i>Advanced Functional Materials</i> , 2018, 28, 1802201.	7.8	139
668	Tacticity effect on the upper critical solution temperature behavior of Poly(N-isopropylacrylamide) in an imidazolium ionic liquid. <i>Polymer</i> , 2018, 155, 101-108.	1.8	8
669	n-Type organic electrochemical transistors: materials and challenges. <i>Journal of Materials Chemistry C</i> , 2018, 6, 11778-11784.	2.7	122
670	An electrolyte-gated polythiophene transistor for the detection of biogenic amines in water. <i>Chemical Communications</i> , 2018, 54, 6907-6910.	2.2	31
671	High-k Gate Dielectrics for Emerging Flexible and Stretchable Electronics. <i>Chemical Reviews</i> , 2018, 118, 5690-5754.	23.0	530
672	Flexible radio frequency interconnect of reduced graphene oxide. <i>2D Materials</i> , 2018, 5, 035030.	2.0	4
673	Solution Coating of Small Molecule/Polymer Blends Enabling Ultralow Voltage and Highâ€“Mobility Organic Transistors. <i>Advanced Electronic Materials</i> , 2018, 4, 1800141.	2.6	64
674	Spontaneous Ionic Polarization in Ammonia-Based Ionic Liquid. <i>ACS Applied Energy Materials</i> , 2018, 1, 2717-2720.	2.5	2

#	ARTICLE	IF	CITATIONS
675	Capacitively Coupled Hybrid Ion Gel and Carbon Nanotube Thin-Film Transistors for Low Voltage Flexible Logic Circuits. <i>Advanced Functional Materials</i> , 2018, 28, 1802610.	7.8	37
676	Printed Electronics Based on Inorganic Semiconductors: From Processes and Materials to Devices. <i>Advanced Materials</i> , 2018, 30, e1707600.	11.1	148
677	Principles of aerosol jet printing. <i>Flexible and Printed Electronics</i> , 2018, 3, 035002.	1.5	179
678	Vertical Electrolyte-Gated Transistors Based on Printed Single-Walled Carbon Nanotubes. <i>ACS Applied Nano Materials</i> , 2018, 1, 3616-3624.	2.4	24
679	Polymerization-Induced Nanostructural Transitions Driven by In Situ Polymer Grafting. <i>ACS Macro Letters</i> , 2018, 7, 822-827.	2.3	21
680	Organic synaptic devices for neuromorphic systems. <i>Journal Physics D: Applied Physics</i> , 2018, 51, 314004.	1.3	89
681	Inkjet Printed Electrodes in Thin Film Transistors. <i>IEEE Journal of the Electron Devices Society</i> , 2018, 6, 774-790.	1.2	22
682	Self-Healing Micellar Ion Gels Based on Multiple Hydrogen Bonding. <i>Advanced Materials</i> , 2018, 30, e1802792.	11.1	208
683	Photocrosslinking polymeric ionic liquids <i>via</i> anthracene cycloaddition for organic electronics. <i>Journal of Materials Chemistry C</i> , 2018, 6, 8762-8769.	2.7	13
684	Printed, 1 V electrolyte-gated transistors based on poly(3-hexylthiophene) operating at $>10$ kHz on plastic. <i>Applied Physics Letters</i> , 2018, 113, .	1.5	19
685	Ionic Gels and Their Applications in Stretchable Electronics. <i>Macromolecular Rapid Communications</i> , 2018, 39, e1800246.	2.0	112
686	Preparation, Characterization, and Formulation Development of Drug-Drug Protic Ionic Liquids of Diphenhydramine with Ibuprofen and Naproxen. <i>Molecular Pharmaceutics</i> , 2018, 15, 4190-4201.	2.3	40
687	Nanoscale self-assembly of thermoelectric materials: a review of chemistry-based approaches. <i>Nanotechnology</i> , 2018, 29, 432001.	1.3	50
688	Fabrication of ultrathin low-voltage-driven printed organic circuits with anodized gate islands. <i>Organic Electronics</i> , 2018, 62, 77-81.	1.4	11
689	Liquid coplanar-gate organic/graphene hybrid electronics for label-free detection of single and double-stranded DNA molecules. <i>Organic Electronics</i> , 2018, 62, 163-167.	1.4	14
690	Intrinsically ionic conductive cellulose nanopapers applied as all solid dielectrics for low voltage organic transistors. <i>Nature Communications</i> , 2018, 9, 2737.	5.8	126
691	Integrated Circuits Comprising Patterned Functional Liquids. <i>Advanced Materials</i> , 2018, 30, e1802598.	11.1	10
692	Differential capacitance in ion-gel-gated organic transistors investigated by impedance spectroscopy. <i>Ionics</i> , 2018, 24, 3287-3290.	1.2	4

#	ARTICLE	IF	CITATIONS
693	Electrically Controlled Dimensionality of Magnetic Systems in Organic Materials. <i>Applied Magnetic Resonance</i> , 2018, 49, 767-782.	0.6	6
694	Aerosol jet printed silver nanowire transparent electrode for flexible electronic application. <i>Journal of Applied Physics</i> , 2018, 123, .	1.1	28
695	Electric-double-layer transistors for synaptic devices and neuromorphic systems. <i>Journal of Materials Chemistry C</i> , 2018, 6, 5336-5352.	2.7	170
696	Tutorial: Organic field-effect transistors: Materials, structure and operation. <i>Journal of Applied Physics</i> , 2018, 124, .	1.1	129
697	Block copolymer self-assembly in ionic liquids. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 25123-25139.	1.3	34
698	Macroscopic Interfacial Property as a Determining Parameter for Reliable Prediction of Charge Mobility in Organic Transistors. <i>Journal of Physical Chemistry C</i> , 2018, 122, 17695-17705.	1.5	7
699	Sonocrystallization of conjugated polymers with ultrasound fields. <i>Soft Matter</i> , 2018, 14, 4963-4976.	1.2	20
700	Piezotronic graphene barristor: Efficient and interactive modulation of Schottky barrier. <i>Nano Energy</i> , 2018, 50, 598-605.	8.2	31
701	Copolymer dielectrics with balanced chain-packing density and surface polarity for high-performance flexible organic electronics. <i>Nature Communications</i> , 2018, 9, 2339.	5.8	76
702	Electrically Controllable Molecularization of Terahertz Meta-Atoms. <i>Advanced Materials</i> , 2018, 30, e1802760.	11.1	42
703	Proton-Conductor-Gated MoS <sub>2</sub> Transistors with Room Temperature Electron Mobility of $>100 \text{ cm}^2/\text{Vs}$ . <i>Chemistry of Materials</i> , 2018, 30, 4527-4535.	3.2	23
704	Gate Tunable Organic Light Emitting Diodes: Principles and Prospects. <i>Chemical Record</i> , 2019, 19, 1471-1482.	2.9	1
705	Conducting gels: A chronicle of technological advances. <i>Progress in Polymer Science</i> , 2019, 88, 189-219.	11.8	40
706	Highly Flexible Transistor Threads for All-Thread Based Integrated Circuits and Multiplexed Diagnostics. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 31096-31104.	4.0	33
707	Recent Advances in Electric-Double-Layer Transistors for Bio-Chemical Sensing Applications. <i>Sensors</i> , 2019, 19, 3425.	2.1	44
708	Interfaces in organic electronics. <i>Nature Reviews Materials</i> , 2019, 4, 627-650.	23.3	237
709	Tuning the Infrared Absorption of SiC Metasurfaces by Electrically Gating Monolayer Graphene with Solid Polymer Electrolyte for Dynamic Radiative Thermal Management and Sensing Applications. <i>ACS Applied Nano Materials</i> , 2019, 2, 4810-4817.	2.4	7
710	Influence of Molecular Weight on the Solidification of a Semiconducting Polymer during Time-Controlled Spin-Coating. <i>Journal of Physical Chemistry C</i> , 2019, 123, 17102-17111.	1.5	19

#	ARTICLE	IF	CITATIONS
711	Polymer thin film adhesion utilizing the transition from surface wrinkling to delamination. <i>Soft Matter</i> , 2019, 15, 6375-6382.	1.2	11
712	Dual-Band Plasmonic Perfect Absorber Based on Graphene Metamaterials for Refractive Index Sensing Application. <i>Micromachines</i> , 2019, 10, 443.	1.4	89
713	Tunable Organic Polymer/Inorganic Silicon Diode Using an Ionic Liquid Gel Gate Dielectric. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2019, 216, 1900358.	0.8	1
714	Pixel-free capacitive touch sensor using a single-layer ion gel. <i>Journal of Materials Chemistry C</i> , 2019, 7, 10264-10272.	2.7	16
715	Highly-ordered Triptycene Modifier Layer Based on Blade Coating for Ultraflexible Organic Transistors. <i>Scientific Reports</i> , 2019, 9, 9200.	1.6	20
716	Inkjet-printed co-continuous mesoporous oxides for high-current power transistors. <i>Nanoscale</i> , 2019, 11, 13731-13740.	2.8	12
717	Electrically-generated memristor based on inkjet printed silver nanoparticles. <i>Nanoscale Advances</i> , 2019, 1, 2990-2998.	2.2	22
718	Electronic Skin: Recent Progress and Future Prospects for Skin-Attachable Devices for Health Monitoring, Robotics, and Prosthetics. <i>Advanced Materials</i> , 2019, 31, e1904765.	11.1	936
719	Fully Printed Organic Electrochemical Transistors from Green Solvents. <i>Advanced Functional Materials</i> , 2019, 29, 1905266.	7.8	42
720	Unconventional Redox-Active Gate Dielectrics To Fabricate High Performance Organic Thin-Film Transistors. <i>ACS Applied Electronic Materials</i> , 2019, 1, 2314-2324.	2.0	10
721	Overcoming Electrochemical Instabilities of Printed Silver Electrodes in All-Printed Ion Gel Gated Carbon Nanotube Thin-Film Transistors. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 41531-41543.	4.0	27
722	Stability of pentacene-based top gate thin film transistor with thick parylene as dielectric under humid environment. <i>Microelectronics Reliability</i> , 2019, 103, 113510.	0.9	2
723	Unipolar Polymerized Ionic Liquid Copolymers as High-Capacitance Electrolyte Gates for n-Type Transistors. <i>ACS Applied Polymer Materials</i> , 2019, 1, 3210-3221.	2.0	16
724	Recent Efforts in Understanding and Improving the Nonideal Behaviors of Organic Field-Effect Transistors. <i>Advanced Science</i> , 2019, 6, 1900375.	5.6	45
725	Detection and amplification of capacitance- and charge-based signals using printed electrolyte gated transistors with floating gates. <i>Flexible and Printed Electronics</i> , 2019, 4, 044001.	1.5	5
726	Controlling the Doping Mechanism in Poly(3-hexylthiophene) Thin-Film Transistors with Polymeric Ionic Liquid Dielectrics. <i>Chemistry of Materials</i> , 2019, 31, 8820-8829.	3.2	41
727	Mobility boost up of hybrid TFT with solvent-free cross-linked polyurethane-ionic liquid gate dielectric. <i>Applied Physics Express</i> , 2019, 12, 101004.	1.1	4
728	Photo-/Thermal-Responsive Field-Effect Transistor upon Blending Polymeric Semiconductor with Hexaarylbiimidazole toward Photonically Programmable and Thermally Erasable Memory Device. <i>Advanced Materials</i> , 2019, 31, e1902576.	11.1	36



#	ARTICLE	IF	CITATIONS
729	Atmospheric-pressure plasma treatment toward high-quality solution-processed aluminum oxide gate dielectric films in thin-film transistors. <i>Nanotechnology</i> , 2019, 30, 495702.	1.3	10
730	Vertically Stacked CVD-Grown 2D Heterostructure for Wafer-Scale Electronics. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 35444-35450.	4.0	27
731	Exploring low-k dielectrics as structuring polymers for solid-state electrolyte-gated transistors. <i>Organic Electronics</i> , 2019, 75, 105434.	1.4	3
732	Deep-ultraviolet SnO <sub>2</sub> nanowire phototransistors with an ultrahigh responsivity. <i>Applied Physics A: Materials Science and Processing</i> , 2019, 125, 1.	1.1	12
733	High-Performance Organic Field-Effect Transistors Fabricated with High-k Composite Polymer Gel Dielectrics. <i>Journal of Electronic Materials</i> , 2019, 48, 7819-7826.	1.0	7
734	Flexible Ultralow-Power Sensor Interfaces for E-Skin. <i>Proceedings of the IEEE</i> , 2019, 107, 2084-2105.	16.4	41
735	Solution-processed organic field-effect transistors with cross-linked poly(4-vinylphenol)/polyvinyl alcohol bilayer dielectrics. <i>Applied Surface Science</i> , 2019, 478, 699-707.	3.1	22
736	Configuration-Controllable E/Z Isomers Based on Tetraphenylethene: Synthesis, Characterization, and Applications. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 6302-6314.	4.0	20
737	Nanoscale Ion-Doped Polymer Transistors. <i>Nano Letters</i> , 2019, 19, 1712-1718.	4.5	25
738	Morphological/nanostructural control toward intrinsically stretchable organic electronics. <i>Chemical Society Reviews</i> , 2019, 48, 1741-1786.	18.7	117
739	Aerosol Jet® Direct-Write for Microscale Additive Manufacturing. <i>Journal of Micro and Nano-Manufacturing</i> , 2019, 7, .	0.8	24
740	Vogelâ€™Tammannâ€™Fulcher model for charging dynamics in an organic electrochemical transistor. <i>Journal of Materials Chemistry C</i> , 2019, 7, 12935-12941.	2.7	12
741	Redefining the Mobility Edge in Thin-Film Transistors. <i>Physical Review Applied</i> , 2019, 11, .	1.5	16
742	Remote Gating of Schottky Barrier for Transistors and Their Vertical Integration. <i>ACS Nano</i> , 2019, 13, 7877-7885.	7.3	14
743	Ion Gel Dynamic Templates for Large Modulation of Morphology and Charge Transport Properties of Solution-Coated Conjugated Polymer Thin Films. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 22561-22574.	4.0	12
744	Nanodroplet-Embedded Semiconducting Polymer Layers for Electrochemically Stable and High-Conductance Organic Electrolyte-Gated Transistors. <i>Chemistry of Materials</i> , 2019, 31, 4759-4768.	3.2	24
745	Functional gate-dielectrics containing naphthyl for organic thin film transistors. <i>Organic Electronics</i> , 2019, 73, 219-225.	1.4	4
746	A review of aerosol jet printingâ€™a non-traditional hybrid process for micro-manufacturing. <i>International Journal of Advanced Manufacturing Technology</i> , 2019, 105, 4599-4619.	1.5	248

#	ARTICLE	IF	CITATIONS
747	Low voltage, high gain electrolyte-gated complementary inverters based on transfer-printed block copolymer ion gels. <i>Organic Electronics</i> , 2019, 71, 266-271.	1.4	18
748	Hybrid optoelectronic synaptic functionality realized with ion gel-modulated In <sub>2</sub> O <sub>3</sub> phototransistors. <i>Organic Electronics</i> , 2019, 71, 72-78.	1.4	40
749	High Speed Roll-to-Roll Printable Transistor Enabled by a Pulsed Light Curable CNT Ink. <i>Journal of Manufacturing and Materials Processing</i> , 2019, 3, 33.	1.0	7
750	Rheology of Concentrated Polymer/Ionic Liquid Solutions: An Anomalous Plasticizing Effect and a Universality in Nonlinear Shear Rheology. <i>Polymers</i> , 2019, 11, 877.	2.0	7
751	Selectively Metallized 2D Materials for Simple Logic Devices. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 18571-18579.	4.0	17
752	Fully Solution-Processed Transparent Artificial Neural Network Using Drop-On-Demand Electrohydrodynamic Printing. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 17521-17530.	4.0	16
753	Superconcentrated aqueous electrolyte and UV curable polymer composite as gate dielectric for high-performance oxide semiconductor thin-film transistors. <i>Applied Physics Letters</i> , 2019, 114, .	1.5	4
754	Highly Stretchable Organogel Ionic Conductors with Extreme-Temperature Tolerance. <i>Chemistry of Materials</i> , 2019, 31, 3257-3264.	3.2	75
755	Tunable Graphene-based Plasmonic Perfect Metamaterial Absorber in the THz Region. <i>Micromachines</i> , 2019, 10, 194.	1.4	70
756	Approaching the Intrinsic Lifetime and Modulating a Graphene Plasmonic Resonance at a Few Hundred GHz. <i>Advanced Optical Materials</i> , 2019, 7, 1900315.	3.6	8
757	Adding Solvent into Ionic Liquid-Gated Transistor: The Anatomy of Enhanced Gating Performance. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 13822-13830.	4.0	8
758	Flexible and transparent graphene complementary logic gates. <i>Molecular Systems Design and Engineering</i> , 2019, 4, 484-490.	1.7	6
759	Recent Progress in Inkjet-Printed Thin-Film Transistors. <i>Advanced Science</i> , 2019, 6, 1801445.	5.6	187
760	Thermally cross-linked polyvinyl alcohol as gate dielectrics for solution processing organic field-effect transistors. <i>Synthetic Metals</i> , 2019, 250, 73-78.	2.1	14
761	A New Architecture for Fibrous Organic Transistors Based on a Double-Stranded Assembly of Electrode Microfibers for Electronic Textile Applications. <i>Advanced Materials</i> , 2019, 31, e1900564.	11.1	36
762	Zwitterionic Copolymer-Supported Ionogel Electrolytes: Impacts of Varying the Zwitterionic Group and Ionic Liquid Identities. <i>ChemElectroChem</i> , 2019, 6, 2482-2488.	1.7	22
763	Effect of Ionic Liquid Components on the Coil Dimensions of PEO. <i>Macromolecules</i> , 2019, 52, 3123-3130.	2.2	21
764	The Motivation for and Challenges to Scaling Down Organic Field-Effect Transistors. <i>Advanced Electronic Materials</i> , 2019, 5, 1900029.	2.6	23

#	ARTICLE	IF	CITATIONS
765	High-frequency shear viscosity and ionic mobility of solutions of polyethylene glycol in ionic liquids. <i>Journal of Molecular Liquids</i> , 2019, 284, 252-257.	2.3	3
766	High Performance Flexible Temperature Sensors via Nanoparticle Printing. <i>ACS Applied Nano Materials</i> , 2019, 2, 3280-3291.	2.4	38
767	Highly stretchable fiber transistors with all-stretchable electronic components and graphene hybrid electrodes. <i>Organic Electronics</i> , 2019, 69, 320-328.	1.4	18
768	Improvement of the stability of an electric double-layer transistor using a 1H,1H,2H,2H-perfluorodecyltriethoxysilane barrier layer. <i>Japanese Journal of Applied Physics</i> , 2019, 58, 040907.	0.8	1
769	Printing Conductive Nanomaterials for Flexible and Stretchable Electronics: A Review of Materials, Processes, and Applications. <i>Advanced Materials Technologies</i> , 2019, 4, 1800546.	3.0	307
770	Conductivity measurements of organic materials using field-effect transistors (FETs) and space-charge-limited current (SCLC) techniques. , 2019, , 453-487.		12
771	Development of High- $\kappa$ Polymer Materials for Use as a Dielectric Layer in the Organic Thin-Film Transistors. <i>Journal of Physical Chemistry C</i> , 2019, 123, 6438-6443.	1.5	18
772	Voltage-Control of Magnetism in All-Solid-State and Solid/Liquid Magnetoelectric Composites. <i>Advanced Materials</i> , 2019, 31, e1806662.	11.1	82
773	Freestanding Ion Gels for Flexible, Printed, Multifunctional Microsupercapacitors. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 9947-9954.	4.0	27
774	Self-Assembled Hybrids Composed of Block Copolymer/Porphyrin-Metal Complex via Hydrogen Bonding. <i>ACS Applied Polymer Materials</i> , 2019, 1, 3432-3442.	2.0	3
775	Sub-60 mV per decade switching in ion-gel-gated In-Sn-O transistors with a nano-thick charge trapping layer. <i>Nanoscale</i> , 2019, 11, 21740-21747.	2.8	21
776	Electrically Controllable Spin States of Holes and Electrons in Organic Semiconductor Materials. <i>ACS Applied Electronic Materials</i> , 2019, 1, 2522-2530.	2.0	6
777	Humidity Sensor Using Subthreshold Regime of Flexible Organic Field Effect Transistor: Concomitant Effect of Gate Leakage Current and Semiconductor Conductivity. , 2019, , .		3
778	Scalable Processing of Low Voltage Organic Field Effect Transistors With a Facile Soft-Contact Coating Approach. <i>IEEE Electron Device Letters</i> , 2019, 40, 1945-1948.	2.2	22
779	A Highly Sensitive Tactile Sensor Using a Pyramid-Plug Structure for Detecting Pressure, Shear Force, and Torsion. <i>Advanced Materials Technologies</i> , 2019, 4, 1800284.	3.0	76
780	Ultrasensitive Interfacial Capacitive Pressure Sensor Based on a Randomly Distributed Microstructured Iontronic Film for Wearable Applications. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 3438-3449.	4.0	159
781	Triboiontronic Transistor of MoS <sub>2</sub> . <i>Advanced Materials</i> , 2019, 31, e1806905.	11.1	93
782	Heat-Assisted Photoacidic Oxidation Method for Tailoring the Surface Chemistry of Polymer Dielectrics for Low-Power Organic Soft Electronics. <i>Advanced Functional Materials</i> , 2019, 29, 1806030.	7.8	12

#	ARTICLE	IF	CITATIONS
783	Star-Shaped Block Copolymers: Effective Polymer Gelators of High-Performance Gel Electrolytes for Electrochemical Devices. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 4399-4407.	4.0	34
784	Solution-processed thin films of semiconducting carbon nanotubes and their application to soft electronics. <i>Nanotechnology</i> , 2019, 30, 132001.	1.3	32
785	Electrolyte-Gated n-Type Transistors Produced from Aqueous Inks of WS <sub>2</sub> Nanosheets. <i>Advanced Functional Materials</i> , 2019, 29, 1804387.	7.8	48
786	Electrolyte-based ionic control of functional oxides. <i>Nature Materials</i> , 2019, 18, 13-18.	13.3	205
787	Highly conductive and mechanically robust nanocomposite polymer electrolytes for solid-state electrochemical thin-film devices. <i>Organic Electronics</i> , 2019, 65, 426-433.	1.4	19
788	Wide Angle Dynamically Tunable Enhanced Infrared Absorption on Large-Area Nanopatterned Graphene. <i>ACS Nano</i> , 2019, 13, 421-428.	7.3	49
789	Advances in 4D Printing: Materials and Applications. <i>Advanced Functional Materials</i> , 2019, 29, 1805290.	7.8	633
790	Ionic Tactile Sensors for Emerging Human-Interactive Technologies: A Review of Recent Progress. <i>Advanced Functional Materials</i> , 2020, 30, 1904532.	7.8	122
791	Polariton Photonics Using Structured Metals and 2D Materials. <i>Advanced Optical Materials</i> , 2020, 8, 1901090.	3.6	15
792	Tin dioxide ion-gated transistors. , 2020, , 477-488.		2
793	Silver film etching processing using the inkjet method for the organic thin film transistor. <i>Organic Electronics</i> , 2020, 77, 105479.	1.4	2
794	Understanding, Optimizing, and Utilizing Nonideal Transistors Based on Organic or Organic Hybrid Semiconductors. <i>Advanced Functional Materials</i> , 2020, 30, 1903889.	7.8	49
795	Manipulating nanoscale structure to control functionality in printed organic photovoltaic, transistor and bioelectronic devices. <i>Nanotechnology</i> , 2020, 31, 092002.	1.3	22
796	Natural chicken albumen gate dielectric for coplanar oxide electrochemical transistors with tunable threshold voltage. <i>Organic Electronics</i> , 2020, 77, 105517.	1.4	4
797	Flexible low-voltage paper transistors harnessing ion gel/cellulose fiber composites. <i>Journal of Materials Research</i> , 2020, 35, 940-948.	1.2	10
798	Recent progress in 4D printing of stimuli-responsive polymeric materials. <i>Science China Technological Sciences</i> , 2020, 63, 532-544.	2.0	61
799	Aqueous-Alcohol-Processable High-Mobility Semiconducting Copolymers with Engineered Oligo(ethylene glycol) Side Chains. <i>Chemistry of Materials</i> , 2020, 32, 1111-1119.	3.2	22
800	Simulation of dynamically tunable and switchable electromagnetically induced transparency analogue based on metal-graphene hybrid metamaterial. <i>Carbon</i> , 2020, 159, 273-282.	5.4	85

#	ARTICLE	IF	CITATIONS
801	Investigation of charge transport properties of [1]Benzo[thieno[3,2-b][1]-benzothiophene single-crystals in field-effect transistor configuration. <i>Organic Electronics</i> , 2020, 78, 105605.	1.4	8
802	Bridging R2R Printed Wireless 1 Bit Code Generator with an Electrophoretic QR Code Acting as WORM for NFC Carrier Enabled Authentication Label. <i>Advanced Materials Technologies</i> , 2020, 5, 1900935.	3.0	23
803	Realizing Wafer Scale and Low Voltage Operation MoS <sub>2</sub> Transistors via Electrolyte Gating. <i>Advanced Electronic Materials</i> , 2020, 6, 1900838.	2.6	15
804	A printable GO-PVA composite dielectric for EDL gating of metal-oxide TFTs. <i>Flexible and Printed Electronics</i> , 2020, 5, 015002.	1.5	8
805	Aerosol jet printing of PEDOT:PSS for large area flexible electronics. <i>Flexible and Printed Electronics</i> , 2020, 5, 014005.	1.5	49
806	Ultra-Low Voltage Metal Oxide Thin Film Transistor by Low-Temperature Annealed Solution Processed LiAlO <sub>2</sub> Gate Dielectric. <i>Electronic Materials Letters</i> , 2020, 16, 22-34.	1.0	29
807	Ultra-high drivability, high-mobility, low-voltage and high-integration intrinsically stretchable transistors. <i>Nanoscale</i> , 2020, 12, 23546-23555.	2.8	21
808	Bipolar electrodeposition of organic electrochemical transistor arrays. <i>Journal of Materials Chemistry C</i> , 2020, 8, 11499-11507.	2.7	6
809	Highly sensitive ionic pressure sensor with broad sensing range based on interlaced ridge-like microstructure. <i>Sensors and Actuators A: Physical</i> , 2020, 313, 112173.	2.0	10
810	Printed carbon nanotube thin-film transistors: progress on printable materials and the path to applications. <i>Nanoscale</i> , 2020, 12, 23371-23390.	2.8	26
811	Block versus random: effective molecular configuration of copolymer gelators to obtain high-performance gel electrolytes for functional electrochemical devices. <i>Journal of Materials Chemistry C</i> , 2020, 8, 17045-17053.	2.7	8
812	High-capacitance polyurethane ionogels for low-voltage operated organic transistors and pressure sensors. <i>Journal of Materials Chemistry C</i> , 2020, 8, 17107-17113.	2.7	23
813	Selective Doping of Positive and Negative Spatial Defects into Polymer Gels by Tuning the Pregel Packing Conditions of Star Polymers. <i>Macromolecules</i> , 2020, 53, 7537-7545.	2.2	16
814	Single- versus Dual-Ion Conductors for Electric Double Layer Gating: Finite Element Modeling and Hall-Effect Measurements. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 40850-40858.	4.0	6
815	DC Voltage Modulation for Integrated Self-Charging Power Systems of Triboelectric Nanogenerators and Ion Gel/WO <sub>3</sub> Supercapacitors. <i>ACS Applied Electronic Materials</i> , 2020, 2, 2550-2557.	2.0	11
816	Rapid and facile method to prepare oxide precursor solution by using sonochemistry technology for WZTO thin film transistors. <i>RSC Advances</i> , 2020, 10, 28186-28192.	1.7	5
817	Ink Based Additive Nanomanufacturing of Functional Materials for Human Integrated Smart Wearables. <i>Advanced Intelligent Systems</i> , 2020, 2, 2000117.	3.3	17
818	In situ time-domain thermoreflectance measurements using Au as the transducer during electrolyte gating. <i>Applied Physics Letters</i> , 2020, 117, 133104.	1.5	3

#	ARTICLE	IF	CITATIONS
819	Nanogels Constituted of Polyurea Filled with an Ionic Liquid as an Electrolyte for Electric Double-Layer Transistors. ACS Applied Nano Materials, 2020, 3, 9610-9615.	2.4	5
820	Printable Low Power Organic Transistor Technology for Customizable Hybrid Integration Towards Internet of Everything. IEEE Journal of the Electron Devices Society, 2020, 8, 1219-1226.	1.2	19
821	Recent Technological Advances in Fabrication and Application of Organic Electrochemical Transistors. Advanced Materials Technologies, 2020, 5, 2000523.	3.0	46
822	Radiation-hardened and repairable integrated circuits based on carbon nanotube transistors with ion gel gates. Nature Electronics, 2020, 3, 622-629.	13.1	53
823	Stretchable, Phase-Transformable Ionogels with Reversible Ionic Conductor-Insulator Transition. Advanced Functional Materials, 2020, 30, 2005079.	7.8	37
824	Organic Thin Film Transistors in Mechanical Sensors. Advanced Functional Materials, 2020, 30, 2004700.	7.8	21
825	A Water-Gated Organic Thin-Film Transistor for Glyphosate Detection: A Comparative Study with Fluorescence Sensing. Chemistry - A European Journal, 2020, 26, 14525-14529.	1.7	17
826	Enhanced Interfacial Integrity of Amorphous Oxide Thin-Film Transistors by Elemental Diffusion of Ternary Oxide Semiconductors. ACS Applied Materials & Interfaces, 2020, 12, 57996-58004.	4.0	11
827	Humidity Stability of All-Sputtered Metal-Oxide Electric-Double-Layer Transistors. IEEE Transactions on Electron Devices, 2020, 67, 5532-5536.	1.6	9
828	Processable, Ion-Conducting Hydrogel for Flexible Electronic Devices with Self-Healing Capability. Macromolecules, 2020, 53, 11130-11141.	2.2	63
829	A Comparative Study on Printable Solid Electrolytes toward Ultrahigh Current and Environmentally Stable Thin Film Transistors. Advanced Electronic Materials, 2020, 6, 2000788.	2.6	16
830	Intrinsic polymer dielectrics for high energy density and low loss electric energy storage. Progress in Polymer Science, 2020, 106, 101254.	11.8	156
831	On-demand tuning of charge accumulation and carrier mobility in quantum dot solids for electron transport and energy storage devices. NPG Asia Materials, 2020, 12, .	3.8	17
832	Evaluation of Metal Oxide Thin-Film Electrolyte-Gated Field Effect Transistors for Glucose Monitoring in Small Volume of Body Analytes. IEEE Sensors Journal, 2020, , 1-1.	2.4	10
833	High-Mobility Low-Hysteresis Electrolyte-Gated Transistors with a DPP-Benzotriazole Copolymer Semiconductor. Macromolecular Research, 2020, 28, 683-687.	1.0	9
834	Multi-gate-driven In-Ga-Zn-O memtransistors with a Sub-60 mV/decade subthreshold swing for neuromorphic and memlogic applications. Organic Electronics, 2020, 84, 105810.	1.4	13
835	Formation of ion gels by polymerization of block copolymer/ionic liquid/oil mesophases. Soft Matter, 2020, 16, 6102-6114.	1.2	7
836	Inverted annealing enhanced performance of organic thin-film transistors and phototransistors based on 2-(4-dodecylphenyl) [1]benzothieno[3,2-b]benzothiophene. Organic Electronics, 2020, 85, 105791.	1.4	2

#	ARTICLE	IF	CITATIONS
837	Recent progress in self-healable ion gels. <i>Science and Technology of Advanced Materials</i> , 2020, 21, 388-401.	2.8	24
838	Thermostable Ion Gels for High-Temperature Operation of Electrolyte-Gated Transistors. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 15464-15471.	4.0	13
839	Carbon nanotube ferroelectric random access memory cell based on omega-shaped ferroelectric gate. <i>Carbon</i> , 2020, 162, 195-200.	5.4	16
840	Piezo/Tribotronics Toward Smart Flexible Sensors. <i>Advanced Intelligent Systems</i> , 2020, 2, 1900175.	3.3	33
841	High-performance double-network ionogels enabled by electrostatic interaction. <i>RSC Advances</i> , 2020, 10, 7424-7431.	1.7	9
842	Low Voltage Graphene-Based Amplitude Modulator for High Efficiency Terahertz Modulation. <i>Nanomaterials</i> , 2020, 10, 585.	1.9	11
843	Proton Conducting Perhydropolysilazane-Derived Gate Dielectric for Solution-Processed Metal Oxide-Based Thin-Film Transistors. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 15396-15405.	4.0	13
844	Printable Organic Semiconductors for Radiation Detection: From Fundamentals to Fabrication and Functionality. <i>Frontiers in Physics</i> , 2020, 8, .	1.0	28
845	Ion Exchange Gels Allow Organic Electrochemical Transistor Operation with Hydrophobic Polymers in Aqueous Solution. <i>Advanced Materials</i> , 2020, 32, e2002610.	11.1	61
846	Application of graphene vertical field effect to regulation of organic light-emitting transistors*. <i>Chinese Physics B</i> , 2020, 29, 057401.	0.7	0
847	Fully stretchable active-matrix organic light-emitting electrochemical cell array. <i>Nature Communications</i> , 2020, 11, 3362.	5.8	106
848	Printable Low Power Organic Transistor for Highly Customizable IoT Devices. , 2020, , .		3
849	Nebulized jet-based printing of bio-electrical scaffolds for neural tissue engineering: a feasibility study. <i>Biofabrication</i> , 2020, 12, 025024.	3.7	12
850	Dual-gate low-voltage transparent electric-double-layer thin-film transistors with a top gate for threshold voltage modulation. <i>RSC Advances</i> , 2020, 10, 8093-8096.	1.7	11
851	Light-Emitting Devices Based on Electrochemiluminescence Gels. <i>Advanced Functional Materials</i> , 2020, 30, 1907936.	7.8	62
852	Material aspects of triboelectric energy generation and sensors. <i>NPG Asia Materials</i> , 2020, 12, .	3.8	200
853	Microfluidic opportunities in printed electrolyte-gated transistor biosensors. <i>Biomicrofluidics</i> , 2020, 14, 011301.	1.2	19
854	Molecular Semiconductors for Logic Operations: Dead-End or Bright Future?. <i>Advanced Materials</i> , 2020, 32, e1905909.	11.1	135

#	ARTICLE	IF	CITATIONS
855	Biocompatible and Biodegradable Organic Transistors Using a Solid-State Electrolyte Incorporated with Choline-Based Ionic Liquid and Polysaccharide. <i>Advanced Functional Materials</i> , 2020, 30, 1909707.	7.8	53
856	Printable carbon nanotube-based elastic conductors for fully-printed sub-1 V stretchable electrolyte-gated transistors and inverters. <i>Journal of Materials Chemistry C</i> , 2020, 8, 3639-3645.	2.7	17
857	Numerical and Theoretical Study of Tunable Plasmonically Induced Transparency Effect Based on Bright-Dark Mode Coupling in Graphene Metasurface. <i>Nanomaterials</i> , 2020, 10, 232.	1.9	7
858	Multifunctional MoS <sub>2</sub> Transistors with Electrolyte Gel Gating. <i>Small</i> , 2020, 16, e2000420.	5.2	23
859	In-situ resonant band engineering of solution-processed semiconductors generates high performance n-type thermoelectric nano-inks. <i>Nature Communications</i> , 2020, 11, 2069.	5.8	23
860	Mechanically robust and thermally stable electrochemical devices based on star-shaped random copolymer gel-electrolytes. <i>Journal of Industrial and Engineering Chemistry</i> , 2020, 88, 233-240.	2.9	7
861	Improving the Stability of R2R Printed 1-bit Code Generator through Spin-Coated Multilayer Encapsulation Method. <i>Macromolecular Materials and Engineering</i> , 2020, 305, 1900867.	1.7	8
862	Nonvolatile Transistor Memory Based on a High- <i>k</i> Dielectric Polymer Blend for Multilevel Data Storage, Encryption, and Protection. <i>Chemistry of Materials</i> , 2020, 32, 3641-3650.	3.2	20
863	Adhesive Ion-Gel as Gate Insulator of Electrolyte-Gated Transistors. <i>ChemElectroChem</i> , 2020, 7, 2735-2739.	1.7	2
864	Physical Supercritical Fluid Deposition: Patterning Solution Processable Materials on Curved and Flexible Surfaces. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 17949-17956.	4.0	5
865	100th Anniversary of Macromolecular Science Viewpoint: Recent Advances and Opportunities for Mixed Ion and Charge Conducting Polymers. <i>ACS Macro Letters</i> , 2020, 9, 646-655.	2.3	49
866	Printable hexagonal boron nitride ionogels. <i>Faraday Discussions</i> , 2021, 227, 92-104.	1.6	14
867	Fully-integrated wearable pressure sensor array enabled by highly sensitive textile-based capacitive ionotronic devices. <i>Nano Energy</i> , 2021, 79, 105479.	8.2	62
868	Ultraflexible Integrated Organic Electronics for Ultrasensitive Photodetection. <i>Advanced Materials Technologies</i> , 2021, 6, .	3.0	15
869	Wettability Engineering for Studying Ion Transport in 2D Layered Materials. <i>Advanced Materials Interfaces</i> , 2021, 8, 2001453.	1.9	3
870	Optoelectronic Synaptic Devices for Neuromorphic Computing. <i>Advanced Intelligent Systems</i> , 2021, 3, 2000099.	3.3	143
871	Self-assembled block copolymers in ionic liquids: Recent advances and practical applications. <i>Journal of Molecular Liquids</i> , 2021, 323, 115076.	2.3	9
872	Tunable Lower Critical Solution Temperature of Poly(butyl acrylate) in Ionic Liquid Blends. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2021, 39, 585-591.	2.0	4



#	ARTICLE	IF	CITATIONS
873	Electrochemiluminescent Transistors: A New Strategy toward Light-Emitting Switching Devices. <i>Advanced Materials</i> , 2021, 33, e2005456.	11.1	17
874	Recent Advances in Self-healing Ion Gels. <i>Nippon Gomu Kyokaishi</i> , 2021, 94, 39-45.	0.0	0
875	Introduction to 4D printing. , 2021, , 303-342.		6
876	Fabrication of Stretchable and Transparent Core-Shell Polymeric Nanofibers Using Coaxial Electrospinning and Their Application to Phototransistors. <i>Advanced Electronic Materials</i> , 2021, 7, 2001000.	2.6	15
877	Flexible organic ion-gated transistors with low operating voltage and light-sensing application. <i>JPhys Materials</i> , 2021, 4, 024001.	1.8	8
878	Flexible electric-double-layer thin film transistors based on a vertical InGaZnO <sub>4</sub> channel. <i>RSC Advances</i> , 2021, 11, 17910-17913.	1.7	1
879	Electrolyte-gated transistors for neuromorphic applications. <i>Journal of Semiconductors</i> , 2021, 42, 013103.	2.0	23
880	Multi-functional logic circuits composed of ultra-thin electrolyte-gated transistors with wafer-scale integration. <i>Journal of Materials Chemistry C</i> , 2021, 9, 7222-7227.	2.7	3
881	Molecular Orientation Control of Liquid Crystal Organic Semiconductor for High-Performance Organic Field-Effect Transistors. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 11125-11133.	4.0	18
882	Rapid cleanroom-free fabrication of thread based transistors using three-dimensional stencil-based patterning. <i>Flexible and Printed Electronics</i> , 2021, 6, 015007.	1.5	3
883	Charge Trapping in a Low-Crystalline High-Mobility Conjugated Polymer and Its Effects on the Operational Stability of Organic Field-Effect Transistors. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 16722-16731.	4.0	16
884	Organic transistor-based chemical sensors with self-assembled monolayers. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2021, 101, 1-18.	0.9	8
885	Capacitance Effects of a Hydrophobic-Coated Ion Gel Dielectric on AC Electrowetting. <i>Micromachines</i> , 2021, 12, 320.	1.4	2
886	Controlling pH by electronic ion pumps to fight fibrosis. <i>Applied Materials Today</i> , 2021, 22, 100936.	2.3	9
887	Spin-states in MoS <sub>2</sub> thin-film transistors distinguished by operando electron spin resonance. <i>Communications Materials</i> , 2021, 2, .	2.9	7
888	Photoresponse of Stacked, Multilayer MoS <sub>2</sub> Films Assembled from Solution-Processed MoS <sub>2</sub> Flakes. <i>ACS Applied Nano Materials</i> , 2021, 4, 3087-3094.	2.4	0
889	Ionically Connected Floating Electrodes for Long-Distance (>1 mm) Coplanar-Gating Graphene Transistors. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 13541-13547.	4.0	4
890	Multicomponent Blend Systems Used in Organic Field-Effect Transistors: Charge Transport Properties, Large-Area Preparation, and Functional Devices. <i>Chemistry of Materials</i> , 2021, 33, 2229-2257.	3.2	26

#	ARTICLE	IF	CITATIONS
891	Junctionless Electric-Double-Layer TFTs on Paper Substrate. <i>ECS Journal of Solid State Science and Technology</i> , 2021, 10, 045004.	0.9	1
892	Controlling Nanostructure in Inkjet Printed Organic Transistors for Pressure Sensing Applications. <i>Nanomaterials</i> , 2021, 11, 1185.	1.9	7
893	Molecular Orientations at Buried Conducting Polymer/Graphene Interfaces. <i>Macromolecules</i> , 2021, 54, 4050-4060.	2.2	6
894	Suppressing bias stress degradation in high performance solution processed organic transistors operating in air. <i>Nature Communications</i> , 2021, 12, 2352.	5.8	48
895	Ambipolar carbon nanotube transistors with hybrid nanodielectric for low-voltage CMOS-like electronics. <i>Nano Futures</i> , 2021, 5, 025001.	1.0	10
896	Communicationâ€”Phosphoric Acid Based Proton Conducting Polymer Electrolytes for Organic Field Effect Transistor Gate Dielectrics. <i>ECS Journal of Solid State Science and Technology</i> , 2021, 10, 055003.	0.9	2
897	Stretchable and Soft Organicâ€”Ionic Devices for Bodyâ€”Integrated Electronic Systems. <i>Advanced Materials Technologies</i> , 2022, 7, 2001273.	3.0	16
898	Solvent-Cast Solid Electrolyte Membranes Based on a Charged Rigid-Rod Polymer and Ionic Liquids. <i>ACS Applied Energy Materials</i> , 2021, 4, 6599-6605.	2.5	7
899	Block Copolymerâ€”Based Supramolecular Ionogels for Accurate Onâ€”Skin Motion Monitoring. <i>Advanced Functional Materials</i> , 2021, 31, 2102386.	7.8	60
900	Recent advanced applications of ion-gel in ionic-gated transistor. <i>Npj Flexible Electronics</i> , 2021, 5, .	5.1	54
901	Thermally Stable Colorless Copolyimides with a Low Dielectric Constant and Dissipation Factor and Their Organic Field-Effect Transistor Applications. <i>ACS Applied Polymer Materials</i> , 2021, 3, 3153-3163.	2.0	19
903	Ionâ€”Gating Engineering of Organic Semiconductors toward Multifunctional Devices. <i>Advanced Functional Materials</i> , 2021, 31, 2102149.	7.8	13
904	Design and Analysis Comparison of Surface Acoustic Wave-Based Sensors for Fabrication Using Additive Manufacturing. <i>Journal of Nanomaterials</i> , 2021, 2021, 1-12.	1.5	3
905	Recent advances in printable carbon nanotube transistors for large-area active matrices. <i>Journal of Information Display</i> , 2021, 22, 193-209.	2.1	10
906	Reviving the â€”Schottkyâ€”Barrier for Flexible Polymer Dielectrics with a Superior 2D Nanoassembly Coating. <i>Advanced Materials</i> , 2021, 33, e2101374.	11.1	53
907	A Stacked Hybrid Organic/Inorganic Electrochemical Randomâ€”Access Memory for Scalable Implementation. <i>Advanced Electronic Materials</i> , 2022, 8, 2100426.	2.6	7
908	Present status of electric-double-layer thin-film transistors and their applications. <i>Flexible and Printed Electronics</i> , 2021, 6, 043001.	1.5	9
909	Ion Pair Uptake in Ion Gel Devices Based on Organic Mixed Ionicâ€”Electronic Conductors. <i>Advanced Functional Materials</i> , 2021, 31, 2104301.	7.8	35

#	ARTICLE	IF	CITATIONS
910	Strain Sensing by Electrical Capacitive Variation: From Stretchable Materials to Electronic Interfaces. <i>Advanced Electronic Materials</i> , 2021, 7, 2100190.	2.6	17
911	Materials Chemistry, Device Engineering, and Promising Applications of Polymer Transistors. <i>Chemistry of Materials</i> , 2021, 33, 7572-7594.	3.2	10
912	Polymeric Ion Conductors Based on Sono-Polymerized Zwitterionic Polymers for Electrochromic Supercapacitors with Improved Shelf-Life Stability. <i>Macromolecular Rapid Communications</i> , 2021, 42, e2100468.	2.0	6
913	Polythiophene-Based Chemical Sensors: Toward On-Site Supramolecular Analytical Devices. <i>Bulletin of the Chemical Society of Japan</i> , 2021, 94, 2613-2622.	2.0	15
914	Recent Progresses on the High Performance Organic Electrochemical Transistors. <i>Chemical Research in Chinese Universities</i> , 2021, 37, 975-988.	1.3	5
915	Handwritten and Sustainable Electronic Logic Circuits with Fully Printed Paper Transistors. <i>Advanced Materials Technologies</i> , 2021, 6, 2100633.	3.0	10
916	Acrylate-based nanocomposite zirconium-dispersed polymer dielectric for flexible oxide thin-film transistors with a curvature radius of 2Åmm. <i>Organic Electronics</i> , 2021, 98, 106302.	1.4	5
917	High-performance flexible fully-printed all-carbon thin film transistors and ultrasensitive NH <sub>3</sub> sensors. <i>Journal of Materials Chemistry C</i> , 2021, 9, 2133-2144.	2.7	21
918	Electrolyte-Gated Field Effect Transistors in Biological Sensing: A Survey of Electrolytes. <i>IEEE Journal of the Electron Devices Society</i> , 2021, 9, 939-950.	1.2	17
919	Study of short-term synaptic plasticity in Ion-Gel gated graphene electric-double-layer synaptic transistors. <i>Journal of Semiconductors</i> , 2021, 42, 014101.	2.0	6
920	Dielectric materials for electrolyte gated transistor applications. <i>Journal of Materials Chemistry C</i> , 2021, 9, 9348-9376.	2.7	36
921	Healable Cellulose Iontronic Hydrogel Stickers for Sustainable Electronics on Paper. <i>Advanced Electronic Materials</i> , 2021, 7, 2001166.	2.6	14
922	Highly Sensitive Textile-Based Capacitive Pressure Sensors Using PVDF-HFP/Ionic Liquid Composite Films. <i>Sensors</i> , 2021, 21, 442.	2.1	19
923	Endeavor of Iontronics: From Fundamentals to Applications of Ion-Controlled Electronics. <i>Advanced Materials</i> , 2017, 29, 1607054.	11.1	386
924	Solid cross linked-poly(ethylene oxide) electrolyte gate dielectrics for organic thin-film transistors. <i>Journal of Industrial and Engineering Chemistry</i> , 2020, 92, 303-308.	2.9	5
926	Mixed Ion-Carrier Diffusion in Poly(3-hexyl thiophene)/Perchlorate Electrochemical Systems. <i>Journal of Physical Chemistry C</i> , 2021, 125, 536-545.	1.5	8
927	Tunable broadband terahertz absorber based on plasmon hybridization in monolayer graphene ring arrays. <i>Applied Optics</i> , 2020, 59, 11053.	0.9	8
928	Tunable broadband terahertz polarizer using graphene-metal hybrid metasurface. <i>Optics Express</i> , 2019, 27, 33768.	1.7	19

#	ARTICLE	IF	CITATIONS
929	Reconfigurable nanocavity formation in graphene-loaded Si photonic crystal structures. Optics Express, 2019, 27, 37952.	1.7	1
930	Giant dual-mode graphene-based terahertz modulator enabled by Fabry-Perot assisted multiple reflection. Optics Letters, 2019, 44, 1630.	1.7	11
931	Hybridization-induced dual-band tunable graphene metamaterials for sensing. Optical Materials Express, 2019, 9, 35.	1.6	20
933	Influence of Temperature and Pentacene Thickness on the Electrical Parameters in Top Gate Organic Thin Film Transistor. Advances in Materials Physics and Chemistry, 2017, 07, 85-98.	0.3	6
934	Graphene-based field effect transistor with ion-gel film gate. Wuli Xuebao/Acta Physica Sinica, 2019, 68, 097301.	0.2	3
935	Solvent Effects on the Transient Characteristics of Liquid-Gate Field Effect Transistors with Silicon Substrate. Japanese Journal of Applied Physics, 2012, 51, 111803.	0.8	2
936	Emerging iongel materials towards applications in energy and bioelectronics. Materials Horizons, 2021, 8, 3239-3265.	6.4	25
937	Understanding Effects of Ion Diffusion on Charge Carrier Mobility of Electrolyte-Gated Organic Transistor Using Ionic Liquid-Embedded Poly(3-hexylthiophene). Advanced Functional Materials, 2022, 32, 2108215.	7.8	8
938	Electrolyte-gated transistors for enhanced performance bioelectronics. Nature Reviews Methods Primers, 2021, 1, .	11.8	172
939	Substrate and Encapsulation Materials for Printed Flexible Electronics. Springer Series in Materials Science, 2022, , 221-255.	0.4	2
940	Electrochromic Displays. , 2010, , 131-139.		0
941	Polyelectrolyte-Gated Organic Field-Effect Transistors. , 2010, , 193-218.		0
942	Junctionless low-voltage thin-film transistors based on indium-tin-oxide. Wuli Xuebao/Acta Physica Sinica, 2012, 61, 197201.	0.2	6
943	Organic TFTs: Polymers. , 2012, , 709-727.		0
944	The Approach for the Trade-off Study Between Field-effect Mobility and Current on/off Ratio in P3HT Field-effect Transistors. Journal of the Korean Institute of Electrical and Electronic Material Engineers, 2012, 25, 15-19.	0.0	0
945	Plating reliability and high frequency testing of DuPont's GreenTape's 9K7 LTCC. International Symposium on Microelectronics, 2013, 2013, 000678-000682.	0.3	1
946	Organic TFTs: Polymers. , 2015, , 1-19.		0
948	Organic TFTs: Polymers. , 2016, , 1087-1109.		0

#	ARTICLE	IF	CITATIONS
949	Electrical Instability in Pentacene Transistors with Mylar and PMMA/Mylar Gate Dielectrics Transferred by Lamination Process. <i>Journal of Applied Mathematics and Physics</i> , 2016, 04, 1202-1209.	0.2	0
950	Applications of Ionic Liquids in Organic Electronic Devices. <i>RSC Smart Materials</i> , 2017, , 196-233.	0.1	0
951	Wearable Energy Storage Based on Ionic Liquid Gels. <i>RSC Smart Materials</i> , 2017, , 381-415.	0.1	0
952	Thermoreversible Ion Gels From Side-Chain Liquid Crystalline Brushes Diblock Copolymers. , 2017, , 241-263.		0
953	Ultralow-voltage albumen-gated electric-double-layer thin film transistors. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2018, 67, 237302.	0.2	2
955	An effective THz modulator with graphene tuned under low voltage with polyethylene oxide-based electrolytes. , 2019, , .		0
956	Reconfigurable nanocavity formation in graphene-loaded Si photonic crystal structures. <i>Optics Express</i> , 2019, 27, 37952.	1.7	1
957	Flexible Transparent Electric-Double-Layer Junctionless Thin Film Transistors with Low Operating Voltage. <i>ECS Journal of Solid State Science and Technology</i> , 2021, 10, 115003.	0.9	0
958	Ionic liquid gel gate tunable p-Si/MoS2 heterojunction p-n diode. <i>AIP Advances</i> , 2020, 10, 125225.	0.6	3
959	Polymers in molten inorganic salt hydrate phase change materials: solubility and gelation. <i>Journal of Materials Chemistry A</i> , 2021, 9, 25892-25913.	5.2	8
960	Exciton transport in amorphous polymers and the role of morphology and thermalisation. <i>New Journal of Physics</i> , 2021, 23, 113038.	1.2	5
962	Low energy consumption fiber-type memristor array with integrated sensing-memory. <i>Nanoscale Advances</i> , 2022, 4, 1098-1104.	2.2	2
963	Photo-healable ion gel with high mechanical property, fatigue resistance and shear resistance using a coumarin group containing diblock copolymer in an ionic liquid. <i>European Polymer Journal</i> , 2022, 165, 111002.	2.6	5
964	Green electrolyte-based organic electronic devices. , 2022, , 281-295.		5
965	Polymer-solvent interaction and conformational changes at a molecular level: Implication to solvent-assisted deformation and aggregation at the polymer surface. <i>Journal of Colloid and Interface Science</i> , 2022, 616, 221-233.	5.0	7
966	Highly Sensitive and Selective H <sub>2</sub> s Sensors with Ultra-Low Power Consumption Based on Flexible Printed Carbon-Nanotube-Thin-Film-Transistors. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
967	Surface Acoustic Wave Sensing. , 2022, , .		2
968	Flexible neuromorphic transistors for bio-inspired perception application. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2022, , .	0.2	0

#	ARTICLE	IF	CITATIONS
969	Artificial Vision Adaption Mimicked by an Optoelectrical In <sub>2</sub> O <sub>3</sub> Transistor Array. Nano Letters, 2022, 22, 3372-3379.	4.5	56
970	Flexible Pseudocapacitive Iontronic Tactile Sensor Based on Microsphere-Decorated Electrode and Microporous Polymer Electrolyte for Ultrasensitive Pressure Detection. Advanced Electronic Materials, 2022, 8, .	2.6	17
972	Ultralow-Power and Multisensory Artificial Synapse Based on Electrolyte-Gated Vertical Organic Transistors. Advanced Functional Materials, 2022, 32, .	7.8	38
973	Aqueous-processable, naphthalene diimide-based polymers for eco-friendly fabrication of high-performance, n-type organic electrolyte-gated transistors. Science China Chemistry, 2022, 65, 973-978.	4.2	4
974	Highly sensitive and selective H <sub>2</sub> S sensors with ultra-low power consumption based on flexible printed carbon-nanotube-thin-film-transistors. Sensors and Actuators B: Chemical, 2022, 360, 131633.	4.0	16
975	Chiral Optoelectronic Functionalities via DNA-Organic Semiconductor Complex. ACS Nano, 2021, 15, 20353-20363.	7.3	7
977	Printable inks and deformable electronic array devices. Nanoscale Horizons, 2022, 7, 663-681.	4.1	4
978	Sub-3 V, MHz-Class Electrolyte-Gated Transistors and Inverters. ACS Applied Materials & Interfaces, 2022, 14, 21295-21300.	4.0	6
979	Reconfigurable Molecularization of Terahertz Meta-Atoms. ACS Photonics, 2022, 9, 1814-1820.	3.2	6
980	Polymer synaptic transistors from memory to neuromorphic computing. Materials Chemistry and Physics, 2022, 287, 126263.	2.0	7
981	Chain Dynamics and Crystallization Behavior of Poly(ethylene oxide) in Imidazolium-Based Ionic Liquids with Different Cationic Structures. Macromolecules, 0, , .	2.2	1
982	High Performance Organic Electrochemical Transistors and Logic Circuits Manufactured via a Combination of Screen and Aerosol Jet Printing Techniques. Advanced Materials Technologies, 2022, 7, .	3.0	15
983	Nanostructured block copolymer muscles. Nature Nanotechnology, 2022, 17, 752-758.	15.6	53
984	Influence of Gate Voltage Operation on Effective Mobility of Electrolyte-Gated Organic Transistors. Macromolecular Research, 2022, 30, 707-711.	1.0	2
985	Printable ion-gel-gated In <sub>2</sub> O <sub>3</sub> synaptic transistor array for neuro-inspired memory. Applied Physics Letters, 2022, 120, .	1.5	24
986	Low-energy Se ion implantation in MoS <sub>2</sub> monolayers. Npj 2D Materials and Applications, 2022, 6, .	3.9	11
987	67-Invited Paper: Organic Thin-Film Transistor Flexible Hybrid Integration for Low-power Ubiquitous Sensor Systems. Digest of Technical Papers SID International Symposium, 2022, 53, 897-899.	0.1	0
988	Fabrication of Wearable Transistor with All-Graphene Electrodes via Hot Pressing. Polymers, 2022, 14, 2602.	2.0	0

#	ARTICLE	IF	CITATIONS
989	Highly Tunable, Broadband, and Negative Photoresponse MoS <sub>2</sub> Photodetector Driven by Ion-Gel Gate Dielectrics. ACS Applied Materials & Interfaces, 2022, 14, 32412-32419.	4.0	12
990	High Resolution Patterning of Silica Nanoparticle-Based Ionogels by Reverse-offset Printing and its Characterization. Flexible and Printed Electronics, 0, , .	1.5	2
991	3D printed solid-state composite electrodes and electrolytes for high-energy-density flexible microsupercapacitors. Journal of Energy Storage, 2022, 53, 105206.	3.9	3
992	High transconductance and current density in field effect transistors using arrays of bundled semiconducting carbon nanotubes. Applied Physics Letters, 2022, 121, 073504.	1.5	2
993	A Sub-20nm Organic/Inorganic Hybrid Dielectric for Ultralow-Power Organic Thin-Film Transistor (OTFT) With Enhanced Operational Stability. Small, 2022, 18, .	5.2	10
994	Polyurethane (PU) based multifunctional materials: Emerging paradigm for functional textiles, smart, and biomedical applications. Journal of Applied Polymer Science, 2022, 139, .	1.3	19
995	Fluorination-Induced Charge Trapping and Operational Instability in Conjugated-Polymer Field-Effect Transistors. ACS Applied Materials & Interfaces, 2022, 14, 39098-39108.	4.0	7
997	Low-voltage-operation of flexible organic C8-BTBT thin-film transistors with a reactively sputtered AlO <sub>x</sub> gate dielectric. Applied Physics Letters, 2022, 121, .	1.5	10
998	Naphthyl Methylacrylate Block Copolymer Insulators for Application in Pentacene Organic Thin-Film Transistors. ACS Applied Polymer Materials, 2022, 4, 6386-6393.	2.0	1
999	Ionic liquids for electrochemical applications: Correlation between molecular structure and electrochemical stability window. Journal of Molecular Liquids, 2022, 364, 120001.	2.3	27
1000	Brewers <sup>™</sup> spent grain (BSC)-based green dielectric materials for low-voltage operating solution-processed organic field-effect transistors. Journal of Materials Chemistry C, 2022, 10, 15194-15199.	2.7	3
1001	Stable Water-Floating Transistor with Recyclability. Materials Horizons, 0, , .	6.4	0
1002	Inkjet-printed p-type CuBr <sub>2</sub> : wearable thin-film transistors. Materials Advances, 0, , .	2.6	0
1003	Mechanical properties and structures under the deformation of thiophene copolymers with cyclic siloxane units. Polymer Chemistry, 2022, 13, 5536-5544.	1.9	1
1004	Surface Acoustic Wave Sensing. , 2023, , 129-141.		2
1005	Voltage Control of Patterned Metal/Insulator Properties in Oxide/Oxyfluoride Lateral Perovskite Heterostructures via Ion Gel Gating. Advanced Functional Materials, 2022, 32, .	7.8	4
1006	Poly(ionic liquid) dielectric for high performing P- and N-type single walled carbon nanotube transistors. Flexible and Printed Electronics, 2022, 7, 034004.	1.5	4
1007	Nano-Scale Ga <sub>2</sub> O <sub>3</sub> Interface Engineering for High-Performance of ZnO-Based Thin-Film Transistors. ACS Applied Materials & Interfaces, 2022, 14, 41508-41519.	4.0	8

#	ARTICLE	IF	CITATIONS
1008	A comparative study on binary polymer blends comprising rigid planar low-bandgap semiconductor and flexible coil-type insulator. <i>Dyes and Pigments</i> , 2022, , 110890.	2.0	1
1009	Tuning Threshold Voltage of Electrolyte-Gated Transistors by Binary Ion Doping. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 50004-50012.	4.0	6
1010	Aerosol jet printing polymer dispersed liquid crystals on highly curved optical surfaces and edges. <i>Scientific Reports</i> , 2022, 12, .	1.6	8
1011	Ionic dielectrics for fully printed carbon nanotube transistors: impact of composition and induced stresses. <i>Nanoscale</i> , 2022, 14, 16845-16856.	2.8	8
1012	Flexible Electronics and Bioelectronics Devices. <i>Springer Handbooks</i> , 2023, , 959-1018.	0.3	1
1014	Low-Voltage Intrinsically Stretchable Organic Transistor Amplifiers for Ultrasensitive Electrophysiological Signal Detection. <i>Advanced Materials</i> , 2023, 35, .	11.1	7
1015	Reversible Tuning of Superconductivity in Ion-Gated NbN Ultrathin Films by Self-Encapsulation with a High- $\rho$ Dielectric Layer. <i>Physical Review Applied</i> , 2022, 18, .	1.5	1
1016	Monolithic Tandem Vertical Electrochemical Transistors for Printed Multi-Valued Logic. <i>Advanced Materials</i> , 2023, 35, .	11.1	5
1017	Reconfigurable Touch Panel Based on a Conductive Thixotropic Supramolecular Hydrogel. <i>ACS Applied Materials &amp; Interfaces</i> , 2023, 15, 4458-4468.	4.0	6
1018	Solid-State Homojunction Electrochemical Transistors and Logic Gates on Plastic. <i>Advanced Functional Materials</i> , 2023, 33, .	7.8	3
1019	Organic Electrolyte-Gated Transistors. , 2023, , 51-70.		0
1020	All-printed and stretchable organic electrochemical transistors using a hydrogel electrolyte. <i>Nanoscale</i> , 2023, 15, 3263-3272.	2.8	10
1021	Field-Effect Mobility Extraction of Solution-Processed InGaZnO Thin-Film Transistors Considering Dielectric Dispersion Behavior of AlO <sub>3</sub> Gate Insulator. <i>ACS Applied Electronic Materials</i> , 2023, 5, 1035-1040.	2.0	1
1022	4D Printing using Fused Deposited Shape Memory Polymer PLA: A state-of-art Review. , 2022, , .		0
1023	A Flexible Tribotronic Artificial Synapse with Bioinspired Neurosensory Behavior. <i>Nano-Micro Letters</i> , 2023, 15, .	14.4	12
1024	Interfacial Interaction Enables Enhanced Mobility in Hybrid Perovskite-Conjugated Polymer Transistors with High- $k$ Fluorinated Polymer Dielectrics. <i>Macromolecular Rapid Communications</i> , 2023, 44, .	2.0	3
1025	High-mobility electrolyte-gated perovskite transistors on flexible plastic substrate via interface and composition engineering. <i>Applied Surface Science</i> , 2023, 623, 156984.	3.1	5
1026	Ionic Gating for Tuning Electronic and Magnetic Properties. <i>Annual Review of Materials Research</i> , 2023, 53, 25-51.	4.3	2



#	ARTICLE	IF	CITATIONS
1027	Solvent selection in physical supercritical fluid deposition. Journal of Supercritical Fluids, 2023, 198, 105939.	1.6	0
1028	Fully Solution-Processed Enhancement-Mode Complementary Metal-Oxide-Semiconductor Carbon Nanotube Thin Film Transistors Based on $\text{Bi}_3$ -Doped Crosslinked Poly(4-Vinylphenol) Dielectrics for Ultralow-Power Flexible Electronics. Small, 2023, 19, .	5.2	3
1029	Integration of nanomaterial sensing layers on printable organic field effect transistors for highly sensitive and stable biochemical signal conversion. Nanoscale, 2023, 15, 5537-5559.	2.8	5
1030	Full Control of Solid-State Electrolytes for Electrostatic Gating. Advanced Materials, 2023, 35, .	11.1	2
1031	Interfaces between Oxides and Ionic Liquid Investigated by Vacuum Electrochemistry Approach. Vacuum and Surface Science, 2023, 66, 176-181.	0.0	0
1032	Mammalian-brain-inspired neuromorphic motion-cognition nerve achieves cross-modal perceptual enhancement. Nature Communications, 2023, 14, .	5.8	22
1033	Combination of Polymer Gate Dielectric and Two-Dimensional Semiconductor for Emerging Field-Effect Transistors. Polymers, 2023, 15, 1395.	2.0	2
1034	Ionogels: recent advances in design, material properties and emerging biomedical applications. Chemical Society Reviews, 2023, 52, 2497-2527.	18.7	39
1035	Adaptive Ion-Gel: Stimuli-Responsive, and Self-Healing Ion Gels. Chemical Record, 2023, 23, .	2.9	2
1043	3D Printing of Multicomponent Hydrogels for Biomedical Applications. , 2023, , 231-287.		0
1048	Iontronic components: From liquid- to solid-states. Nano Research, 0, , .	5.8	0
1059	Polymer-based Transistor-type Memory and Artificial Synapses. , 2023, , 409-430.		0