

CITATION REPORT

List of articles citing

Painful diabetic neuropathy: epidemiology, natural history, early diagnosis, and treatment options

DOI: 10.1111/j.1526-4637.2007.00347.x
Pain Medicine, 2008, 9, 660-74.

Source: <https://exaly.com/paper-pdf/43677214/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
281	Pathophysiology and treatment of painful diabetic neuropathy. 2008 , 12, 192-7		24
280	Management of painful diabetic neuropathy. 2008 , 9, 2969-78		22
279	Tapentadol immediate release for the relief of moderate-to-severe acute pain. 2009 , 10, 2687-96		28
278	Diabetic neuropathy, part 1: Pharmacology. 2009 , 20, 246-250		1
277	Diabetic neuropathy, part 2: Coping strategies. 2009 , 20, 302-306		
276	Microvascular dysfunction in diabetic foot disease and ulceration. 2009 , 25, 604-14		120
275	Diabetic painful and insensate neuropathy: pathogenesis and potential treatments. 2009 , 6, 638-47		199
274	Neurophysiological tools for small fiber assessment in painful diabetic neuropathy (comment letter). <i>Pain Medicine</i> , 2009 , 10, 601; author reply 602	2.8	4
273	Intravenous immunoglobulin for the treatment of diabetic lumbosacral radiculoplexus neuropathy. <i>Pain Medicine</i> , 2009 , 10, 1476-80	2.8	30
272	Management of diabetic neuropathy by sodium valproate and glyceryl trinitrate spray: a prospective double-blind randomized placebo-controlled study. <i>Diabetes Research and Clinical Practice</i> , 2009 , 83, 371-8	7.4	56
271	Pulsed electromagnetic fields to reduce diabetic neuropathic pain and stimulate neuronal repair: a randomized controlled trial. 2009 , 90, 1102-9		62
270	5% lidocaine medicated plaster versus pregabalin in post-herpetic neuralgia and diabetic polyneuropathy: an open-label, non-inferiority two-stage RCT study. <i>Current Medical Research and Opinion</i> , 2009 , 25, 1663-76	2.5	133
269	Efficacy and safety of 5% lidocaine (lignocaine) medicated plaster in comparison with pregabalin in patients with postherpetic neuralgia and diabetic polyneuropathy: interim analysis from an open-label, two-stage adaptive, randomized, controlled trial. 2009 , 29, 231-41		50
268	1998-2008: les « tops » et les « flops » de la lutte contre la douleur. 2009 , 10, S51-S57		0
267	Efficacy and safety of combination therapy with 5% lidocaine medicated plaster and pregabalin in post-herpetic neuralgia and diabetic polyneuropathy. <i>Current Medical Research and Opinion</i> , 2009 , 25, 1677-87	2.5	78
266	Current world literature. 2009 , 22, 554-61		
265	Current world literature. 2009 , 3, 144-51		

264	Local anesthetic sciatic nerve block and nerve fiber damage in diabetic rats. 2010 , 35, 343-50		57
263	Abnormal calcium homeostasis in peripheral neuropathies. 2010 , 47, 130-9		90
262	Comparison of the efficacy and safety of tramadol/acetaminophen combination therapy and gabapentin in the treatment of painful diabetic neuropathy. <i>Diabetic Medicine</i> , 2010 , 27, 1033-40	3.5	27
261	8.13 Neuropathische Schmerzsyndrome bei Erkrankungen des peripheren Nervensystems. 2010 ,		
260	Duloxetine in the treatment of chronic pain due to fibromyalgia and diabetic neuropathy. 2010 , 4, 1-10		12
259	Importance of pain evaluation for more accurate diagnosis of painful diabetic polyneuropathy. <i>Medicina (Lithuania)</i> , 2010 , 46, 735	3.1	5
258	High-fat diet-induced neuropathy of prediabetes and obesity: effect of PMI-5011, an ethanolic extract of <i>Artemisia dracunculus</i> L. 2010 , 2010, 268547		37
257	New therapeutic and biomarker discovery for peripheral diabetic neuropathy: PARP inhibitor, nitrotyrosine, and tumor necrosis factor- α . 2010 , 151, 2547-55		69
256	Utility of the cutaneous silent period in patients with diabetes mellitus. 2010 , 293, 1-5		14
255	Microneurographic findings of relevance to pain in patients with erythromelalgia and patients with diabetic neuropathy. 2010 , 470, 180-4		45
254	Tapentadol, but not morphine, selectively inhibits disease-related thermal hyperalgesia in a mouse model of diabetic neuropathic pain. 2010 , 470, 91-4		50
253	Long-term pain in cats: how much do we know about this important welfare issue?. 2010 , 12, 188-99		40
252	Emerging drugs for diabetic neuropathy. 2010 , 15, 661-83		34
251	Prevalence of painful diabetic peripheral neuropathy among patients suffering from diabetes mellitus in Saudi Arabia. <i>Current Medical Research and Opinion</i> , 2010 , 26, 337-43	2.5	53
250	Safety and efficacy of tapentadol ER in patients with painful diabetic peripheral neuropathy: results of a randomized-withdrawal, placebo-controlled trial. <i>Current Medical Research and Opinion</i> , 2011 , 27, 151-62	2.5	189
249	Cellular and molecular insights into neuropathy-induced pain hypersensitivity for mechanism-based treatment approaches. 2011 , 67, 282-310		67
248	Antinociceptive effects of combination of tramadol and acetaminophen on painful diabetic neuropathy in streptozotocin-induced diabetic rats. 2011 , 49, 16-20		21
247	Diabetic neuropathy: cellular mechanisms as therapeutic targets. 2011 , 7, 573-83		347

246	The antinociceptive and antihyperalgesic effect of tapentadol is partially retained in OPRM1 (Epioid receptor) knockout mice. 2011 , 491, 104-7		25
245	Tapentadol for multimodal pain management. 2011 , 26, 343-6		6
244	Tapentadol extended-release for treatment of chronic pain: a review. 2011 , 4, 211-8		42
243	Evaluation of PMI-5011, an ethanolic extract of <i>Artemisia dracuncululus</i> L., on peripheral neuropathy in streptozotocin-diabetic mice. 2011 , 27, 299-307		20
242	Diabetic neuropathy enhances voltage-activated Ca ²⁺ channel activity and its control by M4 muscarinic receptors in primary sensory neurons. 2011 , 119, 594-603		41
241	Efficacy of pregabalin for peripheral neuropathic pain: results of an 8-week, flexible-dose, double-blind, placebo-controlled study conducted in China. <i>Clinical Therapeutics</i> , 2011 , 33, 159-66	3.5	48
240	PARP inhibition alleviates diabetes-induced systemic oxidative stress and neural tissue 4-hydroxynonenal adduct accumulation: correlation with peripheral nerve function. 2011 , 50, 1400-9		65
239	Asymptomatic small fiber neuropathy in diabetes mellitus: investigations with intraepidermal nerve fiber density, quantitative sensory testing and laser-evoked potentials. 2011 , 258, 1852-64		67
238	Exploring neuropathic symptoms in a large cohort of Italian patients with different peripheral nervous system diseases. 2011 , 32, 423-6		5
237	Systemic and spinal administration of etanercept, a tumor necrosis factor alpha inhibitor, blocks tactile allodynia in diabetic mice. 2011 , 48, 135-42		43
236	Characterisation of glyoxalase I in a streptozocin-induced mouse model of diabetes with painful and insensate neuropathy. <i>Diabetologia</i> , 2011 , 54, 2174-82	10.3	39
235	Fibromyalgia and neuropathic pain--differences and similarities. A comparison of 3057 patients with diabetic painful neuropathy and fibromyalgia. 2011 , 11, 55		111
234	Painful diabetic neuropathy--new choice of first-line therapy?. 2011 , 7, 381-3		3
233	Increased presynaptic and postsynaptic α -adrenoceptor activity in the spinal dorsal horn in painful diabetic neuropathy. 2011 , 337, 285-92		39
232	Prevalence of painful diabetic peripheral neuropathy among patients with diabetes mellitus in the Middle East region. 2011 , 39, 366-77		62
231	Chronic Disease Management. 2012 , 1134-1164		
230	Acute augmentation of epoxygenated fatty acid levels rapidly reduces pain-related behavior in a rat model of type I diabetes. 2012 , 109, 11390-5		61
229	Applications of whole body vibration therapy in the clinical setting: a brief review. 2012 , 19, 405-413		2

228	Diabetic peripheral neuropathy: should a chaperone accompany our therapeutic approach?. 2012 , 64, 880-900		55
227	Sympathetic blocks provided sustained pain relief in a patient with refractory painful diabetic neuropathy. 2012 , 2012, 285328		9
226	Maladaptive dendritic spine remodeling contributes to diabetic neuropathic pain. 2012 , 32, 6795-807		80
225	Painful diabetic polyneuropathy: approach to diagnosis and management. <i>Clinical Journal of Pain</i> , 2012 , 28, 726-43	3.5	26
224	Prediabetes/early diabetes-associated neuropathy predominantly involves sensory small fibres. 2012 , 17, 341-50		43
223	HIV-associated sensory neuropathy: risk factors and genetics. 2012 , 16, 226-36		50
222	Economic evaluation of duloxetine as a first-line treatment for painful diabetic peripheral neuropathy in Mexico. 2012 , 15, 233-44		10
221	Synthesis and evaluation of novologues as C-terminal Hsp90 inhibitors with cytoprotective activity against sensory neuron glucotoxicity. 2012 , 55, 5797-812		39
220	Streptozotocin-induced diabetic hyperalgesia in rats is associated with upregulation of Toll-like receptor 4 expression. 2012 , 526, 54-8		31
219	Role of oxidative stress and Ca ²⁺ signaling on molecular pathways of neuropathic pain in diabetes: focus on TRP channels. 2012 , 37, 2065-75		105
218	Type 1 Diabetes Mellitus. 2012 , e78-e94		2
217	Topical capsaicin for the treatment of neuropathic pain. 2012 , 10, 168-171		
216	Type 1 Diabetes Mellitus. 2012 , 1475-1489		1
215	Diabetic peripheral neuropathy in type 2 diabetes mellitus in Korea. 2012 , 36, 6-12		24
214	Epidemiology of neuropathic pain and its impact on quality of life. 2012 , 16, 191-8		154
213	Interplay of sorbitol pathway of glucose metabolism, 12/15-lipoxygenase, and mitogen-activated protein kinases in the pathogenesis of diabetic peripheral neuropathy. 2012 , 83, 932-40		28
212	Safety of local anesthetics administered intrathecally in diabetic rats. <i>Pain Medicine</i> , 2012 , 13, 802-7	2.8	12
211	Health care costs in patients with painful diabetic peripheral neuropathy prescribed pregabalin or duloxetine. 2012 , 12, 209-18		7

210	Pharmacological treatment of neuropathic cancer pain: a comprehensive review of the current literature. 2012 , 12, 219-51		77
209	Neurogenic factor-induced Langerhans cell activation in diabetic mice with mechanical allodynia. 2013 , 10, 64		24
208	Increased axonal regeneration and swellings in intraepidermal nerve fibers characterize painful phenotypes of diabetic neuropathy. <i>Journal of Pain</i> , 2013 , 14, 941-7	5.2	67
207	Endoplasmic reticulum stress plays a key role in the pathogenesis of diabetic peripheral neuropathy. 2013 , 62, 944-52		122
206	Adding pregabalin or gabapentin for the management of community-treated patients with painful diabetic peripheral neuropathy: a comparative cost analysis. 2013 , 33, 825-35		5
205	Handbook of nutrition, diet and sleep. 2013 ,		2
204	Type 2 diabetes: A side effect of the adaptation of neurons and fat cells to support increased cognitive performance. 2013 , 80, 176-85		1
203	Diabetic neuropathic pain development in type 2 diabetic mouse model and the prophylactic and therapeutic effects of coenzyme Q10. 2013 , 58, 169-78		32
202	Case study: use of vibration therapy in the treatment of diabetic peripheral small fiber neuropathy. <i>Journal of Bodywork and Movement Therapies</i> , 2013 , 17, 235-8	1.6	18
201	Whole body vibration therapy for painful diabetic peripheral neuropathy: a pilot study. <i>Journal of Bodywork and Movement Therapies</i> , 2013 , 17, 518-22	1.6	37
200	Specific functioning of Cav3.2 T-type calcium and TRPV1 channels under different types of STZ-diabetic neuropathy. 2013 , 1832, 636-49		46
199	Biology and Pathophysiology of Painful Diabetic Neuropathy. 2013 , 13-26		3
198	Endoplasmic reticulum stress contributes to prediabetic peripheral neuropathy. 2013 , 247, 342-8		48
197	Relationship between noradrenaline release in the locus coeruleus and antiallodynic efficacy of analgesics in rats with painful diabetic neuropathy. 2013 , 92, 1138-44		13
196	Novel pathogenic pathways in diabetic neuropathy. 2013 , 36, 439-49		87
195	Painful diabetic neuropathy management. 2013 , 11, 77-9		7
194	Advances in Pharmaceutical Options and Current Clinical Trials for the Treatment of Painful Diabetic Polyneuropathy. 2013 , 121-138		1
193	Epidemiology and Scope of Impact of Painful Diabetic Neuropathy. 2013 , 3-9		1

192	Diabetic neuropathy. 2013 , 3, 332		2
191	Incidence of diabetic peripheral neuropathic pain in primary care - a retrospective cohort study using the United Kingdom General Practice Research Database. 2013 , 4, 27-37		4
190	Transforming pain medicine: adapting to science and society. 2013 , 17, 1109-25		22
189	Coenzyme Q10 prevents peripheral neuropathy and attenuates neuron loss in the db-/db- mouse, a type 2 diabetes model. 2013 , 110, 690-5		46
188	Targeted delivery of growth factors by HSV-mediated gene transfer for peripheral neuropathy. 2013 , 13, 315-21		3
187	From Animal Models to Clinical Practicality: Lessons Learned from Current Translational Progress of Diabetic Peripheral Neuropathy. 2013 ,		
186	Spatio-temporal expression and functional involvement of transient receptor potential vanilloid 1 in diabetic mechanical allodynia in rats. <i>PLoS ONE</i> , 2014 , 9, e102052	3-7	24
185	Genetic Risk Factors for Diabetic Neuropathy. 2014 , 63-68		
184	Building a diagnostic algorithm on localized neuropathic pain (LNP) and targeted topical treatment: focus on 5% lidocaine-medicated plaster. 2014 , 10, 259-68		16
183	Chronic pain in type 2 diabetic patients: a cross-sectional study in primary care setting. 2014 , 20, 260-7		17
182	Prevalence of diabetic peripheral neuropathy in Iran: a systematic review and meta-analysis. 2014 , 13, 97		36
181	Animal models of diabetic neuropathic pain. 2014 , 122, 100-6		36
180	Prevalence and risk factors of development of peripheral diabetic neuropathy in type 2 diabetes mellitus in a tertiary care setting. 2014 , 5, 714-21		77
179	Nociceptive neurons differentially express fast and slow T-type Ca ²⁺ currents in different types of diabetic neuropathy. 2014 , 2014, 938235		6
178	Pregabalin in patients with inadequately treated painful diabetic peripheral neuropathy: a randomized withdrawal trial. <i>Clinical Journal of Pain</i> , 2014 , 30, 379-90	3-5	35
177	Targeting of CaV3.2 T-type calcium channels in peripheral sensory neurons for the treatment of painful diabetic neuropathy. 2014 , 466, 701-6		44
176	Activated microglia in the spinal cord underlies diabetic neuropathic pain. 2014 , 728, 59-66		81
175	Persistent mechanical allodynia positively correlates with an increase in activated microglia and increased P-p38 mitogen-activated protein kinase activation in streptozotocin-induced diabetic rats. 2014 , 18, 162-73		42

174	Diabetic peripheral neuropathy: current perspective and future directions. 2014 , 80, 21-35		197
173	[Atypical neuropathies associated with diabetes]. 2014 , 170, 837-42		2
172	Optimized inhibitors of soluble epoxide hydrolase improve in vitro target residence time and in vivo efficacy. 2014 , 57, 7016-30		67
171	The role of sodium channels in painful diabetic and idiopathic neuropathy. 2014 , 14, 538		26
170	Efficacy and safety of mirogabalin (DS-5565) for the treatment of diabetic peripheral neuropathic pain: a randomized, double-blind, placebo- and active comparator-controlled, adaptive proof-of-concept phase 2 study. 2014 , 37, 3253-61		58
169	PKC-mediated HuD-GAP43 pathway activation in a mouse model of antiretroviral painful neuropathy. 2014 , 81, 44-53		24
168	The effects of intraganglionic injection of calcium/calmodulin-dependent protein kinase II inhibitors on pain-related behavior in diabetic neuropathy. 2014 , 256, 302-8		17
167	Exercise-induced modulation of pain in adults with and without painful diabetic neuropathy. <i>Journal of Pain</i> , 2014 , 15, 656-63	5.2	18
166	Fentanyl produces an anti-hyperalgesic effect through the suppression of sodium channels in mice with painful diabetic neuropathy. 2014 , 733, 68-74		3
165	Neuropathic cancer pain: What we are dealing with? How to manage it?. 2014 , 7, 599-618		23
164	Pathophysiology and principles of management of the many faces of the acute vaso-occlusive crisis in patients with sickle cell disease. 2015 , 95, 113-23		23
163	Upregulation of T-type Ca ²⁺ channels in long-term diabetes determines increased excitability of a specific type of capsaicin-insensitive DRG neurons. 2015 , 11, 29		25
162	Opioid use in the management of diabetic peripheral neuropathy (DPN) in a large commercially insured population. <i>Clinical Journal of Pain</i> , 2015 , 31, 414-24	3.5	24
161	The role of physical activity and psychological coping strategies in the management of painful diabetic neuropathy--A systematic review of the literature. 2015 , 101, 319-26		18
160	Tapentadol extended release in the management of peripheral diabetic neuropathic pain. 2015 , 11, 95-105		31
159	The furoxan nitric oxide donor, PRG150, evokes dose-dependent analgesia in a rat model of painful diabetic neuropathy. 2015 , 42, 921-929		12
158	Mindfulness: Enhancing physical and mental wellbeing. 2015 , 26, 450-453		5
157	Efficacy and safety of pregabalin for treating painful diabetic peripheral neuropathy: a meta-analysis. 2015 , 59, 147-59		26

156	Sensory manifestations of diabetic neuropathies: anatomical and clinical correlations. 2015 , 39, 7-16	18
155	A pooled analysis evaluating the efficacy and tolerability of tapentadol extended release for chronic, painful diabetic peripheral neuropathy. 2015 , 35, 95-108	30
154	Pain reports in children and adolescents with type 1 diabetes mellitus. 2015 , 19, 43-52	4
153	Double-blind, placebo-controlled study of HGF gene therapy in diabetic neuropathy. 2015 , 2, 465-78	51
152	A Clinical Evaluation of Postamputation Phenomena Including Phantom Limb Pain after Lower Limb Amputation in Dysvascular Patients. 2015 , 16, 561-9	22
151	Influence of nitric oxide synthase or cyclooxygenase inhibitors on cannabinoids activity in streptozotocin-induced neuropathy. 2015 , 67, 209-16	14
150	Nociceptive spinal cord neurons of laminae I-III exhibit oxidative stress damage during diabetic neuropathy which is prevented by early antioxidant treatment with epigallocatechin-gallate (EGCG). 2015 , 110, 68-75	35
149	Treatment-induced neuropathy of diabetes: an acute, iatrogenic complication of diabetes. 2015 , 138, 43-52	148
148	Screening and treatment by the primary care provider of common diabetes complications. 2015 , 99, 201-19	13
147	Case study: Use of vibration therapy in the treatment of diabetic peripheral small fiber neuropathy. 2015 , 3, 72-75	7
146	Central or peripheral delivery of an adenosine A1 receptor agonist improves mechanical allodynia in a mouse model of painful diabetic neuropathy. 2015 , 285, 312-23	26
145	Prevalence and clinical characteristics of blepharoptosis in patients with diabetes in the Korea National Health and Nutrition Examination Survey (KNHANES) 2009-2010. 2015 , 48, 504-10	6
144	Chronic pain patients' treatment preferences: a discrete-choice experiment. 2015 , 16, 613-28	16
143	Synthesis, solubility, plasma stability, and pharmacological evaluation of novel sulfonylhydrazones designed as anti-diabetic agents. 2016 , 10, 2869-2879	9
142	The topical 5% lidocaine medicated plaster in localized neuropathic pain: a reappraisal of the clinical evidence. 2016 , 9, 67-79	21
141	TNF Block Gene Variants Associate With Pain Intensity in Black Southern Africans With HIV-associated Sensory Neuropathy. <i>Clinical Journal of Pain</i> , 2016 , 32, 45-50	3.5 14
140	Pregabalin in Patients With Painful Diabetic Peripheral Neuropathy Using an NSAID for Other Pain Conditions: A Double-Blind Crossover Study. <i>Clinical Journal of Pain</i> , 2016 , 32, 203-10	3.5 22
139	Insulin neuritis in pregnancy. 2016 , 33, 281-283	0

138	Validation of neuropathic pain assessment tools among Chinese patients with painful diabetic peripheral neuropathy. 2016 , 3, 139-145		3
137	Painful Diabetic Neuropathy: Prevention or Suppression?. 2016 , 127, 211-25		10
136	Pain and Kidney Function Decline and Mortality: A Cohort Study of US Veterans. 2016 , 68, 240-246		18
135	Prevalence, discomfort and self-relief behaviours of painful diabetic neuropathy in Taiwan: a cross-sectional study. <i>BMJ Open</i> , 2016 , 6, e011897	3	11
134	Standards of care for type 2 diabetes in China. 2016 , 32, 442-58		185
133	Physiological and psychological challenges of increasing physical activity and exercise in patients at risk of diabetic foot ulcers: a critical review. 2016 , 32, 791-804		30
132	Resting-state functional MR imaging shed insights into the brain of diabetes. 2016 , 31, 993-1002		14
131	Involvement of Spinal Angiotensin II System in Streptozotocin-Induced Diabetic Neuropathic Pain in Mice. 2016 , 90, 205-13		23
130	Endothelial Dysfunction as a Link Between Cardiovascular Risk Factors and Peripheral Neuropathy in Diabetes. 2016 , 101, 3401-8		43
129	Diabetes mellitus in classical trigeminal neuralgia: A predisposing factor for its development. 2016 , 151, 70-72		9
128	What role for capsaicin in diabetic peripheral neuropathy?. 2016 , 54, 90-3		2
127	Topical <i>Citrullus colocynthis</i> (bitter apple) extract oil in painful diabetic neuropathy: A double-blind randomized placebo-controlled clinical trial. <i>Journal of Diabetes</i> , 2016 , 8, 246-52	3.8	45
126	Current Ideas on the Treatment Of Diabetic Neuropathies. 2016 , 11, 187-195		5
125	Pain in the Elderly. 2016 , 20, 23		41
124	Reproducibility of axon reflex-related vasodilation assessed by dynamic thermal imaging in healthy subjects. 2016 , 106, 1-7		14
123	Long-Term Outcomes in the Management of Painful Diabetic Neuropathy. 2017 , 44, 337-342		7
122	Antinociceptive interaction of gabapentin with minocycline in murine diabetic neuropathy. 2017 , 25, 91-97		10
121	Effects of monochromatic infrared phototherapy in patients with diabetic peripheral neuropathy: a systematic review and meta-analysis of randomized controlled trials. 2017 , 21, 233-243		4

120	Efficient conditioned pain modulation despite pain persistence in painful diabetic neuropathy. 2017 , 2, e592		17
119	Perceptions of Painful Diabetic Peripheral Neuropathy in South-East Asia: Results from Patient and Physician Surveys. 2017 , 34, 1426-1437		19
118	Capsaicin 8% Patch Versus Oral Neuropathic Pain Medications for the Treatment of Painful Diabetic Peripheral Neuropathy: A Systematic Literature Review and Network Meta-analysis. <i>Clinical Therapeutics</i> , 2017 , 39, 787-803.e18	3.5	41
117	Neuropatia nei diabetici. 2017 , 17, 1-10		
116	Assessment of patient medication adherence among the type 2 diabetes mellitus population with peripheral diabetic neuropathy in South India. 2017 , 12, 164-168		3
115	Assessment of diabetic neuropathy with emission tomography and magnetic resonance spectroscopy. 2017 , 38, 275-284		5
114	Effects of articaine on [H]noradrenaline release from cortical and spinal cord slices prepared from normal and streptozotocin-induced diabetic rats and compared to lidocaine. 2017 , 135, 157-162		11
113	Synthesis and diabetic neuropathic pain-alleviating effects of 2N-(pyrazol-3-yl)methylbenzo[d]isothiazole-1,1-dioxide derivatives. <i>Bioorganic and Medicinal Chemistry</i> , 2017 , 25, 4677-4685	3.4	4
112	Altered expression of glial markers, chemokines, and opioid receptors in the spinal cord of type 2 diabetic monkeys. 2017 , 1863, 274-283		17
111	Electrical stimulation of the posterior tibial nerve reduces neuropathic pain in patients with polyneuropathy. 2017 , 10, 2717-2723		5
110	Neural Mobilization Attenuates Mechanical Allodynia and Decreases Proinflammatory Cytokine Concentrations in Rats With Painful Diabetic Neuropathy. 2018 , 98, 214-222		12
109	Characterization of the Nile Grass Rat as a Unique Model for Type 2 Diabetic Polyneuropathy. 2018 , 77, 469-478		5
108	Text Messaging to Improve Disease Management in Patients With Painful Diabetic Peripheral Neuropathy. 2018 , 44, 237-248		10
107	Morphine hyposensitivity in streptozotocin-diabetic rats: Reversal by dietary L-arginine treatment. 2018 , 45, 42-49		5
106	Does Microangiopathy Contribute to the Pathogenesis of the Diabetic Foot Syndrome?. 2018 , 70-82		0
105	Assessment and manifestation of central sensitisation across different chronic pain conditions. 2018 , 22, 216-241		250
104	Detection of pain with neuropathic characteristics in patients with diabetes mellitus assisted in primary care units. 2018 , 1,		0
103	Diabetes and the Nervous System. <i>Endocrinology</i> , 2018 , 1-82	0.1	1

102	Improvement of Quality of Life in Patients with Peripheral Neuropathy Treated with a Fixed Dose Combination of High-Dose Vitamin B1, B6 and B12: Results from a 12-week Prospective Non-interventional Study in Indonesia. 2018 , 08,		1
101	Multicentre, double-blind, crossover trial to identify the Optimal Pathway for Treating neuropathic pain in Diabetes Mellitus (OPTION-DM): study protocol for a randomised controlled trial. <i>Trials</i> , 2018 , 19, 578	2.8	8
100	Decompression nerve surgery for diabetic neuropathy: a structured review of published clinical trials. 2018 , 11, 493-514		10
99	Coadministration of probenecid and cimetidine with mirogabalin in healthy subjects: A phase 1, randomized, open-label, drug-drug interaction study. 2018 , 84, 2317-2324		9
98	Diabetes and the Nervous System. <i>Endocrinology</i> , 2018 , 1-80	0.1	
97	Insulin receptor regulates the persistence of injury-induced nociceptive sensitization. 2018 , 11,		12
96	An Assessment of Clinically Important Differences on the Worst Pain Severity Item of the Modified Brief Pain Inventory in Patients with Diabetic Peripheral Neuropathic Pain. 2018 , 2018, 2140420		3
95	The selective TRPV4 channel antagonist HC-067047 attenuates mechanical allodynia in diabetic mice. 2019 , 856, 172408		13
94	Nitric oxide modulates Ebpioid receptor function in vitro. 2019 , 46, 676-685		5
93	Short- and Long-Term Outcome of Systemic Lupus Erythematosus Peripheral Neuropathy: Bimodal Pattern of Onset and Treatment Response. 2021 , 27, S212-S216		6
92	Ameliorative Effects Of N-Acetylcysteine As Adjunct Therapy On Symptoms Of Painful Diabetic Neuropathy. 2019 , 12, 3147-3159		5
91	Anti-hypersensitive effect of angiotensin (1-7) on streptozotocin-induced diabetic neuropathic pain in mice. 2019 , 23, 739-749		18
90	A cross-sectional study to estimate the point prevalence of painful diabetic neuropathy in Eastern Libya. 2019 , 19, 78		13
89	Effective Treatments for Pain in the Older Patient. 2019 ,		
88	Predictive model to identify the risk of losing protective sensibility of the foot in patients with diabetes mellitus. 2020 , 17, 220-227		11
87	Diabetic polyneuropathy and pain, prevalence, and patient characteristics: a cross-sectional questionnaire study of 5,514 patients with recently diagnosed type 2 diabetes. <i>Pain</i> , 2020 , 161, 574-583 ⁸		31
86	The efficacy of vitamin D supplementation on painful diabetic neuropathy: Protocol for a systematic review and meta-analysis. 2020 , 99, e20871		3
85	Treatment with Tang-luo-ning altered the microRNA expression profile in rats with diabetic peripheral neuropathy. 2020 , 11, 841-851		4

84	Continuous Lumbar Sympathetic Blockade Enhances the Effect of Lumbar Sympatholysis on Refractory Diabetic Neuropathy: A Randomized Controlled Trial. 2020 , 11, 2647-2655		2
83	Prevalence and associated factors of painful diabetic peripheral neuropathy among diabetic patients on follow up at Jimma University Medical Center. 2020 , 19, 1407-1413		0
82	The ceramide-S1P pathway as a druggable target to alleviate peripheral neuropathic pain. 2020 , 24, 869-884		3
81	Upregulation of miR-133a-3p in the Sciatic Nerve Contributes to Neuropathic Pain Development. <i>Molecular Neurobiology</i> , 2020 , 57, 3931-3942	6.2	10
80	"It Gave Me Hope" Experiences of Diverse Safety Net Patients in a Group Acupuncture Intervention for Painful Diabetic Neuropathy. <i>Health Equity</i> , 2020 , 4, 225-231	3.1	2
79	Recent Epidemiological Status of Ocular and Other Major Complications Related to Diabetes Mellitus in Japan. <i>Ophthalmologica</i> , 2020 , 243, 404-412	3.7	3
78	Whole body vibration improves symptoms of diabetic peripheral neuropathy. <i>Journal of Bodywork and Movement Therapies</i> , 2020 , 24, 1-3	1.6	4
77	Comprehensive Review of Cardiovascular Diseases, Diabetes, and Hypercholesterolemia in Lebanon. <i>Cardiology in Review</i> , 2020 , 28, 73-83	3.2	3
76	Treating Pain in Diabetic Neuropathy: Current and Developmental Drugs. <i>Drugs</i> , 2020 , 80, 363-384	12.1	27
75	Esophageal Dysphagia and Recurrent Aspiration From Treatment-Induced Neuropathy of Diabetes in an Adult Patient With Type 1 Diabetes. <i>Canadian Journal of Diabetes</i> , 2021 , 45, 105-107.e1	2.1	4
74	Early Detection of Diabetic Peripheral Neuropathy: A Focus on Small Nerve Fibres. <i>Diagnostics</i> , 2021 , 11,	3.8	14
73	Loss of POMC-mediated antinociception contributes to painful diabetic neuropathy. <i>Nature Communications</i> , 2021 , 12, 426	17.4	6
72	A Review on Diabetic Peripheral Neuropathy. <i>Journal of Drug Delivery and Therapeutics</i> , 2021 , 11, 121-125	5.3	0
71	Gender differences in activity-limiting pain trajectories over a 17-year period in the Mexican Health and Aging Study. <i>Pain</i> , 2021 ,	8	2
70	Novel and Emerging Electrophysiological Biomarkers of Diabetic Neuropathy and Painful Diabetic Neuropathy. <i>Clinical Therapeutics</i> , 2021 , 43, 1441-1456	3.5	4
69	Diabetic neuropathy. 2021 , 155-161		
68	A Better Touch: C-tactile Fibers Related Activity is Associated to Pain Reduction During Temporal Summation of Second Pain. <i>Journal of Pain</i> , 2021 , 22, 567-576	5.2	5
67	Simple Quantitative Sensory Testing Reveals Paradoxical Co-existence of Hypoesthesia and Hyperalgesia in Diabetes.. <i>Frontiers in Pain Research</i> , 2021 , 2, 701172	1.4	

66	Efficacy and safety of low-dose naltrexone in painful diabetic neuropathy: A randomized, double-blind, active-control, crossover clinical trial. <i>Journal of Diabetes</i> , 2021 , 13, 770-778	3.8	1
65	Targeting T-type/CaV3.2 channels for chronic pain. <i>Translational Research</i> , 2021 , 234, 20-30	11	6
64	Study on acupuncture in the treatment of painful diabetic peripheral neuropathy based on rs-fMRI: a protocol for systematic review and meta-analysis. <i>BMJ Open</i> , 2021 , 11, e055874	3	
63	Painful Diabetic Peripheral Neuropathy Study of Chinese Outpatients (PDNSCOPE): A Multicentre Cross-Sectional Registry Study of Clinical Characteristics and Treatment in Mainland China. <i>Pain and Therapy</i> , 2021 , 10, 1355-1373	3.6	2
62	Neuron-specific biomarkers predict hypo- and hyperalgesia in individuals with diabetic peripheral neuropathy. <i>Diabetologia</i> , 2021 , 64, 2843-2855	10.3	6
61	Diabetes and the Nervous System. <i>Endocrinology</i> , 2020 , 275-353	0.1	1
60	Diabetes and the Nervous System. <i>Endocrinology</i> , 2018 , 275-353	0.1	1
59	Preparation and evaluation of soluble epoxide hydrolase inhibitors with improved physical properties and potencies for treating diabetic neuropathic pain. <i>Bioorganic and Medicinal Chemistry</i> , 2020 , 28, 115735	3.4	8
58	Safety and efficacy of tapentadol ER in patients with painful diabetic peripheral neuropathy: results of a randomized-withdrawal, placebo-controlled trial. <i>Current Medical Research and Opinion</i> , 151-162	2.5	1
57	Knowledge, Perceptions and Attitudes toward Chronic Pain and Its Management: A Cross-Sectional Survey of Frontline Pharmacists in Ontario, Canada. <i>PLoS ONE</i> , 2016 , 11, e0157151	3.7	16
56	[Specific features of neurological complications developing in patients with type 2 diabetes mellitus and metabolic syndrome: possibility for correction and prevention]. <i>Terapevticheskii Arkhiv</i> , 2015 , 87, 109-114	0.9	3
55	microRNA-9 and -29a regulate the progression of diabetic peripheral neuropathy ISL1-mediated sonic hedgehog signaling pathway. <i>Aging</i> , 2020 , 12, 11446-11465	5.6	9
54	Association of myelinated primary afferents impairment with mechanical allodynia in diabetic peripheral neuropathy: an experimental study in rats. <i>Oncotarget</i> , 2017 , 8, 64157-64169	3.3	5
53	Treatment of Diabetic Cardiovascular Autonomic, Peripheral and Painful Neuropathy. Focus on the Treatment of Cardiovascular Autonomic Neuropathy with ACE Inhibitors. <i>Current Vascular Pharmacology</i> , 2020 , 18, 158-171	3.3	5
52	Comparison of Efficacy of Nortriptyline Versus Transcutaneous Electrical Nerve Stimulation on Painful Peripheral Neuropathy in Patients with Diabetes. <i>Romanian Journal of Diabetes Nutrition and Metabolic Diseases</i> , 2019 , 26, 401-411	0.2	1
51	Glycosylation of Ca3.2 Channels Contributes to the Hyperalgesia in Peripheral Neuropathy of Type 1 Diabetes. <i>Frontiers in Cellular Neuroscience</i> , 2020 , 14, 605312	6.1	9
50	Neuroprotective Effects of Protocatechuic Acid in Diabetes Induced Neuropathic Pain. <i>American Journal of Biochemistry and Molecular Biology</i> , 2017 , 7, 111-117	0.3	3
49	The Effectiveness and Cost-effectiveness of Pregabalin in the Treatment of Diabetic Peripheral Neuropathy: A Systematic Review and Economic Model. <i>International Journal of Pharmacology</i> , 2012 , 8, 490-495	0.7	3

48	Angiogenin gene polymorphism: A risk factor for diabetic peripheral neuropathy in the northern Chinese Han population. <i>Neural Regeneration Research</i> , 2013 , 8, 3434-40	4.5	5
47	No difference in pain reduction after epidural steroid injections in diabetic versus nondiabetic patients: A retrospective cohort study. <i>Journal of Anaesthesiology Clinical Pharmacology</i> , 2016 , 32, 84-8	1.3	2
46	Painful Diabetic Peripheral Neuropathy among Saudi Diabetic Patients is Common but Under-recognized: Multicenter Cross-sectional study at primary health care setting. <i>Journal of Family and Community Medicine</i> , 2018 , 25, 43-47	2	9
45	Painful Diabetic Peripheral Neuropathy: Presentations, Mechanisms, and Exercise Therapy. <i>Journal of Diabetes & Metabolism</i> , 2013 , Suppl 10,	0	9
44	12/15-Lipoxygenase inhibition counteracts MAPK phosphorylation in mouse and cell culture models of diabetic peripheral neuropathy. <i>Journal of Diabetes Mellitus</i> , 2013 , 3,	0.5	14
43	Comparative Efficacy of Duloxetine Versus Nortriptyline in Patients with Diabetic Peripheral Neuropathic Pain: A Double Blind Randomized Controlled Trial. <i>Iranian Red Crescent Medical Journal</i> , 2017 , 19,	1.3	2
42	Frequency Rhythmic Electrical Modulation System (FREMS) to alleviate painful diabetic peripheral neuropathy: A pilot, randomised controlled trial (The FREMSTOP study). <i>Diabetic Medicine</i> , 2021 , e14710	3.5	0
41	Does TENS Reduce the Intensity of Acute and Chronic Pain? A Comprehensive Appraisal of the Characteristics and Outcomes of 169 Reviews and 49 Meta-Analyses. <i>Medicina (Lithuania)</i> , 2021 , 57,	3.1	2
40	Diabetic Neuropathy. 129-135		
39	Neuropathic Pain. 2011 , 515-544		
38	The Relationship between Neuropathic Pain and Glycemic Control, Self Management in Type II Diabetes Mellitus Patients. <i>Journal of the Korea Academia-Industrial Cooperation Society</i> , 2013 , 14, 1774-1780		1
37	Oxidative Stress and Diabetes. 2014 , 3283-3317		
36	Duloxetine for the treatment of painful diabetic peripheral neuropathy in Venezuela: economic evaluation. <i>Medwave</i> , 2015 , 15, e6265	2.5	2
35	Evaluation of Effect of Nishamalaki on STZ and HFHF Diet Induced Diabetic Neuropathy in Wistar Rats. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2016 , 10, FF01-FF05	0	4
34	A PROSPECTIVE, RANDOMISED, COMPARATIVE STUDY OF EFFICACY AND SAFETY OF PREGABALIN, DULOXETINE AND AMITRIPTYLINE IN PATIENTS OF PAINFUL DIABETIC NEUROPATHY IN A TERTIARY CARE TEACHING HOSPITAL IN RURAL BENGAL. <i>Journal of Evolution of Medical and Dental Sciences</i> , 2016 , 5, 2025-2029	0.1	
33	Specific Conditions Causing Persistent Pain in Older Adults. 2019 , 71-107		
32	Diabetes and the Nervous System. <i>Endocrinology</i> , 2019 , 1-79	0.1	
31	Diabetic Neuropathy. 2019 , 31-52		

30	The Application of Exercise Training for Diabetic Peripheral Neuropathy. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	3
29	Prevalence of painful diabetic peripheral neuropathy and its impact on quality of life among diabetic patients in Western region, Saudi Arabia. <i>Journal of Family Medicine and Primary Care</i> , 2020 , 9, 4897-4903	1.5	2
28	Chromosomal Aberrations and Exon 1 Mutation in the AKR1B1 Gene in Patients with Diabetic Neuropathy. <i>Ochsner Journal</i> , 2014 , 14, 339-42	1.5	5
27	Prevalence and Its Associated Determinants of Diabetic Peripheral Neuropathy (DPN) in Individuals Having Type-2 Diabetes Mellitus in Rural South India. <i>Indian Journal of Community Medicine</i> , 2019 , 44, 88-91	0.8	15
26	Analysis of risk factors of diabetes peripheral neuropathy in type 2 diabetes mellitus and nursing intervention. <i>Experimental and Therapeutic Medicine</i> , 2020 , 20, 127	2.1	1
25	regulates diabetes-induced mechanical nociceptive hypersensitivity. <i>MicroPublication Biology</i> , 2021 , 2021,	0.8	
24	Evaluation in Diagnosis and Management of Diabetic Neuropathy. <i>Journal of Diabetes Mellitus</i> , 2021 , 11, 348-353	0.5	
23	Multimodal cerebral imaging study on the effects of "Adjust Zang Dredge Meridian" electroacupuncture on cerebral central sensitization in PDPN patients: a study protocol for a sham-controlled, randomized trial. <i>Trials</i> , 2021 , 22, 799	2.8	
22	References bibliographiques. 2016 , 515-562		
21	Analysis of risk factors of diabetes peripheral neuropathy in type 2 diabetes mellitus and nursing intervention. <i>Experimental and Therapeutic Medicine</i> , 2020 , 20, 1-1	2.1	2
20	FeTMPyP a peroxynitrite decomposition catalyst ameliorated functional and behavioral deficits in chronic constriction injury induced neuropathic pain in rats.. <i>Free Radical Research</i> , 2022 , 1-13	4	0
19	Central nervous system involvement in diabetic peripheral neuropathy. 2022 , 91-101		
18	Bedside clinical features and translational snapshots of diabetic polyneuropathy. 2022 , 349-365		
17	Spinal cord involvement in diabetic neuropathy and neuropathic pain. 2022 , 103-122		
16	Efficacy and Safety of a New Sustained-released Pregabalin Formulation Compared with Immediate-release Pregabalin in Patients with Peripheral Neuropathic Pain: A Randomized Non-inferiority Phase 3 Trial.. <i>Clinical Journal of Pain</i> , 2022 , 38,	3.5	0
15	Painful Diabetic Neuropathy as a Cause for Refractory Ear Pain in Type 2 Diabetic Patients.. <i>Otology and Neurotology</i> , 2022 ,	2.6	
14	Prevention of Peripheral Distal Polyneuropathy in Patients with Diabetes: A Systematic Review.. <i>Journal of Clinical Medicine</i> , 2022 , 11,	5.1	
13	Role of Mechanoinsensitive Nociceptors in Painful Diabetic Peripheral Neuropathy. <i>Current Diabetes Reviews</i> , 2021 ,	2.7	

12	Genome-Wide Association Study of 2,093 Cases With Idiopathic Polyneuropathy and 445,256 Controls Identifies First Susceptibility Loci.. <i>Frontiers in Neurology</i> , 2021 , 12, 789093	4.1	0
11	An overview of painful diabetic peripheral neuropathy: diagnosis and treatment advancements.. <i>Diabetes Research and Clinical Practice</i> , 2022 , 109928	7.4	3
10	Neuroinflammation Involved in Diabetes-Related Pain and Itch. <i>Frontiers in Pharmacology</i> , 13,	5.6	0
9	Effects of Neural Mobilization on Sensory Dysfunction and Peripheral Nerve Degeneration in Rats with Painful Diabetic Neuropathy.		
8	Evaluation of a polymer coated nanoparticle cream formulation of resiniferatoxin for the treatment of painful diabetic peripheral neuropathy. 2022 , Publish Ahead of Print,		
7	Sleep Disorders and Diabetes. 2022 , 23, 185-191		0
6	Optimal pharmacotherapy pathway in adults with diabetic peripheral neuropathic pain: the OPTION-DM RCT. 2022 , 26, 1-100		0
5	Safety and efficacy of duloxetine versus gabapentin in painful diabetic polyneuropathy. 2023 , 7, 223-227		0
4	Excitatory and inhibitory neuronal signaling in inflammatory and diabetic neuropathic pain. 2023 , 29,		0
3	The efficacy and safety of Chinese herbal medicine in the treatment of painful diabetic neuropathy: A systematic review and meta-analysis. 14,		0
2	Central Nervous System Involvement in Painful Diabetic Neuropathy. 2023 , 427-438		0
1	Screening for diabetic peripheral neuropathy in resource-limited settings. 2023 , 15,		0