

Triptolide inhibits COX ϵ 2 expression and PGE₂ activity of NF ϵ B and JNK in LPS-treated microglia

Journal of Neurochemistry

107, 779-788

DOI: [10.1111/j.1471-4159.2008.05653.x](https://doi.org/10.1111/j.1471-4159.2008.05653.x)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Neuroprotective effects of the new diterpene, CBNU06 against beta-amyloid-induced toxicity through the inhibition of NF-kappaB signaling pathway in PC12 cells. <i>European Journal of Pharmacology</i> , 2009, 622, 25-31.	1.7	23
2	Expression of cyclooxygenase-2 and microsomal prostaglandin synthase in amoeboid microglial cells in the developing brain and effects of cyclooxygenase-2 neutralization on BV-2 microglial cells. <i>Journal of Neuroscience Research</i> , 2010, 88, 1577-1594.	1.3	11
3	Clinical Applications of the Immunomodulatory Properties of Triptolide besides in Arthritis. <i>Scandinavian Journal of Immunology</i> , 2009, 69, 468-468.	1.3	2
4	CANnabinoid Receptor Type 2 Activation Induces a Microglial Anti-Inflammatory Phenotype and Reduces Migration via MKP Induction and ERK Dephosphorylation. <i>Molecular Pain</i> , 2009, 5, 1744-8069-5-25.	1.0	132
5	Reactive Astrocytes As Therapeutic Targets for CNS Disorders. <i>Neurotherapeutics</i> , 2010, 7, 494-506.	2.1	291
6	Potential therapeutic agents against Alzheimer's disease from natural sources. <i>Archives of Pharmacal Research</i> , 2010, 33, 1589-1609.	2.7	64
7	Features of bilirubin-induced reactive microglia: From phagocytosis to inflammation. <i>Neurobiology of Disease</i> , 2010, 40, 663-675.	2.1	71
8	Targeting COX-2 expression by natural compounds: A promising alternative strategy to synthetic COX-2 inhibitors for cancer chemoprevention and therapy. <i>Biochemical Pharmacology</i> , 2010, 80, 1801-1815.	2.0	100
9	EV71 induces COX-2 expression via Src/PDGFR/PI3K/Akt/p42/p44 MAPK/AP-1 and NF-κB in rat brain astrocytes. <i>Journal of Cellular Physiology</i> , 2010, 224, 376-386.	2.0	58
10	MyD88-dependent and independent pathways of Toll-Like Receptors are engaged in biological activity of Triptolide in ligand-stimulated macrophages. <i>BMC Chemical Biology</i> , 2010, 10, 3.	1.6	65
11	Inhibitory effect of fucoidan on nitric oxide production in lipopolysaccharide-activated primary microglia. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2010, 37, 422-428.	0.9	63
12	Triptolide inhibits extracellular matrix protein synthesis by suppressing the Smad2 but not the MAPK pathway in TGF-β1-stimulated NRK-49F cells. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 3180-3191.	0.4	28
13	Triptolide T10 enhances AAV-mediated gene transfer in mice striatum. <i>Neuroscience Letters</i> , 2010, 479, 187-191.	1.0	5
14	LPS-induced indoleamine 2,3-dioxygenase is regulated in an interferon-γ-independent manner by a JNK signaling pathway in primary murine microglia. <i>Brain, Behavior, and Immunity</i> , 2010, 24, 201-209.	2.0	72
15	Triptolide inhibits COX-2 expression by regulating mRNA stability in TNF-α-treated A549 cells. <i>Biochemical and Biophysical Research Communications</i> , 2011, 416, 99-105.	1.0	30
16	Triptolide Alleviates Hepatic Ischemia/Reperfusion Injury by Attenuating Oxidative Stress and Inhibiting NF-κB Activity in Mice. <i>Journal of Surgical Research</i> , 2011, 166, e205-e213.	0.8	46
18	Terpenoids from <i>Tripterygium wilfordii</i> . <i>Phytochemistry</i> , 2011, 72, 1482-1487.	1.4	35
19	The Inhibition of Spinal Astrocytic JAK2-STAT3 Pathway Activation Correlates with the Analgesic Effects of Triptolide in the Rat Neuropathic Pain Model. <i>Evidence-based Complementary and Alternative Medicine</i> , 2012, 2012, 1-13.	0.5	38

#	ARTICLE	IF	CITATIONS
20	Triptolide Inhibits Amyloid- β^2 Production and Protects Neural Cells by Inhibiting CXCR2 Activity. <i>Journal of Alzheimer's Disease</i> , 2012, 33, 217-229.	1.2	17
21	Triptolide in the treatment of psoriasis and other immune-mediated inflammatory diseases. <i>British Journal of Clinical Pharmacology</i> , 2012, 74, 424-436.	1.1	132
22	Spinal Cannabinoid Receptor Type 2 Agonist Reduces Mechanical Allodynia and Induces Mitogen-Activated Protein Kinase Phosphatases in a Rat Model of Neuropathic Pain. <i>Journal of Pain</i> , 2012, 13, 836-848.	0.7	44
23	Protective effect of chitin oligosaccharides against lipopolysaccharide-induced inflammatory response in BV-2 microglia. <i>Cellular Immunology</i> , 2012, 277, 14-21.	1.4	33
24	Triptolide exhibits anti-inflammatory, anti-catabolic as well as anabolic effects and suppresses TLR expression and MAPK activity in IL-1 β treated human intervertebral disc cells. <i>European Spine Journal</i> , 2012, 21, 850-859.	1.0	43
25	Anti-inflammatory and neuroprotective effects of triptolide on traumatic brain injury in rats. <i>Respiratory Physiology and Neurobiology</i> , 2012, 182, 1-8.	0.7	42
26	Anti-inflammatory effects of triptolide improve left ventricular function in a rat model of diabetic cardiomyopathy. <i>Cardiovascular Diabetology</i> , 2013, 12, 50.	2.7	75
27	Triptolide with Potential Medicinal Value for Diseases of the Central Nervous System. <i>CNS Neuroscience and Therapeutics</i> , 2013, 19, 76-82.	1.9	74
28	Anti-inflammatory effects of the main constituents and epoxides derived from the essential oils obtained from <i>Tagetes lucida</i> , <i>Cymbopogon citratus</i> , <i>Lippia alba</i> and <i>Eucalyptus citriodora</i> . <i>Journal of Essential Oil Research</i> , 2013, 25, 186-193.	1.3	25
29	1-Phenyl-6,7-dihydroxy-isochroman inhibits inflammatory activation of microglia. <i>Brain Research Bulletin</i> , 2013, 95, 33-39.	1.4	15
30	Inhibition of Neuroinflammation in LPS-Activated Microglia by Cryptolepine. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013, 2013, 1-10.	0.5	54
31	Simultaneous Quantification of 18 Bioactive Constituents in <i>Tripterygium wilfordii</i> Using Liquid Chromatography-Electrospray Ionization-Mass Spectrometry. <i>Planta Medica</i> , 2013, 79, 797-805.	0.7	22
32	Triptolide Preserves Cognitive Function and Reduces Neuropathology in a Mouse Model of Alzheimer's Disease. <i>PLoS ONE</i> , 2014, 9, e108845.	1.1	32
33	Excretion of [3 H]triptolide and its metabolites in rats after oral administration. <i>Acta Pharmacologica Sinica</i> , 2014, 35, 549-554.	2.8	12
34	Mild hypothermia in combination with minimally invasive evacuation of hematoma reduces inflammatory damage in patients via the nuclear factor- κ B pathway. <i>Experimental and Therapeutic Medicine</i> , 2014, 8, 1717-1722.	0.8	8
35	Terpenes. , 2014, , 189-284.		1
36	Triptolide treatment reduces Alzheimer's disease (AD)-like pathology through inhibition of BACE1 in a transgenic mouse model of AD. <i>DMM Disease Models and Mechanisms</i> , 2014, 7, 1385-1395.	1.2	50
37	Chemical comparison of <i>Tripterygium wilfordii</i> and <i>Tripterygium hypoglaucum</i> based on quantitative analysis and chemometrics methods. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014, 95, 220-228.	1.4	45

#	ARTICLE	IF	CITATIONS
38	Anti-inflammatory Effects of Triptolide in LPS-Induced Acute Lung Injury in Mice. <i>Inflammation</i> , 2014, 37, 1307-1316.	1.7	63
39	Cancer Prevention and Therapy. <i>Integrative Cancer Therapies</i> , 2014, 13, 310-331.	0.8	20
40	Tilioside, a dietary glycosidic flavonoid, inhibits TRAF-6/NF- κ B/p38-mediated neuroinflammation in activated BV2 microglia. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2014, 1840, 3311-3319.	1.1	77
41	Natural Compounds (Small Molecules) as Potential and Real Drugs of Alzheimer's Disease. <i>Studies in Natural Products Chemistry</i> , 2014, 42, 153-194.	0.8	13
42	Complete Freund's adjuvant-induced acute inflammatory pain could be attenuated by triptolide via inhibiting spinal glia activation in rats. <i>Journal of Surgical Research</i> , 2014, 188, 174-182.	0.8	27
43	Protective effects of triptolide on retinal ganglion cells in a rat model of chronic glaucoma. <i>Drug Design, Development and Therapy</i> , 2015, 9, 6095.	2.0	11
44	EP2-PKA signaling is suppressed by triptolide in lipopolysaccharide-induced microglia activation. <i>Journal of Neuroinflammation</i> , 2015, 12, 50.	3.1	19
45	New abietane-type diterpene glycosides from the roots of <i>Tripterygium wilfordii</i> . <i>Journal of Asian Natural Products Research</i> , 2015, 17, 761-766.	0.7	10
46	2-cyclohexylamino-5,8-dimethoxy-1,4-naphthoquinone inhibits LPS-induced BV2 microglial activation through MAPK/NF- κ B signaling pathways. <i>Heliyon</i> , 2016, 2, e00132.	1.4	12
47	Triptolide inhibits the migration and invasion of rheumatoid fibroblast-like synoviocytes by blocking the activation of the JNK MAPK pathway. <i>International Immunopharmacology</i> , 2016, 41, 8-16.	1.7	56
48	The Pharmacological Effects and Mechanism of <i>Tripterygium wilfordii</i> Hook F in Central Nervous System Autoimmunity. <i>Journal of Alternative and Complementary Medicine</i> , 2016, 22, 496-502.	2.1	20
49	The E3 Ubiquitin Ligase Cbl Inhibits Microglia-Mediated CNS Inflammation by Regulating $\text{PI}3\text{K}/\text{Akt}/\text{NF}\kappa\text{B}$ Pathway. <i>CNS Neuroscience and Therapeutics</i> , 2016, 22, 661-669.	1.9	33
50	Triptolide Promotes the Clearance of α -Synuclein by Enhancing Autophagy in Neuronal Cells. <i>Molecular Neurobiology</i> , 2017, 54, 2361-2372.	1.9	41
51	The novel and potent anti-depressive action of triptolide and its influences on hippocampal neuroinflammation in a rat model of depression comorbidity of chronic pain. <i>Brain, Behavior, and Immunity</i> , 2017, 64, 180-194.	2.0	37
52	Ampelopsin attenuates lipopolysaccharide-induced inflammatory response through the inhibition of the NF- κ B and JAK2/STAT3 signaling pathways in microglia. <i>International Immunopharmacology</i> , 2017, 44, 1-8.	1.7	68
53	The synergistic effect of treatment with triptolide and MK-801 in the rat neuropathic pain model. <i>Molecular Pain</i> , 2017, 13, 174480691774656.	1.0	13
54	Activation of dorsal horn cannabinoid CB2 receptor suppresses the expression of P2Y12 and P2Y13 receptors in neuropathic pain rats. <i>Journal of Neuroinflammation</i> , 2017, 14, 185.	3.1	33
55	Triptolide up-regulates metabotropic glutamate receptor 5 to inhibit microglia activation in the lipopolysaccharide-induced model of Parkinson's disease. <i>Brain, Behavior, and Immunity</i> , 2018, 71, 93-107.	2.0	35

#	ARTICLE	IF	CITATIONS
56	Low, but not high, dose triptolide controls neuroinflammation and improves behavioral deficits in toxic model of multiple sclerosis by dampening of NF- κ B activation and acceleration of intrinsic myelin repair. <i>Toxicology and Applied Pharmacology</i> , 2018, 342, 86-98.	1.3	31
57	Identification and functional characterization of diterpene synthases for triptolide biosynthesis from <i>Tripterygium wilfordii</i> . <i>Plant Journal</i> , 2018, 93, 50-65.	2.8	52
58	Urate inhibits microglia activation to protect neurons in an LPS-induced model of Parkinson's disease. <i>Journal of Neuroinflammation</i> , 2018, 15, 131.	3.1	23
59	Treatment of Neurodegenerative Diseases with Bioactive Components of <i>Tripterygium wilfordii</i> . <i>The American Journal of Chinese Medicine</i> , 2019, 47, 769-785.	1.5	36
60	MicroRNA expression, targeting, release dynamics and early-warning biomarkers in acute cardiotoxicity induced by triptolide in rats. <i>Biomedicine and Pharmacotherapy</i> , 2019, 111, 1467-1477.	2.5	13
61	Triptolide Suppressed the Microglia Activation to Improve Spinal Cord Injury Through miR-96/IKK β /NF- κ B Pathway. <i>Spine</i> , 2019, 44, E707-E714.	1.0	28
62	Molecular pharmacology of inflammation: Medicinal plants as anti-inflammatory agents. <i>Pharmacological Research</i> , 2019, 139, 126-140.	3.1	209
63	CD200 maintains the region-specific phenotype of microglia in the midbrain and its role in Parkinson's disease. <i>Glia</i> , 2020, 68, 1874-1890.	2.5	9
64	Two new sesquiterpenes from the stems of <i>Tripterygium wilfordii</i> . <i>Journal of Asian Natural Products Research</i> , 2021, 23, 423-428.	0.7	1
65	Metabotropic glutamate receptor 5 inhibits α -synuclein-induced microglia inflammation to protect from neurotoxicity in Parkinson's disease. <i>Journal of Neuroinflammation</i> , 2021, 18, 23.	3.1	38
66	Investigating the potency of bioactive compounds from <i>Ficus religiosa</i> as anti-inflammatory agent. <i>Journal of Physics: Conference Series</i> , 2021, 1869, 012022.	0.3	1
67	Current Quest in Natural Bioactive Compounds for Alzheimer's Disease: Multi-Targeted-Designed-Ligand Based Approach with Preclinical and Clinical Based Evidence. <i>Current Drug Targets</i> , 2021, 22, 685-720.	1.0	11
68	Ergosta-7,9(11),22-trien-3 β -ol Alleviates Intracerebral Hemorrhage-Induced Brain Injury and BV-2 Microglial Activation. <i>Molecules</i> , 2021, 26, 2970.	1.7	5
69	Triptolide prevents LPS-induced skeletal muscle atrophy via inhibiting NF- κ B/TNF α and regulating protein synthesis/degradation pathway. <i>British Journal of Pharmacology</i> , 2021, 178, 2998-3016.	2.7	49
70	Disease Progression-Dependent Expression of CD200R1 and CX3CR1 in Mouse Models of Parkinson's Disease. , 2020, 11, 254.		25
71	Novel Anti-Inflammatory and Neuroprotective Agents for Parkinson's Disease. <i>CNS and Neurological Disorders - Drug Targets</i> , 2010, 9, 232-240.	0.8	27
72	Chemopreventive and biological activities of <i>Helicteres isora</i> L. fruit extracts. <i>Research in Pharmaceutical Sciences</i> , 2018, 13, 484.	0.6	3
73	Benefits of <i>Radix Tripterygium wilfordii</i> for Rheumatoid Arthritis. , 2011, , 419-431.		0

#	ARTICLE	IF	CITATIONS
74	Triptolide Protects Dopaminergic Neurons from 6-OHDA Lesion in a Rat Model of Parkinson's Disease. <i>International Journal of Pharmacology</i> , 2014, 11, 10-18.	0.1	2
75	Investigating the Catalytic Activity of Glycosyltransferase on Quercetin from <i>Tripterygium wilfordii</i> . <i>ACS Omega</i> , 2020, 5, 1414-1421.	1.6	5
76	Inhibition of tumor cellular proteasome activity by triptolide extracted from the Chinese medicinal plant 'thunder god vine'. <i>Anticancer Research</i> , 2011, 31, 1-10.	0.5	130
77	<i>Tripterygium hypoglaucum</i> (L'Herminier) Hutch and Its Main Bioactive Components: Recent Advances in Pharmacological Activity, Pharmacokinetics and Potential Toxicity. <i>Frontiers in Pharmacology</i> , 2021, 12, 715359.	1.6	21
78	The Active Components of Sunflower (<i>Helianthus annuus</i> L.) Calathide and the Effects on Urate Nephropathy Based on COX-2/PGE2 Signaling Pathway and the Urate Transporter URAT1, ABCG2, and GLUT9. <i>Frontiers in Nutrition</i> , 2021, 8, 769555.	1.6	5
79	<i>Tripterygium hypoglaucum</i> (Levl.) Hutch: A Systematic Review of Its Traditional Uses, Botany, Phytochemistry, Pharmacology, Pharmacokinetics and Toxicology. <i>Pharmacological Research Modern Chinese Medicine</i> , 2022, , 100094.	0.5	0
80	EPA-enriched plasmalogen attenuates the cytotoxic effects of LPS-stimulated microglia on the SH-SY5Y neuronal cell line. <i>Brain Research Bulletin</i> , 2022, 186, 143-152.	1.4	6
81	Medicinal plants use as an anti-inflammatory agent: a brief review on molecular pharmacological approach. <i>Journal of Applied Pharmaceutical Research</i> , 2022, 10, 38-45.	0.1	0