CITATION REPORT List of articles citing

Nasturtium officinale reduces oxidative stress and enhances antioxidant capacity in hypercholesterolaemic rats

DOI: 10.1016/j.cbi.2008.01.006 Chemico-Biological Interactions, 2008, 172, 176-84.

Source: https://exaly.com/paper-pdf/43774163/citation-report.pdf

Version: 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
120	Aperū ethnobotanique et phytopharmacologique sur Nasturtium officinale R. Br. 2008 , 6, 187-188		
119	Antioxidant and free radical scavenging activity of Spondias pinnata. 2008, 8, 63		298
118	The bioactivity of plant extracts against representative bacterial pathogens of the lower respiratory tract. 2009 , 2, 95		18
117	Modulation of detoxification enzymes by watercress: in vitro and in vivo investigations in human peripheral blood cells. 2009 , 48, 483-91		29
116	Efficacy of different fractions of Anethum graveolens leaves on serum lipoproteins and serum and liver oxidative status in experimentally induced hypercholesterolaemic rat models. 2009 , 37, 685-99		27
115	Radical scavenging abilities and hepatoprotective effect of [N, N'-Bis (salicylidene) ethane-1, 2-diaminato] oxovanadium (IV) complex in CCl4-treated rats. 2010 , 62, 533-8		9
114	Inhibition of JNK along with activation of ERK1/2 MAPK pathways improve steatohepatitis among the rats. 2010 , 29, 381-5		24
113	Antioxidant and antipyretic properties of methanolic extract of Amaranthus spinosus leaves. 2010 , 3, 702-706		36
112	Design, synthesis, and biological evaluation of a new palladium(II) complex: beta-lactoglobulin and K562 as targets. 2010 , 114, 3639-47		45
111	Effect of micronutrient-enriched sunflower oils on plasma lipid profile and antioxidant status in high-fat-fed rats. 2010 , 58, 5328-33		13
110	Cardioprotective effect of Nerium oleander flower against isoproterenol-induced myocardial oxidative stress in experimental rats. 2011 , 16, 96-104		32
109	Nutritional composition and bioactive properties of commonly consumed wild greens: Potential sources for new trends in modern diets. <i>Food Research International</i> , 2011 , 44, 2634-2640	7	66
108	Free radical scavenging and antiacetylcholinesterase activities of Origanum majorana L. essential oil. 2011 , 30, 1501-13		43
107	Histopathological studies of acute and chronic effects of Calliandra portoricensis leaf extract on the stomach and pancreas of adult Swiss albino mice. 2011 , 1, 182-5		5
106	In Vitro Amylase Inhibition and Antioxidant Activities of Methanolic Extract of Amaranthus Caudatus Linn. 2011 , 26, 166-70		18
105	Hypolipidemic and antioxidant activities of sanchi (radix notoginseng) in rats fed with a high fat diet. 2011 , 18, 516-20		59
104	The protective effect of Malva sylvestris on rat kidney damaged by vanadium. 2011 , 10, 65		31

(2013-2012)

103	Evaluation of protective effect of Aegle marmelos Corr. in an animal model of chronic fatigue syndrome. 2012 , 44, 351-6	15
102	Phytochemical and in vitro screening of some Ficus and Morus spp. for hypolipidaemic and antioxidant activities and in vivo assessment of Ficus mysorensis (Roth). 2012 , 26, 1101-11	7
101	Protective effect of polyphenols extract of adlay (Coix lachryma-jobi L. var. ma-yuen Stapf) on hypercholesterolemia-induced oxidative stress in rats. 2012 , 17, 8886-97	39
100	EUK-8 and EUK-134 reduce serum glucose and lipids and ameliorate streptozotocin-induced oxidative damage in the pancreas, liver, kidneys, and brain tissues of diabetic rats. 2012 , 21, 3224-3232	9
99	Purification and characterization of a novel antioxidative peptide from duck skin by-products that protects liver against oxidative damage. <i>Food Research International</i> , 2012 , 49, 285-295	36
98	In vitro antioxidant activities and HPTLC analysis of ethanolic extract of Cayratia trifolia (L.). 2012 , 2, S952-S956	12
97	Anti-depressant-like effect of peony: a mini-review. 2012 , 50, 72-7	35
96	'Okra' Hibiscus esculentus L.: A study of its hepatoprotective activity. 2012 , 20, 135-41	22
95	Methanolic extracts of Withania somnifera leaves, fruits and roots possess antioxidant properties and antibacterial activities. 2012 , 12, 175	57
94	Antioxidant and phytochemical properties of Carpobrotus edulis (L.) bolus leaf used for the management of common infections in HIV/AIDS patients in Eastern Cape Province. 2012 , 12, 215	48
93	Antioxidant and free radical scavenging activity of Pithecellobium dulce (Roxb.) Benth wood bark and leaves. 2012 , 2, 47-57	13
92	Protective effects of piperine against corticosterone-induced neurotoxicity in PC12 cells. 2012 , 32, 531-7	42
91	Amelioration of diet-induced nonalcoholic steatohepatitis in rats by Mn-salen complexes via reduction of oxidative stress. 2012 , 19, 26	31
90	Type 2 Diabetes Relevant Bioactive Potential of Freshly Harvested and Long-Term Stored Pears Using in vitro Assay Models. 2013 , 37, 677-686	10
89	Toxicological and pharmacological concerns on oxidative stress and related diseases. 2013 , 273, 442-55	178
88	Beneficial effects of Yerba Mate tea (Ilex paraguariensis) on hyperlipidemia in high-fat-fed hamsters. 2013 , 48, 572-8	43
87	Self-assembled metalla-rectangles bearing azodipyridyl ligands: synthesis, characterization and antitumor activity. 2013 , 42, 466-75	44
86	Gossypetin, a naturally occurring hexahydroxy flavone, ameliorates gamma radiation-mediated DNA damage. 2013 , 89, 965-75	20

85	Perceived health properties of wild and cultivated food plants in local and popular traditions of Italy: A review. 2013 , 146, 659-80	121
84	HPLC Analysis of Polyphenolic Compounds and Antioxidant Activity in Nasturtium officinale. International Journal of Food Properties, 2013, 16, 61-69	24
83	Protective effect of Tuscan black cabbage sprout extract against serum lipid increase and perturbations of liver antioxidant and detoxifying enzymes in rats fed a high-fat diet. 2013 , 110, 988-97	20
82	Antihyperlipidemic activity of Cassia auriculata flowers in triton WR 1339 induced hyperlipidemic rats. 2013 , 65, 135-41	33
81	Phytochemical analysis and free radical scavenging activity of medicinal plants Gnidia glauca and Dioscorea bulbifera. 2013 , 8, e82529	52
80	A quantitative ethnopharmacological documentation of natural pharmacological agents used by pediatric patients in Mauritius. 2014 , 2014, 136757	6
79	Antidenaturation and antioxidative properties of phytochemical components from Spondias mombin. 2014 , 8, 101-110	4
78	Effect of ambrex (a herbal formulation) on oxidative stress in hyperlipidemic rats and differentiation of 3T3-L1 preadipocytes. 2014 , 10, 165-71	3
77	Antihyperlipidemic Activity of Aloe succotrina in Rats: Possibly Mediated by Inhibition of HMG-CoA Reductase. 2014 , 2014, 243575	11
76	Prevention of renal dysfunction by nutraceuticals prepared from oil rich plant foods. 2014 , 4, 618-27	19
75	Carthamus, Salvia and Stachys species protect neuronal cells against oxidative stress-induced apoptosis. 2014 , 52, 1550-7	22
74	Ethnomedicinal application of native remedies used against diabetes and related complications in Mauritius. 2014 , 151, 413-44	86
73	In vivo anti-inflammatory properties of aerial parts of Nasturtium officinale. 2014 , 52, 169-74	41
72	Quantitative ethnobotanical study of common herbal remedies used against 13 human ailments catergories in Mauritius. 2015 , 11, 1	5
71	Gossypetin ameliorates ionizing radiation-induced oxidative stress in mice livera molecular approach. 2015 , 49, 1173-86	13
70	Effect of Eclipta prostrata on lipid metabolism in hyperlipidemic animals. 2015 , 62, 37-44	24
69	In-vitro antioxidant properties of the hydro-methanol extract of the seeds of Swietenia mahagoni (L.) Jacq 2015 , 7, 18-24	6
68	Edible freshwater macrophytes: a source of anticancer and antioxidative natural products mini-review. 2015 , 14, 443-457	10

(2019-2016)

67	2016 , 253-269	4
66	Suitability of gamma irradiation for preserving fresh-cut watercress quality during cold storage. 2016 , 206, 50-8	31
65	An ethnomedicinal survey of a Tashelhit-speaking community in the High Atlas, Morocco. 2016 , 188, 96-110	61
64	Malva sylvestris extract protects upon lithium carbonate-induced kidney damages in male rat. 2016 , 84, 1099-1107	9
63	Antioxidant activity of polyphenolic extract of Terminalia chebula Retzius fruitsPeer review under responsibility of Taibah University. View all notes. 2016 , 10, 805-812	40
62	Recovery of antioxidant and antiproliferative compounds from watercress using pressurized fluid extraction. 2016 , 6, 30905-30918	27
61	Synthesis, structure and anticancer activity of (B-benzene) ruthenium(II) complexes containing aroylhydrazone ligands. 2016 , 807, 45-51	20
60	Postharvest quality changes in fresh-cut watercress stored under conventional and inert gas-enriched modified atmosphere packaging. 2016 , 112, 55-63	24
59	Antioxidant and anti-inflammatory effects of cauliflower leaf powder-enriched diet against LPS induced toxicity in rabbits. 2017 , 8, 3288-3296	10
58	Antioxidants Against Environmental Factor-Induced Oxidative Stress. 2017, 189-215	3
57	In Vitro Antioxidant Activities of Enzymatic Hydrolysate from Schizochytrium sp. and Its Hepatoprotective Effects on Acute Alcohol-Induced Liver Injury In Vivo. 2017 , 15,	20
56	Salidroside protects against foam cell formation and apoptosis, possibly via the MAPK and AKT signaling pathways. 2017 , 16, 198	14
55	Hypolipidemic effect and protection ability of liver-kidney functions of melanin from Lachnum YM226 in high-fat diet fed mice. 2018 , 9, 880-889	16
54	Aquatic Plants as Human Food. 2018 , 165-187	2
53	Folk Phytotherapy in Paediatric Health Care in Central and Southern Italy: a Review. 2018, 46, 573-585	8
52	Chemical composition, traditional and professional use in medicine, application in environmental protection, position in food and cosmetics industries, and biotechnological studies of Nasturtium officinale (watercress) - a review. 2018 , 129, 283-292	22
51	Hepatoprotective and antioxidant activity of watercress extract on acetaminophen-induced hepatotoxicity in rats. 2019 , 5, e02072	33
50	Acute and sub-acute oral toxicity studies of standardized extract of Nasturtium officinale in Wistar rats. 2019 , 108, 104443	6

49	The hydroalcoholic extract of watercress attenuates protein oxidation, oxidative stress, and liver damage after bile duct ligation in rats. 2019 , 120, 14875-14884		25
48	Nasturtium Officinale L. hydroalcoholic extract improved oxymetholone-induced oxidative injury in mouse testis and sperm parameters. 2019 , 51, e13294		13
47	Glycyrrhizin Improves Fatty Liver Symptoms, Increases Adiponectin and Reduces UCP2 Expression in Wistar Rats. 2020 , 90, 191-197		2
46	Chromatographic identification of "green capping agents" extracted from Nasturtium officinale (Brassicaceae) leaves for the synthesis of MoO nanoparticles. 2020 , 43, 598-605		23
45	Modulation of the antioxidant defense system in liver, kidney, and pancreas tissues of alloxan-induced diabetic rats by camphor. 2020 , 44, e13527		6
44	Watercress. 2020 , 197-219		1
43	Hypolipidemic and antioxidant activities of Trichosanthes kirilowii maxim seed oil and flavonoids in mice fed with a high-fat diet. 2020 , 44, e13272		1
42	Biomarkers of oxidative stress and inflammation in people witha physical disability treated with a standardized extract of Nasturtium officinale: A randomized, double-blind, and placebo-controlled trial. 2020 , 34, 2756-2765		2
41	Protective effect of Nasturtium officinale R. Br and quercetin against cyclophosphamide-induced hepatotoxicity in rats. 2020 , 47, 5001-5012		9
40	Efficacy of relaxin for cisplatin-induced testicular dysfunction and epididymal spermatotoxicity. 2020 , 30, 3		11
39	Malaysian macroalga Hauck attenuates high dose corticosterone-mediated oxidative damage in PC12 cells mimicking the effects of depression. 2020 , 27, 1435-1445		4
38	Antihyperlipidemic potential of diosmin in Swiss Albino mice with high-fat diet induced hyperlipidemia. 2021 , 28, 109-115		2
37	Effect of watercress extract supplementation on lipid profile and oxidative stress markers in overweight people with physical disability: A randomized, double-blind, and placebo-controlled trial. 2021 , 35, 2211-2219		O
36	Effects of Extract on Antioxidant and Biochemical Parameters in Hemodialysis Patients: A Randomized Double-Blind Clinical Trial. <i>Evidence-based Complementary and Alternative Medicine</i> , 2021 , 2021, 1632957	2.3	5
35	Ayurvedic Herbal Preparation Supplementation Does Not Improve Metabolic Health in Impaired Glucose Tolerance Subjects; Observations from a Randomised Placebo Controlled Trial. 2021 , 13,		O
34	A Narrative Review on Therapeutic Potentials of in Human Disorders. <i>Evidence-based Complementary and Alternative Medicine</i> , 2021 , 2021, 5516450	2.3	3
33	Phytochemicals Analysis in Watercress (Nasturtium Officinale) Plant Extracts. 2021 , 761, 012042		1
32	Polygalacto-fucopyranose from marine alga as a prospective antihypertensive lead. 2021 , 183, 589-599		2

31	AGL9: A Novel Hepatoprotective Peptide from the Larvae of Edible Insects Alleviates Obesity-Induced Hepatic Inflammation by Regulating AMPK/Nrf2 Signaling. 2021 , 10,		1
30	Evaluation of antioxidant and anti-ulcerogenic effects of Eremurus persicus (Jaub & Spach) Boiss leaf hydroalcoholic extract on ethanol-induced gastric ulcer in rats. 2021 , 29, 1503-1518		5
29	Relaxin exerts a protective effect during ischemia-reperfusion in the rat model. 2021,		3
28	Protective and therapeutic effects of ethanolic extract of (watercress) and vitamin E against bleomycin-induced pulmonary fibrosis in rats. 2021 , 16, 94-102		6
27	A glimpse into molecular mechanisms of embryonic stem cells pluripotency: Current status and future perspective. 2020 , 235, 6377-6392		8
26	In vivo biochemical and gene expression analyses of the antioxidant activities and hypocholesterolaemic properties of Tamarindus indica fruit pulp extract. 2013 , 8, e70058		21
25	Bacterial fucose-rich polysaccharide stabilizes MAPK-mediated Nrf2/Keap1 signaling by directly scavenging reactive oxygen species during hydrogen peroxide-induced apoptosis of human lung fibroblast cells. 2014 , 9, e113663		30
24	Ameliorative Action of Mn-Salen Derivatives on CCl₄-Induced Destructive Effects and Lipofuscin-Like Pigment Formation in RatsLiver and Brain: Post-Treatment of Young Rats with EUKs. 2014 , 03, 96-110		3
23	Nephroprotective Effect of Nasturtium Officinale (Watercress) Ethanol Extract and Vitamin E on Vancomycin-Induced Nephrotoxicity in Rats. 2018 , In Press,		5
22	Prevention of nonalcoholic steatohepatitis in rats by two manganese-salen complexes. 2014 , 18, 41-8		3
21	Salen-Manganase Complexes, EUK-8 and EUK-134, Protect Against Protein and Lipid Oxidative in Neuroblastoma Cells and Rat Liver Homogenates in vitro. 2011 , 6, 670-677		
20	Head space volatile constituents and antioxidant properties of five traditional Iranian wild edible plants grown in west of Iran. <i>AIMS Agriculture and Food</i> , 2019 , 4, 1034-1053	1.2	2
19	Phytochemical Investigation and Comparative Evaluation of Various Market Samples of Triphala Powder from India with References to Their Free Scavenging and Anti-diabetic Activity: An In Vitro Approach. 2020 , 597-608		1
18	Phytochemical and antioxidant activities of methanolic extract of Lawsonia inermis L. Bark. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2020 , 33, 132-138	0.5	
17	Effects of Watercress (Nasturtium nasturtium) extract on selected immunological parameters of rainbow trout (Oncorhynchus mykiss). <i>Open Veterinary Journal</i> , 2012 , 2, 32-9	1	23
16	Beneficial Effects of Hydroalcoholic Extract from Tratt Fruit on Hyperlipidemia in High-Fat-Fed Rats. <i>Acta Cardiologica Sinica</i> , 2020 , 36, 148-159	1.1	4
15	Watercress (Nasturtium officinale R. Br.) Breeding. 2021 , 217-243		
14	Evaluation of Bioactive Properties of Lipophilic Fractions of Edible and Non-Edible Parts of (Watercress) in a Model of Human Malignant Melanoma Cells <i>Pharmaceuticals</i> , 2022 , 15,	5.2	2

13	Phytochemicals, Proximate Composition, Mineral Analysis and In Vitro Antioxidant Activity of Calligonum crinitum Boiss. <i>Horticulturae</i> , 2022 , 8, 156	2.5	1
12	Assessment of Methodological Pipelines for the Determination of Isothiocyanates Derived from Natural Sources <i>Antioxidants</i> , 2022 , 11,	7.1	O
11	Effect of Rosa roxburghii fruit on blood lipid levels: a systematic review based on human and animal studies. <i>International Journal of Food Properties</i> , 2022 , 25, 549-559	3	
10	Probiotic-fermented blueberry pomace alleviates obesity and hyperlipidemia in high-fat diet C57BL/6J mice. <i>Food Research International</i> , 2022 , 111396	7	1
9	Hydroalcoholic Extract of Sechium edule Fruits Attenuates QT Prolongation in High Fat Diet-Induced Hyperlipidemic Mice. <i>Evidence-based Complementary and Alternative Medicine</i> , 2022 , 2022, 1-7	2.3	2
8	Wound healing and anti-inflammatory potential of Ajuga bracteosa-conjugated silver nanoparticles in Balb/c mice.		O
7	Analgesic effects of Terminalia chebula extract are mediated by the suppression of the protein expression of nerve growth factor and nuclear factor- B in the brain and oxidative markers following neuropathic pain in rats.		О
6	ANTIOXIDANT ACTIVITY EVALUATION OF KALANCHOE PINNATA (LAM.) PERS. FRESH LEAF JUICE. 193-	-196	O
5	Recent advances on the regulation of bacterial biofilm formation by herbal medicines. 13,		O
4	Polyphenolic characterization and evaluation of multimode antioxidant, cytotoxic, biocompatibility and antimicrobial potential of selected ethno-medicinal plant extracts. 2023 , 16, 104474		O
3	The phytochemical profiling, pharmacological activities, and safety of malva sylvestris: a review.		O
2	Nanoliposome-Loaded Phenolics from Nasturtium officinale Improves Health Parameters in a Colorectal Cancer Mouse Model. 2022 , 12, 3492		O
1	Amaranthus spinosus (Spiny Pigweed) methanol leaf extract alleviates oxidative and inflammation induced by doxorubicin in male sprague dawley rats.		1