## CITATION REPORT List of articles citing

Combination of alfuzosin and tadalafil exerts in vitro an additive relaxant effect on human corpus cavernosum

DOI: 10.1111/j.1743-6109.2007.00754.x Journal of Sexual Medicine, 2008, 5, 935-945.

Source: https://exaly.com/paper-pdf/43807254/citation-report.pdf

Version: 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
23	Medical treatments for benign prostatic hyperplasia and sexual function. <i>BJU International</i> , <b>2008</b> , 102 Suppl 2, 8-12	5.6	6
22	Comparative efficacy assessment of tamsulosin vs. tamsulosin plus tadalafil in the treatment of LUTS/BPH. Pilot study. <i>Journal of Sexual Medicine</i> , <b>2008</b> , 5, 2170-8	1.1	106
21	Phosphodiesterase type 5 inhibitors: a viable treatment option for lower urinary tract symptoms?. <i>Expert Opinion on Investigational Drugs</i> , <b>2009</b> , 18, 245-54	5.9	1
20	Efficacy and safety of combined oral therapy with tadalafil and alfuzosin: an integrated approach to the management of patients with lower urinary tract symptoms and erectile dysfunction. Preliminary report. <i>Journal of Sexual Medicine</i> , <b>2009</b> , 6, 544-52	1.1	89
19	Combination of doxazosin and sildenafil exerts an additive relaxing effect compared with each compound alone on human cavernosal and prostatic tissue. <i>Journal of Sexual Medicine</i> , <b>2009</b> , 6, 836-47	1.1	33
18	2009 update on phosphodiesterase type 5 inhibitor therapy part 1: Recent studies on routine dosing for penile rehabilitation, lower urinary tract symptoms, and other indications (CME). <i>Journal of Sexual Medicine</i> , <b>2009</b> , 6, 1794-808; quiz 1793, 1809-10	1.1	33
17	Safety and efficacy of the simultaneous administration of udenafil and an alpha-blocker in men with erectile dysfunction concomitant with BPH/LUTS. <i>International Journal of Impotence Research</i> , <b>2009</b> , 21, 122-8	2.3	41
16	Combination of alfuzosin and tadalafil exerts an additive relaxant effect on human detrusor and prostatic tissues in vitro. <i>European Urology</i> , <b>2010</b> , 57, 699-707	10.2	28
15	Sexuality and management of benign prostatic hyperplasia with alfuzosin: SAMBA Thailand. <i>Journal of Sexual Medicine</i> , <b>2010</b> , 7, 3115-26	1.1	12
14	Chuanxiongzine relaxes isolated corpus cavernosum strips and raises intracavernous pressure in rabbits. <i>International Journal of Impotence Research</i> , <b>2010</b> , 22, 120-6	2.3	5
13	Phosphodiesterase type 5 (PDE5) inhibitors for the treatment of erectile dysfunction. <i>Expert Opinion on Pharmacotherapy</i> , <b>2010</b> , 11, 1109-22	4	63
12	Treatment with a uroselective <b>I</b> -blocker improves voiding and sexual function: a study in Thai men with lower urinary tract symptoms. <i>Journal of Sexual Medicine</i> , <b>2011</b> , 8, 2582-9	1.1	5
11	Impact of alfuzosin on sexual function in Taiwanese men with benign prostatic hyperplasia. <i>Kaohsiung Journal of Medical Sciences</i> , <b>2012</b> , 28, 429-34	2.4	4
10	Endothelium-independent relaxant effect of Rubus coreanus extracts in corpus cavernosum smooth muscle. <i>Journal of Sexual Medicine</i> , <b>2013</b> , 10, 1720-9	1.1	5
9	Effect of patient-optimized doses of tamsulosin on erectile function in men with erectile dysfunction and lower urinary tract symptoms. <i>Korean Journal of Urology</i> , <b>2013</b> , 54, 100-5		5
8	A review of the use of tadalafil in the treatment of benign prostatic hyperplasia in men with and without erectile dysfunction. <i>Therapeutic Advances in Urology</i> , <b>2014</b> , 6, 135-47	3.2	28
7	Randomized Controlled Trial to Assess the Efficacy of the Combination Therapy of Alfuzosin and Tadalafil in Patients with Lower Urinary Tract Symptoms Due to Benign Prostatic Hyperplasia. <i>LUTS: Lower Urinary Tract Symptoms</i> , <b>2014</b> , 6, 35-40	1.9	12

## CITATION REPORT

6	A comparative randomized prospective study to evaluate efficacy and safety of combination of tamsulosin and tadalafil vs. tamsulosin or tadalafil alone in patients with lower urinary tract symptoms due to benign prostatic hyperplasia. <i>Journal of Sexual Medicine</i> , <b>2014</b> , 11, 187-96	1.1	51
5	Meta-Analysis of Efficacy and Safety of Tadalafil Plus Tamsulosin Compared with Tadalafil Alone in Treating Men with Benign Prostatic Hyperplasia and Erectile Dysfunction. <i>American Journal of Men Health</i> , <b>2019</b> , 13, 1557988319882597	2.2	8
4	Tamsulosin and placebo vs tamsulosin and tadalafil in male lower urinary tract symptoms: a double-blinded, randomised controlled trial. <i>BJU International</i> , <b>2020</b> , 125, 718-724	5.6	7
3	Efficacy and Safety of Combination Comprising Tamsulosin and PDE5-Is, Relative to Monotherapies, in Treating Lower Urinary Tract Symptoms and Erectile Dysfunction Associated With Benign Prostatic Hyperplasia: A Meta-Analysis. <i>American Journal of Menus Health</i> , <b>2020</b> , 14, 1557988320980180	2.2	2
2	Current Pharmacologic Treatment of Lower Urinary Tract Symptoms. Current Clinical Urology, <b>2014</b> , 121	-222	1
1	Drugs that Affect Sexual Function. <b>2011</b> , 81-91		1