

CITATION REPORT

List of articles citing

Fiberlike Fe₂O₃ Macroporous Nanomaterials Fabricated by Calcinating Regenerate Cellulose Composite Fibers

DOI: 10.1021/cm703623v

Chemistry of Materials, 2008, 20, 3623-3628.

Source: <https://exaly.com/paper-pdf/43841023/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
127	Dynamic Self-Assembly Induced Rapid Dissolution of Cellulose at Low Temperatures. 2008 , 41, 9345-9351		322
126	Rheological behaviors in the regimes from dilute to concentrated in cellulose solutions dissolved at low temperature. 2009 , 9, 488-96		22
125	Fe ₂ O ₃ /SBA-15 catalyst synthesized by chemical vapor infiltration for Friedel-Crafts alkylation reaction. 2009 , 123, 306-313		21
124	High effective adsorption of organic dyes on magnetic cellulose beads entrapping activated carbon. 2009 , 171, 340-7		266
123	Formation of α -Fe ₂ O ₃ /FeOOH nanostructures with various morphologies by a hydrothermal route and their photocatalytic properties. 2009 , 348, 217-220		26
122	Preparation and characterization of pH-responsive hydrogel magnetite nanocomposite. 2009 , 349, 29-34		55
121	Template-free synthesis of α -Fe ₂ O ₃ microcubes and their magnetic property. 2010 , 5, 200		8
120	A hydrothermal method for preparation of α -Fe ₂ O ₃ nanotubes and their catalytic performance for thermal decomposition of ammonium perchlorate. 2010 , 360, 1-5		83
119	TiO ₂ Immobilized in Cellulose Matrix for Photocatalytic Degradation of Phenol under Weak UV Light Irradiation. 2010 , 114, 7806-7811		190
118	Large-Scale Porous Hematite Nanorod Arrays: Direct Growth on Titanium Foil and Reversible Lithium Storage. 2010 , 114, 21158-21164		94
117	Advances in Aqueous Cellulose Solvents. 2010 , 67-89		9
116	Effects of Crystalline Phase and Particle Size on the Properties of Plate-Like Fe ₂ O ₃ Nanoparticles during α to γ Phase Transformation. 2011 , 115, 3602-3611		36
115	Fiber-like TiO ₂ nanomaterials with different crystallinity phases fabricated via a green pathway. 2011 , 3, 2074-9		49
114	Investigation on metastable solution of cellulose dissolved in NaOH/urea aqueous system at low temperature. 2011 , 115, 12801-8		33
113	Template-free solvothermal synthesis of hollow hematite spheres and their applications in gas sensors and Li-ion batteries. 2011 , 21, 6549		122
112	Light scattering study on the dynamic behaviour of cellulose inclusion complex in LiOH/urea aqueous solution. 2011 , 52, 3857-3864		29
111	Evaluation of blood compatibility and drug release studies of gelatin based magnetic hydrogel nanocomposites. 2011 , 385, 20-27		68

110	Preparation and characterization of magnetic rectorite/iron oxide nanocomposites and its application for the removal of the dyes. <i>Chemical Engineering Journal</i> , 2011 , 174, 489-494	14.7	80
109	Recent developments in nanostructured anode materials for rechargeable lithium-ion batteries. 2011 , 4, 2682		1848
108	In situ synthesis of plate-like Fe ₂ O ₃ nanoparticles in porous cellulose films with obvious magnetic anisotropy. <i>Cellulose</i> , 2011 , 18, 663-673	5.5	44
107	Construction of inorganic nanoparticles by micro-nano-porous structure of cellulose matrix. <i>Cellulose</i> , 2011 , 18, 945-956	5.5	43
106	Characterization of magnetic soluble starch-functionalized carbon nanotubes and its application for the adsorption of the dyes. 2011 , 186, 2144-50		159
105	In situ deposition of silver nanoparticles on the cotton fabrics. 2011 , 12, 620-625		53
104	ZnO nanocrystallites/cellulose hybrid nanofibers fabricated by electrospinning and solvothermal techniques and their photocatalytic activity. <i>Journal of Applied Polymer Science</i> , 2011 , 121, 1757-1764	2.9	48
103	Magnetic and electric responsive hydrogel-magnetic nanocomposites for drug-delivery application. <i>Journal of Applied Polymer Science</i> , 2011 , 122, 1364-1375	2.9	46
102	Magnetic halloysite nanotubes/iron oxide composites for the adsorption of dyes. <i>Chemical Engineering Journal</i> , 2011 , 168, 959-963	14.7	165
101	Polysaccharides as stabilizers for the synthesis of magnetic nanoparticles. <i>Carbohydrate Polymers</i> , 2011 , 83, 640-644	10.3	114
100	Role of sodium zincate on cellulose dissolution in NaOH/urea aqueous solution at low temperature. <i>Carbohydrate Polymers</i> , 2011 , 83, 1185-1191	10.3	64
99	1D hollow Fe ₂ O ₃ electrospun nanofibers as high performance anode material for lithium ion batteries. 2012 , 22, 23049		207
98	Preparation of Fe ₂ O ₃ nanotubes via electrospinning and research on their catalytic properties. 2012 , 108, 961-965		9
97	Nanocomposites of cellulose/iron oxide: influence of synthesis conditions on their morphological behavior and thermal stability. 2012 , 32, 1511-7		18
96	Graphene-Oxide-Sheet-Induced Gelation of Cellulose and Promoted Mechanical Properties of Composite Aerogels. 2012 , 116, 8063-8068		118
95	Dissolution and Application of Cellulose in NaOH/Urea Aqueous Solution. 2012 , 205-240		1
94	Nanoparticulate Iron Oxide Tubes from Microporous Organic Nanotubes as Stable Anode Materials for Lithium Ion Batteries. 2012 , 124, 6730-6734		27
93	Nanoparticulate iron oxide tubes from microporous organic nanotubes as stable anode materials for lithium ion batteries. 2012 , 51, 6626-30		169

92	Cellulose-nanowhisker-templated synthesis of titanium dioxide/cellulose nanomaterials with promising photocatalytic abilities. <i>Journal of Applied Polymer Science</i> , 2012 , 126, E282-E290	2.9	26
91	Effects of external factors on the arrangement of plate-liked FeO nanoparticles in cellulose scaffolds. <i>Carbohydrate Polymers</i> , 2012 , 87, 830-838	10.3	10
90	Highly flexible magnetic composite aerogels prepared by using cellulose nanofibril networks as templates. <i>Carbohydrate Polymers</i> , 2012 , 89, 551-7	10.3	68
89	Morphology-controlled preparation of iron-based oxides using a paper template. 2012 , 81, 80-83		1
88	Cellulose scaffold: A green template for the controlling synthesis of magnetic inorganic nanoparticles. 2012 , 217, 502-509		54
87	Facile one-pot preparation of superparamagnetic chitosan sphere and its derived hollow sphere. <i>Journal of Applied Polymer Science</i> , 2012 , 123, 3587-3594	2.9	15
86	Concentration enrichment of urea at cellulose surfaces: results from molecular dynamics simulations and NMR spectroscopy. <i>Cellulose</i> , 2012 , 19, 1-12	5.5	34
85	Preparation and Magnetic Investigation of Magnetic Nanoparticles Entrapped Hydrogels and Its Possible Use as Radiation Shield. 2013 , 23, 1255-1265		3
84	Fabrication of water-repellent cellulose fiber coated with magnetic nanoparticles under supercritical carbon dioxide. 2013 , 15, 1		8
83	One-Dimensional Inorganic Nanomaterials for Energy Storage and Production. 2013 , 317-341		1
82	A bioplastic with high strength constructed from a cellulose hydrogel by changing the aggregated structure. 2013 , 1, 6678		102
81	Highly flexible, transparent cellulose composite films used in UV imprint lithography. <i>Cellulose</i> , 2013 , 20, 907-918	5.5	14
80	A novel biocompatible magnetic iron oxide nanoparticles/hydrogel based on poly (acrylic acid) grafted onto starch for controlled drug release. 2013 , 20, 1		38
79	Controllable stearic acid crystal induced high hydrophobicity on cellulose film surface. 2013 , 5, 585-91		58
78	New solvents and functional materials prepared from cellulose solutions in alkali/urea aqueous system. 2013 , 52, 387-400		96
77	The thermodynamics study on the dissolution mechanism of cellobiose in NaOH/urea aqueous solution. 2013 , 111, 891-896		7
76	Synthesis of Fe ₂ O ₃ /CNT/graphene hybrid materials with an open three-dimensional nanostructure for high capacity lithium storage. 2013 , 2, 425-434		112
75	High strength cellulose aerogels prepared by spatially confined synthesis of silica in bioscaffolds. 2013 , 439, 159-166		32

74	One-step synthesis of magnetic composites of cellulose@iron oxide nanoparticles for arsenic removal. 2013 , 1, 959-965	249
73	Cellulose-derived superparamagnetic carbonaceous solid acid catalyst for cellulose hydrolysis in an ionic liquid or aqueous reaction system. 2013 , 15, 2167	116
72	Dissolving Approach of Cellulose and its Application in Producing Cellulose Functional Material. 2013 , 821-822, 14-17	1
71	Synthesis, Characterization and In Vitro Drug Release of Melphalan Magnetic Microspheres. 2013 , 22, 31-40	
70	Study in synthesis and characterization of carbon nanotubes decorated by magnetic iron oxide nanoparticles. 2014 , 4, 129-135	54
69	Preparation and Characterization of Chitosan/Kaolin/Fe ₃ O ₄ Magnetic Microspheres and Their Application for the Removal of Ciprofloxacin. 2014 , 32, 775-790	18
68	Structural Stability of Iron Oxide Nanotubes and an Enhancement of Photo Induced Current Detected in the Complex with Fullerenols. 2014 , 1659, 169-174	2
67	Characterization of new sorbent constructed from Fe ₃ O ₄ /chitin magnetic beads for the dynamic adsorption of Cd ²⁺ ions. 2014 , 49, 123-133	30
66	Advances in Cellulose Hydrophobicity Improvement. 2014 , 241-274	3
65	Controlled deposition of magnetic particles within the 3-D template of wood: making use of the natural hierarchical structure of wood. 2014 , 4, 35678-35685	30
64	Reduction of the water wettability of cellulose film through controlled heterogeneous modification. 2014 , 6, 5726-34	53
63	Clarification of GO acted as a barrier against the crack propagation of the cellulose composite films. 2014 , 104, 52-58	7
62	Maghemite nanoparticles on electrospun CNFs template as prospective lithium-ion battery anode. 2014 , 6, 1951-8	90
61	Portable Visible-Light Photocatalysts Constructed from Cu ₂ O Nanoparticles and Graphene Oxide in Cellulose Matrix. 2014 , 118, 7202-7210	54
60	Evolution of cellulose into flexible conductive green electronics: a smart strategy to fabricate sustainable electrodes for supercapacitors. 2014 , 4, 34134-34143	30
59	In situ synthesis of Ag ₃ PO ₄ /cellulose nanocomposites with photocatalytic activities under sunlight. <i>Cellulose</i> , 2014 , 21, 3371-3382	5.5 29
58	Highly specific capacitance materials constructed via in situ synthesis of polyaniline in a cellulose matrix for supercapacitors. <i>Cellulose</i> , 2014 , 21, 2337-2347	5.5 19
57	Fast contact of solid-liquid interface created high strength multi-layered cellulose hydrogels with controllable size. 2014 , 6, 1872-8	73

56	Hair-inspired crystal growth of HOA in cavities of cellulose matrix via hydrophobic-hydrophilic interface interaction. 2014 , 6, 9508-16	13
55	Hydrothermal synthesis of monodisperse α -Fe ₂ O ₃ nanocubes. 2015 , 19, S5-371-S5-375	4
54	Nanocellulose-assisted formation of porous hematite nanostructures. 2015 , 54, 1129-35	14
53	Synthesis, characterization and magnetic properties of hematite (α -Fe ₂ O ₃) nanoparticles on polysaccharide templates and their antibacterial activity. 2015 , 5, 515-520	50
52	Efficient synthesis of promising liquid fuels 5-ethoxymethylfurfural from carbohydrates. 2015 , 150, 236-242	66
51	Hollow microtubes made of carbon, boron and gold: novel semiconducting nanocomposite material for applications in electrochemistry and temperature sensing. 2015 , 5, 64083-64090	2
50	Fabricating Fe ₃ O ₄ /Fe/Biocarbon Fibers using Cellulose Nanocrystals for High-Rate Li-ion Battery Anode. 2015 , 174, 1175-1184	31
49	Soft template strategy to synthesize iron oxide-titania yolk-shell nanoparticles as high-performance anode materials for lithium-ion battery applications. 2015 , 21, 7954-61	12
48	Surface modification of cellulose scaffold with polypyrrole for the fabrication of flexible supercapacitor electrode with enhanced capacitance. 2015 , 5, 87266-87276	33
47	One-step synthesis of hematite nanospindles from choline chloride/urea deep eutectic solvent with highly powerful storage versus lithium. 2015 , 274, 1-7	61
46	Nanostructured anode materials for lithium ion batteries. 2015 , 3, 2454-2484	574
45	Magnetic cellulose-TiO ₂ nanocomposite microspheres for highly selective enrichment of phosphopeptides. 2015 , 51, 338-41	48
44	Fabrication of cellulose self-assemblies and high-strength ordered cellulose films. <i>Carbohydrate Polymers</i> , 2015 , 117, 414-421	10.3 24
43	Preparation and properties of cellulose/silver nanocomposite fibers. <i>Carbohydrate Polymers</i> , 2015 , 115, 269-75	10.3 58
42	Construction of Fluorescent Cellulose Biobased Plastics and their Potential Application in Anti-Counterfeiting Banknotes. 2016 , 301, 377-382	10
41	Porous Cellulose Microgel Particle: A Fascinating Host for the Encapsulation, Protection, and Delivery of <i>Lactobacillus plantarum</i> . 2016 , 64, 3430-6	25
40	Template-based syntheses for shape controlled nanostructures. 2016 , 234, 51-79	73
39	Electrochemical Properties of APCVD α -Fe ₂ O ₃ Nanoparticles at 300 oC. 2016 , 1, 2228-2234	1

38	Fabrication of Hollow Materials by Fast Pyrolysis of Cellulose Composite Fibers with Heterogeneous Structures. 2016 , 55, 13504-13508		15
37	Fabrication of Hollow Materials by Fast Pyrolysis of Cellulose Composite Fibers with Heterogeneous Structures. 2016 , 128, 13702-13706		
36	Magnetically-recoverable carbonaceous material: An efficient catalyst for the synthesis of 5-hydroxymethylfurfural and 5-ethoxymethylfurfural from carbohydrates. 2016 , 86, 1698-1704		8
35	Synthesis of Fe ₂ O ₃ , Fe ₃ O ₄ and Fe ₂ N magnetic hollow nanofibers as anode materials for Li-ion batteries. 2016 , 6, 111447-111456		26
34	Biomediated green synthesis of TiO ₂ nanoparticles for lithium ion battery application. 2016 , 99, 297-304		70
33	Preparation of a magnetic responsive immobilized lipase/cellulose microgel catalyst system: role of the surface properties of the magnetic cellulose microgel. 2016 , 6, 7339-7347		5
32	Cellulose in NaOH/water based solvents: a review. <i>Cellulose</i> , 2016 , 23, 5-55	5.5	177
31	Regenerated cellulose membrane as bio-template for in-situ growth of visible-light driven C-modified mesoporous titania. <i>Carbohydrate Polymers</i> , 2016 , 146, 166-73	10.3	54
30	Hydrogels based on cellulose and chitin: fabrication, properties, and applications. 2016 , 18, 53-75		406
29	Recent advances in regenerated cellulose materials. 2016 , 53, 169-206		564
28	A new ferrocenyl-triazine Schiff base as a novel precursor for selective preparation of iron oxide nanostructures. 2017 , 466, 39-47		4
27	Synthesis of fluorine-doped FeO nanorods toward enhanced lithium storage capability. <i>Nanotechnology</i> , 2017 , 28, 065401	3.4	11
26	Removal of methyl orange from aqueous solutions by adsorption on cellulose hydrogel assisted with Fe ₂ O ₃ nanoparticles. <i>Cellulose</i> , 2017 , 24, 903-914	5.5	38
25	Magnetic Bionanocomposites. 2017 , 205-234		
24	Overview on Synthesis of Magnetic Bio Char from Discarded Agricultural Biomass. 2017 , 435-460		2
23	Novel Functional Materials Based on Cellulose. <i>SpringerBriefs in Applied Sciences and Technology</i> , 2017 ,	0.4	13
22	Cellulose-Based Functional and Smart Materials. <i>SpringerBriefs in Applied Sciences and Technology</i> , 2017 , 45-67	0.4	2
21	Facile fabrication of MOF-derived octahedral CuO wrapped 3D graphene network as binder-free anode for high performance lithium-ion batteries. <i>Chemical Engineering Journal</i> , 2017 , 313, 1623-1632	14.7	139

20	A Facile Pathway to Modify Cellulose Composite Film by Reducing Wettability and Improving Barrier towards Moisture. <i>Materials</i> , 2017 , 10,	3.5	1
19	Water Resistant Cellulose - Titanium Dioxide Composites for Photocatalysis. <i>Scientific Reports</i> , 2018 , 8, 2306	4.9	44
18	Preparation of cellulose/graphene oxide aerogels with N-methyl morpholine-N-oxide as a solvent. <i>Journal of Applied Polymer Science</i> , 2018 , 135, 46152	2.9	10
17	Iron oxide magnetic nanoparticles as antimicrobials for therapeutics. <i>Pharmaceutical Development and Technology</i> , 2018 , 23, 316-323	3.4	4 ⁸
16	Aerogel templating on functionalized fibers of nanocellulose networks. <i>Materials Chemistry Frontiers</i> , 2018 , 2, 1655-1663	7.8	5
15	Enhanced performance of alpha-Fe ₂ O ₃ nanoparticles with optimized graphene coated layer as anodes for lithium-ion batteries. <i>International Journal of Energy Research</i> , 2019 , 43, 7095	4.5	4
14	Facile synthesis of gelatin-coated Fe ₃ O ₄ nanoparticle: Effect of pH in single-step co-precipitation for cancer drug loading. <i>Materials and Design</i> , 2019 , 181, 107942	8.1	35
13	. 2019 ,		17
12	Exploration of Other High-Value Applications of Nanocellulose. 2019 , 423-473		
11	Characterization of Hydrothermal Deposition of Copper Oxide Nanoleaves on Never-Dried Bacterial Cellulose. <i>Polymers</i> , 2019 , 11,	4.5	2
10	Construction of FeOOH@tunicate cellulose nanocomposite hydrogels and their highly efficient photocatalytic properties. <i>Carbohydrate Polymers</i> , 2020 , 229, 115470	10.3	17
9	Regenerated Cellulose Films with Amino-Terminated Hyperbranched Polyamic Anchored Nanosilver for Active Food Packaging.. <i>ACS Applied Bio Materials</i> , 2020 , 3, 602-610	4.1	19
8	Hematite microcube decorated TiO ₂ nanorods as heterojunction photocatalyst with in-situ carbon doping derived from polysaccharides bio-templates hydrothermal carbonization. <i>Journal of Alloys and Compounds</i> , 2020 , 820, 153143	5.7	14
7	FeO coated guar gum nanoparticles as non-genotoxic materials for biological application. <i>International Journal of Biological Macromolecules</i> , 2020 , 165, 333-345	7.9	7
6	Electrospun Nanostructured Iron Oxide Carbon Composites for High-Performance Lithium Ion Batteries. <i>Materials Horizons</i> , 2021 , 235-276	0.6	
5	ADVANCED FUNCTIONAL MATERIALS BASED ON CELLULOSE. <i>Acta Polymerica Sinica</i> , 2010 , 00, 1376-1398		21
4	Chemical characteristics of bogwood of <i>Cryptomeria japonica</i> D. Don excavated from the historically submerged coastal area of Uozu, Toyama, Japan. <i>MOKUZAI HOZON (Wood Protection)</i> , 2016 , 42, 62-71	0.1	2
3	Cellulose in situ formation of three primary nanoparticles for polymer scalable colors. <i>Journal of Nanostructure in Chemistry</i> , 1	7.6	

- 2 Enhanced Photocatalytic Degradation with Sustainable CaO Nanorods Doped with Ce and Cellulose Nanocrystals: In Silico Molecular Docking Studies. **2022**, 7, 27503-27515 ○
- 1 Synthesis and performance of mesoporous iron oxide in vacuum residue slurry-phase hydrocracking. **2023**, 332, 126063 ○