

CITATION REPORT

List of articles citing

Elevated neuregulin-1 and ErbB4 protein in the prefrontal cortex of schizophrenic patients

DOI: 10.1016/j.schres.2007.12.474

Schizophrenia Research, 2008, 100, 270-80.

Source: <https://exaly.com/paper-pdf/43856694/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
163	Histopathological and molecular heterogeneity among individuals with dementia associated with Presenilin mutations. 2008 , 3, 20		46
162	Neuregulin 1 in neural development, synaptic plasticity and schizophrenia. 2008 , 9, 437-52		770
161	Atypical anti-schizophrenic drugs prevent changes in cortical N-methyl-D-aspartate receptors and behavior following sub-chronic phencyclidine administration in developing rat pups. 2008 , 90, 569-77		22
160	Specific developmental reductions in subventricular zone ErbB1 and ErbB4 mRNA in the human brain. 2008 , 26, 791-803		15
159	Dual constraints on synapse formation and regression in schizophrenia: neuregulin, neuroligin, dysbindin, DISC1, MuSK and agrin. 2008 , 42, 662-77		24
158	Cognitive impairment in schizophrenia: a review of developmental and genetic models, and pro-cognitive profile of the optimised D(3) > D(2) antagonist, S33138. 2008 , 63, 187-229		39
157	Synapse formation and regression in the cortex during adolescence and in schizophrenia. 2009 , 190, S14-6		15
156	Target identification for CNS diseases by transcriptional profiling. 2009 , 34, 18-54		121
155	ErbB4 genotype predicts left frontotemporal structural connectivity in human brain. 2009 , 34, 641-50		60
154	Brain abnormalities in schizophrenia. 2009 , 87-104		1
153	Transcriptional interaction of an estrogen receptor splice variant and ErbB4 suggests convergence in gene susceptibility pathways in schizophrenia. 2009 , 284, 18824-32		26
152	Altered growth factor signaling pathways as the basis of aberrant stem cell maturation in schizophrenia. 2009 , 121, 115-22		52
151	Neuregulin 1 transgenic mice display reduced mismatch negativity, contextual fear conditioning and social interactions. 2009 , 1294, 116-27		103
150	Chromosome 8p as a potential hub for developmental neuropsychiatric disorders: implications for schizophrenia, autism and cancer. <i>Molecular Psychiatry</i> , 2009 , 14, 563-89	15.1	170
149	Levels of neuregulin 1 and 3 proteins in Brodmann's area 46 from subjects with schizophrenia and bipolar disorder. 2009 , 466, 27-9		11
148	A neuregulin 1 variant is associated with increased lateral ventricle volume in patients with first-episode schizophrenia. 2009 , 65, 535-40		47
147	Glial cells in schizophrenia: pathophysiological significance and possible consequences for therapy. 2009 , 9, 1059-71		158

146	Positive and negative symptoms in schizophrenia: the NMDA receptor hypofunction hypothesis, neuregulin/ErbB4 and synapse regression. 2009 , 43, 711-21		35
145	Neuregulin-1 signaling in schizophrenia: Back of all tradesFor master of some?. 2009 , 9, 1-3		16
144	Recent advances in postmortem pathology and neurochemistry in schizophrenia. 2009 , 22, 154-60		38
143	A follow-up study: acute behavioural effects of Delta(9)-THC in female heterozygous neuregulin 1 transmembrane domain mutant mice. 2010 , 211, 277-89		54
142	Cytokine hypothesis of schizophrenia pathogenesis: evidence from human studies and animal models. 2010 , 64, 217-30		160
141	ErbB4 in parvalbumin-positive interneurons is critical for neuregulin 1 regulation of long-term potentiation. 2010 , 107, 21818-23		179
140	Expressions of neuregulin 1beta and ErbB4 in prefrontal cortex and hippocampus of a rat schizophrenia model induced by chronic MK-801 administration. 2010 , 2010, 859516		15
139	Decreased Neuregulin 1 C-terminal fragment in Brodmann's area 6 of patients with schizophrenia. <i>Schizophrenia Research</i> , 2010 , 124, 200-7	3.6	22
138	Neuregulin 1-erbB4 pathway in schizophrenia: From genes to an interactome. 2010 , 83, 132-9		65
137	Neuregulin-1, the fetal endothelium, and brain damage in preterm newborns. 2010 , 24, 784-91		18
136	Additive effect of NRG1 and DISC1 genes on lateral ventricle enlargement in first episode schizophrenia. 2010 , 53, 1016-22		37
135	Chemical genetics identifies small-molecule modulators of neuritogenesis involving neuregulin-1/ErbB4 signaling. 2010 , 1, 325-342		5
134	The influence of schizophrenia-related neuregulin-1 polymorphisms on sensorimotor gating in healthy males. 2011 , 69, 479-86		52
133	Neurogenesis in the Adult Brain II. 2011 ,		2
132	Animal Models of Schizophrenia and Related Disorders. 2011 ,		1
131	Modeling Schizophrenia in Neuregulin 1 and ErbB4 Mutant Mice. 2011 , 261-277		
130	Neuregulin signaling, cortical circuitry development and schizophrenia. 2011 , 21, 262-70		70
129	Schizophrenia: susceptibility genes, dendritic-spine pathology and gray matter loss. <i>Progress in Neurobiology</i> , 2011 , 95, 275-300	10.9	85

128	Reciprocal signalling between NR2 subunits of the NMDA receptor and neuregulin1 and their role in schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011 , 35, 896-904	5.5	32
127	Antipsychotic treatment and neuregulin 1-ErbB4 signalling in schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011 , 35, 924-30	5.5	29
126	Concise review: the promise of human induced pluripotent stem cell-based studies of schizophrenia. <i>Stem Cells</i> , 2011 , 29, 1915-22	5.8	60
125	Pallidal hyperdopaminergic innervation underlying D2 receptor-dependent behavioral deficits in the schizophrenia animal model established by EGF. <i>PLoS ONE</i> , 2011 , 6, e25831	3.7	27
124	Schizophrenia susceptibility pathway neuregulin 1-ErbB4 suppresses Src upregulation of NMDA receptors. 2011 , 17, 470-8		126
123	A Src link in schizophrenia. 2011 , 17, 425-7		14
122	Transient exposure of neonatal mice to neuregulin-1 results in hyperdopaminergic states in adulthood: implication in neurodevelopmental hypothesis for schizophrenia. <i>Molecular Psychiatry</i> , 2011 , 16, 307-20	15.1	87
121	Tyrosine kinase B protein expression is reduced in the cerebellum of patients with bipolar disorder. 2011 , 133, 646-54		23
120	Neuroplasticity signaling pathways linked to the pathophysiology of schizophrenia. <i>Neuroscience and Biobehavioral Reviews</i> , 2011 , 35, 848-70	9	123
119	Specific regulation of NRG1 isoform expression by neuronal activity. <i>Journal of Neuroscience</i> , 2011 , 31, 8491-501	6.6	111
118	Function of ERBB4 is determined by alternative splicing. 2011 , 10, 2647-57		81
117	Schizophrenia-associated HapICE haplotype is associated with increased NRG1 type III expression and high nucleotide diversity. <i>Translational Psychiatry</i> , 2012 , 2, e104	8.6	62
116	Perinatal phencyclidine treatment alters neuregulin 1/erbB4 expression and activation in later life. 2012 , 22, 356-63		35
115	Neuregulin-1 receptor tyrosine kinase ErbB4 is upregulated in midbrain dopaminergic neurons in Parkinson disease. 2012 , 531, 209-14		14
114	Neuregulin repellent signaling via ErbB4 restricts GABAergic interneurons to migratory paths from ganglionic eminence to cortical destinations. 2012 , 7, 10		44
113	Avoiding mouse traps in schizophrenia genetics: lessons and promises from current and emerging mouse models. 2012 , 211, 136-64		32
112	Adolescent neuregulin 1 heterozygous mice display enhanced behavioural sensitivity to methamphetamine. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012 , 39, 376-81	5.5	9
111	Dysregulated Src upregulation of NMDA receptor activity: a common link in chronic pain and schizophrenia. 2012 , 279, 2-11		46

110	Neuregulin-1/ErbB4 signaling controls the migration of oligodendrocyte precursor cells during development. 2012 , 235, 610-20		36
109	Neuregulin1 β protects oligodendrocyte progenitor cells from oxygen glucose deprivation injury induced apoptosis via ErbB4-dependent activation of PI3-kinase/Akt. 2012 , 1467, 104-12		9
108	The first decade and beyond of transcriptional profiling in schizophrenia. <i>Neurobiology of Disease</i> , 2012 , 45, 23-36	7.5	59
107	A model of neuregulin control of NMDA receptors on synaptic spines. 2012 , 74, 717-35		5
106	Neuregulin-1 signalling and antipsychotic treatment: potential therapeutic targets in a schizophrenia candidate signalling pathway. 2013 , 226, 201-15		39
105	A neuregulin 1 transmembrane domain mutation causes imbalanced glutamatergic and dopaminergic receptor expression in mice. 2013 , 248, 670-80		30
104	Losing your inhibition: linking cortical GABAergic interneurons to schizophrenia. <i>Neurobiology of Disease</i> , 2013 , 53, 36-48	7.5	69
103	Animal models of schizophrenia for molecular and pharmacological intervention and potential candidate molecules. <i>Neurobiology of Disease</i> , 2013 , 53, 61-74	7.5	23
102	Enhanced interaction among ErbB4, PSD-95 and NMDAR by chronic MK-801 treatment is associated with behavioral abnormalities. 2013 , 108, 44-53		15
101	Reversal of behavioral deficits and synaptic dysfunction in mice overexpressing neuregulin 1. 2013 , 78, 644-57		95
100	Multiple variants aggregate in the neuregulin signaling pathway in a subset of schizophrenia patients. <i>Translational Psychiatry</i> , 2013 , 3, e264	8.6	31
99	Schizophrenia candidate gene ERBB4: covert routes of vulnerability to psychosis detected at the population level. <i>Schizophrenia Bulletin</i> , 2013 , 39, 349-57	1.3	12
98	Female neuregulin 1 heterozygous mice require repeated exposure to Δ^9 -tetrahydrocannabinol to alter sensorimotor gating function. 2013 , 46, 286-91		4
97	Neuregulin-1 impairs the long-term depression of hippocampal inhibitory synapses by facilitating the degradation of endocannabinoid 2-AG. <i>Journal of Neuroscience</i> , 2013 , 33, 15022-31	6.6	25
96	Novel molecular changes induced by Nrg1 hypomorphism and Nrg1-cannabinoid interaction in adolescence: a hippocampal proteomic study in mice. 2013 , 7, 15		30
95	Partial genetic deletion of neuregulin 1 and adolescent stress interact to alter NMDA receptor binding in the medial prefrontal cortex. 2014 , 8, 298		13
94	Schizophrenia: susceptibility genes and oligodendroglial and myelin related abnormalities. 2014 , 8, 5		67
93	The effect of deficient muscarinic signaling on commonly reported biochemical effects in schizophrenia and convergence with genetic susceptibility loci in explaining symptom dimensions of psychosis. 2014 , 5, 277		4

92	Ablation of ErbB4 from excitatory neurons leads to reduced dendritic spine density in mouse prefrontal cortex. 2014 , 522, 3351-62		19
91	Elevated ErbB4 mRNA is related to interneuron deficit in prefrontal cortex in schizophrenia. 2014 , 53, 125-32		46
90	Neuregulin-ERBB signaling in the nervous system and neuropsychiatric diseases. 2014 , 83, 27-49		342
89	Partial genetic deletion of neuregulin 1 modulates the effects of stress on sensorimotor gating, dendritic morphology, and HPA axis activity in adolescent mice. <i>Schizophrenia Bulletin</i> , 2014 , 40, 1272-84 ^{1,3}		26
88	Dopaminergic function in relation to genes associated with risk for schizophrenia: translational mutant mouse models. 2014 , 211, 79-112		17
87	Risk genes for schizophrenia: translational opportunities for drug discovery. 2014 , 143, 34-50		24
86	Pathological aggression. 86-96		
85	Schizophrenia. 189-207		1
84	Interneuronal DISC1 regulates NRG1-ErbB4 signalling and excitatory-inhibitory synapse formation in the mature cortex. <i>Nature Communications</i> , 2015 , 6, 10118	17.4	51
83	Associating schizophrenia, long non-coding RNAs and neurostructural dynamics. 2015 , 8, 57		22
82	Neurobehavioral Differences Between Mice Receiving Distinct Neuregulin Variants as Neonates; Impact on Sensitivity to MK-801. 2015 , 15, 222-36		8
81	Differential effects of short- and long-term antipsychotic treatment on the expression of neuregulin-1 and ErbB4 receptors in the rat brain. <i>Psychiatry Research</i> , 2015 , 225, 347-54	9.9	11
80	Glia-related genes and their contribution to schizophrenia. 2015 , 69, 448-61		22
79	ERBB4 polymorphism and family history of psychiatric disorders on age-related cortical changes in healthy children. 2015 , 9, 128-40		1
78	Neuregulin 1 Prevents Phencyclidine-Induced Behavioral Impairments and Disruptions to GABAergic Signaling in Mice. 2015 , 18, pyu114		13
77	Modulation of schizophrenia-related genes in the forebrain of adolescent and adult rats exposed to maternal immune activation. <i>Schizophrenia Research</i> , 2015 , 168, 411-20	3.6	26
76	Glial cells as key players in schizophrenia pathology: recent insights and concepts of therapy. <i>Schizophrenia Research</i> , 2015 , 161, 4-18	3.6	143
75	Neurodevelopment, GABA system dysfunction, and schizophrenia. 2015 , 40, 190-206		127

74	Calcyon stimulates neuregulin 1 maturation and signaling. <i>Molecular Psychiatry</i> , 2015 , 20, 1251-60	15.1	9
73	The PSD. 2016 , 125-147		2
72	Modeling GeneEnvironment Interaction in Schizophrenia. 2016 , 23, 345-360		1
71	Genetic association between NRG1 and schizophrenia, major depressive disorder, bipolar disorder in Han Chinese population. 2016 , 171B, 468-78		18
70	The role of P2X7 receptors in a rodent PCP-induced schizophrenia model. <i>Scientific Reports</i> , 2016 , 6, 36680	10	26
69	Association of the DISC1 and NRG1 genetic polymorphisms with schizophrenia in a Chinese population. 2016 , 590, 293-7		14
68	Neuregulin1 alpha activates migration of neuronal progenitors expressing ErbB4. 2016 , 77, 87-94		11
67	Sub-chronic Antipsychotic Drug Administration Reverses the Expression of Neuregulin 1 and ErbB4 in a Cultured MK801-Induced Mouse Primary Hippocampal Neuron or a Neurodevelopmental Schizophrenia Model. 2016 , 41, 2049-64		13
66	Neuregulin-1 and schizophrenia in the genome-wide association study era. <i>Neuroscience and Biobehavioral Reviews</i> , 2016 , 68, 387-409	9	50
65	The Impact of Exposure to Cannabinoids in Adolescence: Insights From Animal Models. 2016 , 79, 578-85		108
64	Animal models of gene-environment interaction in schizophrenia: A dimensional perspective. <i>Progress in Neurobiology</i> , 2016 , 136, 1-27	10.9	54
63	Schizophrenia and neurogenesis: A stem cell approach. <i>Neuroscience and Biobehavioral Reviews</i> , 2017 , 80, 414-442	9	26
62	Translating advances in the molecular basis of schizophrenia into novel cognitive treatment strategies. <i>British Journal of Pharmacology</i> , 2017 , 174, 3173-3190	8.6	12
61	Elevated peripheral expression of neuregulin-1 (NRG1) mRNA isoforms in clozapine-treated schizophrenia patients. <i>Translational Psychiatry</i> , 2017 , 7, 1280	8.6	21
60	Deletion from Medium Spiny Neurons of the Nucleus Accumbens Core Induces Schizophrenia-Like Behaviors via Elevated GABA Receptor β Subunit Expression. <i>Journal of Neuroscience</i> , 2017 , 37, 7450-7464	6.6	11
59	Prediction Analysis for Transition to Schizophrenia in Individuals at Clinical High Risk for Psychosis: The Relationship of , and Variants with Negative Symptoms and Cognitive Deficits. <i>Frontiers in Psychiatry</i> , 2017 , 8, 292	5	11
58	Specialized Information Processing Deficits and Distinct Metabolomic Profiles Following TM-Domain Disruption of Nrg1. <i>Schizophrenia Bulletin</i> , 2017 , 43, 1100-1113	1.3	2
57	hiPSC-derived neural stem cells from patients with schizophrenia induce an impaired angiogenesis. <i>Translational Psychiatry</i> , 2018 , 8, 48	8.6	19

56	Schizophrenia-relevant behaviours of female mice overexpressing neuregulin 1 type III. <i>Behavioural Brain Research</i> , 2018 , 353, 227-235	3.4	16
55	ErbB4 signaling in dopaminergic axonal projections increases extracellular dopamine levels and regulates spatial/working memory behaviors. <i>Molecular Psychiatry</i> , 2018 , 23, 2227-2237	15.1	28
54	Overexpression of Neuregulin 1 Type III Confers Hippocampal mRNA Alterations and Schizophrenia-Like Behaviors in Mice. <i>Schizophrenia Bulletin</i> , 2018 , 44, 865-875	1.3	15
53	ErbB4 deletion in noradrenergic neurons in the locus coeruleus induces mania-like behavior via elevated catecholamines. <i>ELife</i> , 2018 , 7,	8.9	10
52	Low Field Magnetic Stimulation Ameliorates Schizophrenia-Like Behavior and Up-Regulates Neuregulin-1 Expression in a Mouse Model of Cuprizone-Induced Demyelination. <i>Frontiers in Psychiatry</i> , 2018 , 9, 675	5	6
51	Excitotoxicity. 2018 , 70-100		
50	Schizophrenia Genetics. <i>Russian Journal of Genetics</i> , 2018 , 54, 593-603	0.6	2
49	Assessment of a combination of Serum Proteins as potential biomarkers to clinically predict Schizophrenia. <i>International Journal of Medical Sciences</i> , 2018 , 15, 900-906	3.7	14
48	Antibody-mediated stabilization of NRG1 induces behavioral and electrophysiological alterations in adult mice. <i>Scientific Reports</i> , 2018 , 8, 8239	4.9	6
47	Effects of antipsychotic drugs on neurites relevant to schizophrenia treatment. <i>Medicinal Research Reviews</i> , 2019 , 39, 386-403	14.4	21
46	Effect of age onset on schizophrenia-like phenotypes and underlying mechanisms in model mice. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 89, 465-474	5.5	4
45	The impact of D-cycloserine and sarcosine on in vivo frontal neural activity in a schizophrenia-like model. <i>BMC Psychiatry</i> , 2019 , 19, 314	4.2	1
44	erbb4 Deficits in Chandelier Cells of the Medial Prefrontal Cortex Confer Cognitive Dysfunctions: Implications for Schizophrenia. <i>Cerebral Cortex</i> , 2019 , 29, 4334-4346	5.1	13
43	Decreased circulating ErbB4 ectodomain fragments as a read-out of impaired signaling function in amyotrophic lateral sclerosis. <i>Neurobiology of Disease</i> , 2019 , 124, 428-438	7.5	7
42	Elevated cleavage of neuregulin-1 by beta-secretase 1 in plasma of schizophrenia patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 90, 161-168	5.5	6
41	GABAergic Abnormalities Associated with Sensorimotor Cortico-striatal Community Structural Deficits in ErbB4 Knockout Mice and First-Episode Treatment-Naïve Patients with Schizophrenia. <i>Neuroscience Bulletin</i> , 2020 , 36, 97-109	4.3	3
40	Temporal Dynamics of the Neuregulin-ErbB Network in the Murine Prefrontal Cortex across the Lifespan. <i>Cerebral Cortex</i> , 2020 , 30, 3325-3339	5.1	0
39	miR-323a regulates ERBB4 and is involved in depression. <i>Molecular Psychiatry</i> , 2021 , 26, 4191-4204	15.1	12

38	Transcriptome Profiling Reveals Novel Candidate Genes Related to Hippocampal Dysfunction in SREBP-1c Knockout Mice. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	3
37	Neuregulin 1: an intriguing therapeutic target for neurodevelopmental disorders. <i>Translational Psychiatry</i> , 2020 , 10, 190	8.6	8
36	Adolescent cannabinoid exposure interacts with other risk factors in schizophrenia: A review of the evidence from animal models. <i>Neuroscience and Biobehavioral Reviews</i> , 2020 , 116, 202-220	9	6
35	The prefrontal cortex as a target for atypical antipsychotics in schizophrenia, lessons of neurodevelopmental animal models. <i>Progress in Neurobiology</i> , 2021 , 199, 101967	10.9	8
34	Brain changes in NF- κ B1 and epidermal growth factor system markers at peri-pubescence in the spiny mouse following maternal immune activation. <i>Psychiatry Research</i> , 2021 , 295, 113564	9.9	1
33	Overexpression of neuregulin 1 in GABAergic interneurons results in reversible cortical disinhibition. <i>Nature Communications</i> , 2021 , 12, 278	17.4	6
32	Shi-Zhen-An-Shen Decoction, a Herbal Medicine That Reverses Cuprizone-Induced Demyelination and Behavioral Deficits in Mice Independent of the Neuregulin-1 Pathway. <i>Neural Plasticity</i> , 2021 , 2021, 8812362	3.3	0
31	Spine impairment in mice high-expressing neuregulin 1 due to LIMK1 activation. <i>Cell Death and Disease</i> , 2021 , 12, 403	9.8	5
30	Effects of handling on the behavioural phenotype of the neuregulin 1 type III transgenic mouse model for schizophrenia. <i>Behavioural Brain Research</i> , 2021 , 405, 113166	3.4	0
29	Prenatal dexamethasone exposure induces anxiety- and depressive-like behavior of male offspring rats through intrauterine programming of the activation of NRG1-ErbB4 signaling in hippocampal PV interneurons. <i>Cell Biology and Toxicology</i> , 2021 , 1	7.4	0
28	Early neuroadaptations to an obesogenic diet identify the schizophrenia-related ErbB4 receptor in obesity-induced hippocampal abnormalities.		
27	Treatment-emergent and trajectory-based peripheral gene expression markers of antidepressant response. <i>Translational Psychiatry</i> , 2021 , 11, 439	8.6	1
26	Nrg1 haploinsufficiency alters inhibitory cortical circuits. <i>Neurobiology of Disease</i> , 2021 , 157, 105442	7.5	1
25	Decreased neuregulin1 in first episode and drug-naïve patients with schizophrenia: Negative correlation with cognitive impairment. <i>Psychiatry Research</i> , 2021 , 304, 114164	9.9	1
24	Impaired Neurogenesis as a Risk Factor for Schizophrenia and Related Mental Diseases. 2011 , 109-131		2
23	Reduced Insulin-Like Growth Factor Family Member Expression Predicts Neurogenesis Marker Expression in the Subependymal Zone in Schizophrenia and Bipolar Disorder. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1168-1178	1.3	2
22	Sustained ErbB activation causes demyelination and hypomyelination by driving necroptosis of mature oligodendrocytes and apoptosis of oligodendrocyte precursor cells.		1
21	Twin Study of Early-Onset Major Depression Finds DNA Methylation Enrichment for Neurodevelopmental Genes.		8

20	Phenotypic characterization of transgenic mice overexpressing neuregulin-1. <i>PLoS ONE</i> , 2010 , 5, e141853;7		93
19	Differential neuregulin 1 cleavage in the prefrontal cortex and hippocampus in schizophrenia and bipolar disorder: preliminary findings. <i>PLoS ONE</i> , 2012 , 7, e36431	3.7	42
18	Neuregulin 1 expression and electrophysiological abnormalities in the Neuregulin 1 transmembrane domain heterozygous mutant mouse. <i>PLoS ONE</i> , 2015 , 10, e0124114	3.7	15
17	ErbB4 Null Mice Display Altered Mesocorticolimbic and Nigrostriatal Dopamine Levels as well as Deficits in Cognitive and Motivational Behaviors. <i>ENeuro</i> , 2020 , 7,	3.9	4
16	Neuregulin 1 Type I Overexpression Is Associated with Reduced NMDA Receptor-Mediated Synaptic Signaling in Hippocampal Interneurons Expressing PV or CCK. <i>ENeuro</i> , 2018 , 5,	3.9	17
15	Time Windows of Interneuron Development: Implications to Our Understanding of the Aetiology and Treatment of Schizophrenia. <i>AIMS Neuroscience</i> , 2015 , 2, 294-321	1.7	0
14	Cell autonomous regulation of hippocampal circuitry via Aph1b- β secretase/neuregulin 1 signalling. <i>ELife</i> , 2014 , 3,	8.9	17
13	Genetics in schizophrenia: where are we and what next?. <i>Dialogues in Clinical Neuroscience</i> , 2010 , 12, 289-303	5.7	28
12	CHAPTER 5:Modelling Schizophrenia: Strategies for Identifying Improved Platforms for Drug Discovery. <i>RSC Drug Discovery Series</i> , 2015 , 89-114	0.6	
11	Are There Schizophrenia Genetic Markers and Mutations? A Systematic Review and Meta-Analyses. <i>Health</i> , 2017 , 09, 811-838	0.4	
10	Sustained ErbB Activation Causes Demyelination and Hypomyelination by Driving Necroptosis of Mature Oligodendrocytes and Apoptosis of Oligodendrocyte Precursor Cells. <i>Journal of Neuroscience</i> , 2021 , 41, 9872-9890	6.6	2
9	ErbB dysregulation impairs cognition via myelination-dependent and - independent oligodendropathy.		
8	A protein-centric view of in vitro biological model systems for schizophrenia. <i>Stem Cells</i> , 2021 , 39, 1569-1578		
7	Adult neural stem cells and schizophrenia.. <i>World Journal of Stem Cells</i> , 2022 , 14, 219-230	5.6	1
6	Overexpression of Neuregulin-1 Type III Has Impact on Visual Function in Mice.. <i>International Journal of Molecular Sciences</i> , 2022 , 23,	6.3	
5	Presentation_1.PDF. 2017 ,		
4	Advantages and Limitations of Animal Schizophrenia Models. <i>International Journal of Molecular Sciences</i> , 2022 , 23, 5968	6.3	1
3	Elevated peripheral Neuregulin-1 protein levels in non-medicated focal epilepsy patients. <i>Journal of Clinical Neuroscience</i> , 2022 , 102, 1-4	2.2	

- 2 Role of the NRG1/ErbB4 and PI3K/AKT/mTOR signaling pathways in the anti-psychotic effects of aripiprazole and sertindole in ketamine-induced schizophrenia-like behaviors in rats. ○
- 1 NRG1 knockdown rescues PV interneuron GABAergic maturation deficits and schizophrenia behaviors in fetal growth restriction mice. **2022**, 8, ○