

# CITATION REPORT

List of articles citing

Stimuli-responsive polymer nanocomposites inspired by the sea cucumber dermis

DOI: 10.1126/science.1153307  
Science, 2008, 319, 1370-4.

**Source:** <https://exaly.com/paper-pdf/43911890/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
838	Cool as a cucumber. <i>Angewandte Chemie - International Edition</i> , <b>2008</b> , 47, 8776-7	16.4	4
837	Von Gurken und anderen Stachelhäutern. <i>Angewandte Chemie</i> , <b>2008</b> , 120, 8904-8906	3.6	
836	Material mechanics: an angle on sticky films. <b>2008</b> , 7, 348-9		1
835	Biomimetic materials: marine inspiration. <b>2008</b> , 7, 347-8		21
834	Editorial for Biointerphases In Focus: Research on biointerfaces with neutrons and synchrotron radiation. <b>2008</b> , 3, FB1		0
833	Determination of the stiffness of cellulose nanowhiskers and the fiber-matrix interface in a nanocomposite using Raman spectroscopy. <b>2008</b> , 93, 033111		218
832	. <b>2009</b> ,		23
831	Thermal modification of the rigidity of micro-structures by the phase transition of a fusible alloy. <b>2009</b> , 19, 055014		
830	Tunable gel formation by both sonication and thermal processing in a cholesterol-based self-assembly system. <b>2009</b> , 15, 6234-43		73
829	Biomaterial systems for mechanosensing and actuation. <b>2009</b> , 462, 442-8		492
828	C-H bond activation: A radical non-metal solution. <b>2009</b> , 1, 348-9		14
827	Biomimetic materials: Polymers with bio-inspired strength. <b>2009</b> , 1, 347-8		13
826	Nanoscale particles for polymer degradation and stabilization—trends and future perspectives. <b>2009</b> , 34, 479-515		468
825	Cellulose whiskers extracted from mulberry: A novel biomass production. <i>Carbohydrate Polymers</i> , <b>2009</b> , 76, 94-99	10.3	354
824	Fabrication, characterization and microwave properties of polyurethane nanocomposites reinforced with iron oxide and barium titanate nanoparticles. <b>2009</b> , 57, 267-277		136
823	Stable Hydrogen-Bonding Complexes of Poly(4-vinylpyridine) and Polydiacetylenes for Photolithography and Sensing. <b>2009</b> , 42, 4110-4117		59
822	A self-repairing, supramolecular polymer system: healability as a consequence of donor-acceptor pi-pi stacking interactions. <b>2009</b> , 6717-9		422

821	Influence of temperature on low-power upconversion in rubbery polymer blends. <b>2009</b> , 131, 12007-14	150
820	A biomimetic modular polymer with tough and adaptive properties. <b>2009</b> , 131, 8766-8	209
819	Polymer nanocomposites with nanowhiskers isolated from microcrystalline cellulose. <b>2009</b> , 10, 712-6	222
818	One-pot polymerization, surface grafting, and processing of waterborne polyurethane-cellulose nanocrystal nanocomposites. <b>2009</b> , 19, 7137	255
817	Cellulose Nanocrystals in Polymer Matrices. <b>2009</b> , 273-292	2
816	How to mimic the shapes of plant tendrils on the nano and microscale: spirals and helices of electrospun liquid crystalline cellulose derivatives. <b>2009</b> , 5, 2772	31
815	Solid state nanofibers based on self-assemblies: from cleaving from self-assemblies to multilevel hierarchical constructs. <b>2009</b> , 143, 95-107; discussion 169-86	32
814	Electrochemically controlled swelling and mechanical properties of a polymer nanocomposite. <b>2009</b> , 3, 2207-16	118
813	Elastic moduli of cellulose nanoparticle-reinforced composites: a micromechanical model. <b>2009</b> , 10, 3259-65	12
812	Facile bisurethane supramolecular polymers containing flexible alicyclic receptor units. <b>2009</b> , 5, 2000	37
811	A bio-inspired, chemo-responsive polymer nanocomposite for mechanically dynamic microsystems. <b>2009</b> ,	5
810	Discrete, multi-component complexes with cucurbit[8]uril in the gas-phase. <b>2009</b> , 644-6	58
809	The stability of cellulose: a statistical perspective from a coarse-grained model of hydrogen-bond networks. <b>2009</b> , 96, 3032-40	82
808	Cellulose nanocrystals: chemistry, self-assembly, and applications. <b>2010</b> , 110, 3479-500	3892
807	Soft, highly conductive nanotube sponges and composites with controlled compressibility. <b>2010</b> , 4, 2320-6	206
806	Review: current international research into cellulose nanofibres and nanocomposites. <b>2010</b> , 45, 1-33	1760
805	Adjustable-Stiffness Films via Integrated Thermal Modulation. <b>2010</b> , 295, 735-741	2
804	Biomimetic mechanically adaptive nanocomposites. <b>2010</b> , 35, 212-222	169

803	Future perspectives and recent advances in stimuli-responsive materials. <b>2010</b> , 35, 278-301		1172
802	Monitoring colloidal stability of polymer-coated magnetic nanoparticles using AC susceptibility measurements. <b>2010</b> , 342, 540-9		38
801	Ag nanoparticle/azopolymer nanocomposites: In situ synthesis, microstructure, rewritable optically induced birefringence and optical recording. <b>2010</b> , 51, 1395-1403		22
800	A pH-responsive interface derived from resilin-mimetic protein Rec1-resilin. <b>2010</b> , 31, 4434-46		46
799	The role of protein assembly in dynamically tunable bio-optical tissues. <b>2010</b> , 31, 793-801		69
798	Discrimination of matrix-fibre interactions in all-cellulose nanocomposites. <i>Composites Science and Technology</i> , <b>2010</b> , 70, 2325-2330	8.6	50
797	Copying from nature: Designing adaptive, chemoresponsive gels. <b>2010</b> , 48, 2533-2541		7
796	On the possible developments for the structural materials relevant for future mobile devices. 21-50		1
795	Bridging the Divide between Neuroprosthetic Design, Tissue Engineering and Neurobiology. <b>2010</b> , 2, 18		69
794	Tunable elastic stiffness with microconfined magnetorheological domains at low magnetic field. <b>2010</b> , 97, 164104		100
793	Engineering hope with biomimetic microelectronic systems. <b>2010</b> ,		1
792	Cellulose whisker/epoxy resin nanocomposites. <b>2010</b> , 2, 1073-80		206
791	Atomic force microscopy characterization of cellulose nanocrystals. <b>2010</b> , 26, 4480-8		245
790	Bioinspired Polymeric Nanocomposites. <b>2010</b> , 43, 9217-9226		40
789	Probing cucurbit[8]uril-mediated supramolecular block copolymer assembly in water using diffusion NMR. <b>2010</b> , 1, 1434		36
788	Natural biopolymers: novel templates for the synthesis of nanostructures. <b>2010</b> , 26, 8497-502		148
787	Stress-transfer in anisotropic and environmentally adaptive cellulose whisker nanocomposites. <b>2010</b> , 11, 762-8		97
786	pH-Sensitive breathing of clay within the polyelectrolyte matrix. <b>2010</b> , 4, 5921-9		61

785	Computational design of active, self-reinforcing gels. <b>2010</b> , 114, 6316-22	29
784	Synthesis and characterization of glucocorticoid functionalized poly(N-vinyl pyrrolidone): a versatile prodrug for neural interface. <b>2010</b> , 11, 1298-307	23
783	Connectedness percolation in polydisperse rod systems: A modified Bethe lattice approach. <b>2010</b> , 132, 224905	53
782	Novel anisotropic materials from functionalised colloidal cellulose and cellulose derivatives. <b>2010</b> , 20, 10058	62
781	Chemical complexity--supramolecular self-assembly of synthetic and biological building blocks in water. <b>2010</b> , 39, 2806-16	143
780	Microstructural regimes of colloidal rod suspensions, gels, and glasses. <b>2010</b> , 6, 1391	199
779	Stimuli-responsive mechanically adaptive polymer nanocomposites. <b>2010</b> , 2, 165-74	124
778	Self-winding of helices in plant tendrils and cellulose liquid crystal fibers. <b>2010</b> , 6, 5965	56
777	Bio-inspired mechanically-adaptive nanocomposites derived from cotton cellulose whiskers. <b>2010</b> , 20, 180-186	146
776	Development of a stimuli-responsive polymer nanocomposite toward biologically optimized, MEMS-based neural probes. <b>2011</b> , 21, 054009	68
775	Highly extensible, tough, and elastomeric nanocomposite hydrogels from poly(ethylene glycol) and hydroxyapatite nanoparticles. <b>2011</b> , 12, 1641-50	258
774	Bioinspired Mechanically Adaptive Polymer Nanocomposites with Water-Activated Shape-Memory Effect. <b>2011</b> , 44, 6827-6835	275
773	Dispersions of aramid nanofibers: a new nanoscale building block. <b>2011</b> , 5, 6945-54	337
772	Investigating the interaction of cellulose nanofibers derived from cotton with a sophisticated 3D human lung cell coculture. <b>2011</b> , 12, 3666-73	165
771	Hierarchy in Natural Materials. <b>2011</b> , 29-39	6
770	Observation of dynamic strain hardening in polymer nanocomposites. <b>2011</b> , 5, 2715-22	64
769	Equilibrium Structure and Dynamics of Self-Associating Single Polymers. <b>2011</b> , 44, 6962-6971	31
768	Uncertainty quantification in nanomechanical measurements using the atomic force microscope. <b>2011</b> , 22, 455703	78

767	Hierarchical assembly of micro-/nano-building blocks: bio-inspired rigid structural functional materials. <b>2011</b> , 40, 3764-85	299
766	Mechanical behavior of microstructures from a chemo-responsive polymer nanocomposite based on cotton cellulose nanofibers. <b>2011</b> ,	2
765	Stimuli-responsive, mechanically-adaptive polymer nanocomposites. <b>2011</b> , 21, 2812-2822	115
764	Insights into Hierarchically Structured Porous Materials: From Nanoscience to Catalysis, Separation, Optics, Energy, and Life Science. <b>2011</b> , 1-27	4
763	Stress transfer in cellulose nanowhisker composites--influence of whisker aspect ratio and surface charge. <b>2011</b> , 12, 1363-9	106
762	Characterization of the poly(vinyl alcohol)/cellulose whisker gel spun fibers. <b>2011</b> , 42, 741-747	41
761	Cellulose nanomaterials review: structure, properties and nanocomposites. <b>2011</b> , 40, 3941-94	4087
760	Bacterial cellulose nanocrystals exhibiting high thermal stability and their polymer nanocomposites. <b>2011</b> , 48, 50-7	222
759	- Neural Prosthesis Facilitated by Nanotechnology. <b>2011</b> , 332-349	
758	Adaptive Polymeric Nanofibre and Nanofilm. <b>2011</b> , 215-251	
757	Using the dynamic bond to access macroscopically responsive structurally dynamic polymers. <b>2011</b> , 10, 14-27	1160
756	Tunable shape recovery of polymeric nano-composites. <b>2011</b> , 65, 3583-3585	33
755	Synthesis and characterization of cellulose whiskers/polymer nanocomposite dispersion by mini-emulsion polymerization. <b>2011</b> , 363, 129-36	43
754	Biofibers. <b>2011</b> , 323-365	9
753	Cellulose nanowhiskers: promising materials for advanced applications. <b>2011</b> , 7, 303-315	657
752	A novel smart polymer responsive to CO2. <b>2011</b> , 47, 9348-50	82
751	Electrospinning of Bombyx mori silk fibroin nanofiber mats reinforced by cellulose nanowhiskers. <b>2011</b> , 12, 1002-1006	44
750	Bio-based nanocomposites by in situ cure of phenolic prepolymers with cellulose whiskers. <b>2011</b> , 18, 619-630	32

749	In situ synthesis of plate-like Fe <sub>2</sub> O <sub>3</sub> nanoparticles in porous cellulose films with obvious magnetic anisotropy. <b>2011</b> , 18, 663-673		44
748	Toughening effect of cellulose nanowhiskers on polyvinyl acetate: Fracture toughness and viscoelastic analysis. <b>2011</b> , 32, 1492-1498		25
747	Extremely oriented tunicin whiskers in poly(vinyl alcohol) nanocomposites. <b>2011</b> , 60, 1230-1239		29
746	Functionalization of nanofibrillated cellulose with silver nanoclusters: fluorescence and antibacterial activity. <b>2011</b> , 11, 1185-91		109
745	Polymeric Shape Memory Nanocomposites with Heterogeneous Twin Switches. <b>2011</b> , 212, 1981-1986		36
744	Biologically inspired hierarchical design of nanocomposites based on poly(ethylene oxide) and cellulose nanofibers. <b>2011</b> , 32, 1367-72		24
743	Macroscale elastomeric conductors generated from hydrothermally synthesized metal-polymer hybrid nanocable sponges. <b>2011</b> , 23, 3643-7		50
742	Biotemplated materials for sustainable energy and environment: current status and challenges. <b>2011</b> , 4, 1344-87		127
741	Impacts of nanowhisker on formation kinetics and properties of all-cellulose composite gels. <i>Carbohydrate Polymers</i> , <b>2011</b> , 83, 1937-1946	10.3	111
740	Shape-memory polymers and their composites: Stimulus methods and applications. <b>2011</b> , 56, 1077-1135		1029
739	Polypyrrole-Titania Nanocomposites Derived from Different Oxidants. <b>2011</b> , 158, K205		65
738	In vivo deployment of mechanically adaptive nanocomposites for intracortical microelectrodes. <b>2011</b> , 8, 046010		117
737	Fabrication and Characterization of MEMS-Based Structures from a Bio-Inspired, Chemo-Responsive Polymer Nanocomposite. <b>2011</b> , 1299, 1		1
736	Interfacial energy dissipation in a cellulose nanowhisker composite. <b>2011</b> , 22, 325706		17
735	A novel approach to reduce fibrillation of PVA fibres using cellulose whiskers. <b>2011</b> , 81, 447-458		8
734	Mechanically adaptive intracortical implants improve the proximity of neuronal cell bodies. <b>2011</b> , 8, 066011		143
733	Chronic intracortical implantation of saccharose-coated flexible shaft electrodes into the cortex of rats. <b>2011</b> , 2011, 644-7		9
732	A simple model for characterizing non-uniform fibre-based composites and networks. <b>2011</b> , 23, 155104		1

731	Changes in the adhesive properties of spider aggregate glue during the evolution of cobwebs. <b>2011</b> , 1, 41	62
730	7 Processing of nanocellulose-based materials.	
729	9 Mechanical properties of nanocellulose-based nanocomposites.	
728	MEMS as implantable neuroprobes. <b>2012</b> , 361-395	1
727	Clues for biomimetics from natural composite materials. <b>2012</b> , 7, 1409-23	32
726	Introduction to Active Smart Materials for Biomedical Applications. <b>2012</b> , 1-27	5
725	Biological materials: Functional adaptations and bioinspired designs. <b>2012</b> , 57, 1492-1704	457
724	Semiquantitative Structural Analysis of Highly Anisotropic Cellulose Nanocolloids. <b>2012</b> , 1, 651-655	19
723	Recent advances in shape-memory polymers: Structure, mechanism, functionality, modeling and applications. <b>2012</b> , 37, 1720-1763	910
722	In vivo effects of L1 coating on inflammation and neuronal health at the electrode-tissue interface in rat spinal cord and dorsal root ganglion. <b>2012</b> , 8, 3561-75	52
721	Photoinduced reversible transmittance modulation of rod-coil type diblock copolymers containing azobenzene in the main chain. <b>2012</b> , 48, 3351-3	19
720	Facile preparation of robust and biocompatible chitin aerogels. <b>2012</b> , 22, 5801	139
719	All-Organic, Stimuli-Responsive Polymer Composites with Electrospun Fiber Fillers.. <b>2012</b> , 1, 80-83	37
718	Facile Synthesis of Flexible, Donor-Acceptor Side-Chain Functionalized Copolymers via Ring-Opening Metathesis Polymerization. <b>2012</b> , 45, 70-77	18
717	Stimuli-Responsive and Mechanically-Switchable Electrospun Composites. <b>2012</b> , 45, 9092-9099	26
716	Adhesion of alumina surfaces through confined water layers containing various molecules. <b>2012</b> , 28, 4648-53	7
715	Materials for neural interfaces. <b>2012</b> , 37, 557-561	27
714	Supramolecular polymeric hydrogels. <b>2012</b> , 41, 6195-214	836



713	Preparation, properties and applications of polysaccharide nanocrystals in advanced functional nanomaterials: a review. <b>2012</b> , 4, 3274-94	667
712	Geometric percolation in polydisperse systems of finite-diameter rods: effects due to particle clustering and inter-particle correlations. <b>2012</b> , 137, 134903	22
711	Engineering therapies in the CNS: what works and what can be translated. <b>2012</b> , 519, 147-54	12
710	Natural stiffening increases flaw tolerance of biological fibers. <b>2012</b> , 86, 041902	15
709	Biomimetic Materials Toward Application of Nanobiodevices. <b>2012</b> , 741-781	5
708	Simple Method for the Melt Extrusion of a Cellulose Nanocrystal Reinforced Hydrophobic Polymer.. <b>2012</b> , 1, 236-240	226
707	Dynamic Supramolecular Polymers. <b>2012</b> , 587-628	
706	Mechanically adaptive nanocomposites for neural interfacing. <b>2012</b> , 37, 581-589	75
705	Generic method for modular surface modification of cellulosic materials in aqueous medium by sequential "click" reaction and adsorption. <b>2012</b> , 13, 736-42	105
704	Improved performance of protected catecholic polysiloxanes for bioinspired wet adhesion to surface oxides. <b>2012</b> , 134, 20139-45	91
703	Water-Triggered Modulus Changes of Cellulose Nanofiber Nanocomposites with Hydrophobic Polymer Matrices. <b>2012</b> , 45, 4707-4715	122
702	pH-Responsive Cellulose Nanocrystal Gels and Nanocomposites. <b>2012</b> , 1, 1001-1006	205
701	Manipulating Mechanical Properties with Electricity: Electroplastic Elastomer Hydrogels.. <b>2012</b> , 1, 204-208	54
700	Double Stimuli-Responsive Copolymer Stabilizers for Multiwalled Carbon Nanotubes.. <b>2012</b> , 1, 84-87	69
699	Non-covalently modified graphene sheets by imidazolium ionic liquids for multifunctional polymer nanocomposites. <b>2012</b> , 22, 5666	135
698	Zeta potential time dependence reveals the swelling dynamics of wood cellulose nanofibrils. <b>2012</b> , 28, 818-27	35
697	Reinforcement of stereolithographic resins for rapid prototyping with cellulose nanocrystals. <b>2012</b> , 4, 5399-407	101
696	High-strength, healable, supramolecular polymer nanocomposites. <b>2012</b> , 134, 5362-8	270

695	Augmented properties of PVA hybrid nanocomposites containing cellulose nanocrystals and silver nanoparticles. <b>2012</b> , 22, 22433		56
694	High cellulose nanowhisiker content composites through cellosize bonding. <b>2012</b> , 8, 12099		26
693	Tough and catalytically active hybrid biofibers wet-spun from nanochitin hydrogels. <b>2012</b> , 13, 4205-12		47
692	Piezoelectric Nanomaterials for Biomedical Applications. <b>2012</b> ,		20
691	Shape-shifting micro- and nanopatterns controlled by temperature. <b>2012</b> , 134, 12386-9		15
690	Mechano-chemical oscillations and waves in reactive gels. <b>2012</b> , 75, 066601		57
689	Recent Development in Applications of Cellulose Nanocrystals for Advanced Polymer-Based Nanocomposites by Novel Fabrication Strategies. <b>2012</b> ,		23
688	Wrinkling of a bilayer resting on a soft substrate under in-plane compression. <b>2012</b> , 92, 1554-1568		30
687	Fabrication of Responsive, Softening Neural Interfaces. <b>2012</b> , 22, 3470-3479		110
686	Cellulose/Silica Nanocomposite Aerogels by In Situ Formation of Silica in Cellulose Gel. <i>Angewandte Chemie</i> , <b>2012</b> , 124, 2118-2121	3.6	92
685	Rapidly switchable water-sensitive shape-memory cellulose/elastomer nano-composites. <b>2012</b> , 8, 2509		176
684	High performance edible nanocomposite films containing bacterial cellulose nanocrystals. <i>Carbohydrate Polymers</i> , <b>2012</b> , 87, 2031-2037	10.3	180
683	The mechanically adaptive connective tissue of echinoderms: its potential for bio-innovation in applied technology and ecology. <b>2012</b> , 76, 108-13		26
682	Polypyrrole/Titanium(IV) doped iron(III) oxide nanocomposites: Synthesis, characterization with tunable electrical and electrochemical properties. <b>2012</b> , 47, 2095-2103		22
681	Morphology, reversible phase crystallization, and thermal sensitive shape memory effect of cellulose whisker/SMPU nano-composites. <b>2012</b> , 123, 749-762		29
680	Fabrication and characterization of silk fibroin/poly(ethylene glycol)/cellulose nanowhisiker composite films. <b>2012</b> , 124, 2080-2086		20
679	Cellulose-silica nanocomposite aerogels by in situ formation of silica in cellulose gel. <i>Angewandte Chemie - International Edition</i> , <b>2012</b> , 51, 2076-9	16.4	269
678	Mechanically adaptive cellulose-poly(acrylic acid) polymeric composites in wet/dry cycles. <b>2013</b> , 127, 675-681		7

677	Generalized Continua as Models for Materials. <b>2013</b> ,		11
676	Responsive photonic hydrogels based on nanocrystalline cellulose. <i>Angewandte Chemie - International Edition</i> , <b>2013</b> , 52, 8912-6	16.4	266
675	Transparent bionanocomposites with improved properties from poly(propylene carbonate) (PPC) and cellulose nanowhiskers (CNWs). <i>Composites Science and Technology</i> , <b>2013</b> , 85, 83-89	8.6	66
674	Thermal analysis and design of a multi-layered rigidity tunable composite. <b>2013</b> , 66, 271-278		30
673	Orientation and deformation of wet-stretched all-cellulose nanocomposites. <b>2013</b> , 48, 7847-7855		19
672	Poly(methacrylic acid)-grafted clay/thermoplastic elastomer composites with water-induced shape-memory effects. <b>2013</b> , 51, 1513-1522		19
671	Biomimetic Materials. <b>2013</b> , 349-360		2
670	The Role of Biomaterials in Stimulating Bioelectrodes. <b>2013</b> , 981-996		4
669	Structure and mechanical properties of new biomass-based nanocomposite: castor oil-based polyurethane reinforced with acetylated cellulose nanocrystal. <i>Carbohydrate Polymers</i> , <b>2013</b> , 95, 91-9	10.3	75
668	Controlling the Rate of Water-Induced Switching in Mechanically Dynamic Cellulose Nanocrystal Composites. <b>2013</b> , 46, 8203-8212		32
667	A bioplastic with high strength constructed from a cellulose hydrogel by changing the aggregated structure. <b>2013</b> , 1, 6678		102
666	Humidity and multiscale structure govern mechanical properties and deformation modes in films of native cellulose nanofibrils. <b>2013</b> , 14, 4497-506		177
665	Thermally reversible aggregation of Gold nanoparticles in polymer nanocomposites through hydrogen bonding. <b>2013</b> , 13, 5297-302		59
664	Bionanocomposites: differential effects of cellulose nanocrystals on protein diblock copolymers. <b>2013</b> , 14, 4360-7		38
663	Slow, fast and furious: understanding the physics of plant movements. <b>2013</b> , 64, 4745-60		119
662	Nanocrystalline cellulose/casein conjugated nanoparticles prepared by click chemistry. <b>2013</b> , 20, 2655-2665		41
661	Cellulose reinforced polymer composites and nanocomposites: a critical review. <b>2013</b> , 20, 2221-2262		437
660	Relationship between intracortical electrode design and chronic recording function. <b>2013</b> , 34, 8061-74		180

659	Effects of emulsion droplet size on the structure of electrospun ultrafine biocomposite fibers with cellulose nanocrystals. <b>2013</b> , 14, 3801-7	39
658	Reversible switching transitions of stimuli-responsive shape changing polymers. <b>2013</b> , 1, 7838	91
657	A functional polymer with chemically switchable crystallinity. <b>2013</b> , 4, 449-452	6
656	Poly (N-isopropylacrylamide) microgel-based etalons and etalon arrays for determining the molecular weight of polymers in solution. <b>2013</b> , 1, 052108	11
655	Enhanced rigidity and rupture strength of composite hydrogel networks of bio-inspired block copolymers. <b>2013</b> , 9, 6936	9
654	The role of hemicellulose in nanofibrillated cellulose networks. <b>2013</b> , 9, 1319-1326	86
653	Ionically interacting nanoclay and nanofibrillated cellulose lead to tough bulk nanocomposites in compression by forced self-assembly. <b>2013</b> , 1, 835-840	25
652	Cellulose Based Blends, Composites and Nanocomposites. <b>2013</b> , 21-54	9
651	Hydrophobic modification of cellulose nanocrystal via covalently grafting of castor oil. <b>2013</b> , 20, 179-190	91
650	An Interface-Driven Stiffening Mechanism in Polymer Nanocomposites. <b>2013</b> , 46, 1868-1874	41
649	Production of nanocrystalline cellulose from lignocellulosic biomass: technology and applications. <i>Carbohydrate Polymers</i> , <b>2013</b> , 94, 154-69	10.3 743
648	"Smart" Materials Based on Cellulose: A Review of the Preparations, Properties, and Applications. <b>2013</b> , 6, 738-781	336
647	Multiple shape transformations of composite hydrogel sheets. <b>2013</b> , 135, 4834-9	262
646	Light-Healable Supramolecular Nanocomposites Based on Modified Cellulose Nanocrystals.. <b>2013</b> , 2, 236-240	169
645	Isolation of thermally stable cellulose nanocrystals by phosphoric acid hydrolysis. <b>2013</b> , 14, 1223-30	428
644	A review of stimuli-responsive shape memory polymer composites. <b>2013</b> , 54, 2199-2221	791
643	Cellulose nanocrystals vs. cellulose nanofibrils: a comparative study on their microstructures and effects as polymer reinforcing agents. <b>2013</b> , 5, 2999-3009	594
642	Penetration of Polyelectrolytes into Charged Poly(N-isopropylacrylamide) Microgel Layers Confined between Two Surfaces. <b>2013</b> , 46, 1599-1606	52

641	Bioinspired water-enhanced mechanical gradient nanocomposite films that mimic the architecture and properties of the squid beak. <b>2013</b> , 135, 5167-74	97
640	Physiologically responsive, mechanically adaptive bio-nanocomposites for biomedical applications. <b>2013</b> , 5, 1517-26	102
639	CO <sub>2</sub> -Responsive polymers. <b>2013</b> , 34, 1118-33	199
638	Surface quaternized cellulose nanofibrils with high water absorbency and adsorption capacity for anionic dyes. <b>2013</b> , 9, 2047	234
637	Multi-stimuli sensitive shape memory poly(vinyl alcohol)-graft-polyurethane. <b>2013</b> , 4, 4461	65
636	The role of bone intrinsic properties measured by infrared spectroscopy in whole lumbar vertebra mechanics: organic rather than inorganic bone matrix?. <b>2013</b> , 56, 229-33	7
635	Nanoconfinement and the strength of biopolymers. <b>2013</b> , 42, 651-73	38
634	Stimuli-responsive polymer films. <b>2013</b> , 42, 7148-60	144
633	Smart Polymers for Neural Interfaces. <b>2013</b> , 53, 108-129	51
632	Various shape memory effects of stimuli-responsive shape memory polymers. <b>2013</b> , 22, 093001	67
631	Variable stiffness material based on rigid low-melting-point-alloy microstructures embedded in soft poly(dimethylsiloxane) (PDMS). <b>2013</b> , 3, 24671	146
630	The effect of cross-link distributions in axially-ordered, cross-linked networks. <b>2013</b> , 25, 285101	2
629	Design of superparamagnetic nanoparticles for magnetic particle imaging (MPI). <b>2013</b> , 14, 18682-710	46
628	Variable stiffness biological and bio-inspired materials. <b>2013</b> , 24, 529-540	29
627	Soft-matter composites with electrically tunable elastic rigidity. <b>2013</b> , 22, 085005	150
626	Toward tunable and adaptable polymer nanocomposites. <b>2013</b> , 51, 463-467	11
625	A percolation-based model for the conductivity of nanofiber composites. <b>2013</b> , 139, 224904	12
624	Long-term changes in the material properties of brain tissue at the implant-tissue interface. <b>2013</b> , 10, 066001	72

623	Stretchable thin-film metal structures on a stimuli-responsive polymer nanocomposite for mechanically-dynamic microsystems. <b>2013</b> ,		1
622	Micromechanical models for carbon nanotube and cellulose nanowhisker reinforced composites. <b>2013</b> , 53, 882-887		32
621	Environmentally-controlled microtensile testing of mechanically-adaptive polymer nanocomposites for ex vivo characterization. <b>2013</b> , e50078		5
620	Charged Metallopolymers as Universal Precursors for Versatile Cobalt Materials. <i>Angewandte Chemie</i> , <b>2013</b> , 125, 13629-13633	3.6	8
619	Charged metallopolymers as universal precursors for versatile cobalt materials. <i>Angewandte Chemie - International Edition</i> , <b>2013</b> , 52, 13387-91	16.4	59
618	Material-tissue interfaces in implantable systems. <b>2013</b> , 39-67		3
617	Responsive Photonic Hydrogels Based on Nanocrystalline Cellulose. <i>Angewandte Chemie</i> , <b>2013</b> , 125, 9080-9084	3.6	22
616	Risk assessment of released cellulose nanocrystals mimicking inhalatory exposure. <b>2013</b> , 429, 012008		8
615	Mechanical, thermal, and barrier properties of methylcellulose/cellulose nanocrystals nanocomposites. <b>2014</b> , 24, 683-688		21
614	Responsive Nanocellulose Composites. <b>2014</b> , 181-199		2
613	Effect of moisture on the traction-separation behavior of cellulose nanocrystal interfaces. <b>2014</b> , 105, 243702		22
612	Characterization of Polysaccharide Nanocrystal-Based Materials. <b>2014</b> , 255-300		1
611	Molecular engineering of fracture energy dissipating sacrificial bonds into cellulose nanocrystal nanocomposites. <i>Angewandte Chemie - International Edition</i> , <b>2014</b> , 53, 5049-53	16.4	42
610	CHAPTER 8:Cationic Cellulose and Chitin Nanocrystals for Novel Therapeutic Applications. <b>2014</b> , 197-227		1
609	Preparation of Cellulose Nanocrystal/Polymer Nanocomposites via Sol-Gel Processes. <b>2014</b> , 23-34		
608	Characterization of Cellulose Nanofiber-based Nanocomposite Interfaces. <b>2014</b> , 107-120		1
607	Reinforcing Efficiency of Nanocelluloses in Polymer Nanocomposites. <b>2014</b> , 131-145		
606	Comparative study of aerogels obtained from differently prepared nanocellulose fibers. <b>2014</b> , 7, 154-61		199

605	Activation Energies Control the Macroscopic Properties of Physically Cross-Linked Materials. <i>Angewandte Chemie</i> , <b>2014</b> , 126, 10202-10207	3.6	13
604	Responsive Mesoporous Photonic Cellulose Films by Supramolecular Cotemplating. <i>Angewandte Chemie</i> , <b>2014</b> , 126, 9026-9030	3.6	14
603	Stepped Moduli in Layered Composites. <b>2014</b> , 24, n/a-n/a		8
602	Molecular Engineering of Fracture Energy Dissipating Sacrificial Bonds Into Cellulose Nanocrystal Nanocomposites. <i>Angewandte Chemie</i> , <b>2014</b> , 126, 5149-5153	3.6	16
601	Cellulose-Based Liquid Crystalline Composite Systems. <b>2014</b> , 215-235		2
600	Solvent-Driven Chiral-Interaction Reversion for Organogel Formation. <i>Angewandte Chemie</i> , <b>2014</b> , 126, 2156-2161	3.6	26
599	First experimental evidence of a giant permanent electric-dipole moment in cellulose nanocrystals. <b>2014</b> , 107, 28006		71
598	Whisker-like sensors with tunable follicle sinus complex for underwater applications. <b>2014</b> ,		3
597	Electrospinning of Nanocellulose-Based Materials. <b>2014</b> , 163-183		1
596	Mechanical performance of cellulose nanofibril film-wood flake laminate. <b>2014</b> , 68, 283-290		10
595	Bioinspired materials that self-shape through programmed microstructures. <b>2014</b> , 10, 1284-94		106
594	One-pot green fabrication and antibacterial activity of thermally stable corn-like CNC/Ag nanocomposites. <b>2014</b> , 16, 1		38
593	Curcumin-releasing mechanically adaptive intracortical implants improve the proximal neuronal density and blood-brain barrier stability. <b>2014</b> , 10, 2209-22		91
592	Cellulose nanocrystals and related nanocomposites: Review of some properties and challenges. <b>2014</b> , 52, 791-806		552
591	Solvent-driven chiral-interaction reversion for organogel formation. <i>Angewandte Chemie - International Edition</i> , <b>2014</b> , 53, 2124-9	16.4	64
590	The synthesis of dendritic EDOT-peptide conjugates and their multistimuli-responsive self-assembly into supramolecular nanorods and fibers in water. <b>2014</b> , 9, 2052-7		12
589	Physiologically responsive, mechanically adaptive polymer optical fibers for optogenetics. <b>2014</b> , 39, 2872-5		15
588	Water-responsive mechanically adaptive nanocomposites based on styrene-butadiene rubber and cellulose nanocrystals--processing matters. <b>2014</b> , 6, 967-76		113

587	Neural Computation, Neural Devices, and Neural Prosthesis. <b>2014</b> ,	3
586	Shape memory polyurethane with polydopamine-coated nanosheets: Simultaneous enhancement of recovery stress and strain recovery ratio and the underlying mechanisms. <b>2014</b> , 57, 11-21	12
585	Thermoresponsive Nanocellulose Hydrogels with Tunable Mechanical Properties.. <b>2014</b> , 3, 266-270	135
584	Comparison of the properties of cellulose nanocrystals and cellulose nanofibrils isolated from bacteria, tunicate, and wood processed using acid, enzymatic, mechanical, and oxidative methods. <b>2014</b> , 6, 6127-38	425
583	Effect of cellulose nanowhiskers on surface morphology, mechanical properties, and cell adhesion of melt-drawn polylactic Acid fibers. <b>2014</b> , 15, 1498-506	46
582	Thermoplastic shape-memory polyurethanes based on natural oils. <b>2014</b> , 23, 025033	29
581	Isolation of cellulose nanocrystals from pseudostems of banana plants. <b>2014</b> , 4, 907-915	85
580	Activation energies control the macroscopic properties of physically cross-linked materials. <i>Angewandte Chemie - International Edition</i> , <b>2014</b> , 53, 10038-43	16.4 84
579	Mechanically adaptive and shape-memory behaviour of chitosan-modified cellulose whisker/elastomer composites in different pH environments. <b>2014</b> , 15, 2794-800	10
578	Microfluidic Thermally Activated Materials for Rapid Control of Macroscopic Compliance. <b>2014</b> , 24, 4860-4866	26
577	Computational investigation of interaction of polypyrrole on the surface of single-walled carbon nanotube. <b>2014</b> , 20, 2414	2
576	Synthesis and properties of CO <sub>2</sub> -switchable Dex-g-PAHMA copolymers. <b>2014</b> , 5, 7109-7120	13
575	Hybrid hydrogel sheets that undergo pre-programmed shape transformations. <b>2014</b> , 10, 8157-62	55
574	Dynamic Covalent Diblock Copolymers: Instructed Coupling, Micellation and Redox Responsiveness. <b>2014</b> , 47, 7431-7441	21
573	Regulating the mechanical properties of poly(1,8-octanediol citrate) bioelastomer via loading of chitin nanocrystals. <b>2014</b> , 4, 41357-41363	12
572	Microwave-synthesized poly(ionic liquid) particles: a new material with high electrorheological activity. <b>2014</b> , 2, 9812-9819	76
571	Photoswitchable nanocomposites made from coumarin-functionalized cellulose nanocrystals. <b>2014</b> , 5, 5501	29
570	Multi-responsive cellulose nanocrystal-rhodamine conjugates: an advanced structure study by solid-state dynamic nuclear polarization (DNP) NMR. <b>2014</b> , 16, 26322-9	52



569	Tunable mechano-responsive organogels by ring-opening copolymerizations of $\alpha$ -carboxyanhydrides. <b>2014</b> , 5,	46
568	Dissolution mechanism of cellulose in N,N-dimethylacetamide/lithium chloride: revisiting through molecular interactions. <b>2014</b> , 118, 9507-14	161
567	Mechanically-compliant intracortical implants reduce the neuroinflammatory response. <b>2014</b> , 11, 056014	161
566	Influence of cellulose nanofibrils on soft and hard segments of polyurethane/cellulose nanocomposites and effect of humidity on their mechanical properties. <b>2014</b> , 40, 99-105	23
565	Evidence for the existence of crosslinked crystalline domains within cyclodextrin-based supramolecular hydrogels through sol-gel replication. <b>2014</b> , 4, 8200	19
564	Product and technology innovation: what can biomimicry inspire?. <b>2014</b> , 32, 1494-505	82
563	Biomimetic chitosan-treated clay/elastomer composites with water-responsive mechanically dynamic properties. <b>2014</b> , 52, 55-62	5
562	Oxygen and Carbon Dioxide Dual Responsive Nanoaggregates of Fluoro- and Amino-Containing Copolymer.. <b>2014</b> , 3, 743-746	62
561	Smart polymers for textile applications. <b>2014</b> , 437-475	8
560	Synergetic effect of epoxy resin and maleic anhydride grafted polypropylene on improving mechanical properties of polypropylene/short carbon fiber composites. <b>2014</b> , 67, 212-220	36
559	Smart functional polymers: a new route towards creating a sustainable environment. <b>2014</b> , 4, 53352-53364	57
558	All-cellulose nanocomposite fibers produced by melt spinning cellulose acetate butyrate and cellulose nanocrystals. <b>2014</b> , 21, 2665-2678	37
557	A Lattice-Based Approach to Percolation in Penetrable Sphere Systems. <b>2014</b> , 156, 586-592	5
556	Poly(glycerol sebacate urethane)-cellulose nanocomposites with water-active shape-memory effects. <b>2014</b> , 15, 2663-71	91
555	Cellulose nanowhiskers to regulate the microstructure of perfluorosulfonate ionomers for high-performance fuel cells. <b>2014</b> , 2, 11334	38
554	Bioinspired stiff and flexible composites of nanocellulose-reinforced amorphous CaCO <sub>3</sub> . <b>2014</b> , 1, 321	53
553	Light-stimulated mechanically switchable, photopatternable cellulose nanocomposites. <b>2014</b> , 5, 5716-5724	38
552	Extraordinary reinforcement effect of three-dimensionally nanoporous cellulose gels in poly( $\epsilon$ -caprolactone) bionanocomposites. <b>2014</b> , 6, 7204-13	34

551	Responsive mesoporous photonic cellulose films by supramolecular cotelplating. <i>Angewandte Chemie - International Edition</i> , <b>2014</b> , 53, 8880-4	16.4	125
550	An instant multi-responsive porous polymer actuator driven by solvent molecule sorption. <b>2014</b> , 5, 4293		381
549	Reinforcing efficiency of nanocellulose in polymers. <b>2014</b> , 85, 151-156		53
548	Poly(vinyl alcohol) particle-reinforced elastomer composites with water-active shape-memory effects. <b>2014</b> , 53, 230-237		33
547	Microscale Characterization of a Mechanically Adaptive Polymer Nanocomposite With Cotton-Derived Cellulose Nanocrystals for Implantable BioMEMS. <b>2014</b> , 23, 774-784		8
546	Multistimuli Responsive and Electroactive Supramolecular Gels Based on Ionic Liquid Gemini Guest.. <b>2014</b> , 3, 271-275		54
545	Shape memory poly(ionic liquid) gels controlled by host-guest interaction with $\beta$ -cyclodextrin. <b>2014</b> , 55, 3431-3435		35
544	Studies on the mechanical, thermal, morphological and barrier properties of nanocomposites based on poly(vinyl alcohol) and nanocellulose from sugarcane bagasse. <b>2014</b> , 20, 462-473		148
543	Deformation micromechanics of all-cellulose nanocomposites: comparing matrix and reinforcing components. <i>Carbohydrate Polymers</i> , <b>2014</b> , 100, 31-9	10.3	45
542	Polysaccharide Nanocrystals-Based Materials for Advanced Applications. <b>2014</b> , 219-254		1
541	Effects of Reinforcing Fillers and Coupling Agents on Performances of Wood-Polymer Composites. <b>2014</b> , 126-145		
540	Water-based adhesives with tailored hydrophobic association: dilution resistance and improved setting behavior. <b>2014</b> , 35, 1872-8		3
539	BIOMIMETIC REGENERATION OF SOFT TISSUES. <b>2014</b> , 1113-1148		
538	Responsiveness, swelling, and mechanical properties of PNIPA nanocomposite hydrogels reinforced by nanocellulose. <b>2015</b> , 30, 1797-1807		23
537	Intelligent Responsive Copolymers Based on Cellulose: Structure, Properties, and Applications. <b>2015</b> , 476-495		1
536	CH-Interaction Driven Macroscopic Property Transition on Smart Polymer Surface. <b>2015</b> , 5, 15742		7
535	A novel multifunctional NiTi/Ag hierarchical composite. <b>2014</b> , 4, 5267		15
534	Optimum periodicity of repeated contractile actions applied in mass transport. <b>2015</b> , 5, 7800		2

533	Nanomechanics of Cells and Biomaterials Studied by Atomic Force Microscopy. <b>2015</b> , 4, 2456-74		24
532	Multifunctional 3D Patternable Drug-Embedded Nanocarrier-Based Interfaces to Enhance Signal Recording and Reduce Neuron Degeneration in Neural Implantation. <b>2015</b> , 27, 4186-93		18
531	Multistimuli-Responsive, Moldable Supramolecular Hydrogels Cross-Linked by Ultrafast Complexation of Metal Ions and Biopolymers. <i>Angewandte Chemie - International Edition</i> , <b>2015</b> , 54, 7944-8	16.4	209
530	Melt processing of polyamide 12 and cellulose nanocrystals nanocomposites. <b>2015</b> , 132, n/a-n/a		47
529	Multistimuli-Responsive, Moldable Supramolecular Hydrogels Cross-Linked by Ultrafast Complexation of Metal Ions and Biopolymers. <i>Angewandte Chemie</i> , <b>2015</b> , 127, 8055-8059	3.6	28
528	Preparation and Characterization of Polyvinyl Alcohol-Based Composite Reinforced with Nanocellulose and Nanosilica. <b>2015</b> , 10,		78
527	Tubular Scaffold with Shape Recovery Effect for Cell Guide Applications. <b>2015</b> , 6, 564-84		4
526	Mechanical properties of the compass depressors of the sea-urchin <i>Paracentrotus lividus</i> (Echinodermata, Echinoidea) and the effects of enzymes, neurotransmitters and synthetic tensilin-like protein. <b>2015</b> , 10, e0120339		11
525	. <b>2015</b> ,		16
524	Interfacial mechanics of cellulose nanocrystals. <b>2015</b> , 40, 340-348		38
523	The improvement of mechanical performance and water-response of carboxylated SBR by chitin nanocrystals. <b>2015</b> , 68, 190-206		50
522	Moisture-responsive films of cellulose stearyl esters showing reversible shape transitions. <b>2015</b> , 5, 11011		59
521	Rigidity-tuning conductive elastomer. <b>2015</b> , 24, 065001		77
520	Mechanically adaptive materials for intracortical implants. <b>2015</b> ,		3
519	Surface Stiffness--a Parameter for Sensing the Chirality of Saccharides. <b>2015</b> , 7, 27223-33		18
518	Polymeric materials that convert local fleeting signals into global macroscopic responses. <b>2015</b> , 6, 3388-3392		22
517	Progress towards biocompatible intracortical microelectrodes for neural interfacing applications. <b>2015</b> , 12, 011001		232
516	A three-dimensional multiporous fibrous scaffold fabricated with regenerated spider silk protein/poly(l-lactic acid) for tissue engineering. <b>2015</b> , 103, 721-9		6

515	Evaluation of poly(3,4-ethylenedioxythiophene)/carbon nanotube neural electrode coatings for stimulation in the dorsal root ganglion. <b>2015</b> , 12, 016008	78
514	Traction-separation laws and stick-slip shear phenomenon of interfaces between cellulose nanocrystals. <b>2015</b> , 78, 526-539	45
513	Bioinspired design of nanostructured elastomers with cross-linked soft matrix grafting on the oriented rigid nanofibers to mimic mechanical properties of human skin. <b>2015</b> , 9, 271-8	62
512	Transparent, Stimuli-Responsive Films from Cellulose-Based Organogel Nanoparticles. <b>2015</b> , 25, 1434-1441	39
511	Electrical interfaces for recording, stimulation, and sensing. <b>2015</b> , 13-38	2
510	Advances in polymeric membranes for water treatment. <b>2015</b> , 3-41	17
509	MRI compatible optrodes for simultaneous LFP and optogenetic fMRI investigation of seizure-like afterdischarges. <b>2015</b> , 123, 173-84	30
508	The role of mechanics in biological and bio-inspired systems. <b>2015</b> , 6, 7418	125
507	Cellulose nanocrystal reinforced liquid natural rubber toughened unsaturated polyester: Effects of filler content and surface treatment on its morphological, thermal, mechanical, and viscoelastic properties. <b>2015</b> , 71, 51-59	43
506	pH-Responsive Shape Memory Poly(ethylene glycol)-Poly( $\epsilon$ -caprolactone)-based Polyurethane/Cellulose Nanocrystals Nanocomposite. <b>2015</b> , 7, 12988-99	126
505	Cellulose nanocrystals with CO <sub>2</sub> -switchable aggregation and redispersion properties. <b>2015</b> , 22, 3105-3116	26
504	Marine Structural Biomaterials in Medical Biomimicry. <b>2015</b> , 21, 438-50	17
503	Soft materials in neuroengineering for hard problems in neuroscience. <b>2015</b> , 86, 175-86	195
502	Surface-accessible detection units in self-immolative polymers enable translation of selective molecular detection events into amplified responses in macroscopic, solid-state plastics. <b>2015</b> , 137, 5324-7	42
501	Tailoring the yield and characteristics of wood cellulose nanocrystals (CNC) using concentrated acid hydrolysis. <b>2015</b> , 22, 1753-1762	239
500	Characteristics of TEMPO-oxidized cellulose fibril-based hydrogels induced by cationic ions and their properties. <b>2015</b> , 22, 1993-2010	49
499	Cellulose Gels and Microgels: Synthesis, Service, and Supramolecular Interactions. <b>2015</b> , 209-251	5
498	Supramolecular Polymer Networks and Gels. <b>2015</b> ,	22

497	Cellulose nanocrystals, nanofibers, and their composites as renewable smart materials. <b>2015,</b>	
496	Soft network composite materials with deterministic and bio-inspired designs. <b>2015, 6, 6566</b>	289
495	Influence of Processing Conditions on Properties of Poly (Vinyl acetate)/Cellulose Nanocrystal Nanocomposites. <b>2015, 300, 562-571</b>	50
494	Sensing Solvents with Ultrasensitive Porous Poly(ionic liquid) Actuators. <b>2015, 27, 2913-7</b>	121
493	Tunicate-mimetic nanofibrous hydrogel adhesive with improved wet adhesion. <b>2015, 20, 104-112</b>	88
492	Review of nanocellulose for sustainable future materials. <b>2015, 2, 197-213</b>	297
491	Recent progress in shape memory polymer: New behavior, enabling materials, and mechanistic understanding. <b>2015, 49-50, 79-120</b>	821
490	Compliant intracortical implants reduce strains and strain rates in brain tissue in vivo. <b>2015, 12, 036002</b>	58
489	Stimuli-Responsive Polymer Film that Autonomously Translates a Molecular Detection Event into a Macroscopic Change in Its Optical Properties via a Continuous, Thiol-Mediated Self-Propagating Reaction. <b>2015, 137, 12498-501</b>	34
488	Three-Dimensional Nanoporous Cellulose Gels as a Flexible Reinforcement Matrix for Polymer Nanocomposites. <b>2015, 7, 22990-8</b>	22
487	Electrical transport in titania nanoparticles embedded in conducting polymer matrix. <b>2015, 4,</b>	5
486	Carbon Nanotubes as Reinforcement of Cellulose Liquid Crystalline Responsive Networks. <b>2015, 7, 21005-9</b>	19
485	Numerical and analytical modeling of aligned short fiber composites including imperfect interfaces. <b>2015, 77, 26-36</b>	11
484	Unveiling Reinforcement and Toughening Mechanism of Filler Network in Natural Rubber with Synchrotron Radiation X-ray Nano-Computed Tomography. <b>2015, 48, 7923-7928</b>	33
483	Nanocellulose and Its Application for Shape-Memory Materials. <b>2015, 101-135</b>	1
482	Tunable Mechanics in Electrospun Composites via Hierarchical Organization. <b>2015, 7, 22970-9</b>	12
481	Photonic and Semiconductor Materials Based on Cellulose Nanocrystals. <b>2015, 287-328</b>	11
480	Tuning Glass Transition in Polymer Nanocomposites with Functionalized Cellulose Nanocrystals through Nanoconfinement. <b>2015, 15, 6738-44</b>	55

479	Temperature- and salt-responsive polyoxometalate-poly(N-isopropylacrylamide) hybrid macromolecules in aqueous solution. <b>2015</b> , 51, 15982-5		15
478	Integration of High-Charge-Injection-Capacity Electrodes onto Polymer Softening Neural Interfaces. <b>2015</b> , 7, 26614-23		32
477	Bacterial cellulose nanofibers decorated with phthalocyanine: Preparation, characterization and dye removal performance. <b>2015</b> , 142, 235-237		24
476	Recent advances in nanocellulose for biomedical applications. <b>2015</b> , 132, n/a-n/a		432
475	Revealing the structures of cellulose nanofiber bundles obtained by mechanical nanofibrillation via TEM observation. <i>Carbohydrate Polymers</i> , <b>2015</b> , 117, 950-956	10.3	59
474	Cellulose nanocrystal driven crystallization of poly(d,l-lactide) and improvement of the thermomechanical properties. <b>2015</b> , 132, n/a-n/a		36
473	Block copolymer-nanoparticle composites: Structure, functional properties, and processing. <b>2015</b> , 40, 33-62		168
472	Nanoparticle role on the repeatability of stimuli-responsive nanocomposites. <b>2014</b> , 4, 6624		6
471	Thermoplastic variable stiffness composites with embedded, networked sensing, actuation, and control. <b>2015</b> , 49, 1799-1808		48
470	Elucidating the Potential Biological Impact of Cellulose Nanocrystals. <b>2016</b> , 4, 21		41
469	External stimulus-responsive interfaces in polymer nanocomposites. <b>2016</b> , 37, 1342-1349		4
468	Bending of Responsive Hydrogel Sheets Guided by Field-Assembled Microparticle Endoskeleton Structures. <b>2016</b> , 12, 2283-90		49
467	Multi-Stimuli-Responsive Polymer Materials: Particles, Films, and Bulk Gels. <b>2016</b> , 16, 1398-435		110
466	Morphing Metal and Elastomer Bicontinuous Foams for Reversible Stiffness, Shape Memory, and Self-Healing Soft Machines. <b>2016</b> , 28, 2801-6		124
465	Chiral Plasmonics Using Twisting along Cellulose Nanocrystals as a Template for Gold Nanoparticles. <b>2016</b> , 28, 5262-7		83
464	Encyclopedia of Nanotechnology. <b>2016</b> , 2157-2167		
463	Encyclopedia of Nanotechnology. <b>2016</b> , 1937-1946		
462	Encyclopedia of Nanotechnology. <b>2016</b> , 2010-2019		

461	Encyclopedia of Nanotechnology. <b>2016</b> , 1903-1903	
460	Encyclopedia of Nanotechnology. <b>2016</b> , 2125-2128	
459	Chiral nematic self-assembly of minimally surface damaged chitin nanofibrils and its load bearing functions. <b>2016</b> , 6, 23245	38
458	A critical review of the current knowledge regarding the biological impact of nanocellulose. <b>2016</b> , 14, 78	141
457	Encyclopedia of Nanotechnology. <b>2016</b> , 2137-2137	
456	Encyclopedia of Nanotechnology. <b>2016</b> , 2285-2285	
455	Encyclopedia of Nanotechnology. <b>2016</b> , 2028-2028	
454	Encyclopedia of Nanotechnology. <b>2016</b> , 2244-2254	
453	Encyclopedia of Nanotechnology. <b>2016</b> , 2254-2254	
452	A comparative guide to controlled hydrophobization of cellulose nanocrystals via surface esterification. <b>2016</b> , 23, 1825-1846	41
451	A nonlinear mechanics model of bio-inspired hierarchical lattice materials consisting of horseshoe microstructures. <b>2016</b> , 90, 179-202	155
450	Nonlinear thermal parameter estimation for embedded internal Joule heaters. <b>2016</b> , 97, 412-421	7
449	Biomass Approach toward Robust, Sustainable, Multiple-Shape-Memory Materials. <b>2016</b> , 5, 602-606	51
448	Engineering and commercialization of human-device interfaces, from bone to brain. <b>2016</b> , 95, 35-46	29
447	Stimulus-responsive hydrogels reinforced by cellulose nanowhisiker for controlled drug release. <b>2016</b> , 6, 87422-87432	6
446	Morphing in nature and beyond: a review of natural and synthetic shape-changing materials and mechanisms. <b>2016</b> , 51, 10663-10689	75
445	Adaptive and Self-shaping Materials. <b>2016</b> , 79-100	2
444	Thermomechanics of a temperature sensitive covalent adaptable polymer with bond exchange reactions. <b>2016</b> , 12, 8847-8860	13

443	Chitosan-chitin nanocrystal composite scaffolds for tissue engineering. <i>Carbohydrate Polymers</i> , <b>2016</b> , 152, 832-840	10.3	78
442	The Microstructure of Cellulose Nanocrystal Aerogels as Revealed by Transmission Electron Microscope Tomography. <b>2016</b> , 17, 2956-62		22
441	Cellulose-Nanokristalle in hoher Ausbeute durch Abbau und Kristallisation von Cellulose mittels gasförmigem Chlorwasserstoff. <i>Angewandte Chemie</i> , <b>2016</b> , 128, 14671-14674	3.6	2
440	Handspinning Enabled Highly Concentrated Carbon Nanotubes with Controlled Orientation in Nanofibers. <b>2016</b> , 6, 37590		24
439	Alkenylation of cellulose nanocrystals (CNC) and their applications. <b>2016</b> , 101, 338-346		23
438	Stiffening in Soft Robotics: A Review of the State of the Art. <b>2016</b> , 23, 93-106		293
437	? Influence of Organic Modifier on Miscibility and Chain Scission of the PA6 Phase and the Extent of Multiwalled Carbon Nanotubes Dispersion in Co-Continuous PA6/ABS Blends. <b>2016</b> , 383-398		
436	High-Strength and High-Toughness Double-Cross-Linked Cellulose Hydrogels: A New Strategy Using Sequential Chemical and Physical Cross-Linking. <b>2016</b> , 26, 6279-6287		281
435	Light-Adaptive Supramolecular Nacre-Mimetic Nanocomposites. <b>2016</b> , 16, 5176-82		36
434	Reversible Modulation of DNA-Based Hydrogel Shapes by Internal Stress Interactions. <b>2016</b> , 138, 16112-16119	80	
433	Optically responsive supramolecular polymer glasses. <b>2016</b> , 7, 10995		88
432	Interfibrillar stiffening of echinoderm mutable collagenous tissue demonstrated at the nanoscale. <b>2016</b> , 113, E6362-E6371		37
431	Ultra-miniature ultra-compliant neural probes with dissolvable delivery needles: design, fabrication and characterization. <b>2016</b> , 18, 97		35
430	Mimosa Origami: A nanostructure-enabled directional self-organization regime of materials. <b>2016</b> , 2, e1600417		86
429	From precision polymers to complex materials and systems. <b>2016</b> , 1,		555
428	Fluorescence microscopy as an alternative to electron microscopy for microscale dispersion evaluation of organic-inorganic composites. <b>2016</b> , 7, 11811		82
427	Degradation and Crystallization of Cellulose in Hydrogen Chloride Vapor for High-Yield Isolation of Cellulose Nanocrystals. <i>Angewandte Chemie - International Edition</i> , <b>2016</b> , 55, 14455-14458	16.4	83
426	High-Flexibility, High-Toughness Double-Cross-Linked Chitin Hydrogels by Sequential Chemical and Physical Cross-Linkings. <b>2016</b> , 28, 5844-9		180



425	CO <sub>2</sub> -responsive swelling behavior and metal-ion adsorption properties in novel histamine-conjugated polyaspartamide hydrogel. <b>2016</b> , 133, n/a-n/a	10
424	Concentration driven cocrystallisation and percolation in all-cellulose nanocomposites. <b>2016</b> , 23, 529-543	15
423	Photoresponsive Liquid Crystalline Epoxy Networks with Shape Memory Behavior and Dynamic Ester Bonds. <b>2016</b> , 8, 15750-7	100
422	Crosslinked carboxylated SBR composites reinforced with chitin nanocrystals. <b>2016</b> , 23, 1	13
421	Pre-mixing and masterbatch approaches for reinforcing poly(vinyl acetate) with cellulose based fillers. <b>2016</b> , 93, 244-250	11
420	Simultaneously reinforcing and toughening plasticized starch film via regenerated cellulose as reinforcing phase. <b>2016</b> , 23, 1	3
419	Influence of resveratrol release on the tissue response to mechanically adaptive cortical implants. <b>2016</b> , 29, 81-93	37
418	Novel reversible thermoresponsive nanogel based on poly(ionic liquid)s prepared via RAFT crosslinking copolymerization. <b>2016</b> , 54, 169-178	20
417	Cavitation-Induced Stiffness Reductions in Quantum Dot Polymer Nanocomposites. <b>2016</b> , 28, 2540-2549	20
416	Polyimide Cellulose Nanocrystal Composite Aerogels. <b>2016</b> , 49, 1692-1703	59
415	Allostery in molecular self-assemblies: metal ions triggered self-assembly and emissions of terthiophene. <b>2016</b> , 52, 4876-9	15
414	Tendon-Based Stiffening for a Pneumatically Actuated Soft Manipulator. <b>2016</b> , 1, 632-637	101
413	Cellulose Chemistry and Properties: Fibers, Nanocelluloses and Advanced Materials. <b>2016</b> ,	43
412	Articular cartilage: from formation to tissue engineering. <b>2016</b> , 4, 734-67	164
411	Thermo- and pH-responsive poly(ionic liquid) membranes. <b>2016</b> , 7, 1330-1336	49
410	Stimuli-responsive behavior of composites integrating thermo-responsive gels with photo-responsive fibers. <b>2016</b> , 3, 53-62	91
409	Directed cell growth in multi-zonal scaffolds for cartilage tissue engineering. <b>2016</b> , 74, 42-52	94
408	Nanocomposites with functionalised polysaccharide nanocrystals through aqueous free radical polymerisation promoted by ozonolysis. <i>Carbohydrate Polymers</i> , <b>2016</b> , 135, 256-66	10.3 33

407	Dental glass ionomer cement reinforced by cellulose microfibers and cellulose nanocrystals. <b>2016</b> , 58, 389-95	47
406	Preparation of amorphous nanocomposites with quick heat triggered shape memory behavior. <b>2017</b> , 112, 26-34	38
405	Dynamic Self-Stiffening and Structural Evolutions of Polyacrylonitrile/Carbon Nanotube Nanocomposites. <b>2017</b> , 9, 5653-5659	10
404	Biomimetic Supramolecular Polymer Networks Exhibiting both Toughness and Self-Recovery. <b>2017</b> , 29, 1604951	148
403	The Adaptive Tribological Investigation of Polycaprolactam/Graphene Nanocomposites. <b>2017</b> , 65, 1	11
402	Programmable Shape Recovery Process of Water-Responsive Shape-Memory Poly(vinyl alcohol) by Wettability Contrast Strategy. <b>2017</b> , 9, 5495-5502	40
401	Synergistic effects of hybridization of carbon black and carbon nanotubes on the mechanical properties and thermal conductivity of a rubber blend system. <b>2017</b> , 37, 785-794	9
400	Mechanical Properties of Cellulose Nanofibril (CNF)- and Cellulose Nanocrystal (CNC)-Based Nanocomposites. <b>2017</b> , 393-443	3
399	Crystallization Behavior of Cellulose Nanocomposites and Cellulose Nanofibril-Reinforced Polymer Nanocomposites. <b>2017</b> , 553-580	2
398	Cellulose Nanocrystals and Nanofibrils in Advanced Applications. <b>2017</b> , 799-832	1
397	Thermoplastic Cellulose Nanocomposites. <b>2017</b> , 175-216	
396	A Simple and Versatile Strategy To Improve the Mechanical Properties of Polymer Nanocomposites with Cellulose Nanocrystals. <b>2017</b> , 50, 2364-2374	62
395	Cellulose nanocrystals by acid vapour: towards more effortless isolation of cellulose nanocrystals. <b>2017</b> , 202, 315-330	35
394	Smart Actuators and Adhesives for Reconfigurable Matter. <b>2017</b> , 50, 691-702	109
393	Ultrasoft microwire neural electrodes improve chronic tissue integration. <b>2017</b> , 53, 46-58	107
392	Sensitively Humidity-Driven Actuator Based on Photopolymerizable PEG-DA Films. <b>2017</b> , 4, 1601002	70
391	Bibliography. <b>2017</b> , 252-287	
390	Soft Multifunctional Composites and Emulsions with Liquid Metals. <b>2017</b> , 29, 1605985	206

389	Reinterpretation of the mechanical reinforcement of polymer nanocomposites reinforced with cellulose nanorods. <b>2017</b> , 134, 45254	19
388	Histological evaluation of flexible neural implants; flexibility limit for reducing the tissue response?. <b>2017</b> , 14, 036026	63
387	Elastic and pH-Responsive Hybrid Interfaces Created with Engineered Resilin and Nanocellulose. <b>2017</b> , 18, 1866-1873	15
386	Optimizing the mechanical properties of cellulose nanopaper through surface energy and critical length scale considerations. <b>2017</b> , 24, 3289-3299	20
385	Cellulose Nanocrystals and PEO/PET Hydrogel Material in Biotechnology and Biomedicine: Current Status and Future Prospects. <b>2017</b> , 139-173	11
384	Toward a versatile toolbox for cucurbit[ $\square$ ]uril-based supramolecular hydrogel networks through polymerization. <b>2017</b> , 55, 3105-3109	12
383	The role of non-covalent interactions in the self-healing mechanism of disulfide-based polymers. <b>2017</b> , 19, 18461-18470	27
382	Intelligent Nanofiber Composites: Dynamic Communication between Materials and Their Environment. <b>2017</b> , 302, 1700133	5
381	Tough Supramolecular Polymer Networks with Extreme Stretchability and Fast Room-Temperature Self-Healing. <b>2017</b> , 29, 1605325	234
380	Design of a Rubbery Carboxymethyl Cellulose/Polyacrylic Acid Hydrogel via Visible-Light-Triggered Polymerization. <b>2017</b> , 302, 1600509	6
379	Cellulose Based Rubber Nanocomposites. <b>2017</b> , 17-33	1
378	Rapid Recovery Double Cross-Linking Hydrogel with Stable Mechanical Properties and High Resilience Triggered by Visible Light. <b>2017</b> , 9, 13593-13601	35
377	Synthesis and Fabrication of Nanocomposite Fibers of Collagen-Cellulose Nanocrystals by Coelectrocompaction. <b>2017</b> , 18, 1259-1267	13
376	Microfluidic neural probes: in vivo tools for advancing neuroscience. <b>2017</b> , 17, 1406-1435	50
375	Rubber Based Bionanocomposites. <b>2017</b> ,	2
374	Preparation and characterization of nanocrystalline cellulose from Acacia mangium and its reinforcement potential. <i>Carbohydrate Polymers</i> , <b>2017</b> , 161, 166-171	10.3 43
373	Polymer nanocomposites with nanorods having different length distributions. <b>2017</b> , 110, 284-291	32
372	Neural Recording and Modulation Technologies. <b>2017</b> , 2,	267

371	50th Anniversary Perspective: Solid-State Multistimuli, Multiresponsive Polymeric Materials. <b>2017</b> , 50, 8845-8870	90
370	Supramolecular Polymer Nanocomposites Derived from Plant Oils and Cellulose Nanocrystals. <b>2017</b> , 50, 7475-7483	40
369	Liquid Metal-Conductive Thermoplastic Elastomer Integration for Low-Voltage Stiffness Tuning. <b>2017</b> , 2, 1700179	46
368	Polyimide/amine-functionalized cellulose nanocrystal nanocomposite films. <b>2017</b> , 13, 275-281	11
367	Activation of Actuating Hydrogels with WS Nanosheets for Biomimetic Cellular Structures and Steerable Prompt Deformation. <b>2017</b> , 9, 32280-32289	28
366	Smart Cellulose Nanofluids Produced by Tunable Hydrophobic Association of Polymer-Grafted Cellulose Nanocrystals. <b>2017</b> , 9, 31095-31101	26
365	Tunicate-Inspired Gallol Polymers for Underwater Adhesive: A Comparative Study of Catechol and Gallol. <b>2017</b> , 18, 2959-2966	106
364	The effects of the interface on microstructure and rheo-mechanical properties of polyamide 6/cellulose nanocrystal nanocomposites prepared by in-situ ring-opening polymerization and subsequent melt extrusion. <b>2017</b> , 127, 269-285	22
363	Biobased, self-healable, high strength rubber with tunicate cellulose nanocrystals. <b>2017</b> , 9, 15696-15706	78
362	Photo-triggered solvent-free metamorphosis of polymeric materials. <b>2017</b> , 8, 502	35
361	Reinforcement of Natural Rubber: The Use of in Situ Regenerated Cellulose from Alkaline Urea Aqueous System. <b>2017</b> , 50, 7211-7221	43
360	Light-Mediated Reversible Assembly of Polymeric Colloids. <b>2017</b> , 6, 1060-1065	15
359	Robust and smart hydrogels based on natural polymers. <b>2017</b> , 35, 1165-1180	50
358	Biphasic Synergistic Gel Materials with Switchable Mechanics and Self-Healing Capacity. <i>Angewandte Chemie - International Edition</i> , <b>2017</b> , 56, 13464-13469	16.4 73
357	Biphasic Synergistic Gel Materials with Switchable Mechanics and Self-Healing Capacity. <i>Angewandte Chemie</i> , <b>2017</b> , 129, 13649-13654	3.6 13
356	Thermally Switching On/Off the Hardening of Soaked Nanocomposite Materials. <b>2017</b> , 3, 817-819	3
355	Bioinspired Polymer Systems with Stimuli-Responsive Mechanical Properties. <b>2017</b> , 117, 12851-12892	200
354	Biomimetic Reversible Heat-Stiffening Polymer Nanocomposites. <b>2017</b> , 3, 886-894	45

353	Autonomous and Continuous Stimuli-Responsive Polymer Surface for Antibacterial Application through Enzymatic Self-Propagating Reactions. <b>2017</b> , 23, 14883-14888		9
352	From Cellulose Nanospheres, Nanorods to Nanofibers: Various Aspect Ratio Induced Nucleation/Reinforcing Effects on Polylactic Acid for Robust-Barrier Food Packaging. <b>2017</b> , 9, 43920-43938		107
351	Glial responses to implanted electrodes in the brain. <b>2017</b> , 1, 862-877		212
350	Effect of freeze-drying parameters on the microstructure and thermal insulating properties of nanofibrillated cellulose aerogels. <b>2017</b> , 84, 475-485		49
349	Polymer Brushes on Cellulose Nanofibers: Modification, SI-ATRP, and Unexpected Degradation Processes. <b>2017</b> , 5, 7642-7650		39
348	Novel Functional Materials Based on Cellulose. <b>2017</b> ,		13
347	Nanocellulose-Based Functional Materials. <b>2017</b> , 69-87		1
346	Tailoring biomaterial scaffolds for osteochondral repair. <b>2017</b> , 523, 476-489		29
345	Miscanthus Giganteus: A commercially viable sustainable source of cellulose nanocrystals. <i>Carbohydrate Polymers</i> , <b>2017</b> , 155, 230-241	10.3	60
344	Spray freeze-dried nanofibrillated cellulose aerogels with thermal superinsulating properties. <i>Carbohydrate Polymers</i> , <b>2017</b> , 157, 105-113	10.3	122
343	Quick water-responsive shape memory hybrids with cellulose nanofibers. <b>2017</b> , 55, 767-775		22
342	Development of Thermally-Activated Shape Memory Polymers and Nanocomposites for Biomedical Devices. <b>2017</b> ,		
341	9. Mechanical properties of nanocellulose-based nanocomposites. <b>2017</b> , 471-530		
340	7. Processing of nanocellulose-based materials. <b>2017</b> , 351-418		2
339	Enhanced Stimuli-Responsive Electrorheological Property of Poly(ionic liquid)s-Capsulated Polyaniline Particles. <b>2017</b> , 9,		18
338	Flexible Medical Devices: Review of Controllable Stiffness Solutions. <b>2017</b> , 6, 23		95
337	Neural Interfaces for Intracortical Recording: Requirements, Fabrication Methods, and Characteristics. <b>2017</b> , 11, 665		86
336	Hybrid polysaccharide-based systems for biomedical applications. <b>2017</b> , 107-149		2

335	Naturally-derived biopolymer nanocomposites: Interfacial design, properties and emerging applications. <b>2018</b> , 125, 1-41	130
334	Cellulose nanofibers/polyurethane shape memory composites with fast water-responsivity. <b>2018</b> , 6, 1668-1677	49
333	Stimuli-responsive polymer nanocomposites based on styrene-butadiene rubber and bacterial cellulose whiskers. <b>2018</b> , 29, 1507-1517	7
332	In Situ Polymorphic Alteration of Filler Structures for Biomimetic Mechanically Adaptive Elastomer Nanocomposites. <b>2018</b> , 10, 16148-16159	7
331	Frontal polymerization for smart intrinsic self-healing hydrogels and its integration with microfluidics. <b>2018</b> , 56, 1412-1423	13
330	Current characterization methods for cellulose nanomaterials. <b>2018</b> , 47, 2609-2679	436
329	Light-Responsive Chemistry to Enable Tunable Interface-Dependent Mechanical Properties in Composites. <b>2018</b> , 5, 1800038	2
328	Nanofibrils in nature and materials engineering. <b>2018</b> , 3,	304
327	Effect of Surface Modification on Water Adsorption and Interfacial Mechanics of Cellulose Nanocrystals. <b>2018</b> , 10, 8349-8358	20
326	Controllable and reversible tuning of material rigidity for robot applications. <b>2018</b> , 21, 563-576	101
325	Fibers on the surface of thermo-responsive gels induce 3D shape changes. <b>2018</b> , 14, 1822-1832	5
324	Water-induced modulus changes of bio-based uncured nanocomposite film based on natural rubber and bacterial cellulose nanocrystals. <b>2018</b> , 113, 240-248	15
323	Molecular-channel driven actuator with considerations for multiple configurations and color switching. <b>2018</b> , 9, 590	108
322	Uncovering the Circular Polarization Potential of Chiral Photonic Cellulose Films for Photonic Applications. <b>2018</b> , 30, e1705948	173
321	Multiple yet Controllable Photoswitching in a Single AIEgen System. <b>2018</b> , 140, 1966-1975	133
320	A Mosquito Inspired Strategy to Implant Microprobes into the Brain. <b>2018</b> , 8, 122	42
319	Reversible Semicrystalline Polymer as Actuators Driven by Organic Solvent Vapor. <b>2018</b> , 39, e1700716	11
318	Construction of Transparent Cellulose-Based Nanocomposite Papers and Potential Application in Flexible Solar Cells. <b>2018</b> , 6, 8040-8047	64

317	Sulfenamides as Building Blocks for Efficient Disulfide-Based Self-Healing Materials. A Quantum Chemical Study. <b>2018</b> , 7, 248-255	13
316	Self-Assembled Coacervates of Chitosan and an Insect Cuticle Protein Containing a Rebers-Riddiford Motif. <b>2018</b> , 19, 2391-2400	3
315	Self-Folded Hydrogel Tubes for Implantable Muscular Tissue Scaffolds. <b>2018</b> , 18, e1700377	38
314	How the Dynamics of a Supramolecular Polymer Determines Its Dynamic Adaptivity and Stimuli-Responsiveness: Structure-Dynamics-Property Relationships From Coarse-Grained Simulations. <b>2018</b> , 122, 4169-4178	18
313	Influence of additives on thermoresponsive polymers in aqueous media: a case study of poly(N-isopropylacrylamide). <b>2018</b> , 20, 9717-9744	29
312	Bioinspired Adaptive Gel Materials with Synergistic Heterostructures. <b>2018</b> , 36, 683-696	21
311	Nanocellulose: a promising nanomaterial for advanced electrochemical energy storage. <b>2018</b> , 47, 2837-2872	401
310	Chronic softening spinal cord stimulation arrays. <b>2018</b> , 15, 045002	28
309	Enhanced properties of polylactide by incorporating cellulose nanocrystals. <b>2018</b> , 39, 2685-2694	23
308	Nanocellulose in green food packaging. <b>2018</b> , 58, 1526-1537	88
307	Placing Sites on the Edge of Planar Silicon Microelectrodes Enhances Chronic Recording Functionality. <b>2018</b> , 65, 1245-1255	13
306	Characterization and mechanical properties of ultraviolet stimuli-responsive functionalized cellulose nanocrystal alginate composites. <b>2018</b> , 135, 45857	10
305	A review on mechanical considerations for chronically-implanted neural probes. <b>2018</b> , 15, 031001	82
304	Interfaces in polyethylene oxide modified cellulose nanocrystal/polyethylene matrix composites. <i>Composites Science and Technology</i> , <b>2018</b> , 154, 128-135	8.6 33
303	Engineering the interface in mechanically responsive graphene-based films.. <b>2018</b> , 8, 36257-36263	8
302	Novel sea cucumber-inspired material based on stiff, strong yet tough elastomer with unique self-healing and recyclable functionalities. <b>2018</b> , 6, 24291-24297	32
301	Saponins enriched in the epidermal layer of <i>Holothuria leucospilota</i> body wall. <b>2018</b> , 81, 1182-1190	6
300	High energy oxidation and organosolv solubilization for high yield isolation of cellulose nanocrystals (CNC) from <i>Eucalyptus</i> hardwood. <b>2018</b> , 8, 16505	13

299	A Mechanically-Adaptive Polymer Nanocomposite-Based Intracortical Probe and Package for Chronic Neural Recording. <b>2018</b> , 9,	14
298	Understanding the Effects of Both CD14-Mediated Innate Immunity and Device/Tissue Mechanical Mismatch in the Neuroinflammatory Response to Intracortical Microelectrodes. <b>2018</b> , 12, 772	5
297	Nanocellulose, a Versatile Green Platform: From Biosources to Materials and Their Applications. <b>2018</b> , 118, 11575-11625	578
296	Prospects for a Robust Cortical Recording Interface. <b>2018</b> , 393-413	
295	Biomedical Devices Using Shape Memory Polymer Foams for Treatment of Intracranial Aneurysms. <b>2018</b> ,	2
294	Multiresponsive polymeric microstructures with encoded predetermined and self-regulated deformability. <b>2018</b> , 115, 12950-12955	61
293	Achieving Enhanced Interfacial Adhesion and Dispersion in Cellulose Nanocomposites via Amorphous Interfaces. <b>2018</b> , 51, 10304-10311	39
292	Salt Water-Triggered Ionic Cross-Linking of Polymer Composites by Controlled Release of Functional Ions. <b>2018</b> , 3, 16127-16133	
291	Nature-Inspired Hydrogels with Soft and Stiff Zones that Exhibit a 100-Fold Difference in Elastic Modulus. <b>2018</b> , 10, 34664-34673	16
290	Dynamics of Architecturally Engineered All-Polymer Nanocomposites. <b>2018</b> , 12, 10807-10816	18
289	Dimensionally stable cellulosic aerogels functionalized by titania. <b>2018</b> , 90, 1755-1771	2
288	Oxidative Layer-By-Layer Multilayers Based on Metal Coordination: Influence of Intervening Graphene Oxide Layers. <b>2018</b> , 34, 13171-13182	2
287	Preparation of Phthalocyanine Immobilized Bacterial Cellulose Nanocomposites for Decoloration of Dye Wastewater: Key Role of Spacers. <b>2018</b> , 8, 1021	2
286	A new strategy to elaborate polymer composites via Pickering emulsion polymerization of a wide range of monomers. <b>2018</b> , 9, 5043-5050	26
285	Responsive cellulose-hydrogel composite ink for 4D printing. <b>2018</b> , 160, 108-118	91
284	Tunicate cellulose nanocrystal reinforced polyacrylamide hydrogels with tunable mechanical performance. <b>2018</b> , 25, 6561-6570	13
283	Sea cucumber mimicking bacterial cellulose composite hydrogel with ionic strength-sensitive mechanical adaptivity. <b>2018</b> , 54, 11320-11323	13
282	Nanocomposite smart hydrogels with improved responsiveness and mechanical properties: A mini review. <b>2018</b> , 56, 1306-1313	36



281	Strong, Rebondable, Dynamic Cross-Linked Cellulose Nanocrystal Polymer Nanocomposite Adhesives. <b>2018</b> , 10, 30723-30731		34
280	Bioinspired materials and systems for neural interfacing. <b>2018</b> , 6, 110-119		22
279	Recent Advances in Materials, Devices, and Systems for Neural Interfaces. <b>2018</b> , 30, e1800534		104
278	Characterization of pulp derived nanocellulose hydrogels using AVAP $\square$ technology. <i>Carbohydrate Polymers</i> , <b>2018</b> , 198, 270-280	10.3	24
277	Cellulose-Based Hydrogel for Industrial Applications. <b>2018</b> , 1-41		1
276	Isolation of nanocrystalline cellulose from tunicates. <b>2018</b> , 6, 4408-4412		37
275	Biopolymer nanofibrils: structure, modeling, preparation, and applications. <b>2018</b> , 85, 1-56		183
274	Dynamically Actuated Liquid-Infused Poroelastic Film with Precise Control over Droplet Dynamics. <b>2018</b> , 28, 1802632		33
273	Dynamically Tunable Dry Adhesion via Subsurface Stiffness Modulation. <b>2018</b> , 5, 1800321		41
272	A Liquid-Metal-Based Magnetoactive Slurry for Stimuli-Responsive Mechanically Adaptive Electrodes. <b>2018</b> , 30, e1802595		52
271	Mechanically strong polystyrene nanocomposites by peroxide-induced grafting of styrene monomers within nanoporous cellulose gels. <i>Carbohydrate Polymers</i> , <b>2018</b> , 199, 473-481	10.3	11
270	Microcrystalline Cellulose Surface-Modified with Acrylamide for Reinforcement of Hydrogels. <b>2018</b> , 6, 12320-12327		14
269	Efficient, Self-Terminating Isolation of Cellulose Nanocrystals through Periodate Oxidation in Pickering Emulsions. <b>2018</b> , 11, 3581-3585		15
268	Reversible solvent-sensitive actuator with continuous bending/debending process from liquid crystal elastomer-colloidal material. <b>2018</b> , 14, 5547-5553		11
267	Electrodes for the Neural Interface. <b>2018</b> , 239-274		2
266	Synergistic effects of titanium dioxide and cellulose on the properties of glassionomer cement. <b>2019</b> , 38, 41-51		9
265	Self-healing epoxy nanocomposites via reversible hydrogen bonding. <b>2019</b> , 157, 1-13		75
264	Noncovalent Muscle-Inspired Hydrogel with Rapid Recovery and Antifatigue Property under Cyclic Stress. <b>2019</b> , 11, 31393-31401		7

263	Reversible hydrogel dynamics by physical-chemical crosslink photoswitching using a supramolecular macrocycle template. <b>2019</b> , 55, 9931-9934		20
262	Critical insights into the reinforcement potential of cellulose nanocrystals in polymer nanocomposites. <b>2019</b> , 23, 100761		45
261	A hybrid material that reversibly switches between two stable solid states. <b>2019</b> , 18, 874-882		21
260	Mechanical adaptability of artificial muscles from nanoscale molecular action. <b>2019</b> , 10, 4819		34
259	Tough, Self-Healing Hydrogels Capable of Ultrafast Shape Changing. <b>2019</b> , 31, e1904956		73
258	Biomimetic polymer reactors and their applications in self-ruled catalysis. <b>2019</b> , 1-31		
257	Electrochemical Sensors for Neurochemicals: Recent Update. <b>2019</b> , 4, 3102-3118		56
256	Self-Healing Polymer Composites for Structural Application. <b>2019</b> ,		9
255	Nanocellulose isolation characterization and applications: a journey from non-remedial to biomedical claims. <b>2019</b> , 2, 187-212		21
254	Cellulose nanocrystals-starch nanocomposites produced by extrusion: Structure and behavior in physiological conditions. <i>Carbohydrate Polymers</i> , <b>2019</b> , 225, 115123	10.3	17
253	Mechanically Strong Shape-Memory and Solvent-Resistant Double-Network Polyurethane/Nanoporous Cellulose Gel Nanocomposites. <b>2019</b> , 7, 15974-15982		14
252	Dynamic Nanocellulose Networks for Thermoset-like yet Recyclable Plastics with a High Melt Stiffness and Creep Resistance. <b>2019</b> , 20, 3924-3932		9
251	Modulating the Structural Orientation of Nanocellulose Composites through Mechano-Stimuli. <b>2019</b> , 11, 40443-40450		17
250	Effects of the reinforced cellulose nanocrystals on glass-ionomer cements. <b>2019</b> , 35, 564-573		19
249	Bio-Inspired, Self-Toughening Polymers Enabled by Plasticizer-Releasing Microcapsules. <b>2019</b> , 31, e1807212		13
248	Chiral Photonic Cellulose Films Enabling Mechano/Chemo Responsive Selective Reflection of Circularly Polarized Light. <b>2019</b> , 7, 1801395		34
247	Solid-state NMR of nanocrystals. <b>2019</b> , 97, 1-82		14
246	Mechanically adaptive nanocomposites with cellulose nanocrystals: Strain-field mapping with digital image correlation. <i>Carbohydrate Polymers</i> , <b>2019</b> , 211, 11-21	10.3	10

245	Thermally-induced two-way shape memory polymers: Mechanisms, structures, and applications. <b>2019</b> , 374, 706-720		93
244	New Approach for the Fabrication of Carboxymethyl Cellulose Nanofibrils and the Reinforcement Effect in Water-Borne Polyurethane. <b>2019</b> , 7, 11850-11860		15
243	Stretchable, tough, self-recoverable, and cytocompatible chitosan/cellulose nanocrystals/polyacrylamide hybrid hydrogels. <i>Carbohydrate Polymers</i> , <b>2019</b> , 222, 114977	10.3	31
242	Utilizing Polyhexahydrotriazine (PHT) to Cross-Link Polyimide Oligomers for High-Temperature Shape Memory Polymer. <b>2019</b> , 58, 10599-10608		8
241	Stimuli-responsive polymers for sensing and actuation. <b>2019</b> , 6, 1774-1793		128
240	Polymer/Cellulose Nanocrystal (CNC) Nanocomposites. <b>2019</b> , 371-393		1
239	Carbon nanofiller networks- a comparative study of networks formed by branched versus linear carbon nanotubes in thermoplastic polyurethane. <b>2019</b> , 175, 227-234		18
238	Photo-cross-linking: A powerful and versatile strategy to develop shape-memory polymers. <b>2019</b> , 95, 32-64		57
237	Biomimetic Water-Responsive Self-Healing Epoxy with Tunable Properties. <b>2019</b> , 11, 17853-17862		28
236	Hybrid Nanocomposites for 3D Optics: Using Interpolymer Complexes with Cellulose Nanocrystals. <b>2019</b> , 11, 19324-19330		4
235	Optical microcrack sensor paints inspired by luminescent oxygen quenching phenomenon. <b>2019</b> , 9, 737-743		
234	A review of nanocellulose in the drug-delivery system. <b>2019</b> , 131-164		13
233	Relationship between interface chemistry and reinforcement in polybutadiene/cellulose nanocrystal nanocomposites. <i>Composites Science and Technology</i> , <b>2019</b> , 177, 103-110	8.6	10
232	Effect of processing conditions on the mechanical properties of bio-inspired mechanical gradient nanocomposites. <b>2019</b> , 115, 107-114		10
231	Freeze-thaw Gelation of Cellulose Nanocrystals. <b>2019</b> , 486-491		31
230	Highly Tough, Stretchable, Self-Healing, and Recyclable Hydrogels Reinforced by in Situ-Formed Polyelectrolyte Complex Nanoparticles. <b>2019</b> , 52, 3141-3149		77
229	Bioinspired Actuators Based on Stimuli-Responsive Polymers. <b>2019</b> , 14, 2369-2387		49
228	Reinforcing Mechanism of Cellulose Nanocrystals in Nanocomposites. <b>2019</b> , 201-249		10

227	Preparation of cellulose nanofibers from Miscanthus x. Giganteus by ammonium persulfate oxidation. <i>Carbohydrate Polymers</i> , <b>2019</b> , 212, 30-39	10.3	15
226	Bioinspired neuron-like electronics. <b>2019</b> , 18, 510-517		156
225	Stiffness-Changing of Polymer Nanocomposites with Cellulose Nanocrystals and Polymeric Dispersant. <b>2019</b> , 40, e1800910		8
224	A softening laminar electrode for recording single unit activity from the rat hippocampus. <b>2019</b> , 9, 2321		13
223	Hyperconjugation-induced chromism in linear responsive polymers. <b>2019</b> , 7, 13130-13138		13
222	Magnetic Elastomers with Smart Variable Elasticity Mimetic to Sea Cucumber. <b>2019</b> , 4,		4
221	Re-Dispersible 1D and 2D Nanoparticle Solid Powders without any Surfactant. <b>2019</b> , 5, 163-168		2
220	Responsive lignin for shape memory applications. <b>2019</b> , 160, 210-222		7
219	3D Printing of Anisotropic Hydrogels with Bioinspired Motion. <b>2019</b> , 6, 1800703		51
218	Amine-containing olefin copolymer with CO <sub>2</sub> -switchable oil absorption and desorption. <b>2019</b> , 136, 47439		4
217	Nonstop Monomer-to-Aramid Nanofiber Synthesis with Remarkable Reinforcement Ability. <b>2019</b> , 52, 923-934		25
216	Cellulose-Based Hydrogel for Industrial Applications. <b>2019</b> , 909-949		1
215	A ball milling-based one-step transformation of chitin biomass to organo-dispersible strong nanofibers passing highly time and energy consuming processes. <b>2019</b> , 125, 660-667		19
214	Long-lived water clusters in hydrophobic solvents investigated by standard NMR techniques. <b>2019</b> , 9, 223		16
213	Five different chitin nanomaterials from identical source with different advantageous functions and performances. <i>Carbohydrate Polymers</i> , <b>2019</b> , 205, 392-400	10.3	34
212	Stimuli-responsive polymer wormlike micelles. <b>2019</b> , 89, 108-132		42
211	Unique Stress Whitening and High-Toughness Double-Cross-Linked Cellulose Films. <b>2019</b> , 7, 1707-1717		20
210	Specific Interactions and Self-Organization in Polymer/Functionalized Nanoparticle Systems. <b>2019</b> , 85-117		2

209	Water-induced mechanically adaptive behavior of carboxylated acrylonitrile-butadiene rubber reinforced by bacterial cellulose whiskers. <b>2019</b> , 59, 58-65	9
208	Temperature scanning stress relaxation behavior of water responsive and mechanically adaptive elastomer nanocomposites. <b>2020</b> , 137, 48344	2
207	Novel Techniques for the Preparation of Shape-Memory Polymers, Polymer Blends and Composites at Micro and Nanoscales. <b>2020</b> , 53-83	3
206	Stimuli-Responsive Biopolymers: An Inspiration for Synthetic Smart Materials and Their Applications in Self-Controlled Catalysis. <b>2020</b> , 30, 69-87	6
205	Non-Equilibrium, Light-Adaptive, Steady-State Reconfiguration of Mechanical Patterns in Bioinspired Nanocomposites. <b>2020</b> , 30, 1905309	9
204	Combining Chemistry, Materials Science, Inspiration from Nature, and Serendipity to Develop Stimuli-Responsive Polymeric Materials. <b>2020</b> , 60, 100-107	2
203	Direct current electric field induced gradient hydrogel actuators with rapid thermo-responsive performance as soft manipulators. <b>2020</b> , 8, 2756-2763	13
202	Pore-Size-Tuned Graphene Oxide Membrane as a Selective Molecular Sieving Layer: Toward Ultrasensitive Chemiresistors. <b>2020</b> , 92, 957-965	18
201	Solvation-Controlled Elastification and Shape-Recovery of Cellulose Nanocrystal-Based Aerogels. <b>2020</b> , 12, 1549-1557	20
200	Water and humidity-induced shape memory cellulose nanopaper with quick response, excellent wet strength and folding resistance. <b>2020</b> , 392, 123673	44
199	A Dynamic Gel with Reversible and Tunable Topological Networks and Performances. <b>2020</b> , 2, 390-403	98
198	Synthesis and Enhanced Electrorheological Properties of TS-1/Titanium Oxide Core/Shell Nanocomposite. <b>2020</b> , 59, 1168-1182	11
197	Bioinspired Materials for Bioelectronic Neural Interfaces. <b>2020</b> , 3, 1087-1113	20
196	1000 at 1000: reflecting on "Review: Current international research into cellulose nanofibres and nanocomposites". <b>2020</b> , 55, 1-5	2
195	Bioelectronic Neural Implants. <b>2020</b> , 1153-1168	
194	A mechanically adaptive hydrogel with a reconfigurable network consisting entirely of inorganic nanosheets and water. <b>2020</b> , 11, 6026	9
193	Tissue-Adaptive Materials with Independently Regulated Modulus and Transition Temperature. <b>2020</b> , 32, e2005314	7
192	Theoretical and experimental studies on interfacial effects in cellulose nano crystal-shape memory polymer composites. <b>2020</b> , ahead-of-print,	

191	Computational modeling for bionanocomposites. <b>2020</b> , 367-420	1
190	Self-reinforced triple-shape memory silicone rubber composites with precise designable second temporary shapes by one step fixation. <b>2020</b> , 200, 108292	7
189	Controlling Drug Absorption, Release, and Erosion of Photopatterned Protein Engineered Hydrogels. <b>2020</b> , 21, 3608-3619	4
188	Bioinspired microcone-array-based living biointerfaces: enhancing the anti-inflammatory effect and neuronal network formation. <b>2020</b> , 6, 58	9
187	Ice templated nanocomposites containing rod-like hematite particles: Interplay between particle anisotropy and particle-matrix interactions. <b>2020</b> , 128, 034702	2
186	Variable Rigidity Module with a Flexible Thermoelectric Device for Bidirectional Temperature Control. <b>2021</b> , 8, 662-672	4
185	Effects of Bacterial Cellulose Nanocrystals on the Mechanical Properties of Resin-Modified Glass Ionomer Cements. <b>2021</b> , 15, 197-201	2
184	A Novel Articulated Soft Robot Capable of Variable Stiffness through Bistable Structure. <b>2020</b> ,	3
183	Intimately bonded 2D materials and responsive polymer brushes for adaptive nanocomposites. <b>2020</b> , 210, 123033	2
182	Mechanically adaptive implants fabricated with poly(2-hydroxyethyl methacrylate)-based negative photoresists. <b>2020</b> , 8, 6357-6365	2
181	Neural signal analysis with memristor arrays towards high-efficiency brain-machine interfaces. <b>2020</b> , 11, 4234	27
180	Highly Transparent and Colorless Nanocellulose/Polyimide Substrates with Enhanced Thermal and Mechanical Properties for Flexible OLED Displays. <b>2020</b> , 7, 2000928	16
179	Elytra-Mimetic Aligned Composites with Air-Water-Responsive Self-Healing and Self-Growing Capability. <b>2020</b> , 14, 12546-12557	5
178	Controlled Arrangement of Nanocellulose in Polymeric Matrix: From Reinforcement to Functionality. <b>2020</b> ,	46
177	Ultra-small carbon fiber electrode recording site optimization and improved in vivo chronic recording yield. <b>2020</b> , 17, 026037	27
176	Novel Fluorescence Method for Determination of Spatial Interparticle Distance in Polymer Nanocomposites. <b>2020</b> , 92, 7794-7799	3
175	Bioinspired Poly(vinyl alcohol) Film Actuator Powered by Water Evaporation under Ambient Conditions. <b>2020</b> , 305, 2000145	3
174	Thermoresponsive structural changes of single poly(N-isopropyl acrylamide) hydrogel microspheres under densely packed conditions on a solid substrate. <b>2020</b> , 52, 1137-1141	4

173	Hybrid Magnetic Micropillar Arrays for Programmable Actuation. <b>2020</b> , 32, e2001879	34
172	Biocatalytic reversible control of the stiffness of DNA-modified responsive hydrogels: applications in shape-memory, self-healing and autonomous controlled release of insulin. <b>2020</b> , 11, 4516-4524	12
171	Ultrahigh strength nanocomposite hydrogels designed by locking oriented tunicate cellulose nanocrystals in polymeric networks. <b>2020</b> , 197, 108118	33
170	Collective Locomotion of Human Cells, Wound Healing and Their Control by Extracts and Isolated Compounds from Marine Invertebrates. <b>2020</b> , 25,	11
169	Stimuli-responsive composite biopolymer actuators with selective spatial deformation behavior. <b>2020</b> , 117, 14602-14608	29
168	Photonic Thin Films Assembled from Amphiphilic Cellulose Nanofibrils Displaying Iridescent Full-Colors.. <b>2020</b> , 3, 4522-4530	1
167	Plant cell wall inspired xyloglucan/cellulose nanocrystals aerogels produced by freeze-casting. <i>Carbohydrate Polymers</i> , <b>2020</b> , 247, 116642	10.3 12
166	High-Strength and Tough Crystalline Polysaccharide-Based Materials <b>2020</b> , 38, 761-771	8
165	Smart Cellulose-Based Electronic Skin with Humidity-Driven Dynamic Performance. <b>2020</b> , 2, 87-89	2
164	Non-Conventional Deformations: Materials and Actuation. <b>2020</b> , 13,	4
163	Natural rubber composites with Grits waste from cellulose industry. <b>2020</b> , 22, 1126-1139	4
162	Aramid Nanofiber Templated In Situ SNAr Polymerization for Maximizing the Performance of All-Organic Nanocomposites. <b>2020</b> , 9, 558-564	11
161	Dual Response of Photonic Films with Chiral Nematic Cellulose Nanocrystals: Humidity and Formaldehyde. <b>2020</b> , 12, 17833-17844	27
160	Three-Dimensional Programmable, Reconfigurable, and Recyclable Biomass Soft Actuators Enabled by Designing an Inverse Opal-Mimetic Structure with Exchangeable Interfacial Crosslinks. <b>2020</b> , 12, 15757-15764	12
159	Highly Cross-Linked, Physiologically Responsive, Mechanically Adaptive Polymer Networks Made by Photopolymerization. <b>2020</b> , 5, 3090-3097	4
158	Dynamics in Cellulose-Based Hydrogels with Reversible Cross-Links. <b>2020</b> , 319-354	1
157	[DDS Nanocarriers Mimicking Early Infection Machinery of Viruses]. <b>2020</b> , 140, 147-152	0
156	Bioinspired Mechanically Responsive Hydrogel upon Redox Mediated by Dynamic Coordination between Telluroether and Platinum Ions. <b>2020</b> , 32, 2156-2165	10

155	Multifunctional Role of MoS in Preparation of Composite Hydrogels: Radical Initiation and Cross-Linking. <b>2020</b> , 12, 8642-8649		17
154	Toward guiding principles for the design of biologically-integrated electrodes for the central nervous system. <b>2020</b> , 17, 021001		10
153	Design and Manufacture of a Smart Macro-Structure with Changeable Effective Stiffness. <b>2020</b> , 12, 2050001		3
152	Stimuli-responsive cellulose nanomaterials for smart applications. <i>Carbohydrate Polymers</i> , <b>2020</b> , 235, 115933	10.3	33
151	Chitin nanocrystals reticulated self-assembled architecture reinforces deproteinized natural rubber latex film. <b>2020</b> , 137, 49173		3
150	Melt Processing of Cellulose Nanocrystal-Filled Composites: Toward Reinforcement and Foam Nucleation. <b>2020</b> , 59, 8511-8531		15
149	A new magnetic-responsive hybrid soft composite with tunable equivalent tensile modulus: a proof-of-concept. <b>2020</b> , 29, 077001		2
148	Dynamics of polymer segments, polymer chains, and nanoparticles in polymer nanocomposite melts: A review. <b>2020</b> , 105, 101242		91
147	Bioinspired Materials with Self-Adaptable Mechanical Properties. <b>2020</b> , 32, e1906970		25
146	Dual-Stimuli-Responsive Polymer Composite with Ultrawide Tunable Stiffness Range Triggered by Water and Temperature. <b>2020</b> , 2, 2008-2015		5
145	Liquid crystal elastomers as substrates for 3D, robust, implantable electronics. <b>2020</b> , 8, 6286-6295		9
144	Chemical Modification of Reducing End-Groups in Cellulose Nanocrystals. <i>Angewandte Chemie - International Edition</i> , <b>2021</b> , 60, 66-87	16.4	39
143	Chemische Modifizierung der reduzierenden Enden von Cellulosenanokristallen. <i>Angewandte Chemie</i> , <b>2021</b> , 133, 66-88	3.6	2
142	A soft manipulator for efficient delicate grasping in shallow water: Modeling, control, and real-world experiments. <b>2021</b> , 40, 449-469		35
141	Additive manufacturing of nanocellulose based scaffolds for tissue engineering: Beyond a reinforcement filler. <i>Carbohydrate Polymers</i> , <b>2021</b> , 252, 117159	10.3	13
140	Multifunctional-imprinted nanocomposite membranes with thermo-responsive biocompatibility for selective/controllable recognition and separation application. <b>2021</b> , 582, 991-1002		9
139	Molecular-Scale Design of Cellulose-Based Functional Materials for Flexible Electronic Devices. <b>2021</b> , 7, 2000944		27
138	Robust Three-Component Elastomer-Particle-Fiber Composites with Tunable Properties for Soft Robotics. <b>2021</b> , 3, 2000166		6



137	Transparent regenerated cellulose bionanocomposite film reinforced by exfoliated montmorillonite with polyhedral oligomeric silsesquioxane bearing amino groups. <b>2021</b> , 28, 653-669	2
136	Synergistic reinforcement of a reversible Diels-Alder type network with nanocellulose. <b>2021</b> , 2, 5171-5180	1
135	Chapter 23:Stimuli-responsive Nanocomposite Hydrogels Incorporating Soft Nanoparticles for Biomedical Applications. <b>2021</b> , 566-593	
134	Plasmonic Nanostructures for Photothermal Conversion. <b>2021</b> , 1, 2000055	26
133	Smart Cellulose Composites: Advanced Applications and Properties Prediction Using Machine Learning. <b>2021</b> , 527-538	0
132	Chapter 27:Soft Robotics Solutions for Minimally Invasive Surgery: The Need for Stiffness Controllability. <b>2021</b> , 684-719	1
131	Chapter 1:The Mutable Collagenous Tissue of Echinoderms: From Biology to Biomedical Applications. <b>2021</b> , 1-33	2
130	A programmable powerful and ultra-fast water-driven soft actuator inspired by the mutable collagenous tissue of the sea cucumber. <b>2021</b> , 9, 15937-15947	1
129	Reviewing the Potential of Novel Nanofillers in Polymer Matrices for Advanced Technological Applications. <b>2021</b> ,	
128	Electrical switching of high-performance bioinspired nanocellulose nanocomposites. <b>2021</b> , 12, 1312	16
127	Poly(vinyl alcohol) Hydrogels with Broad-Range Tunable Mechanical Properties via the Hofmeister Effect. <b>2021</b> , 33, e2007829	79
126	Biopolymer Nanoscale Assemblies as Building Blocks for New Materials: A Review. <b>2021</b> , 31, 2008552	19
125	A Combined Theoretical and Experimental Study of the Polymer Matrix-Mediated Stress Transfer in a Cellulose Nanocomposite. <b>2021</b> , 54, 3507-3516	4
124	Free-Standing Photocrosslinked Protein Polymer Hydrogels for Sustained Drug Release. <b>2021</b> , 22, 1509-1522	1
123	An Integrated Design of a Polypseudorotaxane-Based Sea Cucumber Mimic. <i>Angewandte Chemie</i> , <b>2021</b> , 133, 10274-10281	3.6 2
122	A Generalized Approach for Evaluating the Mechanical Properties of Polymer Nanocomposites Reinforced with Spherical Fillers. <b>2021</b> , 11,	3
121	An Integrated Design of a Polypseudorotaxane-Based Sea Cucumber Mimic. <i>Angewandte Chemie - International Edition</i> , <b>2021</b> , 60, 10186-10193	16.4 9
120	Bioinspired Soft Microactuators. <b>2021</b> , 33, e2008558	8

119	Bioinspired four-dimensional polymeric aerogel with programmable temporal-spatial multiscale structure and functionality. <i>Composites Science and Technology</i> , <b>2021</b> , 206, 108677	8.6	2
118	Diverse and Productive Source of Biopolymer Inspiration: Marine Collagens. <b>2021</b> , 22, 1815-1834		7
117	Progress and challenges of implantable neural interfaces based on nature-derived materials. <b>2021</b> , 7, 6		6
116	Enhanced thermal conductivity of polyvinyl alcohol insulation composites with m-BN@CNW hybrid materials. <i>Composites Science and Technology</i> , <b>2021</b> , 208, 108766	8.6	8
115	Recent advances in wet adhesives: Adhesion mechanism, design principle and applications. <b>2021</b> , 116, 101388		85
114	Intelligent Soft Surgical Robots for Next-Generation Minimally Invasive Surgery. <b>2021</b> , 3, 2100011		13
113	Bioinspired organohydrogels with heterostructures: Fabrications, performances, and applications. <b>2021</b> , 292, 102408		4
112	Understanding the Mechanical Reinforcement of Metal-Organic Framework-Polymer Composites: The Effect of Aspect Ratio. <b>2021</b> ,		1
111	Hybrid Fabrication Method for Microfluidic Channels Within a Polymer Nanocomposite for Neural Interfacing Applications. <b>2021</b> ,		
110	Random Liquid Crystalline Copolymers Consisting of Prolate and Oblate Liquid Crystal Monomers. <b>2021</b> , 54, 5376-5387		3
109	Hydrophilic domains compose of interlocking cation- $\pi$ blocks for constructing hard actuator with robustness and rapid humidity responsiveness. <b>2021</b> , 414, 128820		1
108	Materials with Electroprogrammable Stiffness. <b>2021</b> , 33, e2007952		8
107	Enhanced Ion Conductivity through Hydrated, Polyelectrolyte-Grafted Cellulose Nanocrystal Films. <b>2021</b> , 54, 6925-6936		4
106	Irreversible, Self-Aligned Microfluidic Packaging for Chronic Implant Applications.. <b>2021</b> , 31, 1-10		1
105	Nanocellulose-Based Functional Materials: From Chiral Photonics to Soft Actuator and Energy Storage. 2104991		26
104	Biocompatible and biodegradable super-toughness regenerated cellulose via water molecule-assisted molding. <b>2021</b> , 417, 129229		7
103	Stimuli-responsive polymer composites for fabric applications. <b>2021</b> , 351-376		
102	A review on hybrid materials based polysaccharide systems for the applications in the field of biomedical. <b>2021</b> ,		

101	Chapter 2:Synchrotron X-ray Imaging Combined with Multiscale Modeling Applied to Biological Soft Tissues. <b>2021</b> , 34-60	
100	Recent progress of biomimetic motions-from microscopic micro/nanomotors to macroscopic actuators and soft robotics.. <b>2021</b> , 11, 27406-27419	0
99	Phase change mediated mechanically transformative dynamic gel for intelligent control of versatile devices. <b>2021</b> , 8, 1230-1241	15
98	Flexible Electrode for Implantable Neural Devices. <b>2014</b> , 121-156	4
97	Adaptive Stiffness and Joint-Free Kinematics: Actively Actuated Rod-Shaped Structures in Plants and Animals and Their Biomimetic Potential in Architecture and Engineering. <b>2016</b> , 135-167	6
96	Surfactant-Free Latex Nanocomposites Stabilized and Reinforced by Hydrophobically Functionalized Cellulose Nanocrystals. <b>2020</b> , 2, 2291-2302	4
95	Biomimetic Impact Protective Supramolecular Polymeric Materials Enabled by Quadruple H-Bonding. <b>2021</b> , 143, 1162-1170	24
94	Chapter 12:Mechanically Adaptive Nanocomposites Inspired by Sea Cucumbers. <b>2016</b> , 402-428	2
93	Current Knowledge on the Biology, Ecology, and Commercial Exploitation of the Sea Cucumber <i>Cucumaria frondosa</i> . 1-72	2
92	Gels, jets, mosquitoes, and magnets: a review of implantation strategies for soft neural probes. <b>2020</b> , 17, 041002	5
91	Complex multiphase organohydrogels with programmable mechanics toward adaptive soft-matter machines. <b>2020</b> , 6, eaax1464	63
90	Novel Applications and Future of Shape-Memory Polymers. <b>2010</b> , 333-363	1
89	Synthetic bio-actuators and their applications in biomedicine. <b>2011</b> , 7, 185-198	13
88	Organic electrode coatings for next-generation neural interfaces. <b>2014</b> , 7, 15	171
87	Study on the Anti-Biodegradation Property of Tunicate Cellulose. <b>2020</b> , 12,	3
86	ADVANCED FUNCTIONAL MATERIALS BASED ON CELLULOSE. <b>2010</b> , 00, 1376-1398	21
85	Transient Electrically Driven Stiffness-Changing Materials from Liquid Metal Polymer Composites. <b>2021</b> , 13, 50392-50400	2
84	Chemical syntheses of bioinspired and biomimetic polymers toward biobased materials.	24

- 83 Hierarchical Architecture and Modeling of Bio-Inspired Mechanically Adaptive Polymer Nanocomposites. **2013**, 199-215
- 82 Bioinspired Membranes. **2014**, 1-3
- 81 Encyclopedia of Nanotechnology. **2016**, 1993-2009
- 80 Encyclopedia of Nanotechnology. **2016**, 1-17
- 79 Hygromechanics of softwood cellulosic nanocomposite with intermolecular interactions at fiber-matrix interface investigated with molecular dynamics. **2022**, 228, 109449 1
- 78 Multi-stimuli-responsive photonics films based on chiral nematic cellulose nanocrystals. *Carbohydrate Polymers*, **2022**, 277, 118756 10.3 3
- 77 Bioengineering. **2020**, 193-208
- 76 Photolithographic Fabrication of Mechanically Adaptive Devices. 1
- 75 Nanocomposites Assembled via Electrostatic Interactions between Cellulose Nanocrystals and a Cationic Polymer. **2021**, 2
- 74 Nanocellulose-A Sustainable and Efficient Nanofiller for Rubber Nanocomposites: From Reinforcement to Smart Soft Materials. 1-36 2
- 73 Reversible switching of polymeric gel structure and property by solvent exchange. **2022**, 65, 547 3
- 72 Think big, see small: A review of nanomaterials for neural interfaces. 1
- 71 Effect of Graft Molecular Weight and Density on the Mechanical Properties of Polystyrene-Grafted Cellulose Nanocrystal Films. **2021**, 54, 10594-10604 2
- 70 Recent Progress in Materials Chemistry to Advance Flexible Bioelectronics in Medicine. **2021**, e2106787 5
- 69 Dramatic and Reversible Water-Induced Stiffening Driven by Phase Separation within Polymer Gels. 2109850 3
- 68 Highly sensitive humidity-driven actuators based on metal-organic frameworks incorporating thermoplastic polyurethane with gradient polymer distribution.. **2021**, 11, 37744-37751 1
- 67 Finite Element Modeling of Magnitude and Location of Brain Micromotion Induced Strain for Intracortical Implants.. **2021**, 15, 727715
- 66 Topology reset, reshuffling, and reconstruction of synthetic elastomers. **2022**, 23, 100727

65	Solvent-responsive strong hydrogel with programmable deformation and reversible shape memory for load-carrying soft robot. <b>2022</b> , 30, 103067	3
64	A Stiffness-Switchable, Biomimetic Smart Material Enabled by Supramolecular Reconfiguration.. <b>2021</b> , e2107857	11
63	A cleaner processing approach for cellulose reinforced thermoplastic polyurethane nanocomposites.	1
62	Electro-assembly of a dynamically adaptive molten fibril state for collagen.. <b>2022</b> , 8, eabl7506	2
61	Dynamically Tunable Dry Adhesion through a Subsurface Thin Layer with Tunable Stiffness. 2102080	1
60	?????????????. <b>2022</b> ,	0
59	Stiffness variable polymers comprising phase-changing side-chains: material syntheses and application explorations.. <b>2022</b> , e2109798	2
58	Microfibers for Bioinspired Soft Microactuators. <b>2022</b> , 177-194	
57	Highly Flexible and Broad-Range Mechanically Tunable All-Wood Hydrogels with Nanoscale Channels via the Hofmeister Effect for Human Motion Monitoring.. <b>2022</b> , 14, 84	3
56	Dispersion characteristics of polypropylene/organo-modified single-walled carbon nanotube composites with a long-chain phosphonic acid added as the third dispersant component and their drawn orientation. 1	
55	Neurotechnological Approaches to the Diagnosis and Treatment of Alzheimer's Disease.. <b>2022</b> , 16, 854992	2
54	Bioinspired sensor system for health care and human-machine interaction.	8
53	Materials for Smart Soft Actuator Systems.. <b>2021</b> ,	16
52	A Brief Overview of Bioinspired Robust Hydrogel Based Shape Morphing Functional Structure for Biomedical Soft Robotics. <b>2022</b> , 9,	1
51	A novel, bioinspired, non-Newtonian energy absorption medium for the protection of composite laminates under low velocity impact (LVI). <b>2022</b> ,	0
50	CHAPTER 5. Tailoring Mechanochemical Reactivity of Covalent Bonds in Polymers by Non-covalent Interactions. 119-154	
49	Data_Sheet_1.docx. <b>2018</b> ,	
48	Bioinspired Semicrystalline Dynamic Ionogels with Adaptive Mechanics and Tactile Sensing.. <b>2022</b> ,	2

47	Biomaterials and Bioactive Natural Products from Marine Invertebrates: From Basic Research to Innovative Applications.. <b>2022</b> , 20,		4
46	Responsive polymer composite fiber.		0
45	Cellulose Nanocrystal Chiral Nematic Composites with Wet Mechanical Adaptability.		1
44	Stiffness tunable implanted electrode enabled by magnetic liquid metal for wireless hyperthermia. <b>2022</b> , 27, 101495		0
43	How Hydrogen-bonding Interactions and Nanocrystal Aspect Ratio Influence the Morphology and Mechanical Performance of Polymer Nanocomposites Reinforced with Cellulose Nanocrystals.		0
42	Sea cucumber as a therapeutic aquatic resource for human health. <b>2022</b> , 25, 251-263		0
41	Nanostructured block copolymer muscles.		6
40	Tunable hyperbolic out-of-plane deformation of 3D-printed auxetic PLA shape memory arrays. <b>2022</b> , 31, 075025		3
39	Probing the Structural Details of Chitin Nanocrystal/Water Interfaces by Three-Dimensional Atomic Force Microscopy. 2200320		5
38	Hydrogels totally from inorganic nanosheets and water with mechanical robustness, self-healing, controlled lubrication and anti-corrosion. <i>Nano Research</i> ,	10	0
37	Anisotropic chitosan/tunicate cellulose nanocrystals hydrogel with tunable interference color and acid-responsiveness. <i>Carbohydrate Polymers</i> , <b>2022</b> , 119866	10.3	1
36	Entropy-Mediated Polymer-Cluster Interactions Enable Dramatic Thermal Stiffening Hydrogels for Mechanoadaptive Smart Fabrics. <i>Angewandte Chemie</i> ,	3.6	
35	Sensitively Humidity-Driven Actuator and Sensor Derived from Natural Skin System. <i>Sensors and Actuators B: Chemical</i> , <b>2022</b> , 132388	8.5	
34	Entropy-Mediated Polymer-Cluster Interactions Enable Dramatic Thermal Stiffening Hydrogels for Mechanoadaptive Smart Fabrics. <i>Angewandte Chemie - International Edition</i> ,	16.4	1
33	Model development of aqueous diffusion softening transition in thermoplastic polyurethane cellulose nanocrystal composites. <i>Composites Science and Technology</i> , <b>2022</b> , 227, 109626	8.6	0
32	Nanocellulose/melanin-based composites for energy, environment, and biological applications. <b>2022</b> , 57, 14188-14216		0
31	A Synthetic Hydrogel Composite with a Strength and Wear Resistance Greater than Cartilage. 2205662		0
30	Construction of stimuli-responsive and mechanically-adaptive thermoplastic elastomeric materials. <b>2022</b> , 259, 125338		1

29	WITHDRAWN:Control on Pt-Containing Ordered Honeycomb Mesoporous Nanostructures via Self-Assembly of Block Copolymer. <b>2022</b> , 130083	0
28	Investigation of Mechanical Properties in PVA Hydrogels Due to Cation Interactions Described by Reactive Forcefield Based Molecular Dynamics Simulations.	0
27	Design, Fabrication and Characterization of a Novel Variable Stiffness Structure for Soft Continuum Robotics. <b>2023</b> , 1203-1214	0
26	Mechano-Regulable and Healable Silk-Based Materials for Adaptive Applications.	0
25	Stretchable and Conformable Stiffness-Variable Device through Electrorheological Fluids.	0
24	Molecular insights on the crystalline cellulose-water interfaces via three-dimensional atomic force microscopy. <b>2022</b> , 8,	1
23	Control on Pt-containing ordered honeycomb mesoporous nanostructures via self-assembly of block copolymer. <b>2023</b> , 656, 130392	0
22	Enormous-stiffness-changing polymer networks by glass transition mediated microphase separation. <b>2022</b> , 13,	2
21	Tunable Actuation of Humidity-Driven Artificial Muscles via Graphene Nanofillers.	0
20	Catechol-modified epoxy backbones for multifunctional and ultra-tough thermoset. <b>2023</b> , 455, 140889	0
19	Production and characterization of cellulose nanocrystals of different allomorphs from oil palm empty fruit bunches for enhancing composite interlaminar fracture toughness. <b>2023</b> , 5, 100272	0
18	From Nanoscopic to Macroscopic Materials by Stimuli-Responsive Nanoparticle Aggregation. 2208995	0
17	Shear induced tuning and memory effects in colloidal gels of rods and spheres. <b>2022</b> , 157, 234902	1
16	Cellulose: A Review of Water Interactions, Applications in Composites, and Water Treatment.	1
15	Regenerative Living 4D Printing via Reversible Growth of Polymer Networks. 2209824	0
14	Highly efficient grafting of polyvinyl acetate onto cellulose nanocrystals in the aqueous phase.	0
13	Nanopaper Electronics.	0
12	Nature-inspired strategies for the synthesis of hydrogel actuators and their applications. <b>2023</b> , 140, 101665	0

- 11 Robust mechanical and water responsive mechanically adaptive property of physically cross-linked sustainable nanocellulose composites. **2023**, 23, 1407-1416 ○
- 10 Understanding Nanocellulose-Water Interactions: Turning a Detriment into an Asset. **2023**, 123, 1925-2015 1
- 9 Development of a Slow-Degrading Polymerized Curcumin Coating for Intracortical Microelectrodes. **2023**, 6, 806-818 ○
- 8 Cationic cellulose nanocrystals as sustainable green material for multi biological applications via □ potential. 1-25 1
- 7 Ethanol stimuli-responsive toughening PNIPAM/PVA self-healing hydrogel thermal actuator. **2023**, 47, 5825-5831 ○
- 6 Research on deep eutectic solvents for the construction of humidity-responsive cellulose nanocrystal composite films. **2023**, 235, 123805 ○
- 5 Effects of Fiber Loading on Mechanical Properties of Kenaf Nanocellulose Reinforced Nanohybrid Dental Composite Made of Rice Husk Silica. **2023**, 14, 184 ○
- 4 Soft Robotic Arm with Extensible Stiffening Layer. **2023**, 1-7 ○
- 3 Nanocellulose-Based Thermoplastic Polyurethane Biocomposites with Shape Memory Effect. **2023**, 7, 168 ○
- 2 Advances in biodegradable polymer nanocomposites for solar cell applications: current status and future directions. **2023**, 397-433 ○
- 1 Shape-recovery in organic solvents of water-responsive cellulose nanofiber actuators. ○