

CITATION REPORT

List of articles citing

Alpha-CuV₂O₆ nanowires: hydrothermal synthesis and primary lithium battery application

DOI: 10.1021/ja800109u

Journal of the American Chemical Society, 2008, 130, 5361-7.

Source: <https://exaly.com/paper-pdf/43913465/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 266 | Interpreting Abnormal Charge/Discharge Plateau Migration in Cu_xS during Long-Term Cycling. | | |
| 265 | Porous $LiFePO_4/NiP$ Composite nanospheres as the cathode materials in rechargeable lithium-ion batteries. 2008 , 1, 242-248 | | 28 |
| 264 | ChemInform Abstract: CuV_2O_6 Nanowires: Hydrothermal Synthesis and Primary Lithium Battery Application.. 2008 , 39, no | | |
| 263 | High Capacity, Safety, and Enhanced Cyclability of Lithium Metal Battery Using a V_2O_5 Nanomaterial Cathode and Room Temperature Ionic Liquid Electrolyte. <i>Chemistry of Materials</i> , 2008 , 20, 7044-7051 | 9.6 | 184 |
| 262 | Four-state switching characteristics of a gated molecular basket. 2009 , 11, 2495-8 | | 17 |
| 261 | Synthesis and formation mechanism of $Cu_3V_2O_7(OH)_2 \cdot 2H_2O$ nanowires. 2009 , 44, 2027-2032 | | 8 |
| 260 | Hydrothermal synthesis of orthorhombic $LiMnO_2$ nano-particles and $LiMnO_2$ nanorods and comparison of their electrochemical performances. 2009 , 2, 923-930 | | 55 |
| 259 | Generation of activated carbon nanofibers from electrospun polyacrylonitrile-zinc chloride composites for use as anodes in lithium-ion batteries. 2009 , 11, 684-687 | | 101 |
| 258 | SnO_2 meso-scale tubes: One-step, room temperature electrodeposition synthesis and kinetic investigation for lithium storage. 2009 , 11, 242-246 | | 52 |
| 257 | Porous carbon nanofibers from electrospun polyacrylonitrile/ SiO_2 composites as an energy storage material. 2009 , 47, 3346-3354 | | 204 |
| 256 | Electrochemical reduction of silver vanadium phosphorous oxide, $Ag_2VO_2PO_4$: the formation of electrically conductive metallic silver nanoparticles. <i>Chemistry of Materials</i> , 2009 , 21, 4934-4939 | 9.6 | 73 |
| 255 | Synthesis, structural characterization, and electronic structure of single-crystalline $Cu(x)V_2O_5$ nanowires. 2009 , 48, 3145-52 | | 42 |
| 254 | Tuning the rate of molecular translocation. <i>Journal of the American Chemical Society</i> , 2009 , 131, 7250-2 | 16.4 | 35 |
| 253 | Preparation, characterization and catalytic $NaBH_4$ hydrolysis of Co-B hollow spheres. <i>Journal of Alloys and Compounds</i> , 2009 , 474, 584-589 | 5.7 | 57 |
| 252 | Direct growth of SnO_2 nanorod array electrodes for lithium-ion batteries. 2009 , 19, 1859 | | 263 |
| 251 | Conducting solids. 2009 , 105, 436 | | 1 |
| 250 | Combination of lightweight elements and nanostructured materials for batteries. 2009 , 42, 713-23 | | 418 |

| | | |
|-----|---|--------|
| 249 | Hydrothermal Growth and Characterization of Nanostructured Vanadium-Based Oxides. 2009 , 9, 1723-1728 | 20 |
| 248 | High rate capabilities induced by multi-phasic nanodomains in iron-substituted calcium cobaltite electrodes. 2009 , 19, 1829 | 17 |
| 247 | Facile synthesis of NaV ₆ O ₁₅ nanorods and its electrochemical behavior as cathode material in rechargeable lithium batteries. 2009 , 19, 7885 | 123 |
| 246 | Porous Carbon Nanofibers Derived from Conducting Polymer: Synthesis and Application in Lithium-Ion Batteries with High-Rate Capability. <i>Journal of Physical Chemistry C</i> , 2009 , 113, 13438-13442 ^{3,8} | 125 |
| 245 | LiMn ₂ O ₄ microspheres: Synthesis, characterization and use as a cathode in lithium ion batteries. 2010 , 3, 733-737 | 88 |
| 244 | Facile synthesis of V ₂ O ₅ /TiO ₂ core-shell nanobelts. 2010 , 35, 809-813 | 10 |
| 243 | Synthesis of ultra-long single crystalline CuV ₂ O ₆ nanobelts. 2010 , 64, 820-823 | 7 |
| 242 | Hydrothermal synthesis of Cu ₃ V ₂ O ₇ (OH) ₂ ·2H ₂ O hierarchical microspheres and their electrochemical properties. 2010 , 64, 2019-2021 | 10 |
| 241 | Li ₂ ZnTi ₃ O ₈ nanorods: A new anode material for lithium-ion battery. 2010 , 12, 720-723 | 94 |
| 240 | Morphology-controlled synthesis of SnO ₂ nanotubes by using 1D silica mesostructures as sacrificial templates and their applications in lithium-ion batteries. <i>Small</i> , 2010 , 6, 296-306 | 11 328 |
| 239 | Ionic Liquid-Assisted Hydrothermal Synthesis of Monoclinic Structured LaVO ₄ Nanowires through Topotactic Transformation from Hexagonal La(OH) ₃ Nanowires. 2010 , 10, 262-267 | 23 |
| 238 | Superior stability and high capacity of restacked molybdenum disulfide as anode material for lithium ion batteries. 2010 , 46, 1106-8 | 480 |
| 237 | Preparation and characterization of nanocrystalline Mg ₂ FeH ₆ . <i>Journal of Alloys and Compounds</i> , 2010 , 508, 554-558 | 5-7 29 |
| 236 | Hierarchical Cu ₄ V ₂ .15O ₉ .38 micro-/nanostructures: a lithium intercalating electrode material. <i>Nanoscale</i> , 2011 , 3, 999-1003 | 7-7 24 |
| 235 | Template-free fabrication and growth mechanism of uniform (BiO) ₂ CO ₃ hierarchical hollow microspheres with outstanding photocatalytic activities under both UV and visible light irradiation. 2011 , 21, 12428 | 133 |
| 234 | Transition metal vanadium oxides and vanadate materials for lithium batteries. 2011 , 21, 9841 | 180 |
| 233 | Surfactant-assisted hydrothermal synthesis and electrochemical properties of nanoplate-assembled 3D flower-like Cu ₃ V ₂ O ₇ (OH) ₂ ·2H ₂ O microstructures. 2011 , 13, 367-370 | 45 |
| 232 | Low-cost and facile one-pot synthesis of pure single-crystalline ECu _(0.95) V ₂ O ₅ nanoribbons: high capacity cathode material for rechargeable Li-ion batteries. 2011 , 47, 5250-2 | 52 |

| | | | |
|-----|--|-----|-----|
| 231 | Porous LiMn ₂ O ₄ nanorods with durable high-rate capability for rechargeable Li-ion batteries. 2011 , 4, 3668 | | 238 |
| 230 | Investigation of the Lithium Intercalation Behavior of Nanosheets of LiV ₃ O ₈ in an Aqueous Solution. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 10889-10897 | 3.8 | 36 |
| 229 | Hydrothermal synthesis, dimension evolution and luminescence properties of tetragonal LaVO ₄ :Ln (Ln = Eu ³⁺ , Dy ³⁺ , Sm ³⁺) nanocrystals. <i>Dalton Transactions</i> , 2011 , 40, 11023-30 | 4.3 | 56 |
| 228 | Topochemical synthesis of cobalt oxide nanowire arrays for high performance binderless lithium ion batteries. 2011 , 21, 11867 | | 53 |
| 227 | NANOSTRUCTURED ELECTRODE MATERIALS FOR LITHIUM BATTERIES. 2011 , 85-126 | | |
| 226 | Controllable synthesis and characterization of porous FeVO ₄ nanorods and nanoparticles. 2011 , 13, 897-901 | | 34 |
| 225 | Synthesis of carbon coated nanocrystalline porous δ -LiFeO ₂ composite and its application as anode for the lithium ion battery. <i>Journal of Alloys and Compounds</i> , 2011 , 509, 5408-5413 | 5.7 | 20 |
| 224 | Synthesis and electrochemical properties of porous LiV ₃ O ₈ as cathode materials for lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2011 , 509, 6030-6035 | 5.7 | 22 |
| 223 | Mild and cost-effective one-pot synthesis of pure single-crystalline δ -Ag(0.33)V ₂ O ₅ nanowires for rechargeable Li-ion batteries. 2011 , 4, 1091-4 | | 47 |
| 222 | Low-temperature synthesis of LiV ₃ O ₈ nanosheets as an anode material with high power density for aqueous lithium-ion batteries. 2011 , 126, 476-479 | | 27 |
| 221 | Non-catalytic and template-free growth of single crystalline copper vanadate nanowires for field emission applications. 2011 , 131, 184-189 | | 4 |
| 220 | Microporous carbon derived from polyaniline base as anode material for lithium ion secondary battery. 2011 , 46, 1266-1271 | | 17 |
| 219 | Lithium storage performance of carbon nanotubes prepared from polyaniline for lithium-ion batteries. <i>Electrochimica Acta</i> , 2011 , 56, 9350-9356 | 6.7 | 45 |
| 218 | One ether-functionalized guanidinium ionic liquid as new electrolyte for lithium battery. 2011 , 196, 1433-1441 | | 52 |
| 217 | Hierarchical Self-assembly of Microscale Cog-like Superstructures for Enhanced Performance in Lithium-Ion Batteries. 2011 , 21, 3516-3523 | | 94 |
| 216 | SnO ₂ nanoparticles@polypyrrole nanowires composite as anode materials for rechargeable lithium-ion batteries. 2011 , 196, 2195-2201 | | 167 |
| 215 | Cu ₃ V ₂ O ₇ (OH) ₂ ·2H ₂ O hollow structures for primary lithium batteries. 2012 , 7, 1101-1104 | | 4 |
| 214 | Ultralong monoclinic ZnV ₂ O ₆ nanowires: their shape-controlled synthesis, new growth mechanism, and highly reversible lithium storage in lithium-ion batteries. <i>RSC Advances</i> , 2012 , 2, 8110 | 3.7 | 64 |

| | | | |
|-----|--|-----|-----|
| 213 | Large-scale synthesis of Li _{1.15} V ₃ O ₈ nanobelts and their lithium storage behavior studied by in situ X-ray diffraction. 2012 , 22, 3035 | | 50 |
| 212 | β-Fe ₂ O ₃ nanowall arrays: hydrothermal preparation, growth mechanism and excellent rate performances for lithium ion batteries. <i>Nanoscale</i> , 2012 , 4, 3422-6 | 7.7 | 82 |
| 211 | One-pot template-free synthesis, growth mechanism and enhanced photocatalytic activity of monodisperse (BiO) ₂ CO ₃ hierarchical hollow microspheres self-assembled with single-crystalline nanosheets. 2012 , 14, 3534 | | 72 |
| 210 | Facile solvothermal synthesis of CaMn ₂ O ₄ nanorods for electrochemical oxygen reduction. 2012 , 22, 15812 | | 72 |
| 209 | High-performance sodium-ion pseudocapacitors based on hierarchically porous nanowire composites. 2012 , 6, 4319-27 | | 574 |
| 208 | Syntheses and properties of a series of chromium vanadates ACrV ₂ O ₇ (A=Na, K, Rb, Cs) with layered structure. 2012 , 192, 1-6 | | 2 |
| 207 | Nanoarchitected Fe ₃ O ₄ array electrode and its excellent lithium storage performance. <i>Electrochimica Acta</i> , 2012 , 78, 585-591 | 6.7 | 28 |
| 206 | Super-large dendrites composed of trigonal PbO ₂ nanoplates with enhanced performances for electrochemical devices. 2012 , 48, 1275-7 | | 22 |
| 205 | Reducing hydrated protons co-intercalation to enhance cycling stability of CuV ₂ O ₅ nanobelts: a new anode material for aqueous lithium ion batteries. 2012 , 22, 16957 | | 25 |
| 204 | Carbon-coated SnO ₂ @C with hierarchically porous structures and graphite layers inside for a high-performance lithium-ion battery. 2012 , 22, 2766-2773 | | 117 |
| 203 | Facile and Low-Cost Synthesis of Large-Area Pure V ₂ O ₅ Nanosheets for High-Capacity and High-Rate Lithium Storage over a Wide Temperature Range. 2012 , 77, 124-128 | | 76 |
| 202 | Size-controlled chalcopyrite CuInS ₂ nanocrystals: One-pot synthesis and optical characterization. <i>Science China Chemistry</i> , 2012 , 55, 1236-1241 | 7.9 | 14 |
| 201 | An activated microporous carbon prepared from phenol-melamine-formaldehyde resin for lithium ion battery anode. 2012 , 47, 2045-2050 | | 30 |
| 200 | Porous Li ₂ FeSiO ₄ /C nanocomposite as the cathode material of lithium-ion batteries. 2012 , 198, 229-235 | | 161 |
| 199 | Persimmon-like CaMoO ₄ micro/nanomaterials: A rapid microwave-assisted fabrication, characterization, and the growth mechanism. 2012 , 14, 219-224 | | 16 |
| 198 | Copper vanadate nanowires-based MIS capacitors: synthesis, characterization, and their electrical charge storage applications. 2013 , 15, 1 | | 2 |
| 197 | Synthesis of hierarchical three-dimensional copper oxide nanostructures through a biomineralization-inspired approach. <i>Nanoscale</i> , 2013 , 5, 7991-7 | 7.7 | 31 |
| 196 | Zn ₃ V ₂ O ₇ (OH) ₂ ·2H ₂ O and Zn ₃ (VO ₄) ₂ 3D microspheres as anode materials for lithium-ion batteries. <i>Journal of Materials Science</i> , 2013 , 48, 3679-3685 | 4.3 | 30 |

| | | | |
|-----|---|-----|-----|
| 195 | Structural and electrochemical properties of single crystalline MoV ₂ O ₈ nanowires for energy storage devices. 2013 , 230, 277-281 | | 39 |
| 194 | Ultrathin Na _{1.1} V ₃ O _{7.9} nanobelts with superior performance as cathode materials for lithium-ion batteries. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 8704-9 | 9.5 | 40 |
| 193 | An investigation of spinel NiCo ₂ O ₄ as anode for Na-ion capacitors. <i>Electrochimica Acta</i> , 2013 , 114, 726-735 | | 123 |
| 192 | Cu ₃ V ₂ O ₈ hollow spheres in photocatalysis and primary lithium batteries. 2013 , 25, 15-21 | | 33 |
| 191 | Uniform LiNi _{1/3} Co _{1/3} Mn _{1/3} O ₂ hollow microspheres: Designed synthesis, topotactical structural transformation and their enhanced electrochemical performance. 2013 , 2, 1249-1260 | | 157 |
| 190 | ITO bi-crystal nanowires follow a grain boundary assistant growth mode. 2013 , 15, 3925 | | 0 |
| 189 | Cobalt phosphite microarchitectures assembled by ultralong nanoribbons and their application as effective electrochemical capacitor electrode materials. <i>Nanoscale</i> , 2013 , 5, 503-7 | 7.7 | 72 |
| 188 | Intergrown Li ₂ FeSiO ₄ /LiFePO ₄ -C nanocomposites as high-capacity cathode materials for lithium-ion batteries. 2013 , 49, 3040-2 | | 62 |
| 187 | Novel β -Cu _{0.95} V ₂ O ₅ hollow microspheres and β -CuV ₂ O ₆ nanograins: Facile synthesis and application in lithium-ion batteries. 2013 , 237, 112-118 | | 29 |
| 186 | Investigation of effects of carbon coating on the electrochemical performance of Li ₄ Ti ₅ O ₁₂ /C nanocomposites. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 9484 | 13 | 170 |
| 185 | Aqueous rechargeable lithium batteries as an energy storage system of superfast charging. 2013 , 6, 2093 | | 290 |
| 184 | A microporous carbon derived from phenol/melamine-formaldehyde resin by K ₂ CO ₃ activation for lithium ion batteries. <i>Ionics</i> , 2013 , 19, 409-414 | 2.7 | 7 |
| 183 | Facile synthesis of Cu ₃ V ₂ O ₇ (OH) ₂ ·2H ₂ O as cathode for primary lithium batteries. 2013 , 99, 94-96 | | 4 |
| 182 | Rational synthesis of copper vanadates/polypyrrole nanowires with enhanced electrochemical property. 2013 , 91, 154-157 | | 9 |
| 181 | Chapter 9: Nanoelectrochemistry in the people's republic of China. 275-335 | | 1 |
| 180 | Porous FeVO ₄ nanorods: synthesis, characterization, and gas-sensing properties toward volatile organic compounds. 2013 , 15, 1 | | 33 |
| 179 | Orthorhombic β -LiV ₂ O ₅ as Cathode Materials in Lithium Ion Batteries: Synthesis and Property. 2013 , 26, 597-600 | | 11 |
| 178 | Potassium-sulfur batteries: a new member of room-temperature rechargeable metal-sulfur batteries. 2014 , 53, 9000-5 | | 143 |

| | | | |
|-----|---|-----|-----|
| 177 | Hierarchical Cu ₄ V ₂ .15O ₉ .38 superstructures assembled by single-crystalline rods: their synthesis, characteristics and electrochemical properties. <i>RSC Advances</i> , 2014 , | 3.7 | 1 |
| 176 | Effect of polyethylene glycol on vanadium oxide nanotubes in lithium-ion batteries. 2014 , 127, 81-85 | | 9 |
| 175 | Fabrication of ultralong Zn ₃ V ₂ O ₇ (OH) ₂ ·2H ₂ O nanobelts and its application in lithium-ion batteries. 2014 , 129, 91-94 | | 18 |
| 174 | Porous CuO nanowires as the anode of rechargeable Na-ion batteries. 2014 , 7, 199-208 | | 204 |
| 173 | Li ₂ Fe _{1-x} Al _x SiO ₄ /C Nanocomposites Cathodes for Lithium-Ion Batteries. <i>Energy Technology</i> , 2014 , 2, 355-361 | 3.5 | 11 |
| 172 | Self-assembly of Co ₃ V ₂ O ₈ multilayered nanosheets: controllable synthesis, excellent Li-storage properties, and investigation of electrochemical mechanism. 2014 , 8, 4474-87 | | 210 |
| 171 | Mesoporous silica-assisted carbon free Li ₂ MnSiO ₄ cathode nanoparticles for high capacity Li rechargeable batteries. 2014 , 16, 2085-9 | | 16 |
| 170 | Electrical properties and conductivity mechanism of LiCuFe ₂ (VO ₄) ₃ . <i>Ionics</i> , 2014 , 20, 1103-1110 | 2.7 | 4 |
| 169 | Hydrothermal synthesis of CuV ₂ O ₆ supported on mesoporous SiO ₂ as SO ₃ decomposition catalysts for solar thermochemical hydrogen production. 2014 , 39, 20646-20651 | | 19 |
| 168 | Synthesis and characterization of NiV ₃ O ₈ powder as cathode material for lithium-ion batteries. <i>Electrochimica Acta</i> , 2014 , 148, 261-265 | 6.7 | 6 |
| 167 | Hydrothermal growth and characterization of length tunable porous iron vanadate one-dimensional nanostructures. 2014 , 16, 5128-5133 | | 27 |
| 166 | Nanowire electrodes for electrochemical energy storage devices. 2014 , 114, 11828-62 | | 552 |
| 165 | Synthesis and characterization of LiNi _{0.5} Co _{0.2} Mn _{0.3} O ₂ cathode material prepared by a novel hydrothermal process. <i>Ceramics International</i> , 2014 , 40, 14933-14938 | 5.1 | 29 |
| 164 | Enhanced rate performance of molybdenum-doped spinel LiNi _{0.5} Mn _{1.5} O ₄ cathode materials for lithium ion battery. 2014 , 247, 778-785 | | 68 |
| 163 | Synthesis of mesoporous Na _{0.33} V ₂ O ₅ with enhanced electrochemical performance for lithium ion batteries. <i>Electrochimica Acta</i> , 2014 , 130, 119-126 | 6.7 | 42 |
| 162 | Hydrothermal synthesis of MnV ₂ O ₆ nanobelts and its application in lithium-ion battery. 2014 , 124, 57-60 | | 27 |
| 161 | Nitrogen/carbon atomic ratio-dependent performances of nitrogen-doped carbon-coated metal oxide nanocrystals for anodes in lithium-ion batteries. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 7346-55 | 9.5 | 22 |
| 160 | Zn ₂ SiO ₄ urchin-like microspheres: controlled synthesis and application in lithium-ion batteries. 2014 , 16, 6195-6202 | | 31 |

| | | | |
|-----|--|-----|-----|
| 159 | Hydrothermal Synthesis of Unique Hollow Hexagonal Prismatic Pencils of $\text{Co}_3\text{V}_2\text{O}_8 \cdot n\text{H}_2\text{O}$: A New Anode Material for Lithium-Ion Batteries. 2015 , 127, 10937-10941 | | 9 |
| 158 | Hydrothermal Synthesis of Unique Hollow Hexagonal Prismatic Pencils of $\text{Co}_3\text{V}_2\text{O}_8 \cdot n\text{H}_2\text{O}$: A New Anode Material for Lithium-Ion Batteries. 2015 , 54, 10787-91 | | 104 |
| 157 | WS_2 Nanowires as a High-Performance Anode for Sodium-Ion Batteries. 2015 , 21, 11878-84 | | 135 |
| 156 | Facile synthesis of P2-type $\text{Na}_{0.4}\text{Mn}_{0.54}\text{Co}_{0.46}\text{O}_2$ as a high capacity cathode material for sodium-ion batteries. <i>RSC Advances</i> , 2015 , 5, 51454-51460 | 3-7 | 44 |
| 155 | Ultrasmall Li_2S nanoparticles anchored in graphene nanosheets for high-energy lithium-ion batteries. 2014 , 4, 6467 | | 113 |
| 154 | Rapid synthesis of $\text{Fe}_2\text{O}_3/\text{rGO}$ nanocomposites by microwave autoclave as superior anodes for sodium-ion batteries. 2015 , 280, 107-113 | | 101 |
| 153 | Electrochemical performance of cobalt vanadium oxide/natural graphite as anode for lithium ion batteries. 2015 , 282, 65-69 | | 58 |
| 152 | Pyrite FeS_2 for high-rate and long-life rechargeable sodium batteries. 2015 , 8, 1309-1316 | | 545 |
| 151 | $\text{Cu}_5(\text{VO}_4)_2(\text{OH})_4 \cdot \text{H}_2\text{O}$ nanobelts as anode materials for lithium-ion batteries. 2015 , 621, 1-4 | | 14 |
| 150 | Electrochemistry of $\text{Cu}_{0.5}\text{VOPO}_4 \cdot \text{H}_2\text{O}$: A Promising Mixed Metal Phosphorous Oxide for Secondary Lithium based Batteries. 2015 , 162, A295-A299 | | 1 |
| 149 | Cobalt vanadium oxide thin nanoplates: primary electrochemical capacitor application. 2014 , 4, 5687 | | 56 |
| 148 | The charge/discharge mechanism and electrochemical performance of CuVO_4 as a new anode material for Li-ion batteries. 2015 , 17, 21442-7 | | 30 |
| 147 | Synthesis and measurements of the optical bandgap of single crystalline complex metal oxide BaCuV_2O_7 nanowires by UV-VIS absorption. <i>Journal of Alloys and Compounds</i> , 2015 , 641, 201-204 | 5-7 | 2 |
| 146 | Large-scale synthesis of $\text{Co}_2\text{V}_2\text{O}_7$ hexagonal microplatelets under ambient conditions for highly reversible lithium storage. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 16728-16736 | 13 | 96 |
| 145 | Intertwined $\text{Cu}_3\text{V}_2\text{O}_7(\text{OH})_2 \cdot \text{H}_2\text{O}$ nanowires/carbon fibers composite: A new anode with high rate capability for sodium-ion batteries. 2015 , 294, 193-200 | | 25 |
| 144 | The low and high temperature electrochemical performance of $\text{Li}_3\text{VO}_4/\text{C}$ anode material for Li-ion batteries. <i>Journal of Electroanalytical Chemistry</i> , 2015 , 745, 1-7 | 4-1 | 31 |
| 143 | Copper vanadates/polyaniline composites as anode materials for lithium-ion batteries. <i>RSC Advances</i> , 2015 , 5, 20692-20698 | 3-7 | 11 |
| 142 | Multifunctional conducting polymer coated $\text{Na}_{1+\text{MnFe}}(\text{CN})_6$ cathode for sodium-ion batteries with superior performance via a facile and one-step chemistry approach. 2015 , 13, 200-207 | | 118 |

| | | | |
|-----|---|-----|-----|
| 141 | A review of nanofibrous structures in lithium ion batteries. 2015 , 300, 199-215 | | 86 |
| 140 | Synthesis and electrochemical properties of highly crystallized CuV ₂ O ₆ nanowires. 2015 , 31, 708-711 | | 3 |
| 139 | In Situ Synthesis of MnS Hollow Microspheres on Reduced Graphene Oxide Sheets as High-Capacity and Long-Life Anodes for Li- and Na-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 20957-20964 | 2.5 | 179 |
| 138 | Porous mixed metal oxides: design, formation mechanism, and application in lithium-ion batteries. <i>Nanoscale</i> , 2015 , 7, 17211-30 | 7.7 | 115 |
| 137 | Synthesis and Characterization of CuV ₂ O ₆ and Cu ₂ V ₂ O ₇ : Two Photoanode Candidates for Photoelectrochemical Water Oxidation. <i>Journal of Physical Chemistry C</i> , 2015 , 119, 27220-27227 | 3.8 | 88 |
| 136 | Formation of copper vanadate nanobelts and their electrochemical behaviors for the determination of ascorbic acid. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 2690-2700 | 13 | 50 |
| 135 | Metal(II) complex based on 5-[4-(1H-imidazol-1-yl)phenyl]-2H-tetrazole: the effect of the ligand on the electrodes in a lead-acid battery. 2015 , 17, 1056-1064 | | 3 |
| 134 | Facile synthesis of potassium vanadate cathode material with superior cycling stability for lithium ion batteries. 2015 , 275, 694-701 | | 49 |
| 133 | Subzero-Temperature Cathode for a Sodium-Ion Battery. 2016 , 28, 7243-8 | | 299 |
| 132 | In situ characterization of electrochemical processes in one dimensional nanomaterials for energy storages devices. 2016 , 24, 165-188 | | 81 |
| 131 | Mesoporous Co ₃ V ₂ O ₈ nanoparticles grown on reduced graphene oxide as a high-rate and long-life anode material for lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 6264-6270 | 13 | 86 |
| 130 | Cellulose Tailored Anatase TiO ₂ Nanospindles in Three-Dimensional Graphene Composites for High-Performance Supercapacitors. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 12165-75 | 9.5 | 79 |
| 129 | Double-diffusion-based synthesis of BiVO ₄ mesoporous single crystals with enhanced photocatalytic activity for oxygen evolution. 2016 , 52, 7478-81 | | 35 |
| 128 | Effect of crystalline structure on the electrochemical properties of K _{0.25} V ₂ O ₅ nanobelt for fast Li insertion. <i>Electrochimica Acta</i> , 2016 , 218, 199-207 | 6.7 | 13 |
| 127 | Hierarchical Zn ₃ V ₃ O ₈ /C composite microspheres assembled from unique porous hollow nanoplates with superior lithium storage capability. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 17063-17072 | 13 | 42 |
| 126 | Superior electrochemical activity of Fe ₂ O ₃ /rGO nanocomposite for advance energy storage devices. <i>Journal of Alloys and Compounds</i> , 2016 , 689, 648-654 | 5.7 | 99 |
| 125 | Na _{0.282} V ₂ O ₅ : A high-performance cathode material for rechargeable lithium batteries and sodium batteries. 2016 , 328, 241-249 | | 31 |
| 124 | Cu ₃ V ₂ O ₈ Nanoparticles as Intercalation-Type Anode Material for Lithium-Ion Batteries. 2016 , 22, 11405-12 | | 41 |

- 123 Superstructure ZrVO nanofibres: thermal expansion, electronic and lithium storage properties. **2016**, 18, 32160-32168 7
- 122 Lithium Metal-Copper Vanadium Oxide Battery with a Block Copolymer Electrolyte. **2016**, 163, A2447-A2455 11
- 121 Synthesis and characterization of high-quality cobalt vanadate crystals and their applications in lithium-ion batteries. **2016**, 3, 4
- 120 Synthesis and electrochemical performance of cable-like copper vanadates/polypyrrole nanobelts as anode materials for lithium-ion batteries. **2016**, 658, 203-206 7
- 119 Hydrothermal synthesis of sodium vanadate nanobelts as high-performance cathode materials for lithium batteries. **2016**, 325, 383-390 19
- 118 Zinc Pyrovanadate Nanoplates Embedded in Graphene Networks with Enhanced Electrochemical Performance. **2016**, 55, 2992-2999 38
- 117 Facile synthesis of amorphous aluminum vanadate hierarchical microspheres for supercapacitors. *Inorganic Chemistry Frontiers*, **2016**, 3, 791-797 6.8 70
- 116 Synthesis of platinum-decorated iron vanadate nanorods with excellent sensing performance toward n-butylamine. **2016**, 236, 173-183 11
- 115 A brannerite type cobalt vanadate conversion anode for lithium batteries. *Ionics*, **2016**, 22, 347-356 2.7 6
- 114 A novel attempt for employing brannerite type copper vanadate as an anode for lithium rechargeable batteries. *Journal of Materials Science: Materials in Electronics*, **2016**, 27, 3292-3297 2.1 5
- 113 Co₃V₂O₈ Sponge Network Morphology Derived from Metal-Organic Framework as an Excellent Lithium Storage Anode Material. *ACS Applied Materials & Interfaces*, **2016**, 8, 8546-53 9.5 114
- 112 In situ transmission electron microscopy study of the electrochemical sodiation process for a single CuO nanowire electrode. *RSC Advances*, **2016**, 6, 11441-11445 3.7 14
- 111 Mesoporous Li₄Ti₅O₁₂ nanoparticles synthesized by a microwave-assisted hydrothermal method for high rate lithium-ion batteries. *Journal of Electroanalytical Chemistry*, **2016**, 763, 45-50 4.1 15
- 110 X-ray absorption spectroscopy of lithium insertion and de-insertion in copper birnessite nanoparticle electrodes. **2016**, 18, 2959-67 10
- 109 The preparation of FeVO₄ as a new sort of anode material for lithium ion batteries. **2016**, 165, 223-226 39
- 108 Polypyrrole-coated hierarchical porous composites nanoarchitectures for advanced solid-state flexible hybrid devices. **2016**, 19, 307-317 26
- 107 Synthesis of Cu_{0.95}V₂O₅/polypyrrole core/sheath nanobelts and its electrochemical property. **2017**, 668, 19-22
- 106 Ordered SnO nanoparticles in MWCNT as a functional host material for high-rate lithium-sulfur battery cathode. **2017**, 10, 2083-2095 33

| | | | |
|-----|---|-----|----|
| 105 | Electrospun porous nanofibers for electrochemical energy storage. <i>Journal of Materials Science</i> , 2017 , 52, 6173-6195 | 4.3 | 44 |
| 104 | Phase Separation Derived Core/Shell Structured Cu V O /V O Microspheres: First Synthesis and Excellent Lithium-Ion Anode Performance with Outstanding Capacity Self-Restoration. <i>Small</i> , 2017 , 13, 1603140 | 11 | 30 |
| 103 | Communication Electrochemical Conversion of CuV2O6 into Metallic Cu and LiVO3 with Highly Reversible Lithium Storage. 2017 , 164, A864-A866 | | 2 |
| 102 | Nanobelt CuV2O6 with hydrophilic mesoporous poly(ionic liquid): a binary catalyst for synthesis of 2,5-diformylfuran from fructose. 2017 , 7, 1006-1016 | | 46 |
| 101 | Electrosprayed copper hexaoxodivanadate (CuV2O6) and pyrovanadate (Cu2V2O7) photoanodes for efficient solar water splitting. <i>Journal of Alloys and Compounds</i> , 2017 , 708, 444-450 | 5.7 | 41 |
| 100 | Interconnected LiCuVO networks with in situ Cu generation as high-performance lithium-ion battery anode. 2017 , 19, 13341-13347 | | 12 |
| 99 | A Foolproof Method to Fabricate Integrated Electrodes with 3D Conductive Networks: A Case Study of MnOx@C-Cu as Li-Ion Battery Anode. 2017 , 2, 1600221 | | 15 |
| 98 | Zn3V2O8 porous morphology derived through a facile and green approach as an excellent anode for high-energy lithium ion batteries. 2017 , 328, 454-463 | | 44 |
| 97 | Graphite Nanoplates Firmly Anchored with Well-dispersed Porous Zn3V2O8 Nanospheres: Rational Fabrication and Enhanced Lithium Storage Capability. <i>Electrochimica Acta</i> , 2017 , 248, 140-149 | 6.7 | 24 |
| 96 | High-Performance Cathode Based on Microporous Mo-V-Bi Oxide for Li Battery and Investigation by Operando X-ray Absorption Fine Structure. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 26052-26059 | 8.5 | 5 |
| 95 | Na-CO batteries: devices to trap CO. 2017 , 53, 9312-9315 | | 8 |
| 94 | Low-cost synthesis of hierarchical Co3V2O8 microspheres as high-performance anode materials for lithium-ion batteries. 2017 , 326, 587-593 | | 33 |
| 93 | Three-dimensional Zn3V3O8/carbon fiber cloth composites as binder-free anode for lithium-ion batteries. <i>Electrochimica Acta</i> , 2017 , 246, 97-105 | 6.7 | 26 |
| 92 | Electrochemical performance of AlV3O9 nanoflowers for lithium ion batteries application. <i>Journal of Alloys and Compounds</i> , 2017 , 723, 92-99 | 5.7 | 14 |
| 91 | High-temperature heat capacity of oxides of the CuO/V2O5 system. 2017 , 59, 1270-1274 | | 7 |
| 90 | Fabrication of hierarchically porous TiO nanofibers by microemulsion electrospinning and their application as anode material for lithium-ion batteries. 2017 , 8, 1297-1306 | | 4 |
| 89 | Uniform Co3V2O8 microspheres via controllable assembly for high-performance lithium-ion battery anodes. <i>New Journal of Chemistry</i> , 2018 , 42, 4881-4886 | 3.6 | 7 |
| 88 | Pseudocapacitive layered iron vanadate nanosheets cathode for ultrahigh-rate lithium ion storage. 2018 , 47, 294-300 | | 70 |

| | | | |
|----|--|------|-----|
| 87 | Fabrication of CoVO nanorods embedded in graphene sheets and their application for electrochemical charge storage electrode. 2018 , 29, 195403 | | 6 |
| 86 | Challenges in Developing Electrodes, Electrolytes, and Diagnostics Tools to Understand and Advance Sodium-Ion Batteries. <i>Advanced Energy Materials</i> , 2018 , 8, 1702403 | 21.8 | 164 |
| 85 | Fabrication of $\text{Co}_3\text{V}_2\text{O}_7(\text{OH})_2 \cdot 2\text{H}_2\text{O}$ hexagonal microplatelets and its application in lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2018 , 735, 700-706 | 5.7 | 5 |
| 84 | Synthesis and electrochemical performances of $\text{Zn}_3\text{V}_3\text{O}_8$ as novel anode material for lithium ion battery application. <i>Journal of Alloys and Compounds</i> , 2018 , 741, 315-322 | 5.7 | 17 |
| 83 | Ordered mesoporous carbon supported $\text{Ni}_3\text{V}_2\text{O}_8$ composites for lithium-ion batteries with long-term and high-rate performance. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 7005-7013 | 13 | 61 |
| 82 | Effect of high-temperature crystallization on the electrochemical properties of $\text{LiNi}_{0.5}\text{Co}_{0.2}\text{Mn}_{0.3}\text{O}_2$ synthesized from a lithiated transition metal oxide precursor. <i>Ionics</i> , 2018 , 24, 2957-2963 | 2.7 | 9 |
| 81 | Highly reversible and long-life cycling aqueous zinc-ion battery based on ultrathin $(\text{NH}_4)_2\text{V}_{10}\text{O}_{25} \cdot \text{H}_2\text{O}$ nanobelts. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 20402-20410 | 13 | 126 |
| 80 | Investigating the enhanced kinetics of $\text{LiNi}_{0.08}\text{Mn}_{1.92}\text{O}_4$ cathode material by regulating calcination temperature for long life lithium-ion battery. <i>Vacuum</i> , 2018 , 158, 223-230 | 3.7 | 6 |
| 79 | Self-Healing Lamellar Structure Boosts Highly Stable Zinc-Storage Property of Bilayered Vanadium Oxides. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 35079-35089 | 9.5 | 101 |
| 78 | Symmetric Cell Electrochemical Impedance Spectroscopy of $\text{Na}_2\text{FeP}_2\text{O}_7$ Positive Electrode Material in Ionic Liquid Electrolytes. <i>Journal of Physical Chemistry C</i> , 2018 , 122, 26857-26864 | 3.8 | 21 |
| 77 | Electrospun Single Crystalline Fork-Like KVO as High-Performance Cathode Materials for Lithium-Ion Batteries. 2018 , 6, 195 | | 18 |
| 76 | Ni-Doped Cobalt Phosphite, $\text{Co}(\text{HPO})(\text{OH})$, with Different Morphologies Grown on Ni Foam Hydro(solvo)thermally for High-Performance Supercapacitor. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 31340-31354 | 9.5 | 28 |
| 75 | An Al-doped high voltage cathode of $\text{Na}_4\text{Co}_3(\text{PO}_4)_2\text{P}_2\text{O}_7$ enabling highly stable 4 V full sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 18940-18949 | 13 | 21 |
| 74 | Self-Developed Fabrication of Manganese Oxides Microtubes with Efficient Catalytic Performance for the Selective Oxidation of 5-Hydroxymethylfurfural. 2019 , 58, 13122-13132 | | 11 |
| 73 | Hierarchical hollow dual CoreShell carbon nanowall-encapsulated pH SnO/SnO_2 heterostructured anode for high-performance lithium-ion-based energy storage. 2019 , 153, 62-72 | | 29 |
| 72 | Graphene Oxide Wrapped CuVO Nanobelts as High-Capacity and Long-Life Cathode Materials of Aqueous Zinc-Ion Batteries. 2019 , 13, 12081-12089 | | 153 |
| 71 | A nonaqueous potassium-ion hybrid capacitor enabled by two-dimensional diffusion pathways of dipotassium terephthalate. 2019 , 10, 2048-2052 | | 93 |
| 70 | Simple solvent-free synthesis of rod-like Cu-doped V_2O_5 for high storage capacity cathode materials of lithium ion batteries. <i>Journal of Alloys and Compounds</i> , 2019 , 802, 139-145 | 5.7 | 8 |

| | | | |
|----|--|------|-----|
| 69 | Synthesis of carbonaceous/carbon-free nanofibers consisted of Co ₃ V ₂ O ₈ nanocrystals for lithium-ion battery anode with ultralong cycle life. <i>Electrochimica Acta</i> , 2019 , 313, 48-58 | 6.7 | 17 |
| 68 | Excellent cycling stability and capability of novel mixed-metal vanadate coated with V ₂ O ₅ materials in an aqueous solution. <i>Electrochimica Acta</i> , 2019 , 314, 115-123 | 6.7 | 12 |
| 67 | Rapid One-Pot Synthesis and Photoelectrochemical Properties of Copper Vanadates. 2019 , 2, 2837-2847 | | 22 |
| 66 | A high-energy-density sodium-ion full battery based on tin anode. <i>Science China Chemistry</i> , 2019 , 62, 616-621 | 7.9 | 33 |
| 65 | Reversible Zn-driven reduction displacement reaction in aqueous zinc-ion battery. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 7355-7359 | 13 | 52 |
| 64 | Vanadate-Based Materials for Li-Ion Batteries: The Search for Anodes for Practical Applications. <i>Advanced Energy Materials</i> , 2019 , 9, 1803324 | 21.8 | 113 |
| 63 | A High-Power Na ₃ V ₂ (PO ₄) ₃ -Bi Sodium-Ion Full Battery in a Wide Temperature Range. <i>Advanced Energy Materials</i> , 2019 , 9, 1900022 | 21.8 | 65 |
| 62 | Enhancing the electronic dimensionality of hybrid organic/inorganic frameworks by hydrogen bonded molecular cations. <i>Materials Horizons</i> , 2019 , 6, 1187-1196 | 14.4 | 3 |
| 61 | Engineering of highly conductive and mesoporous ZrV ₂ O ₇ : a cathode material for lithium secondary batteries. <i>Journal of Solid State Electrochemistry</i> , 2019 , 23, 1201-1209 | 2.6 | 6 |
| 60 | Synthesis of porous MoV ₂ O ₈ nanosheets as anode material for superior lithium storage. <i>Energy Storage Materials</i> , 2019 , 22, 128-137 | 19.4 | 25 |
| 59 | Enhancement of cycling stability and capacity of lithium secondary battery by engineering highly porous AlV ₃ O ₉ . <i>Journal of Materials Science</i> , 2020 , 55, 1648-1658 | 4.3 | 3 |
| 58 | Towards high rate Li metal anodes: enhanced performance at high current density in a superconcentrated ionic liquid. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 3574-3579 | 13 | 18 |
| 57 | The displacement reaction mechanism of the CuVO nanowire cathode for rechargeable aqueous zinc ion batteries. <i>Dalton Transactions</i> , 2020 , 49, 1048-1055 | 4.3 | 25 |
| 56 | Electrochemical properties and kinetics of Li/Cu co-doping LiMn ₂ O ₄ cathode materials. <i>Journal of Materials Science: Materials in Electronics</i> , 2020 , 31, 286-297 | 2.1 | 5 |
| 55 | Scalable chemical approach to prepare crystalline Mn ₂ V ₂ O ₇ nanoparticles: introducing a new long-term cycling cathode material for lithium-ion battery. <i>Journal of Materials Science: Materials in Electronics</i> , 2020 , 31, 19638-19646 | 2.1 | 3 |
| 54 | The electrochemical performance and multielectron reaction mechanism of NiV ₂ O ₆ as a novel anode material for lithium-ion batteries. <i>Electrochimica Acta</i> , 2020 , 359, 136979 | 6.7 | 8 |
| 53 | Two-dimensional magnetism in CuV ₂ O ₆ . <i>Physical Review B</i> , 2020 , 102, | 3.3 | 1 |
| 52 | Hydrothermal synthesis of new CuVO ₂ delafossite hexagonal nanoplates. <i>Ceramics International</i> , 2020 , 46, 28219-28226 | 5.1 | 1 |

| | | | |
|----|--|------|-----|
| 51 | Enhancing Lithium Storage Performances of the LiTiO Anode by Introducing the CuVO Phase. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 39170-39180 | 9.5 | 16 |
| 50 | High Current Cycling in a Superconcentrated Ionic Liquid Electrolyte to Promote Uniform Li Morphology and a Uniform LiF-Rich Solid Electrolyte Interphase. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 42236-42247 | 9.5 | 10 |
| 49 | Cable-like β -AgVO ₃ @PPy Nanowires as Novel Anode Materials for Lithium-Ion Batteries. <i>Journal of Physical Chemistry C</i> , 2020 , 124, 19467-19475 | 3.8 | 4 |
| 48 | Interface Engineering of Silicon/Carbon Thin-Film Anodes for High-Rate Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 29242-29252 | 9.5 | 5 |
| 47 | Recent Advances in Vanadium-Based Aqueous Rechargeable Zinc-Ion Batteries. <i>Advanced Energy Materials</i> , 2020 , 10, 2000477 | 21.8 | 103 |
| 46 | Surface-orientation for boosting the high-rate and cyclability of spinel LiNi _{0.02} Mn _{1.98} O ₄ cathode material. <i>Vacuum</i> , 2020 , 179, 109505 | 3.7 | 11 |
| 45 | Solar-light assisted photocatalytic mineralization of tartrazine dye using Bi ₂ S ₃ -ZnVO ₄ nanocomposite. <i>Materials Today: Proceedings</i> , 2020 , 29, 1104-1118 | 1.4 | 1 |
| 44 | Phase-Pure Copper Vanadate (β -CuV ₂ O ₆): Solution Combustion Synthesis and Characterization. <i>Chemistry of Materials</i> , 2020 , 32, 6247-6255 | 9.6 | 15 |
| 43 | A High-Temperature Na-Ion Battery: Boosting the Rate Capability and Cycle Life by Structure Engineering. <i>Small</i> , 2020 , 16, e1906669 | 11 | 21 |
| 42 | Multi-electron reactions of vanadium-based nanomaterials for high-capacity lithium batteries: challenges and opportunities. <i>Materials Today Nano</i> , 2020 , 10, 100073 | 9.7 | 21 |
| 41 | Silicate glass matrix@CuO/CuVO p-n heterojunction for enhanced visible light photo-degradation of sulfamethoxazole: High charge separation and interfacial transfer. <i>Journal of Hazardous Materials</i> , 2021 , 402, 123790 | 12.8 | 45 |
| 40 | Sucrose-assisted rapid synthesis of multifunctional CrVO ₄ nanoparticles: a new high-performance cathode material for lithium ion batteries. <i>Ionics</i> , 2021 , 27, 39-48 | 2.7 | 1 |
| 39 | Facile synthesis of Zn ₃ V ₂ O ₈ nanostructured material and its enhanced supercapacitive performance. <i>Journal of Alloys and Compounds</i> , 2021 , 861, 157939 | 5.7 | 7 |
| 38 | ZnVO/NC hybrid microspheres self-assembled by layered porous nanosheets as a superior anode material for lithium/sodium-ion batteries. <i>Dalton Transactions</i> , 2021 , 50, 4017-4027 | 4.3 | 3 |
| 37 | Synergic and coupling effect between SnO ₂ nanoparticles and hierarchical AlV ₃ O ₉ microspheres toward emerging electrode materials for lithium-ion battery devices. <i>Inorganic Chemistry Frontiers</i> , 2021 , 8, 2735-2748 | 6.8 | 5 |
| 36 | The study of zirconium vanadate as a cathode material for lithium ion batteries.. <i>RSC Advances</i> , 2021 , 11, 23533-23540 | 3.7 | |
| 35 | Local Structural Disorder in Metavanadates MV ₂ O ₆ (M = Zn and Cu) Synthesized by the Deep Eutectic Solvent Route: Photoactive Oxides with Oxygen Vacancies. <i>Chemistry of Materials</i> , 2021 , 33, 1667-1682 | 9.6 | 6 |
| 34 | β -AgVO ₃ Nanowire/Graphene Oxide Composite Paper Electrodes for Lithium-Ion Batteries. <i>ACS Applied Nano Materials</i> , 2021 , 4, 2452-2461 | 5.6 | 5 |

| | | | |
|----|--|------|----|
| 33 | Reversible formation of coordination bonds in Sn-based metal-organic frameworks for high-performance lithium storage. <i>Nature Communications</i> , 2021 , 12, 3131 | 17.4 | 17 |
| 32 | A Bifunctional 2D Interlayered $\text{ECu}_2\text{V}_2\text{O}_7/\text{Zn}_2\text{V}_2\text{O}_6$ (CZVO) Heterojunction for Solar-Driven Nonsacrificial Dye Degradation and Water Oxidation. <i>Energy Technology</i> , 2021 , 9, 2100034 | 3.5 | 8 |
| 31 | Effect of anions on the copper vanadate structure during ion-exchange and its lithium storage performance. <i>Journal of Alloys and Compounds</i> , 2021 , 862, 158576 | 5.7 | |
| 30 | In situ interfacial architecture of lithium vanadate-based cathode for printable lithium batteries. <i>IScience</i> , 2021 , 24, 102666 | 6.1 | 2 |
| 29 | Influence of temperature on performance of CuV_2O_6 cathode for high voltage thermal battery. <i>Journal of the Korean Ceramic Society</i> , 2021 , 58, 507-518 | 2.2 | 2 |
| 28 | Facile Synthesis of 3D Urchin-like V_6O_{13} Microflowers as Cathode Materials for High-Capacity and High-Rate Lithium-Ion Batteries. <i>Journal of Electroanalytical Chemistry</i> , 2021 , 115742 | 4.1 | 1 |
| 27 | Towards high-performance cathodes: Design and energy storage mechanism of vanadium oxides-based materials for aqueous Zn-ion batteries. <i>Coordination Chemistry Reviews</i> , 2021 , 446, 214124 ^{23,2} | | 14 |
| 26 | Hierarchical MnVO double-layer hollow sandwich nanosheets confined by N-doped carbon layer as anode for high performance lithium-ion batteries. <i>Journal of Colloid and Interface Science</i> , 2022 , 607, 538-545 | 9.3 | 2 |
| 25 | Monoclinic $\text{Cu}_3(\text{OH})_2\text{V}_2\text{O}_7 \cdot 2\text{H}_2\text{O}$ nanobelts/reduced graphene oxide: A novel high-capacity and long-life composite for potassium-ion battery anodes. <i>Journal of Energy Chemistry</i> , 2022 , 66, 140-151 | 12 | 5 |
| 24 | High-capacity and superior behavior of the NiCu co-doped spinel LiMn_2O_4 cathodes rapidly prepared via microwave-induced solution flameless combustion. <i>New Journal of Chemistry</i> , 2021 , 45, 16101-16111 | 3.6 | 0 |
| 23 | The multifaceted dimensions of potent nanostructures: a comprehensive review. <i>Materials Chemistry Frontiers</i> , 2021 , 5, 2967-2995 | 7.8 | 1 |
| 22 | Preparation and Properties of Copper Vanadate Materials. <i>Journal of Advances in Physical Chemistry</i> , 2015 , 04, 52-65 | 0 | 3 |
| 21 | Leaf-like copper oxide mesocrystals by collagen-assisted biomineralization show attractive biofunctional and electrochemical properties. <i>Materials Advances</i> , | 3.3 | |
| 20 | Bimetallic cobalt-nickel coordination polymer electrocatalysts for enhancing oxygen evolution reaction. <i>Chinese Chemical Letters</i> , 2021 , | 8.1 | 3 |
| 19 | An overview on the use of metal vanadium oxides and vanadates in supercapacitors and rechargeable batteries. <i>International Journal of Energy Research</i> , | 4.5 | 2 |
| 18 | A GPx-mimetic copper vanadate nanozyme mediates the release of nitric oxide from -nitrosothiols.. <i>Faraday Discussions</i> , 2022 , | 3.6 | 2 |
| 17 | Biofunctional hollow EMnO microspheres by a one-pot collagen-templated biomineralization route and their applications in lithium batteries.. <i>RSC Advances</i> , 2021 , 11, 37040-37048 | 3.7 | 0 |
| 16 | Facile synthesis of Cu intercalated MnO_2 nanoflakes cathode for enhanced energy storage in zinc ion batteries. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2022 , 131, 104172 | 5.3 | 2 |

| | | | |
|----|--|-----|---|
| 15 | Hydrothermal synthesis of caterpillar-like one-dimensional NiCO nanosheet arrays and primary lithium battery application.. <i>Dalton Transactions</i> , 2022 , | 4.3 | |
| 14 | Lithium-ion battery anode with high capacity retention derived from zinc vanadate and holey graphene. <i>International Journal of Energy Research</i> , | 4.5 | 1 |
| 13 | Presentation_1.pdf. 2018 , | | |
| 12 | Advanced Lithium Primary Batteries: Key Materials, Research Progresses and Challenges.. <i>Chemical Record</i> , 2022 , e202200081 | 6.6 | 1 |
| 11 | Bi ₂ MoO ₆ hierarchical hollow microspheres with remarkable electrochemical performance. <i>Ceramics International</i> , 2022 , | 5.1 | 0 |
| 10 | Micro/nanostructured Bi ₂ Mn ₄ O ₁₀ with hierarchical spindle morphology as a highly efficient anode material for lithium-ion batteries. <i>Journal of the American Ceramic Society</i> , | 3.8 | 0 |
| 9 | Insights into the enhanced electrochemical performance of MnV ₂ O ₆ nanoflakes as an anode material for advanced lithium storage. <i>Nanoscale</i> , | 7.7 | 0 |
| 8 | Magnetization and optical bandgap of Cu-Mn vanadate-oxide mixed phase nanostructures. 2022 , 24, | | 0 |
| 7 | The electrochemical characterization and kinetic investigation of sub-micron Bi ₂ Fe ₄ O ₉ as possible anode of advanced lithium-ion batteries. 2022 , 167940 | | 0 |
| 6 | Electrospun Na ₄ Fe ₃ (PO ₄) ₂ (P ₂ O ₇) nanofibers as free-standing cathodes for ultralong-life and high-rate sodium-ion batteries. 2023 , 54, 776-783 | | 3 |
| 5 | Two-Dimensional Iron Phosphorus Trisulfide as a High-Capacity Cathode for Lithium Primary Battery. 2023 , 28, 537 | | 0 |
| 4 | Recent Advances in One-Dimensional Micro/Nanomotors: Fabrication, Propulsion and Application. 2023 , 15, | | 1 |
| 3 | Comprehensive evaluation of copper vanadate (CuV ₂ O ₆) for use as a photoanode material for photoelectrochemical water splitting. 2023 , 11, 109892 | | 0 |
| 2 | Synthesis of Zn ₃ V ₂ O ₈ /rGO Nanocomposite for Photocatalytic Hydrogen Production. 2023 , 11, 93 | | 0 |
| 1 | Construction of Three-Dimensional Co(PO ₃) ₂ /Cu ₃ P Heterostructure for High-Rate Supercapacitors. 2023 , 6, 2945-2953 | | 0 |