

# Some Digenetic Trematodes of Marine Fishes of Beaufort

Parasitology

23, 396-411

DOI: 10.1017/s0031182000013755

Citation Report

#	ARTICLE	IF	CITATIONS
1	Studies on Fish Parasites of Lake Erie. I. New Trematodes (Allocreadiidae). Transactions of the American Microscopical Society, 1932, 51, 137.	0.3	19
2	Beiträge zur Kenntnis der Trematodenfamilie Bucephalidae. Parasitology Research, 1932, 5, 94-111.	1.6	29
3	New hemiurids (Trematoda) from Indian fresh-water fishes. Parasitology Research, 1935, 8, 135-138.	1.6	1
4	STUDIES ON THE TREMATODES OF WOODS HOLE. III. THE LIFE CYCLE OF MONORCHEIDES CUMINGIAE (MARTIN) WITH SPECIAL REFERENCE TO ITS EFFECT ON THE INVERTEBRATE HOST. Biological Bulletin, 1940, 79, 131-144.	1.8	16
5	STUDIES ON DEROPRISTIS INFLATA (MOLIN), ITS LIFE HISTORY AND AFFINITIES TO TREMATODES OF THE FAMILY ACANTHOCOLPIDAE. Biological Bulletin, 1942, 82, 292-312.	1.8	45
6	Monorchidae (Trematoda) from Fishes of Tortugas, Florida. Transactions of the American Microscopical Society, 1942, 61, 349.	0.3	12
7	Two New Trematodes from Philippine Fishes. Transactions of the American Microscopical Society, 1947, 66, 172.	0.3	3
8	A New Species of Multitestis (Trematoda, Allocreadiidae) from the Sheepshead (Archosargus) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T 36.	0.3	4
9	A List of Parasites from Marine and Coastal Animals of Florida. Transactions of the American Microscopical Society, 1960, 79, 287.	0.3	24
10	CERCARIA DIPTEROCERCA MILLER AND NORTHUP, 1926 AND STEPHANOSTOMUM DENTATUM (LINTON, 1900) MANTER, 1931. Biological Bulletin, 1961, 120, 221-237.	1.8	23
11	The morphology of Lecithaster musteli sp.nov. (Digenea: Hemiuridae) from the intestine of Onos mustelus (L.) and a review of the genus Lecithaster LÄ¼he, 1901. Parasitology, 1966, 56, 543-554.	1.5	5
12	Hemiurid Trematodes of Formosan Marine Fishes. I. Subfamilies Dinurinae and Stomachicolinae. Journal of Parasitology, 1966, 52, 39.	0.7	6
13	Two New Species of Digenea from the Spot, Leiostomus xanthurus Lacepede, from the Gulf of Mexico. Journal of Parasitology, 1970, 56, 1055.	0.7	5
14	Some helminth parasites of Fishes of Bermuda and an account of the attachment organ of Alcicornis carangis MacCallum, 1917 (Digenea: Bucephalidae). Parasitology, 1970, 60, 195-221.	1.5	32
15	The Aspidogastrea, Especially Multicotyle purvisi Dawes, 1941. Advances in Parasitology, 1972, 10, 77-151.	3.2	73
16	OBSERVATIONS ON THE MORPHOLOGY AND LIFE-HISTORY OF THE DIGENETIC TREMATODE,LEPOCREADIUM SETIFEROIDES(MILLER AND NORTHUP, 1926) MARTIN, 1938. Biological Bulletin, 1972, 142, 326-334.	1.8	18
17	Some Species of Lecithaster Luhe, 1901 (Digenea: Hemiuridae) and Related Genera from Fishes in the Northern Gulf of Mexico. Transactions of the American Microscopical Society, 1973, 92, 231.	0.3	10
18	OBSERVATIONS ON TUBULOVESICULA PINGUIS(LINTON, 1910) MANTER, 1947 AND ON SYSTEMATICS OF THE HEMIUROID TREMATODES. Biological Bulletin, 1973, 145, 607-626.	1.8	11

#	ARTICLE	IF	CITATIONS
19	The life-cycle of <i>Prosrhynchus crucibulum</i> (Rudolphi, 1819) Odhner, 1905, and a comparison of its cercaria with that of <i>Prosrhynchus squamatus</i> (Odhner, 1905). Parasitology, 1973, 66, 133-164.	1.5	54
20	THE TREMATODE FAMILY BUCEPHALIDAE—“PROBLEMS OF MORPHOLOGY, DEVELOPMENT, AND SYSTEMATICS: DESCRIPTION OF <i>RUDOLPHINUS</i> GEN. NOV. Transactions of the New York Academy of Sciences, 1974, 36, 143-170.	0.2	4
21	Marine Aspidogastrids (Trematoda) from Fishes in the Northern Gulf of Mexico. Journal of Parasitology, 1977, 63, 810.	0.7	18
22	Parasitism and ecological relationships among deep-sea benthic fishes. Marine Biology, 1980, 57, 301-313.	1.5	141
23	THE MORPHOLOGY, LIFE HISTORY, AND SYSTEMATIC RELATIONS OF <i>TUBULOVESICULA PINGUIS</i> (LINTON, 1940) MANTER, 1947 (TREMATODA: HEMIURIDAE). Biological Bulletin, 1980, 159, 737-751.	1.8	10
24	THE MORPHOLOGY, LIFE-HISTORY, AND TAXONOMIC RELATIONS OF <i>LEPOCREADIUM AREOLATUM</i> (LINTON,) Tj ETQg1 1 0.784314 rg BT A review of the trematode genus Rhagorchis Manter 1931 (Lepocreadiidae), with a description of <i>Rhagorchis manteri</i> sp. nov., an intestinal parasite of a scardid fish from the Red Sea. Zeitschrift für Parasitenkunde (Berlin, Germany), 1982, 67, 273-277.	0.8	2
25	THE LIFE HISTORY, DEVELOPMENTAL STAGES, AND TAXONOMIC RELATIONS OF THE DIGENETIC TREMATODE <i>ELASIOCUS MINUTUS</i> (MANTER, 1931) THOMAS, 1959. Biological Bulletin, 1981, 160, 146-154.	1.8	12
26	The Lepocreadiidae (Digenea) of fishes of the north-east Atlantic: review of the genera <i>Opechona</i> Looss, 1907 and <i>Prodistomum</i> Linton, 1910. Systematic Parasitology, 1990, 15, 159-202.	1.1	45
27	Hemiuroidae (Digenea) from marine fishes of the southern Indian Ocean: Genus <i>Lecithochirium</i> Li & he, 1901 (Lecithochirinae). Systematic Parasitology, 1991, 18, 193-219.	1.1	24
28	Felodistomidae and Lepocreadiidae (Platyhelminthes : Digenea) from chaetodontid fishes (Perciformes) from Heron Island, southern Great Barrier Reef, Queensland, Australia. Invertebrate Systematics, 1994, 8, 545.	1.3	21
29	A review of the Apocreadiidae Skrjabin, 1942 (Trematoda: Digenea) and description of Australian species. Systematic Parasitology, 1999, 44, 1-38.	1.1	27
30	<i>Ancylocoelium typicum</i> Nicoll, 1912 (Digenea: Monorchidae), a poorly known parasite of <i>Trachurus</i> spp. (Teleostei: Carangidae) from the western Mediterranean and north-eastern Atlantic, and observations on its taxonomic position. Systematic Parasitology, 2004, 58, 23-39.	1.1	7
31	Redescription of <i>Pleorchis polyorchis</i> (Stosich, 1889) (Digenea: Acanthocolpidae), a rare and poorly known parasite of the intestine of <i>Sciaena umbra</i> L. (Perciformes: Sciaenidae) from the western Mediterranean Sea. Systematic Parasitology, 2004, 58, 81-90.	1.1	1
32	A NEW SPECIES OF HAPLOPORID (DIGENEA) FROM THE SOUTH CHINA SEA. Journal of Parasitology, 2006, 92, 620-622.	0.7	2
33	<i>Prosrhynchoides gracilisces</i> (Rudolphi, 1819) (Digenea: Bucephalidae) from <i>Lophius piscatorius</i> L. is a species complex: a redescription of this species (sensu stricto) from the western Mediterranean and the description of <i>P. borealis</i> n. sp. from the northern North-East Atlantic. Systematic Parasitology, 2006, 63, 201-219.	1.1	10
34	Parasites of Mummichogs, <i>Fundulus heteroclitus</i> , from the York River, Virginia, U.S.A., with a Checklist of Parasites of Atlantic Coast Fundulus Spp. Comparative Parasitology, 2006, 73, 72-110.	0.4	21
35	New Species of <i>Prodistomum</i> Linton, 1910 (Digenea: Lepocreadiidae) From the Longtail Bass, <i>Hemianthias leptus</i> (Ginsburg, 1952) In The Bay of Campeche, Gulf of Mexico. Journal of Parasitology, 2008, 94, 905-908.	0.7	1

#	ARTICLE	IF	CITATIONS
37	Multitestis Manter 1931 (Digenea: Lepocreadiidae) in ephippid and chaetodontid fishes (Perciformes) in the south-western Pacific Ocean and the Indian Ocean off Western Australia. Zootaxa, 2010, 2427, .	0.5	5
38	Development of a PCR-RFLP marker to genetically distinguish <i>Prosorhynchus crucibulum</i> and <i>Prosorhynchus aculeatus</i> . Parasitology International, 2010, 59, 40-43.	1.3	7
39	First Record of a Digenean from Invasive Lionfish, <i>Pterois cf. volitans</i> , (Scorpaeniformes:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 662 Td (S	0.7	21
40	&lt;strong&gt;A Checklist of the Aspidogastrea (Platyhelminthes: Trematoda) of the World&lt;/strong&gt;. Zootaxa, 2015, 3918, 339.	0.5	24
41	Two new species of digeneans (Lecithasteridae and Haploporidae) of the intertidal blenny <i>Scartichthys viridis</i> (Valenciennes) from the central coast of Chile. Acta Parasitologica, 2017, 62, 50-62.	1.1	3
42	Parasites of the Vermilion Snapper, <i>Rhomboplites aurorubens</i> (Cuvier), from the Western Atlantic Ocean. Comparative Parasitology, 2017, 84, 1-14.	0.4	22
43	An Anomalous Phylogenetic Position for <i>Deraiotrema platacis</i> Machida, 1982 (Lepocreadiidae) from <i>Platax pinnatus</i> on the Great Barrier Reef. Diversity, 2019, 11, 104.	1.7	5
44	Asaccotrema vietnamense n. gen.; n. sp. (Trematoda: Monorchioidea), a new aberrant representative of lissorchiid trematodes from the sidestripe rasbora, <i>Rasbora paviana</i> Tirant (Actinopterygii): Tj ETQql 1 0.784314 rgBT /Overlock 10 Tf 50	0.5	5
45	First steps to restructuring the problematic genus <i>Lasiotocus</i> Looss, 1907 (Digenea: Monorchiidae) with the proposal of four new genera. Parasitology International, 2020, 79, 102164.	1.3	11
46	Phylogenetic Affinity of <i>Genolopa</i> (Digenea: Monorchiidae) with Descriptions of Two New Species. Diversity, 2020, 12, 51.	1.7	12
47	Checklist of metazoan associated with grunts (Perciformes, Haemulidae) from the Nearctic and Neotropical regions. Check List, 2015, 11, 1501.	0.4	17
48	Aspects of the Biology of the Spotted Seatrout, <i>Cynoscion nebulosus</i> , in Mississippi. Gulf Research Reports, 0, 7, .	1.0	12
49	Parasitic infection of sole <i>Solea solea</i> by <i>Prosorhynchus</i> spp. metacercariae (Digenea, Bucephalidae) in Atlantic nurseries under mussel cultivation influence. Diseases of Aquatic Organisms, 2004, 58, 179-184.	1.0	8
50	Digenean trematodes infecting the frigate tuna <i>Auxis thazard</i> (Scombriformes, Scombridae) off the Rio de Janeiro coast, Brazil, including molecular data. Parasite, 2022, 29, 44.	2.0	3
51	Evidence for two morphologically cryptic species of <i>Hysterolecitha</i> Linton, 1910 (Trematoda:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 187 2023, 100, 363-379.	1.1	0
52	Morphological and molecular characterization of <i>Stomachicola muraenesocis</i> Yamaguti, 1934 (Digenea: Hemiuridae) from the daggertooth pike conger <i>Muraenesox cinereus</i> (Forsskål). Parasitology, 2024, 151, 24-44.	1.5	0