

CITATION REPORT

List of articles citing

Low-temperature synthesis and photocatalytic activity of TiO₂ pillared montmorillonite

DOI: 10.1021/la702649v
Langmuir, 2008, 24, 1026-30.

Source: <https://exaly.com/paper-pdf/43955956/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
118	Photocatalytic Degradation of 4BS Dye by N,S-Codoped TiO ₂ Pillared Montmorillonite Photocatalysts under Visible-Light Irradiation. 2008 , 112, 17994-17997		68
117	On the nature of Ti(IV)-pillared layered metal hydroxides prepared from green, water-soluble Ti-peroxide. 2009 , 56, NA-NA		1
116	Efficient photodecomposition of gaseous organics catalyzed by titanium(IV) oxide encapsulated in a hollow silica shell with high porosity. 2009 , 363, 216-220		20
115	Structural effects of titanium(IV) oxide encapsulated in a hollow silica shell on photocatalytic activity for gas-phase decomposition of organics. 2009 , 369, 113-118		11
114	A simple strategy for improving the energy conversion of multilayered CdTe quantum dot-sensitized solar cells. 2009 , 19, 2349		84
113	Preparation and photocatalytic properties of visible light responsive N-doped TiO ₂ /rectorite composites. 2010 , 136, 132-137		56
112	Raman spectroscopy as a tool for the elucidation of nanoparticles with core-shell structure of TiO ₂ and MoO ₃ . 2010 , 54, 89-92		20
111	Synthesis and characterization of TiO ₂ /montmorillonites doped with vanadium and/or carbon and their application for the photodegradation of sulphorhodamine B under UV _A irradiation. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2010 , 360, 47-56	5.1	48
110	Effect of montmorillonite on the photocatalytic activity of TiO ₂ nanoparticles. 2010 , 262, 147-151		13
109	New Photocatalyst Electrodes and Their Photocatalytic Degradation Properties of Organics. 2010 , 14, 709-727		4
108	One-step synthesis of the nanostructured AgI/BiOI composites with highly enhanced visible-light photocatalytic performances. <i>Langmuir</i> , 2010 , 26, 6618-24	4	503
107	ZnO nanoparticles immobilized on flaky layered double hydroxides as photocatalysts with enhanced adsorptivity for removal of acid red G. <i>Langmuir</i> , 2010 , 26, 15546-53	4	59
106	Clarification of photocatalysis induced by iron ion species naturally contained in a clay compound. 2011 , 1, 1671		8
105	Stable TiO ₂ /rectorite: Preparation, characterization and photocatalytic activity. <i>Applied Clay Science</i> , 2011 , 51, 335-340	5.2	49
104	Modification of TiO ₂ nanorods by Bi ₂ MoO ₆ nanoparticles for high performance visible-light photocatalysis. 2011 , 509, 9770-9775		38
103	Photocatalytic degradation of organic contaminants by TiO ₂ /sepiolite composites prepared at low temperature. 2011 , 173, 1-10		90
102	A novel mixed-phase TiO ₂ /kaolinite composites and their photocatalytic activity for degradation of organic contaminants. 2011 , 172, 936-943		114

101	The preparation of vanadium-doped TiO ₂ /montmorillonite nanocomposites and the photodegradation of sulforhodamine B under visible light irradiation. 2011 , 257, 7276-7285		30
100	Photodegradation of Toluene by Composite Photocatalysts of Organobentonites and TiO ₂ : Influences of Carbon Chain Length. 2011 , 233-235, 1958-1965		1
99	Preparation and Photocatalytic Property of TiO ₂ /Diatomite-Based Porous Ceramics Composite Materials. 2012 , 2012, 1-4		6
98	A low-cost and high efficient zirconium-modified-Na-attapulgite adsorbent for fluoride removal from aqueous solutions. 2012 , 183, 315-324		132
97	CeO ₂ -layered aluminosilicate nanohybrids for UV screening. 2012 , 73, 1478-1482		7
96	Nanostructured polyaniline-polytitanate-clay composite for photocatalytic applications: preparation and properties. 2012 , 2, 6228		20
95	Effect of nitrogen doping on anatase/rutile phase transformation of TiO ₂ . 2012 , 258, 7997-8001		37
94	Attachment of nickel oxide nanoparticles on the surface of palygorskite nanofibers. <i>Journal of Colloid and Interface Science</i> , 2012 , 384, 55-60	9.3	28
93	Synthesis and characterization of Sb/BiO ₂ /kaolinites nanoparticles. <i>Applied Clay Science</i> , 2012 , 55, 151-157	9.2	22
92	Facile in situ synthesis of the bismuth oxychloride/bismuth niobate/TiO ₂ composite as a high efficient and stable visible light driven photocatalyst. <i>Journal of Colloid and Interface Science</i> , 2012 , 386, 373-80	9.3	28
91	Hybrid nanocomposite with visible light photocatalytic activity: CdS/pillared titanate. 2012 , 180, 330-336		30
90	TiO ₂ pillared montmorillonite as a photoactive adsorbent of arsenic under UV irradiation. 2012 , 191, 66-74		67
89	Facile synthesis and photocatalytic properties of AgAgCl/TiO ₂ /rectorite composite. <i>Journal of Colloid and Interface Science</i> , 2012 , 376, 217-23	9.3	102
88	Clay based materials for storage and therapeutic release of nitric oxide. 2013 , 1, 3287-3294		20
87	Cu ₂ (OH)PO ₄ , a Near-Infrared-Activated Photocatalyst. 2013 , 125, 4910-4913		29
86	Sepiolite based materials for storage and slow release of nitric oxide. 2013 , 37, 4052		21
85	Visible light assisted Fenton-like degradation of rhodamine B and 4-nitrophenol solutions with a stable poly-hydroxyl-iron/sepiolite catalyst. 2013 , 217, 221-230		81
84	Cu ₂ (OH)PO ₄ , a near-infrared-activated photocatalyst. 2013 , 52, 4810-3		187

83	Enhancement of photocatalytic degradation of dimethyl phthalate with nano-TiO ₂ immobilized onto hydrophobic layered double hydroxides: a mechanism study. 2013 , 246-247, 70-8		89
82	Low-temperature synthesis of heterogeneous crystalline TiO ₂ /halloysite nanotubes and their visible light photocatalytic activity. 2013 , 1, 8045		90
81	Visible Light Induced Photocatalytic Activity of Polyaniline Modified TiO ₂ and Clay-TiO ₂ Composites. 2013 , 8,		6
80	Preparation of CuO-Decorated Core-Shell Montmorillonite-TiO ₂ Colloids and their Photocatalytic Activity for Hydrogen Evolution from Water. 2013 , 724-725, 740-743		
79	An Inexpensive, Stable and Highly Efficient Photocatalyst for Degradation of Organic Dyes in Water: Core-Shell Montmorillonite-TiO ₂ Colloids. 2013 , 864-867, 404-407		
78	Activity of laccase immobilized on TiO ₂ -montmorillonite complexes. 2013 , 14, 12520-32		43
77	Synthesis and conductive performance of antimony-doped tin oxide-coated TiO ₂ by the co-precipitation method. 2014 , 25, 4524-4530		14
76	Synthesis, characterisation and photocatalytic activity of natural zeolite supported Fe/S and Cr/S codoped nanoTiO ₂ photocatalysts. 2014 , 29, 372-376		2
75	Preparation and characterisation of S doped TiO ₂ /natural zeolite with photocatalytic and adsorption activities. 2014 , 29, 204-209		6
74	Physical Chemistry of Intercalated System. 2014 , 205-286		1
73	Transition-metal-doped ZnO nanoparticles: synthesis, characterization and photocatalytic activity under UV light. 2014 , 130, 581-90		193
72	Hydrothermal carbonization synthesis of a novel montmorillonite supported carbon nanosphere adsorbent for removal of Cr (VI) from waste water. <i>Applied Clay Science</i> , 2014 , 93-94, 48-55	5.2	48
71	Facile hydrothermal synthesis of nanocomposite Ag@AgCl/K ₂ Ti ₄ O ₉ and photocatalytic degradation under visible light irradiation. 2014 , 383-384, 231-238		17
70	Microwave-assisted synthesis and interfacial features of CdS/kaolinite nanocomposite. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2014 , 443, 72-79	5.1	17
69	Synthesis of bicrystalline TiO ₂ supported sepiolite fibers and their photocatalytic activity for degradation of gaseous formaldehyde. <i>Applied Clay Science</i> , 2014 , 102, 231-237	5.2	61
68	Facile synthesis of anatase titania microspheres by a novel pyrolysis method and their photocatalytic properties. 2014 , 27, 985-993		1
67	Bi ₂ WO ₆ quantum dot-intercalated ultrathin montmorillonite nanostructure and its enhanced photocatalytic performance. 2014 , 7, 1497-1506		40
66	Photocatalytic degradation of anionic and cationic dyes over TiO ₂ P25, and Ti-pillared clays and Ag-doped Ti-pillared clays. <i>Applied Clay Science</i> , 2014 , 95, 205-210	5.2	42

65	Recent advances in synthesis and applications of clay-based photocatalysts: a review. 2014 , 16, 8178-92	137
64	Preparation, characterization and enhancement of the visible-light photocatalytic activity of In ₂ O ₃ /rectorite composite. 2014 , 586, 202-207	18
63	A facile method to synthesize the photocatalytic TiO ₂ /montmorillonite nanocomposites with enhanced photoactivity. 2014 , 319, 158-166	43
62	One-step hydrothermal synthesis of the Ag/AgI heterojunction with highly enhanced visible-light photocatalytic performances. 2014 , 9, 376-381	6
61	Preparation and characterization of natural zeolite supported nano TiO ₂ photocatalysts by a modified electrostatic self-assembly method. 2015 , 47, 142-147	9
60	Photocatalytic performance of Ag ₂ S under irradiation with visible and near-infrared light and its mechanism of degradation. 2015 , 5, 24064-24071	80
59	Low temperature synthesis of polyaniline-crystalline TiO ₂ -halloysite composite nanotubes with enhanced visible light photocatalytic activity. <i>Journal of Colloid and Interface Science</i> , 2015 , 458, 1-13	9-3 40
58	Enhanced visible-light-driven photocatalytic performances using Bi ₂ WO ₆ /MS (M = Cd, Zn) heterostructures: facile synthesis and photocatalytic mechanisms. 2015 , 5, 41949-41960	26
57	Immobilization of self-assembled pre-dispersed nano-TiO ₂ onto montmorillonite and its photocatalytic activity. 2015 , 32, 108-17	10
56	An efficient Ce-doped MoO ₃ catalyst and its photo-thermal catalytic synergetic degradation performance for dye pollutant. 2015 , 66, 42-45	18
55	Enhanced visible light photocatalytic activity of polyaniline-crystalline TiO ₂ -halloysite composite nanotubes by tuning the acid dopant in the preparation. 2015 , 5, 98482-98491	23
54	Fe/Ti co-pillared clay for enhanced arsenite removal and photo oxidation under UV irradiation. 2015 , 324, 179-187	22
53	Electrochemical Formation of Cerium Oxide/Layered Silicate Nanocomposite Films. 2016 , 2016, 1-7	3
52	Preparation, characterization and enhancement of the visible-light photocatalytic activity of In ₂ O ₃ /Na-bentonite composite. 2016 , 42, 8850-8855	10
51	La _{1-x} Ag _x FeO ₃ /halloysites nanocomposite with enhanced visible light photocatalytic performance. 2016 , 27, 4180-4185	7
50	Macrostructure-controlled titania ceramics derived from particle-stabilized emulsions: Preparation and photocatalysis performance. 2016 , 182, 402-408	4
49	Utilization of LDH-based materials as potential adsorbents and photocatalysts for the decontamination of dyes wastewater: a review. 2016 , 6, 79415-79436	107
48	La-Doped Nanometer TiO ₂ Powders Prepared by Sol-Gel Method. 2016 , 697, 97-100	

47	Fabrication and photoactivity of short rod-shaped mesoporous SiO ₂ @TiO ₂ composites with TiO ₂ shell. 2016 , 6, 6551-6561		7
46	Synthesis of Cu/TiO ₂ /organo-attapulgite fiber nanocomposite and its photocatalytic activity for degradation of acetone in air. 2016 , 362, 257-264		39
45	Zr-doped TiO supported on delaminated clay materials for solar photocatalytic treatment of emerging pollutants. 2017 , 322, 233-242		83
44	Photocatalytic degradation of organic contaminants over clay-TiO ₂ nanocomposites: A review. <i>Applied Clay Science</i> , 2017 , 141, 227-239	5.2	149
43	Influence of purification method of Na-montmorillonite on textural properties of clay mineral composites with TiO ₂ nanoparticles. <i>Applied Clay Science</i> , 2017 , 140, 75-80	5.2	31
42	Water-based synthesis of TiO ₂ /CeO ₂ composites supported on plasma-treated montmorillonite for parathion methyl degradation. <i>Applied Clay Science</i> , 2017 , 144, 26-35	5.2	12
41	Electrical properties of TiO ₂ -pillared bidimensional manganese oxides. <i>Applied Clay Science</i> , 2017 , 141, 157-170	5.2	6
40	Insight into mechanisms of fluoride removal from contaminated groundwater using lanthanum-modified bone waste. 2017 , 7, 54291-54305		30
39	Immobilization of visible light-sensitive (N, Cu) co-doped TiO ₂ onto rectorite for photocatalytic degradation of p- chlorophenol in aqueous solution. <i>Applied Clay Science</i> , 2017 , 142, 128-135	5.2	28
38	Enhanced heterogeneous photodegradation of VOC and dye using microwave synthesized TiO ₂ /Clay nanocomposites: A comparison study of different type of clays. 2017 , 694, 574-580		66
37	AgPO/rectorite nanocomposites: Ultrasound-assisted preparation, characterization and enhancement of stability and visible-light photocatalytic activity. 2017 , 34, 831-838		22
36	Metal free and efficient photoelectrocatalytic removal of organic contaminants over g-C ₃ N ₄ nanosheet films decorated with carbon quantum dots. 2017 , 7, 56335-56343		27
35	Removal of NO _x Using Hydrogen Peroxide Vapor over Fe/TiO ₂ Catalysts and an Absorption Technique. <i>Catalysts</i> , 2017 , 7, 386	4	15
34	Photocatalytic ozonation of ciprofloxacin from aqueous solution using TiO ₂ /MMT nanocomposite: Nonlinear modeling and optimization of the process via artificial neural network integrated genetic algorithm. 2018 , 116, 365-376		53
33	Highly efficient g-C ₃ N ₄ /TiO ₂ /kaolinite composite with novel three-dimensional structure and enhanced visible light responding ability towards ciprofloxacin and S. aureus. 2018 , 220, 272-282		190
32	Synthesis of Nanocrystalline Photo-Active Semiconductors. 2018 , 241-318		
31	Treatment of Methylene Blue and Methyl Orange Dyes in Wastewater by Grafted Titania Pillared Clay Membranes. 2018 , 12, 200-207		24
30	Clay supported TiO ₂ nanoparticles for photocatalytic degradation of environmental pollutants: A review. 2018 , 6, 6088-6107		78

29	A three-dimensional (3D) structured Bi ₂ WO ₆ -palygorskite composite and their enhanced visible light photocatalytic property. 2018 , 205, 130-139		23
28	Photodegradation of 1,2,4-Trichlorobenzene on Montmorillonite/TiO ₂ Nanocomposites. 2018 , 2, 22		4
27	Homogeneous distribution of nanosized ZnO in montmorillonite clay sheets for the photocatalytic enhancement in degradation of Rhodamine B. 2018 , 44, 6861-6875		7
26	Photocatalytic and adsorption properties of TiO ₂ -pillared montmorillonite obtained by hydrothermally activated intercalation of titanium polyhydroxo complexes. 2018 , 9, 364-378		24
25	Effect of g-C ₃ N ₄ loading on TiO ₂ /Bentonite nanocomposites for efficient heterogeneous photocatalytic degradation of industrial dye under visible light. 2018 , 764, 406-415		53
24	Complexation of TiO ₂ With Clays and Clay Minerals for Hierarchically Designed Functional Hybrids. 2019 , 125-150		4
23	Nanoscale-TiO ₂ /Diatomite Composite: Synthesis, Structure, and Thermal Stability. 2019 , 55, 655-666		1
22	A facile room-temperature synthesis of three-dimensional coral-like Ag ₂ S nanostructure with enhanced photocatalytic activity. 2019 , 54, 3174-3186		3
21	The mechanism of photocatalyst and the effects of co-doping CeO ₂ on refractive index and reflectivity from DFT calculation. 2019 , 158, 197-208		12
20	Copper hydroxyphosphate nanosheets-covered robust membranes with superhydrophilicity and underwater ultralow adhesive superoleophobicity for oil/water separation and visible light photodegradation. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020 , 584, 124000	5.1	16
19	Magnetically retrievable Bi ₂ WO ₆ /Fe ₃ O ₄ /Na-MMT composite: fabrication and photocatalytic activity. 2020 , 46, 4579-4593		3
18	Multidimensional assembly of oxygen vacancy-rich amorphous TiO ₂ -BiOBr-sepiolite composite for rapid elimination of formaldehyde and oxytetracycline under visible light. <i>Journal of Colloid and Interface Science</i> , 2020 , 574, 61-73	9.3	39
17	Ultra-Highly Efficient Removal of Methylene Blue Based on Graphene Oxide/TiO ₂ /Bentonite Sponge. <i>Materials</i> , 2020 , 13,	3.5	9
16	TiO ₂ Sol-Gel Coated PAN/O-MMT Multi-Functional Composite Nanofibrous Membrane Used as the Support for Laccase Immobilization: Synergistic Effect between the Membrane Support and Enzyme for Dye Degradation. <i>Polymers</i> , 2020 , 12,	4.5	10
15	Effect of the phase structure on the catalytic activity of MoO ₃ and potential application for indoor clearance. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 2475-2482	7.1	10
14	Adsorption of deoxynivalenol by pillared montmorillonite. <i>Food Chemistry</i> , 2021 , 343, 128391	8.5	12
13	Titania-Clay Mineral Composites for Environmental Catalysis and Photocatalysis. <i>Catalysts</i> , 2021 , 11, 1087	4	2
12	Titanium-pillared montmorillonite composite as an efficient catalyst for 2-nitrophenol reductive transformation by Fe(II): The effects of aqueous chemistry and mechanistic insights. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021 , 627, 127243	5.1	0

11	Recent advances in structural modifications of photo-catalysts for organic pollutants degradation - A comprehensive review. <i>Chemosphere</i> , 2021 , 284, 131263	8.4	20
10	Transition Metal Oxide-Pillared Clay Catalyst: Synthesis to Application. 2010 , 99-128		3
9	Engineered Phyllosilicate Clay-Based Antimicrobial Surfaces. <i>Materials Horizons</i> , 2020 , 95-108	0.6	1
8	Mt-supported ZnO/TiO ₂ nanocomposite for agricultural antibacterial agent involving enhanced antibacterial activity and increased wettability. <i>Applied Clay Science</i> , 2021 , 214, 106296	5.2	0
7	Photocatalytic Degradation of Methylene Blue with Composite Nanocrystalline TiO ₂ + Diatomite. <i>IFMBE Proceedings</i> , 2020 , 143-147	0.2	
6	Application of natural minerals in photocatalytic degradation of organic pollutants: A review.. <i>Science of the Total Environment</i> , 2021 , 812, 152434	10.2	7
5	Comparison between cotton fiber and cellulose powder for wastewater treatment efficiency with nano-crystalline TiO ₂ by sono-synthesis. <i>Research Journal of Textile and Apparel</i> , 2022 , ahead-of-print,	1.1	
4	Block co-polymer template-mediated synthesis of sub-micron-sized rice-grain/rod-shaped TiO ₂ nanoparticles and their conversion to TiO ₂ /Ag composite for photocatalysis. <i>Polymer Bulletin</i> , 1	2.4	
3	Synthesis, Structure, and Photocatalytic Activity of TiO ₂ -Montmorillonite Composites. <i>Catalysts</i> , 2022 , 12, 486	4	1
2	Visible active clay based Sm ₂ (WO ₄) ₃ nanocomposite for drug removal in pharmaceutical effluents. <i>Inorganic Chemistry Communication</i> , 2022 , 109706	3.1	0
1	Use of clays and pillared clays in the catalytic photodegradation of organic compounds in aqueous solutions. 1-48		0