CITATION REPORT List of articles citing

The big bangytheory of the origin of psychosis and the faculty of language

DOI: 10.1016/j.schres.2008.03.010 Schizophrenia Research, 2008, 102, 31-52.

Source: https://exaly.com/paper-pdf/43962893/citation-report.pdf

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
168	References. 259-290		
167	Language pathway abnormalities in schizophrenia: a review of fMRI and other imaging studies. 2009 , 22, 131-9		84
166	Language disturbances in schizophrenia. 2009 , 18, 314-317		12
165	Genomic sister-disorders of neurodevelopment: an evolutionary approach. <i>Evolutionary Applications</i> , 2009 , 2, 81-100	4.8	30
164	Quantitative analysis of alternative transcripts of human PCDH11X/Y genes. 2010 , 153B, 736-44		7
163	The origin and evolution of synapses. 2009 , 10, 701-12		185
162	Reformulating schizophrenia: the importance of evolutionary theories. <i>Medical Hypotheses</i> , 2009 , 72, 229-30	3.8	1
161	The association between melatonin signaling dysfunction and idiopathic scoliosis. <i>Medical Hypotheses</i> , 2009 , 72, 228-9	3.8	4
160	Evidence for positive selection on Protocadherin Y gene in Homo sapiens: implications for schizophrenia. <i>Schizophrenia Research</i> , 2009 , 108, 299-300	3.6	14
159	Morbid and Insight Poetry: A Glimpse at Schizophrenia through the Window of Poetry. 2009, 4, 217-224		1
158	Primate-accelerated evolutionary genes: novel routes to drug discovery in psychiatric disorders. 2010 , 17, 1300-16		9
157	The Role of Reproductive Advantages in the Stable Prevalence of Schizophrenia. 2010 , 6, 205-209		
156	Systematic reviews of categorical versus continuum models in psychosis: evidence for discontinuous subpopulations underlying a psychometric continuum. Implications for DSM-V, DSM-VI, and DSM-VII. 2010 , 6, 391-419		200
155	Laterality effects in schizophrenia and bipolar disorder. 2010 , 201, 339-44		17
154	Abnormal circling behavior in rat mutants and its relevance to model specific brain dysfunctions. <i>Neuroscience and Biobehavioral Reviews</i> , 2010 , 34, 31-49	9	27
153	Neural correlates of irony comprehension: the role of schizotypal personality traits. 2010 , 113, 1-12		66
152	FOXP2 gene and language impairment in schizophrenia: association and epigenetic studies. 2010 , 11, 114		72

(2011-2010)

151	Attenuated asymmetry of functional connectivity in schizophrenia: a high-resolution EEG study. 2010 , 47, 706-16		6	
150	Antithetical asymmetry in schizophrenia and bipolar affective disorder: a line bisection study. 2010 , 12, 221-9		20	
149	Neuropathology of epilepsy and psychosis: the contributions of J.A.N. Corsellis. 2010 , 133, 3795-805		17	
148	Fine mapping of AHI1 as a schizophrenia susceptibility gene: from association to evolutionary evidence. 2010 , 24, 3066-82		32	
147	Opposite relationships between cannabis use and neurocognitive functioning in bipolar disorder and schizophrenia. <i>Psychological Medicine</i> , 2010 , 40, 1337-47	6.9	57	
146	Non-right-handedness and mental health problems among adolescents from the general population: The Trails Study. <i>Laterality</i> , 2010 , 15, 304-16	2	16	
145	The Genetic Basis of Thought Disorder and Language and Communication Disturbances in Schizophrenia. 2010 , 23, 176		66	
144	The nuclear symptoms of schizophrenia reveal the four quadrant structure of language and its deictic frame. 2010 , 23, 1-9		37	
143	Neurocognition and social skill in older persons with schizophrenia and major mood disorders: An analysis of gender and diagnosis effects. 2010 , 23, 297-317		36	
142	Is schizophrenia Ehe price that Homo sapiens pays for language Subcortical language processing as the missing link between evolution and language disorder in psychosis A neurolinguistic approach. 2010 , 23, 342-353		4	
141	A genetic schizophrenia-susceptibility region located between the ANKK1 and DRD2 genes. 2010 , 34, 492-9		34	
140	Schizophrenia and languageshall we look for a deficit of deviance detection?. 2010 , 178, 225-9		10	
139	Reduced language lateralization in first-episode medication-naive schizophrenia. <i>Schizophrenia Research</i> , 2011 , 127, 195-201	3.6	31	
138	"Just the facts" of schizophrenia in the context of human evolution: commentary on Keshavan et al. (2011). <i>Schizophrenia Research</i> , 2011 , 129, 205-7	3.6	1	
137	Neurotransmiss® glutamat®gica e plasticidade sin®tica: aspectos moleculares, cl®icos e filogen®icos. 2011 , 44, 143		1	
136	[Not Available]. 2011 , 153, 10-3		1	
135	Planum temporale asymmetry to the right hemisphere in first-episode schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2011 , 193, 56-9	2.9	16	
134	Book Review. 2011 , 23, 570-571			

133 Book review. **2011**, 23, 571-572

132	Book review. 2011 , 23, 572-573		
131	Book review. 2011 , 23, 573-574		
130	Book review. 2011 , 23, 575-576		
129	Non-syndromic language delay in a child with disruption in the Protocadherin11X/Y gene pair. 2011 , 156B, 484-9		34
128	Lateral differences in the default mode network in healthy controls and patients with schizophrenia. 2011 , 32, 654-64		47
127	Digit ratio (2D:4D) asymmetry and Schneiderian first rank symptoms: implications for cerebral lateralisation theories of schizophrenia. <i>Laterality</i> , 2011 , 16, 499-512	2	17
126	Creativity and mental disorder: family study of 300,000 people with severe mental disorder. <i>British Journal of Psychiatry</i> , 2011 , 199, 373-9	5.4	178
125	Effects of handedness (left vs right) and cannabis abuse on intermanual coordination and negative symptoms in schizophrenic patients of the paranoid type. <i>Laterality</i> , 2011 , 16, 537-58	2	2
124	Effect of Lateralization on Motor and Mental Speed in Bipolar Disorder. 2012 , 22, 297-306		4
123	Associations of cortical thickness and cognition in patients with schizophrenia and healthy controls. 2012 , 38, 1050-62		106
122	Progressive loss of cortical gray matter in schizophrenia: a meta-analysis and meta-regression of longitudinal MRI studies. <i>Translational Psychiatry</i> , 2012 , 2, e190	8.6	279
121	Cerebral cortical development in rodents and primates. 2012 , 195, 45-70		87
120	On the Absence of X-within-X Recursion in Human Grammar. 2012 , 43, 423-440		26
119	Human Nature and Grammar. 2012, 70, 53-82		1
118	Regional specificity of thalamic volume deficits in male adolescents with early-onset psychosis. <i>British Journal of Psychiatry</i> , 2012 , 200, 30-6	5.4	21
117	Familial sinistrality and handedness in patients with first episode schizophrenia: the EUFEST study. <i>Laterality</i> , 2012 , 17, 217-24	2	5
116	Lateralization of the human brain. 2012 , 195, 103-21		39

115	Cadherins and neuropsychiatric disorders. 2012 , 1470, 130-44		177
114	Consistency and interpretation of changes in millimeter-scale cortical intrinsic curvature across three independent datasets in schizophrenia. <i>NeuroImage</i> , 2012 , 63, 611-21	7.9	38
113	Abnormal connectivity between attentional, language and auditory networks in schizophrenia. <i>Schizophrenia Research</i> , 2012 , 135, 15-22	3.6	37
112	White matter integrity, language, and childhood onset schizophrenia. <i>Schizophrenia Research</i> , 2012 , 138, 150-6	3.6	28
111	Regional cortical thinning in subjects with high genetic loading for schizophrenia. <i>Schizophrenia Research</i> , 2012 , 141, 197-203	3.6	36
110	Cognitive dysfunction in psychiatric disorders: characteristics, causes and the quest for improved therapy. 2012 , 11, 141-68		728
109	Schizophrenia as variation in the sapiens-specific epigenetic instruction to the embryo. 2012 , 81, 319-24		18
108	The philosophical significance of Universal Grammar. 2012 , 34, 635-649		18
107	Genome wide association studies (GWAS) and copy number variation (CNV) studies of the major psychoses: what have we learnt?. <i>Neuroscience and Biobehavioral Reviews</i> , 2012 , 36, 556-71	9	90
106	Maladaptive connectivity of Broca's area in schizophrenia during audiovisual speech perception: an fMRI study. 2013 , 253, 274-82		13
105	Gyrification of Broca's region is anomalously lateralized at onset of schizophrenia in adolescence and regresses at 2 year follow-up. <i>Schizophrenia Research</i> , 2013 , 147, 39-45	3.6	32
104	Using mouse models to investigate sex-linked genetic effects on brain, behaviour and vulnerability to neuropsychiatric disorders. 2013 , 92, 12-20		10
103	Altered language network activity in young people at familial high-risk for schizophrenia. <i>Schizophrenia Research</i> , 2013 , 151, 229-37	3.6	20
102	Handedness: a neurogenetic shift of perspective. Neuroscience and Biobehavioral Reviews, 2013, 37, 278	& ₉₃	79
101	Mental illness, suicide and creativity: 40-year prospective total population study. 2013 , 47, 83-90		159
100	Altered asymmetry of the anterior cingulate cortex in subjects at genetic high risk for psychosis. <i>Schizophrenia Research</i> , 2013 , 150, 512-8	3.6	18
99	Impairment in semantic retrieval is associated with symptoms in schizophrenia but not bipolar disorder. 2013 , 73, 555-64		19
98	A unified model for left-right asymmetry? Comparison and synthesis of molecular models of embryonic laterality. 2013 , 379, 1-15		114

97	Protocadherin 11X/Y a human-specific gene pair: an immunohistochemical survey of fetal and adult brains. <i>Cerebral Cortex</i> , 2013 , 23, 1933-41	5.1	15
96	It's never too early to get it Right: A conserved role for the cytoskeleton in left-right asymmetry. 2013 , 6, e27155		23
95	Fecundity of patients with schizophrenia, autism, bipolar disorder, depression, anorexia nervosa, or substance abuse vs their unaffected siblings. 2013 , 70, 22-30		218
94	The XY gene hypothesis of psychosis: origins and current status. 2013 , 162B, 800-24		36
93	Clinical features of late-onset schizophrenia in Japan: comparison with early-onset cases. 2013 , 13, 244	-9	6
92	Alzheimer's disease: the downside of a highly evolved parietal lobe?. 2013 , 35, 227-40		59
91	Left-Handedness Among a Community Sample of Psychiatric Outpatients Suffering From Mood and Psychotic Disorders. 2013 , 3, 215824401350316		14
90	Short association fibres of the insula-temporoparietal junction in early psychosis: a diffusion tensor imaging study. <i>PLoS ONE</i> , 2014 , 9, e112842	3.7	6
89	The shape of the human language-ready brain. Frontiers in Psychology, 2014, 5, 282	3.4	82
88	Abnormal asymmetry of brain connectivity in schizophrenia. <i>Frontiers in Human Neuroscience</i> , 2014 , 8, 1010	3.3	88
87	The evolutionary genetics of the creativitypsychosis connection. 102-132		1
86	Distinct mechanisms determine organ left-right asymmetry patterning in an uncoupled way. 2014 , 36, 293-304		4
85	Decoding the molecular evolution of human cognition using comparative genomics. 2014 , 84, 103-16		4
84	Left brain, right brain: facts and fantasies. 2014 , 12, e1001767		123
83	Widespread differences in cortex DNA methylation of the "language gene" CNTNAP2 between humans and chimpanzees. 2014 , 9, 533-45		18
82	Sexually dimorphic white matter geometry abnormalities in adolescent onset schizophrenia. <i>Cerebral Cortex</i> , 2014 , 24, 1389-96	5.1	29
81	Lexicalisation and the Origin of the Human Mind. 2014 , 7, 11-27		1
80	Centenary of Karl Jaspers's general psychopathology: implications for molecular psychiatry. 2014 , 2, 3		5

79	An fMRI study of visual lexical decision in patients with schizophrenia and clinical high-risk individuals. <i>Schizophrenia Research</i> , 2014 , 157, 218-24	3.6	15
78	Human Emergence. 55-108		
77	Evolution and Earth Systems. 15-24		
76	Lateralisation abnormalities in obsessive-compulsive disorder: a line bisection study. 2015 , 27, 242-7		8
75	Is Psychosis a Disorder of XY Epigenetics?. 2015 , 2, 794-5		3
74	Recent Positive Selection Drives the Expansion of a Schizophrenia Risk Nonsynonymous Variant at SLC39A8 in Europeans. 2016 , 42, 178-90		28
73	The use of digit ratios and dextrality to detect atypical neurodevelopment in schizotypy. 2015 , 17, 104	-5	
72	Genomic and network patterns of schizophrenia genetic variation in human evolutionary accelerated regions. 2015 , 32, 1148-60		60
71	All-or-(N)One - an epistemological characterization of the human tumorigenic neuronal paralogous FAM72 gene loci. 2015 , 106, 278-85		14
70	Reduced Hemispheric Asymmetry of Brain Anatomical Networks Is Linked to Schizophrenia: A Connectome Study. <i>Cerebral Cortex</i> , 2017 , 27, 602-615	5.1	50
69	Expression analysis in a rat psychosis model identifies novel candidate genes validated in a large case-control sample of schizophrenia. <i>Translational Psychiatry</i> , 2015 , 5, e656	8.6	25
68	Genomic conflicts and sexual antagonism in human health: insights from oxytocin and testosterone. <i>Evolutionary Applications</i> , 2015 , 8, 307-25	4.8	12
67	Bridging the Gap between Genes and Language Deficits in Schizophrenia: An Oscillopathic Approach. <i>Frontiers in Human Neuroscience</i> , 2016 , 10, 422	3.3	33
66	Thought and language disorders in very early onset schizophrenia, schizoaffective disorder and bipolar disorder. <i>Revista De Psiquiatria Clinica</i> , 2016 , 43, 67-73	0.8	O
65	The Oscillopathic Nature of Language Deficits in Autism: From Genes to Language Evolution. <i>Frontiers in Human Neuroscience</i> , 2016 , 10, 120	3.3	32
64	The Immune Syntax Revisited: Opening New Windows on Language Evolution. <i>Frontiers in Molecular Neuroscience</i> , 2015 , 8, 84	6.1	6
63	Can delusions be understood linguistically?. Cognitive Neuropsychiatry, 2016, 21, 281-299	2	12
62	Alcohol and the Sustainable Development Goals. <i>Lancet, The</i> , 2016 , 388, 1279-80	40	5

61	Schizophrenia. <i>Lancet, The</i> , 2016 , 388, 1280	40	11
60	Hemispheric specialization of mood processing is abnormal in patients with schizophrenia. <i>Schizophrenia Research</i> , 2016 , 176, 452-453	3.6	1
59	Spatial sexual dimorphism of X and Y homolog gene expression in the human central nervous system during early male development. <i>Biology of Sex Differences</i> , 2016 , 7, 5	9.3	19
58	Top-down and/or Bottom-up Causality: The Notion of Relatedness in the Human Brain. <i>Advances in Cognitive Neurodynamics</i> , 2016 , 169-175		1
57	Associations between schizotypy and cerebral laterality. <i>Laterality</i> , 2017 , 22, 195-218	2	2
56	Can Artificial Intelligences Suffer from Mental Illness? A Philosophical Matter to Consider. <i>Science and Engineering Ethics</i> , 2017 , 23, 403-412	3.1	7
55	Occipital bending in schizophrenia. Australian and New Zealand Journal of Psychiatry, 2017, 51, 32-41	2.6	14
54	A commentary: Do specific gene risk variants for schizophrenia contribute similarly to the incidence of schizophrenia world-wide?. <i>NPJ Schizophrenia</i> , 2017 , 3, 29	5.5	
53	Language deficits in schizophrenia and autism as related oscillatory connectomopathies: An evolutionary account. <i>Neuroscience and Biobehavioral Reviews</i> , 2017 , 83, 742-764	9	33
52	Probing the Association between Early Evolutionary Markers and Schizophrenia. <i>PLoS ONE</i> , 2017 , 12, e0169227	3.7	11
51	Musical deficits and cortical thickness in people with schizophrenia. <i>Schizophrenia Research</i> , 2018 , 197, 233-239	3.6	3
50	Cognitive profiles in childhood and adolescence differ between adult psychotic and affective symptoms: a prospective birth cohort study. <i>Psychological Medicine</i> , 2018 , 48, 11-22	6.9	4
49	Linked functional network abnormalities during intrinsic and extrinsic activity in schizophrenia as revealed by a data-fusion approach. <i>NeuroImage: Clinical</i> , 2018 , 17, 69-79	5.3	2
48	The language profile of formal thought disorder. NPJ Schizophrenia, 2018, 4, 18	5.5	25
47	Associations between cortical thickness and auditory verbal hallucinations in patients with schizophrenia: A systematic review. <i>Psychiatry Research - Neuroimaging</i> , 2018 , 282, 31-39	2.9	5
46	Handedness and Other Behavioral Asymmetries. 2018 , 123-158		1
45	Altered Hemispheric Asymmetries in Neurodevelopmental, Psychiatric, and Neurological Disorders. 2018 , 313-338		
44	Language in schizophrenia and aphasia: the relationship with non-verbal cognition and thought disorder. <i>Cognitive Neuropsychiatry</i> , 2019 , 24, 389-405	2	6

43	Disturbing the rhythm of thought: Speech pausing patterns in schizophrenia, with and without formal thought disorder. <i>PLoS ONE</i> , 2019 , 14, e0217404	3.7	10
42	Building an Asymmetrical Brain: The Molecular Perspective. Frontiers in Psychology, 2019 , 10, 982	3.4	17
41	Developmental social vulnerability as the intrinsic origin of psychopathology: A paradigm shift from disease entities to psychiatric derivatives within human diversity. <i>Medical Hypotheses</i> , 2019 , 126, 95-108	3.8	2
40	Schizophrenia risk and reproductive success: a Mendelian randomization study. <i>Royal Society Open Science</i> , 2019 , 6, 181049	3.3	8
39	Psychotropic drug-prescribing correlates of disorganized speech in Asians with schizophrenia: The REAP-AP study. <i>Saudi Pharmaceutical Journal</i> , 2019 , 27, 246-253	4.4	10
38	Paw preferences in cats and dogs: Meta-analysis. <i>Laterality</i> , 2019 , 24, 647-677	2	20
37	Analysis of differentially methylated regions in great apes and extinct hominids provides support for the evolutionary hypothesis of schizophrenia. <i>Schizophrenia Research</i> , 2019 , 206, 209-216	3.6	1
36	Laterality patterns in relation to schizophrenia patients' age at onset. <i>Laterality</i> , 2020 , 25, 349-362	2	
35	Language evolution: examining the link between cross-modality and aggression through the lens of disorders. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2021 , 376, 20200188	5.8	8
34	Quantitative multidimensional phenotypes improve genetic analysis of laterality traits.		1
33	Associations between hemispheric asymmetry and schizophrenia-related risk genes in people with schizophrenia and people at a genetic high risk of schizophrenia <i>British Journal of Psychiatry</i> , 2021 , 219, 392-400	5.4	О
32	Hearing loss impacts gray and white matter across the lifespan: Systematic review, meta-analysis and meta-regression. <i>NeuroImage</i> , 2021 , 231, 117826	7.9	8
31	Hypothetical novel simulations to explain the evolutionary survival of the hypo-reproductive extreme tail in the complex human diversity. <i>BioSystems</i> , 2021 , 204, 104393	1.9	
30	Pars Triangularis Volume Asymmetry and Schneiderian First Rank Symptoms in Antipsychotic-nalle Schizophrenia. <i>Clinical Psychopharmacology and Neuroscience</i> , 2021 , 19, 507-513	3.4	O
29	Laterality. 2022 , 350-356		1
28	Encyclopedia of Evolutionary Psychological Science. 2021 , 1669-1673		
27	Schizophrenia risk and reproductive success: A Mendelian randomization study.		2
26	Cognitive control deficit in patients with first-episode schizophrenia is associated with complex deviations of early brain development. <i>Journal of Psychiatry and Neuroscience</i> , 2017 , 42, 87-94	4.5	6

25	Psychotic spectrum disorders: Definitions, classifications, neural correlates and clinical profiles. <i>Annals of Psychiatry and Treatment</i> , 2020 , 070-084	5.5	14
24	Schizophrenia: from epidemiology to rehabilitation. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2012 , 8, 52-66	3.2	31
23	Language Genesis. Advances in Anthropology, 2015 , 05, 86-115	0.3	3
22	Schizophrenia, cancer and obstetric complications in an evolutionary perspective-an empirically based hypothesis. <i>Psychiatry Investigation</i> , 2011 , 8, 77-88	3.1	12
21	Neuroimmunological aberrations and cerebral asymmetry abnormalities in schizophrenia: select perspectives on pathogenesis. <i>Clinical Psychopharmacology and Neuroscience</i> , 2014 , 12, 8-18	3.4	6
20	Psychometric Properties of the Korean Version of the Clinical Language Disorder Rating Scale (CLANG). <i>Clinical Psychopharmacology and Neuroscience</i> , 2016 , 14, 49-56	3.4	4
19	Brain Evolution and Cognition: Psychosis as Evolutionary Cost for Complexity and Cognitive Abilities in Humans. 2011 , 1-17		
18	Can brain imaging address psychosocial functioning and outcome in schizophrenia?. 281-290		1
17	Broken Symmetry. 2017 , 131-172		
16	Cultural Inheritance. 2018 , 1-4		
16 15	Cultural Inheritance. 2018, 1-4 Analysis of differentially methylated regions in primates and non-primates provides support for the evolutionary hypothesis of schizophrenia.		0
	Analysis of differentially methylated regions in primates and non-primates provides support for the	3.6	0 3
15	Analysis of differentially methylated regions in primates and non-primates provides support for the evolutionary hypothesis of schizophrenia. An Integrated Bio-psycho-social Approach to Psychiatric Disorders. Advances in Experimental	3.6	
15 14	Analysis of differentially methylated regions in primates and non-primates provides support for the evolutionary hypothesis of schizophrenia. An Integrated Bio-psycho-social Approach to Psychiatric Disorders. Advances in Experimental Medicine and Biology, 2019, 1192, 331-340	3.6	
15 14 13	Analysis of differentially methylated regions in primates and non-primates provides support for the evolutionary hypothesis of schizophrenia. An Integrated Bio-psycho-social Approach to Psychiatric Disorders. Advances in Experimental Medicine and Biology, 2019, 1192, 331-340 Functional analysis of evolutionary human methylated regions in schizophrenia patients. Network Analysis of Language Disorganization in Patients with Schizophrenia. Yonsei Medical		3
15 14 13	Analysis of differentially methylated regions in primates and non-primates provides support for the evolutionary hypothesis of schizophrenia. An Integrated Bio-psycho-social Approach to Psychiatric Disorders. <i>Advances in Experimental Medicine and Biology</i> , 2019 , 1192, 331-340 Functional analysis of evolutionary human methylated regions in schizophrenia patients. Network Analysis of Language Disorganization in Patients with Schizophrenia. <i>Yonsei Medical Journal</i> , 2020 , 61, 726-730 Historical pursuits of the language pathway hypothesis of schizophrenia. <i>NPJ Schizophrenia</i> , 2021 ,	3	1
15 14 13 12	Analysis of differentially methylated regions in primates and non-primates provides support for the evolutionary hypothesis of schizophrenia. An Integrated Bio-psycho-social Approach to Psychiatric Disorders. Advances in Experimental Medicine and Biology, 2019, 1192, 331-340 Functional analysis of evolutionary human methylated regions in schizophrenia patients. Network Analysis of Language Disorganization in Patients with Schizophrenia. Yonsei Medical Journal, 2020, 61, 726-730 Historical pursuits of the language pathway hypothesis of schizophrenia. NPJ Schizophrenia, 2021, 7, 53 Quantitative multidimensional phenotypes improve genetic analysis of laterality traits	3 5.5 8.6	1 0

CITATION REPORT

7	Comparative Analysis of Lateral Preferences in Patients With Resistant Schizophrenia <i>Frontiers in Psychiatry</i> , 2022 , 13, 868285	5	Ο	
6	Ajouts bibliographiques. 2014 , 247-256			
5	Genetic risk for schizophrenia is associated with increased proportion of indirect connections in brain networks revealed by a semi-metric analysis: evidence from population sample stratified for polygenic risk. <i>Cerebral Cortex</i> ,	5.1		
4	Agency of Subjects and Eye Movements in Schizophrenia Spectrum Disorders. <i>Journal of Psycholinguistic Research</i> ,	1	O	
3	Negative symptoms correlate with altered brain structural asymmetry in amygdala and superior temporal region in schizophrenia patients. 13,		O	
2	Disembodiment and Language in Schizophrenia: An Integrated Psychopathological and Evolutionary Perspective.		O	
1	Theory of origin of languages. 2020 , 1, 13-22		0	