

CITATION REPORT

List of articles citing

Neonatal exposure to perfluorooctane sulfonate (PFOS) and perfluorooctanoic acid (PFOA) causes neurobehavioural defects in adult mice

DOI: 10.1016/j.neuro.2007.10.008
NeuroToxicology, 2008, 29, 160-9.

Source: <https://exaly.com/paper-pdf/43991571/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
327	Developmental neurotoxicity: when research succeeds through inappropriate statistics. <i>NeuroToxicology</i> , 2008 , 29, 476	4.4	5
326	Neonatal exposure to deca-brominated diphenyl ether (PBDE 209) causes dose-response changes in spontaneous behaviour and cholinergic susceptibility in adult mice. <i>NeuroToxicology</i> , 2008 , 29, 911-9	4.4	92
325	Acute enhancement of synaptic transmission and chronic inhibition of synaptogenesis induced by perfluorooctane sulfonate through mediation of voltage-dependent calcium channel. 2008 , 42, 5335-41		62
324	Perfluorooctane sulfonate (PFOS), perfluorooctanoic acid (PFOA) and their salts Scientific Opinion of the Panel on Contaminants in the Food chain. 2008 , 6, 653		44
323	Developmental neurotoxicity of perfluorinated chemicals modeled in vitro. 2008 , 116, 716-22		148
322	Prenatal exposure to perfluorooctanoate (PFOA) and perfluorooctanesulfonate (PFOS) and maternally reported developmental milestones in infancy. 2008 , 116, 1391-5		117
321	Neonatal exposure to PFOS and PFOA in mice results in changes in proteins which are important for neuronal growth and synaptogenesis in the developing brain. 2009 , 108, 412-8		169
320	Developmental toxicity in white leghorn chickens following in ovo exposure to perfluorooctane sulfonate (PFOS). 2009 , 27, 307-318		58
319	The relationship between birth weight, gestational age and perfluorooctanoic acid (PFOA)-contaminated public drinking water. 2009 , 27, 231-238		71
318	Gestational and lactational exposure to potassium perfluorooctanesulfonate (K+PFOS) in rats: developmental neurotoxicity. 2009 , 27, 319-330		82
317	Gestational and lactational exposure to potassium perfluorooctanesulfonate (K+PFOS) in rats: toxicokinetics, thyroid hormone status, and related gene expression. 2009 , 27, 387-399		96
316	Non-covalent Interaction of Perfluorooctanoic Acid with DNA. 2009 , 27, 2267-2272		3
315	Binding of PFOS to serum albumin and DNA: insight into the molecular toxicity of perfluorochemicals. 2009 , 10, 16		68
314	Effects of perfluorooctane sulfonate on rat thyroid hormone biosynthesis and metabolism. 2009 , 28, 990-6		122
313	Derivation of a drinking water equivalent level (DWEL) related to the maximum contaminant level goal for perfluorooctanoic acid (PFOA), a persistent water soluble compound. 2009 , 47, 2557-89		17
312	A comparative study on oxidative damage and distributions of perfluorooctane sulfonate (PFOS) in mice at different postnatal developmental stages. 2009 , 34, 245-54		35
311	Financial disclosure and toxic products: encouraging wall street to anticipate product risk and exercise precaution. 2009 , 19, 31-58		

310	Effect of gestational and lactational exposure to perfluorooctanesulfonate on calcium-dependent signaling molecules gene expression in rats' hippocampus. 2010 , 84, 71-9	37
309	Effects of subchronic perfluorooctane sulfonate exposure of rats on calcium-dependent signaling molecules in the brain tissue. 2010 , 84, 471-9	33
308	Neurobehavioral teratogenicity of perfluorinated alkyls in an avian model. 2010 , 32, 182-6	36
307	Oxidative stress from diverse developmental neurotoxicants: antioxidants protect against lipid peroxidation without preventing cell loss. 2010 , 32, 124-31	52
306	Congenital anomalies, labor/delivery complications, maternal risk factors and their relationship with perfluorooctanoic acid (PFOA)-contaminated public drinking water. 2010 , 29, 147-55	34
305	Tissue distribution of (35)S-labelled perfluorooctane sulfonate (PFOS) in C57Bl/6 mice following late gestational exposure. 2010 , 30, 558-65	44
304	Health ranking of ingested semi-volatile organic compounds in house dust: an application to France. 2010 , 20, 458-72	40
303	Risk Assessment on Perfluorooctanoate(PFOA) and Perfluorooctanesulfonate(PFOS) in Water Environment of China. 2010 ,	
302	Exposure to polyfluoroalkyl chemicals and attention deficit/hyperactivity disorder in U.S. children 12-15 years of age. 2010 , 118, 1762-7	175
301	Chitosan-coated octadecyl-functionalized magnetite nanoparticles: preparation and application in extraction of trace pollutants from environmental water samples. 2010 , 82, 2363-71	173
300	Transcriptional effects of prenatal and neonatal exposure to PFOS in developing rat brain. 2010 , 44, 1847-53	49
299	Perfluorochemical (PFC) exposure in children: associations with impaired response inhibition. 2011 , 45, 8151-9	102
298	Neonatal exposure to propofol affects BDNF but not CaMKII, GAP-43, synaptophysin and tau in the neonatal brain and causes an altered behavioural response to diazepam in the adult mouse brain. 2011 , 223, 75-80	28
297	Perfluorooctane sulfonate triggers tight junction "opening" in brain endothelial cells via phosphatidylinositol 3-kinase. 2011 , 410, 258-63	52
296	Inflammation-like glial response in rat brain induced by prenatal PFOS exposure. <i>NeuroToxicology</i> , 2011 , 32, 130-9	4.4 46
295	Endocrine disrupting properties of perfluorooctanoic acid. 2011 , 127, 16-26	194
294	Possible mechanism of perfluorooctane sulfonate and perfluorooctanoate on the release of calcium ion from calcium stores in primary cultures of rat hippocampal neurons. 2011 , 25, 1294-301	42
293	Modulation of dietary fat on the toxicological effects in thymus and spleen in BALB/c mice exposed to perfluorooctane sulfonate. 2011 , 204, 174-82	21

292	Differences in neonatal neurotoxicity of brominated flame retardants, PBDE 99 and TBBPA, in mice. 2011 , 289, 59-65	60
291	Dose-dependent behavioral disturbances after a single neonatal Bisphenol A dose. 2011 , 290, 187-94	41
290	Neonatal exposure to sucralose does not alter biochemical markers of neuronal development or adult behavior. 2011 , 27, 81-85	16
289	Sensitive bioassay for detection of PPAR α potentially hazardous ligands with gold nanoparticle probe. 2011 , 192, 1148-54	20
288	Temporal and life history related trends of perfluorochemicals in harbor porpoises from the Danish North Sea. 2011 , 62, 1476-83	21
287	Distribution of perfluorochemicals between sera and milk from the same mothers and implications for prenatal and postnatal exposures. 2011 , 159, 169-174	124
286	Indoor environment and children's health: recent developments in chemical, biological, physical and social aspects. 2011 , 215, 1-18	53
285	Abnormal development of motor neurons in perfluorooctane sulphonate exposed zebrafish embryos. 2011 , 20, 643-52	32
284	Modifying the surface of Fe ₃ O ₄ /SiO ₂ magnetic nanoparticles with C18/NH ₂ mixed group to get an efficient sorbent for anionic organic pollutants. 2011 , 362, 107-12	91
283	Prenatal exposure to PFOS or PFOA alters motor function in mice in a sex-related manner. 2011 , 19, 452-61	91
282	Update on environmental risk factors for attention-deficit/hyperactivity disorder. 2011 , 13, 333-44	120
281	Toxicology of perfluorinated compounds. 2011 , 23,	201
280	Prenatal exposure to perfluorooctanesulfonate in rat resulted in long-lasting changes of expression of synapsins and synaptophysin. 2011 , 65, 225-33	21
279	MicroRNA expression changes during zebrafish development induced by perfluorooctane sulfonate. 2011 , 31, 210-22	36
278	Use of atmospheric pressure plasma to confer durable water repellent functionality and antimicrobial functionality on cotton/polyester blend. 2011 , 205, 4791-4797	62
277	Perfluorooctane sulfonate (PFOS) and perfluorooctanoic acid (PFOA). 2011 , 623-635	6
276	Study on the interactions of PFOS and PFOA with bovine serum albumin. 2011 ,	1
275	Perfluorooctane sulfonate induces apoptosis in N9 microglial cell line. 2011 , 30, 207-15	18

274	Effects of perfluoroalkyl compounds on mRNA expression levels of thyroid hormone-responsive genes in primary cultures of avian neuronal cells. 2011 , 120, 392-402		29
273	Prenatal perfluorooctanoic acid exposure in CD-1 mice: low-dose developmental effects and internal dosimetry. 2011 , 122, 134-45		79
272	Interaction of PFOS and BDE-47 co-exposure on thyroid hormone levels and TH-related gene and protein expression in developing rat brains. 2011 , 121, 279-91		35
271	Prenatal exposure to perfluorinated chemicals and behavioral or coordination problems at age 7 years. 2011 , 119, 573-8		85
270	Homeostatic imbalance and colon cancer: the dynamic epigenetic interplay of inflammation, environmental toxins, and chemopreventive plant compounds. 2012 , 2, 57		9
269	In ovo effects of perfluorohexane sulfonate and perfluorohexanoate on pipping success, development, mRNA expression, and thyroid hormone levels in chicken embryos. 2012 , 127, 216-24		42
268	Transcriptional profiles in the cerebral hemisphere of chicken embryos following in ovo perfluorohexane sulfonate exposure. 2012 , 129, 380-91		7
267	Perfluorinated compounds. 2012 , 101, 47-86		65
266	Does developmental exposure to perfluorooctanoic acid (PFOA) induce immunopathologies commonly observed in neurodevelopmental disorders?. <i>NeuroToxicology</i> , 2012 , 33, 1491-1498	4-4	12
265	Neurotoxic effects of perfluoroalkylated compounds: mechanisms of action and environmental relevance. 2012 , 86, 1349-67		123
264	Effects of perfluorinated compounds on development of zebrafish embryos. 2011 , 19, 2498-505		63
263	A single exposure to bisphenol A alters the levels of important neuroproteins in adult male and female mice. <i>NeuroToxicology</i> , 2012 , 33, 1390-5	4-4	28
262	Determination of Global DNA Methylation in Biological Samples by Liquid Chromatography-Tandem Mass Spectrometry. 2012 , 40, 1201-1206		6
261	Ecological risk assessment of perfluorooctanoic acid (PFOA) and perfluorooctanesulfonic acid (PFOS) in marine environment using <i>Isochrysis galbana</i> , <i>Paracentrotus lividus</i> , <i>Siriella armata</i> and <i>Psetta maxima</i> . 2012 , 14, 1375-82		40
260	Perfluorooctane sulfonate (PFOS) and calcium channel downstream signaling molecules. 2012 , 1, 103		5
259	Perfluorooctane sulfonate induces apoptosis of cerebellar granule cells via a ROS-dependent protein kinase C signaling pathway. <i>NeuroToxicology</i> , 2012 , 33, 314-20	4-4	69
258	Perfluorooctanoic acid (PFOA), an emerging drinking water contaminant: a critical review of recent literature. 2012 , 116, 93-117		364
257	Exposure to environmental and lifestyle factors and attention-deficit / hyperactivity disorder in children - a review of epidemiological studies. 2012 , 25, 330-55		45

256	Hemimicelles/admicelles supported on magnetic graphene sheets for enhanced magnetic solid-phase extraction. 2012 , 1257, 1-8		75
255	Blood serum concentrations of perfluorinated compounds in men from Greenlandic Inuit and European populations. 2012 , 88, 1269-75		101
254	Spatial trends of perfluorochemicals in harbor seals (<i>Phoca vitulina</i>) from Danish waters. <i>Science of the Total Environment</i> , 2012 , 414, 732-7	10.2	15
253	Glucose and lipid homeostasis in adult rat is impaired by early-life exposure to perfluorooctane sulfonate. 2013 , 28, 532-42		83
252	PFAS profiles in three North Sea top predators: metabolic differences among species?. 2013 , 20, 8013-20		53
251	Perfluorooctane sulfonate-induced apoptosis of cerebellar granule cells is mediated by ERK 1/2 pathway. 2013 , 90, 1597-602		34
250	Accumulation of perfluoroalkyl substances in human tissues. <i>Environment International</i> , 2013 , 59, 354-62	12.9	239
249	Increasing concentrations of perfluoroalkyl acids in Scandinavian otters (<i>Lutra lutra</i>) between 1972 and 2011: a new threat to the otter population?. 2013 , 47, 11757-65		25
248	Locomotor behavior in zebrafish (<i>Danio rerio</i>) larvae exposed to perfluoroalkyl acids. 2013 , 144-145, 332-40		52
247	Evaluating the sub-lethal toxicity of PFOS and PFOA using rotifer <i>Brachionus calyciflorus</i> . 2013 , 180, 34-40		47
246	Chronic PFOS exposures induce life stage-specific behavioral deficits in adult zebrafish and produce malformation and behavioral deficits in F1 offspring. 2013 , 32, 201-6		40
245	Perfluorooctane sulfonate (PFOS) affects hormone receptor activity, steroidogenesis, and expression of endocrine-related genes in vitro and in vivo. 2013 , 32, 353-60		106
244	Adult dose-dependent behavioral and cognitive disturbances after a single neonatal PFHxS dose. 2013 , 304, 185-91		69
243	Cytotoxicity and inhibition of intercellular interaction in N2a neurospheroids by perfluorooctanoic acid and perfluorooctanesulfonic acid. 2013 , 60, 520-9		12
242	Competitive binding of aqueous perfluorooctanesulfonic acid and ibuprofen with bovine serum albumin studied by electrospray ionization mass spectrometry. 2013 , 345-347, 28-36		7
241	Perfluorooctane sulfonate induces neuronal and oligodendrocytic differentiation in neural stem cells and alters the expression of PPAR α in vitro and in vivo. 2013 , 269, 51-60		38
240	Cumulative health risk assessment of 17 perfluoroalkylated and polyfluoroalkylated substances (PFASs) in the Swedish population. <i>Environment International</i> , 2013 , 59, 112-23	12.9	94
239	A single neonatal exposure to perfluorohexane sulfonate (PFHxS) affects the levels of important neuroproteins in the developing mouse brain. <i>NeuroToxicology</i> , 2013 , 37, 190-6	4.4	47

238	Perfluorinated compound levels in cord blood and neurodevelopment at 2 years of age. 2013 , 24, 800-8	71
237	Brain region distribution and patterns of bioaccumulative perfluoroalkyl carboxylates and sulfonates in east greenland polar bears (<i>Ursus maritimus</i>). 2013 , 32, 713-22	43
236	Consumption of seafood, serum liver enzymes, and blood levels of PFOS and PFOA in the Japanese population. 2013 , 55, 184-94	35
235	Serum perfluoroalkyl acids concentrations and memory impairment in a large cross-sectional study. 2013 , 3,	13
234	Neurotoxicity of perfluorooctane sulfonate to hippocampal cells in adult mice. 2013 , 8, e54176	50
233	Fetal exposure to perfluorinated compounds and attention deficit hyperactivity disorder in childhood. 2014 , 9, e95891	58
232	PFOS induces behavioral alterations, including spontaneous hyperactivity that is corrected by dexamfetamine in zebrafish larvae. 2014 , 9, e94227	55
231	Chronic exposure to perfluorooctane sulfonate induces behavior defects and neurotoxicity through oxidative damages, in vivo and in vitro. 2014 , 9, e113453	47
230	Effects of perfluorooctane sulfonate on behavioural activity, regeneration and antioxidant enzymes in planarian <i>Dugesia japonica</i> . 2014 , 30, 187-195	12
229	Estimating effect of environmental contaminants on women's subfecundity for the MoBa study data with an outcome-dependent sampling scheme. 2014 , 15, 636-50	20
228	Pop, heavy metal and the blues: secondary analysis of persistent organic pollutants (POP), heavy metals and depressive symptoms in the NHANES National Epidemiological Survey. 2014 , 4, e005142	30
227	Breast cancer risk after exposure to perfluorinated compounds in Danish women: a case-control study nested in the Danish National Birth Cohort. 2014 , 25, 1439-48	68
226	Prenatal exposure to perfluoroalkyl substances and the risk of congenital cerebral palsy in children. 2014 , 180, 574-81	47
225	Photochemical defluorination of aqueous perfluorooctanoic acid (PFOA) by VUV/Fe ³⁺ system. 2014 , 239, 242-249	54
224	Persistent organic pollutants measured in maternal serum and offspring neurodevelopmental outcomes--a prospective study with long-term follow-up. <i>Environment International</i> , 2014 , 68, 41-8	12.9 68
223	Induction of oxidative stress and related transcriptional effects of perfluorononanoic acid using an in vivo assessment. 2014 , 160, 60-5	9
222	Sex-specific enhanced behavioral toxicity induced by maternal exposure to a mixture of low dose endocrine-disrupting chemicals. <i>NeuroToxicology</i> , 2014 , 45, 121-30	4.4 51
221	The mechanism of immunosuppression by perfluorooctanoic acid in BALB/c mice. 2014 , 3, 205	3

220	Paracetamol (acetaminophen) administration during neonatal brain development affects cognitive function and alters its analgesic and anxiolytic response in adult male mice. 2014 , 138, 139-47		86
219	Toxicants in Food Packaging and Household Plastics. 2014 ,		7
218	Perfluorooctane sulfonate effects on the reproductive axis in adult male rats. 2014 , 134, 158-68		43
217	In utero exposure to perfluorooctanoate (PFOA) or perfluorooctane sulfonate (PFOS) did not increase body weight or intestinal tumorigenesis in multiple intestinal neoplasia (Min/+) mice. 2014 , 132, 251-63		28
216	Toxicity assessment of perfluorinated carboxylic acids (PFCAs) towards the rotifer <i>Brachionus calyciflorus</i> . <i>Science of the Total Environment</i> , 2014 , 491-492, 266-70	10.2	21
215	PFHxS induces apoptosis of neuronal cells via ERK1/2-mediated pathway. 2014 , 94, 121-7		16
214	NMDA receptor-mediated ERK 1/2 pathway is involved in PFHxS-induced apoptosis of PC12 cells. <i>Science of the Total Environment</i> , 2014 , 491-492, 227-34	10.2	22
213	Immunotoxic Effects of Perfluoroalkylated Compounds: Mechanisms of Action. 2014 , 263-284		
212	Extensive literature search and provision of summaries of studies related to the oral toxicity of perfluoroalkylated substances (PFASs), their precursors and potential replacements in experimental animals and humans. Area 1: Data on toxicokinetics (absorption, distribution, metabolism, excretion) in in vitro studies, experimental animals and humans. Area 2: Data on toxicity in experimental animals. Area 3: Data on observations in humans. 2014 , 11,		10
211	Perfluoroalkyl Compounds. 2015 , 689-718		
210	PFOS Disturbs BDNF-ERK-CREB Signalling in Association with Increased MicroRNA-22 in SH-SY5Y Cells. 2015 , 2015, 302653		28
209	Plasma treatments for sustainable textile processing. 2015 , 49-118		3
208	Toxicological Effects of Perfluoroalkyl and Polyfluoroalkyl Substances. 2015 ,		60
207	Effects of developmental perfluorooctane sulfonate exposure on spatial learning and memory ability of rats and mechanism associated with synaptic plasticity. 2015 , 76, 70-6		31
206	Brain region-specific perfluoroalkylated sulfonate (PFSA) and carboxylic acid (PFCA) accumulation and neurochemical biomarker responses in east Greenland polar bears (<i>Ursus maritimus</i>). 2015 , 138, 22-31		50
205	Bias from conditioning on live birth in pregnancy cohorts: an illustration based on neurodevelopment in children after prenatal exposure to organic pollutants. 2015 , 44, 345-54		116
204	Involvement of mitogen-activated protein kinase and NF- κ B signaling pathways in perfluorooctane sulfonic acid-induced inflammatory reaction in BV2 microglial cells. 2015 , 35, 1539-49		8
203	Pregnancy serum concentrations of perfluorinated alkyl substances and offspring behaviour and motor development at age 5-9 years--a prospective study. 2015 , 14, 2		47

202	Perfluoroalkyl substances measured in breast milk and child neuropsychological development in a Norwegian birth cohort study. <i>Environment International</i> , 2015 , 83, 176-82	12.9	34
201	Association between perfluoroalkyl substances and reproductive hormones in adolescents and young adults. 2015 , 218, 437-43		68
200	Perfluorooctane sulfonate induces apoptosis of hippocampal neurons in rat offspring associated with calcium overload. 2015 , 4, 931-938		10
199	In vitro evaluation of the cytotoxicity and modulation of mechanisms associated with inflammation induced by perfluorooctanesulfonate and perfluorooctanoic acid in human colon myofibroblasts CCD-18Co. 2015 , 29, 1683-91		13
198	Attention deficit/hyperactivity disorder and childhood autism in association with prenatal exposure to perfluoroalkyl substances: a nested case-control study in the Danish National Birth Cohort. 2015 , 123, 367-73		80
197	Connexin 43 mediates PFOS-induced apoptosis in astrocytes. 2015 , 132, 8-16		22
196	Tissue uptake, distribution and elimination of (14)C-PFOA in zebrafish (<i>Danio rerio</i>). 2015 , 163, 148-57		29
195	Electrochemical degradation of perfluorooctanoic acid (PFOA) by Yb-doped Ti/SnO ₂ /Bb/PbO ₂ anodes and determination of the optimal conditions. 2015 , 5, 84856-84864		28
194	Determination of perfluorinated sulfonate and perfluorinated acids in tissues of free-living European beaver (<i>Castor fiber L.</i>) by d-SPE/ micro-UHPLC-MS/MS. <i>Ecotoxicology and Environmental Safety</i> , 2015 , 120, 436-44	7	16
193	More signs of neurotoxicity of surfactants and flame retardants - Neonatal PFOS and PBDE 99 cause transcriptional alterations in cholinergic genes in the mouse CNS. 2015 , 40, 409-16		19
192	Interspecific and Spatial Comparisons of Perfluorinated Compounds in Bighead and Silver Carp in the Illinois River, Illinois, USA. 2015 , 95, 561-6		1
191	Perfluorooctane sulfonate mediates microglial activation and secretion of TNF- α through Ca ²⁺ -dependent PKC-NF- κ B signaling. 2015 , 28, 52-60		18
190	Reference compounds for alternative test methods to indicate developmental neurotoxicity (DNT) potential of chemicals: example lists and criteria for their selection and use. 2017 , 34, 49-74		76
189	Differential toxicity between perfluorooctane sulfonate (PFOS) and perfluorooctanoic acid (PFOA). 2016 , 41, SP27-SP36		36
188	Superhydrophobic Coatings with Edible Materials. 2016 , 8, 18664-8		136
187	Effects of perfluorooctanoic acid on neural genes expression and neuronal morphology in the planarian <i>Dugesia japonica</i> . 2016 , 32, 575-582		3
186	Perfluoroalkyl substances in cord blood and attention deficit/hyperactivity disorder symptoms in seven-year-old children. 2016 , 156, 118-127		52
185	Electrocoagulation mechanism of perfluorooctanoate (PFOA) on a zinc anode: Influence of cathodes and anions. <i>Science of the Total Environment</i> , 2016 , 557-558, 542-50	10.2	28

184	Short-term exposure and long-term consequences of neonatal exposure to (9)-tetrahydrocannabinol (THC) and ibuprofen in mice. 2016 , 307, 137-44		19
183	Behavioral difficulties in 7-year old children in relation to developmental exposure to perfluorinated alkyl substances. <i>Environment International</i> , 2016 , 97, 237-245	12.9	59
182	Effects of Perfluorooctanoic Acid on Metabolic Profiles in Brain and Liver of Mouse Revealed by a High-throughput Targeted Metabolomics Approach. 2016 , 6, 23963		67
181	ROS-mediated apoptosis of HAPI microglia through p53 signaling following PFOS exposure. 2016 , 46, 9-16		22
180	Perfluorooctane sulfonate (PFOS) impairs the proliferation of C17.2 neural stem cells via the downregulation of GSK-3 β /catenin signaling. 2016 , 36, 1591-1598		10
179	Effects of defined mixtures of persistent organic pollutants (POPs) on multiple cellular responses in the human hepatocarcinoma cell line, HepG2, using high content analysis screening. 2016 , 294, 21-31		31
178	Windows of sensitivity to toxic chemicals in the motor effects development. 2016 , 74, 93-104		15
177	Prenatal polybrominated diphenyl ether and perfluoroalkyl substance exposures and executive function in school-age children. 2016 , 147, 556-64		59
176	Postnatal exposure to PFOS, but not PBDE 99, disturb dopaminergic gene transcription in the mouse CNS. 2016 , 41, 121-6		15
175	Perfluoroalkyl substances in serum from South Korean infants with congenital hypothyroidism and healthy infants--Its relationship with thyroid hormones. 2016 , 147, 399-404		22
174	Prenatal exposure to perfluorinated chemicals and neurodevelopment in early infancy: The Hokkaido Study. <i>Science of the Total Environment</i> , 2016 , 541, 1002-1010	10.2	58
173	Effects of perfluorooctane sulfonate and its alternatives on long-term potentiation in the hippocampus CA1 region of adult rats. 2016 , 5, 539-546		26
172	Gene expression profile changes in <i>Eisenia fetida</i> chronically exposed to PFOA. 2016 , 25, 759-69		14
171	Effect of surfactants on the degradation of perfluorooctanoic acid (PFOA) by ultrasonic (US) treatment. 2016 , 28, 130-135		51
170	Programming of metabolic effects in C57BL/6JxFVB mice by in utero and lactational exposure to perfluorooctanoic acid. 2016 , 90, 701-15		14
169	Long-term consequences of prenatal stress and neurotoxicants exposure on neurodevelopment. 2017 , 155, 21-35		36
168	Perfluorooctane sulfonate induces neuronal vulnerability by decreasing GluR2 expression. 2017 , 91, 885-895		15
167	Accumulation of Perfluoroalkylated Substances in Oceanic Plankton. 2017 , 51, 2766-2775		49

166	Mechanistic insight into neurotoxicity induced by developmental insults. 2017 , 482, 408-418		20
165	Perfluorododecanoic Acid Induces Cognitive Deficit in Adult Rats. 2017 , 157, 421-428		14
164	Prenatal concentrations of Perfluoroalkyl substances and early communication development in British girls. 2017 , 109, 15-20		15
163	PPAR α -independent transcriptional targets of perfluoroalkyl acids revealed by transcript profiling. 2017 , 387, 95-107		88
162	Time-dependent effects of perfluorinated compounds on viability in cerebellar granule neurons: Dependence on carbon chain length and functional group attached. <i>NeuroToxicology</i> , 2017 , 63, 70-83	4-4	27
161	Investigation of the Best Approach for Assessing Human Exposure to Poly- and Perfluoroalkyl Substances through Indoor Air. 2017 , 51, 12836-12843		25
160	In vitro toxicity of perfluorooctane sulfonate on rat liver hepatocytes: probability of destructive binding to CYP 2E1 and involvement of cellular proteolysis. 2017 , 24, 23382-23388		18
159	EB degradation of perfluorooctanoic acid and perfluorooctane sulfonate in aqueous solution. 2017 , 28, 1		25
158	Reductive defluorination of perfluorooctanoic acid by titanium(III) citrate with vitamin B and copper nanoparticles. 2017 , 340, 336-343		15
157	Highly hydrophobic cotton fabrics prepared with fluorine-free functionalized silsesquioxanes. 2017 , 24, 4519-4531		20
156	Effects of perfluorooctanoic acid and perfluorooctane sulfonate on acute toxicity, superoxide dismutase, and cellulase activity in the earthworm <i>Eisenia fetida</i> . 2017 , 24, 18188-18194		12
155	Developing integrated PBPK/PD coupled mechanistic pathway model (miRNA-BDNF): An approach towards system toxicology. 2017 , 280, 79-91		14
154	Molecular mechanisms of PFOA-induced toxicity in animals and humans: Implications for health risks. <i>Environment International</i> , 2017 , 99, 43-54	12.9	108
153	Gestational exposure to perfluorooctanoic acid (PFOA): Alterations in motor related behaviors. <i>NeuroToxicology</i> , 2017 , 58, 110-119	4-4	15
152	Evaluation of PFOS-mediated neurotoxicity in rat primary neurons and astrocytes cultured separately or in co-culture. 2017 , 38, 77-90		32
151	Exposure to Perfluorinated Alkyl Substances and Health Outcomes in Children: A Systematic Review of the Epidemiologic Literature. 2017 , 14,		161
150	Brain-Derived Neurotrophic Factor Mediated Perfluorooctane Sulfonate Induced-Neurotoxicity via Epigenetics Regulation in SK-N-SH Cells. 2017 , 18,		13
149	Perfluorooctane Sulfonate and Perfluorooctanoic Acid. 2017 , 811-827		1

148	Neurodevelopmental Disorders and Environmental Toxicants: Epigenetics as an Underlying Mechanism. 2017 , 2017, 7526592		69
147	Chlorinated Polyfluorinated Ether Sulfonates Exhibit Higher Activity toward Peroxisome Proliferator-Activated Receptors Signaling Pathways than Perfluorooctanesulfonate. 2018 , 52, 3232-3239		63
146	Prenatal and childhood perfluoroalkyl substances exposures and children's reading skills at ages 5 and 8 years. <i>Environment International</i> , 2018 , 111, 224-231	12.9	25
145	Incorporation of fetal and child PFOA dosimetry in the derivation of health-based toxicity values. <i>Environment International</i> , 2018 , 111, 260-267	12.9	6
144	An epigenome-wide study of cord blood DNA methylations in relation to prenatal perfluoroalkyl substance exposure: The Hokkaido study. <i>Environment International</i> , 2018 , 115, 21-28	12.9	23
143	Thyroid-disrupting chemicals and brain development: an update. 2018 , 7, R160-R186		76
142	Occurrence and behavior of per- and polyfluoroalkyl substances from aqueous film-forming foam in groundwater systems. 2018 , 28, 89-99		36
141	Perfluorooctanesulfonate induces neuroinflammation through the secretion of TNF- α mediated by the JAK2/STAT3 pathway. <i>NeuroToxicology</i> , 2018 , 66, 32-42	4.4	16
140	PFOS induces proliferation, cell-cycle progression, and malignant phenotype in human breast epithelial cells. 2018 , 92, 705-716		33
139	Elevation of intracellular calcium and oxidative stress is involved in perfluorononanoic acid-induced neurotoxicity. 2018 , 34, 139-145		11
138	Risk to human health related to the presence of perfluorooctane sulfonic acid and perfluorooctanoic acid in food. 2018 , 16, e05194		100
137	Dialysis Membranes Influence Perfluorochemical Concentrations and Liver Function in Patients on Hemodialysis. 2018 , 15,		5
136	Prenatal Maternal Serum Concentrations of Per- and Polyfluoroalkyl Substances in Association with Autism Spectrum Disorder and Intellectual Disability. 2018 , 126, 017001		21
135	A methodology to produce eco-friendly superhydrophobic coatings produced from all-water-processed plant-based filler materials. 2018 , 20, 5169-5178		26
134	Preparation of mesoporous silica nanoparticles molecularly imprinted polymer for efficient separation and enrichment of perfluorooctane sulfonate. 2018 , 41, 4363-4369		10
133	Environmental Chemicals in Breast Milk and Formula: Exposure and Risk Assessment Implications. 2018 , 126, 96001		49
132	Penetration of PFASs Across the Blood Cerebrospinal Fluid Barrier and Its Determinants in Humans. 2018 , 52, 13553-13561		47
131	Three-Dimensional Compatible Sacrificial Nanoimprint Lithography for Tuning the Wettability of Thermoplastic Materials. 2018 , 6,		2

130	Associations between perfluorinated chemicals and serum biochemical markers and performance status in uremic patients under hemodialysis. 2018 , 13, e0200271		6
129	Childhood perfluoroalkyl substance exposure and executive function in children at 8 years. <i>Environment International</i> , 2018 , 119, 212-219	12.9	23
128	Phycoerythrin Peptide from <i>Pyropia yezoensis</i> Alleviates Endoplasmic Reticulum Stress Caused by Perfluorooctane Sulfonate-Induced Calcium Dysregulation. 2018 , 16,		6
127	Robust Fluorine-Free Superhydrophobic PET Fabric Using Alkaline Hydrolysis and Thermal Hydrophobic Aging Process. 2018 , 303, 1700673		13
126	Prenatal and childhood exposure to per- and polyfluoroalkyl substances (PFASs) and child cognition. <i>Environment International</i> , 2018 , 115, 358-369	12.9	33
125	Prenatal and childhood exposure to perfluoroalkyl substances (PFAS) and measures of attention, impulse control, and visual spatial abilities. <i>Environment International</i> , 2018 , 119, 413-420	12.9	18
124	PFOS-induced excitotoxicity is dependent on Ca influx via NMDA receptors in rat cerebellar granule neurons. 2018 , 357, 19-32		15
123	Perfluorododecanoic acid exposure induced developmental neurotoxicity in zebrafish embryos. 2018 , 241, 1018-1026		20
122	A Review of Perfluoroalkyl Acids (PFAAs) in terms of Sources, Applications, Human Exposure, Dietary Intake, Toxicity, Legal Regulation, and Methods of Determination. 2019 , 2019, 1-20		35
121	Neurodevelopmental and Metabolomic Responses from Prenatal Coexposure to Perfluorooctanesulfonate (PFOS) and Methylmercury (MeHg) in Sprague-Dawley Rats. 2019 , 32, 1656-1669		9
120	Bioconcentration and Metabolic Effects of Emerging PFOS Alternatives in Developing Zebrafish. 2019 , 53, 13427-13439		32
119	Perfluorooctane sulfonate induces apoptosis via activation of FoxO3a and upregulation of proapoptotic Bcl-2 proteins in PC12 cells. 2019 , 44, 657-666		
118	Levels, Patterns, and Biomagnification Potential of Perfluoroalkyl Substances in a Terrestrial Food Chain in a Nordic Skiing Area. 2019 , 53, 13390-13397		18
117	Occurrence and source apportionment of perfluoroalkyl acids (PFAAs) in the atmosphere in China. 2019 ,		
116	Micro solid-phase extraction for the analysis of per- and polyfluoroalkyl substances in environmental waters. 2019 , 1604, 460495		15
115	Neurotoxic effects of perfluoroalkyl acids: Neurobehavioral deficit and its molecular mechanism. 2019 , 305, 65-72		23
114	Developmental exposure to perfluorooctane sulfonate (PFOS) and perfluorooctanoic acid (PFOA) selectively decreases brain dopamine levels in Northern leopard frogs. 2019 , 377, 114623		26
113	Dietary exposure to perfluoroalkyl acids, brominated flame retardants and health risk assessment in the French infant total diet study. 2019 , 131, 110561		9

112	Prenatal plasma concentrations of Perfluoroalkyl and polyfluoroalkyl substances and neuropsychological development in children at four years of age. 2019 , 18, 53	19
111	The perfluoroalkyl substance (PFAS) contamination level in milk and milk products in Poland. 2019 , 96, 73-84	10
110	Maternal exposure causes mitochondrial dysfunction in brain, liver, and heart of mouse fetus: An explanation for perfluorooctanoic acid induced abortion and developmental toxicity. 2019 , 34, 878-885	23
109	Assessing the human health risks of perfluorooctane sulfonate by in vivo and in vitro studies. <i>Environment International</i> , 2019 , 126, 598-610	12.9 94
108	Evaluation of Subconjunctival Remnant Particles after High-frequency Radio-wave Electrosurgery for Conjunctivochalasis. 2019 , 33, 8-15	1
107	Efficient Photocatalytic Fuel Cell via Simultaneous Visible-Photoelectrocatalytic Degradation and Electricity Generation on a Porous Coral-like WO/W Photoelectrode. 2019 , 53, 3697-3706	58
106	Prenatal and childhood exposure to poly- and perfluoroalkyl substances (PFAS) and cognitive development in children at age 8 years. 2019 , 172, 242-248	23
105	Occurrence and source apportionment of perfluoroalkyl acids (PFAAs) in the atmosphere in China. 2019 , 19, 14107-14117	10
104	A review of the pathways of human exposure to poly- and perfluoroalkyl substances (PFASs) and present understanding of health effects. 2019 , 29, 131-147	520
103	Core-shell quantum dots coated with molecularly imprinted polymer for selective photoluminescence sensing of perfluorooctanoic acid. 2019 , 194, 1-6	29
102	Impacts of Sex and Exposure Duration on Gene Expression in Zebrafish Following Perfluorooctane Sulfonate Exposure. 2020 , 39, 437-449	6
101	Prenatal exposure to perfluoroalkyl substances and associations with symptoms of attention-deficit/hyperactivity disorder and cognitive functions in preschool children. 2020 , 223, 80-92	22
100	Behavioural effects and bioconcentration of per- and polyfluoroalkyl substances (PFASs) in zebrafish (<i>Danio rerio</i>) embryos. 2020 , 245, 125573	39
99	Risk to human health related to the presence of perfluoroalkyl substances in food. 2020 , 18, e06223	103
98	Perfluoroalkyl acids potentiate glutamate excitotoxicity in rat cerebellar granule neurons. 2020 , 445, 152610	5
97	Stranded cetaceans warn of high perfluoroalkyl substance pollution in the western Mediterranean Sea. 2020 , 267, 115367	6
96	Neurotoxic effects of lactational exposure to perfluorooctane sulfonate on learning and memory in adult male mouse. 2020 , 145, 111710	3
95	Environmental neurotoxic pollutants: review. 2020 , 27, 41175-41198	28

94	Calcium signaling as a possible mechanism behind increased locomotor response in zebrafish larvae exposed to a human relevant persistent organic pollutant mixture or PFOS. 2020 , 187, 109702		10
93	The association between prenatal endocrine-disrupting chemical exposure and altered resting-state brain fMRI in teenagers. 2020 , 225, 1669-1684		3
92	Single and mixture per- and polyfluoroalkyl substances accumulate in developing Northern leopard frog brains and produce complex neurotransmission alterations. 2020 , 81, 106907		7
91	Modeled prenatal exposure to per- and polyfluoroalkyl substances in association with child autism spectrum disorder: A case-control study. 2020 , 186, 109514		11
90	Comparative toxicometabolomics of perfluorooctanoic acid (PFOA) and next-generation perfluoroalkyl substances. 2020 , 265, 114928		19
89	Per- and Polyfluoroalkyl Substances (PFAS) Neurotoxicity in Sentinel and Non-Traditional Laboratory Model Systems: Potential Utility in Predicting Adverse Outcomes in Human Health. 2020 , 8,		13
88	Tomato-lotus inspired edible superhydrophobic artificial lotus leaf. 2020 , 400, 125883		23
87	The association between prenatal exposure to perfluoroalkyl substances and childhood neurodevelopment. 2020 , 263, 114444		19
86	Perfluorooctane sulfonate (PFOS) and perfluorooctanoate (PFOA) acutely affect human $\text{H}\alpha\text{GABA}$ receptor and spontaneous neuronal network function in vitro. 2020 , 10, 5311		20
85	Epigenetic toxicity of PFOA and GenX in HepG2 cells and their role in lipid metabolism. 2020 , 65, 104797		30
84	A bioinspired lubricant infused surface with transparency, hot liquid boiling resistance and long-term stability for food applications. 2020 , 44, 4529-4537		5
83	Perfluoroalkyl chemicals in neurological health and disease: Human concerns and animal models. <i>NeuroToxicology</i> , 2020 , 77, 155-168	4.4	14
82	Degradation mechanism of perfluorooctanoic acid (PFOA) during electrocoagulation using Fe electrode. 2020 , 247, 116911		28
81	Neurotoxicity of perfluorooctanoic acid and post-exposure recovery due to blueberry anthocyanins in the planarians <i>Dugesia japonica</i> . 2020 , 263, 114471		2
80	Effect of PFOA on DNA Methylation and Alternative Splicing in Mouse Liver. 2020 , 329, 38-46		14
79	Evaluation of Developmental Toxicity, Developmental Neurotoxicity, and Tissue Dose in Zebrafish Exposed to GenX and Other PFAS. 2020 , 128, 47005		70
78	Levels and profiles of persistent organic pollutants in breast milk in China and their potential health risks to breastfed infants: A review. <i>Science of the Total Environment</i> , 2021 , 753, 142028	10.2	21
77	Evaluation of the dentate gyrus in adult mice exposed to acetaminophen (paracetamol) on postnatal day 10. 2021 , 81, 91-97		0

76	Perfluorooctanoic acid (PFOA) removal by flotation with cationic surfactants. 2021 , 266, 128949		4
75	Photodegradation of Perfluorooctanesulfonic Acid on Fe-Zeolites in Water. 2021 , 55, 614-622		7
74	Trends of Perfluoroalkyl Acids in Water Bodies: A Case Study of the Taihu Lake, China (2009-2021).		
73	Absorption, distribution, and toxicity of per- and polyfluoroalkyl substances (PFAS) in the brain: a review. 2021 , 23, 1623-1640		7
72	Perfluoroalkyl Chemicals and Neurological Disorders: From Exposure to Preventive Interventions. 2021 , 309-334		
71	Antioxidant defense system responses, lysosomal membrane stability and DNA damage in earthworms () exposed to perfluorooctanoic acid: an integrated biomarker approach to evaluating toxicity.. 2021 , 11, 26481-26492		5
70	Exposure to human relevant mixtures of halogenated persistent organic pollutants (POPs) alters neurodevelopmental processes in human neural stem cells undergoing differentiation. 2021 , 100, 17-34		17
69	Prenatal Exposure to Endocrine-Disrupting Chemicals and Subsequent Brain Structure Changes Revealed by Voxel-Based Morphometry and Generalized Q-Sampling MRI. 2021 , 18,		1
68	All-natural superhydrophobic coating for packaging and blood-repelling materials. 2021 , 410, 128347		15
67	Prenatal exposure to per- and polyfluoroalkyl substances (PFAS) and neurobehavior in US children through 8 years of age: The HOME study. 2021 , 195, 110825		13
66	Determinants of Adenosine A2A Receptors-Perfluoroalkyl Sulfonates Complex: Multi-Spectroscopic and Molecular Dynamics Simulation Study. 2021 , 6, 4633-4644		
65	Mixture effects of prenatal exposure to per- and polyfluoroalkyl substances and polybrominated diphenyl ethers on maternal and newborn telomere length. 2021 , 20, 76		2
64	Metabolic profiling in human SH-SY5Y neuronal cells exposed to perfluorooctanoic acid (PFOA). <i>NeuroToxicology</i> , 2021 , 85, 160-172	4.4	2
63	Maternal exposure to a human based mixture of persistent organic pollutants (POPs) affect gene expression related to brain function in mice offspring hippocampus. 2021 , 276, 130123		5
62	Association between maternal exposure to perfluoroalkyl and polyfluoroalkyl substances and risks of adverse pregnancy outcomes: A systematic review and meta-analysis. <i>Science of the Total Environment</i> , 2021 , 783, 146984	10.2	10
61	Fabrication of bioinspired edible liquid marble with phase transition and tunable water barrier property. 2021 , 4, 1-13		3
60	Prenatal perfluoroalkyl substance exposure and neuropsychological development throughout childhood: The INMA Project. 2021 , 416, 125185		9
59	No association between maternal and child PFAS concentrations and repeated measures of ADHD symptoms at age 2 and 5 years in children from the Odense Child Cohort. 2021 , 88, 107031		2

58	Developmental Perfluorooctanesulfonic acid (PFOS) exposure as a potential risk factor for late-onset Alzheimer's disease in CD-1 mice and SH-SY5Y cells. <i>NeuroToxicology</i> , 2021 , 86, 26-36	4.4	1
57	Prenatal and childhood exposure to per- and polyfluoroalkyl substances (PFAS) and child executive function and behavioral problems. 2021 , 202, 111621		7
56	Childhood exposure to per- and polyfluoroalkyl substances (PFAS) and neurobehavioral domains in children at age 8 years. 2021 , 88, 107022		3
55	Integrated multi-omics analysis reveals the underlying molecular mechanism for developmental neurotoxicity of perfluorooctanesulfonic acid in zebrafish. <i>Environment International</i> , 2021 , 157, 106802 ^{12.9}		6
54	Perfluorinated Compounds in Food Contact Materials. 2014 , 177-203		2
53	Emerging Contaminants and Their Potential Effects on Amphibians and Reptiles. 2010 , 487-509		1
52	Potential health effects of emerging environmental contaminants perfluoroalkyl compounds. 2018 , 35, 156-164		3
51	Metabolic Profiling of Chicken Embryos Exposed to Perfluorooctanoic Acid (PFOA) and Agonists to Peroxisome Proliferator-Activated Receptors. 2015 , 10, e0143780		12
50	Temperature-dependent effects of PFOS on risk recognition and fast-start performance in juvenile <i>Spinibarbus sinensis</i> . 2015 , 24, 101-108		5
49	Bioinspired Edible Lubricant-Infused Surface with Liquid Residue Reduction Properties. 2019 , 2019, 1649427		14
48	Effects of zinc salt addition on perfluorooctanoic acid (PFOA) removal by electrocoagulation with aluminum electrodes. 2021 , 132665		0
47	Neurotoxicity. 2015 , 219-238		1
46	Developmental exposure to perfluorooctane sulfonate (PFOS) and perfluorooctanoic acid (PFOA) selectively decreases brain dopamine levels in northern leopard frogs.		
45	Decomposition of perfluorooctanoic acid by carbon aerogel with persulfate. 2022 , 430, 132900		1
44	Perfluoroalkyl substances in circum-Arctic Rangifer: caribou and reindeer. 2021 , 1		1
43	Prenatal exposure to persistent organic pollutants and metals and problematic child behavior at 3-5 years of age: a Greenlandic cohort study. 2021 , 11, 22182		1
42	Adsorption characteristics of perfluorinated compounds from colloids in the river-lake system of the plain and their ecological risk. 2021 , 33, 1714-1726		
41	Prenatal exposure to per- and polyfluoroalkyl substances, fetal thyroid hormones, and infant neurodevelopment. 2021 , 112561		1

40	Mixed effects of perfluoroalkyl and polyfluoroalkyl substances exposure on cognitive function among people over 60 years old from NHANES.. 2022 , 1		0
39	Associations between Prenatal Exposure to Perfluoroalkyl Substances and Neurobehavioral Development in Early Childhood: A Prospective Cohort Study.		
38	The association between prenatal perfluoroalkyl substance exposure and symptoms of attention-deficit/hyperactivity disorder in 8-year-old children and the mediating role of thyroid hormones in the Hokkaido study. <i>Environment International</i> , 2021 , 159, 107026	12.9	1
37	Environmental fate and transportation of perfluorinated compounds. 2022 , 203-224		0
36	High-performance photocatalytic decomposition of PFOA by BiOX/TiO heterojunctions: Self-induced inner electric fields and band alignment.. 2022 , 430, 128195		2
35	Association between maternal per- and polyfluoroalkyl substance exposure and newborn telomere length: Effect modification by birth seasons.. <i>Environment International</i> , 2022 , 161, 107125	12.9	0
34	Natural rosin-grafted nanoparticles for extremely-robust and eco-friendly antifouling coating with controllable liquid transport. 2022 , 236, 109797		2
33	Perfluorooctane sulfonates induces neurobehavioral changes and increases dopamine neurotransmitter levels in zebrafish larvae.. 2022 , 134234		1
32	The impact of perfluoroalkyl substances on pregnancy, birth outcomes and offspring development: A review of data from mouse models1. 2021 ,		0
31	A Critical Review and Meta-Analysis of Impacts of Per- and Polyfluorinated Substances on the Brain and Behavior.. 2022 , 4, 881584		3
30	Next-generation biomonitoring of the early-life chemical exposome in neonatal and infant development.. 2022 , 13, 2653		1
29	Environmental Pollution, A Hidden Culprit for Health Issues. 2022 ,		6
28	Childhood Exposure to Per- and Polyfluoroalkyl Substances and Neurodevelopment in the Charge Case-Control Study.		
27	Perfluorooctanoic acid alternatives hexafluoropropylene oxides exert male reproductive toxicity by disrupting blood-testis barrier. <i>Science of the Total Environment</i> , 2022 , 157313	10.2	0
26	Associations between prenatal exposure to perfluoroalkyl substances and neurobehavioral development in early childhood: A prospective cohort study. <i>Ecotoxicology and Environmental Safety</i> , 2022 , 241, 113818	7	0
25	Exposure to perfluoroalkyl substances and neurodevelopment in 2-year-old children: A prospective cohort study. <i>Environment International</i> , 2022 , 166, 107384	12.9	1
24	Effects of Lactational Exposure to Endocrine Disrupting Chemicals Including Per- and Polyfluoroalkyl Substances on Maternal Postpartum Depression and Infant Neurodevelopment: Mother-Infant Pairs Cohort Study of Korea.		
23	Neurotransmission Targets of Per- and Polyfluoroalkyl Substance Neurotoxicity: Mechanisms and Potential Implications for Adverse Neurological Outcomes. 2022 , 35, 1312-1333		0

22	Perfluorooctane sulfonic acid (PFOS) exposures interfere with behaviors and transcription of genes on nervous and muscle system in zebrafish embryos. 2022 , 848, 157816	0
21	Childhood exposure to per- and polyfluoroalkyl substances and neurodevelopment in the CHARGE case-control study. 2022 , 215, 114322	0
20	All-biomass-based eco-friendly waterproof coating for paper-based green packaging. 2022 , 24, 7039-7048	1
19	Effects of gestational low dose perfluorooctanoic acid on maternal and anxiety-like behavior in dams. 4,	0
18	Per- and polyfluoroalkyl substances (PFAS) and neurobehavioral function and cognition in adolescents (2010-2011) and elderly people (2014): results from the Flanders Environment and Health Studies (FLEHS). 2022 , 34,	0
17	Maternal per- and poly-fluoroalkyl substances exposures associated with higher depressive symptom scores among immigrant women in the Chemicals in Our Bodies cohort in San Francisco.	0
16	Dysregulation of neural activity and microglia function following exposure to the global environmental contaminant perfluorooctane sulfonate (PFOS).	0
15	High-Temperature Pyrolysis for Elimination of Per- and Polyfluoroalkyl Substances (PFAS) from Biosolids. 2022 , 10, 2187	1
14	Prenatal perfluoroalkyl substances exposure and neurodevelopment in toddlers: Findings from SMBCS. 2023 , 313, 137587	0
13	Gene Environment interactions in autism spectrum disorders. 2022 ,	1
12	A Review of Recent Advances in Detection and Treatment Technology for Perfluorinated Compounds. 2022 , 14, 3919	0
11	Maternal per- and poly-fluoroalkyl substances exposures associated with higher depressive symptom scores among immigrant women in the Chemicals in Our Bodies cohort in San Francisco. 2023 , 107758	0
10	The Association between Prenatal Per- and Polyfluoroalkyl Substances Exposure and Neurobehavioral Problems in Offspring: A Meta-Analysis. 2023 , 20, 1668	0
9	Perfluorinated chemicals (PFOA) can, by interacting with highly brominated diphenyl ethers (PBDE 209) during a defined period of neonatal brain development, exacerbate neurobehavioural defects. 2023 , 96, 107150	0
8	Perfluorooctanoic acid (PFOA) exposure in relation to the kidneys: A review of current available literature. 14,	1
7	The pollutome-connectome axis: a putative mechanism to explain pollution effects on neurodegeneration. 2023 , 86, 101867	0
6	Embryonic exposure to PFAS causes long-term, compound-specific behavioral alterations in zebrafish. 2023 , 97, 107165	0
5	Multifunctional Edible Oil-Impregnated Nanoporous Oxide Layer on AISI 304 Stainless Steel. 2023 , 13, 807	0

- 4 Evaluation of Per- and Polyfluoroalkyl Substances (PFAS) In Vitro Toxicity Testing for Developmental Neurotoxicity. **2023**, 36, 402-419
- 3 Associations of prenatal PFAS exposure and early childhood neurodevelopment: Evidence from the Shanghai Maternal-Child Pairs Cohort. **2023**, 173, 107850
- 2 Metabolic perturbations in pregnant rats exposed to low-dose perfluorooctanesulfonic acid: An integrated multi-omics analysis. **2023**, 173, 107851
- 1 Simple Fabrication of PDMS-Grafted Hydrophobic Iron Oxide Particles for Oil/Water Separation and Stimuli-Responsive Liquid Marbles.