

CITATION REPORT

List of articles citing

Surgical reexploration after cardiac operations: why a worse outcome?

DOI: 10.1016/j.athoracsur.2008.07.114

Annals of Thoracic Surgery, 2008, 86, 1557-62.

Source: <https://exaly.com/paper-pdf/44005686/citation-report.pdf>

Version: 2024-04-17

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
630	Excessive Bleeding After Cardiac Surgery in Adults: Reasons and Management. 2009 , 9, 86-91		1
629	[Efficacy of recombinant activated factor VII for massive bleeding after cardiac surgery: experience with 32 patients]. 2009 , 56, 485-92		1
628	General Preoperative Considerations and Preparation of the Patient for Surgery. 2010 , 129-171		
627	. 2010 ,		11
626	Incidence and prediction of permanent neurological deficits after cardiac surgery - are the existing models of prediction truly global?. 2010 , 37, 717-23		9
625	Mediastinal Bleeding. 2010 , 345-381		
624	Erratum to: Increased levels of soluble triggering receptor expressed on myeloid cells sTREM1 in ICU patients with cardiovascular disease and associated organ dysfunction. 2011 , 15,		78
623	Predictive value of tissue oxygen saturation upon mortality in Emergency Department patients with sepsis. 2011 , 15,		78
622	Positive central-mixed venous oxygen saturation gradients: high oxygen saturation in the inferior vena cava confirms high splanchnic oxygen extraction. 2011 , 15,		78
621	Lactate index and survival in hospital-acquired septic shock. 2011 , 15,		78
620	Effect of minute ventilation on central venous-to-arterial carbon dioxide difference. 2011 , 15,		78
619	A pulmonary artery catheter-based treatment algorithm changes therapeutic behaviour in septic patients. 2011 , 15,		78
618	Performance of thermodilution catheters under control and extreme circulatory conditions in a pig model. 2011 , 15,		78
617	Measurement of cardiac output using the transpulmonary thermodilution method in the presence of high extravascular lung water in a pediatric animal model. 2011 , 15,		78
616	Hemodynamic effects of early endotoxemia on pulse pressure variation during experimental hemorrhagic shock. 2011 , 15,		78
615	Delta central venous pressure and dynamic indices of preload in postsurgical ICU patients. 2011 , 15,		78
614	Comparison between pulse pressure variation and conventional parameters as guides to resuscitation in a pig model of acute hemorrhagic shock with endotoxemia. 2011 , 15,		78

613	Fluid resuscitation based on dynamic predictors of fluid responsiveness: closed loop algorithm versus anesthesiologists. 2011, 15,	78
612	A strong relationship between respiratory variations in pulse pressure (PPV) and airway pressure in fluid nonresponders: a potential explanation for false positive PPV values. 2011, 15,	78
611	Prediction of fluid responsiveness in septic shock patients: comparing automated pulse pressure variation by IntelliVue MP monitor and stroke volume variation by FloTrac Vigileo. 2011, 15,	78
610	Dynamic indices of preload in postcardiac surgery patients by pulse power analysis. 2011, 15,	78
609	Cardiac cycle efficiency as prognostic index in ICUs. 2011, 15,	78
608	Evaluation of pulse pressure variation with different inhaled concentrations of desflurane, sevoflurane and isoflurane in pigs. 2011, 15,	78
607	E/Ea ratio could not predict fluid response in ICU mechanically ventilated patients. 2011, 15,	78
606	Comparison between MostCare and echocardiography for cardiac output estimation in trauma patients. 2011, 15,	78
605	Comparison of stroke volume changes of LiDCOplus and FloTrac during postoperative hemodynamic optimization. 2011, 15,	78
604	A clinical pilot study to evaluate the correlation between pulse wave velocity and cardiac output during elective surgery. 2011, 15,	78
603	LiDCOrapid and PiCCOplus preload response parameter validation study. 2011, 15,	1
602	Comparison of cardiac index: LiDCOrapid and PiCCOplus in the ICU. 2011, 15,	78
601	Pressure recording analytical method versus PiCCO in hemodynamic unstable patients. 2011, 15,	78
600	Prediction of fluid responsiveness with the LiDCO system. 2011, 15,	78
599	Predictors of fluid responsiveness in patients with acute liver failure. 2011, 15,	1
598	Functional haemodynamic monitoring: the relative merits of SVV, SPV and PPV as measured by the LiDCOrapid in predicting fluid responsiveness in high-risk surgical patients. 2011, 15,	78
597	Pressure recording analytical method for cardiac output monitoring in children with congenital heart disease. 2011, 15,	78
596	Accuracy of stroke volume variation as a predictor of volume responsiveness in patients with raised intra-abdominal pressure. 2011, 15,	78

595	Perfusion index as a predictor for central hypovolemia in humans. 2011, 15,	2
594	Carotid blood flow is correlated with cardiac output but not with arterial blood pressure in porcine fecal peritonitis. 2011, 15,	78
593	Afterload-related cardiac performance: a hemodynamic parameter with prognostic relevance in patients with sepsis in the Emergency Department. 2011, 15,	2
592	Evaluation of a continuous non-invasive arterial blood pressure monitoring device in comparison with an arterial blood pressure measurement in the ICU. 2011, 15,	78
591	Brachial cuff measurements for fluid responsiveness prediction in the critically ill. 2011, 15,	78
590	Validation of non-invasive hemodynamic monitoring with Nexfin in critically ill patients. 2011, 15,	4
589	Pleth Variability Index predicts fluid responsiveness in critically ill patients. 2011, 15,	78
588	Dynamics of peripheral perfusion parameters in elective coronary artery bypass graft patients. 2011, 15,	78
587	Maintenance of arterial catheters with heparin: should we continue?. 2011, 15,	2
586	Validation of continuous intragastric pressure measurement and correlation with intramucosal pH in a pig model. 2011, 15,	78
585	End-tidal carbon dioxide levels predict cardiac arrest. 2011, 15,	78
584	NT-proBNP and troponin I in acute liver failure: do they predict cardiac dysfunction?. 2011, 15,	78
583	Endothelial glycocalyx disruption after cardiac surgery in infants. 2011, 15,	1
582	Microcirculatory changes during hyperoxia in a porcine model of ruptured abdominal aneurysm. 2011, 15,	78
581	Impact of synthetic colloids on organ function in patients with severe sepsis. 2011, 15,	78
580	Intraoperative effectiveness of crystalloid and colloid volume substitution in patients undergoing elective major urological surgery by maintenance of the cardiac index within normal range. 2011, 15,	78
579	Dilution with three different solutions: plasmatic effects and quantity and quality of urinary output. 2011, 15,	78
578	Efficacy and safety of 10% HES 130/0.4 versus 10% HES 200/0.5 for plasma volume expansion in cardiac surgery patients. 2011, 15,	78

577	Nicorandil versus nitroglycerin: a pilot study. 2011 , 15,	78
576	Dopamine versus norepinephrine in septic shock: a meta-analysis. 2011 , 15,	2
575	Comparative evaluation of therapeutic interventions during hemorrhagic shock. 2011 , 15,	78
574	Effects of vasopressinergic V1 receptor agonists on sublingual microcirculatory blood flow in patients with catecholamine-dependent septic shock. 2011 , 15,	78
573	Vasopressin for the treatment of vasodilatory shock: an ESICM systematic review and a meta-analysis. 2011 , 15,	78
572	Effects of early versus delayed terlipressin infusion on hemodynamics and catecholamine requirements in ovine septic shock. 2011 , 15,	1
571	Levosimendan in trauma patients with acute cardiac failure. 2011 , 15,	78
570	Treatment of calcium channel blocker overdose with levosimendan. 2011 , 15,	1
569	Effect of different antioxidants in ischemia-reperfusion syndrome. 2011 , 15,	1
568	Searching for mechanisms that matter in septic acute kidney injury: an experimental study. 2011 , 15,	78
567	Raised serum creatinine at admission to critical care is independently associated with mortality in patients with decompensated alcoholic liver disease. 2011 , 15,	78
566	Contrast-induced nephropathy in ITU patients: outcomes of a university hospital re-audit. 2011 , 15,	78
565	Evaluation of acute kidney injury with pediatric-modified RIFLE criteria after pediatric cardiac surgery. 2011 , 15,	78
564	Acute kidney injury after coronary artery bypass grafting surgery. 2011 , 15,	78
563	Increased severity of acute kidney injury does not increase long-term mortality. 2011 , 15,	78
562	Any level of acute kidney injury may be associated with mortality in critically ill patients. 2011 , 15,	78
561	A comparison of four methods to define timing of acute kidney injury. 2011 , 15,	78
560	Validation of the AKIN criteria definition using high-resolution ICU data from the MIMIC-II database. 2011 , 15,	1

559	Urine biomarkers for gentamicin-induced acute kidney injury in the neonatal ICU. 2011 , 15,	78
558	Neutrophil gelatinase-associated lipocalin in ICU patients developing oliguria. 2011 , 15,	78
557	Use of Doppler ultrasound renal resistive index and neutrophil gelatinase-associated lipocalin in prediction of acute kidney injury in patients with septic shock. 2011 , 15,	1
556	Removal of drug delivered via a central venous catheter by a dual-lumen haemodiafiltration catheter inserted at the same site: a quantitative flow model. 2011 , 15,	78
555	Effect of total parenteral nutrition on the duration of haemofilter circuit. 2011 , 15,	78
554	Effects of ultrafiltration on systemic hemodynamics and microcirculatory perfusion in patients with end-stage kidney disease. 2011 , 15,	78
553	Best prediction for need of dialysis following cardiac surgery is obtained with the Thakar model. 2011 , 15,	78
552	Hypercalcemia during renal replacement therapy after liver transplantation. 2011 , 15,	78
551	In vitro evaluation of HMGB1 removal with various membranes for continuous hemofiltration. 2011 , 15,	1
550	Sustained high-efficiency daily diafiltration using a cytokine-adsorbing membrane in the treatment of patients with severe sepsis. 2011 , 15,	1
549	Model-based cardiovascular monitoring of large pore hemofiltration during endotoxic shock in pigs. 2011 , 15,	78
548	Different effect of CVVHDF and coupled plasma filtration and adsorption on IL-6 and procalcitonin in sepsis. 2011 , 15,	2
547	Effectiveness of continuous venovenous hemodiafiltration using a polymethylmethacrylate membrane hemofilter judging from a multiplex suspension array system in septic shock patients. 2011 , 15,	78
546	Re-evaluation of direct hemoperfusion with polymyxin-B immobilized fiber for severe sepsis and septic shock. 2011 , 15,	78
545	Extended duration of direct hemoperfusion with polymyxin B-immobilized fiber column improves hemodynamics in patients with septic shock. 2011 , 15,	78
544	Use of activated clotting time to monitor anticoagulation in patients receiving unfractionated heparin on renal replacement therapy. 2011 , 15,	78
543	Single-dose application of antithrombin III as alternative anticoagulation during extracorporeal therapy in critically ill patients with advanced liver cirrhosis: a retrospective data analysis. 2011 , 15,	1
542	Safety of drotrecogin alfa (activated) treatment in patients with severe sepsis on renal replacement therapy without additional anticoagulation. 2011 , 15,	78

541	Association between type of anticoagulation and blood transfusion requirements during renal replacement therapy in the ICU. 2011 , 15,	78
540	Economic argument for citrate haemofiltration. 2011 , 15,	1
539	Multicenter prospective observational study on safety and efficacy of regional citrate anticoagulation in CVVHD in the presence of liver failure: the Liver Citrate Anticoagulation Threshold Study (L-CAT). 2011 , 15,	3
538	Regional citrate anticoagulation in high-volume continuous venovenous hemodialysis. 2011 , 15,	78
537	Systemic citrate load during continuous renal replacement therapy is not negligible and can be predicted using indirect methods. 2011 , 15,	78
536	Use of 2-hourly creatinine clearance to inform cessation of renal replacement therapy. 2011 , 15,	1
535	NT-proBNP, troponin I and troponin T are elevated in ARDS patients without structural heart disease: a single initial reading of cardiac markers is not different from serial daily readings. 2011 , 15,	78
534	Comparison of three different multi-analyte point-of-care devices during clinical routine on a medical ICU. 2011 , 15,	78
533	Appropriate regulation of routine laboratory testing can reduce the costs associated with patient stay in intensive care. 2011 , 15,	3
532	Contribution of red blood cells to the compensation for hypocapnic alkalosis through plasmatic strong ion difference variations. 2011 , 15,	1
531	Interactive visual analysis of a large ICU database: a novel approach to data analysis. 2011 , 15,	78
530	Base excess can be misleading in acute respiratory acidosis. 2011 , 15,	78
529	Prescription and clinical impact of chest radiographs in 104 French ICUs: the RadioDay Study. 2011 , 15,	78
528	Intraosseous blood aspirates analysed by a portable cartridge-based device. 2011 , 15,	1
527	Capnography activation is improved by better ventilator interface ergonomics. 2011 , 15,	1
526	Impact of cardiac arrest duration on extravascular lung water and pulmonary vascular permeability in patients with postcardiac arrest syndrome: a prospective observational study. 2011 , 15,	78
525	Ultrasonography is a valuable non-invasive tool for determining extravascular lung water in severe sepsis. 2011 , 15,	78
524	Indexing extravascular lung water to predicted body weight increases the correlation with lung injury score in patients with acute lung injury/acute respiratory distress syndrome: a prospective, multicenter study conducted in a Japanese population. 2011 , 15,	78

523	Feasibility of continuous exhaled breath analysis in intubated and mechanically ventilated critically ill patients. 2011, 15,	78
522	Pattern of cytokines and chemokines in exhaled breath condensate is related to the characteristics of mechanical ventilation. 2011, 15,	78
521	Divergent changes in regional pulmonary filling characteristics during endotoxin-induced acute lung injury in pigs. 2011, 15,	78
520	Electrical impedance tomography to monitor regional tidal ventilation at different pressure support levels. 2011, 15,	78
519	Endotracheal cuff pressure: role of tracheal size and cuff volume. 2011, 15,	3
518	A survey of healthcare professionals knowledge of emergency oxygen use in adult patients. 2011, 15,	78
517	Weaning from NIV: how rapidly can we go?. 2011, 15,	78
516	Factors associated with non-invasive ventilation response on the first day of therapy in patients with hypercapnic respiratory failure. 2011, 15,	78
515	Formal airway assessment prior to emergency tracheal intubation: a regional survey of usual practice. 2011, 15,	78
514	Urgent orotracheal intubation in critically ill patients. 2011, 15,	78
513	Propofol is the induction agent of choice for urgent intubations with UK physicians. 2011, 15,	78
512	Frequency and significance of post-intubation hypotension during emergency airway management. 2011, 15,	3
511	Clinical experiences with a new endobronchial blocking device: the EZ-Blocker. 2011, 15,	78
510	Rohrer's constant, k_2 , as a factor for determining endotracheal tube obstruction. 2011, 15,	78
509	Acute desaturation in intubated patients. 2011, 15,	1
508	Continuous control of tracheal cuff pressure and microaspiration of gastric contents: a randomized controlled study. 2011, 15,	3
507	Outcome of tracheostomy timing on critically ill adult patients undergoing mechanical ventilation: a retrospective observational study. 2011, 15,	78
506	Duration of mechanical ventilation on the result of diaphragmatic function in weaning. 2011, 15,	78

505	Hand-grip test is a good predictor of extubation success in adult ICU patients. 2011, 15,	1
504	Use of NT-proBNP in weaning from mechanical ventilation. 2011, 15,	1
503	Efficacy of implementation strategies of an evidenced-based awakening and breathing protocol. 2011, 15,	78
502	Can we predict left ventricular dysfunction-induced weaning failure? Invasive and echocardiographic evaluation. 2011, 15,	78
501	High-flow oxygen therapy through nasal cannulae versus low-flow oxygen therapy via Venturi mask after extubation in adult, critically ill patients. 2011, 15,	4
500	Post-intubation tracheal stenosis in the ICU: diagnosis and treatment. 2011, 15,	78
499	Can extubation failure be related to high unit activity?. 2011, 15,	78
498	Decannulation: in the ICU or in the ward? Does it really matter?. 2011, 15,	78
497	Assessment of the impact of unplanned extubation on ICU patient outcome. 2011, 15,	0
496	Outcome and complications in infants with respiratory failure: venovenous two-site versus double-lumen ECMO. 2011, 15,	78
495	Weaning-induced alterations in cardiac function: invasive and echocardiographic assessment. 2011, 15,	78
494	Impact of open lung ventilation on right ventricular outflow impedance assessed by transoesophageal echocardiography. 2011, 15,	78
493	Lung sound amplitude measured by vibration response imaging is influenced by the presence of secretions. 2011, 15,	78
492	Continuous elevation of lung sound amplitudes, recorded at fixed flow rate, may indicate an increase in lung water content. 2011, 15,	2
491	Impact of normocapnic and permissive hypercapnic one-lung ventilation on arterial oxygenation. 2011, 15,	78
490	Titration of analgo-sedation with neurally adjusted ventilatory assist in the ICU. 2011, 15,	78
489	Early prognostic indices for weaning after long-term mechanical ventilation. 2011, 15,	78
488	Alveolar morphology depends on ventilator settings: lessons from in vivo alveolar microscopy under static and dynamic conditions. 2011, 15,	78

487	Ventilatory ratio: validation in an ex vivo model and analysis in ARDS/ALI patients. 2011, 15,	78
486	Therapy with recombinant human antithrombin, heparin and tissue plasminogen activator improves survival and reduces ventilation days in a long-term ovine model of cutaneous burn and smoke inhalation injury. 2011, 15,	1
485	Hypercapnic acidosis transiently weakens hypoxic pulmonary vasoconstriction in anesthetized pigs, without affecting the endogenous pulmonary nitric oxide production. 2011, 15,	78
484	<i>Stenotrophomonas maltophilia</i> in the respiratory tract of medical ICU patients. 2011, 15,	78
483	Hospital-acquired pneumonia is associated with deficient β -cytokine gene expression. 2011, 15,	78
482	Clinical aspects and predictors of mortality of <i>Pseudomonas aeruginosa</i> pneumonia in a cohort of critically ill patients. 2011, 15,	78
481	Safety and efficacy of intratracheal DNase with physiotherapy in severe status asthmaticus. 2011, 15,	3
480	Relation between mortality rate, duration of hospitalization and levels of TNF α and catalase at admission of cases to the emergency department with COPD attack. 2011, 15,	1
479	Induced hypothermia is protective in a rat model of pneumococcal pneumonia. 2011, 15,	78
478	Incidence of and risk factors for nonrespiratory acute organ failure in ICU patients receiving respiratory support: a pilot international cohort study. 2011, 15,	78
477	Pharmacological randomized controlled trials in acute respiratory distress syndrome mortality. 2011, 15,	78
476	Positive end-expiratory pressure improves oxygenation inducing ventral-to-dorsal tidal ventilation redistribution: an electrical impedance tomography study. 2011, 15,	78
475	Neurally adjusted ventilatory assist reduces asynchrony and patient effort in severe acute respiratory distress syndrome patients undergoing extracorporeal membrane oxygenation. 2011, 15,	78
474	Danger signal uric acid is involved in ventilator-induced lung injury pathogenesis. 2011, 15,	2
473	High-frequency oscillatory ventilation in adults: experience in Chile. 2011, 15,	78
472	Stress-strain relationship in pulmonary cells under bidirectional stretch application. 2011, 15,	78
471	Optimal positive end-expiratory pressure in mechanically ventilated patients: a clinical study. 2011, 15,	78
470	Flow-balanced expiration reduces oedema formation in a porcine oleic acid lung injury model. 2011, 15,	78

469	Positive changes in the continuous desaturation index during mechanical ventilation are associated with mortality due to acute respiratory failure. 2011 , 15,	78
468	Strain threshold for ventilator-induced lung injury. 2011 , 15,	78
467	Do athletes require a higher tidal volume? An approach using predicted versus measured PFTs. 2011 , 15,	78
466	Potential reduction of ventilator-associated pneumonia by a novel peristaltic feeding tube: initial evaluation of safety and efficacy in a pig model and humans. 2011 , 15,	78
465	Respiratory variability in mechanically ventilated patients. 2011 , 15,	78
464	Suspended animation-inducer hydrogen sulphide protects against organ injury during endotoxemia, but aggravates systemic inflammation. 2011 , 15,	78
463	Dead space fraction indicates the titration of optimal positive end-expiratory pressure after recruitment in acute respiratory distress syndrome. 2011 , 15,	78
462	Dynamic distribution of conventional dendritic cells in the lung, blood and spleen from the early phase of sepsis-induced acute lung injury. 2011 , 15,	1
461	A radiological visual scale to predict the potentially recruitable lung in ALI/ARDS patients. 2011 , 15,	1
460	Interactions of nebulized heparin with intravenous antithrombin for combined therapy of acute lung injury. 2011 , 15,	1
459	Thrombopoietin may enhance ventilator-induced lung injury. 2011 , 15,	2
458	Indoleamine-2,3-dioxygenase activity induces neutrophil apoptosis. 2011 , 15,	7
457	Defining sepsis in the ICU: a sensitivity analysis. 2011 , 15,	78
456	Analysis of nosocomial bacteremia in an ICU during 16 months. 2011 , 15,	1
455	Delayed ICU admission with community-acquired severe sepsis greatly increases mortality and resource use. 2011 , 15,	3
454	Septic shock in a cohort of patients from the northeast of France: a preliminary epidemiological study, EPISS group. 2011 , 15,	78
453	Long-term effects of an in-hospital program on sepsis management in the ICU. 2011 , 15,	78
452	Extending the classification of healthcare-associated bloodstream infection to other main foci: respiratory, urinary and intra-abdominal. 2011 , 15,	78

451	Healthcare-associated infection: do doctors recognize this group of patients?. 2011 , 15,	78
450	Sustainability of an antimicrobial stewardship program in a community hospital ICU at 3 months post implementation. 2011 , 15,	78
449	Attention to electronic prescription process improves time to first-dose antibiotics in patients on the ICU. 2011 , 15,	78
448	An audit of antibiotic dosing according to renal function or renal replacement therapy in critical care. 2011 , 15,	78
447	De-escalation of antimicrobial therapy in Gram-negative sepsis: easier said than done?. 2011 , 15,	78
446	Impact of the adequacy of antibiotic therapy on the outcome of ventilator-associated pneumonia. 2011 , 15,	78
445	Aetiology of pneumonia in the ICU: the need for early Gram-negative cover. 2011 , 15,	78
444	Respiratory failure in cancer patients with influenza A (H1N1) is associated with poor prognosis. 2011 , 15,	1
443	Hemodynamic and echocardiographic characteristics in severe novel influenza A (H1N1) pneumonia. 2011 , 15,	78
442	Gram-positive nosocomial infections in a general ICU: emerging new clues. 2011 , 15,	1
441	Prevalence of Gram-negative bacilli resistance in adult critically ill patients at admission screening. 2011 , 15,	78
440	Risk factors to bloodstream infection due multidrug-resistant Results Acinetobacter baumannii in colonized patients in the ICU. 2011 , 15,	78
439	Blood cultures at central line insertion: a comparison with peripheral venipuncture. 2011 , 15,	78
438	Higher incidence of catheter-related bloodstream infection in femoral venous access than in subclavian venous access in the presence of tracheostomy. 2011 , 15,	78
437	Polyhexanide anti-infective coating of central venous catheters in prevention of catheter colonization and bloodstream infection: Study HC-G-H-0507. 2011 , 15,	5
436	Central line change in potential catheter-related bloodstream infection: target for intervention to reduce harm. 2011 , 15,	78
435	Clostridium difficile-associated diarrhoea in a tertiary referral neurocritical care centre. 2011 , 15,	2
434	A creep in the vancomycin minimum inhibitory concentration for Staphylococcus aureus in a tertiary care hospital in India. 2011 , 15,	78

433	Prognostic impact of imported and newly-isolated methicillin-resistant <i>Staphylococcus aureus</i> in the ICU. 2011 , 15,	78
432	Increased mortality associated with methicillin-resistant <i>Staphylococcus aureus</i> infection in the ICU: results from the EPIC II study. 2011 , 15,	78
431	Intrathecal (intraventricular) polymyxin B in the treatment of patients with meningoencephalitis by <i>Acinetobacter baumannii</i> and <i>Pseudomonas aeruginosa</i> . 2011 , 15,	1
430	Effects of tigecycline and doxycycline in porcine endotoxemia. 2011 , 15,	78
429	Blood transfusions: an independent risk factor for the development of <i>Candida</i> infections in critically ill surgical patients. 2011 , 15,	2
428	Demographic and outcome differences in ICU patients with proven invasive candidiasis, possible invasive candidiasis and probable candida colonization: analysis of the EPIC II study population. 2011 , 15,	78
427	Chinese survey of candidiasis in ICUs: China-SCAN study. 2011 , 15,	78
426	Anidulafungin for candidemia/invasive candidiasis in non-neutropenic ICU patients. 2011 , 15,	78
425	Pharmacokinetics of micafungin in patients with severe burn injuries. 2011 , 15,	78
424	Invasive aspergillosis in critically ill hematology patients: outcomes and prognostic factors associated with mortality. 2011 , 15,	1
423	Effects of endotoxin on pacemaker funny current in HEK 293 cells. 2011 , 15,	78
422	Influence of an immunoglobulin-enriched (IgG, IgA, IgM) solution on activation and immunomodulatory functions of peripheral blood mononuclear cells in a LPS second-hit model. 2011 , 15,	2
421	Lipopolysaccharide induces mitochondrial dysfunction in rat cardiac microvascular endothelial cells. 2011 , 15,	2
420	Monocyte subset recruitment to the peritoneum following abdominal surgical incision in mice. 2011 , 15,	78
419	Influence of body mass index on the innate immune response during human endotoxemia. 2011 , 15,	78
418	Effect of bacterial load versus duration of exposure to bacteria on plasma TNF α concentrations in porcine fecal peritonitis. 2011 , 15,	78
417	Does leukocyte apoptosis play any role in the pathogenesis of experimental pancreatitis?. 2011 , 15,	78
416	IFN γ prolongs survival in experimental <i>Escherichia coli</i> pyelonephritis: implications for favorable phagocytosis. 2011 , 15,	78

415	Regulation of endothelial function by coagulation proteases in sepsis. 2011, 15,	1
414	Effect of HO-3089 PARP inhibitor on inflammatory response. 2011, 15,	78
413	Inflammatory mediator modulation with specific or selective adsorbents. 2011, 15,	78
412	Honokiol attenuates the severity of acute pancreatitis-associated lung injury by acceleration of acinar cell apoptosis. 2011, 15,	78
411	Impact of modulation of the endocannabinoid system on the intestinal microcirculation in experimental sepsis. 2011, 15,	1
410	Desmopressin improves intestinal functional capillary density and decreases leucocyte activation in experimental endotoxemia in the rat. 2011, 15,	78
409	Hypoxic NO-donor nitrite protects sGC-dependently against morbidity and mortality associated with sterile inflammatory shock in mice. 2011, 15,	78
408	Interplay between the innate immune response and heart rate variability in healthy human volunteers. 2011, 15,	78
407	Different correlations between lymphocyte subsets from patients with intra-abdominal sepsis and pneumonia-derived sepsis. 2011, 15,	78
406	AZD9773 is a novel and potent anti-TNF α polyclonal ovine immune Fab. 2011, 15,	78
405	Preclinical pharmacodynamics and safety profiling of AZD9773: a novel anti-TNF α polyclonal immune ovine Fab similar to D-CytoFab. 2011, 15,	78
404	Safety and tolerability of an ovine-derived polyclonal anti-TNF α Fab fragment (AZD9773) in patients with severe sepsis. 2011, 15,	78
403	Evaluation of eritoran tetrasodium (E5564), a TLR4 antagonist, on the QTc interval in healthy subjects. 2011, 15,	78
402	Safety, pharmacokinetics, and pharmacodynamics of 4-hour intravenous infusion of eritoran tetrasodium in healthy Japanese and Caucasian males. 2011, 15,	78
401	Dipyridamole modulates the innate immune response during human endotoxemia. 2011, 15,	78
400	Use of statins in community-acquired pneumonia in intensive care settings: is there a survival advantage?. 2011, 15,	1
399	Atorvastatin for preventing the progression of sepsis to severe sepsis (ASEPSIS Trial): a randomised, double-blind, placebo-controlled trial (ISRCTN64637517). 2011, 15,	4
398	Kinetics of immunoglobulins in septic shock patients. 2011, 15,	1

397	Plasma DNA concentration as an early predictor of outcome in critically ill septic patients. 2011, 15,	78
396	C-reactive protein as an early marker of sepsis resolution: results from the Portuguese Community-acquired Sepsis Study (SACiUCI study). 2011, 15,	0
395	Effect of including procalcitonin and C-reactive protein in the Mortality in Emergency Department Sepsis risk prediction model. 2011, 15,	78
394	Prognostic value of routinely assessed serum biomarkers in septic shock. 2011, 15,	78
393	N-terminal pro-BNP predicts mortality better than procalcitonin in abdominal severe sepsis and septic shock. 2011, 15,	78
392	Prognostic value of proadrenomedullin in severe sepsis and septic shock patients with community-acquired pneumonia. 2011, 15,	1
391	Influence of TIMP-1/MMP-9 ratio on the severity and mortality in sepsis. 2011, 15,	78
390	Impact of pro-domain stability of matrix metalloproteinase-8 on the outcome of sepsis. 2011, 15,	3
389	Pentraxin 3 levels from bronchoalveolar lavage of critically ill patients predict lung infection. 2011, 15,	78
388	Increased levels of soluble triggering receptor expressed on myeloid cells sTREM1 in ICU patients with cardiovascular disease and associated organ dysfunction. 2011, 15,	1
387	Bronchoalveolar lavage/blood ratio of surface TREM-1 on CD14-positive monocytes is diagnostic of ventilator-associated pneumonia. 2011, 15,	78
386	Angiotensin-converting enzyme (ACE) insertion/deletion polymorphism and circulating ACE levels are not associated with outcome in septic critically ill patients. 2011, 15,	78
385	Comparison of the effects of recombinant human soluble thrombomodulin for systemic inflammatory response syndrome-associated coagulopathy with and without continuous hemodiafiltration. 2011, 15,	78
384	Microcirculatory effect of hyperbaric oxygen therapy in septic patients. 2011, 15,	2
383	Lipid metabolism in critically ill patients: a microdialysis study. 2011, 15,	78
382	Does each element of the sepsis resuscitation bundle equally improve patient outcome?. 2011, 15,	78
381	Multicenter trial of a perioperative protocol to reduce mortality in critically ill patients with peptic ulcer perforation: the PULP trial. 2011, 15,	78
380	Effect of organ failure on outcomes in neutropenic sepsis. 2011, 15,	78

379	Belgian dispatchers Telephone cardiopulmonary resuscitation protocol training: an evaluation study. 2011 , 15,	2
378	Comparison of the Mapleson C circuit, 500 ml and 1.6 l self-inflating bags for delivering guideline-compliant ventilation during simulated adult cardiopulmonary resuscitation. 2011 , 15,	78
377	Comparison of nifekalant and amiodarone for resuscitation after cardiopulmonary arrest due to shock-resistant ventricular fibrillation. 2011 , 15,	78
376	Implementation of the FAST emergency vehicle pre-emption system may improve the outcomes of out-of-hospital cardiac arrests: a 7-year observational study. 2011 , 15,	78
375	Responsiveness to EMT-performed basic CPR and its duration predict unachievable sustained return of spontaneous circulation and unavoidable hospital death in unwitnessed out-of-hospital cardiac arrests without bystander CPR. 2011 , 15,	78
374	Is intraosseous access a safe option in adult cardiac arrest? A review of the literature. 2011 , 15,	78
373	A survey on laypersons willingness in performing cardiopulmonary resuscitation. 2011 , 15,	1
372	Effects and limitations of an automated external defibrillator with audiovisual feedback for cardiopulmonary resuscitation: a randomized manikin study. 2011 , 15,	78
371	Introduction of the 2005 cardiopulmonary resuscitation guidelines did not increase return of spontaneous circulation in a physician-staffed prehospital emergency medical system. 2011 , 15,	78
370	Subarachnoid hemorrhage and cardiac arrest: should every resuscitated patient receive cranial imaging?. 2011 , 15,	78
369	Predicting survival in cardiac arrest patients admitted to intensive care using the Prognosis After Resuscitation score. 2011 , 15,	1
368	Survival after cardiac arrest: what is the situation in Lithuania?. 2011 , 15,	78
367	Prognosis after cardiac arrest. 2011 , 15,	78
366	Incidence of lower respiratory tract infections in patients treated with post-cardiac arrest mild therapeutic hypothermia and selective digestive tract decontamination. 2011 , 15,	78
365	Earlier intra-arrest transnasal cooling may be beneficial. 2011 , 15,	78
364	Hyperoxia post cardiac arrest: experience of a UK ICU. 2011 , 15,	1
363	Ammonia and lactate blood levels on hospital arrival predict neurological outcome in patients with out-of-hospital cardiac arrest. 2011 , 15,	78
362	Use of the Medicoool cooling system to increase efficacy of therapeutic hypothermia post cardiac arrest. 2011 , 15,	78

361	Choline kinetics in patients undergoing hypothermia treatment: a case observation in six cardiac arrest patients. 2011 , 15,	78
360	Employing knowledge translation interventions to increase the use of therapeutic hypothermia post arrest: the SPARC Network Trial. 2011 , 15,	78
359	Microvascular dysfunction in patients after successful resuscitation. 2011 , 15,	78
358	Application of high-frequency jet ventilation for patients with severe traumatic brain injury. 2011 , 15,	78
357	Efficacy and safety of dopamine agonists in traumatic brain injury: a systematic review of randomized controlled trials. 2011 , 15,	78
356	Update on the RESCUEicp decompressive craniectomy trial. 2011 , 15,	7
355	Cerebral oxygen monitoring in intensive care. 2011 , 15,	78
354	Optimising follow up and outcome assessments in traumatic brain injury trials. 2011 , 15,	1
353	Optimising the consent process in severe traumatic brain injury trials. 2011 , 15,	78
352	Early clinical indices predicting functional survival in severely head-injured patients. 2011 , 15,	78
351	Prognostic value of prehospital single measurement of N-terminal pro-brain natriuretic peptide and troponin T after acute ischemic stroke. 2011 , 15,	78
350	Stroke and thrombolysis: an old disease with a new approach. 2011 , 15,	78
349	Cerebral vasoreactivity is not impaired in patients with severe sepsis. 2011 , 15,	78
348	Significance of admission temperature and impact on mortality in critically ill neurological patients. 2011 , 15,	78
347	Prognostic value of brain glucose levels in the outcome of patients with spontaneous cerebral hemorrhage. 2011 , 15,	78
346	Potential use of transcranial sonography in the sick patient. 2011 , 15,	78
345	Correlation of thermal Doppler flowmetry, brain tissue oxygen and microdialysis values in patients with severe subarachnoid hemorrhage and traumatic brain injury: a preliminary report. 2011 , 15,	78
344	UK practice in management of patients with poor-grade subarachnoid haemorrhage. 2011 , 15,	78

343	Increased plasma neutrophil gelatinase-associated lipocalin levels in poor-grade aneurysmal subarachnoid hemorrhage at admission to the ICU. 2011 , 15,	78
342	Spontaneous subarachnoid hemorrhage: clinical impact, prognostic value and complications. 2011 , 15,	1
341	Global cerebral edema and brain metabolism after subarachnoid hemorrhage. 2011 , 15,	2
340	Incidence, risk factors, and impact on mortality of status epilepticus in sepsis in the United States. 2011 , 15,	1
339	Seizure attacks in viral encephalitis: influence on a course and outcome. 2011 , 15,	1
338	Incidence, risk factors, and impact on hospital mortality of status epilepticus after subdural hemorrhage in the United States. 2011 , 15,	78
337	Electrographic seizures after subarachnoid hemorrhage lead to derangement of brain homeostasis in humans. 2011 , 15,	78
336	Continuous electroencephalography in the surgical ICU. 2011 , 15,	78
335	Continuous electroencephalography in the medico-surgical intensive care setting in Brazil: initial experience after 4 months of implementation. 2011 , 15,	78
334	Nursing environment and delirium in ICU patients. 2011 , 15,	3
333	Development and validation of an eight-step flowchart based on the CAM-ICU: a quick and highly adaptable tool to determine the presence of delirium in ICU patients. 2011 , 15,	4
332	Delirium assessment in daily critical care with the CAM-ICU: a multicenter study. 2011 , 15,	3
331	Assessment of delirium in intensive care using the CAM-ICU. 2011 , 15,	78
330	Impact of delirium in critically ill patients on long-term health-related quality of life and cognitive functioning. 2011 , 15,	1
329	Effect of rivastigmine as an adjunct to usual care with haloperidol on duration of delirium and mortality in critically ill patients: a multicentre, double-blind, placebo-controlled randomised trial. 2011 , 15,	0
328	Biomarkers of delirium in critically ill patients. 2011 , 15,	1
327	Is delirium associated with pain and administered morphine in patients in the ICU after cardiac surgery?. 2011 , 15,	78
326	Modified Lund concept versus cerebral perfusion pressure-targeted therapy: a randomized controlled study in patients with secondary brain ischaemia. 2011 , 15,	78

325	Brain midline shift assessment using sonography in neurocritical care patients. 2011, 15,	78
324	Hypernatremia in neurointensive care: results of a 5-year prospective study. 2011, 15,	78
323	Paracetamol-induced skin blood flow and blood pressure changes. 2011, 15,	1
322	Intravenous paracetamol pharmacokinetics in neonates: a pooled analysis. 2011, 15,	78
321	Tramadol and O-demethyltramadol disposition in humans: a pooled study. 2011, 15,	78
320	Bispectral index monitoring reduces sedative and vasopressor requirements during percutaneous tracheostomy. 2011, 15,	78
319	How is sedation provided for percutaneous dilatational tracheostomy in English ICUs?. 2011, 15,	1
318	Meta-analysis of detection of respiratory events during procedural sedation. 2011, 15,	1
317	Decreased postoperative nausea and vomiting with dexmedetomidine after off-pump coronary artery bypass grafting. 2011, 15,	3
316	Heart rate variability during infusion of dexmedetomidine. 2011, 15,	1
315	Pharmacokinetics of long-lasting, high-dose dexmedetomidine infusions in critically ill patients. 2011, 15,	78
314	Hemodynamic, metabolic and inflammatory effects of dexmedetomidine in a pig model of septic shock. 2011, 15,	78
313	Dexmedetomidine improves attention and recall in agitated critically ill patients. 2011, 15,	1
312	Skin conductance variability in ICU patients: an observational study of the relation to pain and Motor Activity Assessment Scale level. 2011, 15,	78
311	Change in hypnotic sedative choice over time as a surrogate marker of improved performance. 2011, 15,	78
310	What happens to all that propofol during prolonged sedation?. 2011, 15,	78
309	Psychological long-term effects of a no-sedation protocol in critically ill patients. 2011, 15,	78
308	Cannabinoid receptor-1 inhibition causes anesthetic-induced excitation in septic rats. 2011, 15,	78

307	Introduction of a remifentanil-based analgo-sedation protocol leads to a reduction of duration of mechanical ventilation and ICU stay in critically ill patients. 2011 , 15,	78
306	Validity and reliability of the Johns Hopkins Adapted Cognitive Exam for critically ill patients. 2011 , 15,	78
305	UDP glucuronosyltransferase 2B7 single nucleotide polymorphism (rs7439366) influences heat pain response in human volunteers after i.v. morphine infusion. 2011 , 15,	1
304	Metformin increases skeletal muscle lactate production in pigs: a microdialysis study. 2011 , 15,	78
303	Bilirubin and carboxy-hemoglobin concentrations in critically ill patients: prognostic significance of free heme metabolites. 2011 , 15,	0
302	Effects of N-acetylcysteine on the erythrocyte and liver cholinesterase, nitric oxide and malondialdehyde levels in acute organophosphate toxicity. 2011 , 15,	1
301	Effects of CoQ10 on the erythrocyte and heart tissue cholinesterase, nitric oxide and malondialdehyde levels in acute organophosphate toxicity. 2011 , 15,	78
300	Natriuretic peptide-induced hyponatremia in a patient with left atrial myxoma. 2011 , 15,	2
299	Hypophosphatemia of prognostic value in acute exacerbation of COPD. 2011 , 15,	78
298	Investigation and management of hypocalcaemia amongst critically ill patients. 2011 , 15,	78
297	Seasonal vitamin D variability and its effects on the innate immune response during human endotoxemia. 2011 , 15,	78
296	High bone turnover in critically vitamin-D-deficient patients. 2011 , 15,	78
295	Low whole blood selenium level is associated with higher mortality and longer ICU and hospital stay in patients undergoing elective cardiac surgery. 2011 , 15,	78
294	Effects of high doses of selenium on the antioxidant status after liver resection. 2011 , 15,	1
293	Nutritional support in severe traumatic brain injury. 2011 , 15,	78
292	Energy deficit and hospital length of stay can be reduced by quality management of nutrition therapy: the ICU dietitian is essential. 2011 , 15,	78
291	Enteral feed absorption during therapeutic hypothermia following out-of-hospital cardiac arrest. 2011 , 15,	2
290	Enteral nutrition in mechanically ventilated patients with cervical spinal cord injury. 2011 , 15,	78

289	Nasogastric feeding intolerance in the critically ill. 2011, 15,	4
288	Enteral nutrition products in ICUs: data from NutritionDay. 2011, 15,	2
287	Protein losses and nitrogen balance during continuous renal replacement therapy. 2011, 15,	78
286	Impact of cumulative calorie and protein deficits in critically ill patients. 2011, 15,	3
285	Lipid-enriched and protein-enriched enteral nutrition limits inflammation in a human endotoxemia model. 2011, 15,	1
284	Inflammation causes arginine to become an essential amino acid in critically ill children. 2011, 15,	78
283	Comparison of the effects of intravenous, enteral and enteral + intravenous supply of glutamine on malnutrition in sepsis. 2011, 15,	1
282	Insufficient activation of autophagy allows accumulation of cellular damage and may contribute to sustained organ failure in prolonged critically ill patients. 2011, 15,	0
281	Glucose absorption following gastric and small intestinal nutrient administration in the critically ill. 2011, 15,	1
280	Enhanced insulin sensitivity variability in the first 3 days of ICU stay: implications for tight glycemic control. 2011, 15,	78
279	Endogenous insulin secretion and suppression during and after sepsis in critically ill patients: implications for tight glycemic control protocols. 2011, 15,	3
278	Effects of hyperglycemia and intensive insulin therapy on neurons and glial cells during critical illness. 2011, 15,	78
277	Errors in preparation of insulin infusions for critically ill patients. 2011, 15,	78
276	Blood glucose variability, measured as mean absolute glucose, strongly depends on the frequency of blood glucose level measurements. 2011, 15,	4
275	Validation of a virtual patient and virtual trials method for accurate prediction of tight glycemic control protocol performance. 2011, 15,	78
274	Intensive insulin therapy-associated costs differ substantially between ICUs. 2011, 15,	78
273	Tight glucose control managed by ICU nurses induces extremely low rates of hypoglycemia. 2011, 15,	2
272	Investigation of the blood glucose target for mortality reduction by means of bedside-type artificial pancreas. 2011, 15,	78

271	Mild hypoglycemia is independently associated with increased mortality in the critically ill. 2011, 15,	4
270	Malglycemia is strongly associated with increased risk of ICU-acquired infection. 2011, 15,	1
269	Intensive insulin therapy-induced severe hypoglycemia does not affect long-term functional and cognitive outcome or health-related quality of life. 2011, 15,	78
268	Decreased intravenous glucose intake safely prevents hyperglycemia in postsurgical children. 2011, 15,	78
267	Space GlucoseControl with the incorporated enhanced model predictive control algorithm is a safe and reliable tool for glycaemic control in medical ICU patients. 2011, 15,	78
266	Glucose variability and ICU outcome. 2011, 15,	78
265	Glycemic control in critically ill infants and children: achieved quality of control in daily clinical practice in Leuven after a RCT. 2011, 15,	78
264	Glycemia in blood, brain and subcutaneous tissue measured by a continuous glucose monitoring system. 2011, 15,	1
263	Evaluation of a continuous blood glucose monitoring system using central venous microdialysis. 2011, 15,	1
262	Accuracy of glucose measurements in critically ill patients. 2011, 15,	78
261	Comparison of glucose variability measures. 2011, 15,	78
260	Alarm performance in a novel continuous glucose monitor. 2011, 15,	78
259	Salivary cortisol measurements in mechanically ventilated patients. 2011, 15,	78
258	Plasma free cortisol and b-type natriuretic peptide in septic shock. 2011, 15,	78
257	Interstitial cortisol levels obtained by adipose tissue microdialysis in mechanically ventilated septic patients: correlations with total and free serum cortisol. 2011, 15,	78
256	Early administration of hydrocortisone replacement after advent of septic shock is a major determinant of final outcome. 2011, 15,	78
255	Low preoperative total lymphocyte count as a predictor of poor outcome in adult cardiac surgery. 2011, 15,	1
254	Usefulness of presepsin (sCD14-ST) measurements as a marker for the diagnosis and severity of sepsis in systemic inflammatory response syndrome. 2011, 15,	78

253	Assessment of IL-18 values in septic acute lung injury/acute respiratory distress syndrome patients. 2011, 15,	78
252	Activation of endothelial damage by TNF α and IFN γ in ischemia/reperfusion injury and systemic inflammation. 2011, 15,	78
251	SAPO-1/Fas and sFas-L ratio, level of Bcl-2 and p53 as a predictors of multiple organ dysfunction syndrome in polytrauma. 2011, 15,	78
250	Sulfonated immunoglobulin improves cardiopulmonary functions by promoting IGF-I production in ARDS patients with severe sepsis. 2011, 15,	78
249	Fluorinated groups mediate the immunomodulatory effects of volatile anesthetics in acute pulmonary inflammation. 2011, 15,	78
248	Soluble triggering receptor expressed on myeloid cells as a marker of non-infectious systemic inflammatory response syndrome. 2011, 15,	78
247	Anemia profile in critical septic patients hospitalized in the ICU. 2011, 15,	78
246	The normobaric oxygen paradox: does it increase haemoglobin?. 2011, 15,	4
245	Transfusion of red blood cells does not increase transcutaneous oxygen tension. 2011, 15,	78
244	Role of CD40 ligand in transfusion-related acute lung injury. 2011, 15,	78
243	Tissue oxygen monitoring leads to lower rates of blood transfusions. 2011, 15,	2
242	Central venous to arterial carbon dioxide gap as an indicator of oxygen debt in isovolemic anemia. 2011, 15,	78
241	Blood transfusion during cardiac surgery dose-dependently stimulates inflammation and coagulopathy in the lung: a case-control study. 2011, 15,	1
240	Red blood cell transfusion thresholds in pediatric septic patients. 2011, 15,	78
239	Accuracy of a continuous non-invasive hemoglobin monitor in the ICU. 2011, 15,	78
238	Safety and effectiveness of different treatment regimes with tranexamic acid in elective cardiopulmonary bypass patients. 2011, 15,	78
237	Anticoagulant effect of prothrombin complex concentrates: a whole blood in vitro study. 2011, 15,	78
236	Failure to correct the international normalized ratio in patients with anticoagulant-related major bleeding is associated with increased 90-day mortality. 2011, 15,	78

235	Thromboembolic risks of recombinant factor VIIa use in warfarin-associated intracranial hemorrhage. 2011, 15,	78
234	Does the coagulation profile really matter in central venous cannulation? A review of the literature. 2011, 15,	2
233	Monitoring of coagulation in patients after abdominal cancer surgery. 2011, 15,	78
232	Overuse of coagulation parameter testing in critically ill patients. 2011, 15,	78
231	Applying a new method for studying the functional state of hemostasis in clinical practice. 2011, 15,	78
230	Comparison of point-of-care thrombelastography versus conventional coagulation tests in the emergency department management of trauma. 2011, 15,	1
229	Effect of hypothermia on coagulation functions in Sprague-Dawley rats with uncontrolled hemorrhagic shock. 2011, 15,	78
228	Sepsis: thrombocytopenia is bad, not recovering thrombocytopenia is too bad. 2011, 15,	1
227	Thrombocytopenia: incidence and clinical impact on ICU mortality. 2011, 15,	78
226	Sepsis-induced thrombocytopenia: early prediction and modifiable mortality. 2011, 15,	1
225	Biochemical and hematological parameters (including thromboelastography) differ in patients with sepsis and SIRS after esophagectomy. 2011, 15,	78
224	Use of thromboelastography in severe sepsis: a case-control study. 2011, 15,	1
223	Effect of anemia on coagulation and platelet function: a whole blood in vitro study. 2011, 15,	4
222	Effect of pH levels on platelet aggregation and coagulation: a whole blood in vitro study. 2011, 15,	2
221	Hemostasis system condition in progress of sepsis in severe burns. 2011, 15,	78
220	Muscular compartment syndrome and in vivo optical spectroscopy monitoring: a new model. 2011, 15,	78
219	Effects of sepsis on venous microcirculation: non-invasive evaluation by quantitative near-infrared spectroscopy. 2011, 15,	78
218	Role of microcirculatory monitoring in polytraumatic patients. 2011, 15,	78

217	Early trauma deaths in a level 1 trauma center: whole-body 16-MDCT is associated with a threefold increase in the time interval from hospital access to emergency surgery if compared with a US-based protocol. 2011, 15,	78
216	Diagnostic value of duplex ultrasonography in comparison with conventional angiography in the assessment of traumatic arterial injuries of the extremities. 2011, 15,	78
215	Simple predictive scoring system for ventilator-associated pneumonia in trauma patients. 2011, 15,	78
214	Effect of a trauma proforma on the quality of documentation in the Emergency Department. 2011, 15,	78
213	Efficiency of a French-language triage algorithm in the Emergency Department. 2011, 15,	1
212	Optimized patient transfer using an innovative multidisciplinary assessment in the Kanton Aargau (OPTIMA I): an observational survey in lower respiratory tract infections. 2011, 15,	2
211	Agreement of pain assessment between nurses and patients in the Emergency Department. 2011, 15,	1
210	Effect of delayed ICU admission on mortality and morbidity. 2011, 15,	78
209	Case note and chart review of mortality in patients with a predicted low risk of death on admission to the ICU. 2011, 15,	78
208	Cost impact of blocking: predictability of ICU patient throughput and cost variance using process modeling. 2011, 15,	78
207	ICU readmission: good or bad?. 2011, 15,	78
206	Is the ASA physical status classification system a good prognostic index for ICU admissions?. 2011, 15,	0
205	Factors and consequences associated with a delay in the discharge process of patients from an adult critical care unit. 2011, 15,	1
204	Delayed ITU discharge: causes and impact. 2011, 15,	1
203	Length of hospital stay prior to ICU admission and outcome. 2011, 15,	78
202	Intensive care admission triage for a pandemic: are government tools acceptable to UK intensivists?. 2011, 15,	78
201	Patients profile admitted to the ICU after establishment of a regulatory policy system for ICU patient allocation at public hospitals in Rio de Janeiro, Brazil. 2011, 15,	78
200	Changes in very older person admissions to an ICU over a decade. 2011, 15,	78

199	Effect of introducing training in assessment tools for foundation trainees (F2) in intensive care and anaesthesia in a UK teaching hospital. 2011, 15,	78
198	Model Team in the ICU: does the implementation of intensive care assistants affect ICU nursing activity?. 2011, 15,	78
197	Impact of implementing a critical care team in an open general ICU. 2011, 15,	78
196	Impact of a program of training on the performance of a track and trigger system and outcome of ICU admissions. 2011, 15,	78
195	Impact of increased numbers of intensive care consultants on outcome in a central London teaching hospital. 2011, 15,	78
194	Intensivist-led on-call service: key step in mortality reduction. 2011, 15,	1
193	Mews Anesthesia Team: a project for in-hospital patient safety. 2011, 15,	78
192	Does implementing a rapid response system decrease the number of in-hospital cardiac arrests?. 2011, 15,	78
191	Impact of training in the use of an early warning system on in-hospital cardiac arrests. 2011, 15,	78
190	Daily physiological goal-setting: medical prescription and nursing adherence in a London teaching hospital ICU. 2011, 15,	78
189	Automated reporting of safety bundles: streamlining the performance improvement process. 2011, 15,	78
188	Prevalence, clinical management and risks associated with acute faecal incontinence in the critical care setting: the FIRST questionnaire survey. 2011, 15,	0
187	Patient safety in ICUs: adverse events characterization and potential risk factors. 2011, 15,	2
186	Failure to define level 1 care. 2011, 15,	78
185	Robotic telepresence in acute care facilities in community hospitals in Mexico. 2011, 15,	78
184	System-level concentration of services for mechanically ventilated patients can mask substantial regional heterogeneity and disorganization. 2011, 15,	78
183	Understanding staff perspectives on collaborative quality improvement in the ICU: a qualitative exploration. 2011, 15,	78
182	Improving medication safety on critical care using an anonymous electronic medication incident reporting system. 2011, 15,	78

181	Reduction in the incidence of VAP and mortality rates in the ICU after implementation of hand hygiene education protocols and extensive ICU reconstruction work. 2011, 15,	78
180	Paediatric admissions to an adult ICU in a district general hospital in the UK. 2011, 15,	78
179	Factors associated with compassion fatigue among ICU nurses in Greece. 2011, 15,	5
178	Burnout in ICUs in Portugal: is there? Are there differences between doctors and nurses?. 2011, 15,	78
177	Medical handovers in the ICU: a snapshot of practice in the South West of France. 2011, 15,	1
176	Ratio of observed to predicted deaths in pediatric patients after introducing a closing policy in a general ICU. 2011, 15,	78
175	Safety programme reduces ICU mortality. 2011, 15,	78
174	Critical care outcome of pulmonary artery hypertension. 2011, 15,	78
173	Outcomes of haematopoietic stem cell transplant patients admitted to the ICU. 2011, 15,	78
172	Patterns of infection and impact on outcome in haematology patients admitted to intensive care. 2011, 15,	1
171	Outcome of haematology patients admitted to intensive care in a tertiary centre: primary haematological diagnosis, recent chemotherapy and bone marrow transplantation are not associated with outcome. 2011, 15,	1
170	New prognosis inflammatory and nutritional indexes: comparison with the Prognostic Inflammatory and Nutritional Index as reference index. 2011, 15,	78
169	Feasibility and utility of frailty assessment in the over 80s on critical care. 2011, 15,	1
168	Quality of life in the over-80-year-old medical patient following intensive care. 2011, 15,	78
167	Is age a predictor of mortality in medical high-dependency units?. 2011, 15,	78
166	Inadvisably presenting APACHE scores as parametric data: a study of 200 original articles from leading journals. 2011, 15,	1
165	ICU scoring systems: which one to use in oncology patients?. 2011, 15,	78
164	Do scoring systems predict mortality following emergency abdominal aortic aneurysm repair? The Norwich experience. 2011, 15,	78

163	Influence of resuscitation status on the performance of APACHE III, APACHE IV and SAPS III. 2011 , 15,	78
162	Limitations of the use of the Glasgow Coma Scale in intensive care patients with non-neurological primary disease: a search for alternatives. 2011 , 15,	6
161	ManChEWS: Royal Manchester Children's Hospital early warning score. 2011 , 15,	2
160	Does an open level 2 medical high-dependency unit improve outcomes for critically ill patients? Using the APACHE II scoring system in a district general hospital in the UK. 2011 , 15,	78
159	Gastrointestinal failure score alone and in combination with SOFA score in the assessment of the critically ill patients. 2011 , 15,	1
158	How high must lactate be to predict an adverse outcome?. 2011 , 15,	78
157	Outcome prediction in haematological patients requiring admission to the ICU. 2011 , 15,	78
156	HIV-infected patients in the ICU in the current era of high-activity antiretroviral treatment. 2011 , 15,	78
155	Clinical characteristics and outcomes of obstetric patients requiring ICU admission. 2011 , 15,	1
154	Management and risk factors for maternal morbidity of eclampsia in a Moroccan teaching hospital. 2011 , 15,	78
153	Clinical and diagnostic value of transcranial cerebral oximetry in the optimization of mechanical ventilation in newborn infants. 2011 , 15,	78
152	Assessment of artificial ventilation in Salvadorian public hospitals. 2011 , 15,	78
151	Comparison of the stated religious beliefs amongst UK intensive care physicians and the UK population. 2011 , 15,	78
150	Characteristics of Outreach patients that received end-of-life counseling. 2011 , 15,	1
149	Discussing end-of-life issues with terminally ill cancer patients and their families: our results. 2011 , 15,	78
148	Factors associated with withdrawal of life-sustaining therapy in severe traumatic brain injury patients. 2011 , 15,	78
147	Documenting end-of-life care plans on the ICU: using a digital proforma may improve compliance with nationally agreed standards. 2011 , 15,	78
146	Gender influences end-of-life decisions. 2011 , 15,	78

145	Survey of the use of ancillary tests in the diagnosis of brain stem death. 2011, 15,	1
144	Interactions of endotoxin, albumin function, albumin binding capacity and oxidative stress in brain-dead organ donors. 2011, 15,	78
143	Children visiting the ICU. 2011, 15,	78
142	Is there a difference in response rate and degree of satisfaction among family members of survivors and nonsurvivors at admission to intensive care?. 2011, 15,	78
141	Patient@ families in the ICU: describing their strategies to face the situation. 2011, 15,	78
140	Communication with relatives in the ICU. 2011, 15,	78
139	Inter-observer agreement of Medical Research Council-sum score and handgrip strength in the ICU. 2011, 15,	2
138	Assessment of functional capacity after discharge from the ICU. 2011, 15,	78
137	Rehabilitation after critical care: using audit to guide changes in practice, a multidisciplinary (MDT) approach. 2011, 15,	78
136	An audit of adult critical care rehabilitation processes in a UK district general hospital based on NICE guidelines. 2011, 15,	78
135	Follow-up after critical care. 2011, 15,	78
134	Sunlight exposure does not influence ICU survival. 2011, 15,	78
133	Incidents related to intrahospital transport of patients in the ICU. 2011, 15,	1
132	Systematic review of industry-led versus investigator-led randomized controlled trials. 2011, 15,	78
131	Female authors in top-rank journals of different medical specialties. 2011, 15,	1
130	National survey of protective eye care practices in the critically ill. 2011, 15,	6
129	Sleep disturbances in the ICU. 2011, 15,	78
128	Inhaled colistin for the treatment of ventilator-associated tracheobronchitis in critically ill patients. 2011, 15,	78

127	Erratum to: Prevalence, clinical management and risks associated with acute faecal incontinence in the critical care setting: The FIRST questionnaire survey. 2011 , 15,	78
126	Effects of thyroid hormones on major cardiovascular risk in acute coronary syndromes. 2011 , 15,	1
125	Antiplatelet drugs: a review of their pharmacology and management in the perioperative period. 2011 , 112, 292-318	150
124	Incidence of cerebral desaturation events in the ICU following cardiac surgery. 2011 , 15,	78
123	Levels of serum B12, folic acid and homocysteine in thromboembolic diseases on admission to the Emergency Department. 2011 , 15,	78
122	Pulmonary embolism in the ICU: clinical and prognostic signification - can we predict mortality?. 2011 , 15,	78
121	Pulmonary embolism diagnostics from the driver function. 2011 , 15,	78
120	Deep venous thrombosis in ICU patients: exploring the submerged part of the iceberg by an expanded intra-ICU ultrasound surveillance program. 2011 , 15,	78
119	Transthoracic echocardiography performed by intensive care fellows: is minimal focused training enough?. 2011 , 15,	0
118	Survey of echocardiography provision and practice in ICUs in the United Kingdom. 2011 , 15,	1
117	Clinical and economic impact of a TEE monitoring system in intensive care. 2011 , 15,	1
116	Usefulness of chest ultrasonography in the management of acute respiratory failure in the emergency room. 2011 , 15,	1
115	Coronary artery disease and differential analysis of a valve calcium score by transthoracic echocardiography. 2011 , 15,	78
114	Prognosis value of dynamic variation of tissue oxygen saturation during severe cardiogenic shock. 2011 , 15,	78
113	Continuous central venous saturation monitoring in critically ill patients. 2011 , 15,	78
112	Femoral venous oxygen saturation is no surrogate for central venous oxygen saturation. 2011 , 15,	78
111	Morbidity of bleeding after cardiac surgery: is it blood transfusion, reoperation for bleeding, or both?. <i>Annals of Thoracic Surgery</i> , 2011 , 91, 1780-90	2.7 157
110	Catecholamine index is a simple and useful marker for bacteremic patients treated by polymyxin B hemoperfusion therapy. 2011 , 15,	78

109	Local and systemic application of tranexamic acid in heart valve surgery: a prospective, randomized, double blind LOST study. 2011 , 32, 303-10		11
108	Stopping aspirin before coronary artery surgery: between the devil and the deep blue sea. 2011 , 123, 571-3		14
107	Transfusion of shed mediastinal blood reduces the use of allogenic blood transfusion without increasing complications. 2011 , 26, 145-50		4
106	Estimating the risk of complications related to re-exploration for bleeding after adult cardiac surgery: a systematic review and meta-analysis. 2012 , 41, 50-5		25
105	Reoperation for bleeding in cardiac surgery. 2012 , 14, 709-13		47
104	eComment. Postoperative bleeding in cardiac surgery: the issue is not resolved yet. 2012 , 14, 713		
103	Fibrinogen as a hemostatic agent. 2012 , 38, 268-73		564
102	Con: early extubation in the operating room following cardiac surgery. <i>Seminars in Cardiothoracic and Vascular Anesthesia</i> , 2012 , 16, 187-9	1.4	13
101	eComment. Re: Re-exploration for bleeding or tamponade after cardiac operation. 2012 , 14, 707-8		
100	Management of cardiac tamponade after cardiac surgery. 2012 , 26, 302-11		26
99	Can topical application of tranexamic acid reduce blood loss in thoracic surgery? A prospective randomised double blind investigation. 2012 , 21, 706-10		17
98	Major bleeding, transfusions, and anemia: the deadly triad of cardiac surgery. <i>Annals of Thoracic Surgery</i> , 2013 , 96, 478-85	2.7	193
97	Performance monitoring in cardiac surgery: application of statistical process control to a single-site database. 2013 , 22, 634-41		10
96	Use of graphical statistical process control tools to monitor and improve outcomes in cardiac surgery. 2013 , 22, 92-9		7
95	Factor IX complex for the treatment of severe bleeding after cardiac surgery. 2013 , 62, 67-71		6
94	Cardiac surgery Emergency reoperation after open heart surgery: ten years of experience. 2013 , 3, 195-198		
93	Antifibrinolytics, aspirin and cardiac surgery: evidence, guidelines and implications for current research. 2014 , 42, 293-7		
92	Safety and efficacy outcomes of preoperative aspirin in patients undergoing coronary artery bypass grafting: a systematic review and meta-analysis. 2014 , 19, 97-113		20

91	Polyglycolic acid sheet with fibrin glue potentiates the effect of a fibrin-based haemostat in cardiac surgery. <i>Journal of Cardiothoracic Surgery</i> , 2014 , 9, 121	1.6	6
90	Isolated central venous pressure elevation caused by hematoma formation compressing the superior vena cava following a Bentall operation: a case report. 2014 , 66, 71-4		2
89	Universal definition of perioperative bleeding in adult cardiac surgery. 2014 , 147, 1458-1463.e1		206
88	Genetic variation influences the risk of bleeding after cardiac surgery: novel associations and validation of previous findings. 2015 , 59, 796-806		9
87	Association Between Preoperative Aspirin-dosing Strategy and Mortality After Coronary Artery Bypass Graft Surgery. 2015 , 262, 1150-6		11
86	Correcting thrombin generation ex vivo using different haemostatic agents following cardiac surgery requiring the use of cardiopulmonary bypass. 2015 , 26, 357-67		20
85	Indications for red blood cell transfusion in cardiac surgery: a systematic review and meta-analysis. 2015 , 2, e543-53		75
84	Hemostatic and thrombotic issues in cardiac surgery. 2015 , 41, 84-90		44
83	Simulation trainer for practicing emergent open thoracotomy procedures. 2015 , 197, 78-84		11
82	Aspirin and coronary artery surgery: a systematic review and meta-analysis. 2015 , 115, 376-85		56
81	Risk scores to facilitate preoperative prediction of transfusion and large volume blood transfusion associated with adult cardiac surgery. 2015 , 114, 757-66		46
80	Delayed sternal closure after assist device implantation: Not all bleeding stops. 2015 , 150, 418-20		
79	Desmopressin after cardiac surgery in bleeding patients. A multicenter randomized trial. 2016 , 60, 892-900		12
78	Are all heparins safe for on-pump heart surgery?. 2016 , 15, 897-901		1
77	Reexploration for Bleeding and Its Association With Mortality After Cardiac Surgery. <i>Annals of Thoracic Surgery</i> , 2016 , 102, 109-17	2.7	60
76	Platelet inhibition and bleeding complications in cardiac surgery: A review. <i>Scandinavian Cardiovascular Journal</i> , 2016 , 50, 349-354	2	7
75	The effectiveness of 10 years of interventions to control postoperative bleeding in adult cardiac surgery. 2017 , 24, 196-202		18
74	Quantifying the effect of complications on patient flow, costs and surgical throughputs. 2016 , 16, 136		5

73	Impact of retained blood requiring reintervention on outcomes after cardiac surgery. 2016 , 152, 595-601.e4	23
72	A different management of saphenous vein graft failure related to cardiac tamponade following coronary surgery. 2016 , 2, 6-8	0
71	Bleeding risk assessment in patients undergoing elective cardiac surgery using ROTEM(®) platelet and Multiplate(®) impedance aggregometry. 2016 , 71, 636-47	45
70	Outcome measures and quality markers for perioperative blood loss and transfusion in cardiac surgery. 2016 , 63, 169-75	9
69	Predictors and impact of massive bleeding in acute type A aortic dissection. 2017 , 24, 498-505	14
68	Temporal changes in clot lysis and clot stability following tranexamic acid in cardiac surgery. 2017 , 28, 295-302	5
67	Routine use of viscoelastic blood tests for diagnosis and treatment of coagulopathic bleeding in cardiac surgery: updated systematic review and meta-analysis. 2017 , 118, 823-833	101
66	Re-exploration due to bleeding is not associated with severe postoperative complications. 2017 , 25, 233-240	4
65	Antiplatelet Therapy, Platelet Function Testing, and Bleeding Complications in Cardiac Surgery Patients. 2017 , 43, 699-705	6
64	How detrimental is reexploration for bleeding after cardiac surgery?. 2017 , 154, 927-935	32
63	Postoperative bleeding in coronary artery bypass patients on double antiplatelet therapy: predictive value of preoperative aggregometry. 2017 , 52, 901-908	19
62	Recombinant factor VIIa use in acute type A aortic dissection repair: A multicenter propensity-score-matched report from the Nordic Consortium for Acute Type A Aortic Dissection. 2017 , 154, 1852-1859.e2	8
61	Tranexamic Acid in Patients Undergoing Coronary-Artery Surgery. 2017 , 376, 136-148	311
60	Incidence, risk factors, and prognostic impact of re-exploration for bleeding after cardiac surgery: A retrospective cohort study. 2017 , 48, 166-173	14
59	Consensus Document of the Italian Association of Hospital Cardiologists (ANMCO), Italian Society of Cardiology (SIC), Italian Association of Interventional Cardiology (SICI-GISE) and Italian Society of Cardiac Surgery (SICCH): clinical approach to pharmacologic pre-treatment for patients undergoing myocardial revascularization procedures. 2017 , 19, D151-D162	0
58	Risk scoring for prediction of postoperative bleeding in cardiac surgery. 2018 , 26, 185-190	
57	The design of an adaptive clinical trial to evaluate the efficacy of platelets stored at low temperature in surgical patients. 2018 , 84, S41-S46	7
56	Which Came First, the Chicken or the Egg?-Clinical Dilemmas in Managing Postoperative Bleeding and Decision-making for Re-exploration After Cardiac Surgery. 2018 , 32, 1625-1626	0

55	Low Fibrinogen Is Associated with Increased Bleeding-Related Re-exploration after Cardiac Surgery. 2018 , 66, 622-628		7
54	2017 EACTS/EACTA Guidelines on patient blood management for adult cardiac surgery. 2018 , 53, 79-111		165
53	2017 EACTS/EACTA Guidelines on patient blood management for adult cardiac surgery. 2018 , 32, 88-120		155
52	Respiratory Complications and Management After Adult Cardiac Surgery. 2018 , 327-363		
51	Patient Blood Management in Cardiac Surgery. 2019 , 9, 215-222		6
50	Outcome Prediction After Coronary Surgery and Redo Surgery for Bleeding (From the KROK Registry). 2019 , 33, 2930-2937		4
49	Development and validation of a measurement system for continuously monitoring postoperative reservoir levels. 2019 , 42, 611-617		0
48	In-hospital and mid-term outcomes in patients reoperated on due to bleeding following coronary artery surgery (from the KROK Registry). 2019 ,		3
47	Mitigating the Risk: Transfusion or Reoperation for Bleeding After Cardiac Surgery. <i>Annals of Thoracic Surgery</i> , 2020 , 110, 457-463	2.7	8
46	Factor XIII activity in patients requiring surgical re-exploration for bleeding after elective cardiac surgery - A prospective case control study. 2020 , 56, 18-25		4
45	Re-exploration after off-pump coronary artery bypass grafting: Incidence, risk factors, and impact of timing. <i>Journal of Cardiac Surgery</i> , 2020 , 35, 3062-3069	1.3	3
44	Reoperation for bleeding following coronary artery bypass surgery with special focus on long-term outcomes. <i>Scandinavian Cardiovascular Journal</i> , 2020 , 54, 265-273	2	1
43	Platelet Transfusion in Cardiac Surgery: A Systematic Review and Meta-Analysis. <i>Annals of Thoracic Surgery</i> , 2021 , 111, 607-614	2.7	8
42	General Preoperative Considerations and Preparation of the Patient for Surgery. 2021 , 173-216		
41	Mediastinal Bleeding. 2021 , 417-455		
40	Long-Term Outcomes of Reoperation for Bleeding After Cardiac Surgery. 2021 , 33, 764-773		2
39	Device-Induced Hemostatic Disorders in Mechanically Assisted Circulation. 2021 , 27, 1076029620982374		4
38	The death risk factors of patients undergoing re-exploration for bleeding or tamponade after isolated off-pump coronary artery bypass grafting: a case-control study. 2021 , 21, 204		

37	Safety and Efficacy of Non-Vitamin K Oral Anticoagulant Use Early After Cardiac Surgery: A Systematic Review. 2021 , 55, 1525-1535		0
36	Impact of ABO blood group on bleeding complications after surgery for acute type A aortic dissection. 2021 , 32, 253-258		
35	Trends and Outcomes of Surgical Reexploration After Cardiac Operations in the United States. <i>Annals of Thoracic Surgery</i> , 2021 ,	2.7	0
34	Early Chest Re-Exploration for Excessive Bleeding in Post Cardiac Surgery Patients: Does It Matter?. 2021 , 13, e15091		
33	Reoperation for bleeding in an elective cardiac surgical population - Does it affect survival?. 2021 , 13, 198-202		
32	Effect of an assessment of fibrin-based rotational thromboelastometry on blood transfusion and clinical outcomes in cardiovascular surgery: A cohort study. 2021 , 103202		0
31	Factors associated with excessive bleeding following elective on-pump coronary artery bypass grafting. <i>Journal of Cardiac Surgery</i> , 2021 , 36, 1277-1281	1.3	4
30	Prevention of hemorrhagic complications during operations on the thoracic aorta. <i>Russian Journal of Cardiology</i> , 2018 , 70-76	1.3	3
29	Antifibrinolytics and cardiac surgery: The past, the present, and the future. <i>Annals of Cardiac Anaesthesia</i> , 2020 , 23, 193-199	1.3	3
28	Outcome and survival after open heart surgery for adults with congenital heart disease - a single center experience. <i>Scandinavian Cardiovascular Journal</i> , 2021 , 55, 345-353	2	
27	Intensivbehandlung nach Herzoperationen. 2009 , 237-260		
26	Blood and Fluid Management during Cardiac Surgery. 2011 , 933-948		
25	High Altitude: A Possible Reason for Postoperative Bleeding after Coronary Artery Bypass Graft Operations. <i>World Journal of Cardiovascular Diseases</i> , 2015 , 05, 79-86	0	
24	Tachoömb in practice of cardiovascular surgeon. <i>Kardiologiya I Serdechno-Sosudistaya Khirurgiya</i> , 2016 , 9, 82	0.3	0
23	Intensivbehandlung nach Herzoperationen. 2017 , 221-257		
22	Diagnostic and therapeutic medical devices for safer blood management in cardiac surgery: systematic reviews, observational studies and randomised controlled trials. <i>Programme Grants for Applied Research</i> , 2017 , 5, 1-406	1.5	3
21	CAN TOPICAL TRANEXAMIC ACID APPLICATION ON PUMP CORONARY ARTERY BYPASS GRAFT SURGERY REDUCE POSTOPERATIVE BLOOD LOSS. <i>Journal of Evolution of Medical and Dental Sciences</i> , 2018 , 7, 571-573	0.1	
20	Consensus Report on Patient Blood Management in Cardiac Surgery by Turkish Society of Cardiovascular Surgery (TSCVS), Turkish Society of Cardiology (TSC), and Society of Cardio-Vascular-Thoracic Anaesthesia and Intensive Care (SCTAIC). <i>Turkish Journal of Thoracic and Cardiovascular Surgery</i> , 2019 , 27, 422-450	0.5	2

19	Hemostasis in Cardiac Surgery: How We Do it with Limited Resources.		
18	Bleeding and Re-exploration After Cardiac Surgery. 2020 , 763-768		
17	[Blood loss control during endoscopic vein harvesting for myocardial revascularization in patients with acute coronary syndrome]. <i>Angiologiia I Sosudistaia Khirurgiia = Angiology and Vascular Surgery</i> , 2020 , 26, 156-162	0.6	
16	Blood Conservation Strategies in Cardiac Surgery. 2020 , 63-68		
15	Primary isolated CABG restrictive blood transfusion protocol reduces transfusions and length of stay. <i>Journal of Cardiac Surgery</i> , 2020 , 35, 2506-2511	1.3	0
14	Tamponade and Chest Re-opening. 2021 , 589-596		
13	Re-exploration after open heart surgery at the madras medical mission, chennai, India. <i>Journal of the West African Colleges of Surgeons</i> , 2011 , 1, 1-17	0	1
12	Meaningful outcome measures in cardiac surgery. <i>Journal of Extra-Corporeal Technology</i> , 2014 , 46, 23-7	0.4	10
11	Getting it right: optimizing transfusion management during the procedure. <i>Journal of Extra-Corporeal Technology</i> , 2009 , 41, P65-70	0.4	1
10	Emergency cardiac surgery in patients on oral anticoagulants and antiplatelet medications. <i>Journal of Cardiac Surgery</i> , 2022 , 37, 214-222	1.3	
9	Five-minute test to prevent postcardiotomy reexploration.. <i>JTCVS Techniques</i> , 2022 , 12, 121-129	0.2	
8	Right ventricular laceration caused by sternal wire fracture following cardiac surgery: a case report. <i>Indian Journal of Thoracic and Cardiovascular Surgery</i> , 1	0.4	
7	Analysis of prognostic factors for in-hospital mortality in patients with unplanned re-exploration after cardiovascular surgery.. <i>Journal of Cardiothoracic Surgery</i> , 2022 , 17, 82	1.6	
6	Rotational Thromboelastometry Values After On-Pump Cardiac Surgery [A Retrospective Cohort Study. <i>Seminars in Cardiothoracic and Vascular Anesthesia</i> , 108925322210882	1.4	0
5	Preoperative clinical application of human fibrinogen in patients with acute Stanford type A aortic dissection: A single-center retrospective study. <i>Journal of Cardiac Surgery</i> ,	1.3	0
4	Early Reexploration for Bleeding Is Associated With Improved Outcome in Cardiac Surgery. 2022 ,		0
3	Major Complications of Cardiac Surgery. 2023 , 537-550		0
2	Effect of Desmopressin on Bleeding After Heart Surgeries: A Narrative Review. 2023 , 13,		0

1 Perioperative transfusion and long-term mortality after cardiac surgery: a meta-analysis.

o