CITATION REPORT List of articles citing



DOI: 10.1016/j.ajhg.2007.08.004 American Journal of Human Genetics, 2008, 82, 19-31.

Source: https://exaly.com/paper-pdf/44008297/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper IF	Citations
246	Molecular chaperones and photoreceptor function. 2008 , 27, 434-49	43
245	Rescue of volume-regulated anion current by bestrophin mutants with altered charge selectivity. 2008 , 132, 537-46	29
244	Molecular physiology of bestrophins: multifunctional membrane proteins linked to best disease and other retinopathies. 2008 , 88, 639-72	281
243	Regulation of bestrophin Cl channels by calcium: role of the C terminus. 2008 , 132, 681-92	67
242	Phenotypic variability due to a novel Glu292Lys variation in exon 8 of the BEST1 gene causing best macular dystrophy. 2009 , 127, 913-20	32
241	ADVIRC is caused by distinct mutations in BEST1 that alter pre-mRNA splicing. 2009 , 46, 620-5	46
240	Enhanced inflow and outflow rates despite lower IOP in bestrophin-2-deficient mice. 2009 , 50, 765-70	43
239	The spectrum of ocular phenotypes caused by mutations in the BEST1 gene. 2009 , 28, 187-205	241
238	Functional roles of bestrophins in ocular epithelia. 2009 , 28, 206-26	103
237	Detailed analysis of retinal function and morphology in a patient with autosomal recessive bestrophinopathy (ARB). 2009 , 118, 239-46	48
236	[Genetic diseases of the retinal pigment epithelium]. 2009 , 106, 311-9	O
235	Dysregulation of human bestrophin-1 by ceramide-induced dephosphorylation. 2009 , 587, 4379-91	24
234	Missense mutations in a retinal pigment epithelium protein, bestrophin-1, cause retinitis pigmentosa. <i>American Journal of Human Genetics</i> , 2009 , 85, 581-92	140
233	BEST1 expression in the retinal pigment epithelium is modulated by OTX family members. 2009 , 18, 128-41	37
232	Childhood macular dystrophies. 2009 , 20, 363-8	4
231	Bibliography. Current world literature. 2009 , 20, 417-22	
230	Clinical and molecular genetic analysis of best vitelliform macular dystrophy. 2009 , 29, 835-47	57

229	Genetic counseling and genetic testing in ophthalmology. 2009 , 20, 343-50	12
228	Novel and homozygous BEST1 mutations in Chinese patients with Best vitelliform macular dystrophy. 2010 , 30, 820-7	32
227	"Cone dystrophy with supernormal rod electroretinogram": a comprehensive genotype/phenotype study including fundus autofluorescence and extensive electrophysiology. 2010 , 30, 51-62	57
226	Bestrophins and retinopathies. 2010 , 460, 559-69	79
225	The presence of bestrophin-1 modulates the Ca2+ recruitment from Ca2+ stores in the ER. 2010 , 460, 163-75	48
224	Suppression of Ca2+ signaling in a mouse model of Best disease. 2010 , 19, 1108-18	80
223	Evaluation of macular structure and function by OCT and electrophysiology in patients with vitelliform macular dystrophy due to mutations in BEST1. 2010 , 51, 4754-65	33
222	SOX9, through interaction with microphthalmia-associated transcription factor (MITF) and OTX2, regulates BEST1 expression in the retinal pigment epithelium. 2010 , 285, 26933-26944	33
221	The retinal pigment epithelium in health and disease. 2010 , 10, 802-23	374
220	Effect of bestrophin-1 on L-type Ca2+ channel activity depends on the Ca2+ channel beta-subunit. 2010 , 91, 630-9	39
219	Chloride channels: often enigmatic, rarely predictable. 2010 , 72, 95-121	263
218	Pediatric Hereditary Macular Degenerations. 2011 , 245-294	
217	Protein misfolding and retinal degeneration. 2011 , 3, a007492	33
216	Anterior segment abnormalities and angle-closure glaucoma in a family with a mutation in the BEST1 gene and Best vitelliform macular dystrophy. <i>Ophthalmic Genetics</i> , 2011 , 32, 217-27	23
215	Systematic screening of BEST1 and PRPH2 in juvenile and adult vitelliform macular dystrophies: a rationale for molecular analysis. 2011 , 118, 1130-6	48
214	Molecular consequences of BEST1 gene mutations in canine multifocal retinopathy predict functional implications for human bestrophinopathies. 2011 , 52, 4497-505	27
213	Autosomal recessive vitelliform macular dystrophy in a large cohort of vitelliform macular dystrophy patients. 2011 , 31, 581-95	60
212	Diagnostic challenges in retinitis pigmentosa: genotypic multiplicity and phenotypic variability. 2011 , 12, 267-75	39

211	BEST1-related autosomal dominant vitreoretinochoroidopathy: a degenerative disease with a range of developmental ocular anomalies. 2011 , 25, 113-8		17
210	Best@ macular dystrophy in Australia: phenotypic profile and identification of novel BEST1 mutations. 2011 , 25, 208-17		13
209	Clinicopathologic findings in Best vitelliform macular dystrophy. 2011 , 249, 745-51		20
208	A homozygous frameshift mutation in BEST1 causes the classical form of Best disease in an autosomal recessive mode. 2011 , 52, 5332-8		36
207	Functional characterization of bestrophin-1 missense mutations associated with autosomal recessive bestrophinopathy. 2011 , 52, 3730-6		42
206	The spectrum of subclinical Best vitelliform macular dystrophy in subjects with mutations in BEST1 gene. 2011 , 52, 4678-84		24
205	Autosomal recessive bestrophinopathy: new observations on the retinal phenotype - clinical and molecular report of an Italian family. 2011 , 225, 228-35		15
204	Autosomal recessive best vitelliform macular dystrophy: report of a family and management of early-onset neovascular complications. 2011 , 129, 211-7		49
203	Disease-associated missense mutations in bestrophin-1 affect cellular trafficking and anion conductance. 2011 , 124, 2988-96		42
202	Childhood-onset autosomal recessive bestrophinopathy. 2011 , 129, 1088-93		36
201	Morphological and functional changes in multifocal vitelliform retinopathy and biallelic mutations in BEST1. <i>Ophthalmic Genetics</i> , 2011 , 32, 83-96	1.2	27
200	OCT findings in young asymptomatic subjects carrying familial BEST1 gene mutations. <i>Ophthalmic Genetics</i> , 2011 , 32, 24-30	1.2	8
199	Three-dimensional distribution of the vitelliform lesion, photoreceptors, and retinal pigment epithelium in the macula of patients with best vitelliform macular dystrophy. 2012 , 130, 357-64		44
198	A novel compound heterozygous mutation in the BEST1 gene causes autosomal recessive Best vitelliform macular dystrophy. 2012 , 26, 866-71		10
197	Phenotype and genotype of patients with autosomal recessive bestrophinopathy. <i>Ophthalmic Genetics</i> , 2012 , 33, 123-9	1.2	27
196	Unilateral vitelliform maculopathy: a comprehensive phenotype study with molecular screening of BEST1 and PRPH2. 2012 , 96, 719-22		3
195	Unilateral vitelliform phenotype in autosomal recessive bestrophinopathy. 2012, 48, 146-50		10
194	The characterization of retinal phenotype in a family with C1QTNF5-related late-onset retinal degeneration. 2012 , 32, 1643-51		21

(2014-2012)

193	Frequency, genotype, and clinical spectrum of best vitelliform macular dystrophy: data from a national center in Denmark. 2012 , 154, 403-412.e4	44
192	Clinical utility gene card for: BEST1-related dystrophies (Bestrophinopathies). 2012 , 20,	47
191	Nonsense-mediated decay as the molecular cause for autosomal recessive bestrophinopathy in two unrelated families. 2012 , 53, 532-7	24
190	Retinal dystrophies and gene therapy. 2012 , 171, 757-65	19
189	Canine multifocal retinopathy in the Australian Shepherd: a case report. 2012 , 15 Suppl 2, 134-8	11
188	Erbliche Ionenkanalerkrankungen der Netzhaut. 2013 , 25, 469-474	
187	Best1 Shot Through the EyeBtructure, Functions and Clinical Implications of Bestrophin-1 Protein. 2013 , 27, 3457-3464	5
186	Macular Dystrophies. 2013 , 852-890	5
185	Autosomal recessive bestrophinopathy: differential diagnosis and treatment options. 2013, 120, 809-20	90
184	A novel homozygous BEST1 mutation correlates with complex ocular phenotypes. 2013 , 120, 1511-2.e2	7
183	Value of anti-VEGF treatment in choroidal neovascularization associated with autosomal recessive bestrophinopathy. 2013 , 19, 59-63	9
182	Differential effects of Best disease causing missense mutations on bestrophin-1 trafficking. 2013 , 22, 4688-97	23
181	Disease-causing mutations in BEST1 gene are associated with altered sorting of bestrophin-1 protein. <i>International Journal of Molecular Sciences</i> , 2013 , 14, 15121-40	12
180	Comprehensive molecular diagnosis of 179 Leber congenital amaurosis and juvenile retinitis pigmentosa patients by targeted next generation sequencing. 2013 , 50, 674-88	125
179	Human photoreceptor outer segments shorten during light adaptation. 2013 , 54, 3721-8	51
178	Flecked retina disorders. 2013 , 510-521.e4	
177	Frequency and clinical pattern of vitelliform macular dystrophy caused by mutations of interphotoreceptor matrix IMPG1 and IMPG2 genes. 2014 , 121, 2406-14	42
176	Disease-causing mutations associated with four bestrophinopathies exhibit disparate effects on the localization, but not the oligomerization, of Bestrophin-1. 2014 , 121, 74-85	30

Best vitelliform macular dystrophy: literature review. **2014**, 9, 784-795

174	Interaction of Bestrophin-1 with 1-palmitoyl-2-oleoyl-sn-glycero-3-phosphocholine (POPC) in surface films. 2014 , 122, 432-438	6
173	Autosomal recessive bestrophinopathy associated with angle-closure glaucoma. 2014, 129, 57-63	24
172	Autophagy in the eye: implications for ocular cell health. 2014 , 124, 56-66	101
171	Ocular phenotype analysis of a family with biallelic mutations in the BEST1 gene. 2014 , 157, 697-709.e1-2	15
170	Causes and consequences of inherited cone disorders. 2014 , 42, 1-26	102
169	Multimodal imaging of adult-onset foveomacular vitelliform dystrophy. Saudi Journal of Ophthalmology, 2014 , 28, 104-10	9
168	New best1 mutations in autosomal recessive bestrophinopathy. 2015 , 35, 773-82	26
167	Reply: To PMID 25748280. 2015 , 35, e56-7	
166	Correspondence. 2015 , 35, e57-8	
165	A Novel BEST1 Mutation in Autosomal Recessive Bestrophinopathy. 2015 , 56, 8141-50	14
164	Autosomal Recessive Bestrophinopathy Is Not Associated With the Loss of Bestrophin-1 Anion Channel Function in a Patient With a Novel BEST1 Mutation. 2015 , 56, 4619-30	31
163	A V235L Mutation of the Human BEST1 Gene Associated with Best Macular Dystrophy with Intra-familial Clinical Variations. 2015 , 06,	
162	Bestrophin 1Phenotypes and Functional Aspects in Bestrophinopathies. <i>Ophthalmic Genetics</i> , 2015 , 36, 193-212	18
161	Adult-onset foveomacular vitelliform dystrophy: A fresh perspective. 2015 , 47, 64-85	62
160	BEST1: the Best Target for Gene and Cell Therapies. 2015 , 23, 1805-9	34
159	Mutation analysis of BEST1 in Japanese patients with Best@vitelliform macular dystrophy. 2015 , 99, 1577-82	16
158	Use of Intravitreal Bevacizumab in a 9-Year-Old Child with Choroidal Neovascularization Associated with Autosomal Recessive Bestrophinopathy. <i>Ophthalmic Genetics</i> , 2015 , 36, 265-9	9

(2017-2016)

157	BESTROPHINOPATHY: A Spectrum of Ocular Abnormalities Caused by the c.614T>C Mutation in the BEST1 Gene. 2016 , 36, 1586-95	17
156	Restoration of mutant bestrophin-1 expression, localisation and function in a polarised epithelial cell model. 2016 , 9, 1317-1328	14
155	BESTROPHIN1 mutations cause defective chloride conductance in patient stem cell-derived RPE. 2016 , 25, 2672-2680	33
154	Retinitis pigmentosa associated with a mutation in BEST1. 2016 , 2, 11-17	10
153	A missense mutation in ASRGL1 is involved in causing autosomal recessive retinal degeneration. 2016 , 25, 2483-2497	12
152	Clinical and Genetic Findings of Autosomal Recessive Bestrophinopathy in Japanese Cohort. 2016 , 168, 86-94	28
151	[Hereditary Macular Dystrophies]. 2016 , 233, 1124-1141	4
150	Biallelic Mutations in the BEST1 Gene: Additional Families with Autosomal Recessive Bestrophinopathy. <i>Ophthalmic Genetics</i> , 2016 , 37, 183-93	4
149	Induced Pluripotent Stem Cell-Derived Outer-Blood-Retinal Barrier for Disease Modeling and Drug Discovery. 2016 , 436-457	
148	Detailed analysis of family with autosomal recessive bestrophinopathy associated with new BEST1 mutation. 2016 , 132, 233-43	7
147	Protein partners of the calcium channel Bubunit highlight new cellular functions. 2016, 473, 1831-44	9
146	Fundus Autofluorescence and SD-OCT Document Rapid Progression in Autosomal Dominant Vitreoretinochoroidopathy (ADVIRC) Associated with a c.256G > A Mutation in BEST1. <i>Ophthalmic</i> 1.2 Genetics, 2016 , 37, 201-8	6
145	Retinal structure in young patients aged 10 lyears or less with Best vitelliform macular dystrophy. 2016 , 254, 215-21	6
144	UNILATERAL BEST DISEASE: A CASE REPORT. <i>Retinal Cases and Brief Reports</i> , 2017 , 11 Suppl 1, S191-S19 <u>6</u> 1	3
143	Bestrophin 1 and retinal disease. 2017 , 58, 45-69	119
142	Bestrophinopathy: An RPE-photoreceptor interface disease. 2017 , 58, 70-88	57
141	Optical Coherence Tomography Examination of the Retinal Pigment Epithelium in Best Vitelliform Macular Dystrophy. 2017 , 124, 456-463	26
140	A unique case series of autosomal recessive bestrophinopathy exhibiting multigenerational inheritance. <i>Ophthalmic Genetics</i> , 2017 , 38, 570-574	

139	A Report on Molecular Diagnostic Testing for Inherited Retinal Dystrophies by Targeted Genetic Analyses. 2017 , 21, 66-73		4
138	A meta-analysis of clinical electro-oculography values. 2017 , 135, 219-232		5
137	Adult-Onset Vitelliform Macular Dystrophy caused by BEST1 p.Ile38Ser Mutation is a Mild Form of Best Vitelliform Macular Dystrophy. 2017 , 7, 9146		12
136	Genetic characterization and disease mechanism of retinitis pigmentosa; current scenario. 2017 , 7, 251		35
135	FUNCTIONAL AND ANATOMICAL OUTCOMES OF CHOROIDAL NEOVASCULARIZATION COMPLICATING BEST1-RELATED RETINOPATHY. 2017 , 37, 1360-1370		28
134	[Extensive yellowish fundus changes in al͡ઠ-year-old child]. 2017 , 114, 556-559		1
133	Effects of Ca ions on bestrophin-1 surface films. 2017 , 149, 226-232		9
132	Ten-Year Follow-Up after Bilateral Submacular Neovascular Membrane Removal in a Case of Autosomal Recessive Bestrophinopathy. 2017 , 8, 265-270		2
131	Screening of BEST1 Gene in a Chinese Cohort With Best Vitelliform Macular Dystrophy or Autosomal Recessive Bestrophinopathy. 2017 , 58, 3366-3375		22
130	Patient-specific mutations impair BESTROPHIN1@ essential role in mediating Ca-dependent Cl currents in human RPE. 2017 , 6,		30
129	Flat Anterior Chamber after Trabeculectomy in Secondary Angle-Closure Glaucoma with BEST1 Gene Mutation: Case Series. 2017 , 12, e0169395		8
128	gene therapy corrects a diffuse retina-wide microdetachment modulated by light exposure. 2018 , 115, E2839-E2848		42
127	AUTOSOMAL RECESSIVE BESTROPHINOPATHY: MULTIMODAL IMAGING UPDATE. Retinal Cases and Brief Reports, 2018, 12 Suppl 1, S51-S54	.1	4
126	BEST1 protein stability and degradation pathways differ between autosomal dominant Best disease and autosomal recessive bestrophinopathy accounting for the distinct retinal phenotypes. 2018 , 27, 1630-1641		22
125	CEP250 mutations associated with mild cone-rod dystrophy and sensorineural hearing loss in a Japanese family. <i>Ophthalmic Genetics</i> , 2018 , 39, 500-507	.2	20
124	Mutant Best1 Expression and Impaired Phagocytosis in an iPSC Model of Autosomal Recessive Bestrophinopathy. 2018 , 8, 4487		27
123	NORMAL ELECTROOCULOGRAPHY IN BEST DISEASE AND AUTOSOMAL RECESSIVE BESTROPHINOPATHY. 2018 , 38, 379-386		11
122	THE FUNDUS PHENOTYPE ASSOCIATED WITH THE p.Ala243Val BEST1 MUTATION. 2018 , 38, 606-613		5

(2019-2018)

121	Idiopathic Acute Exudative Polymorphous Vitelliform Maculopathy: Clinical Spectrum and Multimodal Imaging Characteristics. 2018 , 125, 75-88	19
120	Reply. 2018 , 38, e73	1
119	Clinical and Mutation Analysis of Patients with Best Vitelliform Macular Dystrophy or Autosomal Recessive Bestrophinopathy in Chinese Population. 2018 , 2018, 4582816	9
118	24 Best Vitelliform Macular Dystrophy (Best Disease). 2018 ,	
117	An allosteric mechanism of inactivation in the calcium-dependent chloride channel BEST1. 2018 , 150, 1484-1497	13
116	Nanophthalmos: A Review of the Clinical Spectrum and Genetics. 2018 , 2018, 2735465	43
115	Expression and Purification of Mammalian Bestrophin Ion Channels. 2018,	3
114	BEST1. 2018 , 37-41	
113	19 Macular Dystrophies. 2018 ,	
112	Differentiation, Maintenance, and Analysis of Human Retinal Pigment Epithelium Cells: A Disease-in-a-dish Model for BEST1 Mutations. 2018 ,	9
111	ATP activates bestrophin ion channels through direct interaction. 2018 , 9, 3126	21
110	Novel BEST1 gene mutations associated with two different forms of macular dystrophy in Tunisian families. 2019 , 47, 1063-1073	3
109	Missense Mutations in the Human Nanophthalmos Gene TMEM98 Cause Retinal Defects in the Mouse. 2019 , 60, 2875-2887	11
108	Study on optimized combination and utilization model of agricultural and animal husbandry resources in mountain ecotone. 2019 , 346, 012031	О
107	Pluripotent Stem Cells to Model Degenerative Retinal Diseases: The RPE Perspective. 2019 , 1186, 1-31	5
106	The Y227N mutation affects bestrophin-1 protein stability and impairs sperm function in a mouse model of Best vitelliform macular dystrophy. 2019 , 8,	2
105	Dual Ca-dependent gates in human Bestrophin1 underlie disease-causing mechanisms of gain-of-function mutations. 2019 , 2, 240	8
104	Multimodal Imaging in Best Vitelliform Macular Dystrophy. 2019 , 60, 2012-2022	14

103	Variants in myelin regulatory factor (MYRF) cause autosomal dominant and syndromic nanophthalmos in humans and retinal degeneration in mice. 2019 , 15, e1008130		31
102	A Quantitative Chloride Channel Conductance Assay for Efficacy Testing of AAV.BEST1. 2019 , 30, 44-52		2
101	CSCR Masquerades. 2019 , 193-211		1
100	Novel Missense Mutations in Are Associated with Bestrophinopathies in Lebanese Patients. <i>Genes</i> , 2019 , 10,	4.2	4
99	Diffuse Outer Layer Opacification: A Novel Finding in Patients With Autosomal Recessive Bestrophinopathy. 2019 , 8, 469-475		1
98	Investigation and Restoration of BEST1 Activity in Patient-derived RPEs with Dominant Mutations. 2019 , 9, 19026		15
97	Clinical and Genetic Findings of Autosomal Recessive Bestrophinopathy (ARB). Genes, 2019, 10,	4.2	5
96	Reply. 2019 , 39, e4-e5		
95	Masqueraders of central serous chorioretinopathy. 2019 , 64, 30-44		13
94	Novel BEST1 mutations and special clinical characteristics of autosomal recessive bestrophinopathy in Chinese patients. 2019 , 97, 247-259		13
93	Genotype-Phenotype Correlation in Retinal Degenerations. 2019, 323-336		
92	New clinical ultrahigh-resolution SD-OCT using A-scan matching algorithm. 2019 , 257, 255-263		4
91	MAINTENANCE OF GOOD VISUAL ACUITY IN BEST DISEASE ASSOCIATED WITH CHRONIC BILATERAL SEROUS MACULAR DETACHMENT. <i>Retinal Cases and Brief Reports</i> , 2020 , 14, 1-5	1.1	4
90	CHANGES OF CONE PHOTORECEPTOR MOSAIC IN AUTOSOMAL RECESSIVE BESTROPHINOPATHY. 2020 , 40, 181-186		5
89	A new paradigm for delivering personalised care: integrating genetics with surgical interventions in BEST1 mutations. 2020 , 34, 577-583		4
88	Bilateral Choroidal Neovascularization and Chorioretinal Anastomosis in Autosomal Recessive Bestrophinopathy. 2020 , 4, 69-74		1
87	Macular dystrophies: clinical and imaging features, molecular genetics and therapeutic options. 2020 , 104, 451-460		37
86	Predominance of hyperopia in autosomal dominant Best vitelliform macular dystrophy. 2020,		3

(2021-2020)

85	Clinical Heterogeneity in Autosomal Recessive Bestrophinopathy with Biallelic Mutations in the Gene. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	4
84	Small Molecules Restore Bestrophin 1 Expression and Function of Both Dominant and Recessive Bestrophinopathies in Patient-Derived Retinal Pigment Epithelium. 2020 , 61, 28		10
83	Evaluation of the genetic association between early-onset primary angle-closure glaucoma and retinitis pigmentosa. 2020 , 197, 108118		3
82	BEST1-One Gene, Many Diseases. 2020 , 138, 552		
81	Mutation-Dependent Pathomechanisms Determine the Phenotype in the Bestrophinopathies. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	13
80	Miscibility of hBest1 and sphingomyelin in surface films - A prerequisite for interaction with membrane domains. 2020 , 189, 110893		2
79	Familial autosomal recessive bestrophinopathy: identification of a novel variant in BEST1 gene and the specific metabolomic profile. 2020 , 21, 16		1
78	Association of Clinical and Genetic Heterogeneity With BEST1 Sequence Variations. 2020 , 138, 544-551		9
77	Structural and functional characterization of the bestrophin-2 anion channel. 2020 , 27, 382-391		11
76	The Clinical Features and Genetic Spectrum of a Large Cohort of Chinese Patients With Vitelliform Macular Dystrophies. 2020 , 216, 69-79		2
75	Autosomal Recessive Bestrophinopathy: Clinical Features, Natural History, and Genetic Findings in Preparation for Clinical Trials. 2021 , 128, 706-718		11
74	Novel mutation in autosomal recessive bestrophinopathy in Japanese siblings. 2021 , 11, 71-76		1
73	Macular Dystrophies. 2021 , 1-29		
72	BEST Disease and Gene Therapy. 2021 , 61, 167-172		
71	Evaluating BEST1 mutations in pluripotent stem cell-derived retinal pigment epithelial cells. 2021 , 654, 365-382		4
70	Inherited Retinal Degenerations in the Pediatric Population. 2021, 183-209		
69	Etiologies and clinical characteristics of young patients with angle-closure glaucoma: a 15-year single-center retrospective study. 2021 , 259, 2379-2387		2
68	Autosomal Recessive Bestrophinopathy: Clinical and Genetic Characteristics of Twenty-Four Cases. 2021 , 2021, 6674290		О

67	Novel mutations and clinical characteristics of autosomal recessive bestrophinopathy in a Spanish patient. 2021 , 11206721211010615	0
66	Phenotypic and Genetic Spectrum of Autosomal Recessive Bestrophinopathy and Best Vitelliform Macular Dystrophy. 2021 , 62, 22	6
65	Distinct expression requirements and rescue strategies for loss- and gain-of-function mutations. 2021 , 10,	2
64	Disease expression caused by different variants in the BEST1 gene: genotype and phenotype findings in bestrophinopathies. 2021 ,	О
63	Bestrophinopathies: perspectives on clinical disease, Bestrophin-1 function and developing therapies. 2021 , 13, 2515841421997191	3
62	Condensing Effect of Cholesterol on hBest1/POPC and hBest1/SM Langmuir Monolayers. 2021, 11,	1
61	A potential cytosolic function of bestrophin-1. 2012 , 723, 603-10	8
60	The role of bestrophin-1 in intracellular Ca(2+) signaling. 2014 , 801, 113-9	29
59	Electrooculography. 2018 , 1085, 21-22	1
58	Peripapillary Sparing in Autosomal Recessive Bestrophinopathy. 2020 , 4, 523-529	3
57	Next generation sequencing identifies novel disease-associated BEST1 mutations in Bestrophinopathy patients. 2018 , 8, 10176	9
56	Interaction of bestrophin-1 and Ca2+ channel Eubunits: identification of new binding domains on the bestrophin-1 C-terminus. 2011 , 6, e19364	35
55	Novel Presenting Phenotype in a Child With Autosomal Dominant Best@Vitelliform Macular Dystrophy. 2017 , 48, 580-585	1
54	Clinical Course of Autosomal Recessive Bestrophinopathy Complicated by Choroidal Neovascularization. 2018 , 49, 888-892	3
53	Neovascularized Best Disease in Child: Contribution of Optical Coherence Tomography Angiography. 2019 , 50, 597-601	4
52	Clinical findings in eyes with BEST1-related retinopathy complicated by choroidal neovascularization. 2021 , 1	3
51	The Bestrophinopathies. 2014 , 197-212	
50	Best Vitelliform Macular Dystrophy. 2016 , 1-10	1

A 5-year-old girl with decreased vision in the left eye. **2015**, 21, 1-7

48	Hereditary Eye Disease in Ningxia Hui Autonomous Region of China. 2019 , 93-111		
47	Macular Dystrophies. 2019 , 51-75		
46	Missense Mutations in the Human Nanophthalmos GeneTMEM98Cause Retinal Defects in the Mouse.		1
45	Evaluation of Genetic Analysis with Autosomal Recessive Bestrophinopathy. <i>Journal of Retina</i> , 2019 , 4, 93-96	0.2	О
44	Nanophthalmos: a systematic review of the clinical spectrum of nanophthalmos, its genetic basis, prevalence, incidence, clinical and surgical management. 2020 , 61,		O
43	Best Disease. Retina Atlas, 2020 , 45-50	О	
42	Induced Pluripotent Stem Cell Modeling of Best Disease and Autosomal Recessive Bestrophinopathy. <i>Yonsei Medical Journal</i> , 2020 , 61, 816-825	3	3
41	Vitelliform changes in the central retina occurring in adults. <i>Ophthalmology Journal</i> , 2019 , 12, 73-86	0.2	1
40	Functional and clinical data of Best vitelliform macular dystrophy patients with mutations in the BEST1 gene. <i>Molecular Vision</i> , 2009 , 15, 2960-72	2.3	44
39	Bestrophin 2 is expressed in human non-pigmented ciliary epithelium but not retinal pigment epithelium. <i>Molecular Vision</i> , 2010 , 16, 200-6	2.3	12
38	Assessment of canine BEST1 variations identifies new mutations and establishes an independent bestrophinopathy model (cmr3). <i>Molecular Vision</i> , 2010 , 16, 2791-804	2.3	38
37	A synonymous codon variant in two patients with autosomal recessive bestrophinopathy alters in vitro splicing of BEST1. <i>Molecular Vision</i> , 2010 , 16, 2916-22	2.3	25
36	Phenotypic variability in a French family with a novel mutation in the BEST1 gene causing multifocal best vitelliform macular dystrophy. <i>Molecular Vision</i> , 2011 , 17, 309-22	2.3	20
35	Clinical evaluation of two consanguineous families with homozygous mutations in BEST1. <i>Molecular Vision</i> , 2011 , 17, 1607-17	2.3	22
34	Autosomal dominant Best disease with an unusual electrooculographic light rise and risk of angle-closure glaucoma: a clinical and molecular genetic study. <i>Molecular Vision</i> , 2011 , 17, 2272-82	2.3	15
33	Ocular phenotypes associated with biallelic mutations in BEST1 in Italian patients. <i>Molecular Vision</i> , 2011 , 17, 3078-87	2.3	14
32	BEST1 sequence variants in Italian patients with vitelliform macular dystrophy. <i>Molecular Vision</i> , 2012 , 18, 2736-48	2.3	19

31	Multimodal analysis of the progression of Best vitelliform macular dystrophy. <i>Molecular Vision</i> , 2014 , 20, 575-92	2.3	24
30	Screening for BEST1 gene mutations in Chinese patients with bestrophinopathy. <i>Molecular Vision</i> , 2014 , 20, 1594-604	2.3	21
29	Bestrophin-1 influences transepithelial electrical properties and Ca2+ signaling in human retinal pigment epithelium. <i>Molecular Vision</i> , 2015 , 21, 347-59	2.3	26
28	Clinical reassessments and whole-exome sequencing uncover novel mutation associated with bestrophinopathy phenotype. <i>Ophthalmic Genetics</i> , 2021 , 1-10	1.2	
27	Macular Hole-Related Retinal Detachment Complicating Autosomal Recessive Bestrophinopathy: Clinical Features, Multimodal Imaging, and Surgical Outcome. <i>Retinal Cases and Brief Reports</i> , 2020 ,	1.1	0
26	Genetic disorders causing non-syndromic retinopathy. 2022 , 161-265		
25	Novel mutations in the gene cause distinct retinopathies in two Chinese families <i>International Journal of Ophthalmology</i> , 2022 , 15, 205-212	1.4	
24	Impact of Next Generation Sequencing in Unraveling the Genetics of 1036 Spanish Families With Inherited Macular Dystrophies 2022 , 63, 11		1
23	A novel variant of autosomal recessive best vitelliform macular dystrophy and management of early-onset complications <i>Saudi Journal of Ophthalmology</i> , 2021 , 35, 159-163	0.9	
22	Macular Dystrophies. 2022 , 3967-3995		
21	Angle-closure glaucoma associated with autosomal recessive bestrophinopathy. <i>Indian Journal of Ophthalmology</i> , 2022 , 70, 2657	1.6	
21		1.6 2.3	
	Ophthalmology, 2022 , 70, 2657 Branch retina vein occlusion combined with angle-closure glaucoma is associated with a mutation in		1
20	Ophthalmology, 2022, 70, 2657 Branch retina vein occlusion combined with angle-closure glaucoma is associated with a mutation in BEST1: a case report. BMC Ophthalmology, 2022, 22, Impaired Bestrophin Channel Activity in an iPSC-RPE Model of Best Vitelliform Macular Dystrophy (BVMD) from an Early Onset Patient Carrying the P77S Dominant Mutation. International Journal of	2.3	1
20	Ophthalmology, 2022, 70, 2657 Branch retina vein occlusion combined with angle-closure glaucoma is associated with a mutation in BEST1: a case report. BMC Ophthalmology, 2022, 22, Impaired Bestrophin Channel Activity in an iPSC-RPE Model of Best Vitelliform Macular Dystrophy (BVMD) from an Early Onset Patient Carrying the P77S Dominant Mutation. International Journal of Molecular Sciences, 2022, 23, 7432	2.3	
20 19 18	Ophthalmology, 2022, 70, 2657 Branch retina vein occlusion combined with angle-closure glaucoma is associated with a mutation in BEST1: a case report. BMC Ophthalmology, 2022, 22, Impaired Bestrophin Channel Activity in an iPSC-RPE Model of Best Vitelliform Macular Dystrophy (BVMD) from an Early Onset Patient Carrying the P77S Dominant Mutation. International Journal of Molecular Sciences, 2022, 23, 7432 Clinical Features and Genetic Findings of Autosomal Recessive Bestrophinopathy. Genes, 2022, 13, 1193. Clinical-genetic findings in a group of subjects with macular dystrophies due to mutations in rare	2.3	0
20 19 18	Branch retina vein occlusion combined with angle-closure glaucoma is associated with a mutation in BEST1: a case report. <i>BMC Ophthalmology</i> , 2022 , 22, Impaired Bestrophin Channel Activity in an iPSC-RPE Model of Best Vitelliform Macular Dystrophy (BVMD) from an Early Onset Patient Carrying the P77S Dominant Mutation. <i>International Journal of Molecular Sciences</i> , 2022 , 23, 7432 Clinical Features and Genetic Findings of Autosomal Recessive Bestrophinopathy. <i>Genes</i> , 2022 , 13, 1193 Clinical-genetic findings in a group of subjects with macular dystrophies due to mutations in rare inherited retinopathy genes. Genetic and clinical features of BEST1-associated retinopathy based on 59 Chinese families and	2.3	0

CITATION REPORT

13	Case report: Autosomal recessive bestrophinopathy with macular cysts and MNV over 13-year follow-up. 13,	0
12	Photoreceptor function and structure in retinal degenerations caused by biallelic BEST1 mutations. 2023 , 203, 108157	Ο
11	Autosomal recessive bestrophinopathy combined with neurofibromatosis type 1 in a patient.	O
10	Photoreceptor Function and Structure in Autosomal Dominant Vitelliform Macular Dystrophy Caused by BEST1 Mutations. 2022 , 63, 12	O
9	A novel compound heterozygous BEST1 gene mutation in two siblings causing autosomal recessive bestrophinopathy. 2022 , 22,	0
8	Electrophysiological Evaluation of Macular Dystrophies. 2023 , 12, 1430	O
7	Typical best vitelliform dystrophy secondary to biallelic variants in BEST1. 1-6	O
6	Retinal flecks, dots and crystals. 2017 , 525-536.e5	O
5	Paradoxical autosomal recessive bestrophinopathy-like phenotypes shown in an autosomal dominant pedigree. 112067212311677	O
4	Autosomal recessive bestrophinopathy combined with neurofibromatosis type 1 in a patient. 2023 , 23,	O
3	Non-vasogenic cystoid maculopathy in autosomal recessive bestrophinopathy: novel insights from NIR-FAF and OCTA imaging. 1-7	O
2	Retinitis Pigmentosa: Current Clinical Management and Emerging Therapies. 2023, 24, 7481	O
1	Variants of BEST1 and CRYBB2 cause a complex ocular phenotype comprising microphthalmia, microcornea, cataract, and vitelliform macular dystrophy: case report. 2023 , 23,	0