Localization of impacted maxillary canines and observation of adjacent incisor resorption with cone-beam computed tomography

DOI: 10.1016/j.tripleo.2007.01.030
Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics, 2008, 105, 91-8.

#	Paper	IF	Citations
159	Use of cone beam computed tomography in endodontics. **2009**, 2009, 634567		170
158	Root resorption of the maxillary lateral incisor caused by impacted canine: a literature review. **2009**, 13, 247-55		100
157	A novel 3D classification system for canine impactions--the KPG index. **2009**, 5, 291-6		31
156	Detection of apical root resorption after orthodontic treatment by using panoramic radiography and cone-beam computed tomography of super-high resolution. *American Journal of Orthodontics and Dentofacial Orthopedics*, **2009**, 135, 434-7	2.1	123
155	In-vitro comparison of 2 cone-beam computed tomography systems and panoramic imaging for detecting simulated canine impaction-induced external root resorption in maxillary lateral incisors. *American Journal of Orthodontics and Dentofacial Orthopedics*, **2009**, 136, 764.e1-11; discussion 764-5	2.1	70
154	A review of the diagnosis and management of impacted maxillary canines. **2009**, 140, 1485-93		122
153	Measurements of mandibular canal region obtained by cone-beam computed tomography: a cadaveric study. *Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics*, **2009**, 107, e34-42		67
152	Cone-beam computerized tomography (CBCT) imaging of the oral and maxillofacial region: a systematic review of the literature. **2009**, 38, 609-25		513
151	Comparative analysis of traditional radiographs and cone-beam computed tomography volumetric images in the diagnosis and treatment planning of maxillary impacted canines. *American Journal of Orthodontics and Dentofacial Orthopedics*, **2010**, 137, 590-7	2.1	152
150	Analysis of failure in the treatment of impacted maxillary canines. *American Journal of Orthodontics and Dentofacial Orthopedics*, **2010**, 137, 743-54	2.1	76
149	Treatment of a horizontally impacted mandibular canine in a girl with a Class II Division 1 malocclusion. *American Journal of Orthodontics and Dentofacial Orthopedics*, **2010**, 137, S154-62	2.1	10
148	Three-dimensional assessment of the eruption path of the canine in individuals with bone-grafted alveolar clefts using cone beam computed tomography. **2010**, 47, 507-12		57
147	Accuracy of chemically created periapical lesion measurements using limited cone beam computed tomography. **2010**, 39, 95-9		28
146	A comparative study of the effective radiation doses from cone beam computed tomography and plain radiography for sialography. **2010**, 39, 257-63		23
145	Preorthodontic Uncovering and Autonomous Eruption of Palatally Impacted Maxillary Canines. **2010**, 16, 205-211		20
144	Association between the inclination of the lateral incisors and the position of the erupting canines on panoramic radiographs. **2011**, 69, 222-8		8
143	Panoramic radiological study to identify locally displaced maxillary canines in Bangladeshi population. **2011**, 41, 155-9		3

142	An Evaluation of Cone-Beam Computed Tomography Use in Postgraduate Orthodontic Programs in the United States and Canada. **2011**, 75, 98-106		26
141	Safe and effective cone beam computed tomography. **2011**, 7, 80-84		
140	The diagnostic efficacy of cone beam CT for impacted teeth and associated features: a systematic review. **2011**, 38, 208-16		44
139	Accuracy of volumetric measurement of teeth in vivo based on cone beam computer tomography. *Orthodontics and Craniofacial Research*, **2011**, 14, 206-12	3	31
138	Comparison of 6 cone-beam computed tomography systems for image quality and detection of simulated canine impaction-induced external root resorption in maxillary lateral incisors. *American Journal of Orthodontics and Dentofacial Orthopedics*, **2011**, 140, e129-39	2.1	60
137	Root resorption associated with ectopically erupting maxillary permanent canines: a computed tomography study. **2011**, 33, 483-91		24
136	Reliability and reproducibility of linear mandible measurements with the use of a cone-beam computed tomography and two object inclinations. **2011**, 40, 244-50		30
135	The effects of compensator and imaging geometry on the distribution of x-ray scatter in CBCT. **2011**, 38, 897-914		38
134	Comparison of two cone beam computed tomographic systems versus panoramic imaging for localization of impacted maxillary canines and detection of root resorption. **2011**, 33, 93-102		139
133	[Computer-aided technologies in diagnostics and therapy of impacted teeth]. **2011**, 68, 353-8		1
132	Assessment of vertical root fractures using three imaging modalities: cone beam CT, intraoral digital radiography and film. **2012**, 41, 91-5		33
131	Management of the Impacted Canine. **2012**, 135-145		1
130	Evidence supporting the use of cone-beam computed tomography in orthodontics. **2012**, 143, 241-52		73
129	Dentoskeletal characteristics in patients with palatally and buccally displaced maxillary permanent canines. **2012**, 34, 754-61		12
128	Myths and facts of cone beam computed tomography in orthodontics. **2012**, 1, e3-e8		5
127	Conoscenze di base e indicazioni cliniche per una corretta prescrizione della CBCT in ortodonzia. **2012**, 37, 25-35		
126	Maxillary canine impaction increases root resorption risk of adjacent teeth: a problem of physical proximity. *American Journal of Orthodontics and Dentofacial Orthopedics*, **2012**, 142, 750-7	2.1	42
125	Multi-detector dental CT in evaluation of impacted maxillary canine. **2012**, 43, 527-534		1

124	Impacted maxillary canines: contemporary management and review of the literature. **2012**, 3, 210-217		9
123	[Root apex localization of palatally displaced canines]. **2012**, 83, 165-73		1
122	Antrum approach planning for removal of impacted tooth using cone-beam computed tomography. *Open Dentistry Journal*, **2012**, 6, 90-3	0.8	0
121	The assessment of impacted maxillary canine position with panoramic radiography and cone beam CT. **2012**, 41, 356-60		30
120	Apical root resorption of incisors after orthodontic treatment of impacted maxillary canines: a radiographic study. *American Journal of Orthodontics and Dentofacial Orthopedics*, **2012**, 141, 427-35	2.1	16
119	The impacted maxillary canine: a proposed classification for surgical exposure. **2012**, 113, 222-8		17
118	Three-dimensional assessment of impacted canines and root resorption using cone beam computed tomography. **2012**, 113, 260-7		49
117	Impacted upper canines: examination and treatment proposal based on 3D versus 2D diagnosis. **2012**, 73, 28-40		57
116	Maxillary lateral incisor morphology and palatally displaced canines: a case-controlled cone-beam volumetric tomography study. *American Journal of Orthodontics and Dentofacial Orthopedics*, **2013**, 143, 522-6	2.1	23
115	Clinical recommendations regarding use of cone beam computed tomography in orthodontics. [corrected]. Position statement by the American Academy of Oral and Maxillofacial Radiology. **2013** , 116, 238-57		207
114	L□tilisation du conebeam en orthodontie´: la situation actuelle. *International Orthodontics*, **2013**, 11, 1-20	0.9	
113	The use of cone-beam computed tomography for orthodontic purposes. **2013**, 19, 196-203		16
112	Cone beam CT in orthodontics: the current picture. *International Orthodontics*, **2013**, 11, 1-20	0.9	15
111	Palatally impacted maxillary canine with congenitally missing lateral incisors and midline diastema. *American Journal of Orthodontics and Dentofacial Orthopedics*, **2013**, 144, 141-6	2.1	3
110	The prevalence of root resorption of maxillary incisors caused by impacted maxillary canines. **2013**, 17, 553-64		31
109	Impact of cone-beam computed tomography on orthodontic diagnosis and treatment planning. *American Journal of Orthodontics and Dentofacial Orthopedics*, **2013**, 143, 665-74	2.1	46
108	Associations between palatally displaced canines and maxillary lateral incisors. *American Journal of Orthodontics and Dentofacial Orthopedics*, **2013**, 143, 622-32	2.1	7
107	Incidental findings on cone beam computed tomography in orthodontic patients. *Journal of Orthodontics*, **2013**, 40, 29-37	1.6	33

106	Impacted maxillary canines and root resorptions of neighbouring teeth: a radiographic analysis using cone-beam computed tomography. **2013**, 35, 529-38		58
105	Pre-surgical treatment planning of maxillary canine impactions using panoramic vs cone beam CT imaging. **2013**, 42, 20130157		32
104	The validation of a novel index assessing canine impactions. **2013**, 7, 399-404		6
103	Cone-beam computed tomography findings of impacted upper canines. **2014**, 44, 287-92		16
102	Impacted maxillary second premolars: a report of four cases. **2014**, 2014,		6
101	Localization of impacted maxillary canines and root resorption of neighbouring teeth: a study assessing the diagnostic value of panoramic radiographs in two groups of observers. **2014**, 36, 450-6		19
100	The Incidence of Impacted Maxillary Canines in a Kosovar Population. **2014**, 2014, 370531		3
99	Cone-beam computed tomography for assessment of palatal displaced canine position: a methodological study. **2014**, 84, 459-66		9
98	External root resorption of the second molar associated with third molar impaction: comparison of panoramic radiography and cone beam computed tomography. **2014**, 72, 1444-55		44
97	Agreement between cone beam computed tomography images and panoramic radiographs for initial orthodontic evaluation. **2014**, 117, 111-9		9
96	Orthodontic treatment planning for impacted maxillary canines using conventional records versus 3D CBCT. **2014**, 36, 698-707		26
95	3-D-Diagnostik (DVT/CT) in der Zahnheilkunde. **2014**, 111, 80-85		1
94	The frequency and nature of incidental findings in large-field cone beam computed tomography scans of an orthodontic sample. **2014**, 15, 37		43
93	Clinical utility of dental cone-beam computed tomography: current perspectives. **2014**, 6, 29-43		29
92	Diagnostic Applications of Cone-Beam CT for Periodontal Diseases. **2014**, 2014, 865079		27
91	Level of knowledge of dental practitioners in Isfahan, Iran about cone-beam computed tomography and digital radiography. **2015**, 45, 133-5		6
90	[Maxillary canine impaction increases root resorption risk of adjacent teeth: A problem of physical proximity]. **2015**, 86, 169-79		13
89	Radiographic predictors for maxillary canine impaction. *American Journal of Orthodontics and Dentofacial Orthopedics*, **2015**, 147, 345-54	2.1	49

88	Extraction of the deciduous canine as an interceptive treatment in children with palatal displaced canines - part I: shall we extract the deciduous canine or not?. **2015**, 37, 209-18		49
87	Root resorptions related to ectopic and normal eruption of maxillary canine teeth - A 3D study. **2015**, 73, 609-15		19
86	[Reason for failure in the treatment of impacted and retained teeth]. **2016**, 87, 23-38		4
85	Maxillary first premolar inclination in 8- to 11-year-old children: An observational cross-sectional study on panoramic radiographs. *American Journal of Orthodontics and Dentofacial Orthopedics*, **2016**, 149, 657-65	2.1	2
84	Maxillary incisor root resorption induced by ectopic canines part 1: prevalence rates and longevity outcomes. **2016**, 9, 7-14		1
83	Maxillary incisor root resorption induced by ectopic canines part 2: clinical management. **2016**, 9, 51-56		1
82	Effects of impacted maxillary canines on root resorption of lateral incisors : A cone beam computed tomography study. **2017**, 78, 233-240		10
81	Predictive factors for resorption of teeth adjacent to impacted maxillary canines. *International Orthodontics*, **2017**, 15, 54-68	0.9	2
80	Dynamic Motion Capture of the Mandible. **2017**, 15-26		
79	. *International Orthodontics*, **2017**, 15, 54-68	0.9	6
78	CBCT imaging vs conventional radiography. *American Journal of Orthodontics and Dentofacial Orthopedics*, **2017**, 152, 146-148	2.1	2
77	Cone beam computed tomography: basics and applications in dentistry. **2017**, 51, S102-S121		43
76	Usefulness of Cone Beam Computed Tomography for the Diagnosis and Treatment of Oral and Maxillofacial Pathology. **2017**,		
75	Reliability of different radiographic methods for the localization of displaced maxillary canines. *American Journal of Orthodontics and Dentofacial Orthopedics*, **2018**, 153, 308-314	2.1	16
74	Gene expression profiles in dental follicles from patients with impacted canines. **2018**, 106, 351-359		3
73	Correlation between panoramic radiography and cone-beam computed tomography in assessing maxillary impacted canines. **2018**, 88, 384-389		8
72	Effectiveness of extraction of primary canines for interceptive management of palatally displaced permanent canines: a systematic review and meta-analysis. **2018**, 40, 149-156		10
71	The impact of Cone Beam CT on financial costs and orthodontists' treatment decisions in the management of maxillary canines with eruption disturbance. **2018**, 40, 65-73		7

70	Comparison of periodontal evaluation by cone-beam computed tomography, and clinical and intraoral radiographic examinations. *Oral Radiology*, **2018**, 34, 208-218	2.5	7
69	To what extent are impacted canines associated with root resorption of the adjacent tooth?: A systematic review with meta-analysis. **2018**, 149, 765-777.e8		14
68	Glass-ionomer open exposure (GOPEX) versus closed exposure of palatally impacted canines: a retrospective study of treatment outcome and orthodontists' preferences. **2018**, 40, 617-625		8
67	Cone-Beam Computed Tomography in Orthodontics. **2019**, 7,		23
66	Cone Beam Computed Tomography in Oral and Maxillofacial Surgery: An Evidence-Based Review. **2019**, 7,		28
65	History, Technique, and Safety. **2019**, 3-21		
64	Morphology of maxilla in patients with palatally displaced canines. *International Orthodontics*, **2019**, 17, 130-135	0.9	1
63	Factors affecting forced eruption duration of impacted and labially displaced canines. *American Journal of Orthodontics and Dentofacial Orthopedics*, **2019**, 156, 808-817	2.1	3
62	Prevalence and risk factors of root resorption of adjacent teeth in maxillary canine impaction, among untreated children and adolescents. **2019**, 41, 447-453		9
61	Delayed diagnosis of displaced and impacted canines - a prospective longitudinal study. **2020**, 78, 165-172		3
60	Risk factors for external root resorption of maxillary second molars due to impacted third molars as evaluated using cone beam computed tomography. **2020**, 49, 666-672		5
59	Prediction of maxillary canine impaction based on panoramic radiographs. *Clinical and Experimental Dental Research*, **2020**, 6, 44-50	1.9	7
58	Incidence of incisor root resorption associated with the position of the impacted maxillary canines: A cone-beam computed tomographic study. *American Journal of Orthodontics and Dentofacial Orthopedics*, **2020**, 157, 73-79	2.1	4
57	Incisor root resorption associated with palatally displaced maxillary canines: Analysis and prediction using discriminant function analysis. *American Journal of Orthodontics and Dentofacial Orthopedics*, **2020**, 157, 80-90	2.1	7
56	Evaluation of impacted canines' localization and adjacent lateral incisors' root resorption with orthopantomography and cone-beam computed tomography. *Oral Radiology*, **2021**, 37, 476-486	2.5	2
55	Risk factors for maxillary impacted canine-linked severe lateral incisor root resorption: A cone-beam computed tomography study. *American Journal of Orthodontics and Dentofacial Orthopedics*, **2020**, 158, 410-419	2.1	1
54	Predictors of treatment decisions made by adult orthodontic patients presenting with unerupted permanent teeth. *International Orthodontics*, **2021**, 19, 76-81	0.9	
53	Relationship of Angulation of Maxillary Impacted Canines with Maxillary Lateral Incisor Root Resorption. *Pesquisa Brasileira Em Odontopediatria E Clinica Integrada*, 21,	0.7	0

52	Impacted maxillary canines and their relationship with lateral incisor resorption: a cone beam computed tomography (CBCT) study. *Australasian Orthodontic Journal*, **2021**, 36, 160-167		0
51	Management of Impacted Canines. **2021**, 329-347		
50	Location and severity of root resorption related to impacted maxillary canines: a cone beam computed tomography (CBCT) evaluation. *Australasian Orthodontic Journal*, **2021**, 31, 49-58		5
49	Changes in alveolar bone morphology after traction of buccally vs palatally unilateral maxillary impacted canines: A´cone-beam computed tomography study. *American Journal of Orthodontics and Dentofacial Orthopedics*, **2021**, 159, 258-270	2.1	2
48	Treatment for critically impacted maxillary canines: Clinical versus scientific evidence - A systematic review. *Journal of Stomatology, Oral and Maxillofacial Surgery*, **2021**,	1.7	0
47	The diagnostic value of orthopantomograms in detecting resorption of lateral incisors associated with ectopic canines: a CBCT study. *Journal of Orthodontics*, **2021**, 14653125211039866	1.6	
46	Patterns of Cone-Beam Computed Tomography (CBCT) Utilization by Various Dental Specialties: A 4-Year Retrospective Analysis from a Dental and Maxillofacial Specialty Center. *Healthcare (Switzerland)*, **2021**, 9,	3.4	3
45	Applications of CBCT in Orthodontics. **2018**, 645-714		1
44	Root Resorption Classifications: A Narrative Review and a Clinical Aid Proposal for Routine Assessment. *European Endodontic Journal*, **2018**, 3, 134-145	1.5	4
43	Reliability and Reproducibility of Linear Measurements of Alveolar Ridges Using Cone-beam CT Made by Radiologists and Periodontists. *Journal of Periodontology & Implant Dentistry*, **2015**, 7, 35-39		0
42	A review of early displaced maxillary canines: etiology, diagnosis and interceptive treatment. *Open Dentistry Journal*, **2011**, 5, 39-47	0.8	62
41	The use of a dynamic real-time jaw tracking device and cone beam computed tomography simulation. *Annals of Maxillofacial Surgery*, **2016**, 6, 113-9	1	14
40	The effect of using CBCT in the diagnosis of canine impaction and its impact on the orthodontic treatment outcome. *Journal of Orthodontic Science*, **2014**, 3, 34-40	1.2	24
39	An Evaluation of Inter- and Intraobserver Reliability of Cone-beam Computed Tomography- and Two Dimensional-based Interpretations of Maxillary Canine Impactions using a Panel of Orthodontically Trained Observers. *Journal of Contemporary Dental Practice*, **2015**, 16, 648-56	0.7	5
38	Applications of Cone Beam Computed Tomography in Orthodontics: A Review. *Turkish Journal of Orthodontics*, **2016**, 29, 73-79	0.9	4
37	Diagnostic imaging: Morphological and eruptive disturbances in the permanent teeth. *World Journal of Stomatology*, **2015**, 4, 72	1.3	1
36	A Statistical Study on Characteristics and Treatment of Child and Adolescent Patients with Tooth Impaction. *The Journal of the Korean Academy of Pedtatric Dentistry*, **2014**, 41, 306-313	0.4	4
35	CBCT report of three intresting cases of cysts and its radiographic presentations. *Journal of Oral Medicine Oral Surgery Oral Pathology and Oral Radiology*, **2021**, 7, 176-181	1	

34	Cuspidaatimpacties en implicaties. **2010**, 161-174		
33	Cone beam et orthop□die dentofaciale. **2011**, 113-148		
32	Mise en place orthodontico-chirurgicale des canines incluses : moyens de pr□visions des □hecs. *Actualites Odonto-stomatologiques*, **2012**, 313-325		
31	THREE-DIMENSIONAL EVALUATION OF IMPACTED MAXILLARY CANINES USING CONE BEAM COMPUTED TOMOGRAPHY AND PANORAMIC RADIOGRAPHS. *The Journal of the Korean Academy of Pedtatric Dentistry*, **2013**, 40, 106-117	0.4	1
30	Maxillary Incisor Replacement with the Ectopically Erupting Canine : Case Reports. *The Journal of the Korean Academy of Pedtatric Dentistry*, **2013**, 40, 335-341	0.4	
29	Root Resorption of Maxillary Incisors caused by Bilaterally Impacted Canines: An Evaluation by Cone-Beam Computed Tomography. *World Journal of Dentistry*, **2014**, 5, 67-71	0.2	
28	A Mini Review on Orthodontic-Endodontic Management of Root Resorption Induced By Ectopic Canine. *Journal of Dental Health, Oral Disorders & Therapy*, **2016**, 5,	0.5	
27	Comparison of panoramic radiography and cone-beam computed tomography for qualitative and quantitative measurements regarding localization of permanent impacted maxillary canines. *Acta Odontologica Turcica*, **2017**, 34, 1-1	0.1	
26	Dental Impactions. **2018**, 1109-1153		
25	Retrospective Analysis of Incisor Root Resorption Associated with Impacted Maxillary Canines. *The Journal of the Korean Academy of Pedtatric Dentistry*, **2018**, 45, 203-214	0.4	0
24	Are age and radiographic features effective on orthodontic alignment of palatally impacted maxillary canines? a retrospective study. *European Oral Research*, **2019**, 53, 132-136	0.9	
23	Accuracy of High- and Low-Resolution Cone-Beam Computed Tomographic Scans in the Detection of Impacted Tooth-Induced External Root Resorption: An Ex-Vivo Study. *Frontiers in Dentistry*, **2019**, 16, 429-435	0.5	
22	Cone-beam Computed Tomography in Pediatric Dentistry: Case Series and Review. *Journal of Oral Health and Community Dentistry*, **2020**, 14, 62-69	0.1	
21	Localization of impacted maxillary canines using cone beam computed tomography. Review of the literature. *Annali Di Stomatologia*, **2012**, 3, 14-8		8
20	[Investigation of accuracy of premolar length measured by cone beam CT in vivo]. *Hua Xi Kou Qiang Yi Xue Za Zhi = Huaxi Kouqiang Yixue Zazhi = West China Journal of Stomatology*, **2014**, 32, 36-9		0
19	[Application of digital positioning guide plate in extraction of impacted supernumerary teeth]. *Nan Fang Yi Ke Da Xue Xue Bao = Journal of Southern Medical University*, **2020**, 40, 907-910	0.5	
18	A review on Cone Beam Computed Tomography in dentistry. *International Journal of Oral and Craniofacial Science*, 003-007	0	
17	Orthodontic Knowledge and Practice for the Pediatric Dentist. *Textbooks in Contemporary Dentistry* , **2022**, 207-246	0.8	

16	Root Resorptions on Adjacent Teeth Associated with Impacted Maxillary Canines.. *Diagnostics*, **2022**, 12,	3.8	1
15	Association Between Impacted Maxillary Canines and Adjacent Lateral Incisors: A Retrospective Study With Cone Beam Computed Tomography.. *Turkish Journal of Orthodontics*, **2021**, 34, 207-213	0.9	0
14	Root Resorption of Adjacent Teeth Associated with Maxillary Canine Impaction in the Saudi Arabian Population: A Cross-Sectional Cone-Beam Computed Tomography Study. *Applied Sciences (Switzerland)*, **2022**, 12, 334	2.6	0
13	Estimating the 3-D location of Impacted Maxillary Canines: A CBCT based analysis of severity of impaction.. *Orthodontics and Craniofacial Research*, **2022**,	3	0
12	Evaluation of the diagnostic accuracy of CBCT-based interpretations of maxillary impacted canines compared to those of conventional radiography: An in vitro study. *International Orthodontics*, **2022**, 100639	0.9	0
11	Predictive factors associated with adjacent teeth root resorption of palatally impacted canines in Arabian population: a cone-beam computed tomography analysis. *BMC Oral Health*, **2022**, 22,	3.7	0
10	Evaluation of Lateral Incisor Resorption Caused by Impacted Maxillary Canines Based on CBCT: A Systematic Review and Meta-Analysis. *Children*, **2022**, 9, 1006	2.8	0
9	Pediatric Dentoalveolar Surgery. **2022**, 191-210		0
8	ROOT RESORPTION ON ADJACENT TEETH ASSOCIATED WITH INCLUDED PERMANENT CANINES: A STUDY WITH COMPUTERIZED TOMOGRAPHY. **2022**, 42-44		0
7	Comparative Evaluation of Orthodontically-Induced Root Resorption Using Cone Beam Computed Tomography (CBCT) and Orthopantomogram (OPG) During En-Masse Retraction of Maxillary Anterior Teeth. **2022**,		0
6	Evaluation of Impacted Maxillary Canine Position Using Panoramic Radiographs and Cone-beam Computed Tomography. **2022**, 49, 442-452		0
5	Assessment of incidental Findings and the Need for Alteration of Treatment Plan after Cone Beam Computer Tomography □A Descriptive Cross - sectional Study. **2022**, 5741-5745		0
4	Cone Beam Computed Tomography in the Diagnosis of Dental Disease. **2010**, 38, 27-32		0
3	Oppf□ging etter kirurgisk frilegging av retinerte maxill□e hj□netenner i Den offentlige tannhelsetjenesten i Akershus. **2023**, 133,		0
2	A cautionary tale of two canines: a case report. **2023**, 50, 187-190		0
1	Three-dimensional decision support system for treatment of canine impaction. **2023**,		0