

# CITATION REPORT

List of articles citing

**Comparative localized linear accuracy of small-field cone-beam CT and multislice CT for alveolar bone measurement**

**DOI: 10.1016/j.tripleo.2007.05.004**

**Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics, 2008, 105, 512-8.**

**Source:** <https://exaly.com/paper-pdf/44023081/citation-report.pdf>

**Version:** 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
145	Cone-beam CT diagnostic applications: caries, periodontal bone assessment, and endodontic applications. <b>2008</b> , 52, 825-41, vii		176
144	Condylar asymmetry in children with juvenile idiopathic arthritis assessed by cone-beam computed tomography. <b>2008</b> , 30, 545-51		48
143	Evaluation of Homogeneity on Cone Beam Computed Tomography Imaging with Flat Panel Detector. <b>2009</b> , 18, 101-110		
142	Accuracy and precision of linear measurements in cone beam computed tomography Accuitomo tomograms obtained with different reconstruction techniques. <i>Dentomaxillofacial Radiology</i> , <b>2009</b> , 38, 379-86	3.9	48
141	Generation of three-dimensional prototype models based on cone beam computed tomography. <b>2009</b> , 4, 175-80		27
140	Macro- and micro-anatomical, histological and computed tomography scan characterization of the nasopalatine canal. <b>2009</b> , 36, 598-603		78
139	Measurements of mandibular canal region obtained by cone-beam computed tomography: a cadaveric study. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , <b>2009</b> , 107, e34-42		67
138	Errors and error management in image-guided craniomaxillofacial surgery. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , <b>2009</b> , 107, 701-15		78
137	Cone-beam computerized tomography (CBCT) imaging of the oral and maxillofacial region: a systematic review of the literature. <b>2009</b> , 38, 609-25		513
136	Modern dental imaging: a review of the current technology and clinical applications in dental practice. <b>2010</b> , 20, 2637-55		117
135	Accuracy and Clinical Outcome of Template-Based Implant Placement. <b>2010</b> , 68, e16-e17		
134	Accuracy of measuring the cortical bone thickness adjacent to dental implants using cone beam computed tomography. <i>Clinical Oral Implants Research</i> , <b>2010</b> , 21, 718-25	4.8	114
133	Cone beam imaging: is this the ultimate imaging modality?. <i>Clinical Oral Implants Research</i> , <b>2010</b> , 21, 1201-8	4.8	50
132	Morfologia alveolar sob a perspectiva da tomografia computadorizada: definindo os limites biológicos para a movimentação dentária. <b>2010</b> , 15, 192-205		52
131	Avaliação de doses referenciais obtidas com exames de tomografia computadorizada de feixe cônico adquiridos com diferentes tamanhos de voxel. <b>2010</b> , 15, 42-43		5
130	Reprodutibilidade das mensurações da espessura das lâminas ósseas na tomografia computadorizada Cone-Beam utilizando diferentes protocolos de aquisição de imagem. <b>2010</b> , 15, 143-149		15
129	Evaluation of demineralized bone and bone transplants in vitro and in vivo with cone beam computed tomography imaging. <i>Dentomaxillofacial Radiology</i> , <b>2010</b> , 39, 264-9	3.9	3

128	Glandular odontogenic cyst: systematic review. <i>Dentomaxillofacial Radiology</i> , <b>2010</b> , 39, 127-39	3.9	34
127	Haptic model fabrication for undergraduate and postgraduate teaching. <b>2010</b> , 39, 1226-9		19
126	Accuracy assessment of the axial images obtained from cone beam computed tomography. <i>Dentomaxillofacial Radiology</i> , <b>2011</b> , 40, 369-78	3.9	12
125	A comparative study of the accuracy and reliability of multidetector computed tomography and cone beam computed tomography in the assessment of dental implant site dimensions. <i>Dentomaxillofacial Radiology</i> , <b>2011</b> , 40, 67-75	3.9	77
124	Assessment of linear measurements of bone for implant sites in the presence of metallic artefacts using cone beam computed tomography and multislice computed tomography. <b>2011</b> , 40, 845-50		21
123	Stability of contour augmentation and esthetic outcomes of implant-supported single crowns in the esthetic zone: 3-year results of a prospective study with early implant placement postextraction. <b>2011</b> , 82, 342-9		139
122	Effect of bone thickness on alveolar bone-height measurements from cone-beam computed tomography images. <b>2011</b> , 139, e117-27		106
121	Accuracy of CBCT measurements of a human skull. <b>2011</b> , 24, 787-93		48
120	Morphometrical analysis of the human mandibular canal: a CT investigation. <b>2011</b> , 33, 345-52		31
119	Image assessment of MSCT and CBCT scans for rapid maxillary expansion: a pilot study. <b>2011</b> , 14, 1089-95		3
118	Topographic analysis of maxillary premolars and molars and maxillary sinus using cone beam computed tomography. <b>2012</b> , 21, 528-35		16
117	Accuracy of linear measurements in cone beam computed tomography with different voxel sizes. <b>2012</b> , 21, 150-5		44
116	Alveolar bone morphology in patients with bilateral complete cleft lip and palate in the mixed dentition: cone beam computed tomography evaluation. <i>Cleft Palate-Craniofacial Journal</i> , <b>2012</b> , 49, 208-14	1.9	37
115	A clinically relevant validation method for implant placement after virtual planning. <i>Clinical Oral Implants Research</i> , <b>2013</b> , 24, 1265-72	4.8	29
114	Accuracy assessment of prototypes produced using multi-slice and cone-beam computed tomography. <b>2012</b> , 41, 1291-5		23
113	Accuracy of linear intraoral measurements using cone beam CT and multidetector CT: a tale of two CTs. <i>Dentomaxillofacial Radiology</i> , <b>2012</b> , 41, 637-44	3.9	30
112	Optimization of cone beam CT exposure for pre-surgical evaluation of the implant site. <i>Dentomaxillofacial Radiology</i> , <b>2012</b> , 41, 70-4	3.9	49
111	Genial tubercle position and dimensions by cone-beam computerized tomography in a Taiwanese sample. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , <b>2012</b> , 113, e46-50	2	18

110	Do image modality and registration method influence the accuracy of craniofacial navigation?. <b>2012</b> , 70, 2165-73		15
109	Marker-free registration for the accurate integration of CT images and the subject's anatomy during navigation surgery of the maxillary sinus. <i>Dentomaxillofacial Radiology</i> , <b>2012</b> , 41, 679-85	3.9	5
108	Effect of root canal filling materials on dimensions of cone-beam computed tomography images. <i>Journal of Applied Oral Science</i> , <b>2012</b> , 20, 260-7	3.3	29
107	Ex vivo measurement reliability using two different cbct scanners for orthodontic purposes. <b>2012</b> , 8, 230-42		15
106	Accuracy of cone-beam computed tomography at different resolutions assessed on the bony covering of the mandibular anterior teeth. <b>2012</b> , 141, 41-50		113
105	CBCT device dependency on the transfer accuracy from computer-aided implantology procedures. <i>Clinical Oral Implants Research</i> , <b>2012</b> , 23, 1089-97	4.8	17
104	Is there a role for the use of volumetric cone beam computed tomography in periodontics?. <b>2012</b> , 57 Suppl 1, 103-8		25
103	Conventional multi-slice computed tomography (CT) and cone-beam CT (CBCT) for computer-assisted implant placement. Part I: relationship of radiographic gray density and implant stability. <b>2013</b> , 15, 893-906		53
102	Accuracy of bone surface size and cortical layer thickness measurements using cone beam computerized tomography. <i>Clinical Oral Implants Research</i> , <b>2013</b> , 24, 793-7	4.8	12
101	A comparative study of cone-beam CT and multidetector CT in the preoperative assessment of odontogenic cysts and tumors. <b>2013</b> , 44, 23-32		14
100	The prevalence, length and position of the anterior loop of the inferior alveolar nerve in Chinese, assessed by spiral computed tomography. <b>2013</b> , 35, 823-30		23
99	Accuracy of peri-implant bone thickness and validity of assessing bone augmentation material using cone beam computed tomography. <i>Clinical Oral Investigations</i> , <b>2013</b> , 17, 1601-9	4.2	23
98	Clinical recommendations regarding use of cone beam computed tomography in orthodontics. [corrected]. Position statement by the American Academy of Oral and Maxillofacial Radiology. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , <b>2013</b> , 116, 238-57	2	207
97	An in vitro comparison of the accuracy of measurements obtained from high- and low-resolution cone-beam computed tomography scans. <b>2013</b> , 39, 394-7		17
96	Minimally Invasive Implant Surgery and Immediate Loading: Surgical and Prosthetic Techniques. <b>2013</b> , 3, 89-94		
95	Image quality assessment of three cone beam CT machines using the SEDENTEXCT CT phantom. <i>Dentomaxillofacial Radiology</i> , <b>2013</b> , 42, 20120445	3.9	42
94	Effect of implant assisted partial overdenture with neutral zone concept in partially resected mandible restoration on facial contour and bone density. <b>2014</b> , 11, 139-149		
93	Deviations between placed and planned implant positions: an accuracy pilot study of skeletally supported stereolithographic surgical templates. <b>2014</b> , 16, 540-51		18

92	Development of Evidence-Based Selection Criteria for Cone Beam Computed Tomography in Orthodontics. <b>2014</b> , 113-125		
91	Influence of cone-beam computed tomography milliamperage settings on image quality of the mandibular third molar region. <b>2014</b> , 30, 27-31		13
90	[Visualization of subtle temporal bone structures. Comparison of cone beam CT and MDCT]. <b>2014</b> , 54, 271-8		12
89	Digital tooth-based superimposition method for assessment of alveolar bone levels on cone-beam computed tomography images. <b>2014</b> , 146, 255-63		7
88	Comparison between cone beam computed tomography and multislice computed tomography in diagnostic accuracy of maxillofacial fractures in dried human skull: an in vitro study. <b>2014</b> , 30, 162-8		4
87	Clinical utility of dental cone-beam computed tomography: current perspectives. <b>2014</b> , 6, 29-43		29
86	Use of cone beam computed tomography in periodontology. <b>2014</b> , 6, 139-47		32
85	Immediate periodontal bone plate changes induced by rapid maxillary expansion in the early mixed dentition: CT findings. <b>2014</b> , 19, 36-43		9
84	Three-Dimensional Evaluation of Alveolar Bone and Soft Tissue Dimensions of Maxillary Central Incisors for Immediate Implant Placement: A Cone-Beam Computed Tomography Assisted Analysis. <b>2015</b> , 24, 407-15		10
83	In vitro comparison of the effect of different slice thicknesses on the accuracy of linear measurements on cone beam computed tomography images in implant sites. <i>Journal of Craniofacial Surgery</i> , <b>2015</b> , 26, 157-60	1.2	11
82	Availability of Software-Based Correction of Mandibular Plane for the Vertical Measurement of the Mandible in Cone Beam Computed Tomography. <b>2015</b> , 2015, 808625		1
81	Technical accuracy of printed surgical templates for guided implant surgery with the coDiagnostiX Software. <b>2015</b> , 17 Suppl 1, e177-82		47
80	Posttraumatic Trigeminal Nerve Neuropathy. <b>2015</b> , 469-491		1
79	Anterior maxilla alveolar ridge dimension and morphology measurement by cone beam computerized tomography (CBCT) for immediate implant treatment planning. <b>2015</b> , 15, 65		38
78	Fate of the buccal bone at implants placed early, delayed, or late after tooth extraction analyzed by cone beam CT: 10-year results from a randomized, controlled, clinical study. <i>Clinical Oral Implants Research</i> , <b>2015</b> , 26, 492-500	4.8	16
77	Linear Measurement Accuracy of Eight Cone Beam Computed Tomography Scanners. <b>2015</b> , 17, 1217-27		12
76	Detection of peri-implant bone defects with different radiographic techniques - a human cadaver study. <i>Clinical Oral Implants Research</i> , <b>2016</b> , 27, 529-34	4.8	31
75	Implant treatment planning regarding augmentation procedures: panoramic radiographs vs. cone beam computed tomography images. <i>Clinical Oral Implants Research</i> , <b>2016</b> , 27, 1010-6	4.8	8

74	EVALUATION OF THYROID RADIATION DOSE USING CONE BEAM COMPUTED TOMOGRAPHY. <b>2017</b> , 175, 368-372		1
73	Prospects and limitations of different registration modalities in electromagnetic ENT navigation. <b>2016</b> , 273, 3979-3986		17
72	Objective and subjective image evaluation of maxillary alveolar bone based on cone beam computed tomography exposure parameters. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , <b>2016</b> , 121, 557-65	2	8
71	Rapid maxillary expansion in adults: Can multislice computed tomography help choose between orthopedic or surgical treatment?. <b>2016</b> , 117, 327-334		2
70	Precision, reproducibility, and accuracy of bone crest level measurements of CBCT cross sections using different resolutions. <b>2016</b> , 86, 535-42		22
69	A retrospective, semi-quantitative image quality analysis of cone beam computed tomography (CBCT) and MSCT in the diagnosis of distal radius fractures. <b>2016</b> , 26, 4551-4561		16
68	Can posterior teeth of patients be translated buccally, and does bone form on the buccal surface in response?. <b>2016</b> , 86, 527-34		6
67	Influence of Maxillary Sinus Width on Transcrestal Sinus Augmentation Outcomes: Radiographic Evaluation Based on Cone Beam CT. <b>2016</b> , 18, 292-300		21
66	Linear accuracy and reliability of volume data sets acquired by two CBCT-devices and an MSCT using virtual models: a comparative in-vitro study. <b>2016</b> , 74, 51-9		8
65	Classification of periodontal biotypes with the use of CBCT. A cross-sectional study. <i>Clinical Oral Investigations</i> , <b>2016</b> , 20, 2061-2071	4.2	24
64	Validation of cone beam computed tomography-based tooth printing using different three-dimensional printing technologies. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , <b>2016</b> , 121, 307-15	2	25
63	Cone beam computed tomography-based models versus multislice spiral computed tomography-based models for assessing condylar morphology. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , <b>2016</b> , 121, 96-105	2	5
62	Comparison of digital dental images yielded by digital dental casts, cone-beam computed tomography, and multislice computed tomography for measurement of dental area. <b>2017</b> , 33, 23-31		3
61	Topographic analysis of the maxillary premolars relative to the maxillary sinus and the alveolar bone using cone beam computed tomography. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , <b>2017</b> , 123, 606-612	2	8
60	Comparison of digital panoramic radiography versus cone beam computerized tomography for measuring alveolar bone. <b>2017</b> , 13, 2		11
59	Movement of mandibular molar into edentulous alveolar ridge: A cone-beam computed tomography study. <b>2017</b> , 151, 907-913		4
58	Effect of ultra-low doses, ASIR and MBIR on density and noise levels of MDCT images of dental implant sites. <b>2017</b> , 27, 2225-2234		10
57	Accuracy of segmentation of tooth structures using 3 different CBCT machines. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , <b>2017</b> , 123, 123-128	2	19

56	Accuracy of linear measurements performed with two imaging software in cone-beam computed tomography scans of dry human mandibles. <b>2017</b> , 89, 2865-2873		2
55	Comparison of Results of Measurement of Dimensions of the Placed Dental Implants on Cone Beam Computed Tomography with Dimensions of the Producers of the Implants. <b>2017</b> , 25, 116-120		4
54	Detection of simulated vertical root fractures; which is better multi-detector computed tomography or cone beam computed tomography?. <b>2018</b> , 49, 60-65		
53	Peri-implant Tissue Stability. <b>2018</b> , 137-195		
52	Cone Beam CT-Based Preoperative Volumetric Estimation of Bone Graft Required for Lateral Window Sinus Augmentation, Compared with Intraoperative Findings: A Pilot Study. <b>2018</b> , 12, 820-826		1
51	Accuracy of computer-guided surgery for dental implant placement in fully edentulous patients: A systematic review. <i>European Journal of Dentistry</i> , <b>2018</b> , 12, 153-160	2.6	33
50	Accuracy of computer-aided design models of the jaws produced using ultra-low MDCT doses and ASIR and MBIR. <b>2018</b> , 13, 1853-1860		5
49	Role of cone beam computed tomography in contemporary orthodontics. <b>2018</b> , 24, 407-415		9
48	Accuracy of linear measurements on CBCT images related to presurgical implant treatment planning: A systematic review. <i>Clinical Oral Implants Research</i> , <b>2018</b> , 29 Suppl 16, 393-415	4.8	58
47	Localization of the inferior alveolar canal using ultralow dose CT with iterative reconstruction techniques. <i>Dentomaxillofacial Radiology</i> , <b>2018</b> , 47, 20170477	3.9	5
46	Cone beam computed tomography in implant dentistry: recommendations for clinical use. <b>2018</b> , 18, 88		122
45	Accuracy of cone beam computed tomography in measuring thicknesses of hard-tissue-mimicking material adjacent to different implant thread surfaces. <i>Journal of Dental Sciences</i> , <b>2019</b> , 14, 119-125	2.5	3
44	Accuracy of alveolar bone height and thickness measurements in cone beam computed tomography: a systematic review and meta-analysis. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , <b>2019</b> , 128, 667-679	2	10
43	The Alveolar Bone and Its Limits. <b>2019</b> , 207-226		
42	A Cone-Beam Computed Tomographic Study of Alveolar Bone Morphology in Patients With Unilateral Cleft Lip and Palate. <i>Cleft Palate-Craniofacial Journal</i> , <b>2020</b> , 57, 273-281	1.9	1
41	Evaluation of Mandibular First Molars' Axial Inclination and Alveolar Morphology in Different Facial Patterns: A CBCT Study. <i>European Journal of Dentistry</i> , <b>2020</b> , 14, 250-259	2.6	2
40	Accuracy of fully guided orthodontic mini-implant placement evaluated by cone-beam computed tomography: a study involving human cadaver heads. <i>Clinical Oral Investigations</i> , <b>2021</b> , 25, 1299-1306	4.2	5
39	Comparative study of the accuracy of CBCT implant site measurements using different software programs. <i>Saudi Dental Journal</i> , <b>2021</b> , 33, 355-361	2.5	0

38	Preoperative Planning for Guided Surgery (Implant Positioning and Template Designs). <b>2021</b> , 23-28		
37	Assessing the efficacy of a modified crushing technique for the management of concha bullosa: a cone beam computer tomography study. <i>Brazilian Journal of Otorhinolaryngology</i> , <b>2021</b> ,	1.6	1
36	Maxillary dentoskeletal outcomes of the expander with differential opening and the fan-type expander: a randomized controlled trial. <i>Clinical Oral Investigations</i> , <b>2021</b> , 25, 5247-5256	4.2	2
35	Fenestration and dehiscence frequency in maxillary teeth with apical periodontitis: a CBCT study. <i>Revista De La Facultad De Odontologia Universidad De Antioquia</i> , <b>2021</b> , 33, 36-44	0.3	
34	Comparison of Ridge Mapping and Cone Beam Computed Tomography for the Determination of Alveolar Ridge Width. <i>Journal of Maxillofacial and Oral Surgery</i> , 1	0.9	
33	The Effects of Local Alendronate With or Without Recombinant Human Bone Morphogenetic Protein 2 on Dental Implant Stability and Marginal Bone Level: A Randomized Controlled Study. <i>Journal of Craniofacial Surgery</i> , <b>2021</b> ,	1.2	1
32	Principles, Applications, and Technology of Craniofacial Bone Engineering. 183-234		1
31	Applications of CBCT in Orthodontics. <b>2018</b> , 645-714		1
30	Relationship between CNR and visibility of anatomical structures of cone-beam computed tomography images under different exposure parameters. <i>Dentomaxillofacial Radiology</i> , <b>2020</b> , 49, 20190336	3.9	2
29	Comparison the Accuracy of the Cone-Beam Computed Tomography With Digital Direct Intraoral Radiography, in Assessment of Periodontal Osseous Lesions. <i>Dental Journal of Hamadan University of Medical Sciences</i> , <b>2014</b> , 6, 58-63	0.1	1
28	Influence of Three-dimensional Imaging on Implant Treatment Planning: Implant Diameter and Length. <i>Journal of Contemporary Dental Practice</i> , <b>2018</b> , 19, 704-711	0.7	3
27	Alveolar Bone Dimensions of Mandibular Posterior Teeth using Cone Beam Computed Tomography: A Pilot Study. <i>Journal of Contemporary Dentistry</i> , <b>2016</b> , 6, 9-14	0	2
26	Task-specific uncertainty estimation for medical CT measurements. <i>Journal of Sensors and Sensor Systems</i> , <b>2018</b> , 7, 627-635	1.6	2
25	Optimization of exposure parameters and relationship between subjective and technical image quality in cone-beam computed tomography. <i>Imaging Science in Dentistry</i> , <b>2019</b> , 49, 139-151	2.2	4
24	CBCT report of three interesting cases of cysts and its radiographic presentations. <i>Journal of Oral Medicine Oral Surgery Oral Pathology and Oral Radiology</i> , <b>2021</b> , 7, 176-181	1	
23	Computer Aided Alternative Methods of Dental Implants Placement. <i>Advances in Intelligent and Soft Computing</i> , <b>2010</b> , 211-216		
22	Contemporary Concepts in the Diagnosis of Periodontal Disease. <b>2012</b> , 315-421		
21	Advances in Dental Implant Positioning Techniques and Their Clinical Implications. <i>Open Journal of Stomatology</i> , <b>2017</b> , 07, 121-135	0.2	



20	Comparative Assessment of Facial Asymmetry in Malocclusion using Posteroanterior View. <i>Journal of Contemporary Dental Practice</i> , <b>2018</b> , 19, 712-718	0.7	
19	Evaluation of Different Preosteotomy Determinants as Affecting the Success of Implant Therapy: A CBCT-based Clinical Study. <i>Journal of Contemporary Dental Practice</i> , <b>2019</b> , 20, 1212-1216	0.7	
18	VERTİKAL İNTERPROKSİMAL KEMİK DEFİKTLERİNİ TOPOGRAFSİNİN KLİNİK VE DİJİTAL İMMERASYONLA BELİRLENMESİ <i>Journal of Biotechnology and Strategic Health Research</i> , <b>2019</b> , 10, 1-10	0.7	
17	Posteriyör Maksillanın Kemik Morfolojisi ve Maksiller Sinüsün Seyri: İmplant Tedavisi için Boyutlu Analiz. <i>Kırıkkale Üniversitesi Tıp Fakültesi Dergisi</i> , 313-324	0	
16	Evaluation of the accuracy of buccal bone thickness measurement from cone beam computed tomography compared with histologic analysis. <i>Journal of Prosthetic Dentistry</i> , <b>2021</b> , 124, 100-105	4	1
15	Comparative evaluation of the precision of cone-beam computed tomography and surgical intervention in the determination of periodontal bone defects: A clinicoradiographic study. <i>Journal of Indian Society of Periodontology</i> , <b>2020</b> , 24, 127-134	1.1	0
14	Diagnostic Imaging for Zygomatic Implants. <b>2020</b> , 17-31		
13	Preoperative Implant Evaluation and Complications of Treatment Planning. <b>2020</b> , 1-13		
12	A comparative study of accuracy of linear measurements using cone beam and multi-slice computed tomographies for evaluation of mandibular canal location in dry mandibles. <i>Dental Research Journal</i> , <b>2013</b> , 10, 15-9	0.8	3
11	The effect of voxel size on the measurement of mandibular thickness in cone-beam computed tomography. <i>Dental Research Journal</i> , <b>2014</b> , 11, 544-8	0.8	4
10	Accuracy and reliability of linear measurements using tangential projection and cone beam computed tomography. <i>Dental Research Journal</i> , <b>2015</b> , 12, 271-7	0.8	6
9	Implant Supported Distal Extension over Denture Retained by Two Types of Attachments. A Comparative Radiographic Study by Cone Beam Computed Tomography. <i>Journal of International Oral Health</i> , <b>2015</b> , 7, 5-10	0.4	1
8	Effect of Dental Implant Metal Artifacts on Accuracy of Linear Measurements by Two Cone-Beam Computed Tomography Systems Before and After Crown Restoration. <i>Journal of Dentistry of Tehran University of Medical Sciences</i> , <b>2017</b> , 14, 329-336		2
7	Bone Dimensional Change Following Immediate Implant Placement in Posterior Teeth with CBCT: A 6-Month Prospective Clinical Study.. <i>Molecules</i> , <b>2022</b> , 27, 1-10	4.8	0
6	Periodontal status of maxillary central incisors after orthodontic traction: a longitudinal follow-up.. <i>Journal of Applied Oral Science</i> , <b>2022</b> , 30, e20210492	3.3	
5	Digitally designed guided implant surgery in deficient maxillary ridges: Case reports. <i>Journal of Advanced Periodontology &amp; Implant Dentistry</i> , <b>2022</b> , 12, 1-10	0.1	
4	Alveolar Ridge Preservation with Guided Bone Regeneration or Socket Seal Technique. A Randomised, Single-Blind Controlled Clinical Trial.. <i>Clinical Oral Implants Research</i> , <b>2022</b> , 23, 1-10	4.8	1
3	Introduction of Accurate Measurement of the Alveolar Bone Height in Bone Grafting Area after Sinus Lift. <i>Current Medical Imaging</i> , <b>2022</b> , 18, 1-10	1.2	

- 2 Evaluation of the effect of autologous conditioned serum on the radiographic characteristics of hard tissue after horizontal bone augmentation in implant dentistry. **2022**, 14, 62-68 ○
- 1 Age estimation from alveolar bone loss, re-evaluation of Ruquet's method. ○