

CITATION REPORT

List of articles citing

A comparative CT evaluation of pharyngeal airway changes in class III patients receiving bimaxillary surgery or mandibular setback surgery

DOI: 10.1016/j.tripleo.2007.11.012

Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics, 2008, 105, 495-502.

Source: <https://exaly.com/paper-pdf/44023223/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
96	The effect of mandibular setback or two-jaws surgery on pharyngeal airway among different genders. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2009 , 38, 647-52	2.9	47
95	Oropharyngeal airway changes following bimaxillary surgery in Class III female adults. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2009 , 37, 69-73	3.6	34
94	Three-dimensional airway changes after Le Fort III advancement in syndromic craniosynostosis patients. <i>Plastic and Reconstructive Surgery</i> , 2010 , 126, 564-571	2.7	30
93	Automated 3-dimensional airway analysis from cone-beam computed tomography data. <i>Journal of Oral and Maxillofacial Surgery</i> , 2010 , 68, 696-701	1.8	69
92	Three dimensional cone-beam CT study of upper airway change after mandibular setback surgery for skeletal Class III malocclusion patients. <i>Korean Journal of Orthodontics</i> , 2010 , 40, 145	1.4	11
91	Two- and three-dimensional evaluation of the upper airway after bimaxillary correction of Class III malocclusion. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2010 , 110, 234-42		66
90	Effects of orthognathic surgery on oropharyngeal airway: a meta-analysis. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2011 , 40, 1347-56	2.9	76
89	Neuromuscular orthotics in the treatment of craniomandibular dysfunction and the effects on patients with multiple sclerosis: a pilot study. <i>Cranio - Journal of Craniomandibular Practice</i> , 2011 , 29, 57-70	1.2	2
88	Three-dimensional changes in pharyngeal airway in skeletal class III patients undergoing orthognathic surgery. <i>Journal of Oral and Maxillofacial Surgery</i> , 2011 , 69, e401-8	1.8	80
87	Cephalometric evaluation of pharyngeal airway space changes in class III patients undergoing orthognathic surgery. <i>Journal of Oral and Maxillofacial Surgery</i> , 2011 , 69, e409-15	1.8	43
86	Effect of mono- and bimaxillary advancement on pharyngeal airway volume: cone-beam computed tomography evaluation. <i>Journal of Oral and Maxillofacial Surgery</i> , 2011 , 69, e395-400	1.8	60
85	The effect of maxillary advancement and impaction on the upper airway after bimaxillary surgery to correct Class III malocclusion. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2011 , 139, e369-76	2.1	39
84	Three-dimensional analysis of pharyngeal airway volume in adults with anterior position of the mandible. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2011 , 140, e161-9	2.1	53
83	Pharyngeal airway space, hyoid bone position and head posture after orthognathic surgery in Class III patients. <i>Angle Orthodontist</i> , 2012 , 82, 993-1000	2.6	40
82	Volumetric changes in the upper airway after bimaxillary surgery for skeletal class III malocclusions: a case series study using 3-dimensional cone-beam computed tomography. <i>Journal of Oral and Maxillofacial Surgery</i> , 2012 , 70, 2867-75	1.8	46
81	Pharyngeal airway changes in Class III patients treated with double jaw orthognathic surgery--maxillary advancement and mandibular setback. <i>Journal of Oral and Maxillofacial Surgery</i> , 2012 , 70, e639-47	1.8	23
80	Cone-beam computed tomography evaluation of short- and long-term airway change and stability after orthognathic surgery in patients with Class III skeletal deformities: bimaxillary surgery and mandibular setback surgery. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2012 , 41, 87-93	2.9	80

79	Three-dimensional analysis of pharyngeal airway change of skeletal class III patients in cone beam computed tomography after bimaxillary surgery. <i>Journal of the Korean Association of Oral and Maxillofacial Surgeons</i> , 2012 , 38, 9	1.6	4
78	Orthognathic surgery and partial glossectomy in a patient with merosin-deficient congenital muscular dystrophy. <i>Journal of Oral and Maxillofacial Surgery</i> , 2012 , 70, e141-6	1.8	3
77	Short-term pharyngeal airway changes after mandibular advancement surgery in adult Class II-Patients--a three-dimensional retrospective study. <i>Journal of Orofacial Orthopedics</i> , 2013 , 74, 137-52	2.9	32
76	Clinical and cone-beam computed tomography evaluation of the three-dimensional increase in pharyngeal airway space following maxillo-mandibular rotation-advancement for Class II-correction in patients without sleep apnoea (OSA). <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2013 , 41, 552-7	3.6	42
75	Dimensional changes of maxillary sinuses and pharyngeal airway in Class III patients undergoing bimaxillary orthognathic surgery. <i>Angle Orthodontist</i> , 2013 , 83, 824-31	2.6	36
74	Three-dimensional changes of the hyoid bone and airway volumes related to its relationship with horizontal anatomic planes after bimaxillary surgery in skeletal Class III patients. <i>Angle Orthodontist</i> , 2013 , 83, 623-9	2.6	34
73	Pharyngeal airway space, hyoid bone position, and head posture after bimaxillary orthognathic surgery in Class III patients: long-term evaluation. <i>Angle Orthodontist</i> , 2014 , 84, 773-81	2.6	24
72	Three-dimensional cone-beam computed tomography analysis of enlargement of the pharyngeal airway by the Herbst appliance. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2014 , 146, 776-85	2.1	47
71	3D Assessment of Orthognathic Surgical Outcomes. 2014 , 463-483		1
70	Head posture and pharyngeal airway volume changes after bimaxillary surgery for mandibular prognathism. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2014 , 42, 531-5	3.6	24
69	Reliability of upper airway linear, area, and volumetric measurements in cone-beam computed tomography. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2014 , 145, 188-97	2.1	40
68	Obstructive Sleep Apnea. 2014 , 992-1058		
67	Contemporary Concepts of Cone Beam Computed Tomography in Orthodontics. 2014 , 3-42		1
66	Prediction of 3-dimensional pharyngeal airway changes after orthognathic surgery: a preliminary study. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2014 , 146, 299-309	2.1	43
65	Effects of orthognathic surgery on pharyngeal airway and respiratory function during sleep in patients with mandibular prognathism. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2014 , 43, 1082-90	2.9	36
64	The "Rubber Band" and "Slingshot" Effects of the Posterior Airway Space in Mandibular Orthognathic Surgeries. <i>Journal of Maxillofacial and Oral Surgery</i> , 2014 , 13, 514-8	0.9	1
63	Retrospective analysis of the effects of orthognathic surgery on the pharyngeal airway space. <i>Journal of Oral and Maxillofacial Surgery</i> , 2014 , 72, 2227-40	1.8	12
62	Morphological changes in the pharyngeal airway of female skeletal class III patients following bimaxillary surgery: a cone beam computed tomography evaluation. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2014 , 43, 862-7	2.9	29

61	Long-term evaluation of swallowing function before and after sagittal split ramus osteotomy. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2014 , 43, 856-61	2.9	8
60	Cephalometric and three-dimensional assessment of the posterior airway space and imaging software reliability analysis before and after orthognathic surgery. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2014 , 42, 1428-36	3.6	39
59	Retrospective study of changes in pharyngeal airway space and position of hyoid bone after mandibular setback surgery by cephalometric analysis. <i>Maxillofacial Plastic and Reconstructive Surgery</i> , 2015 , 37, 38	2.7	11
58	Impact on the pharyngeal airway space of different orthognathic procedures for the prognathic mandible. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2015 , 44, 1110-8	2.9	17
57	Use of body plethysmography to measure effect of bimaxillary orthognathic surgery on airway resistance and lung volumes. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2015 , 53, 988-90	1.4	3
56	Effects of mandibular setback surgery on upper airway dimensions and their influence on obstructive sleep apnoea - a systematic review. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2015 , 43, 248-53 ^{3.6}	3.6	40
55	Pharyngeal airway changes after mono- and bimaxillary surgery in skeletal class III patients: Cone-beam computed tomography evaluation. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2015 , 43, 491-6	3.6	19
54	How has our interest in the airway changed over 100 years?. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2015 , 148, 740-7	2.1	12
53	The influence of craniofacial morphology on the upper airway dimensions. <i>Angle Orthodontist</i> , 2015 , 85, 874-80	2.6	16
52	Effect of posterior impaction and setback of the maxilla on retropalatal airway and velopharyngeal dimensions after two-jaw surgery in skeletal Class III patients. <i>Angle Orthodontist</i> , 2015 , 85, 625-30	2.6	5
51	Cone-beam evaluation of pharyngeal airway space in class I, II, and III patients. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2015 , 120, 679-83	2	18
50	A 2-year follow-up of changes after bimaxillary surgery in patients with mandibular prognathism: 3-dimensional analysis of pharyngeal airway volume and hyoid bone position. <i>Journal of Oral and Maxillofacial Surgery</i> , 2015 , 73, 340.e1-9	1.8	26
49	Surgical Maxillary Advancement Increases Upper Airway Volume in Skeletal Class III Patients: A Cone Beam Computed Tomography-Based Study. <i>Journal of Clinical Sleep Medicine</i> , 2016 , 12, 1527-1533 ^{3.1}	3.1	4
48	Evaluation of upper airways after bimaxillary orthognathic surgery in patients with skeletal Class III pattern using cone-beam computed tomography. <i>Dental Press Journal of Orthodontics</i> , 2016 , 21, 34-41	1.3	9
47	Velopharyngeal changes after maxillary distraction in cleft patients using a rigid external distraction device: A retrospective study. <i>Angle Orthodontist</i> , 2016 , 86, 962-968	2.6	7
46	Effects of surgical correction of class III malocclusion on the pharyngeal airway and its influence on sleep apnoea. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2016 , 45, 1508-1512	2.9	15
45	Sleep-disordered breathing following mandibular setback: a systematic review of the literature. <i>Sleep and Breathing</i> , 2016 , 20, 387-94	3.1	20
44	Does the Pharyngeal Airway Recover After Sagittal Split Ramus Osteotomy for Mandibular Prognathism?. <i>Journal of Oral and Maxillofacial Surgery</i> , 2016 , 74, 162-9	1.8	5

43	Three-dimensional evaluation of the pharyngeal airway using cone-beam computed tomography following bimaxillary orthognathic surgery in skeletal class III patients. <i>Clinical Oral Investigations</i> , 2016 , 20, 915-22	4.2	15
42	Three-dimensional analysis of changes in pharyngeal airway space after mandibular setback surgery. <i>Orthodontic Waves</i> , 2017 , 76, 1-8	0.2	3
41	Computational fluid dynamics study of the pharyngeal airway space before and after mandibular setback surgery in patients with mandibular prognathism. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2017 , 46, 839-844	2.9	15
40	Influence of Bimaxillary Surgery on Pharyngeal Airway in Class III Deformities and Effect on Sleep Apnea: A STOP-BANG Questionnaire and Cone-Beam Computed Tomography Study. <i>Journal of Oral and Maxillofacial Surgery</i> , 2017 , 75, 2411-2421	1.8	10
39	Impact on the upper airway space of different types of orthognathic surgery for the correction of skeletal class III malocclusion: A systematic review and meta-analysis. <i>International Journal of Surgery</i> , 2017 , 38, 31-40	7.5	22
38	Upper airway asymmetry in skeletal Class III malocclusions with mandibular deviation. <i>Scientific Reports</i> , 2017 , 7, 12185	4.9	2
37	Effects of bodily retraction of mandibular incisors versus mandibular setback surgery on pharyngeal airway space: A comparative study. <i>Korean Journal of Orthodontics</i> , 2017 , 47, 344-352	1.4	5
36	Complications associated with orthognathic surgery. <i>Journal of the Korean Association of Oral and Maxillofacial Surgeons</i> , 2017 , 43, 3-15	1.6	39
35	Two-dimensional and volumetric airway changes after bimaxillary surgery for class III malocclusion. <i>Journal of the Korean Association of Oral and Maxillofacial Surgeons</i> , 2017 , 43, 88-93	1.6	5
34	Effects of mandibular setback with or without maxillary advancement osteotomies on pharyngeal airways: An overview of systematic reviews. <i>PLoS ONE</i> , 2017 , 12, e0185951	3.7	11
33	Gender differences in morphological and functional outcomes after mandibular setback surgery. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2018 , 46, 887-892	3.6	1
32	Pharyngeal Airway Space Changes After Condylar Replacement and Mandibular Advancement Surgery. <i>Journal of Oral and Maxillofacial Surgery</i> , 2018 , 76, 1165-1174	1.8	6
31	Three-Dimensional Changes in the Upper Airway of Skeletal Class III Patients After Different Orthognathic Surgical Procedures. <i>Journal of Oral and Maxillofacial Surgery</i> , 2018 , 76, 155-164	1.8	10
30	Upper airway morphologic changes after mandibular setback surgery in skeletal class III malocclusion patients measured using cone beam computed tomography superimposition. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2018 , 47, 1405-1410	2.9	7
29	Maxillary stability following Le Fort I osteotomy using prebent plates and wire fixation in patients undergoing surgery for OSAS. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2018 , 46, 1448-1454	3.6	2
28	Orthognathic surgery for obstructive sleep apnea. <i>Seminars in Orthodontics</i> , 2019 , 25, 218-229	1.2	
27	CBCT analysis of pharyngeal airway volume and comparison of airway volume among patients with skeletal Class I, Class II, and Class III malocclusion: A retrospective study. <i>Cranio - Journal of Craniomandibular Practice</i> , 2021 , 39, 379-390	1.2	5
26	Cone-Beam Computed Tomography Evaluation of Pharyngeal Airway Space Changes After Bimaxillary Orthognathic Surgery in Patients With Class III Skeletal Deformities: A 6-Year Follow-Up Study. <i>Journal of Oral and Maxillofacial Surgery</i> , 2019 , 77, 2534-2544	1.8	2

25	3D Airway changes using CBCT in patients following mandibular setback surgery □ maxillary advancement. <i>Orthodontics and Craniofacial Research</i> , 2019 , 22 Suppl 1, 30-35	3	5
24	Evaluation of posterior airway space after setback surgery by simulation. <i>Medical and Biological Engineering and Computing</i> , 2019 , 57, 1145-1150	3.1	2
23	Three-dimensional alterations in pharyngeal airspace, soft palate, and hyoid bone of class II and class III patients submitted to bimaxillary orthognathic surgery: A retrospective study. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2019 , 47, 883-894	3.6	16
22	Cone-beam evaluation of pharyngeal airway space in adult skeletal Class II patients with different condylar positions. <i>Angle Orthodontist</i> , 2019 , 89, 312-316	2.6	1
21	Effect of Mandibular Setback Surgery on Tongue Length and Height and Its Correlation with Upper Airway Dimensions. <i>Journal of Maxillofacial and Oral Surgery</i> , 2021 , 20, 628-634	0.9	0
20	The Upper Airway Space in Patients with Dentofacial Anomalies. 2021 , 93-103		
19	Upper airway changes following high oblique sagittal split osteotomy (HSSO). <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2021 , 49, 146-153	3.6	1
18	SINIF III ORTOGNATİK CERRAHİ HASTALARINDA YUMUŞAK DOKU VE HAVA YOLU DEĞİMLERİNİN DEĞERLENDİRİLMESİ <i>Selcuk Dental Journal</i> ,		
17	Total maxillary arch distalization with modified C-palatal plates in adolescents: A long-term study using cone-beam computed tomography. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2021 , 159, 470-479	2.1	2
16	Sequential Changes in Pharyngeal Airway Dimensions After Mandibular Setback Surgery and Its Correlation With Postsurgical Stability in Patients With Mandibular Prognathism. <i>Journal of Oral and Maxillofacial Surgery</i> , 2021 , 79, 2540-2547	1.8	
15	Evaluation of Nasal Function and Upper Airway Morphology After Bi-Maxillary Surgery Using Rhinomanometry and Computed Tomography. <i>Journal of Craniofacial Surgery</i> , 2021 , 33,	1.2	
14	Are we able to predict airway dimensional changes in isolated mandibular setback?. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2021 ,	2.9	
13	Postoperative changes in the pharyngeal airway space through computed tomography evaluation after mandibular setback surgery in skeletal class III patients: 1-year follow-up. <i>Maxillofacial Plastic and Reconstructive Surgery</i> , 2021 , 43, 31	2.7	0
12	Comparison of oropharyngeal airway dimensional changes in patients with skeletal Class II and Class III malocclusions after orthognathic surgery and functional appliance treatment: A systematic review.. <i>Saudi Dental Journal</i> , 2021 , 33, 860-868	2.5	
11	Three-dimensional CT Evaluation of Upper Airway Morphology in Patients with Jaw Deformity. <i>The Japanese Journal of Jaw Deformities</i> , 2011 , 21, 215-224	0.1	1
10	Évaluation des changements de volume des voies aériennes chez des patients traités par distraction osseuse. <i>Revue D'orthopédie Dento-faciale</i> , 2010 , 44, 273-284	0	
9	Comparison of the Change in the Pharyngeal Airway Space, Tongue and Hyoid Bone Positions according to the Orthognathic Surgical Methods of Mandibular Prognathism. <i>The Journal of Korean Association of Maxillofacial Plastic and Reconstructive Surgeons</i> , 2013 , 35, 211-220		
8	Successful application of high-flow nasal cannula in a patient with postoperative respiratory disturbance after bilateral sagittal split ramus osteotomy surgery - A case report -. <i>Anesthesia and Pain Medicine</i> , 2018 , 13, 341-345	0.3	

7	Velopharyngeal Space Assessment in Patients Undergoing Le Fort 1 Maxillary Advancement. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2020 , 8, e3232	1.2	1
6	Long-term three-dimensional effects of orthognathic surgery on the pharyngeal airways: a prospective study in 128 healthy patients. <i>Clinical Oral Investigations</i> , 2021 , 1	4.2	0
5	Comparative evaluation of the effects of bimaxillary and mandibular setback surgery on pharyngeal airway space and hyoid bone position in skeletal class III patients.. <i>Journal of Clinical and Experimental Dentistry</i> , 2022 , 14, e404-e412	1.4	0
4	Cone beam computed tomography volumetric airway changes after orthognathic surgery: a systematic review. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2022 ,	2.9	0
3	A retrospective analysis of redo orthognathic surgery: Underlying causes, strategy, and outcome. 2023 ,		0
2	How Similar are the Dentoskeletal Characteristics of Class III Double-Jaw Surgery Patients with Ideal Post- Treatment Profiles and Class I Subjects?. 2023 , 36, 39-45		0
1	Assessment of the Impact of Two-Jaw Orthognathic Surgery on 3D Airway Volume in Patients with Skeletal Class III Patterns.		0